



The Photos of SAR test

No. 2013SAR00005

For

TCT Mobile Limited

GSM quad bands mobile phone

Model name: Beetle Lite Edge 2SIM

Marketing name: ONE TOUCH 4005D

With

Hardware Version: vD15

Software Version: Proto

FCC ID: RAD320

Issued Date: 2013-01-29



The test results in this test report relate only to the devices specified in

this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

Test Laboratory:

TMC Beijing, Telecommunication Metrology Center of MIIT

No. 52, Huayuan Bei Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2079, Fax:+86(0)10-62304633 Email:welcome@emcite.com. www.emcite.com


©Copyright. All rights reserved by TMC Beijing.




Picture 1: Constituents of the sample



Picture 2: Left Hand Touch Cheek Position



Picture 3: Left Hand Tilt 15° Position



Picture 4: Right Hand Touch Cheek Position





Picture 5: Right Hand Tilt 15° Position

Test positions for body:



The Body SAR is tested at the following 6 test positions all with the distance =10mm between the EUT and the phantom bottom:





Picture 6: Toward Phantom



Picture 7: Toward Ground




Picture 8: Toward Ground with Headset





Picture 9: Left Side



Picture 10: Right Side



Picture 11: Top Side



Picture 12: Bottom Side