



The Photos of SAR test

No. 2013EEB00145

For

TCT Mobile Limited

HSDPA/HSUPA/UMTS Tri-band / GSM quad bands mobile phone

Model name: Scribe 5 US_SS

Marketing name: ONE TOUCH 8000A

With

Hardware Version: PIO

Software Version: v135



The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

Test Laboratory:

TMC Beijing, Telecommunication Metrology Center of MIIT

No. 52, Huayuan Bei Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2079, Fax:+86(0)10-62304633 Email:welcome@emcite.com. www.emcite.com




Picture 1: front side of the sample



Picture 2: back side of the sample




Picture 3: Left Hand Touch Cheek Position



Picture 4: Left Hand Tilt 15° Position




Picture 5: Right Hand Touch Cheek Position




Picture 6: Right Hand Tilt 15° Position

Test positions for body:


The Body SAR is tested at the following 7 test positions all with the distance =10mm between the EUT and the phantom bottom:




Picture 7: Toward Phantom



Picture 8: Toward Ground



Picture 9: Toward Ground with Headset




Picture 10: Left Side



Picture 11: Right Side




Picture 12: Bottom Side



Picture 13: Top Side

Test positions with filp cover:



Picture 14: Left Hand Touch Cheek Position



Picture 15: Right Hand Touch Cheek Position



Picture 16: Toward Phantom



Picture 17: Toward Ground