

The Photos of SAR test

No. 2013SAR00065

For

TCT Mobile Limited

HSUPA/HSDPA/UMTS dualband / GSM quadband mobile phone

Model Name: Scribe5HD AWS

Marketing Name: ONE TOUCH 8008W

with

Hardware Version: 1.5

Software Version: vA8D

FCC ID: RAD330

Issued Date: 2013-05-13



Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

Test Laboratory:

TMC Beijing, Telecommunication Metrology Center of MIIT

No. 52, Huayuan Bei Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2079, Fax:+86(0)10-62304633 Email:welcome@emcite.com. www.emcite.com



Picture 1: Constituents of the sample


There are four conditions for the used covers during SAR measurement. That is,

Condition 1 – red rear cover

Condition 2 – red rear cover + flip cover

Condition 3 – black rear cover


Condition 4 – black rear cover + flip cover



Picture 2: Left Hand Touch Cheek Position – condition1



Picture 2-1: Left Hand Touch Cheek Position – condition2



Picture 2-2: Left Hand Touch Cheek Position – condition3




Picture 2-3: Left Hand Touch Cheek Position – condition4




Picture 3: Left Hand Tilt 15° Position – condition1




Picture 4: Right Hand Touch Cheek Position – condition1



Picture 4-1: Right Hand Touch Cheek Position – condition2



Picture 4-2: Right Hand Touch Cheek Position – condition3



Picture 4-3: Right Hand Touch Cheek Position – condition4




Picture 5: Right Hand Tilt 15° Position – condition1


Test positions for body:

The Body SAR is tested at the following 6 test positions all with the distance =10mm between the EUT and the phantom bottom:





Picture 6: Front – condition1



Picture 6-1: Front – condition2




Picture 6-2: Front – condition3



Picture 6-3: Front – condition4




Picture 7: Front with Headset – condition1






Picture 8: Rear - condition1





Picture 8-1: Rear – condition2





Picture 8-2: Rear – condition3





Picture 8-3: Rear - condition4