



The Photos of SAR test

No. 2013EEB00029

For

TCT Mobile Limited

HSUPA/HSDPA/UMTS triband / GSM quadband mobile phone

Model name: Camry LatamAPAC Single SIM

Marketing name: ONE TOUCH 5035A

With

Hardware Version: MAIN PCB V1.3;SUB PCB V1.2

Software Version: FA2

FCC ID: RAD332

Issued Date: 2013-02-26



The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

Test Laboratory:

TMC Beijing, Telecommunication Metrology Center of MIIT

No. 52, Huayuan Bei Road, Haidian District, Beijing, P. R. China 100191.


Tel:+86(0)10-62304633-2079, Fax:+86(0)10-62304633 Email:welcome@emcite.com. www.emcite.com




Picture 1: front side of the sample




Picture 2: back side of the sample



Picture 3: Left Hand Touch Cheek Position



Picture 4: Left Hand Tilt 15° Position



Picture 5: Right Hand Touch Cheek Position



Picture 6: Right Hand Tilt 15° Position

Test positions for body:

The Body SAR is tested at the following 6 test positions all with the distance =10mm between the EUT and the phantom bottom:



Picture 7: Toward Phantom



Picture 8: Toward Ground



Picture 9: Toward Ground with Headset



Picture 10: Left Side



Picture 11: Right Side



Picture 12: Bottom Side