



FCC PART 15C TEST REPORT No.2013WLN0611

for

TCT Mobile Limited

HSDPA/HSUPA/UMTS dual band / GSM quad bands mobile phone

Type: Smart III 4

Market Name: Vodafone 975

With

FCC ID: RAD351

Hardware Version: PIO

Software Version: G6B

Issued Date: 2013-03-08



Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

Test Laboratory:

TMC Beijing, Telecommunication Metrology Center of Ministry of Industry and Information Technology
Shouxiang Science Building, No 51, Xueyuan Road, Haidian District, Beijing, P.R.China 100191

Tel:+86(0)10-62304633-2561, Fax:+86(0)10-62304633-2504 Email:welcome@emcite.com. www.emcite.com

CONTENTS

CONTENTS	2
1. TEST LABORATORY.....	8
1.1. TESTING LOCATION.....	8
1.2. TESTING ENVIRONMENT.....	8
1.3. PROJECT DATA	8
1.4. SIGNATURE	8
2. CLIENT INFORMATION.....	9
2.1. APPLICANT INFORMATION.....	9
2.2. MANUFACTURER INFORMATION.....	9
3. EQUIPMENT UNDER TEST(EUT) AND ANCILLARY EQUIPMENT(AE)	10
3.1. ABOUT EUT	10
3.2. INTERNAL IDENTIFICATION OF EUT USED DURING THE TEST.....	10
3.3. INTERNAL IDENTIFICATION OF AE USED DURING THE TEST	10
3.4. GENERAL DESCRIPTION	10
4. REFERENCE DOCUMENTS	11
4.1. DOCUMENTS SUPPLIED BY APPLICANT.....	11
4.2. REFERENCE DOCUMENTS FOR TESTING.....	11
5. LABORATORY ENVIRONMENT	12
6. SUMMARY OF TEST RESULTS.....	13
6.1. SUMMARY OF TEST RESULTS	13
6.2. STATEMENTS.....	13
7. TEST EQUIPMENTS UTILIZED.....	14
ANNEX A: MEASUREMENT RESULTS	15
A.1. MEASUREMENT METHOD	15
A.2. MAXIMUM OUTPUT POWER	16
A.2.1. MAXIMUM PEAK OUTPUT POWER-CONDUCTED	16
A.2.2. MAXIMUM AVERAGE OUTPUT POWER-CONDUCTED.....	18
A.3. PEAK POWER SPECTRAL DENSITY	19
FIG. 1 POWER SPECTRAL DENSITY (802.11B, CH 1).....	20
FIG. 2 POWER SPECTRAL DENSITY (802.11B, CH 6).....	20
FIG. 3 POWER SPECTRAL DENSITY (802.11B, CH 11).....	21
FIG. 4 POWER SPECTRAL DENSITY (802.11G, CH 1).....	21
FIG. 5 POWER SPECTRAL DENSITY (802.11G, CH 6).....	22
FIG. 6 POWER SPECTRAL DENSITY (802.11G, CH 11).....	22
FIG. 7 POWER SPECTRAL DENSITY (802.11N-HT20, CH 1).....	23
FIG. 8 POWER SPECTRAL DENSITY (802.11N-HT20, CH 6).....	23

FIG. 9 POWER SPECTRAL DENSITY (802.11N-HT20, CH 11).....	24
FIG. 10POWER SPECTRAL DENSITY (802.11N-HT40, CH 3).....	24
FIG. 11POWER SPECTRAL DENSITY (802.11N-HT40, CH 6).....	25
FIG. 12POWER SPECTRAL DENSITY (802.11N-HT40, CH 9).....	25
A.4. OCCUPIED 6dB BANDWIDTH	26
FIG. 13OCCUPIED 6dB BANDWIDTH (802.11B, CH 1)	27
FIG. 14OCCUPIED 6dB BANDWIDTH (802.11B, CH 6)	27
FIG. 15OCCUPIED 6dB BANDWIDTH (802.11B, CH 11).....	28
FIG. 16OCCUPIED 6dB BANDWIDTH (802.11G, CH 1)	28
FIG. 17OCCUPIED 6dB BANDWIDTH (802.11G, CH 6)	29
FIG. 18OCCUPIED 6dB BANDWIDTH (802.11G, CH 11).....	29
FIG. 19OCCUPIED 6dB BANDWIDTH (802.11N-HT20, CH 1)	30
FIG. 20OCCUPIED 6dB BANDWIDTH (802.11N-HT20, CH 6)	30
FIG. 21OCCUPIED 6dB BANDWIDTH (802.11N-HT20, CH 11).....	31
FIG. 22OCCUPIED 6dB BANDWIDTH (802.11N-HT40, CH 3)	31
FIG. 23OCCUPIED 6dB BANDWIDTH (802.11N-HT40, CH 6)	32
FIG. 24OCCUPIED 6dB BANDWIDTH (802.11N-HT40, CH 9)	32
A.5. BAND EDGES COMPLIANCE.....	33
FIG. 25BAND EDGES (802.11B, CH 1)	34
FIG. 26BAND EDGES (802.11B, CH 11).....	34
FIG. 27BAND EDGES (802.11G, CH 1)	35
FIG. 28BAND EDGES (802.11G, CH 11).....	35
FIG. 29BAND EDGES (802.11N-HT20, CH 1)	36
FIG. 30BAND EDGES (802.11N-HT20, CH 11).....	36
FIG. 31BAND EDGES (802.11N-HT40, CH 3)	37
FIG. 32BAND EDGES (802.11N-HT40, CH 9)	37
A.6. TRANSMITTER SPURIOUS EMISSION	38
A.6.1 TRANSMITTER SPURIOUS EMISSION - CONDUCTED	38
FIG. 33CONDUCTED SPURIOUS EMISSION (802.11B, CH1, CENTER FREQUENCY).....	42
FIG. 34CONDUCTED SPURIOUS EMISSION (802.11B, CH1, 30 MHZ-1 GHZ)	42
FIG. 35CONDUCTED SPURIOUS EMISSION (802.11B, CH1, 1 GHZ-2.5 GHZ).....	43
FIG. 36CONDUCTED SPURIOUS EMISSION (802.11B, CH1, 2.5 GHZ-7.5 GHZ).....	43
FIG. 37CONDUCTED SPURIOUS EMISSION (802.11B, CH1, 7.5 GHZ-10 GHZ).....	44
FIG. 38CONDUCTED SPURIOUS EMISSION (802.11B, CH1, 10 GHZ-15 GHZ).....	44
FIG. 39CONDUCTED SPURIOUS EMISSION (802.11B, CH1, 15 GHZ-20 GHZ).....	45
FIG. 40CONDUCTED SPURIOUS EMISSION (802.11B, CH1, 20 GHZ-26 GHZ).....	45
FIG. 41CONDUCTED SPURIOUS EMISSION (802.11B, CH6, CENTER FREQUENCY).....	46
FIG. 42CONDUCTED SPURIOUS EMISSION (802.11B, CH6, 30 MHZ-1 GHZ)	46
FIG. 43CONDUCTED SPURIOUS EMISSION (802.11B, CH6, 1 GHZ-2.5 GHZ).....	47
FIG. 44CONDUCTED SPURIOUS EMISSION (802.11B, CH6, 2.5 GHZ-7.5 GHZ).....	47
FIG. 45CONDUCTED SPURIOUS EMISSION (802.11B, CH6, 7.5 GHZ-10 GHZ).....	48
FIG. 46CONDUCTED SPURIOUS EMISSION (802.11B, CH6, 10 GHZ-15 GHZ).....	48
FIG. 47CONDUCTED SPURIOUS EMISSION (802.11B, CH6, 15 GHZ-20 GHZ).....	49
FIG. 48CONDUCTED SPURIOUS EMISSION (802.11B, CH6, 20 GHZ-26 GHZ).....	49

FIG. 49	CONDUCTED SPURIOUS EMISSION (802.11B, CH11, CENTER FREQUENCY)	50
FIG. 50	CONDUCTED SPURIOUS EMISSION (802.11B, CH11, 30 MHz-1 GHz)	50
FIG. 51	CONDUCTED SPURIOUS EMISSION (802.11B, CH11, 1 GHz-2.5 GHz)	51
FIG. 52	CONDUCTED SPURIOUS EMISSION (802.11B, CH11, 2.5 GHz-7.5 GHz)	51
FIG. 53	CONDUCTED SPURIOUS EMISSION (802.11B, CH11, 7.5 GHz-10 GHz)	52
FIG. 54	CONDUCTED SPURIOUS EMISSION (802.11B, CH11, 10 GHz-15 GHz)	52
FIG. 55	CONDUCTED SPURIOUS EMISSION (802.11B, CH11, 15 GHz-20 GHz)	53
FIG. 56	CONDUCTED SPURIOUS EMISSION (802.11B, CH11, 20 GHz-26 GHz)	53
FIG. 57	CONDUCTED SPURIOUS EMISSION (802.11G, CH1, CENTER FREQUENCY)	54
FIG. 58	CONDUCTED SPURIOUS EMISSION (802.11G, CH1, 30 MHz-1 GHz)	54
FIG. 59	CONDUCTED SPURIOUS EMISSION (802.11G, CH1, 1 GHz-2.5 GHz)	55
FIG. 60	CONDUCTED SPURIOUS EMISSION (802.11G, CH1, 2.5 GHz-7.5 GHz)	55
FIG. 61	CONDUCTED SPURIOUS EMISSION (802.11G, CH1, 7.5 GHz-10 GHz)	56
FIG. 62	CONDUCTED SPURIOUS EMISSION (802.11G, CH1, 10 GHz-15 GHz)	56
FIG. 63	CONDUCTED SPURIOUS EMISSION (802.11G, CH1, 15 GHz-20 GHz)	57
FIG. 64	CONDUCTED SPURIOUS EMISSION (802.11G, CH1, 20 GHz-26 GHz)	57
FIG. 65	CONDUCTED SPURIOUS EMISSION (802.11G, CH6, CENTER FREQUENCY)	58
FIG. 66	CONDUCTED SPURIOUS EMISSION (802.11G, CH6, 30 MHz-1 GHz)	58
FIG. 67	CONDUCTED SPURIOUS EMISSION (802.11G, CH6, 1 GHz-2.5 GHz)	59
FIG. 68	CONDUCTED SPURIOUS EMISSION (802.11G, CH6, 2.5 GHz-7.5 GHz)	59
FIG. 69	CONDUCTED SPURIOUS EMISSION (802.11G, CH6, 7.5 GHz-10 GHz)	60
FIG. 70	CONDUCTED SPURIOUS EMISSION (802.11G, CH6, 10 GHz-15 GHz)	60
FIG. 71	CONDUCTED SPURIOUS EMISSION (802.11G, CH6, 15 GHz-20 GHz)	61
FIG. 72	CONDUCTED SPURIOUS EMISSION (802.11G, CH6, 20 GHz-26 GHz)	61
FIG. 73	CONDUCTED SPURIOUS EMISSION (802.11G, CH11, CENTER FREQUENCY)	62
FIG. 74	CONDUCTED SPURIOUS EMISSION (802.11G, CH11, 30 MHz-1 GHz)	62
FIG. 75	CONDUCTED SPURIOUS EMISSION (802.11G, CH11, 1 GHz-2.5 GHz)	63
FIG. 76	CONDUCTED SPURIOUS EMISSION (802.11G, CH11, 2.5 GHz-7.5 GHz)	63
FIG. 77	CONDUCTED SPURIOUS EMISSION (802.11G, CH11, 7.5 GHz-10 GHz)	64
FIG. 78	CONDUCTED SPURIOUS EMISSION (802.11G, CH11, 10 GHz-15 GHz)	64
FIG. 79	CONDUCTED SPURIOUS EMISSION (802.11G, CH11, 15 GHz-20 GHz)	65
FIG. 80	CONDUCTED SPURIOUS EMISSION (802.11G, CH11, 20 GHz-26 GHz)	65
FIG. 81	CONDUCTED SPURIOUS EMISSION (802.11N-HT20, CH1, CENTER FREQUENCY)	66
FIG. 82	CONDUCTED SPURIOUS EMISSION (802.11N-HT20, CH1, 30 MHz-1 GHz)	66
FIG. 83	CONDUCTED SPURIOUS EMISSION (802.11N-HT20, CH1, 1 GHz-2.5 GHz)	67
FIG. 84	CONDUCTED SPURIOUS EMISSION (802.11N-HT20, CH1, 2.5 GHz-7.5 GHz)	67
FIG. 85	CONDUCTED SPURIOUS EMISSION (802.11N-HT20, CH1, 7.5 GHz-10 GHz)	68
FIG. 86	CONDUCTED SPURIOUS EMISSION (802.11N-HT20, CH1, 10 GHz-15 GHz)	68
FIG. 87	CONDUCTED SPURIOUS EMISSION (802.11N-HT20, CH1, 15 GHz-20 GHz)	69
FIG. 88	CONDUCTED SPURIOUS EMISSION (802.11N-HT20, CH1, 20 GHz-26 GHz)	69
FIG. 89	CONDUCTED SPURIOUS EMISSION (802.11N-HT20, CH6, CENTER FREQUENCY)	70
FIG. 90	CONDUCTED SPURIOUS EMISSION (802.11N-HT20, CH6, 30 MHz-1 GHz)	70
FIG. 91	CONDUCTED SPURIOUS EMISSION (802.11N-HT20, CH6, 1 GHz-2.5 GHz)	71
FIG. 92	CONDUCTED SPURIOUS EMISSION (802.11N-HT20, CH6, 2.5 GHz-7.5 GHz)	71

FIG. 93	CONDUCTED SPURIOUS EMISSION (802.11N-HT20, CH6, 7.5 GHz-10 GHz).....	72
FIG. 94	CONDUCTED SPURIOUS EMISSION (802.11N-HT20, CH6, 10 GHz-15 GHz)	72
FIG. 95	CONDUCTED SPURIOUS EMISSION (802.11N-HT20, CH6, 15 GHz-20 GHz)	73
FIG. 96	CONDUCTED SPURIOUS EMISSION (802.11N-HT20, CH6, 20 GHz-26 GHz)	73
FIG. 97	CONDUCTED SPURIOUS EMISSION (802.11N-HT20, CH11, CENTER FREQUENCY)	74
FIG. 98	CONDUCTED SPURIOUS EMISSION (802.11N-HT20, CH11, 30 MHz-1 GHz).....	74
FIG. 99	CONDUCTED SPURIOUS EMISSION (802.11N-HT20, CH11, 1 GHz-2.5 GHz).....	75
FIG. 100	CONDUCTED SPURIOUS EMISSION (802.11N-HT20, CH11, 2.5 GHz-7.5 GHz).....	75
FIG. 101	CONDUCTED SPURIOUS EMISSION (802.11N-HT20, CH11, 7.5 GHz-10 GHz).....	76
FIG. 102	CONDUCTED SPURIOUS EMISSION (802.11N-HT20, CH11, 10 GHz-15 GHz).....	76
FIG. 103	CONDUCTED SPURIOUS EMISSION (802.11N-HT20, CH11, 15 GHz-20 GHz).....	77
FIG. 104	CONDUCTED SPURIOUS EMISSION (802.11N-HT20, CH11, 20 GHz-26 GHz).....	77
FIG. 105	CONDUCTED SPURIOUS EMISSION (802.11N-HT40, CH3, CENTER FREQUENCY).....	78
FIG. 106	CONDUCTED SPURIOUS EMISSION (802.11N-HT40, CH3, 30 MHz-1 GHz)	78
FIG. 107	CONDUCTED SPURIOUS EMISSION (802.11N-HT40, CH3, 1 GHz-2.5 GHz)	79
FIG. 108	CONDUCTED SPURIOUS EMISSION (802.11N-HT40, CH3, 2.5 GHz-7.5 GHz)	79
FIG. 109	CONDUCTED SPURIOUS EMISSION (802.11N-HT40, CH3, 7.5 GHz-10 GHz)	80
FIG. 110	CONDUCTED SPURIOUS EMISSION (802.11N-HT40, CH3, 10 GHz-15 GHz)	80
FIG. 111	CONDUCTED SPURIOUS EMISSION (802.11N-HT40, CH3, 15 GHz-20 GHz)	81
FIG. 112	CONDUCTED SPURIOUS EMISSION (802.11N-HT40, CH3, 20 GHz-26 GHz)	81
FIG. 113	CONDUCTED SPURIOUS EMISSION (802.11N-HT40, CH6, CENTER FREQUENCY).....	82
FIG. 114	CONDUCTED SPURIOUS EMISSION (802.11N-HT40, CH6, 30 MHz-1 GHz)	82
FIG. 115	CONDUCTED SPURIOUS EMISSION (802.11N-HT40, CH6, 1 GHz-2.5 GHz)	83
FIG. 116	CONDUCTED SPURIOUS EMISSION (802.11N-HT40, CH6, 2.5 GHz-7.5 GHz)	83
FIG. 117	CONDUCTED SPURIOUS EMISSION (802.11N-HT40, CH6, 7.5 GHz-10 GHz)	84
FIG. 118	CONDUCTED SPURIOUS EMISSION (802.11N-HT40, CH6, 10 GHz-15 GHz)	84
FIG. 119	CONDUCTED SPURIOUS EMISSION (802.11N-HT40, CH6, 15GHz-20 GHz)	85
FIG. 120	CONDUCTED SPURIOUS EMISSION (802.11N-HT40, CH6, 20GHz-26 GHz)	85
FIG. 121	CONDUCTED SPURIOUS EMISSION (802.11N-HT40, CH9, CENTER FREQUENCY).....	86
FIG. 122	CONDUCTED SPURIOUS EMISSION (802.11N-HT40, CH9, 30 MHz-1 GHz)	86
FIG. 123	CONDUCTED SPURIOUS EMISSION (802.11N-HT40, CH9, 1GHz-2.5 GHz)	87
FIG. 124	CONDUCTED SPURIOUS EMISSION (802.11N-HT40, CH9, 2.5GHz-7.5 GHz)	87
FIG. 125	CONDUCTED SPURIOUS EMISSION (802.11N-HT40, CH9, 7.5GHz-10 GHz)	88
FIG. 126	CONDUCTED SPURIOUS EMISSION (802.11N-HT40, CH9, 10GHz-15 GHz)	88
FIG. 127	CONDUCTED SPURIOUS EMISSION (802.11N-HT40, CH9, 15GHz-20 GHz)	89
FIG. 128	CONDUCTED SPURIOUS EMISSION (802.11N-HT40, CH9, 20GHz-28 GHz)	89
A.6.2	TRANSMITTER SPURIOUS EMISSION - RADIATED	90
FIG. 129	RADIATED SPURIOUS EMISSION (POWER): 802.11B, CH1, 2.38 GHz - 245GHz	97
FIG. 130	RADIATED SPURIOUS EMISSION (802.11B, CH1, 30 MHz-1 GHz)	97
FIG. 131	RADIATED SPURIOUS EMISSION (802.11B, CH1, 1 GHz-3 GHz)	98
FIG. 132	RADIATED SPURIOUS EMISSION (802.11B, CH1, 3 GHz-18 GHz)	98
FIG. 133	RADIATED SPURIOUS EMISSION (802.11B, CH6, 30 MHz-1 GHz)	99
FIG. 134	RADIATED SPURIOUS EMISSION (802.11B, CH6, 1 GHz-3 GHz)	99
FIG. 135	RADIATED SPURIOUS EMISSION (802.11B, CH6, 3 GHz-18 GHz)	100

FIG. 136	RADIATED SPURIOUS EMISSION (POWER): 802.11B, CH11, 2.45 GHz - 2.50GHz	100
FIG. 137	RADIATED SPURIOUS EMISSION (802.11B, CH11, 30 MHz-1 GHz).....	101
FIG. 138	RADIATED SPURIOUS EMISSION (802.11B, CH11, 1 GHz-3 GHz).....	101
FIG. 139	RADIATED SPURIOUS EMISSION (802.11B, CH11, 3 GHz-18 GHz).....	102
FIG. 140	RADIATED SPURIOUS EMISSION (POWER): 802.11G, CH1, 2.38 GHz - 2.45GHz	102
FIG. 141	RADIATED SPURIOUS EMISSION (802.11G, CH1, 30 MHz-1 GHz)	103
FIG. 142	RADIATED SPURIOUS EMISSION (802.11G, CH1, 1 GHz-3 GHz)	103
FIG. 143	RADIATED SPURIOUS EMISSION (802.11G, CH1, 3 GHz-18 GHz)	104
FIG. 144	RADIATED SPURIOUS EMISSION (802.11G, CH6, 30 MHz-1 GHz)	104
FIG. 145	RADIATED SPURIOUS EMISSION (802.11G, CH6, 1 GHz-3 GHz)	105
FIG. 146	RADIATED SPURIOUS EMISSION (802.11G, CH6, 3 GHz-18 GHz)	105
FIG. 147	RADIATED SPURIOUS EMISSION (POWER): 802.11G, CH11, 2.45 GHz - 2.50GHz	106
FIG. 148	RADIATED SPURIOUS EMISSION (802.11G, CH11, 30 MHz-1 GHz).....	106
FIG. 149	RADIATED SPURIOUS EMISSION (802.11G, CH11, 1 GHz-3 GHz).....	107
FIG. 150	RADIATED SPURIOUS EMISSION (802.11G, CH11, 3 GHz-18 GHz).....	107
FIG. 151	RADIATED SPURIOUS EMISSION (POWER): 802.11N-HT20, CH1, 2.38 GHz - 2.45GHz	108
FIG. 152	RADIATED SPURIOUS EMISSION (802.11N-HT20, CH1, 30 MHz-1 GHz)	108
FIG. 153	RADIATED SPURIOUS EMISSION (802.11N-HT20, CH1, 1 GHz-3 GHz)	109
FIG. 154	RADIATED SPURIOUS EMISSION (802.11N-HT20, CH1, 3 GHz-18 GHz)	109
FIG. 155	RADIATED SPURIOUS EMISSION (802.11N-HT20, CH6, 30 MHz-1 GHz)	110
FIG. 156	RADIATED SPURIOUS EMISSION (802.11N-HT20, CH6, 1 GHz-3 GHz)	110
FIG. 157	RADIATED SPURIOUS EMISSION (802.11N-HT20, CH6, 3 GHz-18 GHz)	111
FIG. 158	RADIATED SPURIOUS EMISSION (POWER): 802.11N-HT20, CH11, 2.45 GHz - 2.50GHz	111
FIG. 159	RADIATED SPURIOUS EMISSION (802.11N-HT20, CH11, 30 MHz-1 GHz).....	112
FIG. 160	RADIATED SPURIOUS EMISSION (802.11N-HT20, CH11, 1 GHz-3 GHz).....	112
FIG. 161	RADIATED SPURIOUS EMISSION (802.11N-HT20, CH11, 3 GHz-18 GHz).....	113
FIG. 162	RADIATED SPURIOUS EMISSION (POWER): 802.11N-HT40, CH3, 2.38 GHz - 2.45GHz	113
FIG. 163	RADIATED SPURIOUS EMISSION (802.11N-HT40, CH3, 30 MHz-1 GHz)	114
FIG. 164	RADIATED SPURIOUS EMISSION (802.11N-HT40, CH3, 1 GHz-3 GHz)	114
FIG. 165	RADIATED SPURIOUS EMISSION (802.11N-HT40, CH3, 3 GHz-18 GHz)	115
FIG. 166	RADIATED SPURIOUS EMISSION (802.11N-HT40, CH6, 30 MHz-1 GHz)	115
FIG. 167	RADIATED SPURIOUS EMISSION (802.11N-HT40, CH6, 1 GHz-3 GHz)	116
FIG. 168	RADIATED SPURIOUS EMISSION (802.11N-HT40, CH6, 3 GHz-18 GHz)	116
FIG. 169	RADIATED SPURIOUS EMISSION (POWER): 802.11N-HT40, CH9, 2.45 GHz - 2.50GHz	117
FIG. 170	RADIATED SPURIOUS EMISSION (802.11N-HT40, CH9, 30 MHz-1 GHz)	117
FIG. 171	RADIATED SPURIOUS EMISSION (802.11N-HT40, CH9, 1 GHz-3 GHz)	118
FIG. 172	RADIATED SPURIOUS EMISSION (802.11N-HT40, CH9, 3 GHz-18 GHz)	118
FIG. 173	RADIATED SPURIOUS EMISSION (ALL CHANNELS): 18GHz - 26.5GHz.....	119
A.7. AC POWERLINE CONDUCTED EMISSION		120
FIG. 174	AC POWERLINE CONDUCTED EMISSION-802.11B.....	121

FIG. 175	AC POWERLINE CONDUCTED EMISSION-802.11G	122
FIG. 176	AC POWERLINE CONDUCTED EMISSION-802.11N-HT20.....	123
FIG. 177	AC POWERLINE CONDUCTED EMISSION-802.11N-HT40.....	124

1. TEST LABORATORY

1.1. Testing Location

Company Name: TMC Beijing, Telecommunication Metrology Center of MIIT
Address: No 52 Hua Yuanbei Road, Haidian District, Beijing, P.R.China
Postal Code: 100191
Telephone: 008610623046332561
Fax: 008610623046332504

1.2. Testing Environment

Normal Temperature: 15-30°C
Extreme Temperature: -10/+55°C
Relative Humidity: 30-60%
Air Pressure 990hPa-1040hPa

Note: The climatic requirements above are general exclude the special requirements for dedicated test environments listed in section 5 and some specific test cases in other parts of this report.

1.3. Project data

Testing Start Date: 2013-01-21
Testing End Date: 2013-03-05

1.4. Signature




Sun Zhenyu

(Prepared this test report)



Gao Hong

(Reviewed this test report)



Xiao Li

Deputy Director of the laboratory
(Approved this test report)

2. CLIENT INFORMATION

2.1. Applicant Information

Company Name: TCT Mobile Limited
Address /Post: 5F, C building, No. 232, Liang Jing Road ZhangJiang High-Tech Park,
Pudong Area Shanghai, P.R. China. 201203
City: Shanghai
Postal Code: 201203
Country: China
Contact: Gong Zhizhou
Email: zhizhou.gong@jrdcom.com
Telephone: 0086-21-61460890
Fax: 0086-21-61460602

2.2. Manufacturer Information

Company Name: TCT Mobile Limited
Address /Post: 5F, C building, No. 232, Liang Jing Road ZhangJiang High-Tech Park,
Pudong Area Shanghai, P.R. China. 201203
City: Shanghai
Postal Code: 201203
Country: China
Contact: Gong Zhizhou
Email: zhizhou.gong@jrdcom.com
Telephone: 0086-21-61460890
Fax: 0086-21-61460602

3. EQUIPMENT UNDER TEST(EUT) AND ANCILLARY EQUIPMENT(AE)

3.1. About EUT

Description	HSDPA/HSUPA/UMTS dual band / GSM quad bands mobile phone
Type	Smart III 4
Market name	Vodafone 975
FCC ID	RAD351
IC ID	/
With WLAN Function	Yes
Frequency Range	ISM 2400MHz~2483.5MHz
Type of Modulation	DSSS/CCK/OFDM
Number of Channels	11
Antenna	Integral Antenna
MAX Conducted Power	23.16dBm(OFDM)
GPRS Class	Class 12
GPRS operation mode	Class B
Power Supply	3.8V DC by Battery

Note: Photographs of EUT are shown in ANNEX C of this test report.

3.2. Internal Identification of EUT used during the test

EUT ID*	IMEI	HW Version	SW Version
EUT1	869531010050908	PIO	G6B
EUT2	869531010050916	PIO	G6B

*EUT ID: is used to identify the test sample in the lab internally.

3.3. Internal Identification of AE used during the test

AE ID*	Description	Type	SN
AE1	Battery	CAB32A0004C1	/
AE2	Battery	CAB32A0004C2	/
AE3	Charger	CBA3001AG0C1	/
AE4	Charger	CBA3001AG0C2	/

*AE ID: is used to identify the test sample in the lab internally.

3.4. General Description

Equipment Under Test (EUT) is a model of HSDPA/HSUPA/UMTS dual band / GSM quad bands mobile phone with integrated antenna. It consists of normal options: Battery and Charger.

Manual and specifications of the EUT were provided to fulfil the test.
Samples undergoing test were selected by the Client.

Normal Accessory setting:

1. A microSD card was being installed in the device during the test;
2. Fully charged battery should be used during the test.

4. REFERENCE DOCUMENTS

4.1. Documents supplied by applicant

EUT feature information is supplied by the applicant or manufacturer, which is the basis of testing.

4.2. REFERENCE DOCUMENTS FOR TESTING

The following documents listed in this section are referred for testing.

FCC Part15	FCC CFR 47, Part 15, Subpart C:	
	15.205 Restricted bands of operation;	Oct,
	15.209 Radiated emission limits, general requirements;	2009
	15.247 Operation within the bands 902-928MHz, 2400-2483.5 MHz, and 5725-5850 MHz.	Edition
ANSI C63.10	Procedures for testing compliance of a wide variety of unlicensed wireless devices	2009

5. LABORATORY ENVIRONMENT

Shielding Room1 (6.0 meters×3.0 meters×2.7 meters) did not exceed following limits along the conducted RF performance testing:

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 30 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Ground system resistance	< 0.5 Ω
Uniformity of field strength	Between 0 and 6 dB, from 80MHz to 3000 MHz

Semi-anechoic chamber (10 meters×6.7meters×6.15meters) did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 35 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Electrical insulation	> 2 M ohm
Ground system resistance	< 0.5 Ω
Normalised site attenuation (NSA)	< ±3.5 dB, 3 m distance
Site voltage standing-wave ratio (S _{VSWR})	Between 0 and 6 dB, from 1GHz to 18GHz
Uniformity of field strength	Between 0 and 6 dB, from 80 to 3000 MHz

Shielding Room2 (7.30 meters×4.00 meters×3.80 meters) did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 35 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Electrical insulation	> 10 kΩ
Ground system resistance	< 0.5 Ω
Uniformity of field strength	Between 0 and 6 dB, from 80MHz to 3000 MHz

6. SUMMARY OF TEST RESULTS

6.1. Summary of Test Results

SUMMARY OF MEASUREMENT RESULTS	Sub-clause of Part15C	Sub-clause of IC	Verdict
Maximum Peak Output Power	15.247 (a)	/	P
Peak Power Spectral Density	15.247 (d)	/	P
Occupied 6dB Bandwidth	15.247 (d)	/	P
Band Edges Compliance	15.247 (b)	/	P
Transmitter Spurious Emission - Conducted	15.247	/	P
Transmitter Spurious Emission - Radiated	15.247, 15.205, 15.209	/	P
AC Powerline Conducted Emission	15.107, 15.207	/	P

Please refer to **ANNEX A** for detail.

The measurement is made according to Public notice ANSI C63.10.

Terms used in Verdict column

P	Pass, The EUT complies with the essential requirements in the standard.
NP	Not Perform, The test was not performed by TMC
NA	Not Applicable, The test was not applicable
F	Fail, The EUT does not comply with the essential requirements in the standard

6.2. Statements

TMC has evaluated the test cases requested by the client/manufacturer as listed in section 6.1 of this report for the EUT specified in section 3 according to the standards or reference documents listed in section 4.1.

This report only deals with the WLAN function among the features described in section 3.

Test Conditions

T nom	Normal Temperature
T min	Low Temperature
T max	High Temperature
V nom	Normal Voltage
V min	Low Voltage
V max	High Voltage
H nom	Norm Humidity
A nom	Norm Air Pressure

For this report, all the test cases listed above are tested under Normal Temperature and Normal Voltage which is using a new battery, and also under norm humidity, the specific conditions as following:

Temperature	T nom	26°C
Voltage	V nom	3.8V(By battery)
Humidity	H nom	44%
Air Pressure	A nom	1010hPa

7. TEST EQUIPMENTS UTILIZED

Conducted test system

No.	Equipment	Model	Serial Number	Manufacturer	Calibration Due date
1	Vector Signal Analyzer	FSQ40	200089	Rohde & Schwarz	2013-07-19
3	Test Receiver	ESS	847151/015	Rohde & Schwarz	2013-10-30
4	LISN	ESH2-Z5	829991/012	Rohde & Schwarz	2013-08-12

Radiated emission test system

No.	Equipment	Model	Serial Number	Manufacturer	Calibration Due date
1	Test Receiver	ESI40	831564/002	Rohde & Schwarz	2013-08-11
2	BiLog Antenna	3142B	9908-1403	EMCO	2013-03-15
3	Dual-Ridge Waveguide Horn Antenna	3115	9906-5827	EMCO	2013-12-25
4	Dual-Ridge Waveguide Horn Antenna	3116	2661	EMCO	2013-06-30

Anechoic chamber


Anechoic chamber by Frankonia German.

ANNEX A: MEASUREMENT RESULTS

A.1. Measurement Method

A.1.1. Conducted Measurements

- 1). Connect the EUT to the test system correctly.
- 2). Set the EUT to the required work mode.
- 3). Set the EUT to the required channel.
- 4). Set the spectrum analyzer to start measurement.
- 5). Record the values. Vector Signal Analyzer




A.1.2. Radiated Emission Measurements

In the case of radiated emission, the used settings are as follows,

Sweep frequency from 30 MHz to 1GHz, RBW = 100 kHz, VBW = 300 kHz;

Sweep frequency from 1 GHz to 26GHz, RBW = 1MHz, VBW = 10Hz;



The measurement is made according to ANSI C63.10

A.2. Maximum Output Power

Measurement Limit and Method:

Standard	Limit (dBm)
FCC CRF Part 15.247(b)	< 30

The measurement is made according to ANSI C63.10, and EUT is operating in continuous transmitting mode.

Measurement Uncertainty:

Measurement Uncertainty	0.75dB
-------------------------	--------

A.2.1. Maximum Peak Output Power-conducted

Measurement Results:

802.11b/g mode

Mode	Data Rate (Mbps)	Test Result (dBm)		
		2412MHz (Ch1)	2437MHz (Ch6)	2462 MHz (Ch11)
802.11b	1	19.85	/	/
	2	19.83	/	/
	5.5	21.39	/	/
	11	22.67	22.80	22.48
802.11g	6	22.87	/	/
	9	22.81	/	/
	12	22.64		
	18	22.66	/	/
	24	23.09	23.16	22.76
	36	23.06	/	/
	48	22.89	/	/
	54	22.92	/	/

The data rate 11Mbps and 24Mbps are selected as worse condition, and the following cases are performed with this condition.

802.11n-HT20 mode

Mode	Data Rate (Index)	Test Result (dBm)		
		2412MHz (Ch1)	2437MHz (Ch6)	2462 MHz (Ch11)
802.11n (20MHz)	MCS0	20.11	/	/
	MCS1	19.91	/	/
	MCS2	19.86	/	/
	MCS3	20.36	/	/
	MCS4	20.30	/	/
	MCS5	20.39	20.50	19.96
	MCS6	20.28	/	/
	MCS7	20.20	/	/

The data rate MCS5 is selected as worse condition, and the following cases are performed with this condition.

802.11n-HT40 mode

Mode	Data Rate (Index)	Test Result (dBm)		
		2422MHz (Ch3)	2437MHz (Ch6)	2452 MHz (Ch9)
802.11n (40MHz)	MCS0	18.89	/	/
	MCS1	18.75	/	/
	MCS2	18.52	/	/
	MCS3	18.94	/	/
	MCS4	18.93	/	/
	MCS5	18.97	19.06	18.71
	MCS6	18.95	/	/
	MCS7	18.91	/	/

The data rate MCS5 is selected as worse condition, and the following cases are performed with this condition.

Conclusion: PASS

A.2.2. Maximum Average Output Power-conducted

802.11b/g mode

Mode	Test Result (dBm)		
	2412MHz (Ch1)	2437MHz (Ch6)	2462 MHz (Ch11)
802.11b	16.23	16.36	15.82
802.11g	14.42	14.50	14.11

802.11n-HT20 mode

Mode	Test Result (dBm)		
	2412MHz (Ch1)	2437MHz (Ch6)	2462 MHz (Ch11)
802.11n (20MHz)	11.57	11.63	11.19

802.11n-HT40 mode

Mode	Test Result (dBm)		
	2422MHz (Ch3)	2437MHz (Ch6)	2452 MHz (Ch9)
802.11n (40MHz)	10.27	10.11	9.85

Conclusion: PASS

A.3. Peak Power Spectral Density

Measurement Limit:

Standard	Limit
FCC CRF Part 15.247(d)	< 8 dBm/3 kHz

The measurement is made according to ANSI C63.10

Measurement Uncertainty:

Measurement Uncertainty	0.75dB
-------------------------	--------

Measurement Results:

802.11b/g mode

Mode	Channel	Power Spectral Density (dBm/3 kHz)		Conclusion
802.11b	1	Fig.1	-3.92	P
	6	Fig.2	-4.26	P
	11	Fig.3	-5.40	P
802.11g	1	Fig.4	-7.07	P
	6	Fig.5	-9.01	P
	11	Fig.6	-8.26	P

802.11n-HT20 mode


Mode	Channel	Power Spectral Density (dBm/3 kHz)		Conclusion
802.11n (20MHz)	1	Fig.7	-12.33	P
	6	Fig.8	-13.36	P
	11	Fig.9	-12.84	P

802.11n-HT40 mode

Mode	Channel	Power Spectral Density (dBm/3 kHz)		Conclusion
802.11n (40MHz)	3	Fig.10	-16.72	P
	6	Fig.11	-17.23	P
	9	Fig.12	-15.44	P


Conclusion: PASS

Test graphs as below:




Date: 20.FEB.2013 19:00:10

Fig. 1 Power Spectral Density (802.11b, Ch 1)




Date: 20.FEB.2013 19:11:00

Fig. 2 Power Spectral Density (802.11b, Ch 6)




Date: 20.FEB.2013 19:19:51

Fig. 3 Power Spectral Density (802.11b, Ch 11)




Date: 21.FEB.2013 08:35:12

Fig. 4 Power Spectral Density (802.11g, Ch 1)




Date: 21.FEB.2013 08:43:45

Fig. 5 Power Spectral Density (802.11g, Ch 6)




Date: 21.FEB.2013 08:54:45

Fig. 6 Power Spectral Density (802.11g, Ch 11)




Date: 21.FEB.2013 09:04:29

Fig. 7 Power Spectral Density (802.11n-HT20, Ch 1)




Date: 21.FEB.2013 09:14:01

Fig. 8 Power Spectral Density (802.11n-HT20, Ch 6)




Date: 21.FEB.2013 09:24:55

Fig. 9 Power Spectral Density (802.11n-HT20, Ch 11)




Date: 21.FEB.2013 09:41:58

Fig. 10 Power Spectral Density (802.11n-HT40, Ch 3)



Date: 21.FEB.2013 09:51:33

Fig. 11 Power Spectral Density (802.11n-HT40, Ch 6)



Date: 21.FEB.2013 10:01:21

Fig. 12 Power Spectral Density (802.11n-HT40, Ch 9)

A.4. Occupied 6dB Bandwidth

Measurement Limit:

Standard	Limit (kHz)
FCC 47 CFR Part 15.247 (a)	≥ 500

The measurement is made according to ANSI C63.10

Measurement Uncertainty:

Measurement Uncertainty	60.80Hz
-------------------------	---------

Measurement Result:

802.11b/g mode

Mode	Channel	Occupied 6dB Bandwidth (kHz)		conclusion
802.11b	1	Fig.13	9103	P
	6	Fig.14	9167	P
	11	Fig.15	9103	P
802.11g	1	Fig.16	16314	P
	6	Fig.17	16282	P
	11	Fig.18	16090	P

802.11n-HT20 mode


Mode	Channel	Occupied 6dB Bandwidth (kHz)		conclusion
802.11n (20MHz)	1	Fig.19	17756	P
	6	Fig.20	17692	P
	11	Fig.21	17756	P

802.11n-HT40 mode

Mode	Channel	Occupied 6dB Bandwidth (kHz)		conclusion
802.11n (40MHz)	3	Fig.22	35513	P
	6	Fig.23	35529	P
	9	Fig.24	35641	P


Conclusion: PASS

Test graphs as below:




Date: 21.FEB.2013 10:31:44

Fig. 13 Occupied 6dB Bandwidth (802.11b, Ch 1)




Date: 21.FEB.2013 10:33:11

Fig. 14 Occupied 6dB Bandwidth (802.11b, Ch 6)




Date: 21.FEB.2013 10:34:38

Fig. 15 Occupied 6dB Bandwidth (802.11b, Ch 11)




Date: 21.FEB.2013 10:38:42

Fig. 16 Occupied 6dB Bandwidth (802.11g, Ch 1)




Date: 21.FEB.2013 10:39:58

Fig. 17 Occupied 6dB Bandwidth (802.11g, Ch 6)




Date: 21.FEB.2013 10:41:29

Fig. 18 Occupied 6dB Bandwidth (802.11g, Ch 11)




Date: 21.FEB.2013 10:44:37

Fig. 19 Occupied 6dB Bandwidth (802.11n-HT20, Ch 1)




Date: 21.FEB.2013 10:45:48

Fig. 20 Occupied 6dB Bandwidth (802.11n-HT20, Ch 6)




Date: 21.FEB.2013 10:47:24

Fig. 21 Occupied 6dB Bandwidth (802.11n-HT20, Ch 11)




Date: 21.FEB.2013 10:59:51

Fig. 22 Occupied 6dB Bandwidth (802.11n-HT40, Ch 3)



Date: 21.FEB.2013 11:01:01

Fig. 23 Occupied 6dB Bandwidth (802.11n-HT40, Ch 6)



Date: 21.FEB.2013 11:02:10

Fig. 24 Occupied 6dB Bandwidth (802.11n-HT40, Ch 9)

A.5. Band Edges Compliance

Measurement Limit:

Standard	Limit (dBc)
FCC 47 CFR Part 15.247 (d)	> 20

The measurement is made according to ANSI C63.10

Measurement Uncertainty:

Measurement Uncertainty	0.75dB
-------------------------	--------

Measurement Result:

802.11b/g mode

Mode	Channel	Test Results	Conclusion
802.11b	1	Fig.25	P
	11	Fig.26	P
802.11g	1	Fig.27	P
	11	Fig.28	P

802.11n-HT20 mode


Mode	Channel	Test Results	Conclusion
802.11n (20MHz)	1	Fig.29	P
	11	Fig.30	P

802.11n-HT40 mode

Mode	Channel	Test Results	Conclusion
802.11n (40MHz)	3	Fig.31	P
	9	Fig.32	P


Conclusion: PASS

Test graphs as below:




Date: 21.FEB.2013 10:54:06

Fig. 25 Band Edges (802.11b, Ch 1)




Date: 21.FEB.2013 10:54:31

Fig. 26 Band Edges (802.11b, Ch 11)




Date: 15.JAN.2013 15:33:03

Fig. 27 Band Edges (802.11g, Ch 1)




Date: 21.FEB.2013 10:55:31

Fig. 28 Band Edges (802.11g, Ch 11)




Date: 21.FEB.2013 10:56:25

Fig. 29 Band Edges (802.11n-HT20, Ch 1)




Date: 21.FEB.2013 10:56:47

Fig. 30 Band Edges (802.11n-HT20, Ch 11)



Date: 21.FEB.2013 10:57:13

Fig. 31 Band Edges (802.11n-HT40, Ch 3)



Date: 21.FEB.2013 10:57:39

Fig. 32 Band Edges (802.11n-HT40, Ch 9)

A.6. Transmitter Spurious Emission

A.6.1 Transmitter Spurious Emission - Conducted

Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247 (d)	20dB below peak output power in 100 kHz bandwidth

The measurement is made according to ANSI C63.10

Measurement Uncertainty:

Frequency Range	Uncertainty
$30\text{MHz} \leq f \leq 2\text{GHz}$	0.63
$2\text{GHz} \leq f \leq 3.6\text{GHz}$	0.82
$3.6\text{GHz} \leq f \leq 8\text{GHz}$	1.55
$8\text{GHz} \leq f \leq 20\text{GHz}$	1.86
$20\text{GHz} \leq f \leq 22\text{GHz}$	1.90
$22\text{GHz} \leq f \leq 26\text{GHz}$	2.20

Measurement Results:

802.11b/g mode

MODE	Channel	Frequency Range	Test Results	Conclusion
802.11b	1	2.412 GHz	Fig.33	P
		30 MHz ~ 1 GHz	Fig.34	P
		1 GHz ~ 2.5 GHz	Fig.35	P
		2.5 GHz ~ 7.5 GHz	Fig.36	P
		7.5 GHz ~ 10 GHz	Fig.37	P
		10 GHz ~ 15 GHz	Fig.38	P
		15 GHz ~ 20 GHz	Fig.39	P
		20 GHz ~ 26 GHz	Fig.40	P
	6	2.437 GHz	Fig.41	P
		30 MHz ~ 1 GHz	Fig.42	P
		1 GHz ~ 2.5 GHz	Fig.43	P
		2.5 GHz ~ 7.5 GHz	Fig.44	P
		7.5 GHz ~ 10 GHz	Fig.45	P
		10 GHz ~ 15 GHz	Fig.46	P
		15 GHz ~ 20 GHz	Fig.47	P
		20 GHz ~ 26 GHz	Fig.48	P
	11	2.462 GHz	Fig.49	P
		30 MHz ~ 1 GHz	Fig.50	P
		1 GHz ~ 2.5 GHz	Fig.51	P
		2.5 GHz ~ 7.5 GHz	Fig.52	P

802.11g		7.5 GHz ~ 10 GHz	Fig.53	P
		10 GHz ~ 15 GHz	Fig.54	P
		15 GHz ~ 20 GHz	Fig.55	P
		20 GHz ~ 26 GHz	Fig.56	P
	1	2.412 GHz	Fig.57	P
		30 MHz ~ 1 GHz	Fig.58	P
		1 GHz ~ 2.5 GHz	Fig.59	P
		2.5 GHz ~ 7.5 GHz	Fig.60	P
		7.5 GHz ~ 10 GHz	Fig.61	P
		10 GHz ~ 15 GHz	Fig.62	P
		15 GHz ~ 20 GHz	Fig.63	P
		20 GHz ~ 26 GHz	Fig.64	P
	6	2.437 GHz	Fig.65	P
		30 MHz ~ 1 GHz	Fig.66	P
		1 GHz ~ 2.5 GHz	Fig.67	P
		2.5 GHz ~ 7.5 GHz	Fig.68	P
		7.5 GHz ~ 10 GHz	Fig.69	P
		10 GHz ~ 15 GHz	Fig.70	P
		15 GHz ~ 20 GHz	Fig.71	P
		20 GHz ~ 26 GHz	Fig.72	P
	11	2.462 GHz	Fig.73	P
		30 MHz ~ 1 GHz	Fig.74	P
		1 GHz ~ 2.5 GHz	Fig.75	P
		2.5 GHz ~ 7.5 GHz	Fig.76	P
		7.5 GHz ~ 10 GHz	Fig.77	P
		10 GHz ~ 15 GHz	Fig.78	P
		15 GHz ~ 20 GHz	Fig.79	P
		20 GHz ~ 26 GHz	Fig.80	P

802.11n-HT20 mode

MODE	Channel	Frequency Range	Test Results	Conclusion
802.11n (20MHz)	1	2.412 GHz	Fig.81	P
		30 MHz ~ 1 GHz	Fig.82	P
		1 GHz ~ 2.5 GHz	Fig.83	P
		2.5 GHz ~ 7.5 GHz	Fig.84	P
		7.5 GHz ~ 10 GHz	Fig.85	P
		10 GHz ~ 15 GHz	Fig.86	P
		15 GHz ~ 20 GHz	Fig.87	P
		20 GHz ~ 26 GHz	Fig.88	P
	6	2.437 GHz	Fig.89	P
		30 MHz ~ 1 GHz	Fig.90	P
		1 GHz ~ 2.5 GHz	Fig.91	P
		2.5 GHz ~ 7.5 GHz	Fig.92	P
		7.5 GHz ~ 10 GHz	Fig.93	P
		10 GHz ~ 15 GHz	Fig.94	P
		15 GHz ~ 20 GHz	Fig.95	P
		20 GHz ~ 26 GHz	Fig.96	P
	11	2.462 GHz	Fig.97	P
		30 MHz ~ 1 GHz	Fig.98	P
		1 GHz ~ 2.5 GHz	Fig.99	P
		2.5 GHz ~ 7.5 GHz	Fig.100	P
		7.5 GHz ~ 10 GHz	Fig.101	P
		10 GHz ~ 15 GHz	Fig.102	P
		15 GHz ~ 20 GHz	Fig.103	P
		20 GHz ~ 26 GHz	Fig.104	P


802.11n-HT40 mode

MODE	Channel	Frequency Range	Test Results	Conclusion
802.11n (40MHz)	3	2.422 GHz	Fig.105	P
		30 MHz ~ 1 GHz	Fig.106	P
		1 GHz ~ 2.5 GHz	Fig.107	P
		2.5 GHz ~ 7.5 GHz	Fig.108	P
		7.5 GHz ~ 10 GHz	Fig.109	P
		10 GHz ~ 15 GHz	Fig.110	P
		15 GHz ~ 20 GHz	Fig.111	P
		20 GHz ~ 26 GHz	Fig.112	P
	6	2.437 GHz	Fig.113	P
		30 MHz ~ 1 GHz	Fig.114	P
		1 GHz ~ 2.5 GHz	Fig.115	P
		2.5 GHz ~ 7.5 GHz	Fig.116	P
		7.5 GHz ~ 10 GHz	Fig.117	P
		10 GHz ~ 15 GHz	Fig.118	P

		15 GHz ~ 20 GHz	Fig.119	P
		20 GHz ~ 26 GHz	Fig.120	P
	9	2.452 GHz	Fig.121	P
		30 MHz ~ 1 GHz	Fig.122	P
		1 GHz ~ 2.5 GHz	Fig.123	P
		2.5 GHz ~ 7.5 GHz	Fig.124	P
		7.5 GHz ~ 10 GHz	Fig.125	P
		10 GHz ~ 15 GHz	Fig.126	P
		15 GHz ~ 20 GHz	Fig.127	P
		20 GHz ~ 26 GHz	Fig.128	P

Conclusion: PASS

Test graphs as below:



Ref 20 dBm * Att 15 dB

- * RBW 100 kHz
- * VBW 300 kHz
- SWT 100 ms

Marker 1 [T1] -37.54 dBm
62.644230769 MHz

1 PK MAXH

Start 30 MHz 97 MHz/ Stop 1 GHz






Fig. 34 Conducted Spurious Emission (802.11b, Ch1, 30 MHz-1 GHz)




Date: 21.FEB.2013 11:04:16

Fig. 35 Conducted Spurious Emission (802.11b, Ch1, 1 GHz-2.5 GHz)




Date: 21.FEB.2013 11:04:23

Fig. 36 Conducted Spurious Emission (802.11b, Ch1, 2.5 GHz-7.5 GHz)




Date: 21.FEB.2013 11:04:29

Fig. 37 Conducted Spurious Emission (802.11b, Ch1, 7.5 GHz-10 GHz)




Date: 21.FEB.2013 11:04:35

Fig. 38 Conducted Spurious Emission (802.11b, Ch1, 10 GHz-15 GHz)




Date: 21.FEB.2013 11:04:42

Fig. 39 Conducted Spurious Emission (802.11b, Ch1, 15 GHz-20 GHz)




Date: 21.FEB.2013 11:04:48

Fig. 40 Conducted Spurious Emission (802.11b, Ch1, 20 GHz-26 GHz)




Date: 21.FEB.2013 11:05:10

Fig. 41 Conducted Spurious Emission (802.11b, Ch6, Center Frequency)




Date: 21.FEB.2013 11:05:16

Fig. 42 Conducted Spurious Emission (802.11b, Ch6, 30 MHz-1 GHz)




Date: 21.FEB.2013 11:05:23

Fig. 43 Conducted Spurious Emission (802.11b, Ch6, 1 GHz-2.5 GHz)




Date: 21.FEB.2013 11:05:29

Fig. 44 Conducted Spurious Emission (802.11b, Ch6, 2.5 GHz-7.5 GHz)




Date: 21.FEB.2013 11:05:36

Fig. 45 Conducted Spurious Emission (802.11b, Ch6, 7.5 GHz-10 GHz)




Date: 21.FEB.2013 11:05:42

Fig. 46 Conducted Spurious Emission (802.11b, Ch6, 10 GHz-15 GHz)




Date: 21.FEB.2013 11:05:48

Fig. 47 Conducted Spurious Emission (802.11b, Ch6, 15 GHz-20 GHz)




Date: 21.FEB.2013 11:05:55

Fig. 48 Conducted Spurious Emission (802.11b, Ch6, 20 GHz-26 GHz)




Date: 21.FEB.2013 11:06:24

Fig. 49 Conducted Spurious Emission (802.11b, Ch11, Center Frequency)




Date: 21.FEB.2013 11:06:30

Fig. 50 Conducted Spurious Emission (802.11b, Ch11, 30 MHz-1 GHz)




Date: 21.FEB.2013 11:06:37

Fig. 51 Conducted Spurious Emission (802.11b, Ch11, 1 GHz-2.5 GHz)




Date: 21.FEB.2013 11:06:43

Fig. 52 Conducted Spurious Emission (802.11b, Ch11, 2.5 GHz-7.5 GHz)




Date: 21.FEB.2013 11:06:49

Fig. 53 Conducted Spurious Emission (802.11b, Ch11, 7.5 GHz-10 GHz)




Date: 21.FEB.2013 11:06:56

Fig. 54 Conducted Spurious Emission (802.11b, Ch11, 10 GHz-15 GHz)




Date: 21.FEB.2013 11:07:02

Fig. 55 Conducted Spurious Emission (802.11b, Ch11, 15 GHz-20 GHz)




Date: 21.FEB.2013 11:07:09

Fig. 56 Conducted Spurious Emission (802.11b, Ch11, 20 GHz-26 GHz)




Date: 21.FEB.2013 11:07:55

Fig. 57 Conducted Spurious Emission (802.11g, Ch1, Center Frequency)




Date: 21.FEB.2013 11:08:02

Fig. 58 Conducted Spurious Emission (802.11g, Ch1, 30 MHz-1 GHz)




Date: 21.FEB.2013 11:08:08

Fig. 59 Conducted Spurious Emission (802.11g, Ch1, 1 GHz-2.5 GHz)




Date: 21.FEB.2013 11:08:14

Fig. 60 Conducted Spurious Emission (802.11g, Ch1, 2.5 GHz-7.5 GHz)




Date: 21.FEB.2013 11:08:21

Fig. 61 Conducted Spurious Emission (802.11g, Ch1, 7.5 GHz-10 GHz)




Date: 21.FEB.2013 11:08:27

Fig. 62 Conducted Spurious Emission (802.11g, Ch1, 10 GHz-15 GHz)




Date: 21.FEB.2013 11:08:34

Fig. 63 Conducted Spurious Emission (802.11g, Ch1, 15 GHz-20 GHz)




Date: 21.FEB.2013 11:08:40

Fig. 64 Conducted Spurious Emission (802.11g, Ch1, 20 GHz-26 GHz)




Date: 21.FEB.2013 11:09:09

Fig. 65 Conducted Spurious Emission (802.11g, Ch6, Center Frequency)




Date: 21.FEB.2013 11:09:15

Fig. 66 Conducted Spurious Emission (802.11g, Ch6, 30 MHz-1 GHz)




Date: 21.FEB.2013 11:09:22

Fig. 67 Conducted Spurious Emission (802.11g, Ch6, 1 GHz-2.5 GHz)




Date: 21.FEB.2013 11:09:28

Fig. 68 Conducted Spurious Emission (802.11g, Ch6, 2.5 GHz-7.5 GHz)




Date: 21.FEB.2013 11:09:35

Fig. 69 Conducted Spurious Emission (802.11g, Ch6, 7.5 GHz-10 GHz)




Date: 21.FEB.2013 11:09:41

Fig. 70 Conducted Spurious Emission (802.11g, Ch6, 10 GHz-15 GHz)




Date: 21.FEB.2013 11:09:47

Fig. 71 Conducted Spurious Emission (802.11g, Ch6, 15 GHz-20 GHz)




Date: 21.FEB.2013 11:09:54

Fig. 72 Conducted Spurious Emission (802.11g, Ch6, 20 GHz-26 GHz)




Date: 21.FEB.2013 11:10:18

Fig. 73 Conducted Spurious Emission (802.11g, Ch11, Center Frequency)




Date: 21.FEB.2013 11:10:25

Fig. 74 Conducted Spurious Emission (802.11g, Ch11, 30 MHz-1 GHz)




Date: 21.FEB.2013 11:10:31

Fig. 75 Conducted Spurious Emission (802.11g, Ch11, 1 GHz-2.5 GHz)




Date: 21.FEB.2013 11:10:38

Fig. 76 Conducted Spurious Emission (802.11g, Ch11, 2.5 GHz-7.5 GHz)




Date: 21.FEB.2013 11:10:44

Fig. 77 Conducted Spurious Emission (802.11g, Ch11, 7.5 GHz-10 GHz)




Date: 21.FEB.2013 11:10:51

Fig. 78 Conducted Spurious Emission (802.11g, Ch11, 10 GHz-15 GHz)




Date: 21.FEB.2013 11:10:57

Fig. 79 Conducted Spurious Emission (802.11g, Ch11, 15 GHz-20 GHz)




Date: 21.FEB.2013 11:11:03

Fig. 80 Conducted Spurious Emission (802.11g, Ch11, 20 GHz-26 GHz)




Date: 21.FEB.2013 11:11:42

Fig. 81 Conducted Spurious Emission (802.11n-HT20, Ch1, Center Frequency)




Date: 21.FEB.2013 11:11:48

Fig. 82 Conducted Spurious Emission (802.11n-HT20, Ch1, 30 MHz-1 GHz)




Date: 21.FEB.2013 11:11:54

Fig. 83 Conducted Spurious Emission (802.11n-HT20, Ch1, 1 GHz-2.5 GHz)




Date: 21.FEB.2013 11:12:01

Fig. 84 Conducted Spurious Emission (802.11n-HT20, Ch1, 2.5 GHz-7.5 GHz)




Date: 21.FEB.2013 11:12:06

Fig. 85 Conducted Spurious Emission (802.11n-HT20, Ch1, 7.5 GHz-10 GHz)




Date: 21.FEB.2013 11:12:12

Fig. 86 Conducted Spurious Emission (802.11n-HT20, Ch1, 10 GHz-15 GHz)




Date: 21.FEB.2013 11:12:18

Fig. 87 Conducted Spurious Emission (802.11n-HT20, Ch1, 15 GHz-20 GHz)




Date: 21.FEB.2013 11:12:24

Fig. 88 Conducted Spurious Emission (802.11n-HT20, Ch1, 20 GHz-26 GHz)




Date: 21.FEB.2013 11:12:46

Fig. 89 Conducted Spurious Emission (802.11n-HT20, Ch6, Center Frequency)




Date: 21.FEB.2013 11:12:52

Fig. 90 Conducted Spurious Emission (802.11n-HT20, Ch6, 30 MHz-1 GHz)




Date: 21.FEB.2013 11:12:58

Fig. 91 Conducted Spurious Emission (802.11n-HT20, Ch6, 1 GHz-2.5 GHz)




Date: 21.FEB.2013 11:13:05

Fig. 92 Conducted Spurious Emission (802.11n-HT20, Ch6, 2.5 GHz-7.5 GHz)




Date: 21.FEB.2013 11:13:10

Fig. 93 Conducted Spurious Emission (802.11n-HT20, Ch6, 7.5 GHz-10 GHz)




Date: 21.FEB.2013 11:13:16

Fig. 94 Conducted Spurious Emission (802.11n-HT20, Ch6, 10 GHz-15 GHz)




Date: 21.FEB.2013 11:13:22

Fig. 95 Conducted Spurious Emission (802.11n-HT20, Ch6, 15 GHz-20 GHz)




Date: 21.FEB.2013 11:13:28

Fig. 96 Conducted Spurious Emission (802.11n-HT20, Ch6, 20 GHz-26 GHz)




Date: 21.FEB.2013 11:13:48

Fig. 97 Conducted Spurious Emission (802.11n-HT20, Ch11, Center Frequency)




Date: 21.FEB.2013 11:13:55

Fig. 98 Conducted Spurious Emission (802.11n-HT20, Ch11, 30 MHz-1 GHz)




Date: 21.FEB.2013 11:14:01

Fig. 99 Conducted Spurious Emission (802.11n-HT20, Ch11, 1 GHz-2.5 GHz)




Date: 21.FEB.2013 11:14:08

Fig. 100 Conducted Spurious Emission (802.11n-HT20, Ch11, 2.5 GHz-7.5 GHz)




Date: 21.FEB.2013 11:14:14

Fig. 101 Conducted Spurious Emission (802.11n-HT20, Ch11, 7.5 GHz-10 GHz)




Date: 21.FEB.2013 11:14:20

Fig. 102 Conducted Spurious Emission (802.11n-HT20, Ch11, 10 GHz-15 GHz)




Date: 21.FEB.2013 11:14:27

Fig. 103 Conducted Spurious Emission (802.11n-HT20, Ch11, 15 GHz-20 GHz)




Date: 21.FEB.2013 11:14:33

Fig. 104 Conducted Spurious Emission (802.11n-HT20, Ch11, 20 GHz-26 GHz)




Date: 21.FEB.2013 11:14:59

Fig. 105 Conducted Spurious Emission (802.11n-HT40, Ch3, Center Frequency)




Date: 21.FEB.2013 11:15:03

Fig. 106 Conducted Spurious Emission (802.11n-HT40, Ch3, 30 MHz-1 GHz)




Date: 21.FEB.2013 11:15:09

Fig. 107 Conducted Spurious Emission (802.11n-HT40, Ch3, 1 GHz-2.5 GHz)




Date: 21.FEB.2013 11:15:15

Fig. 108 Conducted Spurious Emission (802.11n-HT40, Ch3, 2.5 GHz-7.5 GHz)




Date: 21.FEB.2013 11:15:21

Fig. 109 Conducted Spurious Emission (802.11n-HT40, Ch3, 7.5 GHz-10 GHz)




Date: 21.FEB.2013 11:15:28

Fig. 110 Conducted Spurious Emission (802.11n-HT40, Ch3, 10 GHz-15 GHz)




Date: 21.FEB.2013 11:15:37

Fig. 111 Conducted Spurious Emission (802.11n-HT40, Ch3, 15 GHz-20 GHz)




Date: 21.FEB.2013 11:15:43

Fig. 112 Conducted Spurious Emission (802.11n-HT40, Ch3, 20 GHz-26 GHz)




Date: 21.FEB.2013 11:16:23

Fig. 113 Conducted Spurious Emission (802.11n-HT40, Ch6, Center Frequency)




Date: 21.FEB.2013 11:16:29

Fig. 114 Conducted Spurious Emission (802.11n-HT40, Ch6, 30 MHz-1 GHz)




Date: 21.FEB.2013 11:16:36

Fig. 115 Conducted Spurious Emission (802.11n-HT40, Ch6, 1 GHz-2.5 GHz)




Date: 21.FEB.2013 11:16:41

Fig. 116 Conducted Spurious Emission (802.11n-HT40, Ch6, 2.5 GHz-7.5 GHz)




Date: 21.FEB.2013 11:16:48

Fig. 117 Conducted Spurious Emission (802.11n-HT40, Ch6, 7.5 GHz-10 GHz)




Date: 21.FEB.2013 11:16:54

Fig. 118 Conducted Spurious Emission (802.11n-HT40, Ch6, 10 GHz-15 GHz)




Date: 21.FEB.2013 11:17:01

Fig. 119 Conducted Spurious Emission (802.11n-HT40, Ch6, 15GHz-20 GHz)




Date: 21.FEB.2013 11:17:07

Fig. 120 Conducted Spurious Emission (802.11n-HT40, Ch6, 20GHz-26 GHz)




Date: 21.FEB.2013 11:17:31

Fig. 121 Conducted Spurious Emission (802.11n-HT40, Ch9, Center Frequency)




Date: 21.FEB.2013 11:17:38

Fig. 122 Conducted Spurious Emission (802.11n-HT40, Ch9, 30 MHz-1 GHz)




Date: 21.FEB.2013 11:17:44

Fig. 123 Conducted Spurious Emission (802.11n-HT40, Ch9, 1GHz-2.5 GHz)




Date: 21.FEB.2013 11:17:50

Fig. 124 Conducted Spurious Emission (802.11n-HT40, Ch9, 2.5GHz-7.5 GHz)




Date: 21.FEB.2013 11:17:57

Fig. 125 Conducted Spurious Emission (802.11n-HT40, Ch9, 7.5GHz-10 GHz)




Date: 21.FEB.2013 11:18:03

Fig. 126 Conducted Spurious Emission (802.11n-HT40, Ch9, 10GHz-15 GHz)



Date: 21.FEB.2013 11:18:09

Fig. 127 Conducted Spurious Emission (802.11n-HT40, Ch9, 15GHz-20 GHz)



Date: 21.FEB.2013 11:18:16

Fig. 128 Conducted Spurious Emission (802.11n-HT40, Ch9, 20GHz-28 GHz)

A.6.2 Transmitter Spurious Emission - Radiated

Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247, 15.205, 15.209	20dB below peak output power

In addition, radiated emissions which fall in the restricted bands, as defined in § 15.205(a), must also comply with the radiated emission limits specified in § 15.209(a) (see § 15.205(c)).

The measurement is made according to ANSI C63.10.

Limit in restricted band:

Frequency of emission (MHz)	Field strength(μ V/m)	Field strength(dBuV/m)
30-88	100	40
88-216	150	43.5
216-960	200	46
Above 960	500	54

Test Condition

The EUT was placed on a non-conductive table. The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

Frequency of emission (MHz)	RBW/VBW	Sweep Time(s)
30-1000	100KHz/300KHz	5
1000-4000	1MHz/1MHz	15
4000-18000	1MHz/1MHz	40
18000-26500	1MHz/1MHz	20

Measurement Results:
802.11b/g mode

Mode	Channel	Frequency Range	Test Results	Conclusion
802.11b	Power	2.38GHz ~2.45GHz	Fig.129	P
	1	30 MHz ~1 GHz	Fig.130	P
		1 GHz ~ 3 GHz	Fig.131	P
		3 GHz ~ 18 GHz	Fig.132	P
	6	30 MHz ~1 GHz	Fig.133	P
		1 GHz ~ 3 GHz	Fig.134	P
		3 GHz ~ 18 GHz	Fig.135	P
	Power	2.45GHz ~2.5GHz	Fig.136	P
	11	30 MHz ~1 GHz	Fig.137	P
		1 GHz ~ 3 GHz	Fig.138	P
		3 GHz ~ 18 GHz	Fig.139	P
802.11g	Power	2.38GHz ~2.43GHz	Fig.140	P
	1	30 MHz ~1 GHz	Fig.141	P
		1 GHz ~ 3 GHz	Fig.142	P
		3 GHz ~ 18 GHz	Fig.143	P
	6	30 MHz ~1 GHz	Fig.144	P
		1 GHz ~ 3 GHz	Fig.145	P
		3 GHz ~ 18 GHz	Fig.146	P
	Power	2.45GHz ~2.5GHz	Fig.147	P
	11	30 MHz ~1 GHz	Fig.148	P
		1 GHz ~ 3 GHz	Fig.149	P
		3 GHz ~ 18 GHz	Fig.150	P

802.11n mode

Mode	Channel	Frequency Range	Test Results	Conclusion
802.11n (20MHz)	Power	2.38GHz ~2.45GHz	Fig.151	P
	1	30 MHz ~1 GHz	Fig.152	P
		1 GHz ~ 3 GHz	Fig.153	P
		3 GHz ~ 18 GHz	Fig.154	P
	6	30 MHz ~1 GHz	Fig.155	P
		1 GHz ~ 3 GHz	Fig.156	P
		3 GHz ~ 18 GHz	Fig.157	P
	Power	2.45GHz ~2.5GHz	Fig.158	P
	11	30 MHz ~1 GHz	Fig.159	P
		1 GHz ~ 3 GHz	Fig.160	P
		3 GHz ~ 18 GHz	Fig.161	P
802.11n (40MHz)	Power	2.38GHz ~2.45GHz	Fig.162	P
	3	30 MHz ~1 GHz	Fig.163	P
		1 GHz ~ 3 GHz	Fig.164	P
		3 GHz ~ 18 GHz	Fig.165	P

	6	30 MHz ~1 GHz	Fig.166	P
		1 GHz ~ 3 GHz	Fig.167	P
		3 GHz ~ 18 GHz	Fig.168	P
	Power	2.45GHz ~2.5GHz	Fig.169	P
	9	30 MHz ~1 GHz	Fig.170	P
		1 GHz ~ 3 GHz	Fig.171	P
		3 GHz ~ 18 GHz	Fig.172	P
	/	All channels	18 GHz~ 26.5 GHz	P

Conclusion: PASS

Note:

A "reference path loss" is established and the A_{Rpl} is the attenuation of "reference path loss", and including the gain of receive antenna, the gain of the preamplifier, the cable loss.

P_{Mea} is the field strength recorded from the instrument.

The measurement results are obtained as described below:

Result= $P_{Mea}+A_{Rpl}= P_{Mea}+Cable\ Loss+Antenna\ Factor$

802.11b

Ch1

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
17500.500	43.7	-25.3	42.8	26.227	H
17488.500	43.6	-25.3	43.0	25.857	V
17997.750	43.6	-24.7	42.3	26.054	V
17503.500	43.6	-25.3	42.8	26.127	H
17495.250	43.6	-25.3	43.0	25.857	V
17518.500	43.6	-25.3	42.8	26.127	H

Ch6

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
17481.750	43.7	-25.3	43.0	25.957	V
17518.500	43.6	-25.3	42.8	26.127	H
17995.500	43.6	-24.7	42.3	26.054	V
17506.500	43.6	-25.3	42.8	26.127	H
17508.000	43.6	-25.3	42.8	26.127	H
17526.750	43.5	-25.3	42.9	25.867	V

Ch11

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
17532.750	43.8	-25.3	42.9	26.167	V
17519.250	43.6	-25.3	42.8	26.127	H
17544.000	43.6	-25.3	42.9	25.967	H
17998.500	43.6	-24.7	42.3	26.054	H
17508.000	43.5	-25.3	42.8	26.027	V
17499.000	43.5	-25.3	43.0	25.757	V

802.11g

Ch1

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	PMea (dBuV/m)	Polarization
17499.750	43.6	-25.3	43.0	25.857	H
17546.250	43.6	-25.3	42.9	25.967	H
17529.750	43.6	-25.3	42.9	25.967	V
17499.000	43.6	-25.3	43.0	25.857	V
17520.000	43.6	-25.3	42.8	26.127	H
17484.750	43.6	-25.3	43.0	25.857	V

Ch6

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	PMea (dBuV/m)	Polarization
17517.750	43.8	-25.3	42.8	26.327	H
17494.500	43.8	-25.3	43.0	26.057	H
17535.000	43.7	-25.3	42.9	26.067	V
17499.000	43.6	-25.3	43.0	25.857	H
17482.500	43.6	-25.3	43.0	25.857	H
17987.250	43.6	-25.2	42.3	26.568	H

Ch11

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	PMea (dBuV/m)	Polarization
17503.500	43.7	-25.3	42.8	26.227	H
17497.500	43.6	-25.3	43.0	25.857	H
17539.500	43.6	-25.3	42.9	25.967	H
17502.750	43.6	-25.3	42.8	26.127	H
17512.500	43.6	-25.3	42.8	26.127	V
17486.250	43.6	-25.3	43.0	25.857	H

802.11n-HT20

Ch1

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	PMea (dBuV/m)	Polarization
17521.500	43.8	-25.3	42.8	26.327	V
17505.000	43.7	-25.3	42.8	26.227	V
17498.250	43.6	-25.3	43.0	25.857	V
17514.750	43.6	-25.3	42.8	26.127	H
17496.750	43.6	-25.3	43.0	25.857	V
17505.750	43.5	-25.3	42.8	26.027	H

Ch6

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	PMea (dBuV/m)	Polarization
17495.250	43.7	-25.3	43.0	25.957	H
17496.000	43.6	-25.3	43.0	25.857	V
17504.250	43.6	-25.3	42.8	26.127	H
17494.500	43.6	-25.3	43.0	25.857	V
17515.500	43.6	-25.3	42.8	26.127	H
17546.250	43.6	-25.3	42.9	25.967	H

Ch11

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	PMea (dBuV/m)	Polarization
17495.250	43.7	-25.3	43.0	25.957	H
17997.000	43.6	-24.7	42.3	26.054	V
17971.500	43.6	-25.2	42.7	26.128	H
17491.500	43.6	-25.3	43.0	25.857	V
17496.750	43.6	-25.3	43.0	25.857	H
17996.250	43.6	-24.7	42.3	26.054	H

802.11n-HT40

Ch3

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	PMea (dBuV/m)	Polarization
17504.250	43.7	-25.3	42.8	26.227	H
17503.500	43.7	-25.3	42.8	26.227	H
17500.500	43.6	-25.3	42.8	26.127	V
17493.750	43.5	-25.3	43.0	25.757	H
17506.500	43.5	-25.3	42.8	26.027	V
17537.250	43.5	-25.3	42.9	25.867	H

Ch6

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	PMea (dBuV/m)	Polarization
17523.750	43.7	-25.3	42.8	26.227	H
17487.750	43.6	-25.3	43.0	25.857	H
17489.250	43.6	-25.3	43.0	25.857	V
17513.250	43.6	-25.3	42.8	26.127	V
17501.250	43.6	-25.3	42.8	26.127	V
17493.000	43.5	-25.3	43.0	25.757	V

Ch9

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	PMea (dBuV/m)	Polarization
17517.750	43.8	-25.3	42.8	26.327	H
17494.500	43.8	-25.3	43.0	26.057	H
17535.000	43.7	-25.3	42.9	26.067	V
17499.000	43.6	-25.3	43.0	25.857	H
17482.500	43.6	-25.3	43.0	25.857	H
17987.250	43.6	-25.2	42.3	26.568	H

Test graphs as below:




Fig. 129 Radiated Spurious Emission (Power): 802.11b, ch1, 2.38 GHz - 245GHz




Fig. 130 Radiated Spurious Emission (802.11b, Ch1, 30 MHz-1 GHz)




Fig. 131 Radiated Spurious Emission (802.11b, Ch1, 1 GHz-3 GHz)




Fig. 132 Radiated Spurious Emission (802.11b, Ch1, 3 GHz-18 GHz)




Fig. 133 Radiated Spurious Emission (802.11b, Ch6, 30 MHz-1 GHz)




Fig. 134 Radiated Spurious Emission (802.11b, Ch6, 1 GHz-3 GHz)




Fig. 135 Radiated Spurious Emission (802.11b, Ch6, 3 GHz-18 GHz)




Fig. 136 Radiated Spurious Emission (Power): 802.11b, ch11, 2.45 GHz - 2.50GHz




Fig. 137 Radiated Spurious Emission (802.11b, Ch11, 30 MHz-1 GHz)




Fig. 138 Radiated Spurious Emission (802.11b, Ch11, 1 GHz-3 GHz)




Fig. 139 Radiated Spurious Emission (802.11b, Ch11, 3 GHz-18 GHz)




Fig. 140 Radiated Spurious Emission (Power): 802.11g, ch1, 2.38 GHz - 2.45GHz




Fig. 141 Radiated Spurious Emission (802.11g, Ch1, 30 MHz-1 GHz)




Fig. 142 Radiated Spurious Emission (802.11g, Ch1, 1 GHz-3 GHz)




Fig. 143 Radiated Spurious Emission (802.11g, Ch1, 3 GHz-18 GHz)




Fig. 144 Radiated Spurious Emission (802.11g, Ch6, 30 MHz-1 GHz)




Fig. 145 Radiated Spurious Emission (802.11g, Ch6, 1 GHz-3 GHz)




Fig. 146 Radiated Spurious Emission (802.11g, Ch6, 3 GHz-18 GHz)




Fig. 147 Radiated Spurious Emission (Power): 802.11g, ch11, 2.45 GHz - 2.50GHz




Fig. 148 Radiated Spurious Emission (802.11g, Ch11, 30 MHz-1 GHz)




Fig. 149 Radiated Spurious Emission (802.11g, Ch11, 1 GHz-3 GHz)




Fig. 150 Radiated Spurious Emission (802.11g, Ch11, 3 GHz-18 GHz)




Fig. 151 Radiated Spurious Emission (Power): 802.11n-HT20, ch1, 2.38 GHz - 2.45GHz




Fig. 152 Radiated Spurious Emission (802.11n-HT20, Ch1, 30 MHz-1 GHz)




Fig. 153 Radiated Spurious Emission (802.11n-HT20, Ch1, 1 GHz-3 GHz)




Fig. 154 Radiated Spurious Emission (802.11n-HT20, Ch1, 3 GHz-18 GHz)




Fig. 155 Radiated Spurious Emission (802.11n-HT20, Ch6, 30 MHz-1 GHz)




Fig. 156 Radiated Spurious Emission (802.11n-HT20, Ch6, 1 GHz-3 GHz)




Fig. 157 Radiated Spurious Emission (802.11n-HT20, Ch6, 3 GHz-18 GHz)




Fig. 158 Radiated Spurious Emission (Power): 802.11n-HT20, ch11, 2.45 GHz - 2.50GHz




Fig. 159 Radiated Spurious Emission (802.11n-HT20, Ch11, 30 MHz-1 GHz)




Fig. 160 Radiated Spurious Emission (802.11n-HT20, Ch11, 1 GHz-3 GHz)




Fig. 161 Radiated Spurious Emission (802.11n-HT20, Ch11, 3 GHz-18 GHz)




Fig. 162 Radiated Spurious Emission (Power): 802.11n-HT40, ch3, 2.38 GHz - 2.45GHz




Fig. 163 Radiated Spurious Emission (802.11n-HT40, Ch3, 30 MHz-1 GHz)




Fig. 164 Radiated Spurious Emission (802.11n-HT40, Ch3, 1 GHz-3 GHz)




Fig. 165 Radiated Spurious Emission (802.11n-HT40, Ch3, 3 GHz-18 GHz)




Fig. 166 Radiated Spurious Emission (802.11n-HT40, Ch6, 30 MHz-1 GHz)




Fig. 167 Radiated Spurious Emission (802.11n-HT40, Ch6, 1 GHz-3 GHz)




Fig. 168 Radiated Spurious Emission (802.11n-HT40, Ch6, 3 GHz-18 GHz)




Fig. 169 Radiated Spurious Emission (Power): 802.11n-HT40, ch9, 2.45 GHz - 2.50GHz




Fig. 170 Radiated Spurious Emission (802.11n-HT40, Ch9, 30 MHz-1 GHz)




Fig. 171 Radiated Spurious Emission (802.11n-HT40, Ch9, 1 GHz-3 GHz)




Fig. 172 Radiated Spurious Emission (802.11n-HT40, Ch9, 3 GHz-18 GHz)




Fig. 173 Radiated Spurious Emission (All channels): 18GHz - 26.5GHz

A.7. AC Powerline Conducted Emission

Test Condition:

Voltage (V)	Frequency (Hz)
120	60

Measurement Result and limit:

Measurement with charger1

WLAN (Quasi-peak Limit)

Frequency range (MHz)	Quasi-peak Limit (dBμV)	Result (dBμV)				Conclusion
		With charger				
		802.11b	802.11g	802.11n HT20	802.11n HT40	
0.15 to 0.5	66 to 56	Fig. 174	Fig.175	Fig.176	Fig.177	P
0.5 to 5	56					
5 to 30	60					

NOTE: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.

WLAN (Average Limit)

Frequency range (MHz)	Average Limit (dBμV)	Result (dBμV)				Conclusion
		With charger				
		802.11b	802.11g	802.11n HT20	802.11n HT40	
0.15 to 0.5	56 to 46	Fig.174	Fig.175	Fig.176	Fig.177	P
0.5 to 5	46					
5 to 30	50					

NOTE: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.

The measurement is made according to ANSI C63.10




Fig. 174 AC Powerline Conducted Emission-802.11b

Final Result 1

Frequency (MHz)	QuasiPeak (dBμV)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dBμV)
0.775500	30.1	GND	N	10.0	25.9	56.0
1.509000	25.8	GND	L1	10.0	30.2	56.0
1.563000	19.6	GND	L1	10.0	36.4	56.0
1.662000	23.9	GND	N	10.0	32.1	56.0
1.711500	27.3	GND	N	10.0	28.7	56.0
1.761000	31.8	GND	N	10.0	24.2	56.0

Final Result 2

Frequency (MHz)	QuasiPeak (dBμV)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dBμV)
0.361500	34.9	GND	N	10.0	13.8	48.7
0.672000	28.1	GND	N	10.0	17.9	46.0
0.721500	31.2	GND	N	10.0	14.8	46.0
1.711500	21.5	GND	N	10.0	24.5	46.0
1.761000	26.0	GND	N	10.0	20.0	46.0
1.815000	22.6	GND	N	10.0	23.4	46.0




Fig. 175 AC Powerline Conducted Emission-802.11g

Final Result 1

Frequency (MHz)	QuasiPeak (dBμV)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dBμV)
0.676500	31.9	GND	L1	10.0	24.1	56.0
1.180500	34.6	GND	N	10.0	21.4	56.0
1.257000	27.1	GND	N	10.0	28.9	56.0
1.302000	22.1	GND	N	10.0	33.9	56.0
1.693500	35.2	GND	N	10.0	20.8	56.0
1.743000	36.5	GND	N	10.0	19.5	56.0

Final Result 2

Frequency (MHz)	QuasiPeak (dBμV)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dBμV)
0.469500	36.0	GND	N	10.0	10.5	46.5
0.613500	33.2	GND	L1	10.0	12.8	46.0
0.663000	33.7	GND	N	10.0	12.3	46.0
1.693500	29.6	GND	N	10.0	16.4	46.0
1.743000	33.1	GND	N	10.0	12.9	46.0
1.846500	29.2	GND	N	10.0	16.8	46.0




Fig. 176 AC Powerline Conducted Emission-802.11n-HT20

Final Result 1

Frequency (MHz)	QuasiPeak (dBμV)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dBμV)
0.613500	32.7	GND	L1	10.0	23.3	56.0
1.023000	34.5	GND	L1	10.0	21.5	56.0
1.072500	35.2	GND	L1	10.0	20.8	56.0
1.482000	32.3	GND	L1	10.0	23.7	56.0
1.531500	33.9	GND	L1	10.0	22.1	56.0
1.734000	34.7	GND	N	10.0	21.3	56.0

Final Result 2

Frequency (MHz)	QuasiPeak (dBμV)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dBμV)
0.609000	33.9	GND	L1	10.0	12.1	46.0
0.658500	34.6	GND	N	10.0	11.4	46.0
0.762000	32.7	GND	N	10.0	13.3	46.0
1.329000	30.7	GND	N	10.0	15.3	46.0
1.734000	29.6	GND	N	10.0	16.4	46.0
1.783500	31.2	GND	N	10.0	14.8	46.0




Fig. 177 AC Powerline Conducted Emission-802.11n-HT40

Final Result 1

Frequency (MHz)	QuasiPeak (dBμV)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dBμV)
0.762000	34.3	GND	N	10.0	21.7	56.0
0.811500	33.7	GND	N	10.0	22.3	56.0
1.018500	34.5	GND	L1	10.0	21.5	56.0
1.068000	35.2	GND	L1	10.0	20.8	56.0
1.221000	35.4	GND	N	10.0	20.6	56.0
1.774500	36.5	GND	N	10.0	19.5	56.0

Final Result 2

Frequency (MHz)	QuasiPeak (dBμV)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dBμV)
0.505500	33.9	GND	L1	10.0	12.1	46.0
0.708000	33.9	GND	N	10.0	12.1	46.0
0.757500	33.7	GND	N	10.0	12.3	46.0
1.270500	33.6	GND	N	10.0	12.4	46.0
1.725000	32.7	GND	N	10.0	13.3	46.0
1.774500	34.2	GND	N	10.0	11.8	46.0

*** END OF REPORT BODY ***