



The Photos of SAR test

No. 2013SAR00037

For

TCT Mobile Limited

HSDPA/HSUPA/UMTS dual band / GSM quad bands mobile phone

Mode Name: Smart III 4 NFC

Marketing Name: Vodafone 975N

With

Hardware Version: PIO

Software Version: G5B

FCC ID: RAD352

Issued Date: 2013-03-15



The test results in this test report relate only to the devices specified in

this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

Test Laboratory:

TMC Beijing, Telecommunication Metrology Center of MIIT


No. 52, Huayuan Bei Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2079, Fax:+86(0)10-62304633 Email:welcome@emcite.com. www.emcite.com


©Copyright. All rights reserved by TMC Beijing.




Picture 1: Constituents of the sample




Picture 2: Left Hand Touch Cheek Position



Picture 3: Left Hand Tilt 15° Position





Picture 4: Right Hand Touch Cheek Position





Picture 5: Right Hand Tilt 15° Position

Test positions for body:


The Body SAR is tested at the following 6 test positions all with the distance =10mm between the EUT and the phantom bottom:





Picture 6: Toward Phantom





Picture 7: Toward Ground




Picture 8: Toward Ground with Headset




Picture 9: Left Side



Picture 10: Right Side



Picture 11: Bottom Side



Picture 12: Top Side