



The Photos of SAR test

No. 2013EEB00163

For

TCT Mobile Limited

GSM/GPRS Dual bands mobile phone

Model name: B11C US

Marketing name: one touch 665A

With

Hardware Version: PTH 06

Software Version: 79Q(010 05)

FCC ID: RAD371

Issued Date: 2013-04-02



The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

Test Laboratory:

TMC Beijing, Telecommunication Metrology Center of MIIT

No. 52, Huayuan Bei Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2079, Fax:+86(0)10-62304633 Email:welcome@emcite.com. www.emcite.com



Picture 1: front side of the sample _closed



Picture 2: back side of the sample _closed




Picture 3: back side of the sample_ open



Picture 4: back side of the sample_ open




Picture 5: Left Hand Touch Cheek Position



Picture 6: Left Hand Tilt 15° Position




Picture 7: Right Hand Touch Cheek Position




Picture 8: Right Hand Tilt 15° Position

Test positions for body:


The Body SAR is tested at the following 5 test positions all with the distance =10mm between the EUT and the phantom bottom:




Picture 9: Toward Phantom _closed




Picture 10: Toward Ground _closed



Picture 11: Toward Ground _open



Picture 12: Toward Ground with Headset _closed



Picture 12: Toward Ground with Headset _open