

The Photos of SAR test

No. 2013SAR00071

For

TCT Mobile Limited

HSDPA/HSUPA/UMTS dualband / GSM quad bands mobile phone

Model name: Pixo US

Marketing name: ONE TOUCH 4007A

With

Hardware Version: PIO

Software Version: vK11

FCC ID: RAD373

Issued Date: 2013-05-16



The test results in this test report relate only to the devices specified in

this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

Test Laboratory:


TMC Beijing, Telecommunication Metrology Center of MIIT

No. 52, Huayuan Bei Road, Haidian District, Beijing, P. R. China 100191.

 $Tel: +86(0) \\ 10-62304633-2079, Fax: +86(0) \\ 10-62304633 \ Email: welcome@emcite.com. \\ \underline{www.emcite.com} \\ \underline{www.emcite.co$




Picture 1: Constituents of the sample – Slide down




Picture 2: Left Hand Touch Cheek Position



Picture 3: Left Hand Tilt 15° Position




Picture 4: Right Hand Touch Cheek Position




Picture 5: Right Hand Tilt 15° Position

Test positions for body:


The Body SAR is tested at the following 6 test positions all with the distance =10mm between the EUT and the phantom bottom:




Picture 6: Toward Phantom




Picture 6-1: Toward Phantom



Picture 7: Toward Ground




Picture 7-1: Toward Ground




Picture 8: Toward Ground with Headset




Picture 8-1: Toward Ground with Headset




Picture 9: Left Side




Picture 9-1: Left Side




Picture 10: Right Side




Picture 10-1: Right Side




Picture 11: Top Side




Picture 12: Bottom Side



Picture 12-1: Bottom Side



Picture 13: Bottom Side with Headset



Picture 13-1: Bottom Side with Headset