



The Photos of SAR test

No. 2013SAR00168

For

TCT Mobile Limited

HSUPA/HSDPA/UMTS Triband / GSM quadband mobile phone

Mode Name: HERO

Marketing Name: ONE TOUCH 8020A

With

Hardware Version: PIO

Software Version: vBAM

FCC ID: RAD398

Issued Date: 2014-01-10



Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

Test Laboratory:

TMC Beijing, Telecommunication Metrology Center of MIIT


No. 52, Huayuan Bei Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2079, Fax:+86(0)10-62304633 Email:welcome@emcite.com. www.emcite.com


©Copyright. All rights reserved by TMC Beijing.




Picture 1: Constituents of the sample




Picture 2: Left Hand Touch Cheek Position




Picture 2-1: Left Hand Touch Cheek Position with Flip cover




Picture 3: Left Hand Tilt 15° Position




Picture 4: Right Hand Touch Cheek Position



Picture 4-1: Right Hand Touch Cheek Position with Flip cover




Picture 5: Right Hand Tilt 15° Position




Picture 5-1: Right Hand Tilt 15° Position with Flip cover

Test positions for body:



The Body SAR is tested at the following 6 test positions all with the distance =10mm between the EUT and the phantom bottom:




Picture 6: Front 10mm




Picture 6-1: Front 15mm




Picture 7: Rear 10mm



Picture 7-1: Rear 10mm with Flip cover




Picture 7-2: Rear 15mm



Picture 8: Rear 10mm with Headset




Picture 9: Left Edge 10mm




Picture 10: Right Edge 10mm



Picture 11: Bottom Edge 10mm



Picture 12: Top Edge 10mm



Picture 13: Rear 0mm



Picture 14: Bottom Edge 0mm