



ANSI C63.19 TEST REPORT

Product Name	HSUPA/HSDPA/UMTS dual-band / GSM quadband mobile
-	phone
Model Name	4019A
FCC ID	RAD442
Client	TCT Mobile Limited
Manufacturer	TCT Mobile Limited
Date of issue	May 8, 2014

TA Technology (Shanghai) Co., Ltd.

Report No. RXA1403-0053HAC

Page 2 of 61

GENERAL SUMMARY

Reference Standard(s)	ANSI C63.19-2011 American National Standard Methods of Measurement of Compatibility between Wireless Communications Devices and Hearing Aids				
Conclusion	This portable wireless equipment has been measured in all cases requested by the relevant standards. General Judgment: M3 (RF Emission)				
Comment	The test result only responds to the measured sample.				
	zhong Yang zhong Yang Director Revised by Minbao Ling HAC Manager Performed by Chen Shen HAC Engineer				

Report No. RXA1403-0053HAC

TABLE OF CONTENT

1. General Information	4
1.1. Notes of the Test Report	4
1.2. Testing Laboratory	4
1.3. Applicant Information	5
1.4. Manufacturer Information	5
1.5. Information of EUT	6
1.6. The Ambient Conditions during Test	8
1.7. The Total M-rating of each tested band	8
1.8. Test Date	8
2. Test Information	9
2.1. Operational Conditions during Test	9
2.1.1. General Description of Test Procedures	9
2.1.2. GSM Test Configuration	9
2.2. HAC RF Measurements System Configuration	. 10
2.2.1. HAC Measurement Set-up	. 10
2.2.2. Probe System	. 11
2.2.3. Test Arch Phantom & Phone Positioner	. 11
2.3. RF Test Procedures	. 13
2.4. System Check	. 15
2.5. Modulation interference factor	. 16
2.6. Conducted Output Power Measurement	. 17
2.7. Analysis of RF Air Interface Technologies	
2.8. Individual Mode Evaluations	. 18
3. Test Results	. 19
3.1. ANSI C63.19-2011 Limits	. 19
3.2. Summary Test Results	. 20
4. Measurement Uncertainty	. 21
5. Main Test Instruments	. 23
ANNEX A: System Check Results	. 24
ANNEX B: Graph Results	
ANNEX C: E-Probe Calibration Certificate	. 38
ANNEX D: CD835V3 Dipole Calibration Certificate	
ANNEX E: CD1880V3 Dipole Calibration Certificate	
ANNEX F: DAE4 Calibration Certificate	
ANNEX G: The EUT Appearances and Test Configuration	
ANNEA O. THE LOT Appearances and rest opiniguration	. 00

1. General Information

1.1. Notes of the Test Report

TA Technology (Shanghai) Co., Ltd. has obtained the accreditation of China National Accreditation Service for Conformity Assessment (CNAS), and accreditation number: L2264.

TA Technology (Shanghai) Co., Ltd. guarantees the reliability of the data presented in this test report, which is the results of measurements and tests performed for the items under test on the date and under the conditions stated in this test report and is based on the knowledge and technical facilities available at TA Technology (Shanghai) Co., Ltd. at the time of execution of the test.

TA Technology (Shanghai) Co., Ltd. is liable to the client for the maintenance by its personnel of the confidentiality of all information related to the items under test and the results of the test. The sample under test was selected by the Client This report only refers to the item that has undergone the test.

This report alone does not constitute or imply by its own an approval of the product by the certification Bodies or competent Authorities. This report cannot be used partially or in full for publicity and/or promotional purposes without previous written approval of **TA Technology (Shanghai) Co., Ltd.** and the Accreditation Bodies, if it applies.

If the electronic report is inconsistent with the printed one, it should be subject to the latter.

1.2. Testing Laboratory

Company:	TA Technology (Shanghai) Co., Ltd.
Address:	No.145, Jintang Rd, Tangzhen Industry Park, Pudong Shanghai, China
City:	Shanghai
Post code:	201201
Country:	P. R. China
Contact:	Yang Weizhong
Telephone:	+86-021-50791141/2/3
Fax:	+86-021-50791141/2/3-8000
Website:	http://www.ta-shanghai.com
E-mail:	yangweizhong@ta-shanghai.com

Report No. RXA1403-0053HAC

1.3. Applicant Information

Company:	TCT Mobile Limited				
Address:	5F, E building, No. 232, Liang Jing Road ZhangJiang High-Tech Park, Pudong Area				
	Shanghai				
	P.R. China				
	201203				

1.4. Manufacturer Information

Company:	TCT Mobile Limited
Address:	5F, E building, No. 232, Liang Jing Road ZhangJiang High-Tech Park, Pudong Area Shanghai P.R. China 201203

1.5. Information of EUT

General Information

Device Type:	Portable Device			
State of Sample:	Prototype Unit			
Product IMEI:	014008000100427			
Hardware Version:	PIO			
Software Version:	v126			
Antenna Type:	Internal Antenna			
Device Operating Configurations :				
Tested Mode(s):	GSM 850/GSM 1900;			
Tested Modulation:	(GSM)GMSK;			
	Mode	Tx (MHz)		
Tested Frequency Range(s):	GSM 850	824.2 ~ 848.8		
	GSM 1900	1850.2 ~ 1909.8		
	GSM 850: 4			
Power Class:	GSM 1900: 1			
Device Leveli	GSM 850: level 5			
Power Level:	GSM 1900: level 0			
Tested Channel/Frequency(MHz):	128/824.2 - 190/836.6 - 251/848.8 (GSM 850)			
(Low - Middle - High)	512/1850.2 - 661/1880 - 810/1909.8 (GSM 1900)			

Auxiliary Equipment Details

AE1: Battery	
Model:	CAB31P0000C1
Manufacturer:	BYD
S/N:	1

Report No. RXA1403-0053HAC

Page 7 of 61

Air- Interface	Band (MHz)	Туре	HAC tested	Simultaneous Transmissions Note: Not to be tested	Reduced power 20.19(c)(1)	Voice Over Digital Transport (Data)
	850	VO	Yes	Yes	NA	NA
GSM	1900	VO	100	WIFI or BT	NA	NA
	GPRS/EGPRS	DT	NA	Yes WIFI or BT	NA	NA
	Band II	VO	$NO^{\#}$	Yes WIFI or BT	NA	NA
WCDMA	Band V	VO	$NO^{\#}$	Yes WIFI or BT	NA	NA
	HSDPA/HSUP A/RMC/HSPA +/DC-HSDPA	DT	NA	Yes WIFI or BT	NA	NA
WIFI	2450	DT	NA	Yes GSM,GPRS,EGPRS, WCDMA	NA	Yes
Bluetooth (BT)	2400	DT	NA	Yes GSM,GPRS,EGPRS, WCDMA	NA	NA

VO Voice CMRS/PSTN Service only Rating was based on concurrent voice and V/D Voice CMRS/PSTN and Data Service DT Digital Transport #: Evaluated for MIF and Low power exemption

1.6. The Ambient Conditions during Test

Temperature	Min. = 18°C, Max. = 28 °C	
Relative humidity Min. = 0%, Max. = 80%		
Ground system resistance $< 0.5 \Omega$		
Ambient noise is checked and found very low and in compliance with requirement of standards.		
Reflection of surrounding objects is minimized and in compliance with requirement of standards.		

1.7. The Total M-rating of each tested band

Mode	Rating	
GSM 850	M4	
GSM 1900	М3	

1.8. Test Date

The test performed on April 17, 2014.

2. Test Information

2.1. Operational Conditions during Test

2.1.1. General Description of Test Procedures

The phone was tested in all normal configurations for the ear use. The EUT is mounted in the device holder equivalent as for classic dosimeter measurements. The acoustic output of the EUT shall coincide with the center point of the area formed by the dielectric wire and the middle bar of the arch's top frame The EUT shall be moved vertically upwards until it touches the frame. The fine adjustment is possible by sliding the complete. The EUT holder is on the yellow base plate of the Test Arch phantom. These test configurations are tested at the high, middle and low frequency channels of each applicable operating mode; for example, GSM, WCDMA (UMTS), CDMA and TDMA.

No associated T-coil measurement has been made in accordance with the guidance issued by OET in KDB publication 285076 D02 T-Coil testing for CMRS IP.

2.1.2. GSM Test Configuration

A communication link is set up with a System Simulator (SS) by air link, and a call is established. The EUT is commanded to operate at maximum transmitting power. Using E5515C the power lever is set to "5" for GSM 850, set to "0" for GSM 1900. The test in the bands of GSM 850 and GSM 1900 are performed in the mode of speech transfer function.

2.2. HAC RF Measurements System Configuration

2.2.1. HAC Measurement Set-up

These measurements are performed using the DASY5 automated dosimetric assessment system. It is made by Schmid & Partner Engineering AG (SPEAG) in Zurich, Switzerland. It consists of high precision robotics system (Stäubli), robot controller, Intel Core2 computer, near-field probe, probe alignment sensor. The robot is a six-axis industrial robot performing precise movements. Cell controller systems contain the power supply, robot controller, teach pendant (Joystick) and remote control, and are used to drive the robot motors. The Stäubli Robot is connected to the cell controller to allow software manipulation of the robot. A data acquisition electronic (DAE) circuit performs the signal amplification; signal multiplexing, AD-conversion, offset measurements, mechanical surface detection, collision detection, etc. is connected to the Electro-optical coupler (EOC). The EOC performs the conversion from the optical into digital electric signal of the DAE and transfers data to the PC plug-in card.




Figure 1 HAC Test Measurement Set-up

The DAE4 consists of a highly sensitive electrometer-grade preamplifier with auto-zeroing, a channel and gain-switching multiplexer, a fast 16 bit AD-converter and a command decoder and control logic unit. Transmission to the PC-card is accomplished through an optical downlink for data and status information and an optical uplink for commands and clock lines. The mechanical probe mounting device includes two different sensor systems for frontal and sidewise probe contacts. They are also used for mechanical surface detection and probe collision detection. The robot uses its own controller with a built in VME-bus computer.

2.2.2. Probe System

The HAC measurements were conducted with the E-Field Probe ER3DV6 and the H-Field Probe H3DV6 (manufactured by SPEAG), designed in the classical triangular configuration and optimized for dosimetric evaluation.

E-Field Probe Description

Construction	One dipole parallel, two dipoles normal to probe axis Built-in shielding against static charges PEEK enclosure material	ITE
Calibration	In air from 100 MHz to 3.0 GHz (absolute accuracy $\pm 6.0\%$, k=2)	
Frequency	40 MHz to > 6 GHz (can be extended to < 20 MHz) Linearity: ± 0.2 dB (100 MHz to 3 GHz)	Figure 2 ER3DV6 E-field Probe
Directivity	± 0.2 dB in air (rotation around probe axis) ± 0.4 dB in air (rotation normal to probe axis)	
Dynamic Range	2 V/m to > 1000 V/m; Linearity: \pm 0.2 dB	
Dimensions	Overall length: 330 mm (Tip: 16 mm) Tip diameter: 8 mm (Body: 12 mm) Distance from probe tip to dipole centers: 2.5 mm	
Application	General near-field measurements up to 6 GHz Field component measurements Fast automatic scanning in phantoms	

2.2.3. Test Arch Phantom & Phone Positioner

The Test Arch phantom should be positioned horizontally on a stable surface. Reference markings on the Phantom allow the complete setup of all predefined phantom positions and measurement grids by manually teaching three points in the robot. It enables easy and well defined positioning of the phone and validation dipoles as well as simple teaching of the robot (Dimensions: 370 x 370 x 370 mm).

The Device reference point is set for the EUT at 6.3 mm, the Grid reference point is on the upper surface at the origin of the coordinates, and the "user point \Height Check 0.5 mm" is 0.5mm above the center, allowing verication of the gap of 0.5mm while the probe is positioned there.

The Phone Positioner supports accurate and reliable positioning of any phone with effect on near field \leq ±0.5 dB.

Report No. RXA1403-0053HAC

Page 12 of 61



Figure 3 HAC Phantom & Device Holder

2.3. RF Test Procedures

The evaluation was performed with the following procedure:

- 1. Confirm proper operation of the field probe, probe measurement system and other instrumentation and the positioning system.
- 2. Position the WD in its intended test position. The gauge block can simplify this positioning. Note that a separate E-field gauge block will be needed if the center of the probe sensor elements is at different distances from the tip of the probe.
- 3. Configure the WD normal operation for maximum rated RF output power, at the desired channel and other operating parameters (e.g., test mode), as intended for the test.
- 4. The center sub-grid shall center on the center of the axial measurement point or the acoustic output, as appropriate. Locate the field probe at the initial test position in the 50 mm by 50 mm grid, which is contained in the measurement plane. If the field alignment method is used, align the probe for maximum field reception.
- 5. Record the reading.
- 6. Scan the entire 50 mm by 50 mm region in equally spaced increments and record the reading at each measurement point. The grid is 5 cm by 5 cm area that is divided into 9 evenly sized blocks or sub-grids. The distance between measurement points shall be sufficient to assure the identification of the maximum reading.
- 7. Identify the five contiguous sub-grids around the center sub-grid with the lowest maximum field strength readings. Thus the six areas to be used to determine the WD's highest emissions are identified and outlined for the final manual scan. Please note that a maximum of five blocks can be excluded for both E-field measurements for the WD output being measured. Stated another way, the center sub-grid and three others must be common to both the E-field measurements.
- 8. Identify the maximum field reading within the non-excluded sub-grids identified in Step 7.
- Convert the maximum field strength reading identified in Step 8 to V/m or A/m, as appropriate. For probes which require a probe modulation factor, this conversion shall be done using the appropriate probe modulation factor and the calibration.
- 10. Repeat Step 1 through Step 10 for both the E-field measurements.
- 11. Compare this reading to the categories in ANSI C63.19 Clause 8 and record the resulting category. The lowest category number listed in 8.2, Table 8.3 obtained in Step 10 for either E-field determines the M category for the audio coupling mode assessment. Record the WD category rating.

Report No. RXA1403-0053HAC





Figure 4 WD reference and plane for RF emission measurements

2.4. System Check

Validation Procedure

Place a dipole antenna meeting the requirements given in ANSI C63.19 D.11 in the position normally occupied by the WD. The dipole antenna serves as a known source for an electrical output. Position the E-field probe so that:

The probes and their cables are parallel to the coaxial feed of the dipole antenna.

The probe cables and the coaxial feed of the dipole antenna approach the measurement area from opposite directions.

Position the E-field probe at a 15 mm distance from the center of the probe element to the top surface.Validation was performed to verify that measured E-field is within +/-18% from the target refenence values provided by the manufacturer. "Values within +/-18% are acceptable. Of which 12% is deviation and 13% is measurement uncertainty."




Figure 5	5 Dipole	Validation	Setup
----------	----------	------------	-------

Dipole measurement ourmany	Di	pole	Measurement	Summary
----------------------------	----	------	-------------	---------

	E-Field Scan								
Mode	Frequency (MHz)	Input Power (mW)	Value	Test Date					
			Target ¹ Value(V/m)	105.4	September 25, 2013				
CW 83	835	100	Measured ² Value(V/m)	107.3	April 17, 2014				
			Deviation ³ (%)	1.80	/				
			Target ¹ Value(V/m)	94.2	September 25, 2013				
CW	1880	100	Measured ² Value(V/m)	98.1	April 17, 2014				
			Deviation ³ (%)	4.14	/				

2.5. Modulation interference factor

For any specific fixed and repeatable modulated signal, a modulation interference factor (MIF, expressed in dB) may be developed that relates its interference potential to its steady-state rms signal level or average power level. This factor is a function only of the audio-frequency amplitude modulation characteristics of the signal and is the same for field-strength and conducted power measurements. It is important to emphasize that the MIF is valid only for a specific repeatable audio-frequency amplitude modulation characteristic. Any change in modulation characteristic requires determination and application of a new MIF.

The MIF may be determined using a radiated RF field or a conducted RF signal.

a) Using RF illumination or conducted coupling, apply the specific modulated signal in question to the measurement system at a level within its confirmed operating dynamic range.

b) Measure the steady-state rms level at the output of the fast probe or sensor.

c) Measure the steady-state average level at the weighting output.

d) Without changing the square-law detector or weighting system, and using RF illumination or conducted coupling, substitute for the specific modulated signal a 1 kHz, 80% amplitudemodulated carrier at the same frequency and adjust its strength until the level at the weighting output equals the step d) measurement.

e) Without changing the carrier level from step e), remove the 1 kHz modulation and again measure the steady-state rms level indicated at the output of the fast probe or sensor.

f) The MIF for the specific modulation characteristic is provided by the ratio of the step e) measurement to the step c) measurement, expressed in dB (20 × log(step e))/step b)).

Band	Worst case E-Field Modulation interference factor (dB)
GSM 850	3.63
GSM 1900	3.63
WCDMA Band II	-26.35
WCDMA Band V	-24.56

8.4	-
IVI	-

2.6. Conducted Output Power Measurement

Summary

The EUT is tested using an E5515C communications tester as controller unit to set test channels and maximum output power to the DUT, as well as for measuring the conducted power. Conducted output power was measured using an integrated RF connector and attached RF cable. This result contains conducted output power for the EUT.

Conducted Power Results

GSM 850	Conducted Power(dBm)					
G2M 920	Channel 128	Channel 190	Channel 251			
Test Results	31.40	31.30	31.34			
CSM 1000	С	onducted Power(dBm)				
GSM 1900	Channel 512	Channel 661	Channel 810			
Test Results	29.00	28.98	28.86			
UMTS Band II	Conducted Power(dBm)					
	Channel 9262	Channel 9400	Channel 9538			
12.2kbps RMC	22.03	22.23	22.13			
UMTS Band V	Conducted Power(dBm)					
	Channel 4132	Channel 4183	Channel 4233			
12.2kbps RMC	21.94	21.86	22.16			

2.7. Analysis of RF Air Interface Technologies

RF air interface technologies that have low power have been found to produce sufficiently low RF interference potential, so that it is possible to exempt them from the product testing specified in Clause 5. As described in 5.4.4. An RF air interface technology of a device is exempt from testing when its average antenna input power plus its MIF is ≤17 dBm for any of its operating modes.

2.8. Individual Mode Evaluations

Air Interface	Maximum average power (dBm)	average power (dB)		C63.19 Testing Required
GSM 850	31.40	3.63	35.03	Yes
GSM 1900	29.00	3.50	32.50	Yes
WCDMA Band II	22.23	-26.35	-4.12	No
WCDMA Band V	21.94	-24.56	-2.62	No

Per ANSI C63.19-2011 RF Emissions testing for this device is required only for GSM voice modes. All other applicable air interfaces are exempt.

3. Test Results

3.1. ANSI C63.19-2011 Limits

Category	Category Telephone RF parameters		
Near field	E-field emissions		
Category M1	50 to 55	dB (V/m)	
Category M2	45 to 50	dB (V/m)	
Category M3	40 to 45	dB (V/m)	
Category M4	< 40	dB (V/m)	
Category	Telephone RF p > 960 M		
Near field	E-field emis	ssions	
Category M1	40 to 45	dB (V/m)	
Category M2	35 to 40	dB (V/m)	
Category M3	30 to 35	dB (V/m)	
Category M4	< 30	dB (V/m)	

3.2. Summary Test Results

GSM 850 Results

Channel	Frequency (MHz)	MIF(dB)	E-Field Emissions dB (V/m)	Power Drift (dB)	Category	Graph Results
High/251	848.8	3.63	39.32	-0.03	M4	Figure 8
Middle/190	836.6	3.63	38.97	-0.08	M4	Figure 9
Low/128	824.2	3.63	39.09	-0.03	M4	Figure 10

GSM 1900 Results

Channel	Frequency (MHz)	MIF(dB)	E-Field Emissions dB (V/m)	Power Drift (dB)	Category	Graph Results
High/810	1909.8	3.50	30.97	0.07	M3	Figure 11
Middle/661	1880	3.50	32.10	0.03	M3	Figure 12
Low/512	1850.2	3.50	32.74	-0.03	M3	Figure 13

4. Measurement Uncertainty

No.	Error source	Туре	Uncertainty Value (%)	Prob. Dist.	k	c _{i/} E	c _{i\} H	Standard Uncertainty (%) $u_i^{'}$ (%) E	Degree of freedom V _{eff} or <i>v</i> i
1	Probe Calibration	В	5.1	Ν	1	1	1	5.1	×
2	Axial Isotropy	В	4.7	R	$\sqrt{3}$	1	1	2.7	∞
3	Sensor Displacement	В	16.5	R	$\sqrt{3}$	1	0.145	9.5	∞
4	Boundary Effects	В	2.4	R	$\sqrt{3}$	1	1	1.4	×
5	Test Arch	В	7.2	R	$\sqrt{3}$	1	0	4.1	×
6	Linearity	В	4.7	R	$\sqrt{3}$	1	1	2.7	×
7	Scaling to Peak Envelope Power	В	2.0	R	$\sqrt{3}$	1	1	1.2	∞
8	System Detection Limit	В	1.0	R	$\sqrt{3}$	1	1	0.6	×
9	Readout Electronics	В	0.3	Ν	1	1	1	0.3	∞
10	Response Time	В	0.8	R	$\sqrt{3}$	1	1	0.5	∞
11	Integration Time	В	2.6	R	$\sqrt{3}$	1	1	1.5	×
12	RF Ambient Conditions	В	3.0	R	$\sqrt{3}$	1	1	1.7	×
13	RF Reflections	В	12.0	R	$\sqrt{3}$	1	1	6.9	×
14	Probe Positioner	В	1.2	R	$\sqrt{3}$	1	0.67	0.7	×
15	Probe Positioning	А	4.7	R	$\sqrt{3}$	1	0.67	2.7	×
16	Extra. And Interpolation	В	1.0	R	$\sqrt{3}$	1	1	0.6	×
17	Device Positioning Vertical	В	4.7	R	$\sqrt{3}$	1	0.67	2.7	×
18	Device Positioning Lateral	В	1.0	R	$\sqrt{3}$	1	1	0.6	×
19	Device Holder and Phantom	В	2.4	R	$\sqrt{3}$	1	1	1.4	×

Report No. RXA1403-0053HAC

Page 22 of 61

20	Power Drift	В	5.0	R	$\sqrt{3}$	1	1	2.9	∞
21	Phantom Thickness	В	2.4	R	$\sqrt{3}$	1	0.67	1.4	8
Combined standard uncertainty (%)							15.19		
Expanded Std. uncertainty on power (K=2)							30.38		
Expa	Expanded Std. uncertainty on field (K=2)							15.19	

Page 23 of 61

5. Main Test Instruments

No.	Name	Туре	Serial Number	Calibration Date	Valid Period
01	Power meter	Agilent E4417A	GB41291714	March 9, 2014	One year
02	Power sensor	Agilent N8481H	MY50350004	September 23, 2013	One year
03	Signal Generator	HP 8341B	2730A00804	September 10, 2013	One year
04	Amplifier	IXA-020	0401	No Calibration Requested	
05	BTS	E5515C	MY48360988	November 30, 2013	One year
06	E-Field Probe	ER3DV6	2428	January 27, 2014	One year
07	DAE	DAE4	1317	January 16, 2014	One year
08	Validation Kit 835MHz	CD835V3	1023	September 25, 2013	One year
09	Validation Kit 1880MHz	CD1880V3	1018	September 25, 2013	One year
10	Hygrothermograph	WS-1	64591	September 26, 2013	One year
11	Audio Interference Analzyer	AIA	1012	No Calibration R	equested

*****END OF REPORT *****

Report No. RXA1403-0053HAC

ANNEX A: System Check Results

HAC_System Performance Check at 835MHz_E

DUT: Dipole 835 MHz; Type: CD835V3; SN:1023

Date/Time: 4/17/2014 12:01:52 PM

Communication System: CW; Frequency: 835 MHz; Duty Cycle: 1:1

Medium parameters used: $\sigma = 0$ mho/m, $\varepsilon_r = 1$; $\rho = 1000$ kg/m³

Ambient Temperature:22.3 °C

Phantom section: RF Section

DASY5 Configuration:

Sensor-Surface: 4mm (Mechanical Surface Detection)

Probe: ER3DV6 - SN2428; ConvF(1, 1, 1); Calibrated: 1/27/2014

Electronics: DAE4 Sn1317; Calibrated: 1/16/2014

Phantom: HAC Test Arch with AMCC; Type: SD HAC P01 BA;

Measurement SW: DASY5, V5.2 Build 162; SEMCAD X Version 14.0 Build 59

E Scan - measurement distance from the probe sensor center to CD835 Dipole = 15mm

2/Hearing Aid Compatibility Test (41x361x1): Measurement grid: dx=5mm, dy=5mm

Maximum value of peak Total field = 107.3 V/m

Applied MIF = 0.00 dB


Device Reference Point: 0.000, 0.000, -6.30 mm

Reference Value = 112.7 V/m; Power Drift = 0.003 dB

Hearing Aid Near-Field Category: M4 (AWF 0 dB)

Peak E-field in V/m

Grid 1	Grid 2	Grid 3
101.2 M4	104.3 M4	101.5 M4
Grid 4	Grid 5	Grid 6
61.2 M4	64.23 M4	62 39 M4
-	0 1120 111 1	02.00 MI4
		Grid 9



0 dB = 107.3V/m


Figure 6 System Performance Check 835MHz_E

Report No. RXA1403-0053HAC

HAC System Performance Check at 1880MHz E DUT: Dipole 1880 MHz; Type: CD1880V3; SN: 1018 Date/Time: 4/17/2014 3:31:52 PM Communication System: CW; Frequency: 1880 MHz; Duty Cycle: 1:1 Medium parameters used: $\sigma = 0$ mho/m, $\varepsilon_r = 1$; $\rho = 1000$ kg/m³ Ambient Temperature:22.3 °C Phantom section: RF Section **DASY5** Configuration: Sensor-Surface: 4mm (Mechanical Surface Detection) Probe: ER3DV6 - SN2428; ConvF(1, 1, 1); Calibrated: 1/27/2014 Electronics: DAE4 Sn1317; Calibrated: 1/16/2014 Phantom: HAC Test Arch with AMCC; Type: SD HAC P01 BA; Measurement SW: DASY5, V5.2 Build 162; SEMCAD X Version 14.0 Build 59 E Scan - measurement distance from the probe sensor center to CD1880 Dipole = 15mm/Hearing Aid Compatibility Test (41x181x1): Measurement grid: dx=5mm, dy=5mm Maximum value of peak Total field = 98.1 V/m Applied MIF = 0.00 dB Device Reference Point: 0.000, 0.000, -6.30 mm Reference Value = 146.4 V/m; Power Drift = 0.002 dB

Hearing Aid Near-Field Category: M2 (AWF 0 dB)

Peak E-field in V/m			
Grid 1	Grid 2	Grid 3	
91.78 M2	98.10 M2	93.42M2	
Grid 4	Grid 5	Grid 6	
71.76 M3	73.56 M3	71.17 M3	
Grid 7	Grid 8	Grid 9	
87.15 M2	89.46 M2	89.01 M2	





ANNEX B: Graph Results

HAC RF E-Field GSM 850 High

Date/Time: 4/17/2014 5:32:27 PM Communication System: UID 10021 - DAA, GSM-FDD (TDMA, GMSK); Frequency: 848.6 MHz;Duty Cycle: 1:8.6896 Medium parameters used: $\sigma = 0$ S/m, $\epsilon_r = 1$; $\rho = 1000$ kg/m³ Ambient Temperature:22.3 °C Liquid Temperature: 21.5°C Phantom section: RF Section DASY5 Configuration: Sensor-Surface: 4mm (Mechanical Surface Detection) Probe: ER3DV6 - SN2428; ConvF(1, 1, 1); Calibrated: 1/27/2014; Electronics: DAE4 Sn1317; Calibrated: 1/16/2014 Phantom: HAC Test Arch with AMCC; Type: SD HAC P01 BA; Measurement SW: DASY52, Version 52.8 (7); SEMCAD X Version 14.6.10 (7164)

4019A GSM850 HAC RF E-Field 2011 Device E-Field measurement (E-field scan for ANSI C63.19-2011 compliance)/E Scan - ER3D: 15 mm from Probe Center to the Device High/Hearing Aid Compatibility Test (101x101x1): Interpolated grid: dx=0.5000 mm, dy=0.5000 mm Device Reference Point: 0, 0, -6.3 mm Reference Value = 79.56 V/m; Power Drift = -0.03 dB Applied MIF = 3.63 dB

RF audio interference level = 39.32 dBV/m

Emission category: M4

MIF scaled E-field


Grid 1 M4	Grid 2 M4	Grid 3 M4
38.47 dBV/m	39.17 dBV/m	38.92 dBV/m
Grid 4 M4	Grid 5 M4	Grid 6 M4
38.54 dBV/m	39.32 dBV/m	39.08 dBV/m
Grid 7 M4	Grid 8 M4	Grid 9 M4
38.22 dBV/m	39.07 dBV/m	38.85 dBV/m

Category	Limits for E-Field Emissions < 960MHz	Limits for E-Field Emissions > 960MHz
M1	50 dBV/m - 55 dB V/m	40 dBV/m - 45 dB V/m
M2	45 dBV/m - 50 dB V/m	35 dBV/m - 40 dB V/m
M3	40 dBV/m - 45 dB V/m	30 dBV/m - 35 dB V/m
M4	<40 dBV/m	<30 dBV/m

Report No. RXA1403-0053HAC

Cursor:

Total = 39.32 dBV/m E Category: M4 Location: -3.5, -0.5, 8.7 mm



0 dB = 92.52 V/m = 39.32 dBV/m

Figure 8 HAC RF E-Field GSM 850 Channel 251

Report No. RXA1403-0053HAC

HAC RF E-Field GSM 850 Middle

Date/Time: 4/17/2014 4:57:02 PM Communication System: UID 10021 - DAA, GSM-FDD (TDMA, GMSK); Frequency: 836.6 MHz;Duty Cycle: 1:8.6896 Medium parameters used: $\sigma = 0$ S/m, $\varepsilon_r = 1$; $\rho = 1000$ kg/m³ Ambient Temperature:22.3 °C Liquid Temperature: 21.5 °C Phantom section: RF Section DASY5 Configuration: Sensor-Surface: 4mm (Mechanical Surface Detection) Probe: ER3DV6 - SN2428; ConvF(1, 1, 1); Calibrated: 1/27/2014; Electronics: DAE4 Sn1317; Calibrated: 1/16/2014 Phantom: HAC Test Arch with AMCC; Type: SD HAC P01 BA; Measurement SW: DASY52, Version 52.8 (7); SEMCAD X Version 14.6.10 (7164)

4019A GSM850 HAC RF E-Field 2011 Device E-Field measurement (E-field scan for ANSI C63.19-2011 compliance)/E Scan - ER3D: 15 mm from Probe Center to the Device Middle/Hearing Aid Compatibility Test (101x101x1): Interpolated grid: dx=0.5000 mm, dy=0.5000 mm

Device Reference Point: 0, 0, -6.3 mm Reference Value = 77.08 V/m; Power Drift = -0.08 dB Applied MIF = 3.63 dB RF audio interference level = 38.97 dBV/m **Emission category: M4**

MIF scaled E-field	MIF	aled E-field	scaled E
--------------------	-----	--------------	----------


Grid 1 M4	Grid 2 M4	Grid 3 M4
38.22 dBV/m	38.84 dBV/m	38.58 dBV/m
Grid 4 M4	Grid 5 M4	Grid 6 M4
38.25 dBV/m	38.97 dBV/m	38.71 dBV/m
Grid 7 M4	Grid 8 M4	Grid 9 M4
37.83 dBV/m	38.61 dBV/m	38.43 dBV/m

Category	Limits for E-Field Emissions < 960MHz	Limits for E-Field Emissions > 960MHz
M1	50 dBV/m - 55 dB V/m	40 dBV/m - 45 dB V/m
M2	45 dBV/m - 50 dB V/m	35 dBV/m - 40 dB V/m
М3	40 dBV/m - 45 dB V/m	30 dBV/m - 35 dB V/m
M4	<40 dBV/m	<30 dBV/m

Report No. RXA1403-0053HAC

Cursor:

Total = 38.97 dBV/m E Category: M4 Location: -3.5, -0.5, 8.7 mm



0 dB = 88.82 V/m = 38.97 dBV/m

Figure 9 HAC RF E-Field GSM 850 Channel 190

Report No. RXA1403-0053HAC

HAC RF E-Field GSM 850 Low

Date/Time: 4/17/2014 5:17:45 PM Communication System: UID 10021 - DAA, GSM-FDD (TDMA, GMSK); Frequency: 824.2 MHz;Duty Cycle: 1:8.6896 Medium parameters used: $\sigma = 0$ S/m, $\epsilon_r = 1$; $\rho = 1000$ kg/m³ Ambient Temperature:22.3 °C Liquid Temperature: 21.5 °C Phantom section: RF Section DASY5 Configuration: Sensor-Surface: 4mm (Mechanical Surface Detection) Probe: ER3DV6 - SN2428; ConvF(1, 1, 1); Calibrated: 1/27/2014; Electronics: DAE4 Sn1317; Calibrated: 1/16/2014 Phantom: HAC Test Arch with AMCC; Type: SD HAC P01 BA; Measurement SW: DASY52, Version 52.8 (7); SEMCAD X Version 14.6.10 (7164)

4019A GSM850 HAC RF E-Field 2011 Device E-Field measurement (E-field scan for ANSI C63.19-2011 compliance)/E Scan - ER3D: 15 mm from Probe Center to the Device Low/Hearing Aid Compatibility Test (101x101x1): Interpolated grid: dx=0.5000 mm, dy=0.5000 mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 77.44 V/m; Power Drift = -0.03 dB

Applied MIF = 3.63 dB

RF audio interference level = 39.09 dBV/m

Emission category: M4

MIF	scaled	E-field

Grid 1 M4	Grid 2 M4	Grid 3 M4
38.41 dBV/m	39 dBV/m	38.7 dBV/m
Grid 4 M4	Grid 5 M4	Grid 6 M4
38.42 dBV/m	39.09 dBV/m	38.82 dBV/m
Grid 7 M4	Grid 8 M4	Grid 9 M4
37.89 dBV/m	38.63 dBV/m	38.41 dBV/m


Category	Limits for E-Field Emissions < 960MHz	Limits for E-Field Emissions > 960MHz
M1	50 dBV/m - 55 dB V/m	40 dBV/m - 45 dB V/m
M2	45 dBV/m - 50 dB V/m	35 dBV/m - 40 dB V/m
M3	40 dBV/m - 45 dB V/m	30 dBV/m - 35 dB V/m
M4	<40 dBV/m	<30 dBV/m

Report No. RXA1403-0053HAC

Page 31 of 61

Cursor:

Total = 39.09 dBV/m E Category: M4 Location: -3.5, -1, 8.7 mm



0 dB = 90.06 V/m = 39.09 dBV/m

Figure 10 HAC RF E-Field GSM 850 Channel 128

Report No. RXA1403-0053HAC

HAC RF E-Field GSM 1900 High

Date/Time: 4/17/2014 2:43:09 PM Communication System: UID 10021 - DAA, GSM-FDD (TDMA, GMSK); Frequency: 1909.8 MHz;Duty Cycle: 1:8.6896 Medium parameters used: $\sigma = 0$ S/m, $\varepsilon_r = 1$; $\rho = 1000$ kg/m³ Ambient Temperature:22.3 °C Liquid Temperature: 21.5 °C Phantom section: RF Section DASY5 Configuration: Sensor-Surface: 4mm (Mechanical Surface Detection) Probe: ER3DV6 - SN2428; ConvF(1, 1, 1); Calibrated: 1/27/2014; Electronics: DAE4 Sn1317; Calibrated: 1/16/2014 Phantom: HAC Test Arch with AMCC; Type: SD HAC P01 BA; Measurement SW: DASY52, Version 52.8 (7); SEMCAD X Version 14.6.10 (7164)

4019A GSM1900 HAC RF E-Field 2011 Device E-Field measurement (E-field scan for ANSI C63.19-2011 compliance)/E Scan - ER3D: 15 mm from Probe Center to the Device High/Hearing Aid Compatibility Test (101x101x1): Interpolated grid: dx=0.5000 mm, dy=0.5000 mm Device Reference Point: 0, 0, -6.3 mm

Reference Value = 22.79 V/m; Power Drift = 0.07 dB

Applied MIF = 3.50 dB

RF audio interference level = 30.97 dBV/m

Emission category: M3


MIF scaled E-field			
Grid 1 M4	Grid 2 M3	Grid 3 M3	
29.5 dBV/m	31.46 dBV/m	31.35 dBV/m	
Grid 4 M4	Grid 5 M3	Grid 6 M3	
27.19 dBV/m	30.63 dBV/m	30.61 dBV/m	
Grid 7 M3	Grid 8 M3	Grid 9 M4	
30.97 dBV/m	30.28 dBV/m	28.86 dBV/m	

Category	Limits for E-Field Emissions < 960MHz	Limits for E-Field Emissions > 960MHz
M1	50 dBV/m - 55 dB V/m	40 dBV/m - 45 dB V/m
M2	45 dBV/m - 50 dB V/m	35 dBV/m - 40 dB V/m
М3	40 dBV/m - 45 dB V/m	30 dBV/m - 35 dB V/m
M4	<40 dBV/m	<30 dBV/m

Report No. RXA1403-0053HAC

Cursor:

Total = 31.46 dBV/m E Category: M3 Location: -5.5, -22, 8.7 mm



0 dB = 37.41 V/m = 31.46 dBV/m

Figure 11 HAC RF E-Field GSM 1900 Channel 810

Report No. RXA1403-0053HAC

HAC RF E-Field GSM 1900 Middle

Date/Time: 4/17/2014 1:27:59 PM Communication System: UID 10021 - DAA, GSM-FDD (TDMA, GMSK); Frequency: 1880 MHz;Duty Cycle: 1:8.6896 Medium parameters used: $\sigma = 0$ S/m, $\varepsilon_r = 1$; $\rho = 1000$ kg/m³ Ambient Temperature:22.3 °C Liquid Temperature: 21.5 °C Phantom section: RF Section DASY5 Configuration: Sensor-Surface: 4mm (Mechanical Surface Detection) Probe: ER3DV6 - SN2428; ConvF(1, 1, 1); Calibrated: 1/27/2014; Electronics: DAE4 Sn1317; Calibrated: 1/16/2014 Phantom: HAC Test Arch with AMCC; Type: SD HAC P01 BA; Measurement SW: DASY52, Version 52.8 (7); SEMCAD X Version 14.6.10 (7164)

4019A GSM1900 HAC RF E-Field 2011 Device E-Field measurement (E-field scan for ANSI C63.19-2011 compliance)/E Scan - ER3D: 15 mm from Probe Center to the Device Middle/Hearing Aid Compatibility Test (101x101x1): Interpolated grid: dx=0.5000 mm, dy=0.5000 mm

Device Reference Point: 0, 0, -6.3 mm Reference Value = 25.79 V/m; Power Drift = 0.03 dB Applied MIF = 3.50 dB RF audio interference level = 32.10 dBV/m **Emission category: M3**

MIF	scaled	E-field


Grid 1 M3	Grid 2 M3	Grid 3 M3
31.12 dBV/m	32.71 dBV/m	32.56 dBV/m
Grid 4 M4	Grid 5 M3	Grid 6 M3
28.9 dBV/m	31.84 dBV/m	31.81 dBV/m
Grid 7 M3	Grid 8 M3	Grid 9 M3
32.1 dBV/m	31.31 dBV/m	30.01 dBV/m

Category	Limits for E-Field Emissions < 960MHz	Limits for E-Field Emissions > 960MHz
M1	50 dBV/m - 55 dB V/m	40 dBV/m - 45 dB V/m
M2	45 dBV/m - 50 dB V/m	35 dBV/m - 40 dB V/m
М3	40 dBV/m - 45 dB V/m	30 dBV/m - 35 dB V/m
M4	<40 dBV/m	<30 dBV/m

Report No. RXA1403-0053HAC

Cursor:

Total = 32.71 dBV/m E Category: M3 Location: -4.5, -22.5, 8.7 mm



0 dB = 43.18 V/m = 32.71 dBV/m

Figure 12 HAC RF E-Field GSM 1900 Channel 661

Report No. RXA1403-0053HAC

HAC RF E-Field GSM 1900 Low

Date/Time: 4/17/2014 2:59:21 PM Communication System: UID 10021 - DAA, GSM-FDD (TDMA, GMSK); Frequency: 1850.2 MHz;Duty Cycle: 1:8.6896 Medium parameters used: $\sigma = 0$ S/m, $\varepsilon_r = 1$; $\rho = 1000$ kg/m³ Ambient Temperature:22.3 °C Liquid Temperature: 21.5 °C Phantom section: RF Section DASY5 Configuration: Sensor-Surface: 4mm (Mechanical Surface Detection) Probe: ER3DV6 - SN2428; ConvF(1, 1, 1); Calibrated: 1/27/2014; Electronics: DAE4 Sn1317; Calibrated: 1/16/2014 Phantom: HAC Test Arch with AMCC; Type: SD HAC P01 BA; Measurement SW: DASY52, Version 52.8 (7); SEMCAD X Version 14.6.10 (7164)

4019A GSM1900 HAC RF E-Field 2011 Device E-Field measurement (E-field scan for ANSI C63.19-2011 compliance)/E Scan - ER3D: 15 mm from Probe Center to the Device Low/Hearing Aid Compatibility Test (101x101x1): Interpolated grid: dx=0.5000 mm, dy=0.5000 mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 26.69 V/m; Power Drift = -0.03 dB

Applied MIF = 3.50 dB

RF audio interference level = 32.74 dBV/m

Emission category: M3

MIF	scaled	E-field


Grid 1 M3	Grid 2 M3	Grid 3 M3
32.15 dBV/m	33.46 dBV/m	33.24 dBV/m
Grid 4 M4	Grid 5 M3	Grid 6 M3
29.87 dBV/m	32.38 dBV/m	32.36 dBV/m
Grid 7 M3	Grid 8 M3	Grid 9 M3
32.74 dBV/m	31.68 dBV/m	30.03 dBV/m

Category	Limits for E-Field Emissions < 960MHz	Limits for E-Field Emissions > 960MHz
M1	50 dBV/m - 55 dB V/m	40 dBV/m - 45 dB V/m
M2	45 dBV/m - 50 dB V/m	35 dBV/m - 40 dB V/m
М3	40 dBV/m - 45 dB V/m	30 dBV/m - 35 dB V/m
M4	<40 dBV/m	<30 dBV/m

Report No. RXA1403-0053HAC

Cursor:

Total = 33.46 dBV/m E Category: M3 Location: -3.5, -24, 8.7 mm



0 dB = 47.08 V/m = 33.46 dBV/m

Figure 13 HAC RF E-Field GSM 1900 Channel 512

ANNEX C: E-Probe Calibration Certificate

Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zu	tory of	HAC MEA	Schweizerischer Kalibrierdie Service suisse d'étalonnage Servizio svizzero di taratura Swiss Calibration Service
Accredited by the Swiss Accred The Swiss Accreditation Serv Multilateral Agreement for the	vice is one of the signatori	es to the EA	No.: SCS 108
Client TMC Beijing			: ER3-2428_Jan14
CALIBRATION	CERTIFICAT	E	
Object	ER3DV6 - SN:24	428	
Calibration procedure(s)	QA CAL-02.v8, 0 Calibration proce evaluations in air	edure for E-field probes optimized	for close near field
Calibration date:	January 27, 201	4	
All calibrations have been cond	ducted in the closed laborato	robability are given on the following pages and ry facility: environment temperature (22 ± 3)°C	
All calibrations have been cond Calibration Equipment used (M	ducted in the closed laborato &TE critical for calibration)	ry facility: environment temperature (22 ± 3)°C	and humidity < 70%.
All calibrations have been cond Calibration Equipment used (M Primary Standards	ducted in the closed laborato &TE critical for calibration)	ry facility: environment temperature (22 ± 3)°C Cal Date (Certificate No.)	and humidity < 70%.
All calibrations have been cond Calibration Equipment used (M	Aucted in the closed laborato	ry facility: environment temperature (22 ± 3)°C Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733)	and humidity < 70%. Scheduled Calibration Apr-14
All calibrations have been cond Calibration Equipment used (M Primary Standards Power meter E4419B	ducted in the closed laborato &TE critical for calibration)	ry facility: environment temperature (22 ± 3)°C Cal Date (Certificate No.)	and humidity < 70%.
All Calibrations have been cond Calibration Equipment used (M Primary Standards Power meter E44198 Power sensor E4412A	Aucted in the closed laborato &TE critical for calibration) ID GB41293874 MY41498087	ry facility: environment temperature (22 ± 3)°C Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733)	Scheduled Calibration Apr-14 Apr-14
All Calibrations have been cond Calibration Equipment used (M Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator	Aucted in the closed laborato &TE critical for calibration) ID GB41293874 MY41498087 SN: S5054 (3c) SN: S55277 (20x) SN: S5129 (30b)	ry facility: environment temperature (22 ± 3)°C Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737)	Scheduled Calibration Apr-14 Apr-14 Apr-14
All calibrations have been cond Calibration Equipment used (M Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator Reference Probe ER3DV6	Aucted in the closed laborato &TE critical for calibration) ID GB41293874 MY41498087 SN: S5054 (3c) SN: S55277 (20x) SN: S5129 (30b) SN: 2328	ry facility: environment temperature (22 ± 3)°C Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738) 10-Oct-13 (No. ER3-2328_Oct13)	Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Oct-14
All Calibrations have been cond Calibration Equipment used (M Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator	Aucted in the closed laborato &TE critical for calibration) ID GB41293874 MY41498087 SN: S5054 (3c) SN: S55277 (20x) SN: S5129 (30b)	ry facility: environment temperature (22 ± 3)°C Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738)	Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14
All calibrations have been cond Calibration Equipment used (M Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator Reference Probe ER3DV6	Aucted in the closed laborato &TE critical for calibration) ID GB41293874 MY41498087 SN: S5054 (3c) SN: S55277 (20x) SN: S5129 (30b) SN: 2328	ry facility: environment temperature (22 ± 3)°C Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738) 10-Oct-13 (No. ER3-2328_Oct13)	Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Oct-14
All calibrations have been cond Calibration Equipment used (M Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 90 dB Attenuator Reference Probe ER3DV6 DAE4	ID ID GB41293874 MY41498087 SN: S5054 (3c) SN: S5277 (20x) SN: S5129 (30b) SN: S5129 (30b) SN: 789 SN: 789	Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01738) 10-Oct-13 (No. ER3-2328, Oct13) 15-May-13 (No. DAE4-789_May13)	and humidity < 70%. Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Oct-14 May-14
All Calibrations have been cond Calibration Equipment used (M Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator Reference Probe ER3DV6 DAE4 Secondary Standards	ID ID GB41293874 MY41498087 SN: S5054 (3c) SN: S55277 (20x) SN: S5129 (30b) SN: 2328 SN: 789 ID	Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. ER3-2328_Oct13) 15-May-13 (No. DAE4-789_May13) Check Date (in house)	and humidity < 70%. Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Oct-14 May-14 Scheduled Check
All Calibrations have been cond Calibration Equipment used (M Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator Reference Probe ER3DV6 DAE4 Secondary Standards RF generator HP 8648C	in the closed laborato &TE critical for calibration) ID GB41293874 MY41498087 SN: S5054 (3c) SN: S5054 (3c) SN: S5129 (30b) SN: 2328 SN: 789 ID US3642U01700	Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738) 10-Oct-13 (No. DAE4-789_May13) 5-May-13 (No. DAE4-789_May13) Check Date (in house) 4-Aug-99 (in house check Apr-13)	and humidity < 70%. Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Oct-14 May-14 Scheduled Check In house check: Apr-16
All Calibrations have been cond Calibration Equipment used (M Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator Reference Probe ER3DV6 DAE4 Secondary Standards RF generator HP 8648C	tucted in the closed laborato &TE critical for calibration) ID GB41293874 MY41498087 SN: S5054 (3c) SN: S5054 (3c) SN: S5129 (30b) SN: S5129 (30b) SN: 2328 SN: 789 ID US3642U01700 US37390585	ry facility: environment temperature (22 ± 3)°C Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738) 10-Oct-13 (No. DAE4-789_May13) 15-May-13 (No. DAE4-789_May13) Check Date (in house) 4-Aug-99 (in house check Apr-13) 18-Oct-01 (in house check Oct-13)	and humidity < 70%. Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Oct-14 May-14 Scheduled Check In house check: Apr-16 In house check: Oct-14
All calibrations have been cond Calibration Equipment used (M Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference Probe ER3DV6 DAE4 Secondary Standards RF generator HP 8648C Network Analyzer HP 8753E	tucted in the closed laborato &TE critical for calibration) ID GB41293874 MY41498087 SN: S5054 (3c) SN: S5054 (3c) SN: S5129 (30b) SN: S5129 (30b) SN: 2328 SN: 789 ID US3642U01700 US37390585 Name	ry facility: environment temperature (22 ± 3)°C Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738) 10-Oct-13 (No. ER3-2328_Oct13) 15-May-13 (No. DAE4-789_May13) Check Date (in house) 4-Aug-99 (in house check Apr-13) 18-Oct-01 (in house check Oct-13) Function	and humidity < 70%. Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Oct-14 May-14 Scheduled Check In house check: Apr-16 In house check: Oct-14
All Calibrations have been cond Calibration Equipment used (M Primary Standards Power meter E4419B Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 20 dB Attenuator Reference Probe ER3DV6 DAE4 Secondary Standards RF generator HP 8648C Network Analyzer HP 8753E Calibrated by: Approved by:	Aucted in the closed laborato &TE critical for calibration) ID GB41293874 MY41498087 SN: S5054 (3c) SN: S5054 (3c) SN: S5129 (30b) SN: S5129 (30b) SN: 2328 SN: 789 ID US3642U01700 US3642U01700 US37390585 Name Leif Klysner Katja Pokovic	ry facility: environment temperature (22 ± 3)°C Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738) 10-Oct-13 (No. DAE4-789_May13) 15-May-13 (No. DAE4-789_May13) Check Date (in house) 4-Aug-99 (in house check Apr-13) 18-Oct-01 (in house check Oct-13) Function Laboratory Technician	and humidity < 70%. Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Oct-14 May-14 Scheduled Check In house check: Apr-16 In house check: Oct-14

Report No. RXA1403-0053HAC

Page 39 of 61

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland



SWISS

S

- S Schweizerischer Kalibrierdienst Service suisse d'étalonnage С
 - Servizio svizzero di taratura
 - Swiss Calibration Service

Accreditation No.: SCS 108

Accredited by the Swiss Accreditation Service (SAS) The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Glossary:

NORMx,y,z	sensitivity in free space
DCP	diode compression point
CF	crest factor (1/duty_cycle) of the RF signal
A, B, C, D	modulation dependent linearization parameters
Polarization ϕ	φ rotation around probe axis
Polarization &	ϑ rotation around an axis that is in the plane normal to probe axis (at measurement center), i.e., $\vartheta = 0$ is normal to probe axis
Connector Angle	information used in DASY system to align probe sensor X to the robot coordinate system

Calibration is Performed According to the Following Standards:

- a) IEEE Std 1309-2005, " IEEE Standard for calibration of electromagnetic field sensors and probes, excluding antennas, from 9 kHz to 40 GHz", December 2005
- b) CTIA Test Plan for Hearing Aid Compatibility, April 2010.

Methods Applied and Interpretation of Parameters:

- NORMx,y,z: Assessed for E-field polarization ϑ = 0 for XY sensors and ϑ = 90 for Z sensor (f \leq 900 MHz in TEM-cell; f > 1800 MHz: R22 waveguide).
- NORM(f)x,y,z = NORMx,y,z * frequency_response (see Frequency Response Chart).
- DCPx, y, z: DCP are numerical linearization parameters assessed based on the data of power sweep with CW signal (no uncertainty required). DCP does not depend on frequency nor media.
- PAR: PAR is the Peak to Average Ratio that is not calibrated but determined based on the signal characteristics
- Ax,y,z; Bx,y,z; Cx,y,z; Dx,y,z; VRx,y,z: A, B, C, D are numerical linearization parameters assessed based on the data of power sweep for specific modulation signal. The parameters do not depend on frequency nor media. VR is the maximum calibration range expressed in RMS voltage across the diode.
- Spherical isotropy (3D deviation from isotropy): in a locally homogeneous field realized using an open waveguide setup.
- Sensor Offset: The sensor offset corresponds to the offset of virtual measurement center from the probe tip (on probe axis). No tolerance required,
- Connector Angle: The angle is assessed using the information gained by determining the NORMx (no uncertainty required).

Certificate No: ER3-2428 Jan14

Page 2 of 10

Report No. RXA1403-0053HAC

ER3DV6 - SN:2428

January 27, 2014

Probe ER3DV6

SN:2428

Manufactured: Calibrated: September 11, 2007 January 27, 2014

Calibrated for DASY/EASY Systems (Note: non-compatible with DASY2 system!)

Certificate No: ER3-2428_Jan14

Page 3 of 10

ER3DV6- SN:2428

January 27, 2014

DASY/EASY - Parameters of Probe: ER3DV6 - SN:2428

Basic Calibration Parameters

	Sensor X	Sensor Y	Sensor Z	Unc (k=2)
Norm (µV/(V/m) ²)	1.51	1.59	1.83	± 10.1 %
DCP (mV) ⁸	98.9	97.0	101.1	

Modulation Calibration Parameters

UID	Communication System Name		A dB	B dBõV	С	D dB	VR mV	Unc ^E (k=2)
0	CW	X	0.0	0.0	1.0	0.00	190.5	±3.3 %
		Y	0.0	0.0	1.0		152.5	
		Z	0.0	0.0	1.0		198.6	
10021- DAA	GSM-FDD (TDMA, GMSK)	×	20.75	99.9	29.1	9.39	119.1	±1.2 %
		Y	19.27	99.6	28.9		125.1	
		Z	24.43	99.4	28.5		139.5	
10039- CAA	CDMA2000 (1xRTT, RC1)	x	4.62	65.6	18.5	4.57	109.6	±0.9 %
		Y	4.78	66.3	18.9		121.2	
		Z	4.58	66.0	18.7		114.4	

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

^a Numerical linearization parameter: uncertainty not required.
^E Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.

Certificate No: ER3-2428_Jan14


Page 4 of 10

Report No. RXA1403-0053HAC

ER3DV6- SN:2428

January 27, 2014

Frequency Response of E-Field (TEM-Cell:ifi110 EXX, Waveguide: R22)




Uncertainty of Frequency Response of E-field: ± 6.3% (k=2)


Certificate No: ER3-2428_Jan14

Page 5 of 10

ER3DV6- SN:2428

January 27, 2014






Report No. RXA1403-0053HAC

Page 45 of 61

ER3DV6- SN:2428

January 27, 2014

Dynamic Range f(E-field) (TEM cell , f = 900 MHz)



Certificate No: ER3-2428_Jan14


Page 8 of 10

Report No. RXA1403-0053HAC

ER3DV6- SN:2428

Page 46 of 61

January 27, 2014



Uncertainty of Spherical Isotropy Assessment: ± 2.6% (k=2)

Certificate No: ER3-2428_Jan14

Page 9 of 10

ER3DV6- SN:2428

January 27, 2014

DASY/EASY - Parameters of Probe: ER3DV6 - SN:2428

Other Probe Parameters

Sensor Arrangement	Rectangular
Connector Angle (°)	-36.9
Mechanical Surface Detection Mode	enabled
Optical Surface Detection Mode	disabled
Probe Overall Length	337 mm
Probe Body Diameter	10 mm
Tip Length	10 mm
Tip Diameter	8 mm
Probe Tip to Sensor X Calibration Point	2.5 mm
Probe Tip to Sensor Y Calibration Point	2.5 mm
Probe Tip to Sensor Z Calibration Point	2.5 mm

Certificate No: ER3-2428_Jan14

Page 10 of 10

Report No. RXA1403-0053HAC

Page 48 of 61

Calibration Laborato Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurio	1. 18	BRISS SHISS SC	Service suisse d'étalonnage
Accredited by the Swiss Accredita The Swiss Accreditation Servic Multilateral Agreement for the r	e is one of the signatorie ecognition of calibration	s to the EA certificates	No.: SCS 108
Client TMC-BJ (Aude			: CD835V3-1023_Sep13
CALIBRATION	CERTIFICAT	E	
Object	CD835V3 - SN:	1023	
Calibration procedure(s)	Calibration proc	edure for dipoles in air	
Calibration date:	Contomber OF	2010	
This calibration certificate docur		tional standards, which realize the physical ur probability are given on the following pages an	
This calibration certificate docur The measurements and the unc All calibrations have been cond	ments the traceability to nat vertainties with confidence p ucted in the closed laborate	tional standards, which realize the physical ur	nd are part of the certificate.
This calibration certificate docur The measurements and the unc All calibrations have been condu Calibration Equipment used (M& Primary Standards	ments the traceability to nat vertainties with confidence p ucted in the closed laborate	tional standards, which realize the physical ur probability are given on the following pages a pry facility: environment temperature (22 ± 3)° Cal Date (Certificate No.)	nd are part of the certificate. C and humidity < 70%. Scheduled Calibration
This calibration certificate docur The measurements and the und All calibrations have been conde Calibration Equipment used (Ma Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 10 dB Attenuator Probe ER3DV6 Probe H3DV6	nents the traceability to nat sertainties with confidence p ucted in the closed laborato &TE critical for calibration) ID # GB37480704 US37292783 SN: 5047.2 (10q) SN: 2336 SN: 6065	tional standards, which realize the physical ur probability are given on the following pages a pry facility: environment temperature (22 ± 3)°	nd are part of the certificate. C and humidity < 70%.
This calibration certificate docur The measurements and the und All calibrations have been conde Calibration Equipment used (Ma Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 10 dB Attenuator Probe ER3DV6 Probe H3DV6 DAE4	nents the traceability to nal pertainties with confidence p ucted in the closed laborato &TE critical for calibration) ID # GB37480704 US37292783 SN: 5047.2 (10q) SN: 2336 SN: 6065 SN: 781	tional standards, which realize the physical ur probability are given on the following pages ar ory facility: environment temperature (22 ± 3)° Cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01731) 28-Dec-12 (No. ER3-2336_Dec12) 28-Dec-12 (No. H3-6065_Dec12) 13-Sep-13 (No. DAE4-781_Sep13)	nd are part of the certificate. C and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Apr-14 Dec-13 Dec-13 Dec-13 Sep-14
This calibration certificate docur The measurements and the und All calibrations have been conde Calibration Equipment used (Ma Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 10 dB Attenuator Probe ER3DV6 Probe H3DV6	nents the traceability to nat sertainties with confidence p ucted in the closed laborato &TE critical for calibration) ID # GB37480704 US37292783 SN: 5047.2 (10q) SN: 2336 SN: 6065	tional standards, which realize the physical ur probability are given on the following pages ar ory facility: environment temperature (22 ± 3)° Cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01731) 28-Dec-12 (No. ER3-2336_Dec12) 28-Dec-12 (No. H3-6065_Dec12)	nd are part of the certificate. C and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Apr-14 Dec-13 Dec-13 Dec-13
This calibration certificate docur The measurements and the unc All calibrations have been conde Calibration Equipment used (M& Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 10 dB Attenuator Probe ER3DV6 Probe H3DV6 DAE4 Secondary Standards Power meter Agilent 4419B Power sensor HP E4412A Power sensor HP E4412A Power sensor HP 8482A Network Analyzer HP 8753E	nents the traceability to nal sertainties with confidence p ucted in the closed laborato BTE critical for calibration) D # GB37480704 US37292783 SN: 5047.2 (10q) SN: 2336 SN: 6065 SN: 781 ID # ID # SN: GB42420191 SN: MY41495277 SN: US37295597 US37390585	tional standards, which realize the physical ur probability are given on the following pages ar ory facility: environment temperature (22 ± 3)° Cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01731) 28-Dec-12 (No. ER3-2336_Dec12) 28-Dec-12 (No. H3-6065_Dec12) 13-Sep-13 (No. DAE4-781_Sep13) Check Date (in house) 09-Oct-09 (in house check Oct-12) 01-Apr-08 (in house check Oct-12) 09-Oct-09 (in house check Oct-12) 18-Oct-01 (in house check Oct-12)	nd are part of the certificate. C and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Apr-14 Dec-13 Dec-13 Dec-13 Sep-14 Scheduled Check In house check: Oct-13 In house check: Oct-13 In house check: Oct-13 In house check: Oct-13
This calibration certificate docur The measurements and the und All calibrations have been conde Calibration Equipment used (Ma Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 10 dB Attenuator Probe ER3DV6 DAE4 Secondary Standards Power sensor HP E4412A Power sensor HP E4412A Power sensor HP 8482A Network Analyzer HP 8753E RF generator R&S SMT-06	nents the traceability to nat sertainties with confidence p ucted in the closed laborato &TE critical for calibration) ID # GB37480704 US37292783 SN: 5047.2 (10q) SN: 2336 SN: 6065 SN: 781 ID # ID # SN: GB42420191 SN: WY41495277 SN: WS37295597 US37290585 SN: 832283/011 Name	tional standards, which realize the physical ur probability are given on the following pages ar ory facility: environment temperature (22 ± 3)° Cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01640) 04-Apr-13 (No. 217-01731) 28-Dec-12 (No. ER3-2336_Dec12) 28-Dec-12 (No. H3-6065_Dec12) 13-Sep-13 (No. DAE4-781_Sep13) Check Date (in house) 09-Oct-09 (in house check Oct-12) 01-Apr-08 (in house check Oct-12) 09-Oct-09 (in house check Oct-12) 18-Oct-01 (in house check Oct-12) 27-Aug-12 (in house check Oct-12) Function	nd are part of the certificate. C and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Apr-14 Dec-13 Dec-13 Dec-13 Sep-14 Scheduled Check In house check: Oct-13 In house check: Oct-13
This calibration certificate docur The measurements and the und All calibrations have been conde Calibration Equipment used (Ma Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 10 dB Attenuator Probe ER3DV6 DAE4 Secondary Standards Power sensor HP E4412A Power sensor HP E4412A Power sensor HP 8482A Network Analyzer HP 8753E RF generator R&S SMT-06	nents the traceability to nat sertainties with confidence p ucted in the closed laborato &TE critical for calibration) ID # GB37480704 US37292783 SN: 5047.2 (10q) SN: 2336 SN: 6065 SN: 781 ID # ID # SN: GB42420191 SN: WY41495277 SN: WS37295597 US37290585 SN: 832283/011 Name	tional standards, which realize the physical ur probability are given on the following pages ar ory facility: environment temperature (22 ± 3)° Cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01640) 04-Apr-13 (No. 217-01731) 28-Dec-12 (No. ER3-2336_Dec12) 28-Dec-12 (No. H3-6065_Dec12) 13-Sep-13 (No. DAE4-781_Sep13) Check Date (in house) 09-Oct-09 (in house check Oct-12) 01-Apr-08 (in house check Oct-12) 09-Oct-09 (in house check Oct-12) 18-Oct-01 (in house check Oct-12) 27-Aug-12 (in house check Oct-12) Function	nd are part of the certificate. C and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Apr-14 Dec-13 Dec-13 Dec-13 Sep-14 Scheduled Check In house check: Oct-13 In house check: Oct-13

Report No. RXA1403-0053HAC

Measurement Conditions

ASY system configuration, as far as not gi	ven on page 1.	
DASY Version	DASY5	V52.8.7
Phantom	HAC Test Arch	
Distance Dipole Top - Probe Center	15mm	
Scan resolution	dx, dy = 5 mm	
Frequency	835 MHz ± 1 MHz	Service Provide Address
Input power drift	< 0.05 dB	a star de la composition de la composit

Maximum Field values at 835 MHz

E-field 15 mm above dipole surface	condition	Interpolated maximum
Maximum measured above high end	100 mW input power	105.4 V / m
Maximum measured above low end	100 mW input power	103.7 V / m
Averaged maximum above arm	100 mW input power	104.5 V / m ± 12.8 % (k=2)

Appendix

Antenna Parameters

Frequency	Return Loss	Impedance
800 MHz	17.1 dB	44.0 Ω - 11.8 jΩ
835 MHz	24.8 dB	50.9 Ω + 5.7 jΩ
900 MHz	15.3 dB	61.4 Ω - 15.7 jΩ
950 MHz	23.1 dB	46.7 Ω + 5.9 jΩ
960 MHz	16.9 dB	53.8 Ω + 14.5 jΩ

3.2 Antenna Design and Handling

The calibration dipole has a symmetric geometry with a built-in two stub matching network, which leads to the enhanced bandwidth.

The dipole is built of standard semirigid coaxial cable. The internal matching line is open ended. The antenna is therefore open for DC signals.

Do not apply force to dipole arms, as they are liable to bend. The soldered connections near the feedpoint may be damaged. After excessive mechanical stress or overheating, check the impedance characteristics to ensure that the internal matching network is not affected.


After long term use with 40W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

Page 3 of 5

Report No. RXA1403-0053HAC

Page 50 of 61





Report No. RXA1403-0053HAC

Date: 25.09.2013

DASY5 E-field Result

Test Laboratory: SPEAG Lab2

DUT: HAC-Dipole 835 MHz; Type: CD835V3; Serial: CD835V3 - SN: 1023

Communication System: UID 0 - CW ; Frequency: 835 MHz Medium parameters used: $\sigma = 0$ S/m, $\epsilon_r = 1$; $\rho = 1000$ kg/m³ Phantom section: RF Section Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY52 Configuration:

- Probe: ER3DV6 SN2336; ConvF(1, 1, 1); Calibrated: 28.12.2012;
- Sensor-Surface: (Fix Surface)
- Electronics: DAE4 Sn781; Calibrated: 13.09.2013
- Phantom: HAC Test Arch with AMCC; Type: SD HAC P01 BA; Serial: 1070
- DASY52 52.8.7(1137); SEMCAD X 14.6.10(7164)


Dipole E-Field measurement @ 835MHz/E-Scan - 835MHz d=15mm/Hearing Aid Compatibility Test (41x361x1): Interpolated grid: dx=0.5000 mm, dy=0.5000 mm Device Reference Point: 0, 0, -6.3 mm Reference Value = 107.7 V/m; Power Drift = 0.03 dB PMR not calibrated. PMF = 1.000 is applied.

E-field emissions = 105.4 V/m

Near-field category: M4 (AWF 0 dB)

PMF scaled E-field

	Grid 2 M4 103.7 V/m	
Grid 4 M4	Grid 5 M4 63.29 V/m	Grid 6 M4
	Grid 8 M4	
103.1 V/m	105.4 V/m	104.3 V/m



Certificate No: CD835V3-1023_Sep13

Page 5 of 5

Report No. RXA1403-0053HAC

Page 52 of 61

Calibration Laborato Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurio		SHISS CC D NO S	Schweizerischer Kalibrierdien Service suisse d'étalonnage Servizio svizzero di taratura Swiss Calibration Service
Accredited by the Swiss Accredita The Swiss Accreditation Servic Multilateral Agreement for the r	e is one of the signatorie	es to the EA	No.: SCS 108
Client TMC-BJ (Aude			CD1880V3-1018_Sep
CALIBRATION	CERTIFICAT	E	
Object.	CD1880V3 - SN	: 1018	
Calibration procedure(s)	QA CAL-20.v6 Calibration proce	edure for dipoles in air	
		2010	
The measurements and the unc	ertainties with confidence p	tional standards, which realize the physical unit probability are given on the following pages and	d are part of the certificate.
This calibration certificate docur The measurements and the unc All calibrations have been condu	nents the traceability to nat rertainties with confidence p ucted in the closed laborate	tional standards, which realize the physical unit	d are part of the certificate.
This calibration certificate docur The measurements and the unc All calibrations have been condu Calibration Equipment used (M8	nents the traceability to nat vertainties with confidence p ucted in the closed laborato &TE critical for calibration)	tional standards, which realize the physical unit probability are given on the following pages and pry facility: environment temperature (22 ± 3)°C	d are part of the certificate.
This calibration certificate docur The measurements and the unc All calibrations have been condu	nents the traceability to nat rertainties with confidence p ucted in the closed laborate	tional standards, which realize the physical unit probability are given on the following pages and	d are part of the certificate.
This calibration certificate docur The measurements and the unc All calibrations have been condu Calibration Equipment used (M& Primary Standards	nents the traceability to nat ertainties with confidence p ucted in the closed laborato &TE critical for calibration) ID # GB37480704 US37292783.	tional standards, which realize the physical unit probability are given on the following pages and ory facility: environment temperature (22 ± 3)°C <u>Cal Date (Certificate No.)</u> 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640)	d are part of the certificate. c and humidity < 70%. Scheduled Calibration Oct-13 Oct-13
This calibration certificate docur The measurements and the uno All calibrations have been condu Calibration Equipment used (M& Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 10 dB Attenuator	nents the traceability to nat ertainties with confidence p ucted in the closed laborato &TE critical for calibration) ID # GB37480704 US37292783 SN: 5047.2 (10q)	tional standards, which realize the physical unit probability are given on the following pages and ory facility: environment temperature (22 ± 3)°C <u>Cal Date (Certificate No.)</u> 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01731)	d are part of the certificate. c and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Apr-14
This calibration certificate docur The measurements and the unc All calibrations have been condu Calibration Equipment used (M& Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 10 dB Attenuator Probe ER3DV6	nents the traceability to nat ertainties with confidence p ucted in the closed laborato &TE critical for calibration) D # GB37480704 US37292783 SN: 5047.2 (10q) SN: 2336	tional standards, which realize the physical unit probability are given on the following pages and ory facility: environment temperature (22 ± 3)°C Cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01731) 28-Dec-12 (No. ER3-2336_Dec12)	d are part of the certificate. c and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Apr-14 Dec-13
This calibration certificate docur The measurements and the uno All calibrations have been condu Calibration Equipment used (M& Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 10 dB Attenuator	nents the traceability to nat ertainties with confidence p ucted in the closed laborato &TE critical for calibration) ID # GB37480704 US37292783 SN: 5047.2 (10q)	tional standards, which realize the physical unit probability are given on the following pages and ory facility: environment temperature (22 ± 3)°C <u>Cal Date (Certificate No.)</u> 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01731)	d are part of the certificate. c and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Apr-14
This calibration certificate docur The measurements and the uno All calibrations have been condu Calibration Equipment used (M& Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 10 dB Attenuator Probe ER3DV6 Probe H3DV6 DAE4	nents the traceability to nat ertainties with confidence p ucted in the closed laborato RTE critical for calibration) ID # GB37480704 US37292783 SN: 5047.2 (10q) SN: 2336 SN: 6065 SN: 781	tional standards, which realize the physical unit probability are given on the following pages and ony facility: environment temperature (22 ± 3)°C Cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01731) 28-Dec-12 (No. ER3-2336_Dec12) 28-Dec-12 (No. H3-6065_Dec12) 13-Sep-13 (No. DAE4-781_Sep13)	d are part of the certificate. c and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Apr-14 Dec-13 Dec-13 Sep-14
This calibration certificate docur The measurements and the uno All calibrations have been condu Calibration Equipment used (M& Primary Standards Power sensor HP 8481A Reference 10 dB Attenuator Probe ER3DV6 Probe H3DV6 DAE4 Secondary Standards	nents the traceability to nat ertainties with confidence p ucted in the closed laborato RTE critical for calibration) ID # GB37480704 US37292783 SN: 5047.2 (10q) SN: 2336 SN: 6065 SN: 781 ID #	tional standards, which realize the physical unit probability are given on the following pages and ony facility: environment temperature (22 ± 3)°C Cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01731) 28-Dec-12 (No. ER3-2336_Dec12) 28-Dec-12 (No. H3-6065_Dec12) 13-Sep-13 (No. DAE4-781_Sep13) Check Date (in house)	d are part of the certificate. c and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Apr-14 Dec-13 Dec-13
This calibration certificate docur The measurements and the uno All calibrations have been condu Calibration Equipment used (M& Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 10 dB Attenuator Probe ER3DV6 Probe H3DV6 DAE4	nents the traceability to nat ertainties with confidence p ucted in the closed laborato RTE critical for calibration) ID # GB37480704 US37292783 SN: 5047.2 (10q) SN: 2336 SN: 6065 SN: 781	tional standards, which realize the physical unit probability are given on the following pages and ony facility: environment temperature (22 ± 3)°C Cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01731) 28-Dec-12 (No. ER3-2336_Dec12) 28-Dec-12 (No. H3-6065_Dec12) 13-Sep-13 (No. DAE4-781_Sep13)	d are part of the certificate. c and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Oct-13 Apr-14 Dec-13 Dec-13 Dec-13 Sep-14 Scheduled Check
This calibration certificate docur The measurements and the unc All calibrations have been condu Calibration Equipment used (M& Primary Standards Power sensor HP 8481A Reference 10 dB Attenuator Probe ER3DV6 Probe H3DV6 DAE4 Secondary Standards Power meter Agilent 4419B	nents the traceability to nat ertainties with confidence p ucted in the closed laborato RTE critical for calibration) ID # GB37480704 US37292783 SN: 5047.2 (10q) SN: 2336 SN: 6065 SN: 781 ID # ID # SN: GB42420191	tional standards, which realize the physical unit probability are given on the following pages and ony facility: environment temperature (22 ± 3)°C Cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01731) 28-Dec-12 (No. ER3-2336_Dec12) 28-Dec-12 (No. H3-6065_Dec12) 13-Sep-13 (No. DAE4-781_Sep13) Check Date (in house) 09-Oct-09 (in house check Oct-12)	d are part of the certificate. and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Oct-13 Apr-14 Dec-13 Dec-13 Dec-13 Sep-14 Scheduled Check In house check: Oct-13
This calibration certificate docur The measurements and the unc All calibrations have been condu Calibration Equipment used (M& Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 10 dB Attenuator Probe ER3DV6 Probe H3DV6 DAE4 Secondary Standards Power meter Agilent 44198 Power sensor HP E4412A	nents the traceability to nat ertainties with confidence p ucted in the closed laborato (ID # GB37480704 US37292783 SN: 5047.2 (10q) SN: 2336 SN: 6065 SN: 781 ID # SN: GB42420191 SN: MY41495277 SN: US37295597 US37390585	tional standards, which realize the physical unit probability are given on the following pages and ory facility: environment temperature (22 ± 3)°C Cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01731) 28-Dec-12 (No. ER3-2336_Dec12) 28-Dec-12 (No. H3-6065_Dec12) 13-Sep-13 (No. DAE4-781_Sep13) Check Date (in house) 09-Oct-09 (in house check Oct-12) 01-Apr-08 (in house check Oct-12) 09-Oct-09 (in house check Oct-12) 18-Oct-01 (in house check Oct-12)	d are part of the certificate. c and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Oct-13 Apr-14 Dec-13 Dec-13 Dec-13 Sep-14 Scheduled Check In house check: Oct-13 In house check: Oct-13 In house check: Oct-13 In house check: Oct-13 In house check: Oct-13
This calibration certificate docur The measurements and the unc All calibrations have been condu Calibration Equipment used (M8 Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 10 dB Attenuator Probe ER3DV6 Probe H3DV6 DAE4 Secondary Standards Power meter Agilent 4419B Power sensor HP E4412A Power sensor HP 8482A	nents the traceability to nat ertainties with confidence p ucted in the closed laborato TE critical for calibration) D # GB37480704 US37292783 SN: 5047.2 (10q) SN: 2336 SN: 6065 SN: 781 D # SN: GB42420191 SN: MY41495277 SN: US37295597	tional standards, which realize the physical unit probability are given on the following pages and ory facility: environment temperature (22 ± 3)°C Cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01731) 28-Dec-12 (No. ER3-2336_Dec12) 28-Dec-12 (No. H3-6065_Dec12) 13-Sep-13 (No. DAE4-781_Sep13) Check Date (in house) 09-Oct-09 (in house check Oct-12) 01-Apr-08 (in house check Oct-12) 09-Oct-09 (in house check Oct-12)	d are part of the certificate. c and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Oct-13 Apr-14 Dec-13 Dec-13 Dec-13 Sep-14 Scheduled Check In house check: Oct-13 In house check: Oct-13 In house check: Oct-13
This calibration certificate docur The measurements and the uno All calibrations have been condu Calibration Equipment used (M8 Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 10 dB Attenuator Probe H3DV6 DAE4 Secondary Standards Power sensor HP E4412A Power sensor HP E4412A Power sensor HP 8482A Network Analyzer HP 8753E RF generator R&S SMT-06	nents the traceability to nat ertainties with confidence p ucted in the closed laborato RTE critical for calibration) ID # GB37480704 US37292783 SN: 5047.2 (10q) SN: 2336 SN: 6065 SN: 6065 SN: 781 ID # SN: GB42420191 SN: WY41495277 SN: US37295597 US37290585 SN: 832283/011 Name	tional standards, which realize the physical unit probability are given on the following pages and ory facility: environment temperature (22 ± 3)°C Cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01640) 04-Apr-13 (No. 217-01731) 28-Dec-12 (No. ER3-2336_Dec12) 28-Dec-12 (No. H3-6065_Dec12) 13-Sep-13 (No. DAE4-781_Sep13) Check Date (in house) 09-Oct-09 (in house check Oct-12) 01-Apr-08 (in house check Oct-12) 09-Oct-09 (in house check Oct-12) 18-Oct-01 (in house check Oct-12) 27-Aug-12 (in house check Oct-12) Function	d are part of the certificate. c and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Oct-13 Apr-14 Dec-13 Dec-13 Dec-13 Sep-14 Scheduled Check In house check: Oct-13 In house check: Oct-13 In house check: Oct-13 In house check: Oct-13 In house check: Oct-13
This calibration certificate docur The measurements and the unc All calibrations have been condu Calibration Equipment used (M& Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 10 dB Attenuator Probe ER3DV6 Probe H3DV6 DAE4 Secondary Standards Power meter Agilent 4419B Power sensor HP E4412A Power sensor HP 8482A Network Analyzer HP 8753E	nents the traceability to nat ertainties with confidence p ucted in the closed laborato RTE critical for calibration) ID # GB37480704 US37292783 SN: 5047.2 (10q) SN: 2336 SN: 6065 SN: 6065 SN: 781 ID # SN: GB42420191 SN: GB42420191 SN: WY41495277 SN: US37295597 US37390585 SN: 832283/011	tional standards, which realize the physical unit probability are given on the following pages and ory facility: environment temperature (22 ± 3)°C Cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01640) 04-Apr-13 (No. 217-01731) 28-Dec-12 (No. ER3-2336_Dec12) 28-Dec-12 (No. ER3-2336_Dec12) 13-Sep-13 (No. DAE4-781_Sep13) Check Date (in house) 09-Oct-09 (in house check Oct-12) 01-Apr-08 (in house check Oct-12) 09-Oct-09 (in house check Oct-12) 18-Oct-01 (in house check Oct-12) 27-Aug-12 (in house check Oct-12)	d are part of the certificate. and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Dec-13 Dec-13 Dec-13 Sep-14 Scheduled Check In house check: Oct-13 In house check: Oct-13 In house check: Oct-13 In house check: Oct-13 In house check: Oct-14
This calibration certificate docur The measurements and the uno All calibrations have been condu Calibration Equipment used (M8 Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 10 dB Attenuator Probe H3DV6 DAE4 Secondary Standards Power sensor HP E4412A Power sensor HP E4412A Power sensor HP 8482A Network Analyzer HP 8753E RF generator R&S SMT-06	nents the traceability to nat ertainties with confidence p ucted in the closed laborato RTE critical for calibration) ID # GB37480704 US37292783 SN: 5047.2 (10q) SN: 2336 SN: 6065 SN: 6065 SN: 781 ID # SN: GB42420191 SN: WY41495277 SN: US37295597 US37290585 SN: 832283/011 Name	tional standards, which realize the physical unit probability are given on the following pages and ory facility: environment temperature (22 ± 3)°C Cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01640) 04-Apr-13 (No. 217-01731) 28-Dec-12 (No. ER3-2336_Dec12) 28-Dec-12 (No. H3-6065_Dec12) 13-Sep-13 (No. DAE4-781_Sep13) Check Date (in house) 09-Oct-09 (in house check Oct-12) 01-Apr-08 (in house check Oct-12) 09-Oct-09 (in house check Oct-12) 18-Oct-01 (in house check Oct-12) 27-Aug-12 (in house check Oct-12) Function	d are part of the certificate. and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Dec-13 Dec-13 Dec-13 Sep-14 Scheduled Check In house check: Oct-13 In house check: Oct-13 In house check: Oct-13 In house check: Oct-13 In house check: Oct-14
This calibration certificate docur The measurements and the uno All calibrations have been condu Calibration Equipment used (M8 Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 10 dB Attenuator Probe ER3DV6 Probe H3DV6 DAE4 Secondary Standards Power meter Agilent 44198 Power sensor HP E4412A Power sensor HP 8482A Network Analyzer HP 8753E RF generator R&S SMT-06 Calibrated by:	nents the traceability to nat ertainties with confidence p ucted in the closed laborato RTE critical for calibration) ID # GB37480704 US37292783 SN: 5047.2 (10q) SN: 6065 SN: 6065 SN: 781 ID # SN: GB42420191 SN: MY41495277 SN: US37295597 US37390585 SN: 832283/011 Name Claudio Leubler	tional standards, which realize the physical unit probability are given on the following pages and ony facility: environment temperature (22 ± 3)°C Cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01731) 28-Dec-12 (No. ER3-2336_Dec12) 28-Dec-12 (No. H3-6065_Dec12) 13-Sep-13 (No. DAE4-781_Sep13) Check Date (in house) 09-Oct-09 (in house check Oct-12) 01-Apr-08 (in house check Oct-12) 01-Apr-08 (in house check Oct-12) 18-Oct-01 (in house check Oct-12) 18-Oct-01 (in house check Oct-12) 27-Aug-12 (in house check Oct-12) Function Laboratory Technician	d are part of the certificate. and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Apr-14 Dec-13 Dec-13 Dec-13 Sep-14 Scheduled Check In house check: Oct-13 In house check: Oct-13 In house check: Oct-13 In house check: Oct-13 In house check: Oct-14 Signature

Report No. RXA1403-0053HAC

Page 53 of 61

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





S

C

S

Schweizerischer Kalibrierdienst Service suisse d'étalonnage Servizio svizzero di taratura Swiss Calibration Service

Accreditation No.: SCS 108

Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

References

[1] ANSI-C63.19-2011

American National Standard, Methods of Measurement of Compatibility between Wireless Communications Devices and Hearing Aids.

Methods Applied and Interpretation of Parameters:

- Coordinate System: y-axis is in the direction of the dipole arms. z-axis is from the basis of the antenna (mounted on the table) towards its feed point between the two dipole arms. x-axis is normal to the other axes. In coincidence with the standards [1], the measurement planes (probe sensor center) are selected to be at a distance of 15 mm above the top metal edge of the dipole arms.
- Measurement Conditions: Further details are available from the hardcopies at the end of the certificate. All
 figures stated in the certificate are valid at the frequency indicated. The forward power to the dipole connector
 is set with a calibrated power meter connected and monitored with an auxiliary power meter connected to a
 directional coupler. While the dipole under test is connected, the forward power is adjusted to the same level.
- Antenna Positioning: The dipole is mounted on a HAC Test Arch phantom using the matching dipole positioner with the arms horizontal and the feeding cable coming from the floor. The measurements are performed in a shielded room with absorbers around the setup to reduce the reflections. It is verified before the mounting of the dipole under the Test Arch phantom, that its arms are perfectly in a line. It is installed on the HAC dipole positioner with its arms parallel below the dielectric reference wire and able to move elastically in vertical direction without changing its relative position to the top center of the Test Arch phantom. The vertical distance to the probe is adjusted after dipole mounting with a DASY5 Surface Check job. Before the measurement, the distance between phantom surface and probe tip is verified. The proper measurement distance is selected by choosing the matching section of the HAC Test Arch phantom with the proper device reference point (upper surface of the dipole) and the matching grid reference point (tip of the probe) considering the probe sensor offset. The vertical distance to the probe is essential for the accuracy.
- Feed Point Impedance and Return Loss: These parameters are measured using a HP 8753E Vector Network Analyzer. The impedance is specified at the SMA connector of the dipole. The influence of reflections was eliminating by applying the averaging function while moving the dipole in the air, at least 70cm away from any obstacles.
- E-field distribution: E field is measured in the x-y-plane with an isotropic ER3D-field probe with 100 mW forward power to the antenna feed point. In accordance with [1], the scan area is 20mm wide, its length exceeds the dipole arm length (180 or 90mm). The sensor center is 15 mm (in z) above the metal top of the dipole arms. Two 3D maxima are available near the end of the dipole arms. Assuming the dipole arms are perfectly in one line, the average of these two maxima (in subgrid 2 and subgrid 8) is determined to compensate for any non-parallelity to the measurement plane as well as the sensor displacement. The E-field value stated as calibration value represents the maximum of the interpolated 3D-E-field, in the plane above the dipole surface.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Certificate No: CD1880V3-1018_Sep13

Page 2 of 5

Report No. RXA1403-0053HAC

Measurement Conditions

ASY system configuration, as far as not gi	ven on page 1.	and the second
DASY Version	DASY5	V52.8.7
Phantom	HAC Test Arch	
Distance Dipole Top - Probe Center	15mm	
Scan resolution	dx, dy = 5 mm	
Frequency	1880 MHz ± 1 MHz	
Input power drift	< 0.05 dB	States - Excellence

Maximum Field values at 1880 MHz

E-field 15 mm above dipole surface	condition	Interpolated maximum
Maximum measured above high end	100 mW input power	94.2 V / m
Maximum measured above low end	100 mW input power	89.3 V / m
Averaged maximum above arm	100 mW input power	91.8 V / m ± 12.8 % (k=2)

Appendix

Antenna Parameters

Frequency	Return Loss	Impedance
1730 MHz	27.8 dB	53.0 Ω + 2.9 jΩ
1880 MHz	21.6 dB	49.5 Ω + 8.3 jΩ
1900 MHz	21.9 dB	51.3 Ω + 8.0 jΩ
1950 MHz	30.5 dB	52.3 Ω + 2.0 jΩ
2000 MHz	19.3 dB	41.7 Ω + 5.6 jΩ

3.2 Antenna Design and Handling

The calibration dipole has a symmetric geometry with a built-in two stub matching network, which leads to the enhanced bandwidth.

The dipole is built of standard semirigid coaxial cable. The internal matching line is open ended. The antenna is therefore open for DC signals.

Do not apply force to dipole arms, as they are liable to bend. The soldered connections near the feedpoint may be damaged. After excessive mechanical stress or overheating, check the impedance characteristics to ensure that the internal matching network is not affected.


After long term use with 40W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

Page 3 of 5

Report No. RXA1403-0053HAC

Page 55 of 61







Page 4 of 5

Report No. RXA1403-0053HAC

DASY5 E-field Result

Date: 25.09.2013

Test Laboratory: SPEAG Lab2

DUT: HAC Dipole 1880 MHz; Type: CD1880V3; Serial: CD1880V3 - SN: 1018

Communication System: UID 0 - CW ; Frequency: 1880 MHz Medium parameters used: $\sigma = 0$ S/m, $\varepsilon_r = 1$; $\rho = 1000$ kg/m³ Phantom section: RF Section Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY52 Configuration:


- Probe: ER3DV6 SN2336; ConvF(1, 1, 1); Calibrated: 28.12.2012;
- Sensor-Surface: (Fix Surface)
- Electronics: DAE4 Sn781; Calibrated: 13.09.2013
- Phantom: HAC Test Arch with AMCC; Type: SD HAC P01 BA; Serial: 1070
- DASY52 52.8.7(1137); SEMCAD X 14.6.10(7164)

Dipole E-Field measurement @ 1880MHz/E-Scan - 1880MHz d=15mm/Hearing Aid Compatibility Test (41x181x1): Interpolated grid: dx=0.5000 mm, dy=0.5000 mm Device Reference Point: 0, 0, -6.3 mm Reference Value = 157.6 V/m; Power Drift = -0.02 dB

PMR not calibrated. PMF = 1.000 is applied. E-field emissions = 94.20 V/m Near-field category: M3 (AWF 0 dB)

PMF scaled E-field

	Grid 2 M3 94.20 V/m	
Grid 4 M3 71.58 V/m	Grid 5 M3 72.68 V/m	
Grid 7 M3 87.01 V/m	Grid 8 M3 89.29 V/m	



Certificate No: CD1880V3-1018_Sep13

Page 5 of 5

ANNEX F: DAE4 Calibration Certificate

A STATE OF STATE OF STATE	Incite com Hup//www.emcite.com "Hup//www.emcite.com CNAS L04 (Shanghal) Certificate No: J14-2-0052
A State of the state of the state	
ALIBRATION	CERTIFICATE
bject	DAE4 - SN: 1317
alibration Procedure(s)	
	TMC-OS-E-01-198
	Calibration Procedure for the Data Acquisition Electronics (DAEx)
Calibration date:	January 16, 2014
measurements(SI). The pages and are part of the	ate documents the traceability to national standards, which realize the physical units measurements and the uncertainties with confidence probability are given on the following ecertificate.
measurements(SI). The pages and are part of the All calibrations have be humidity<70%.	measurements and the uncertainties with confidence probability are given on the following ecertificate.
measurements(SI). The pages and are part of the All calibrations have be humidity<70%.	measurements and the uncertainties with confidence probability are given on the following ecertificate.
measurements(SI). The pages and are part of the All calibrations have be humidity<70%. Calibration Equipment u Primary Standards Documenting	measurements and the uncertainties with confidence probability are given on the following e certificate. Ween conducted in the closed laboratory facility: environment temperature(22±3)°C are used (M&TE critical for calibration)
neasurements(SI). The bages and are part of the All calibrations have be numidity<70%. Calibration Equipment u Primary Standards Documenting	measurements and the uncertainties with confidence probability are given on the following ecertificate. The conducted in the closed laboratory facility: environment temperature(22±3)°C are used (M&TE critical for calibration) ID # Cal Date(Calibrated by, Certificate No.) Scheduled Calibration
neasurements(SI). The bages and are part of the All calibrations have be numidity<70%. Calibration Equipment u Primary Standards Documenting Process Calibrator 753	measurements and the uncertainties with confidence probability are given on the following e certificate. ween conducted in the closed laboratory facility: environment temperature(22±3)°C are used (M&TE critical for calibration) ID # Cal Date(Calibrated by, Certificate No.) Scheduled Calibration 1971018 01-July-13 (TMC, No:JW13-049) July-14
measurements(SI). The pages and are part of the All calibrations have be humidity<70%. Calibration Equipment u	measurements and the uncertainties with confidence probability are given on the following e certificate. meen conducted in the closed laboratory facility: environment temperature(22±3)°C arrused (M&TE critical for calibration) ID # Cal Date(Calibrated by, Certificate No.) Scheduled Calibration 1971018 01-July-13 (TMC, No:JW13-049) July-14 Name Function

Certificate No: J14-2-0052

Page 1 of 3

Report No. RXA1403-0053HAC

Add No Chlonesek	
Tel. +86-10-62304633	ei Road, Haidian District, Beijing, 100191, China 2079 Fax: +86-10-62304633-2504
E-mail: Info@emcite.c	· · · · · · · · · · · · · · · · · · ·

DAE Connector angle data acquisition electronics information used in DASY system to align probe sensor X to the robot coordinate system.

Methods Applied and Interpretation of Parameters:

- DC Voltage Measurement: Calibration Factor assessed for use in DASY system by comparison with a calibrated instrument traceable to national standards. The figure given corresponds to the full scale range of the voltmeter in the respective range.
- Connector angle: The angle of the connector is assessed measuring the angle mechanically by a tool inserted. Uncertainty is not required.
- The report provide only calibration results for DAE, it does not contain other performance test results.

Page 2 of 3



DC Voltage Measurement

A/D - Converter Re	solution nomi	nal		
High Range:	1LSB =	6 1µV.	full range =	-100+300 mV
Low Range	1LSB =	61nV .	full range =	-1+3mV
DASY measurement	nt parameters	Auto Zero T	ime: 3 sec; Meas	suring time: 3 sec

Calibration Factors	x	Y	z
High Range	404.058 ± 0.15% (k=2)	404.060 ± 0.15% (k=2)	403.954 ± 0.15% (k=2)
Low Range	3.99002 ± 0.7% (k=2)	3.99910 ± 0 7% (k=2)	3 98303 ± 0.7% (k=2)

Connector Angle

Connector Angle to be used in DASY system	119° ± 1 °
---	------------


Page 3 of 3

ANNEX G: The EUT Appearances and Test Configuration



Picture 1: Constituents of EUT

Report No. RXA1403-0053HAC



Picture 2: Test Setup