



**FCC PART 15C  
TEST REPORT  
No. I14Z45433-GTE03**

for

**TCT Mobile Limited**

**HSUPA/HSDPA/UMTS dual-band / GSM quadband mobile phone**

**Model Name: 4019M**

**FCC ID: RAD443**

with

**Hardware Version: PIO**

**Software Version: v121-C**

**Issued Date: 2014-05-09**



***DAR accreditation (DIN EN ISO/IEC 17025): No. D-PL-12123-01-01***

***FCC 2.948 Listed: No.733176***

***IC O.A.T.S listed: No.6629B-1***

**Note:**

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

**Test Laboratory:**

TMC Beijing, Telecommunication Metrology Center of Ministry of Industry and Information Technology

Shouxiang Science Building, No 51, Xueyuan Road, Haidian District, Beijing, P.R.China 100191

Tel:+86(0)10-62304633, Fax:+86(0)10-62304633-2504 Email:welcme@emcite.com. www.emcite.com

## **CONTENTS**

<b>1. TEST LABORATORY .....</b>	<b>3</b>
1.1. TESTING LOCATION .....	3
1.2. TESTING ENVIRONMENT.....	3
1.3. PROJECT DATA .....	3
1.4. SIGNATURE.....	3
<b>2. CLIENT INFORMATION.....</b>	<b>4</b>
2.1. APPLICANT INFORMATION.....	4
<b>2.2. MANUFACTURER INFORMATION.....</b>	<b>4</b>
<b>3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE) .....</b>	<b>5</b>
3.1. ABOUT EUT .....	5
3.2. INTERNAL IDENTIFICATION OF EUT USED DURING THE TEST .....	5
3.3. INTERNAL IDENTIFICATION OF AE USED DURING THE TEST.....	5
3.4. NORMAL ACCESSORY SETTING.....	6
3.5. GENERAL DESCRIPTION.....	6
<b>4. REFERENCE DOCUMENTS.....</b>	<b>7</b>
4.1. DOCUMENTS SUPPLIED BY APPLICANT .....	7
4.2. REFERENCE DOCUMENTS FOR TESTING.....	7
<b>5. LABORATORY ENVIRONMENT.....</b>	<b>8</b>
<b>6. SUMMARY OF TEST RESULTS .....</b>	<b>9</b>
6.1. SUMMARY OF TEST RESULTS.....	9
6.2. STATEMENTS.....	9
<b>7. TEST EQUIPMENTS UTILIZED.....</b>	<b>10</b>
<b>ANNEX A: MEASUREMENT RESULTS.....</b>	<b>11</b>
A.1. MEASUREMENT METHOD .....	11
A.2. PEAK OUTPUT POWER - CONDUCTED .....	12
A.3. FREQUENCY BAND EDGES - CONDUCTED.....	13
A.4. CONDUCTED EMISSION.....	20
A.5. RADIATED EMISSION.....	44
A.6. TIME OF OCCUPANCY (DWELL TIME) .....	63
A.7. 20dB BANDWIDTH.....	73
A.8. CARRIER FREQUENCY SEPARATION .....	78
A.9. NUMBER OF HOPPING CHANNELS.....	80
A.10. AC POWERLINE CONDUCTED EMISSION.....	84

## 1. Test Laboratory

### 1.1. Testing Location

Company Name: TMC Beijing, Telecommunication Metrology Center of MIIT  
Address: Shouxiang Science Building, No 51, Xueyuan Road, Haidian District,  
Beijing, P.R.China  
Postal Code: 100191  
Telephone: 00861062304633  
Fax: 00861062304633


### 1.2. Testing Environment

Normal Temperature: 15-35°C  
Relative Humidity: 20-75%

### 1.3. Project data


Project Leader: Zi Xiaogang  
Testing Start Date: 2014-03-24  
Testing End Date: 2014-05-05

### 1.4. Signature




---

**Zi Xiaogang**  
**(Prepared this test report)**



---

**Sun Xiangqian**  
**(Reviewed this test report)**



---

**Lu Bingsong**  
**Deputy Director of the laboratory**  
**(Approved this test report)**

## **2. Client Information**

### **2.1. Applicant Information**

Company Name: TCT Mobile Limited#  
Address /Post: 5F, C building, No. 232, Liang Jing Road ZhangJiang High-Tech Park,  
Pudong Area Shanghai, P.R. China.  
City: Shanghai  
Postal Code: 201203  
Country: China  
Contact Person: Gong Zhizhou  
Contact Email zhizhou.gong@jrdcom.com  
Telephone: 0086-21-61460890  
Fax: 0086-21-61460602

### **2.2. Manufacturer Information**

Company Name: TCT Mobile Limited#  
Address /Post: 5F, C building, No. 232, Liang Jing Road ZhangJiang High-Tech Park,  
Pudong Area Shanghai, P.R. China.  
City: Shanghai  
Postal Code: 201203  
Country: China  
Telephone: 0086-21-61460890  
Fax: 0086-21-61460602

### 3. Equipment Under Test (EUT) and Ancillary Equipment (AE)

#### 3.1. About EUT

Description	HSUPA/HSDPA/UMTS dual-band / GSM quadband mobile phone
Model Name	4019M
Marketing Name	/
FCC ID	RAD443
Frequency Band	ISM 2400MHz~2483.5MHz
Type of Modulation	GFSK/π/4 DQPSK/8DPSK
Number of Channels	79
Power Supply	3.8V DC by Battery

The EUT is a variant model of 4019A. All the result is coming from the 4019A.

#### 3.2. Internal Identification of EUT used during the test

EUT ID*	SN or IMEI	HW Version	SW Version
UT01a	014007000000132	PIO	v121-C

\*EUT ID: is used to identify the test sample in the lab internally.

#### 3.3. Internal Identification of AE used during the test

AE ID*	Description	SN	Remarks
AE1	Battery	B222150169A	/
AE2	Battery	B111248CCEA	/
AE3	Travel charger	/	/
AE4	Travel charger	/	/
AE5	USB cable	/	/
AE6	USB cable	/	/
AE1/AE2			
	Model	CAB31P0000C1	
	Manufacturer	BYD	
	Capacitance	1300 mAh	
	Nominal voltage	3.7 V	
AE3			
	Model	CBA3007AG0C1	
	Manufacturer	BYD	
	Length of cable	/	
AE4			
	Model	CBA3007AG0C3	
	Manufacturer	Yingju	
	Length of cable	/	
AE5			
	Model	CDA3122002C2	
	Manufacturer	Shenghua	

Length of cable	97 cm
AE6	
Model	CDA3122002C1
Manufacturer	Juwei
Length of cable	101 cm

\*AE ID: is used to identify the test sample in the lab internally.

### **3.4. Normal Accessory setting**

Fully charged battery should be used during the test.

### **3.5. General Description**

The Equipment Under Test (EUT) is a model of HSUPA/HSDPA/UMTS dual-band / GSM quadband mobile phone with integrated antenna. Manual and specifications of the EUT were provided to fulfil the test.

## 4. Reference Documents

### 4.1. Documents supplied by applicant

EUT feature information is supplied by the applicant or manufacturer, which is the basis of testing.

### 4.2. Reference Documents for testing

The following documents listed in this section are referred for testing.

	FCC CFR 47, Part 15, Subpart C:	
	15.205 Restricted bands of operation;	
FCC Part15	15.209 Radiated emission limits, general requirements;	10-1-13
	15.247 Operation within the bands 902–928MHz, 2400–2483.5 MHz, and 5725–5850 MHz.	
ANSI C63.10	American National Standard for Testing Unlicensed Wireless Devices	2009
FCC Part 2	Frequency Allocations and Radio Treaty Matters; General Rules and Regulations	10–1–13

## 5. LABORATORY ENVIRONMENT

**Control room / conducted chamber** did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. =20 %, Max. = 80 %
Shielding effectiveness	> 110 dB
Electrical insulation	> 2 MΩ
Ground system resistance	< 0.5 Ω

**Fully-anechoic chamber 2** (8.6 meters X 6.1 meters X 3.85 meters) did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 35 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Electrical insulation	> 2 MΩ
Ground system resistance	< 1 Ω
Site voltage standing-wave ratio ( $S_{VSWR}$ )	Between 0 and 6 dB, from 1GHz to 18GHz
Uniformity of field strength	Between 0 and 6 dB, from 80 to 4000 MHz

**Semi-anechoic chamber 2 / Fully-anechoic chamber 3** (10 meters X 6.7 meters X 6.15 meters) did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 35 %, Max. = 60 %
Shielding effectiveness	> 100 dB
Electrical insulation	> 2 MΩ
Ground system resistance	< 0.5 Ω
Normalised site attenuation (NSA)	< ±3.5 dB, 3 m distance
Site voltage standing-wave ratio ( $S_{VSWR}$ )	Between 0 and 6 dB, from 1GHz to 18GHz
Uniformity of field strength	Between 0 and 6 dB, from 80 to 3000 MHz



## 6. SUMMARY OF TEST RESULTS

### 6.1. Summary of Test Results

Abbreviations used in this clause:

- P** Pass, The EUT complies with the essential requirements in the standard.
- F** Fail, The EUT does not comply with the essential requirements in the standard
- NA** Not Applicable, The test was not applicable
- NP** Not Performed, The test was not performed by TMC

SUMMARY OF MEASUREMENT RESULTS	Sub-clause	Verdict
Peak Output Power - Conducted	15.247 (b)(1)	<b>P</b>
Frequency Band Edges	15.247 (d)	<b>P</b>
Conducted Emission	15.247 (d)	<b>P</b>
Radiated Emission	15.247, 15.205, 15.209	<b>P</b>
Time of Occupancy (Dwell Time)	15.247 (a) (1)(iii)	<b>P</b>
20dB Bandwidth	15.247 (a)(1)	<b>NA</b>
Carrier Frequency Separation	15.247 (a)(1)	<b>P</b>
Number of hopping channels	15.247 (a)(b)(iii)	<b>P</b>
AC Powerline Conducted Emission	15.107, 15.207	<b>P</b>

Please refer to **ANNEX A** for detail.

The measurement is made according to ANSI C63.10.

### 6.2. Statements

TMC has evaluated the test cases requested by the applicant /manufacturer as listed in section 6.1 of this report for the EUT specified in section 3 according to the standards or reference documents listed in section 4.2

## 7. Test Equipments Utilized

### Conducted test system

No.	Equipment	Model	Serial Number	Manufacturer	Calibration Due date
1	Vector Signal Analyzer	FSU26	200030	Rohde & Schwarz	2014-06-12
2	Bluetooth Tester	CBT32	100649	Rohde & Schwarz	2015-02-09

### Radiated emission test system

No.	Equipment	Model	Serial Number	Manufacturer	Calibration Due date
1	Test Receiver	ESU26	100376	Rohde & Schwarz	2014-11-05
2	EMI Antenna	VULB 9163	9163 175	Schwarzbeck	2014-07-13
3	EMI Antenna	3117	00139065	ETS-Lindgren	2014-07-31
4	Dual-Ridge Waveguide Horn Antenna	3116	2663	ETS-Lindgren	2014-06-30
5	Dual-Ridge Waveguide Horn Antenna	3116	2661	ETS-Lindgren	2014-06-30
6	Bluetooth Tester	CBT	100153	Rohde & Schwarz	2014-09-15
7	LISN	NV216	101200	R&S	2014-07-11
8	Loop Antenna	HFH2-Z2	829324/007	Rohde & Schwarz	2014-12-12
9	Pre-amplifier(18GHz)	SCU18	1005277	Rohde & Schwarz	/
10	Pre-amplifier(26.5GHz)	SCU26	1006788	Rohde & Schwarz	/

### **Anechoic chamber**

Fully anechoic chamber by Frankonia German.


## ANNEX A: MEASUREMENT RESULTS

### A.1. Measurement Method

#### A.1.1. Conducted Measurements

The measurement is made according to ANSI C63.10.

- 1). Connect the EUT to the test system correctly.
- 2). Set the EUT to the required work mode (Transmitter, receiver or transmitter & receiver).
- 3). Set the EUT to the required channel.
- 4). Set the EUT hopping mode (hopping or hopping off).
- 5). Set the spectrum analyzer to start measurement.
- 6). Record the values. Vector Signal Analyzer



#### A.1.2. Radiated Emission Measurements


The measurement is made according to ANSI C63.10

The radiated emission test is performed in semi-anechoic chamber. The distance from the EUT to the reference point of measurement antenna is 3m. The test is carried out on both vertical and horizontal polarization and only maximization result of both polarizations is kept. During the test, the turntable is rotated 360° and the measurement antenna is moved from 1m to 4m to get the maximization result.

In the case of radiated emission, the used settings are as follows,

Sweep frequency from 30 MHz to 1GHz, RBW = 100 kHz, VBW = 300 kHz;

Sweep frequency from 1 GHz to 26GHz, RBW = 1MHz, VBW = 1MHz;



## A.2. Peak Output Power - Conducted

### Measurement Limit:

Standard	Limit (dBm)
FCC Part 15.247(b)(1)	< 30

The measurement is made according to ANSI C63.10.

### Test Condition

Hopping Mode	RBW	VBW	Span	Sweeptime
Hopping OFF	3MHz	3MHz	5MHz	2.5ms

### Measurement Results:

#### For GFSK

Channel	Ch 0 2402 MHz	Ch 39 2441 MHz	Ch 78 2480 MHz	Conclusion
Peak Conducted Output Power (dBm)	2.95	3.35	3.28	P

#### For $\pi/4$ DQPSK

Channel	Ch 0 2402 MHz	Ch 39 2441 MHz	Ch 78 2480 MHz	Conclusion
Peak Conducted Output Power (dBm)	3.03	3.36	3.31	P

#### For 8DPSK

Channel	Ch 0 2402 MHz	Ch 39 2441 MHz	Ch 78 2480 MHz	Conclusion
Peak Conducted Output Power (dBm)	3.39	3.73	3.67	P

**Conclusion: PASS**

### A.3. Frequency Band Edges - Conducted

#### Measurement Limit:

Standard	Limit (dBc)
FCC 47 CFR Part 15.247 (d)	> 20

The measurement is made according to ANSI C63.10.

#### Measurement Result:

##### For GFSK

Channel	Hopping	Band Edge Power ( dBc)		Conclusion
0	Hopping OFF	Fig.1	-56.71	P
	Hopping ON	Fig.2	-54.96	P
78	Hopping OFF	Fig.3	-60.88	P
	Hopping ON	Fig.4	-57.73	P

##### For $\pi/4$ DQPSK


Channel	Hopping	Band Edge Power ( dBc)		Conclusion
0	Hopping OFF	Fig.5	-55.01	P
	Hopping ON	Fig.6	-52.69	P
78	Hopping OFF	Fig.7	-59.54	P
	Hopping ON	Fig.8	-56.19	P

##### For 8DPSK

Channel	Hopping	Band Edge Power ( dBc)		Conclusion
0	Hopping OFF	Fig.9	-55.37	P
	Hopping ON	Fig.10	-53.70	P
78	Hopping OFF	Fig.11	-60.60	P
	Hopping ON	Fig.12	-55.72	P


**Conclusion: PASS**

Test graphs as below




Date: 18.APR.2014 16:59:44

Fig.1. Frequency Band Edges: GFSK, Channel 0, Hopping Off




Date: 18.APR.2014 17:02:04

Fig.2. Frequency Band Edges: GFSK, Channel 0, Hopping On




Date: 18.APR.2014 17:00:01

Fig.3. Frequency Band Edges: GFSK, Channel 78, Hopping Off




Date: 18.APR.2014 17:04:06

Fig.4. Frequency Band Edges: GFSK, Channel 78, Hopping On



Date: 18.APR.2014 17:21:09


Fig.5. Frequency Band Edges:  $\pi/4$  DQPSK, Channel 0, Hopping Off



Date: 18.APR.2014 17:23:29


Fig.6. Frequency Band Edges:  $\pi/4$  DQPSK, Channel 0, Hopping On






Date: 18.APR.2014 17:21:26

Fig.7. Frequency Band Edges:  $\pi/4$  DQPSK, Channel 78, Hopping Off




Date: 18.APR.2014 17:25:31

Fig.8. Frequency Band Edges:  $\pi/4$  DQPSK, Channel 78, Hopping On




Date: 18.APR.2014 17:42:35

Fig.9. Frequency Band Edges: 8DPSK, Channel 0, Hopping Off




Date: 18.APR.2014 17:44:54

Fig.10. Frequency Band Edges: 8DPSK, Channel 0, Hopping On



Date: 18.APR.2014 17:42:52

Fig.11. Frequency Band Edges: 8DPSK, Channel 78, Hopping Off



Date: 18.APR.2014 17:46:57

Fig.12. Frequency Band Edges: 8DPSK, Channel 78, Hopping On

#### A.4. Conducted Emission

##### Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247 (d)	20dB below peak output power in 100 kHz bandwidth

The measurement is made according to ANSI C63.10

##### Measurement Results:

###### For GFSK

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	Center Frequency	Fig.13	P
	30 MHz ~ 1 GHz	Fig.14	P
	1 GHz ~ 3 GHz	Fig.15	P
	3 GHz ~ 10 GHz	Fig.16	P
	10 GHz ~ 26 GHz	Fig.17	P
Ch 39 2441 MHz	Center Frequency	Fig.18	P
	30 MHz ~ 1 GHz	Fig.19	P
	1 GHz ~ 3 GHz	Fig.20	P
	3 GHz ~ 10 GHz	Fig.21	P
	10 GHz ~ 26 GHz	Fig.22	P
Ch 78 2480 MHz	Center Frequency	Fig.23	P
	30 MHz ~ 1 GHz	Fig.24	P
	1 GHz ~ 3 GHz	Fig.25	P
	3 GHz ~ 10 GHz	Fig.26	P
	10 GHz ~ 26 GHz	Fig.27	P

###### For $\pi/4$ DQPSK

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	Center Frequency	Fig.28	P
	30 MHz ~ 1 GHz	Fig.29	P
	1 GHz ~ 3 GHz	Fig.30	P
	3 GHz ~ 10 GHz	Fig.31	P
	10 GHz ~ 26 GHz	Fig.32	P
Ch 39 2441 MHz	Center Frequency	Fig.33	P
	30 MHz ~ 1 GHz	Fig.34	P
	1 GHz ~ 3 GHz	Fig.35	P
	3 GHz ~ 10 GHz	Fig.36	P
	10 GHz ~ 26 GHz	Fig.37	P
Ch 78 2480 MHz	Center Frequency	Fig.38	P
	30 MHz ~ 1 GHz	Fig.39	P


	1 GHz ~ 3 GHz	Fig.40	P
	3 GHz ~ 10 GHz	Fig.41	P
	10 GHz ~ 26 GHz	Fig.42	P

**For 8DPSK**

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	Center Frequency	Fig.43	P
	30 MHz ~ 1 GHz	Fig.44	P
	1 GHz ~ 3 GHz	Fig.45	P
	3 GHz ~ 10 GHz	Fig.46	P
	10 GHz ~ 26 GHz	Fig.47	P
Ch 39 2441 MHz	Center Frequency	Fig.48	P
	30 MHz ~ 1 GHz	Fig.49	P
	1 GHz ~ 3 GHz	Fig.50	P
	3 GHz ~ 10 GHz	Fig.51	P
	10 GHz ~ 26 GHz	Fig.52	P
Ch 78 2480 MHz	Center Frequency	Fig.53	P
	30 MHz ~ 1 GHz	Fig.54	P
	1 GHz ~ 3 GHz	Fig.55	P
	3 GHz ~ 10 GHz	Fig.56	P
	10 GHz ~ 26 GHz	Fig.57	P


**Conclusion: PASS**

**Test graphs as below**




Date: 18.APR.2014 17:04:25

Fig.13. Conducted spurious emission: GFSK, Channel 0,2402MHz




Date: 18.APR.2014 17:04:41

Fig.14. Conducted spurious emission: GFSK, Channel 0, 30MHz - 1GHz




Date: 18.APR.2014 17:05:13

Fig.15. Conducted spurious emission: GFSK, Channel 0, 1GHz - 3GHz




Date: 18.APR.2014 17:05:30

Fig.16. Conducted spurious emission: GFSK, Channel 0, 3GHz - 10GHz




Date: 18.APR.2014 17:05:46

Fig.17. Conducted spurious emission: GFSK, Channel 0, 10GHz - 26GHz



Date: 18.APR.2014 17:06:03


Fig.18. Conducted spurious emission: GFSK, Channel 39, 2441MHz



Date: 18.APR.2014 17:06:20


Fig.19. Conducted spurious emission: GFSK, Channel 39, 30MHz - 1GHz






Date: 18.APR.2014 17:06:51

Fig.20. Conducted spurious emission: GFSK, Channel 39, 1GHz – 3GHz




Date: 18.APR.2014 17:07:08

Fig.21. Conducted spurious emission: GFSK, Channel 39, 3GHz – 10GHz




Date: 18.APR.2014 17:07:24

Fig.22. Conducted spurious emission: GFSK, Channel 39, 10GHz – 26GHz




Date: 18.APR.2014 17:07:41

Fig.23. Conducted spurious emission: GFSK, Channel 78, 2480MHz




Date: 18.APR.2014 17:07:58

Fig.24. Conducted spurious emission: GFSK, Channel 78, 30MHz - 1GHz




Date: 18.APR.2014 17:08:29

Fig.25. Conducted spurious emission: GFSK, Channel 78, 1GHz - 3GHz




Date: 18.APR.2014 17:08:46

Fig.26. Conducted spurious emission: GFSK, Channel 78, 3GHz - 10GHz




Date: 18.APR.2014 17:09:02

Fig.27. Conducted spurious emission: GFSK, Channel 78, 10GHz - 26GHz




Date: 18.APR.2014 17:25:50

Fig.28. Conducted spurious emission:  $\pi/4$  DQPSK, Channel 0,2402MHz




Date: 18.APR.2014 17:26:06

Fig.29. Conducted spurious emission:  $\pi/4$  DQPSK, Channel 0, 30MHz - 1GHz




Date: 18.APR.2014 17:26:38

Fig.30. Conducted spurious emission:  $\pi/4$  DQPSK, Channel 0, 1GHz - 3GHz




Date: 18.APR.2014 17:26:54

Fig.31. Conducted spurious emission:  $\pi/4$  DQPSK, Channel 0, 3GHz - 10GHz




Date: 18.APR.2014 17:27:11

Fig.32. Conducted spurious emission:  $\pi/4$  DQPSK, Channel 0, 10GHz - 26GHz




Date: 18.APR.2014 17:27:28

Fig.33. Conducted spurious emission:  $\pi/4$  DQPSK, Channel 39, 2441MHz



Date: 18.APR.2014 17:27:44


Fig.34. Conducted spurious emission:  $\pi/4$  DQPSK, Channel 39, 30MHz - 1GHz



Date: 18.APR.2014 17:28:16


Fig.35. Conducted spurious emission:  $\pi/4$  DQPSK, Channel 39, 1GHz - 3GHz






Date: 18.APR.2014 17:28:33

Fig.36. Conducted spurious emission:  $\pi/4$  DQPSK, Channel 39, 3GHz - 10GHz




Date: 18.APR.2014 17:28:49

Fig.37. Conducted spurious emission:  $\pi/4$  DQPSK, Channel 39, 10GHz – 26GHz




Date: 18.APR.2014 17:29:06

Fig.38. Conducted spurious emission:  $\pi/4$  DQPSK, Channel 78, 2480MHz




Date: 18.APR.2014 17:29:22

Fig.39. Conducted spurious emission:  $\pi/4$  DQPSK, Channel 78, 30MHz - 1GHz




Date: 18.APR.2014 17:29:54

Fig.40. Conducted spurious emission:  $\pi/4$  DQPSK, Channel 78, 1GHz - 3GHz




Date: 18.APR.2014 17:30:11

Fig.41. Conducted spurious emission:  $\pi/4$  DQPSK, Channel 78, 3GHz - 10GHz




Date: 18.APR.2014 17:30:27

Fig.42. Fig.30 Conducted spurious emission:  $\pi/4$  DQPSK, Channel 78, 10GHz - 26GHz




Date: 18.APR.2014 17:47:16

Fig.43. Conducted spurious emission: 8DPSK, Channel 0,2402MHz




Date: 18.APR.2014 17:47:32

Fig.44. Conducted spurious emission: 8DPSK, Channel 0, 30MHz - 1GHz




Date: 18.APR.2014 17:48:04

Fig.45. Conducted spurious emission: 8DPSK, Channel 0, 1GHz - 3GHz




Date: 18.APR.2014 17:48:20

Fig.46. Conducted spurious emission: 8DPSK, Channel 0, 3GHz - 10GHz




Date: 18.APR.2014 17:48:37

Fig.47. Conducted spurious emission: 8DPSK, Channel 0, 10GHz - 26GHz




Date: 18.APR.2014 17:48:54

Fig.48. Conducted spurious emission: 8DPSK, Channel 39, 2441MHz




Date: 18.APR.2014 17:49:10

Fig.49. Conducted spurious emission: 8DPSK, Channel 39, 30MHz - 1GHz



Date: 18.APR.2014 17:49:42


Fig.50. Conducted spurious emission: 8DPSK, Channel 39, 1GHz - 3GHz



Date: 18.APR.2014 17:49:59


Fig.51. Conducted spurious emission: 8DPSK, Channel 39, 3GHz - 10GHz






Date: 18.APR.2014 17:50:15

Fig.52. Conducted spurious emission: 8DPSK, Channel 39, 10GHz – 26GHz




Date: 18.APR.2014 17:50:32

Fig.53. Conducted spurious emission: 8DPSK, Channel 78, 2480MHz




Date: 18.APR.2014 17:50:48

Fig.54. Conducted spurious emission: 8DPSK, Channel 78, 30MHz - 1GHz




Date: 18.APR.2014 17:51:20

Fig.55. Conducted spurious emission: 8DPSK, Channel 78, 1GHz - 3GHz



Date: 18.APR.2014 17:51:36

Fig.56. Conducted spurious emission: 8DPSK, Channel 78, 3GHz - 10GHz



Date: 18.APR.2014 17:51:53

Fig.57. Conducted spurious emission: 8DPSK, Channel 78, 10GHz - 26GHz

### A.5. Radiated Emission

#### Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247, 15.205, 15.209	20dB below peak output power

In addition, radiated emissions which fall in the restricted bands, as defined in § 15.205(a), must also comply with the radiated emission limits specified in § 15.209(a) (see § 15.205(c)).

The measurement is made according to ANSI C63.10

#### Limit in restricted band:

Frequency of emission (MHz)	Field strength(uV/m)	Field strength(dBuV/m)
30-88	100	40
88-216	150	43.5
216-960	200	46
Above 960	500	54

#### Test Condition

The EUT was placed on a non-conductive table. The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

Frequency of emission (MHz)	RBW/VBW	Sweep Time(s)
30-1000	100KHz/300KHz	5
1000-4000	1MHz/1MHz	15
4000-18000	1MHz/1MHz	40
18000-26500	1MHz/1MHz	20

#### Measurement Results:

$$\text{Result} = P_{\text{Mea}} + \text{ARPL}$$

#### For GFSK

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	1 GHz ~ 3 GHz	Fig.58	P
	3 GHz ~ 18 GHz	Fig.59	P
Ch 39 2441 MHz	30 MHz ~ 1 GHz	Fig.60	P
	1 GHz ~ 3 GHz	Fig.61	P
	3 GHz ~ 18 GHz	Fig.62	P
Ch 78 2480 MHz	1 GHz ~ 3 GHz	Fig.63	P
	3 GHz ~ 18 GHz	Fig.64	P
Power	2.38GHz~2.4GHz---L	Fig.65	P
Power	2.45GHz~2.5GHz---H	Fig.66	P

For all channels	18 GHz ~ 26 GHz	Fig.67	P
------------------	-----------------	--------	---

**Forπ/4 DQPSK**

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	1 GHz ~ 3 GHz	Fig.68	P
	3 GHz ~ 18 GHz	Fig.69	P
Ch 39 2441 MHz	30 MHz ~ 1 GHz	Fig.70	P
	1 GHz ~ 3 GHz	Fig.71	P
	3 GHz ~ 18 GHz	Fig.72	P
Ch 78 2480 MHz	1 GHz ~ 3 GHz	Fig.73	P
	3 GHz ~ 18 GHz	Fig.74	P
Power	2.38GHz~2.4GHz---L	Fig.75	P
Power	2.45GHz~2.5GHz---H	Fig.76	P
For all channels	18 GHz ~ 26 GHz	Fig.77	P

**For 8DPSK**

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	1 GHz ~ 3 GHz	Fig.78	P
	3 GHz ~ 18 GHz	Fig.79	P
Ch 39 2441 MHz	30 MHz ~ 1 GHz	Fig.80	P
	1 GHz ~ 3 GHz	Fig.81	P
	3 GHz ~ 18 GHz	Fig.82	P
Ch 78 2480 MHz	1 GHz ~ 3 GHz	Fig.83	P
	3 GHz ~ 18 GHz	Fig.84	P
Power	2.38GHz~2.4GHz---L	Fig.85	P
Power	2.45GHz~2.5GHz---H	Fig.86	P
For all channels	18 GHz ~ 26 GHz	Fig.87	P

**GFSK Ch 0 - Average**

Frequency(MHz)	Result(dBuv/m)	ARPL (dB)	PMea(dBuv/m)	Polarization
2390.000	33.3	-11.1	44.4	V
17682.000	43.8	26.7	17.1	H
17712.000	43.7	26.7	17.0	V
17679.000	43.6	26.7	16.9	H
17982.000	43.6	27.9	15.7	V
17706.000	43.5	26.7	16.8	V

**GFSK Ch 39 - Average**

Frequency(MHz)	Result(dBuv/m)	ARPL (dB)	Pmea(dBuv/m)	Polarization
17982.000	43.8	27.9	15.900	H
17682.000	43.8	26.7	17.100	V
17986.500	43.6	27.9	15.700	V
17680.500	43.6	26.7	16.900	H
17985.000	43.6	27.9	15.700	V

17979.000	43.6	27.9	15.700	V
-----------	------	------	--------	---

**GFSK Ch 78 - Average**

Frequency(MHz)	Result(dBuv/m)	ARPL (dB)	Pmea(dBuv/m)	Polarization
2483.500	39.7	-11.2	50.9	V
17715.000	43.7	26.7	17.0	H
17976.000	43.7	27.9	15.8	H
17986.500	43.6	27.9	15.7	H
17982.000	43.5	27.9	15.6	V
17979.000	43.5	27.9	15.6	V

**$\pi/4$  DQPSK Ch 0 - Average**

Frequency(MHz)	Result(dBuv/m)	ARPL (dB)	Pmea(dBuv/m)	Polarization
2390.000	33.1	-11.1	44.2	V
17982.000	43.8	27.9	15.9	H
17679.000	43.7	26.7	17.0	V
17983.500	43.6	27.9	15.7	V
17680.500	43.5	26.7	16.8	H
17949.000	43.5	27.9	15.6	H

**$\pi/4$  DQPSK Ch 39 - Average**

Frequency(MHz)	Result(dBuv/m)	ARPL (dB)	Pmea(dBuv/m)	Polarization
17986.500	43.6	27.9	15.7	V
17679.000	43.6	26.7	16.9	V
17676.000	43.6	26.7	16.9	H
17943.000	43.5	27.9	15.6	V
17977.500	43.5	27.9	15.6	V
17982.000	43.5	27.9	15.6	H

**$\pi/4$  DQPSK Ch 78 - Average**

Frequency(MHz)	Result(dBuv/m)	ARPL (dB)	Pmea(dBuv/m)	Polarization
2483.500	37.0	-11.2	48.2	V
17983.500	43.8	27.9	15.9	H
17982.000	43.8	27.9	15.9	V
17679.000	43.7	26.7	17.0	V
17677.500	43.5	26.7	16.8	H
17947.500	43.5	27.9	15.6	H

**8DPSK Ch 0 - Average**

Frequency(MHz)	Result(dBuv/m)	ARPL (dB)	Pmea(dBuv/m)	Polarization
2390.000	33.4	-11.1	44.5	V
17949.000	43.6	27.9	15.7	H
17986.500	43.6	27.9	15.7	H

17716.500	43.5	26.7	16.8	V
17982.000	43.5	27.9	15.6	V
17979.000	43.4	27.9	15.5	H

**8DPSK Ch 39 - Average**

Frequency(MHz)	Result(dBuv/m)	ARPL (dB)	Pmea(dBuv/m)	Polarization
17949.000	43.6	27.9	15.7	H
17986.500	43.6	27.9	15.7	H
17716.500	43.5	26.7	16.8	V
17982.000	43.5	27.9	15.6	V
17979.000	43.4	27.9	15.5	V
17946.000	43.4	27.9	15.5	H

**8DPSK Ch 78 - Average**

Frequency(MHz)	Result(dBuv/m)	ARPL (dB)	Pmea(dBuv/m)	Polarization
2483.500	35.7	-11.2	46.9	V
17982.000	43.7	27.9	15.8	H
17979.000	43.6	27.9	15.7	V
17682.000	43.6	26.7	16.9	V
17715.000	43.4	26.7	16.7	H
17709.000	43.4	26.7	16.7	V

**Conclusion: PASS**

Test graphs as below:




Fig.58. Radiated emission: GFSK, Channel 0, 1 GHz - 3 GHz




Fig.59. Radiated emission: GFSK, Channel 0, 3 GHz - 18 GHz




Fig.60. Radiated emission: GFSK, Channel 39, 30 MHz - 1 GHz






Fig.61. Radiated emission: GFSK, Channel 39, 1 GHz - 3 GHz




Fig.62. Radiated emission: GFSK, Channel 39, 3 GHz - 18 GHz




Fig.63. Radiated emission: GFSK, Channel 78, 1 GHz - 3 GHz




Fig.64. Radiated emission: GFSK, Channel 78, 3 GHz - 18 GHz

RE-BT-Power\_2.38G-2.43GHz




Fig.65. Radiated emission (Power): GFSK, low channel

RE-BT-Power\_2.45G-2.5GHz




Fig.66. Radiated emission (Power) GFSK, high channel

Normal RE\_18G-26.5GHz




Fig.67. Radiated emission: GFSK, 18 GHz - 26 GHz

RE\_BT\_1G-3GHz




Fig.68. Radiated emission:  $\pi/4$  DQPSK, Channel 0, 1 GHz - 3 GHz




Fig.69. Radiated emission:  $\pi/4$  DQPSK, Channel 0, 3 GHz - 18 GHz




Fig.70. Radiated emission:  $\pi/4$  DQPSK, Channel 39, 30 MHz - 1 GHz




Fig.71. Radiated emission:  $\pi/4$  DQPSK, Channel 39, 1 GHz - 3 GHz




Fig.72. Radiated emission:  $\pi/4$  DQPSK, Channel 39, 3 GHz - 18 GHz




Fig.73. Radiated emission:  $\pi/4$  DQPSK, Channel 78, 1 GHz - 3 GHz




Fig.74. Radiated emission:  $\pi/4$  DQPSK, Channel 78, 3 GHz - 18 GHz




Fig.75. Radiated emission (Power):  $\pi/4$  DQPSK, low channel




Fig.76. Radiated emission (Power):  $\pi/4$  DQPSK, high channel



Normal RE\_18G-26.5GHz




Fig.77. Radiated emission:  $\pi/4$  DQPSK, 18 GHz - 26 GHz

RE\_BT\_1G-3GHz




Fig.78. Radiated emission: 8DPSK, Channel 0, 1 GHz - 3 GHz




Fig.79. Radiated emission: 8DPSK, Channel 0, 3 GHz - 18 GHz




Fig.80. Radiated emission: 8DPSK, Channel 39, 30 MHz - 1 GHz




Fig.81. Radiated emission: 8DPSK, Channel 39, 1 GHz - 3 GHz




Fig.82. Radiated emission: 8DPSK, Channel 39, 3 GHz - 18 GHz




Fig.83. Radiated emission: 8DPSK, Channel 78, 1 GHz - 3 GHz




Fig.84. Radiated emission: 8DPSK, Channel 78, 3 GHz - 18 GHz

RE-BT-Power\_2.38G-2.43GHz




Fig.85. Radiated emission (Power): 8DPSK, low channel

RE-BT-Power\_2.45G-2.5GHz




Fig.86. Radiated emission (Power): 8DPSK, high channel

Normal RE\_18G-26.5GHz




Fig.87. Radiated emission: 8DPSK, 18 GHz - 26 GHz

### A.6. Time of Occupancy (Dwell Time)

**Measurement Limit:**

Standard	Limit (ms)
FCC 47 CFR Part 15.247(a) (1)(iii)	< 400

The measurement is made according to ANSI C63.10

**Measurement Result:**

**For GFSK**

Channel	Packet	Dwell Time (ms)		Conclusion
39	DH1	Fig.88	106.55	P
		Fig.89		
	DH3	Fig.90	163.35	P
		Fig.91		
	DH5	Fig.92	189.06	P
		Fig.93		

**For  $\pi/4$  DQPSK**


Channel	Packet	Dwell Time (ms)		Conclusion
39	DH1	Fig.94	114.66	P
		Fig.95		
	DH3	Fig.96	173.25	P
		Fig.97		
	DH5	Fig.98	159.98	P
		Fig.99		

**For 8DPSK**

Channel	Packet	Dwell Time (ms)		Conclusion
39	DH1	Fig.100	109.97	P
		Fig.101		
	DH3	Fig.102	181.50	P
		Fig.103		
	DH5	Fig.104	183.58	P
		Fig.105		


**Conclusion: PASS**

**Test graphs as below:**



Date: 18.APR.2014 17:10:26


Fig.88. Time of occupancy (Dwell Time): Channel 39, Packet DH1



Date: 18.APR.2014 17:10:14


Fig.89. Number of Transmissions Measurement: Channel 39, Packet DH1






Date: 18.APR.2014 17:11:43

Fig.90. Time of occupancy (Dwell Time): Channel 39, Packet DH3




Date: 18.APR.2014 17:11:31

Fig.91. Number of Transmissions Measurement: Channel 39, Packet DH3




Date: 18.APR.2014 17:13:01

Fig.92. Time of occupancy (Dwell Time): Channel 39, Packet DH5




Date: 18.APR.2014 17:12:49

Fig.93. Number of Transmissions Measurement: Channel 39, Packet DH5




Date: 18.APR.2014 17:31:50

Fig.94. Time of occupancy (Dwell Time): Channel 39, Packet 2-DH1




Date: 18.APR.2014 17:31:38

Fig.95. Number of Transmissions Measurement: Channel 39, Packet 2-DH1




Date: 18.APR.2014 17:33:10

Fig.96. Time of occupancy (Dwell Time): Channel 39, Packet 2-DH3




Date: 18.APR.2014 17:32:58

Fig.97. Number of Transmissions Measurement:Channel 39,Packet 2-DH3




Date: 18.APR.2014 17:34:27

Fig.98. Time of occupancy (Dwell Time): Channel 39, Packet 2-DH5




Date: 18.APR.2014 17:34:15

Fig.99. Number of Transmissions Measurement:Channel 39,Packet 2-DH5




Date: 18.APR.2014 17:53:18

Fig.100. Time of occupancy (Dwell Time): Channel 39, Packet 3-DH1




Date: 18.APR.2014 17:53:07

Fig.101. Number of Transmissions Measurement: Channel 39, Packet 3-DH1




Date: 18.APR.2014 17:54:38

Fig.102. Time of occupancy (Dwell Time): Channel 39, Packet 3-DH3




Date: 18.APR.2014 17:54:26

Fig.103. Number of Transmissions Measurement:Channel 39,Packet 3-DH3



Date: 18.APR.2014 17:55:55

Fig.104. Time of occupancy (Dwell Time): Channel 39, Packet 3-DH5



Date: 18.APR.2014 17:55:44

Fig.105. Number of Transmissions Measurement:Channel 39,Packet 3-DH5



### A.7. 20dB Bandwidth

#### Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247(a)(1)	NA *

The measurement is made according to ANSI C63.10

\* Comment: This test case is not required according to the latest FCC 47 CFR Part 15.247. But the test results are necessary for “carrier frequency separation” test case, in Annex A.8.

#### Measurement Results:

##### For GFSK

Channel	20dB Bandwidth (kHz)		Conclusion
0	Fig.106	865.38	NA
39	Fig.107	865.38	NA
78	Fig.108	865.38	NA

##### For $\pi/4$ DQPSK


Channel	20dB Bandwidth (kHz)		Conclusion
0	Fig.109	1269.23	NA
39	Fig.110	1288.46	NA
78	Fig.111	1269.23	NA

##### For 8DPSK

Channel	20dB Bandwidth (kHz)		Conclusion
0	Fig.112	1264.42	NA
39	Fig.113	1288.46	NA
78	Fig.114	1264.42	NA


**Conclusion: NA**

Test graphs as below:




Date: 18.APR.2014 17:13:35

Fig.106. 20dB Bandwidth: GFSK, Channel 0




Date: 18.APR.2014 17:14:07

Fig.107. 20dB Bandwidth: GFSK, Channel 39




Date: 18.APR.2014 17:14:38

Fig.108. 20dB Bandwidth: GFSK, Channel 78




Date: 18.APR.2014 17:35:01

Fig.109. 20dB Bandwidth:  $\pi/4$  DQPSK, Channel 0




Date: 18.APR.2014 17:35:33

Fig.110. 20dB Bandwidth:  $\pi/4$  DQPSK, Channel 39




Date: 18.APR.2014 17:36:05

Fig.111. 20dB Bandwidth:  $\pi/4$  DQPSK, Channel 78




Date: 18.APR.2014 17:56:29

Fig.112. 20dB Bandwidth: 8DPSK, Channel 0



Date: 18.APR.2014 17:57:01

Fig.113. 20dB Bandwidth: 8DPSK, Channel 39



Date: 18.APR.2014 17:57:33

Fig.114. 20dB Bandwidth: 8DPSK, Channel 78

### A.8. Carrier Frequency Separation

#### Measurement Limit:

Standard	Limit(kHz)
FCC 47 CFR Part 15.247(a)(1)	over 25 kHz or (2/3) * 20dB bandwidth

The measurement is made according to ANSI C63.10

\* Comment: This limit should be over 25 kHz or (2/3) \* 20dB bandwidth, whichever is greater.

#### Measurement Result:

##### For GFSK

Channel	Carrier frequency separation (kHz)	Conclusion
39	Fig.115	P

##### For $\pi/4$ DQPSK


Channel	Carrier frequency separation (kHz)	Conclusion
39	Fig.116	P

##### For 8DPSK

Channel	Carrier frequency separation (kHz)	Conclusion
39	Fig.117	P


**Conclusion: PASS**

Test graphs as below:




Date: 18.APR.2014 17:16:43

Fig.115. Carrier frequency separation measurement: GFSK, Channel 39



Date: 18.APR.2014 17:38:09

Fig.116. Carrier frequency separation measurement:  $\pi/4$  DQPSK, Channel 39



Date: 18.APR.2014 17:59:37

Fig.117. Carrier frequency separation measurement: 8DPSK, Channel 39

### A.9. Number of Hopping Channels

#### Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247(a) (1)(iii)	At least 15 non-overlapping channels

The measurement is made according to ANSI C63.10

#### Measurement Result:

##### For GFSK

Channel	Number of hopping channels	Conclusion
0~39	Fig.118	P
40~78	Fig.119	

##### Forπ/4 DQPSK


Channel	Number of hopping channels	Conclusion
0~39	Fig.120	P
40~78	Fig.121	

##### For 8DPSK

Channel	Number of hopping channels	Conclusion
0~39	Fig.122	P
40~78	Fig.123	

**Conclusion: PASS**


Test graphs as below:



Date: 18.APR.2014 17:18:47


Fig.118. Number of hopping frequencies: GFSK, Channel 0 - 39






Date: 18.APR.2014 17:20:49

Fig.119. Number of hopping frequencies: GFSK, Channel 40 - 78




Date: 18.APR.2014 17:40:13

Fig.120. Number of hopping frequencies:  $\pi/4$  DQPSK, Channel 0 - 39




Date: 18.APR.2014 17:42:15

Fig.121. Number of hopping frequencies:  $\pi/4$  DQPSK, Channel 40 - 78



Date: 18.APR.2014 18:01:41

Fig.122. Number of hopping frequencies: 8DPSK, Channel 0 - 39



Date: 18.APR.2014 18:03:43

Fig.123. Number of hopping frequencies: 8DPSK, Channel 40 - 78

### A.10. AC Powerline Conducted Emission

#### Test Condition

Voltage (V)	Frequency (Hz)
120	60

#### Measurement Result and limit:

##### Bluetooth (Quasi-peak Limit)

Frequency range (MHz)	Quasi-peak Limit (dB $\mu$ V)	Conclusion
0.15 to 0.5	66 to 56	P
0.5 to 5	56	
5 to 30	60	

NOTE: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.

##### Bluetooth (Average Limit)


Frequency range (MHz)	Average Limit (dB $\mu$ V)	Conclusion
0.15 to 0.5	56 to 46	P
0.5 to 5	46	
5 to 30	50	

NOTE: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.

The measurement is made according to ANSI C63.10

**Conclusion: PASS**

**Test graphs as below:**




### Final Result 1

Frequency (MHz)	QuasiPeak (dB $\mu$ V)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dB $\mu$ V)
0.159000	40.0	GND	N	9.8	25.5	65.5
0.190500	38.9	GND	N	9.8	25.1	64.0
1.216500	32.8	GND	L1	9.7	23.2	56.0
2.107500	35.6	GND	L1	9.7	20.4	56.0
2.202000	35.5	GND	L1	9.7	20.5	56.0
3.867000	33.5	GND	L1	9.7	22.5	56.0

### Final Result 2

Frequency (MHz)	Average (dB $\mu$ V)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dB $\mu$ V)
0.388500	19.2	GND	N	9.8	28.9	48.1
0.654000	20.0	GND	L1	9.8	26.0	46.0
1.198500	22.3	GND	L1	9.7	23.7	46.0
2.071500	24.5	GND	L1	9.7	21.5	46.0
3.273000	25.2	GND	L1	9.7	20.8	46.0
3.619500	24.4	GND	L1	9.7	21.6	46.0

IDLE:



### Final Result 1

Frequency (MHz)	QuasiPeak (dBμV)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dBμV)
0.159000	40.0	GND	N	9.8	25.5	65.5
0.190500	38.9	GND	N	9.8	25.1	64.0
1.216500	32.8	GND	L1	9.7	23.2	56.0
2.107500	35.6	GND	L1	9.7	20.4	56.0
2.202000	35.5	GND	L1	9.7	20.5	56.0
3.867000	33.5	GND	L1	9.7	22.5	56.0

### Final Result 2

Frequency (MHz)	Average (dBμV)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dBμV)
0.388500	19.2	GND	N	9.8	28.9	48.1
0.654000	20.0	GND	L1	9.8	26.0	46.0
1.198500	22.3	GND	L1	9.7	23.7	46.0
2.071500	24.5	GND	L1	9.7	21.5	46.0
3.273000	25.2	GND	L1	9.7	20.8	46.0
3.619500	24.4	GND	L1	9.7	21.6	46.0

\*\*\* END OF REPORT BODY \*\*\*