



The Photos of SAR test

No. I14Z47754-SEM01

For

TCT Mobile Limited

GSM Quad-band / UMTS Quad-band / LTE 6 bands mobile phone

Model name: 8030B


With

Hardware Version: BAB33S001DCX

Software Version: vE1Z

FCC ID: RAD492

Issued Date: 2014-11-07



Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

Test Laboratory:

CTTL, Telecommunication Technology Labs, Academy of Telecommunication Research, MIIT


No.52, HuayuanNorth Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2512,Fax:+86(0)10-62304633-2504


Email:cttl_terminals@catr.cn, website:www.chinattl.com




Picture 1: Constituents of the sample




Picture 2: Left Hand Touch Cheek Position




Picture 2-1: Left Hand Touch Cheek Position with Flip cover




Picture 3: Left Hand Tilt 15° Position




Picture 3-1: Left Hand Tilt 15° Position with Flip cover



Picture 4: Right Hand Touch Cheek Position




Picture 4-1: Right Hand Touch Cheek Position with Flip cover




Picture 5: Right Hand Tilt 15° Position

Test positions for body:


The Body SAR is tested at the following 6 test positions all with the distance =10mm or 15mm between the EUT and the phantom bottom:




Picture 6: Front




Picture 6-1: Front with Flip cover




Picture 7: Rear




Picture 7-1: Rear with Headset



Picture 7-2: Rear with Flip cover




Picture 8: Left Edge




Picture 9: Right Edge




Picture 10: Bottom Edge




Picture 10-1: Bottom Edge with Headset



Picture 10-2: Bottom Edge with Flip cover



Picture 11: Top Edge



Picture 11-1: Top Edge with Flip cover