


2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_X_2TX
Setting 7
04-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4705G	106.28	Inf	-Inf	75.29	3	Vertical	299	1.24	BP 1MHz	27.60	3.39	-
AV	2.4705G	101.42	Inf	-Inf	70.43	3	Vertical	299	1.24	BP 1MHz	27.60	3.39	-
PK	2.484G	60.84	74.00	-13.16	29.80	3	Vertical	299	1.24	BP 1MHz	27.64	3.40	-
AV	2.485G	53.79	54.00	-0.21	22.74	3	Vertical	299	1.24	BP 1MHz	27.65	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_X_2TX
Setting 7
04-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4725G	104.19	Inf	-Inf	73.20	3	Horizontal	279	1.19	BP 1MHz	27.60	3.39	-
AV	2.4705G	99.29	Inf	-Inf	68.30	3	Horizontal	279	1.19	BP 1MHz	27.60	3.39	-
PK	2.485G	59.26	74.00	-14.74	28.21	3	Horizontal	279	1.19	BP 1MHz	27.65	3.40	-
AV	2.485G	52.35	54.00	-1.65	21.30	3	Horizontal	279	1.19	BP 1MHz	27.65	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_X_2TX
 Setting 7
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93972G	48.93	74.00	-25.07	43.70	3	Vertical	298	2.39	-	32.68	5.78	33.23
AV	4.94252G	35.58	54.00	-18.42	30.34	3	Vertical	298	2.39	-	32.69	5.78	33.23
PK	7.41004G	51.46	74.00	-22.54	41.21	3	Vertical	224	1.05	-	37.20	7.18	34.13
AV	7.4074G	39.23	54.00	-14.77	28.98	3	Vertical	224	1.05	-	37.20	7.18	34.13

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_X_2TX
Setting 7
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93488G	46.19	74.00	-27.81	40.98	3	Horizontal	167	2.45	-	32.67	5.77	33.23
AV	4.93908G	34.08	54.00	-19.92	28.85	3	Horizontal	167	2.45	-	32.68	5.78	33.23
PK	7.41544G	51.49	74.00	-22.51	41.24	3	Horizontal	167	2.36	-	37.20	7.19	34.14
AV	7.4078G	39.23	54.00	-14.77	28.98	3	Horizontal	167	2.36	-	37.20	7.18	34.13

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_X_2TX
Setting 14
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3876G	71.67	74.00	-2.33	40.92	3	Vertical	302	1.75	-	27.40	3.35	-
AV	2.3888G	52.51	54.00	-1.49	21.76	3	Vertical	302	1.75	-	27.40	3.35	-
PK	2.4208G	112.21	Inf	-Inf	81.35	3	Vertical	302	1.75	-	27.50	3.36	-
AV	2.4208G	101.63	Inf	-Inf	70.77	3	Vertical	302	1.75	-	27.50	3.36	-
PK	2.4888G	62.48	74.00	-11.52	31.39	3	Vertical	302	1.75	-	27.69	3.40	-
AV	2.4912G	49.49	54.00	-4.51	18.39	3	Vertical	302	1.75	-	27.70	3.40	-

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_X_2TX
Setting 14
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3872G	65.87	74.00	-8.13	35.13	3	Horizontal	263	1.58	-	27.40	3.34	-
AV	2.3896G	50.23	54.00	-3.77	19.48	3	Horizontal	263	1.58	-	27.40	3.35	-
PK	2.419G	108.65	Inf	-Inf	77.79	3	Horizontal	263	1.58	-	27.50	3.36	-
AV	2.4238G	96.88	Inf	-Inf	66.02	3	Horizontal	263	1.58	-	27.50	3.36	-
PK	2.4958G	59.63	74.00	-14.37	28.53	3	Horizontal	263	1.58	-	27.70	3.40	-
AV	2.4904G	48.41	54.00	-5.59	17.31	3	Horizontal	263	1.58	-	27.70	3.40	-

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_X_2TX
Setting 14
04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83748G	47.72	74.00	-26.28	42.94	3	Vertical	320	2.50	-	32.37	5.68	33.27
AV	4.85268G	35.42	54.00	-18.58	30.57	3	Vertical	320	2.50	-	32.41	5.70	33.26
PK	7.27818G	51.88	74.00	-22.12	41.75	3	Vertical	111	2.45	-	37.11	7.10	34.08
AV	7.27452G	39.49	54.00	-14.51	29.37	3	Vertical	111	2.45	-	37.10	7.10	34.08

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_X_2TX
Setting 14
04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84868G	46.21	74.00	-27.79	41.38	3	Horizontal	181	2.81	-	32.40	5.69	33.26
AV	4.8538G	34.05	54.00	-19.95	29.19	3	Horizontal	181	2.81	-	32.42	5.70	33.26
PK	7.26516G	51.88	74.00	-22.12	41.80	3	Horizontal	47	1.06	-	37.06	7.10	34.08
AV	7.27116G	39.46	54.00	-14.54	29.36	3	Horizontal	47	1.06	-	37.08	7.10	34.08

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 15
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	69.99	74.00	-4.01	39.24	3	Vertical	294	1.55	-	27.40	3.35	-
AV	2.3878G	52.24	54.00	-1.76	21.49	3	Vertical	294	1.55	-	27.40	3.35	-
PK	2.4358G	112.60	Inf	-Inf	81.67	3	Vertical	294	1.55	-	27.56	3.37	-
AV	2.4378G	102.28	Inf	-Inf	71.33	3	Vertical	294	1.55	-	27.58	3.37	-
PK	2.4846G	70.52	74.00	-3.48	39.47	3	Vertical	294	1.55	-	27.65	3.40	-
AV	2.4835G	53.93	54.00	-0.07	22.89	3	Vertical	294	1.55	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 15
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3866G	64.48	74.00	-9.52	33.74	3	Horizontal	263	1.08	-	27.40	3.34	-
AV	2.3896G	49.52	54.00	-4.48	18.77	3	Horizontal	263	1.08	-	27.40	3.35	-
PK	2.4346G	108.27	Inf	-Inf	77.35	3	Horizontal	263	1.08	-	27.55	3.37	-
AV	2.4394G	97.88	Inf	-Inf	66.92	3	Horizontal	263	1.08	-	27.59	3.37	-
PK	2.485G	63.72	74.00	-10.28	32.67	3	Horizontal	263	1.08	-	27.65	3.40	-
AV	2.4844G	50.60	54.00	-3.40	19.56	3	Horizontal	263	1.08	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 15
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86916G	49.32	74.00	-24.68	44.39	3	Vertical	303	3.00	-	32.48	5.71	33.26
AV	4.86992G	36.46	54.00	-17.54	31.53	3	Vertical	303	3.00	-	32.48	5.71	33.26
PK	7.3172G	52.34	74.00	-21.66	42.12	3	Vertical	176	1.33	-	37.20	7.12	34.10
AV	7.31376G	40.26	54.00	-13.74	30.04	3	Vertical	176	1.33	-	37.20	7.12	34.10

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
 Setting 15
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87008G	47.31	74.00	-26.69	42.38	3	Horizontal	51	1.76	-	32.48	5.71	33.26
AV	4.86812G	34.64	54.00	-19.36	29.72	3	Horizontal	51	1.76	-	32.47	5.71	33.26
PK	7.30644G	52.14	74.00	-21.86	41.91	3	Horizontal	213	1.03	-	37.20	7.12	34.09
AV	7.32092G	39.88	54.00	-14.12	29.65	3	Horizontal	213	1.03	-	37.20	7.13	34.10

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_X_2TX
Setting 14
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	62.24	74.00	-11.76	31.49	3	Vertical	298	1.42	-	27.40	3.35	-
AV	2.3892G	49.32	54.00	-4.68	18.57	3	Vertical	298	1.42	-	27.40	3.35	-
PK	2.4544G	112.21	Inf	-Inf	81.23	3	Vertical	298	1.42	-	27.60	3.38	-
AV	2.4492G	101.03	Inf	-Inf	70.05	3	Vertical	298	1.42	-	27.60	3.38	-
PK	2.4872G	71.34	74.00	-2.66	40.27	3	Vertical	298	1.42	-	27.67	3.40	-
AV	2.4844G	53.55	54.00	-0.45	22.51	3	Vertical	298	1.42	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_X_2TX
Setting 14
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3824G	58.87	74.00	-15.13	28.13	3	Horizontal	262	1.00	-	27.40	3.34	-
AV	2.3896G	47.67	54.00	-6.33	16.92	3	Horizontal	262	1.00	-	27.40	3.35	-
PK	2.4526G	106.33	Inf	-Inf	75.35	3	Horizontal	262	1.00	-	27.60	3.38	-
AV	2.4502G	95.93	Inf	-Inf	64.95	3	Horizontal	262	1.00	-	27.60	3.38	-
PK	2.4838G	67.46	74.00	-6.54	36.42	3	Horizontal	262	1.00	-	27.64	3.40	-
AV	2.4838G	50.23	54.00	-3.77	19.19	3	Horizontal	262	1.00	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_X_2TX
Setting 14
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.89776G	48.20	74.00	-25.80	43.12	3	Vertical	320	2.31	-	32.59	5.74	33.25
AV	4.89748G	35.53	54.00	-18.47	30.45	3	Vertical	320	2.31	-	32.59	5.74	33.25
PK	7.34968G	53.78	74.00	-20.22	43.55	3	Vertical	14	1.80	-	37.20	7.14	34.11
AV	7.3524G	40.06	54.00	-13.94	29.83	3	Vertical	14	1.80	-	37.20	7.14	34.11

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_X_2TX
Setting 14
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9114G	46.67	74.00	-27.33	41.54	3	Horizontal	176	1.16	-	32.62	5.75	33.24
AV	4.8962G	34.54	54.00	-19.46	29.47	3	Horizontal	176	1.16	-	32.58	5.74	33.25
PK	7.34868G	52.69	74.00	-21.31	42.46	3	Horizontal	264	1.12	-	37.20	7.14	34.11
AV	7.34816G	40.00	54.00	-14.00	29.77	3	Horizontal	264	1.12	-	37.20	7.14	34.11

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_X_2TX
 Setting 13.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.449G	111.71	Inf	-Inf	80.73	3	Vertical	298	1.36	-	27.60	3.38	-
AV	2.4594G	100.62	Inf	-Inf	69.64	3	Vertical	298	1.36	-	27.60	3.38	-
PK	2.4878G	68.76	74.00	-5.24	37.68	3	Vertical	298	1.36	-	27.68	3.40	-
AV	2.487G	53.32	54.00	-0.68	22.25	3	Vertical	298	1.36	-	27.67	3.40	-

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_X_2TX
 Setting 13.5
 04-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.458G	111.05	Inf	-Inf	80.07	3	Horizontal	278	1.63	-	27.60	3.38	-
AV	2.458G	98.85	Inf	-Inf	67.87	3	Horizontal	278	1.63	-	27.60	3.38	-
PK	2.4842G	69.25	74.00	-4.75	38.21	3	Horizontal	278	1.63	-	27.64	3.40	-
AV	2.4835G	53.00	54.00	-1.00	21.96	3	Horizontal	278	1.63	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_X_2TX
Setting 9
04-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4605G	103.22	Inf	-Inf	72.24	3	Vertical	295	1.36	BP 1MHz	27.60	3.38	-
AV	2.4605G	98.30	Inf	-Inf	67.32	3	Vertical	295	1.36	BP 1MHz	27.60	3.38	-
PK	2.488G	60.28	74.00	-13.72	29.20	3	Vertical	295	1.36	BP 1MHz	27.68	3.40	-
AV	2.488G	53.77	54.00	-0.23	22.69	3	Vertical	295	1.36	BP 1MHz	27.68	3.40	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_X_2TX
Setting 9
04-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4605G	101.40	Inf	-Inf	70.42	3	Horizontal	278	1.16	BP 1MHz	27.60	3.38	-
AV	2.4605G	96.00	Inf	-Inf	65.02	3	Horizontal	278	1.16	BP 1MHz	27.60	3.38	-
PK	2.488G	59.52	74.00	-14.48	28.44	3	Horizontal	278	1.16	BP 1MHz	27.68	3.40	-
AV	2.488G	52.73	54.00	-1.27	21.65	3	Horizontal	278	1.16	BP 1MHz	27.68	3.40	-

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_X_2TX
Setting 9
04-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9308G	46.05	74.00	-27.95	40.85	3	Vertical	61	1.80	-	32.66	5.77	33.23
AV	4.9232G	33.92	54.00	-20.08	28.75	3	Vertical	61	1.80	-	32.65	5.76	33.24
PK	7.389G	51.44	74.00	-22.56	41.21	3	Vertical	266	1.14	-	37.20	7.16	34.13
AV	7.3948G	39.26	54.00	-14.74	29.02	3	Vertical	266	1.14	-	37.20	7.17	34.13

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2462MHz_TX



EUT_X_2TX
Setting 9
04-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92864G	45.91	74.00	-28.09	40.72	3	Horizontal	14	2.08	-	32.66	5.77	33.24
AV	4.92196G	33.91	54.00	-20.09	28.75	3	Horizontal	14	2.08	-	32.64	5.76	33.24
PK	7.3834G	51.33	74.00	-22.67	41.09	3	Horizontal	173	2.38	-	37.20	7.16	34.12
AV	7.3834G	39.05	54.00	-14.95	28.81	3	Horizontal	173	2.38	-	37.20	7.16	34.12




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	Pass	AV	2.484G	53.95	54.00	-0.05	3	Vertical	285	1.49	BP 1MHz

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

2412MHz_TX




EUT_X_2TX
Setting 14
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3714G	72.31	74.00	-1.69	41.48	3	Vertical	253	1.08	-	27.49	3.34	-
AV	2.3692G	53.06	54.00	-0.94	22.23	3	Vertical	253	1.08	-	27.49	3.34	-
PK	2.4042G	123.34	Inf	-Inf	92.49	3	Vertical	253	1.08	-	27.50	3.35	-
AV	2.4042G	113.53	Inf	-Inf	82.68	3	Vertical	253	1.08	-	27.50	3.35	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

2412MHz_TX




EUT_X_2TX
Setting 14
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3682G	63.71	74.00	-10.29	32.89	3	Horizontal	113	1.99	-	27.48	3.34	-
AV	2.3682G	48.66	54.00	-5.34	17.84	3	Horizontal	113	1.99	-	27.48	3.34	-
PK	2.4034G	118.06	Inf	-Inf	87.21	3	Horizontal	113	1.99	-	27.50	3.35	-
AV	2.4034G	108.26	Inf	-Inf	77.41	3	Horizontal	113	1.99	-	27.50	3.35	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

2412MHz_TX




EUT_X_2TX
Setting 14
04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.80767G	58.83	74.00	-15.17	54.13	3	Vertical	321	2.26	-	32.32	5.66	33.28
AV	4.80747G	45.23	54.00	-8.77	40.54	3	Vertical	321	2.26	-	32.31	5.66	33.28

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

2412MHz_TX




EUT_X_2TX
Setting 14
04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.80749G	51.44	74.00	-22.56	46.75	3	Horizontal	145	2.42	-	32.31	5.66	33.28
AV	4.80741G	40.53	54.00	-13.47	35.84	3	Horizontal	145	2.42	-	32.31	5.66	33.28

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

2412MHz_TX




EUT_X_2TX
Setting 15
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.376G	73.85	74.00	-0.15	43.07	3	Vertical	256	1.07	-	27.44	3.34	-
AV	2.3748G	52.88	54.00	-1.12	22.09	3	Vertical	256	1.07	-	27.45	3.34	-
PK	2.4052G	122.13	Inf	-Inf	91.28	3	Vertical	256	1.07	-	27.50	3.35	-
AV	2.4054G	111.83	Inf	-Inf	80.98	3	Vertical	256	1.07	-	27.50	3.35	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

2412MHz_TX




EUT_X_2TX
Setting 15
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.374G	65.55	74.00	-8.45	34.75	3	Horizontal	272	1.00	-	27.46	3.34	-
AV	2.3754G	51.01	54.00	-2.99	20.22	3	Horizontal	272	1.00	-	27.45	3.34	-
PK	2.4062G	118.04	Inf	-Inf	87.19	3	Horizontal	272	1.00	-	27.50	3.35	-
AV	2.4058G	107.29	Inf	-Inf	76.44	3	Horizontal	272	1.00	-	27.50	3.35	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

2412MHz_TX




EUT_X_2TX
Setting 15
04-K-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.81043G	57.01	74.00	-16.99	52.31	3	Vertical	323	2.27	-	32.32	5.66	33.28			
AV	4.81011G	44.24	54.00	-9.76	39.54	3	Vertical	323	2.27	-	32.32	5.66	33.28			

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

2412MHz_TX




EUT_X_2TX
Setting 15
04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81031G	51.05	74.00	-22.95	46.35	3	Horizontal	142	2.60	-	32.32	5.66	33.28
AV	4.80987G	39.21	54.00	-14.79	34.51	3	Horizontal	142	2.60	-	32.32	5.66	33.28

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

2412MHz_TX




EUT_X_2TX
Setting 14
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3876G	73.74	74.00	-0.26	42.99	3	Vertical	253	1.00	-	27.40	3.35	-
AV	2.3898G	52.72	54.00	-1.28	21.97	3	Vertical	253	1.00	-	27.40	3.35	-
PK	2.408G	119.78	Inf	-Inf	88.93	3	Vertical	253	1.00	-	27.50	3.35	-
AV	2.4102G	107.80	Inf	-Inf	76.94	3	Vertical	253	1.00	-	27.50	3.36	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

2412MHz_TX




EUT_X_2TX
Setting 14
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	63.94	74.00	-10.06	33.19	3	Horizontal	115	2.02	-	27.40	3.35	-
AV	2.3872G	48.78	54.00	-5.22	18.04	3	Horizontal	115	2.02	-	27.40	3.34	-
PK	2.4046G	113.96	Inf	-Inf	83.11	3	Horizontal	115	2.02	-	27.50	3.35	-
AV	2.407G	102.20	Inf	-Inf	71.35	3	Horizontal	115	2.02	-	27.50	3.35	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

2412MHz_TX




EUT_X_2TX
Setting 14
04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81014G	52.61	74.00	-21.39	47.91	3	Vertical	326	2.31	-	32.32	5.66	33.28
AV	4.81286G	41.17	54.00	-12.83	36.46	3	Vertical	326	2.31	-	32.33	5.66	33.28

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

2412MHz_TX




EUT_X_2TX
Setting 14
04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81746G	49.31	74.00	-24.69	44.59	3	Horizontal	143	2.38	-	32.33	5.67	33.28
AV	4.81254G	37.57	54.00	-16.43	32.86	3	Horizontal	143	2.38	-	32.33	5.66	33.28

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

2437MHz_TX




EUT_X_2TX
Setting 21
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	71.17	74.00	-2.83	40.42	3	Vertical	258	1.00	-	27.40	3.35	-
AV	2.3898G	52.04	54.00	-1.96	21.29	3	Vertical	258	1.00	-	27.40	3.35	-
PK	2.4278G	125.87	Inf	-Inf	95.00	3	Vertical	258	1.00	-	27.50	3.37	-
AV	2.4282G	117.24	Inf	-Inf	86.37	3	Vertical	258	1.00	-	27.50	3.37	-
PK	2.4846G	67.94	74.00	-6.06	36.89	3	Vertical	258	1.00	-	27.65	3.40	-
AV	2.4882G	51.60	54.00	-2.40	20.52	3	Vertical	258	1.00	-	27.68	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

2437MHz_TX




EUT_X_2TX
Setting 21
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3846G	67.61	74.00	-6.39	36.87	3	Horizontal	305	1.30	-	27.40	3.34	-
AV	2.3898G	51.60	54.00	-2.40	20.85	3	Horizontal	305	1.30	-	27.40	3.35	-
PK	2.429G	120.28	Inf	-Inf	89.41	3	Horizontal	305	1.30	-	27.50	3.37	-
AV	2.429G	112.74	Inf	-Inf	81.87	3	Horizontal	305	1.30	-	27.50	3.37	-
PK	2.4994G	65.18	74.00	-8.82	34.08	3	Horizontal	305	1.30	-	27.70	3.40	-
AV	2.4886G	49.55	54.00	-4.45	18.46	3	Horizontal	305	1.30	-	27.69	3.40	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

2437MHz_TX




EUT_X_2TX
Setting 21
04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.85704G	63.03	74.00	-10.97	58.16	3	Vertical	303	2.62	-	32.43	5.70	33.26
AV	4.85712G	50.53	54.00	-3.47	45.66	3	Vertical	303	2.62	-	32.43	5.70	33.26
PK	7.28565G	65.06	74.00	-8.94	54.89	3	Vertical	303	2.54	-	37.14	7.11	34.08
AV	7.28549G	50.55	54.00	-3.45	40.38	3	Vertical	303	2.54	-	37.14	7.11	34.08

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

2437MHz_TX




EUT_X_2TX
 Setting 21
 04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.85763G	54.88	74.00	-19.12	50.01	3	Horizontal	139	2.85	-	32.43	5.70	33.26
AV	4.85759G	43.28	54.00	-10.72	38.41	3	Horizontal	139	2.85	-	32.43	5.70	33.26
PK	7.28529G	60.24	74.00	-13.76	50.07	3	Horizontal	184	2.50	-	37.14	7.11	34.08
AV	7.28501G	46.52	54.00	-7.48	36.35	3	Horizontal	184	2.50	-	37.14	7.11	34.08

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

2437MHz_TX




EUT_X_2TX
Setting 22
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	66.48	74.00	-7.52	35.73	3	Vertical	254	1.18	-	27.40	3.35	-
AV	2.389G	52.45	54.00	-1.55	21.70	3	Vertical	254	1.18	-	27.40	3.35	-
PK	2.429G	124.19	Inf	-Inf	93.32	3	Vertical	254	1.18	-	27.50	3.37	-
AV	2.429G	114.92	Inf	-Inf	84.05	3	Vertical	254	1.18	-	27.50	3.37	-
PK	2.4835G	66.26	74.00	-7.74	35.22	3	Vertical	254	1.18	-	27.64	3.40	-
AV	2.487G	51.25	54.00	-2.75	20.18	3	Vertical	254	1.18	-	27.67	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

2437MHz_TX




EUT_X_2TX
Setting 22
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	66.95	74.00	-7.05	36.20	3	Horizontal	273	1.09	-	27.40	3.35	-
AV	2.3898G	50.82	54.00	-3.18	20.07	3	Horizontal	273	1.09	-	27.40	3.35	-
PK	2.4298G	119.89	Inf	-Inf	89.02	3	Horizontal	273	1.09	-	27.50	3.37	-
AV	2.4298G	110.82	Inf	-Inf	79.95	3	Horizontal	273	1.09	-	27.50	3.37	-
PK	2.4858G	62.56	74.00	-11.44	31.50	3	Horizontal	273	1.09	-	27.66	3.40	-
AV	2.4898G	49.13	54.00	-4.87	18.03	3	Horizontal	273	1.09	-	27.70	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

2437MHz_TX




EUT_X_2TX
Setting 22
04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86095G	61.87	74.00	-12.13	56.99	3	Vertical	298	2.58	-	32.44	5.70	33.26
AV	4.85935G	49.43	54.00	-4.57	44.55	3	Vertical	298	2.58	-	32.44	5.70	33.26
PK	7.29272G	64.87	74.00	-9.13	54.68	3	Vertical	300	2.20	-	37.17	7.11	34.09
AV	7.28776G	50.34	54.00	-3.66	40.17	3	Vertical	300	2.20	-	37.15	7.11	34.09

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

2437MHz_TX




EUT_X_2TX
Setting 22
04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.85999G	53.93	74.00	-20.07	49.05	3	Horizontal	138	3.00	-	32.44	5.70	33.26
AV	4.85979G	41.87	54.00	-12.13	36.99	3	Horizontal	138	3.00	-	32.44	5.70	33.26
PK	7.29264G	64.25	74.00	-9.75	54.06	3	Horizontal	302	2.55	-	37.17	7.11	34.09
AV	7.288G	50.37	54.00	-3.63	40.20	3	Horizontal	302	2.55	-	37.15	7.11	34.09

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

2437MHz_TX




EUT_X_2TX
Setting 22
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3802G	68.40	74.00	-5.60	37.66	3	Vertical	248	1.21	-	27.40	3.34	-
AV	2.389G	53.11	54.00	-0.89	22.36	3	Vertical	248	1.21	-	27.40	3.35	-
PK	2.4342G	122.92	Inf	-Inf	92.01	3	Vertical	248	1.21	-	27.54	3.37	-
AV	2.4294G	112.13	Inf	-Inf	81.26	3	Vertical	248	1.21	-	27.50	3.37	-
PK	2.4838G	67.80	74.00	-6.20	36.76	3	Vertical	248	1.21	-	27.64	3.40	-
AV	2.4846G	52.36	54.00	-1.64	21.31	3	Vertical	248	1.21	-	27.65	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

2437MHz_TX




EUT_X_2TX
Setting 22
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	63.26	74.00	-10.74	32.51	3	Horizontal	272	1.07	-	27.40	3.35	-
AV	2.389G	50.65	54.00	-3.35	19.90	3	Horizontal	272	1.07	-	27.40	3.35	-
PK	2.4286G	118.54	Inf	-Inf	87.67	3	Horizontal	272	1.07	-	27.50	3.37	-
AV	2.431G	107.85	Inf	-Inf	76.97	3	Horizontal	272	1.07	-	27.51	3.37	-
PK	2.4866G	60.81	74.00	-13.19	29.74	3	Horizontal	272	1.07	-	27.67	3.40	-
AV	2.4858G	49.30	54.00	-4.70	18.24	3	Horizontal	272	1.07	-	27.66	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

2437MHz_TX




EUT_X_2TX
Setting 22
04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86043G	58.06	74.00	-15.94	53.18	3	Vertical	322	2.34	-	32.44	5.70	33.26
AV	4.86267G	45.36	54.00	-8.64	40.46	3	Vertical	322	2.34	-	32.45	5.71	33.26
PK	7.29771G	61.79	74.00	-12.21	51.58	3	Vertical	300	2.04	-	37.19	7.11	34.09
AV	7.29503G	48.27	54.00	-5.73	38.07	3	Vertical	300	2.04	-	37.18	7.11	34.09

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

2437MHz_TX




EUT_X_2TX
Setting 22
04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86255G	51.84	74.00	-22.16	46.94	3	Horizontal	135	2.50	-	32.45	5.71	33.26
AV	4.86259G	40.38	54.00	-13.62	35.48	3	Horizontal	135	2.50	-	32.45	5.71	33.26
PK	7.29743G	57.55	74.00	-16.45	47.34	3	Horizontal	183	2.34	-	37.19	7.11	34.09
AV	7.29491G	44.96	54.00	-9.04	34.76	3	Horizontal	183	2.34	-	37.18	7.11	34.09

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2462MHz_TX




EUT_X_2TX
Setting 16.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.47G	124.66	Inf	-Inf	93.67	3	Vertical	54	1.25	-	27.60	3.39	-
AV	2.47G	114.51	Inf	-Inf	83.52	3	Vertical	54	1.25	-	27.60	3.39	-
PK	2.4835G	73.67	74.00	-0.33	42.63	3	Vertical	54	1.25	-	27.64	3.40	-
AV	2.4864G	53.10	54.00	-0.90	22.04	3	Vertical	54	1.25	-	27.66	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2462MHz_TX




EUT_X_2TX
Setting 16.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4702G	118.90	Inf	-Inf	87.91	3	Horizontal	230	1.11	-	27.60	3.39	-
AV	2.4702G	108.49	Inf	-Inf	77.50	3	Horizontal	230	1.11	-	27.60	3.39	-
PK	2.4835G	70.25	74.00	-3.75	39.21	3	Horizontal	230	1.11	-	27.64	3.40	-
AV	2.4874G	50.14	54.00	-3.86	19.07	3	Horizontal	230	1.11	-	27.67	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2462MHz_TX




EUT_X_2TX
Setting 16.5
04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94009G	59.85	74.00	-14.15	54.62	3	Vertical	184	2.43	-	32.68	5.78	33.23
AV	4.94069G	44.90	54.00	-9.10	39.67	3	Vertical	184	2.43	-	32.68	5.78	33.23
PK	7.41195G	62.51	74.00	-11.49	52.26	3	Vertical	303	2.25	-	37.20	7.18	34.13
AV	7.41167G	47.28	54.00	-6.72	37.03	3	Vertical	303	2.25	-	37.20	7.18	34.13

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2462MHz_TX




EUT_X_2TX
Setting 16.5
04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94001G	59.01	74.00	-14.99	53.78	3	Horizontal	186	2.33	-	32.68	5.78	33.23
AV	4.94077G	44.87	54.00	-9.13	39.64	3	Horizontal	186	2.33	-	32.68	5.78	33.23
PK	7.41135G	57.65	74.00	-16.35	47.40	3	Horizontal	177	2.02	-	37.20	7.18	34.13
AV	7.41147G	44.64	54.00	-9.36	34.39	3	Horizontal	177	2.02	-	37.20	7.18	34.13

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2462MHz_TX




EUT_X_2TX
Setting 14.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3846G	61.54	74.00	-12.46	30.80	3	Vertical	295	1.26	-	27.40	3.34	-
AV	2.3894G	49.79	54.00	-4.21	19.04	3	Vertical	295	1.26	-	27.40	3.35	-
PK	2.4698G	121.03	Inf	-Inf	90.04	3	Vertical	295	1.26	-	27.60	3.39	-
AV	2.4692G	112.26	Inf	-Inf	81.27	3	Vertical	295	1.26	-	27.60	3.39	-
PK	2.4944G	71.84	74.00	-2.16	40.74	3	Vertical	295	1.26	-	27.70	3.40	-
AV	2.4848G	52.98	54.00	-1.02	21.93	3	Vertical	295	1.26	-	27.65	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2462MHz_TX




EUT_X_2TX
Setting 14.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.381G	58.85	74.00	-15.15	28.11	3	Horizontal	277	1.74	-	27.40	3.34	-
AV	2.39G	48.07	54.00	-5.93	17.32	3	Horizontal	277	1.74	-	27.40	3.35	-
PK	2.4692G	115.71	Inf	-Inf	84.72	3	Horizontal	277	1.74	-	27.60	3.39	-
AV	2.4698G	105.77	Inf	-Inf	74.78	3	Horizontal	277	1.74	-	27.60	3.39	-
PK	2.4992G	63.41	74.00	-10.59	32.31	3	Horizontal	277	1.74	-	27.70	3.40	-
AV	2.4842G	50.15	54.00	-3.85	19.11	3	Horizontal	277	1.74	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2462MHz_TX




EUT_X_2TX
Setting 14.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93936G	51.43	74.00	-22.57	46.20	3	Vertical	163	2.19	-	32.68	5.78	33.23
AV	4.93864G	40.28	54.00	-13.72	35.06	3	Vertical	163	2.19	-	32.68	5.77	33.23
PK	7.40928G	57.76	74.00	-16.24	47.51	3	Vertical	307	1.98	-	37.20	7.18	34.13
AV	7.40916G	44.10	54.00	-9.90	33.85	3	Vertical	307	1.98	-	37.20	7.18	34.13

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2462MHz_TX




EUT_X_2TX
 Setting 14.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94056G	47.70	74.00	-26.30	42.47	3	Horizontal	178	2.59	-	32.68	5.78	33.23
AV	4.93828G	36.32	54.00	-17.68	31.10	3	Horizontal	178	2.59	-	32.68	5.77	33.23
PK	7.39632G	51.85	74.00	-22.15	41.61	3	Horizontal	141	2.22	-	37.20	7.17	34.13
AV	7.39524G	39.97	54.00	-14.03	29.73	3	Horizontal	141	2.22	-	37.20	7.17	34.13

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2462MHz_TX




EUT_X_2TX
Setting 14
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.387G	60.76	74.00	-13.24	30.02	3	Vertical	293	1.29	-	27.40	3.34	-
AV	2.3882G	49.61	54.00	-4.39	18.86	3	Vertical	293	1.29	-	27.40	3.35	-
PK	2.4656G	119.04	Inf	-Inf	88.05	3	Vertical	293	1.29	-	27.60	3.39	-
AV	2.4656G	108.94	Inf	-Inf	77.95	3	Vertical	293	1.29	-	27.60	3.39	-
PK	2.4878G	67.67	74.00	-6.33	36.59	3	Vertical	293	1.29	-	27.68	3.40	-
AV	2.4835G	53.85	54.00	-0.15	22.81	3	Vertical	293	1.29	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2462MHz_TX




EUT_X_2TX
Setting 14
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.387G	59.61	74.00	-14.39	28.87	3	Horizontal	274	1.88	-	27.40	3.34	-
AV	2.3744G	47.67	54.00	-6.33	16.87	3	Horizontal	274	1.88	-	27.46	3.34	-
PK	2.468G	114.11	Inf	-Inf	83.12	3	Horizontal	274	1.88	-	27.60	3.39	-
AV	2.4656G	103.13	Inf	-Inf	72.14	3	Horizontal	274	1.88	-	27.60	3.39	-
PK	2.4896G	64.38	74.00	-9.62	33.28	3	Horizontal	274	1.88	-	27.70	3.40	-
AV	2.4835G	51.02	54.00	-2.98	19.98	3	Horizontal	274	1.88	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2462MHz_TX




EUT_X_2TX
Setting 14
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93312G	49.12	74.00	-24.88	43.91	3	Vertical	360	2.92	-	32.67	5.77	33.23
AV	4.93552G	38.41	54.00	-15.59	33.20	3	Vertical	360	2.92	-	32.67	5.77	33.23
PK	7.40352G	53.68	74.00	-20.32	43.44	3	Vertical	175	2.14	-	37.20	7.17	34.13
AV	7.40328G	41.56	54.00	-12.44	31.32	3	Vertical	175	2.14	-	37.20	7.17	34.13

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2462MHz_TX




EUT_X_2TX
Setting 14
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90408G	46.10	74.00	-27.90	40.99	3	Horizontal	45	2.17	-	32.61	5.74	33.24
AV	4.9404G	34.78	54.00	-19.22	29.55	3	Horizontal	45	2.17	-	32.68	5.78	33.23
PK	7.39968G	51.53	74.00	-22.47	41.29	3	Horizontal	248	2.47	-	37.20	7.17	34.13
AV	7.38536G	39.96	54.00	-14.04	29.72	3	Horizontal	248	2.47	-	37.20	7.16	34.12

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2467MHz_TX




EUT_X_2TX
Setting 12
04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4748G	123.02	Inf	-Inf	92.03	3	Vertical	291	1.67	-	27.60	3.39	-
AV	2.4748G	112.32	Inf	-Inf	81.33	3	Vertical	291	1.67	-	27.60	3.39	-
PK	2.4835G	67.69	74.00	-6.31	36.65	3	Vertical	291	1.67	-	27.64	3.40	-
AV	2.4835G	53.85	54.00	-0.15	22.81	3	Vertical	291	1.67	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2467MHz_TX




EUT_X_2TX
Setting 12
04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4758G	118.07	Inf	-Inf	87.08	3	Horizontal	114	1.45	-	27.60	3.39	-
AV	2.4758G	106.31	Inf	-Inf	75.32	3	Horizontal	114	1.45	-	27.60	3.39	-
PK	2.4838G	65.27	74.00	-8.73	34.23	3	Horizontal	114	1.45	-	27.64	3.40	-
AV	2.4842G	50.23	54.00	-3.77	19.19	3	Horizontal	114	1.45	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2467MHz_TX




EUT_X_2TX
Setting 12
04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94961G	51.88	74.00	-22.12	46.63	3	Vertical	186	2.47	-	32.70	5.78	33.23
AV	4.95089G	39.56	54.00	-14.44	34.30	3	Vertical	186	2.47	-	32.70	5.79	33.23
PK	7.42695G	55.87	74.00	-18.13	45.61	3	Vertical	172	1.80	-	37.20	7.20	34.14
AV	7.42615G	41.81	54.00	-12.19	31.55	3	Vertical	172	1.80	-	37.20	7.20	34.14

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2467MHz_TX




EUT_X_2TX
Setting 12
04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.95101G	48.20	74.00	-25.80	42.94	3	Horizontal	146	2.53	-	32.70	5.79	33.23
AV	4.95085G	36.38	54.00	-17.62	31.12	3	Horizontal	146	2.53	-	32.70	5.79	33.23
PK	7.42623G	52.96	74.00	-21.04	42.70	3	Horizontal	178	2.03	-	37.20	7.20	34.14
AV	7.42623G	40.47	54.00	-13.53	30.21	3	Horizontal	178	2.03	-	37.20	7.20	34.14

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2467MHz_TX




EUT_X_2TX
Setting 13
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3875G	60.37	74.00	-13.63	29.62	3	Vertical	295	1.58	-	27.40	3.35	-
AV	2.3895G	49.43	54.00	-4.57	18.68	3	Vertical	295	1.58	-	27.40	3.35	-
PK	2.476G	121.27	Inf	-Inf	90.28	3	Vertical	295	1.58	-	27.60	3.39	-
AV	2.473G	111.43	Inf	-Inf	80.44	3	Vertical	295	1.58	-	27.60	3.39	-
PK	2.484G	70.40	74.00	-3.60	39.36	3	Vertical	295	1.58	-	27.64	3.40	-
AV	2.4835G	53.73	54.00	-0.27	22.69	3	Vertical	295	1.58	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2467MHz_TX




EUT_X_2TX
Setting 13
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3835G	59.09	74.00	-14.91	28.35	3	Horizontal	275	1.92	-	27.40	3.34	-
AV	2.378G	47.40	54.00	-6.60	16.64	3	Horizontal	275	1.92	-	27.42	3.34	-
PK	2.473G	114.86	Inf	-Inf	83.87	3	Horizontal	275	1.92	-	27.60	3.39	-
AV	2.473G	105.05	Inf	-Inf	74.06	3	Horizontal	275	1.92	-	27.60	3.39	-
PK	2.484G	65.20	74.00	-8.80	34.16	3	Horizontal	275	1.92	-	27.64	3.40	-
AV	2.4835G	49.77	54.00	-4.23	18.73	3	Horizontal	275	1.92	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2467MHz_TX




EUT_X_2TX
Setting 13
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94648G	49.80	74.00	-24.20	44.56	3	Vertical	164	2.40	-	32.69	5.78	33.23
AV	4.94872G	39.00	54.00	-15.00	33.75	3	Vertical	164	2.40	-	32.70	5.78	33.23
PK	7.42512G	54.36	74.00	-19.64	44.10	3	Vertical	309	2.00	-	37.20	7.20	34.14
AV	7.42296G	42.05	54.00	-11.95	31.80	3	Vertical	309	2.00	-	37.20	7.19	34.14

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2467MHz_TX




EUT_X_2TX
Setting 13
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9304G	46.29	74.00	-27.71	41.10	3	Horizontal	273	1.55	-	32.66	5.77	33.24
AV	4.92056G	35.00	54.00	-19.00	29.84	3	Horizontal	273	1.55	-	32.64	5.76	33.24
PK	7.42512G	52.00	74.00	-22.00	41.74	3	Horizontal	225	2.74	-	37.20	7.20	34.14
AV	7.3956G	40.03	54.00	-13.97	29.79	3	Horizontal	225	2.74	-	37.20	7.17	34.13

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2467MHz_TX




EUT_X_2TX
Setting 11.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.347G	59.88	74.00	-14.12	29.15	3	Vertical	294	1.24	-	27.40	3.33	-
AV	2.3884G	48.47	54.00	-5.53	17.72	3	Vertical	294	1.24	-	27.40	3.35	-
PK	2.4706G	116.62	Inf	-Inf	85.63	3	Vertical	294	1.24	-	27.60	3.39	-
AV	2.4706G	106.86	Inf	-Inf	75.87	3	Vertical	294	1.24	-	27.60	3.39	-
PK	2.4835G	73.03	74.00	-0.97	41.99	3	Vertical	294	1.24	-	27.64	3.40	-
AV	2.4835G	53.73	54.00	-0.27	22.69	3	Vertical	294	1.24	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2467MHz_TX




EUT_X_2TX
Setting 11.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3758G	59.93	74.00	-14.07	29.15	3	Horizontal	274	1.88	-	27.44	3.34	-
AV	2.3734G	47.22	54.00	-6.78	16.41	3	Horizontal	274	1.88	-	27.47	3.34	-
PK	2.473G	112.07	Inf	-Inf	81.08	3	Horizontal	274	1.88	-	27.60	3.39	-
AV	2.4706G	101.06	Inf	-Inf	70.07	3	Horizontal	274	1.88	-	27.60	3.39	-
PK	2.4838G	65.42	74.00	-8.58	34.38	3	Horizontal	274	1.88	-	27.64	3.40	-
AV	2.4835G	52.55	54.00	-1.45	21.51	3	Horizontal	274	1.88	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2467MHz_TX




EUT_X_2TX
Setting 11.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94496G	48.58	74.00	-25.42	43.34	3	Vertical	355	2.40	-	32.69	5.78	33.23
AV	4.94272G	36.53	54.00	-17.47	31.29	3	Vertical	355	2.40	-	32.69	5.78	33.23
PK	7.38996G	51.32	74.00	-22.68	41.09	3	Vertical	149	1.56	-	37.20	7.16	34.13
AV	7.39412G	39.96	54.00	-14.04	29.72	3	Vertical	149	1.56	-	37.20	7.17	34.13

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2467MHz_TX




EUT_X_2TX
 Setting 11.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91896G	46.58	74.00	-27.42	41.42	3	Horizontal	175	1.51	-	32.64	5.76	33.24
AV	4.9388G	34.62	54.00	-19.38	29.40	3	Horizontal	175	1.51	-	32.68	5.77	33.23
PK	7.41596G	51.73	74.00	-22.27	41.48	3	Horizontal	232	1.98	-	37.20	7.19	34.14
AV	7.39468G	40.08	54.00	-13.92	29.84	3	Horizontal	232	1.98	-	37.20	7.17	34.13

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2472MHz_TX




EUT_X_2TX
Setting 3
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4795G	104.71	Inf	-Inf	73.72	3	Vertical	287	1.11	BP 1MHz	27.60	3.39	-
AV	2.4795G	98.92	Inf	-Inf	67.93	3	Vertical	287	1.11	BP 1MHz	27.60	3.39	-
PK	2.484G	61.67	74.00	-12.33	30.63	3	Vertical	287	1.11	BP 1MHz	27.64	3.40	-
AV	2.484G	53.43	54.00	-0.57	22.39	3	Vertical	287	1.11	BP 1MHz	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2472MHz_TX




EUT_X_2TX
Setting 3
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4805G	103.64	Inf	-Inf	72.64	3	Horizontal	107	2.12	BP 1MHz	27.61	3.39	-
AV	2.4805G	97.21	Inf	-Inf	66.21	3	Horizontal	107	2.12	BP 1MHz	27.61	3.39	-
PK	2.484G	61.47	74.00	-12.53	30.43	3	Horizontal	107	2.12	BP 1MHz	27.64	3.40	-
AV	2.484G	52.33	54.00	-1.67	21.29	3	Horizontal	107	2.12	BP 1MHz	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2472MHz_TX




EUT_X_2TX
Setting 3
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94736G	46.29	74.00	-27.71	41.05	3	Vertical	334	1.98	-	32.69	5.78	33.23
AV	4.946G	35.13	54.00	-18.87	29.89	3	Vertical	334	1.98	-	32.69	5.78	33.23
PK	7.41848G	52.19	74.00	-21.81	41.94	3	Vertical	56	2.41	-	37.20	7.19	34.14
AV	7.41676G	40.46	54.00	-13.54	30.21	3	Vertical	56	2.41	-	37.20	7.19	34.14

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2472MHz_TX




EUT_X_2TX
Setting 3
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93968G	46.79	74.00	-27.21	41.56	3	Horizontal	24	2.47	-	32.68	5.78	33.23
AV	4.93998G	35.11	54.00	-18.89	29.88	3	Horizontal	24	2.47	-	32.68	5.78	33.23
PK	7.41792G	51.26	74.00	-22.74	41.01	3	Horizontal	298	2.19	-	37.20	7.19	34.14
AV	7.41388G	40.29	54.00	-13.71	30.05	3	Horizontal	298	2.19	-	37.20	7.18	34.14

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2472MHz_TX




EUT_X_2TX
Setting 4.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4795G	107.55	Inf	-Inf	76.56	3	Vertical	285	1.49	BP 1MHz	27.60	3.39	-
AV	2.4795G	101.46	Inf	-Inf	70.47	3	Vertical	285	1.49	BP 1MHz	27.60	3.39	-
PK	2.484G	62.55	74.00	-11.45	31.51	3	Vertical	285	1.49	BP 1MHz	27.64	3.40	-
AV	2.484G	53.95	54.00	-0.05	22.91	3	Vertical	285	1.49	BP 1MHz	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2472MHz_TX




EUT_X_2TX
Setting 4.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4785G	104.04	Inf	-Inf	73.05	3	Horizontal	107	2.12	BP 1MHz	27.60	3.39	-
AV	2.4785G	96.80	Inf	-Inf	65.81	3	Horizontal	107	2.12	BP 1MHz	27.60	3.39	-
PK	2.484G	61.13	74.00	-12.87	30.09	3	Horizontal	107	2.12	BP 1MHz	27.64	3.40	-
AV	2.484G	51.92	54.00	-2.08	20.88	3	Horizontal	107	2.12	BP 1MHz	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2472MHz_TX




EUT_X_2TX
Setting 4.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94764G	46.41	74.00	-27.59	41.16	3	Vertical	150	2.19	-	32.70	5.78	33.23
AV	4.93986G	35.26	54.00	-18.74	30.03	3	Vertical	150	2.19	-	32.68	5.78	33.23
PK	7.41692G	51.72	74.00	-22.28	41.47	3	Vertical	259	1.23	-	37.20	7.19	34.14
AV	7.41642G	40.12	54.00	-13.88	29.87	3	Vertical	259	1.23	-	37.20	7.19	34.14

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2472MHz_TX




EUT_X_2TX
Setting 4.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94686G	48.15	74.00	-25.85	42.91	3	Horizontal	219	1.78	-	32.69	5.78	33.23
AV	4.93902G	35.19	54.00	-18.81	29.96	3	Horizontal	219	1.78	-	32.68	5.78	33.23
PK	7.41412G	52.37	74.00	-21.63	42.13	3	Horizontal	186	1.22	-	37.20	7.18	34.14
AV	7.41482G	40.12	54.00	-13.88	29.87	3	Horizontal	186	1.22	-	37.20	7.19	34.14

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2472MHz_TX




EUT_X_2TX
Setting 7
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4795G	106.94	Inf	-Inf	75.95	3	Vertical	298	1.20	BP 1MHz	27.60	3.39	-
AV	2.4795G	101.32	Inf	-Inf	70.33	3	Vertical	298	1.20	BP 1MHz	27.60	3.39	-
PK	2.484G	61.67	74.00	-12.33	30.63	3	Vertical	298	1.20	BP 1MHz	27.64	3.40	-
AV	2.484G	53.86	54.00	-0.14	22.82	3	Vertical	298	1.20	BP 1MHz	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2472MHz_TX




EUT_X_2TX
Setting 7
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4775G	103.60	Inf	-Inf	72.61	3	Horizontal	115	1.80	BP 1MHz	27.60	3.39	-
AV	2.4775G	97.29	Inf	-Inf	66.30	3	Horizontal	115	1.80	BP 1MHz	27.60	3.39	-
PK	2.484G	63.01	74.00	-10.99	31.97	3	Horizontal	115	1.80	BP 1MHz	27.64	3.40	-
AV	2.484G	51.92	54.00	-2.08	20.88	3	Horizontal	115	1.80	BP 1MHz	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2472MHz_TX




EUT_X_2TX
Setting 7
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9446G	46.08	74.00	-27.92	40.84	3	Vertical	334	2.26	-	32.69	5.78	33.23
AV	4.9462G	34.82	54.00	-19.18	29.58	3	Vertical	334	2.26	-	32.69	5.78	33.23
PK	7.41582G	51.42	74.00	-22.58	41.17	3	Vertical	5	2.77	-	37.20	7.19	34.14
AV	7.41776G	39.82	54.00	-14.18	29.57	3	Vertical	5	2.77	-	37.20	7.19	34.14

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2472MHz_TX



EUT_X_2TX
Setting 7
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93926G	46.11	74.00	-27.89	40.88	3	Horizontal	178	1.35	-	32.68	5.78	33.23
AV	4.9403G	34.88	54.00	-19.12	29.65	3	Horizontal	178	1.35	-	32.68	5.78	33.23
PK	7.41812G	51.25	74.00	-22.75	41.00	3	Horizontal	322	2.66	-	37.20	7.19	34.14
AV	7.41656G	40.00	54.00	-14.00	29.75	3	Horizontal	322	2.66	-	37.20	7.19	34.14