


2TX

802.11b_CH 1

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4823.43	61.63 PK	74	-12.37	-42.1	-43.72	6.19	-33.63
2	4823.43	53.38 AV	54	-0.62	-50.51	-51.74	6.19	-41.88
3	7498.43	62.27 PK	74	-11.73	-41.98	-42.42	6.19	-32.99
4	7493.75	50.71 AV	54	-3.29	-53.78	-53.72	6.19	-44.55

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11b_CH 6

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4873.43	60.87 PK	74	-13.13	-43.23	-43.98	6.19	-34.39
2	4873.43	53.54 AV	54	-0.46	-50.51	-51.38	6.19	-41.72
3	7310.93	63.09 PK	74	-10.91	-43.06	-40.16	6.19	-32.17
4	7312.5	53.67 AV	54	-0.33	-54.18	-48.91	6.19	-41.59

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1






802.11b_CH 11

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4923.43	62.11 PK	74	-11.89	-41.84	-42.93	6.19	-33.15
2	4923.43	53.7 AV	54	-0.3	-49.66	-52.24	6.19	-41.56
3	7481.25	62.73 PK	74	-11.27	-40.94	-42.69	6.19	-32.53
4	7478.12	50.19 AV	54	-3.81	-55.1	-53.58	6.19	-45.07

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11b_CH 12

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4917.18	60.62 PK	74	-13.38	-43.18	-44.61	6.19	-34.64
2	4934.37	49.34 AV	54	-4.66	-54.32	-56.1	6.19	-45.92
3	7479.68	63.04 PK	74	-10.96	-41.2	-41.65	6.19	-32.22
4	7492.18	50.7 AV	54	-3.3	-53.71	-53.81	6.19	-44.56

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1





802.11b_CH 13


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4996.87	60.45 PK	74	-13.55	-43.34	-44.8	6.19	-34.81
2	4943.75	48.15 AV	54	-5.85	-56.05	-56.58	6.19	-47.11
3	7476.56	63.03 PK	74	-10.97	-41.5	-41.37	6.19	-32.23
4	7500	50.66 AV	54	-3.34	-53.74	-53.87	6.19	-44.60

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value


Chain 0





Spectrum Plot of Worst Value

Chain 1





802.11g_CH 1


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4962.5	60.6 PK	74	-13.4	-43.25	-44.57	6.19	-34.66
2	4989.06	48.24 AV	54	-5.76	-56.33	-56.11	6.19	-47.02
3	7484.37	62.47 PK	74	-11.53	-41.98	-42	6.19	-32.79
4	7493.75	50.61 AV	54	-3.39	-53.76	-53.94	6.19	-44.65

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value


Chain 0





Spectrum Plot of Worst Value

Chain 1



802.11g_CH 6


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4868.75	60.34 PK	74	-13.66	-44.09	-44.15	6.19	-34.92
2	4873.43	48.41 AV	54	-5.59	-56.09	-56.02	6.19	-46.85
3	7432.81	62.83 PK	74	-11.17	-42.57	-40.86	6.19	-32.43
4	7496.87	50.86 AV	54	-3.14	-53.58	-53.63	6.19	-44.40

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value


Chain 0





Spectrum Plot of Worst Value

Chain 1




802.11g_CH 11

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4921.87	61.95 PK	74	-12.05	-42.87	-42.18	6.19	-33.31
2	4921.87	48.33 AV	54	-5.67	-56.03	-56.24	6.19	-46.93
3	7496.87	63.1 PK	74	-10.9	-41.61	-41.12	6.19	-32.16
4	7490.62	50.74 AV	54	-3.26	-53.4	-54.06	6.19	-44.52

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11g_CH 12

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4831.25	60.27 PK	74	-13.73	-43.25	-45.38	6.19	-34.99
2	4929.68	48.39 AV	54	-5.61	-55.99	-56.15	6.19	-46.87
3	7489.06	62.39 PK	74	-11.61	-41.68	-42.5	6.19	-32.87
4	7496.87	50.75 AV	54	-3.25	-53.44	-54	6.19	-44.51

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11g_CH 13

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4962.5	60.37 PK	74	-13.63	-43.22	-45.17	6.19	-34.89
2	4989.06	48.25 AV	54	-5.75	-55.91	-56.54	6.19	-47.01
3	7460.93	62.5 PK	74	-11.5	-42.4	-41.57	6.19	-32.76
4	7484.37	50.64 AV	54	-3.36	-53.69	-53.96	6.19	-44.62


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20)_CH 1

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4868.75	57.06 PK	74	-16.94	-44.13	-44.66	3.18	-38.20
2	4995.31	45.23 AV	54	-8.77	-56.33	-56.11	3.18	-50.03
3	7481.25	59.97 PK	74	-14.03	-40.95	-42.08	3.18	-35.29
4	7496.87	47.81 AV	54	-6.19	-53.57	-53.72	3.18	-47.45

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20)_CH 6

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4812.5	57.28 PK	74	-16.72	-46.61	-42.62	3.18	-37.98
2	4876.56	45.35 AV	54	-8.65	-56.22	-55.99	3.18	-49.91
3	7482.81	59.27 PK	74	-14.73	-42.25	-42.11	3.18	-35.99
4	7492.18	47.73 AV	54	-6.27	-53.67	-53.77	3.18	-47.53

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20)_CH 11

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4931.25	57.53 PK	74	-16.47	-43.64	-44.23	3.18	-37.73
2	4976.56	45.14 AV	54	-8.86	-56.44	-56.18	3.18	-50.12
3	7492.18	59.45 PK	74	-14.55	-42.9	-41.26	3.18	-35.81
4	7493.75	47.67 AV	54	-6.33	-53.96	-53.6	3.18	-47.59

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20)_CH 12

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4862.5	57.62 PK	74	-16.38	-43.34	-44.39	3.18	-37.64
2	4834.37	45.08 AV	54	-8.92	-56.15	-56.61	3.18	-50.18
3	7462.5	59.61 PK	74	-14.39	-41.25	-42.52	3.18	-35.65
4	7498.43	47.71 AV	54	-6.29	-53.8	-53.69	3.18	-47.55


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20)_CH 13

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4925	57.54 PK	74	-16.46	-44.46	-43.43	3.18	-37.72
2	4953.12	45.19 AV	54	-8.81	-56.21	-56.32	3.18	-50.07
3	7468.75	59.74 PK	74	-14.26	-41	-42.57	3.18	-35.52
4	7498.43	47.7 AV	54	-6.3	-53.68	-53.82	3.18	-47.56

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11be (EHT40)_CH 3

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4856.25	57.73 PK	74	-16.27	-44.16	-43.33	3.18	-37.53
2	4850	45.08 AV	54	-8.92	-56.14	-56.62	3.18	-50.18
3	7481.25	59.73 PK	74	-14.27	-41.66	-41.78	3.18	-35.53
4	7490.62	47.67 AV	54	-6.33	-54.03	-53.55	3.18	-47.59

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1





802.11be (EHT40)_CH 6


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4957.81	57.26 PK	74	-16.74	-45.83	-43.01	3.18	-38.00
2	4884.37	45.16 AV	54	-8.84	-56.22	-56.36	3.18	-50.10
3	7467.18	59.58 PK	74	-14.42	-41.82	-41.92	3.18	-35.68
4	7492.18	47.73 AV	54	-6.27	-53.59	-53.85	3.18	-47.53

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.


Spectrum Plot of Worst Value

Chain 0



Spectrum Plot of Worst Value

Chain 1




802.11be (EHT40)_CH 9

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4884.37	57.26 PK	74	-16.74	-44.22	-44.16	3.18	-38.00
2	4896.87	45.13 AV	54	-8.87	-56.24	-56.41	3.18	-50.13
3	7481.25	59.85 PK	74	-14.15	-41.13	-42.13	3.18	-35.41
4	7492.18	47.79 AV	54	-6.21	-53.82	-53.51	3.18	-47.47


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



Spectrum Plot of Worst Value

Chain 1




802.11be (EHT40)_CH 10

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4920.31	57.68 PK	74	-16.32	-43.14	-44.5	3.18	-37.58
2	4981.25	45.1 AV	54	-8.9	-56.79	-55.96	3.18	-50.16
3	7479.68	59.73 PK	74	-14.27	-42.25	-41.25	3.18	-35.53
4	7492.18	47.64 AV	54	-6.36	-53.84	-53.79	3.18	-47.62

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11be (EHT40)_CH 11

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4848.43	57.46 PK	74	-16.54	-43.63	-44.38	3.18	-37.80
2	4945.31	45.09 AV	54	-8.91	-56.22	-56.51	3.18	-50.17
3	7485.93	59.81 PK	74	-14.19	-41.27	-42.04	3.18	-35.45
4	7492.18	47.66 AV	54	-6.34	-53.68	-53.91	3.18	-47.60

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20) 26-tone RU_CH 1

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4817.18	57.33 PK	74	-16.67	-45.36	-43.15	3.18	-37.93
2	4807.81	45.46 AV	54	-8.54	-56.07	-55.92	3.18	-49.80
3	7498.43	59.32 PK	74	-14.68	-42.16	-42.1	3.18	-35.94
4	7490.62	47.71 AV	54	-6.29	-53.62	-53.87	3.18	-47.55

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20) 26-tone RU_CH 6

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4856.25	57.67 PK	74	-16.33	-44.82	-42.95	3.18	-37.59
2	4856.25	46.26 AV	54	-7.74	-54.97	-55.43	3.18	-49.00
3	7285.93	62.25 PK	74	-11.75	-41.31	-37.79	3.18	-33.01
4	7495.31	47.65 AV	54	-6.35	-53.98	-53.62	3.18	-47.61

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20) 26-tone RU_CH 11

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4885.93	57.35 PK	74	-16.65	-43.82	-44.4	3.18	-37.91
2	4940.62	45.93 AV	54	-8.07	-55.29	-55.77	3.18	-49.33
3	7493.75	59.92 PK	74	-14.08	-40.99	-42.14	3.18	-35.34
4	7498.43	47.7 AV	54	-6.3	-53.79	-53.72	3.18	-47.56

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20) 26-tone RU_CH 12

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4900	57.87 PK	74	-16.13	-44.32	-42.95	3.18	-37.39
2	4951.56	45.85 AV	54	-8.15	-55.31	-55.92	3.18	-49.41
3	7464.06	59.82 PK	74	-14.18	-42.09	-41.22	3.18	-35.44
4	7492.18	47.63 AV	54	-6.37	-53.78	-53.87	3.18	-47.63

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20) 26-tone RU_CH 13

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4934.37	57.2 PK	74	-16.8	-44.99	-43.62	3.18	-38.06
2	4960.93	45.22 AV	54	-8.78	-56.34	-56.13	3.18	-50.04
3	7428.12	59.73 PK	74	-14.27	-42.27	-41.24	3.18	-35.53
4	7492.18	47.72 AV	54	-6.28	-53.65	-53.82	3.18	-47.54

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20) 52-tone RU_CH 1

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4893.75	57.7 PK	74	-16.3	-44.01	-43.5	3.18	-37.56
2	4807.81	45.27 AV	54	-8.73	-56.12	-56.24	3.18	-49.99
3	7489.06	59.99 PK	74	-14.01	-42.39	-40.7	3.18	-35.27
4	7495.31	47.84 AV	54	-6.16	-53.66	-53.56	3.18	-47.42

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20) 52-tone RU_CH 6

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4845.31	57.61 PK	74	-16.39	-43.98	-43.71	3.18	-37.65
2	4857.81	45.67 AV	54	-8.33	-55.46	-56.13	3.18	-49.59
3	7290.62	60.56 PK	74	-13.44	-43.13	-39.42	3.18	-34.70
4	7479.68	47.62 AV	54	-6.38	-53.83	-53.84	3.18	-47.64

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20) 52-tone RU_CH 11

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4964.06	57.53 PK	74	-16.47	-44.66	-43.29	3.18	-37.73
2	4937.5	45.53 AV	54	-8.47	-55.74	-56.11	3.18	-49.73
3	7482.81	59.91 PK	74	-14.09	-40.51	-42.89	3.18	-35.35
4	7479.68	47.7 AV	54	-6.3	-53.59	-53.91	3.18	-47.56

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20) 52-tone RU_CH 12

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4948.43	57.92 PK	74	-16.08	-42.56	-44.77	3.18	-37.34
2	4950	45.42 AV	54	-8.58	-55.8	-56.27	3.18	-49.84
3	7493.75	60.34 PK	74	-13.66	-42.7	-39.95	3.18	-34.92
4	7485.93	47.63 AV	54	-6.37	-53.71	-53.94	3.18	-47.63

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20) 52-tone RU_CH 13

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4975	57.09 PK	74	-16.91	-43.48	-45.46	3.18	-38.17
2	4867.18	45.16 AV	54	-8.84	-56.12	-56.46	3.18	-50.10
3	7473.43	59.57 PK	74	-14.43	-41.58	-42.21	3.18	-35.69
4	7478.12	47.68 AV	54	-6.32	-53.74	-53.8	3.18	-47.58

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20) 106-tone RU_CH 1

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4957.81	57.84 PK	74	-16.16	-43.25	-44	3.18	-37.42
2	4953.12	45.25 AV	54	-8.75	-56.07	-56.33	3.18	-50.01
3	7487.5	60.38 PK	74	-13.62	-40.67	-41.51	3.18	-34.88
4	7481.25	47.82 AV	54	-6.18	-53.49	-53.78	3.18	-47.44

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20) 106-tone RU_CH 6

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4957.81	57.7 PK	74	-16.3	-42.45	-45.6	3.18	-37.56
2	4862.5	45.41 AV	54	-8.59	-56.02	-56.07	3.18	-49.85
3	7476.56	59.77 PK	74	-14.23	-41.13	-42.3	3.18	-35.49
4	7498.43	47.89 AV	54	-6.11	-53.67	-53.46	3.18	-47.37

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20) 106-tone RU_CH 11

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4887.5	57.85 PK	74	-16.15	-43.61	-43.59	3.18	-37.41
2	4925	45.41 AV	54	-8.59	-55.78	-56.32	3.18	-49.85
3	7495.31	59.82 PK	74	-14.18	-41	-42.36	3.18	-35.44
4	7487.5	47.79 AV	54	-6.21	-53.84	-53.48	3.18	-47.47

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20) 106-tone RU_CH 12

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4946.87	57.61 PK	74	-16.39	-43.76	-43.92	3.18	-37.65
2	4943.75	45.19 AV	54	-8.81	-56.14	-56.39	3.18	-50.07
3	7492.18	60.37 PK	74	-13.63	-41.82	-40.44	3.18	-34.89
4	7498.43	47.82 AV	54	-6.18	-53.73	-53.53	3.18	-47.44

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20) 106-tone RU_CH 13

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4942.18	57.59 PK	74	-16.41	-42.94	-45.02	3.18	-37.67
2	4871.87	45.23 AV	54	-8.77	-56.27	-56.17	3.18	-50.03
3	7425	60 PK	74	-14	-42.24	-40.79	3.18	-35.26
4	7498.43	47.81 AV	54	-6.19	-53.75	-53.54	3.18	-47.45

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20) 52+26-tone MRU_CH 1

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4890.62	57.48 PK	74	-16.52	-43.68	-44.28	3.18	-37.78
2	4948.43	45.25 AV	54	-8.75	-56.11	-56.29	3.18	-50.01
3	7496.87	59.9 PK	74	-14.1	-42.65	-40.67	3.18	-35.36
4	7498.43	47.92 AV	54	-6.08	-53.65	-53.42	3.18	-47.34

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20) 52+26-tone MRU_CH 6

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4864.06	57.54 PK	74	-16.46	-43.95	-43.87	3.18	-37.72
2	4862.5	45.56 AV	54	-8.44	-55.67	-56.13	3.18	-49.70
3	7450	59.74 PK	74	-14.26	-42.15	-41.32	3.18	-35.52
4	7493.75	47.82 AV	54	-6.18	-53.59	-53.67	3.18	-47.44

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20) 52+26-tone MRU_CH 11

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4979.68	57.43 PK	74	-16.57	-46.21	-42.57	3.18	-37.83
2	4931.25	45.59 AV	54	-8.41	-55.5	-56.25	3.18	-49.67
3	7485.93	59.79 PK	74	-14.21	-41.37	-41.97	3.18	-35.47
4	7498.43	47.83 AV	54	-6.17	-53.6	-53.65	3.18	-47.43

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20) 52+26-tone MRU_CH 12

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4921.87	57.6 PK	74	-16.4	-42.78	-45.26	3.18	-37.66
2	4942.18	45.23 AV	54	-8.77	-56.06	-56.39	3.18	-50.03
3	7498.43	59.95 PK	74	-14.05	-42	-41.05	3.18	-35.31
4	7493.75	48.04 AV	54	-5.96	-53.29	-53.53	3.18	-47.22

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20) 52+26-tone MRU_CH 13

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4953.12	57.64 PK	74	-16.36	-42.59	-45.52	3.18	-37.62
2	4948.43	45.31 AV	54	-8.69	-56	-56.28	3.18	-49.95
3	7450	59.81 PK	74	-14.19	-41.48	-41.8	3.18	-35.45
4	7492.18	47.83 AV	54	-6.17	-53.63	-53.61	3.18	-47.43


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20) 106+26-tone MRU_CH 1

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4818.75	57.62 PK	74	-16.38	-44.07	-43.61	3.18	-37.64
2	4906.25	45.24 AV	54	-8.76	-56.31	-56.11	3.18	-50.02
3	7479.68	60.25 PK	74	-13.75	-41.84	-40.65	3.18	-35.01
4	7479.68	47.76 AV	54	-6.24	-53.56	-53.83	3.18	-47.50

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20) 106+26-tone MRU_CH 6

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5000	57.64 PK	74	-16.36	-43.39	-44.28	3.18	-37.62
2	4870.31	45.41 AV	54	-8.59	-56.01	-56.08	3.18	-49.85
3	7476.56	59.85 PK	74	-14.15	-41.04	-42.25	3.18	-35.41
4	7485.93	47.91 AV	54	-6.09	-53.37	-53.72	3.18	-47.35

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20) 106+26-tone MRU_CH 11

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4842.18	57.42 PK	74	-16.58	-44.38	-43.7	3.18	-37.84
2	4932.81	45.38 AV	54	-8.62	-55.91	-56.23	3.18	-49.88
3	7429.68	59.67 PK	74	-14.33	-41.47	-42.12	3.18	-35.59
4	7462.5	47.8 AV	54	-6.2	-53.6	-53.71	3.18	-47.46

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20) 106+26-tone MRU_CH 12

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4857.81	57.69 PK	74	-16.31	-42.36	-45.84	3.18	-37.57
2	4939.06	45.23 AV	54	-8.77	-56.04	-56.4	3.18	-50.03
3	7467.18	59.99 PK	74	-14.01	-41.57	-41.36	3.18	-35.27
4	7479.68	47.79 AV	54	-6.21	-53.69	-53.63	3.18	-47.47

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1




802.11be (EHT20) 106+26-tone MRU_CH 13

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5000	57.52 PK	74	-16.48	-44.18	-43.7	3.18	-37.74
2	4945.31	45.28 AV	54	-8.72	-56	-56.35	3.18	-49.98
3	7443.75	59.66 PK	74	-14.34	-42.68	-41.06	3.18	-35.60
4	7495.31	47.76 AV	54	-6.24	-53.77	-53.61	3.18	-47.50

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Spectrum Plot of Worst Value

Chain 1



Bandedge table


1TX

802.11b_CH 1

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2389.87	61.52 PK	74	-12.48	-36.92	3.18	-33.74
2	2389.18	52.12 AV	54	-1.88	-46.32	3.18	-43.14
3	2485.51	58.83 PK	74	-15.17	-39.61	3.18	-36.43
4	2491.09	42.77 AV	54	-11.23	-55.67	3.18	-52.49

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11b_CH 6

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2389.49	60.55 PK	74	-13.45	-37.89	3.18	-34.71
2	2388.23	51.9 AV	54	-2.1	-46.54	3.18	-43.36
3	2483.66	60.83 PK	74	-13.17	-37.61	3.18	-34.43
4	2483.66	51.68 AV	54	-2.32	-46.76	3.18	-43.58

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value




802.11b_CH 11

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2388.58	58.12 PK	74	-15.88	-40.32	3.18	-37.14
2	2388.87	43.77 AV	54	-10.23	-54.67	3.18	-51.49
3	2484.15	60.31 PK	74	-13.69	-38.13	3.18	-34.95
4	2488.79	50.79 AV	54	-3.21	-47.65	3.18	-44.47

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11b_CH 12

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2320.47	59.37 PK	74	-14.63	-39.07	3.18	-35.89
2	2387.42	40.82 AV	54	-13.18	-57.62	3.18	-54.44
3	2483.68	61.97 PK	74	-12.03	-36.47	3.18	-33.29
4	2483.7	52.35 AV	54	-1.65	-46.09	3.18	-42.91

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value




802.11b_CH 13

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2368.92	50.3 PK	74	-23.7	-48.14	3.18	-44.96
2	2389.82	37.02 AV	54	-16.98	-61.42	3.18	-58.24
3	2483.8	58.94 PK	74	-15.06	-39.5	3.18	-36.32
4	2483.75	53.36 AV	54	-0.64	-45.08	3.18	-41.90

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11g_CH 1

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2385.38	72.75 PK	74	-1.25	-25.69	3.18	-22.51
2	2389.72	48.91 AV	54	-5.09	-49.53	3.18	-46.35
3	2496.08	57.51 PK	74	-16.49	-40.93	3.18	-37.75
4	2488.29	43.61 AV	54	-10.39	-54.83	3.18	-51.65

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11g_CH 6

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2389.42	71.98 PK	74	-2.02	-26.46	3.18	-23.28
2	2389.51	53.58 AV	54	-0.42	-44.86	3.18	-41.68
3	2484.37	71.84 PK	74	-2.16	-26.6	3.18	-23.42
4	2483.56	53.27 AV	54	-0.73	-45.17	3.18	-41.99

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11g_CH 11

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2380.41	58.06 PK	74	-15.94	-40.38	3.18	-37.20
2	2377.83	44.43 AV	54	-9.57	-54.01	3.18	-50.83
3	2490.28	70.94 PK	74	-3.06	-27.5	3.18	-24.32
4	2483.8	50.56 AV	54	-3.44	-47.88	3.18	-44.70

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11g_CH 12

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2364.93	58.02 PK	74	-15.98	-40.42	3.18	-37.24
2	2387.75	44.04 AV	54	-9.96	-54.4	3.18	-51.22
3	2485.56	64.64 PK	74	-9.36	-33.8	3.18	-30.62
4	2483.51	49.16 AV	54	-4.84	-49.28	3.18	-46.10

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11g_CH 13

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2359.63	57.72 PK	74	-16.28	-40.72	3.18	-37.54
2	2389.01	44.07 AV	54	-9.93	-54.37	3.18	-51.19
3	2485.53	64.23 PK	74	-9.77	-34.21	3.18	-31.03
4	2483.54	50.71 AV	54	-3.29	-47.73	3.18	-44.55

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20)_CH 1

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2388.73	73.62 PK	74	-0.38	-24.82	3.18	-21.64
2	2389.99	48.1 AV	54	-5.9	-50.34	3.18	-47.16
3	2493.54	57.79 PK	74	-16.21	-40.65	3.18	-37.47
4	2484.77	42.47 AV	54	-11.53	-55.97	3.18	-52.79

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20)_CH 6

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2388.28	71.34 PK	74	-2.66	-27.1	3.18	-23.92
2	2389.82	52.1 AV	54	-1.9	-46.34	3.18	-43.16
3	2483.51	72.8 PK	74	-1.2	-25.64	3.18	-22.46
4	2483.77	51.78 AV	54	-2.22	-46.66	3.18	-43.48

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value




802.11be (EHT20)_CH 11

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2373.53	58 PK	74	-16	-40.44	3.18	-37.26
2	2386.49	43.29 AV	54	-10.71	-55.15	3.18	-51.97
3	2485.06	72.67 PK	74	-1.33	-25.77	3.18	-22.59
4	2483.51	51.47 AV	54	-2.53	-46.97	3.18	-43.79

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20)_CH 12

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2317.88	59.06 PK	74	-14.94	-39.38	3.18	-36.20
2	2387.99	42.72 AV	54	-11.28	-55.72	3.18	-52.54
3	2486.53	68.86 PK	74	-5.14	-29.58	3.18	-26.40
4	2483.68	50.98 AV	54	-3.02	-47.46	3.18	-44.28

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20)_CH 13

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2312.28	57.91 PK	74	-16.09	-40.53	3.18	-37.35
2	2384.31	42.18 AV	54	-11.82	-56.26	3.18	-53.08
3	2486.01	64.82 PK	74	-9.18	-33.62	3.18	-30.44
4	2483.7	50.91 AV	54	-3.09	-47.53	3.18	-44.35

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT40)_CH 3

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2382.74	68.32 PK	74	-5.68	-30.12	3.18	-26.94
2	2389.51	50.81 AV	54	-3.19	-47.63	3.18	-44.45
3	2483.61	60.51 PK	74	-13.49	-37.93	3.18	-34.75
4	2483.73	44.54 AV	54	-9.46	-53.9	3.18	-50.72

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT40)_CH 6

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2387.71	72.83 PK	74	-1.17	-25.61	3.18	-22.43
2	2388.87	52.78 AV	54	-1.22	-45.66	3.18	-42.48
3	2483.94	72.77 PK	74	-1.23	-25.67	3.18	-22.49
4	2484.01	52.49 AV	54	-1.51	-45.95	3.18	-42.77

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT40)_CH 9

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2389.53	59.55 PK	74	-14.45	-38.89	3.18	-35.71
2	2389.77	45.02 AV	54	-8.98	-53.42	3.18	-50.24
3	2484.94	67.02 PK	74	-6.98	-31.42	3.18	-28.24
4	2483.51	50.32 AV	54	-3.68	-48.12	3.18	-44.94

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT40)_CH 10

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2368.47	59.33 PK	74	-14.67	-39.11	3.18	-35.93
2	2388.82	44.33 AV	54	-9.67	-54.11	3.18	-50.93
3	2485.18	64.87 PK	74	-9.13	-33.57	3.18	-30.39
4	2485.84	48.88 AV	54	-5.12	-49.56	3.18	-46.38

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value




802.11be (EHT40)_CH 11

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2380.32	58.23 PK	74	-15.77	-40.21	3.18	-37.03
2	2389.75	43.6 AV	54	-10.4	-54.84	3.18	-51.66
3	2483.8	65.46 PK	74	-8.54	-32.98	3.18	-29.80
4	2483.51	49.1 AV	54	-4.9	-49.34	3.18	-46.16

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 26-tone RU_CH 1

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2389.87	71.57 PK	74	-2.43	-26.87	3.18	-23.69
2	2386.47	50.29 AV	54	-3.71	-48.15	3.18	-44.97
3	2495.48	57.89 PK	74	-16.11	-40.55	3.18	-37.37
4	2484.23	42.13 AV	54	-11.87	-56.31	3.18	-53.13

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 26-tone RU_CH 6

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2389.8	68.52 PK	74	-5.48	-29.92	3.18	-26.74
2	2389.8	45.17 AV	54	-8.83	-53.27	3.18	-50.09
3	2484.65	68.85 PK	74	-5.15	-29.59	3.18	-26.41
4	2484.37	45.4 AV	54	-8.6	-53.04	3.18	-49.86

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 26-tone RU_CH 11

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2389.01	59.08 PK	74	-14.92	-39.36	3.18	-36.18
2	2388.11	42.32 AV	54	-11.68	-56.12	3.18	-52.94
3	2484.06	71.32 PK	74	-2.68	-27.12	3.18	-23.94
4	2487.57	49.78 AV	54	-4.22	-48.66	3.18	-45.48

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value




802.11be (EHT20) 26-tone RU_CH 12

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2327.74	58.04 PK	74	-15.96	-40.4	3.18	-37.22
2	2389.39	42.02 AV	54	-11.98	-56.42	3.18	-53.24
3	2483.8	69.19 PK	74	-4.81	-29.25	3.18	-26.07
4	2492.42	47.91 AV	54	-6.09	-50.53	3.18	-47.35

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 26-tone RU_CH 13

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2362.03	58.18 PK	74	-15.82	-40.26	3.18	-37.08
2	2379.92	41.75 AV	54	-12.25	-56.69	3.18	-53.51
3	2483.5	72.71 PK	74	-1.29	-25.73	3.18	-22.55
4	2483.5	49.7 AV	54	-4.3	-48.74	3.18	-45.56

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value






802.11be (EHT20) 52-tone RU_CH 1

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2389.49	70.84 PK	74	-3.16	-27.6	3.18	-24.42
2	2389.65	49.12 AV	54	-4.88	-49.32	3.18	-46.14
3	2492.8	58.45 PK	74	-15.55	-39.99	3.18	-36.81
4	2490.02	42 AV	54	-12	-56.44	3.18	-53.26

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value




802.11be (EHT20) 52-tone RU_CH 6

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2386.14	65.08 PK	74	-8.92	-33.36	3.18	-30.18
2	2389.99	46.16 AV	54	-7.84	-52.28	3.18	-49.10
3	2486.1	63.36 PK	74	-10.64	-35.08	3.18	-31.90
4	2484.46	45.3 AV	54	-8.7	-53.14	3.18	-49.96

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 52-tone RU_CH 11

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2389.08	58.41 PK	74	-15.59	-40.03	3.18	-36.85
2	2383.67	42.89 AV	54	-11.11	-55.55	3.18	-52.37
3	2483.66	70.88 PK	74	-3.12	-27.56	3.18	-24.38
4	2484.44	49.43 AV	54	-4.57	-49.01	3.18	-45.83

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 52-tone RU_CH 12

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2376.47	59.71 PK	74	-14.29	-38.73	3.18	-35.55
2	2387.3	47.25 AV	54	-6.75	-51.19	3.18	-48.01
3	2483.5	73.84 PK	74	-0.16	-24.6	3.18	-21.42
4	2483.89	50.02 AV	54	-3.98	-48.42	3.18	-45.24

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.






802.11be (EHT20) 52-tone RU_CH 13

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2356.93	57.76 PK	74	-16.24	-40.68	3.18	-37.50
2	2389.51	41.71 AV	54	-12.29	-56.73	3.18	-53.55
3	2484.25	70.42 PK	74	-3.58	-28.02	3.18	-24.84
4	2483.5	48.17 AV	54	-5.83	-50.27	3.18	-47.09

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value




802.11be (EHT20) 106-tone RU_CH 1

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2387.9	70.6 PK	74	-3.4	-27.84	3.18	-24.66
2	2389.94	46.75 AV	54	-7.25	-51.69	3.18	-48.51
3	2488.79	57.82 PK	74	-16.18	-40.62	3.18	-37.44
4	2498.81	41.8 AV	54	-12.2	-56.64	3.18	-53.46

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 106-tone RU_CH 6

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2388.96	63.66 PK	74	-10.34	-34.78	3.18	-31.60
2	2389.8	48.15 AV	54	-5.85	-50.29	3.18	-47.11
3	2488.74	63.13 PK	74	-10.87	-35.31	3.18	-32.13
4	2483.51	48.26 AV	54	-5.74	-50.18	3.18	-47.00

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 106-tone RU_CH 11

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2369.66	60.42 PK	74	-13.58	-38.02	3.18	-34.84
2	2386.23	47.48 AV	54	-6.52	-50.96	3.18	-47.78
3	2483.94	73.56 PK	74	-0.44	-24.88	3.18	-21.70
4	2484.01	51.29 AV	54	-2.71	-47.15	3.18	-43.97

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value




802.11be (EHT20) 106-tone RU_CH 12

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2338.4	59.88 PK	74	-14.12	-38.56	3.18	-35.38
2	2388.35	47.41 AV	54	-6.59	-51.03	3.18	-47.85
3	2484.06	73.76 PK	74	-0.24	-24.68	3.18	-21.50
4	2483.5	52.25 AV	54	-1.75	-46.19	3.18	-43.01

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value






802.11be (EHT20) 106-tone RU_CH 13

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2378.04	57.65 PK	74	-16.35	-40.79	3.18	-37.61
2	2387.8	41.87 AV	54	-12.13	-56.57	3.18	-53.39
3	2484.01	67.8 PK	74	-6.2	-30.64	3.18	-27.46
4	2483.58	48.28 AV	54	-5.72	-50.16	3.18	-46.98

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value




802.11be (EHT20) 52+26-tone MRU_CH 1

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2389.8	67.33 PK	74	-6.67	-31.11	3.18	-27.93
2	2389.7	45.57 AV	54	-8.43	-52.87	3.18	-49.69
3	2492.16	58.65 PK	74	-15.35	-39.79	3.18	-36.61
4	2484.72	42.05 AV	54	-11.95	-56.39	3.18	-53.21

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 52+26-tone MRU_CH 6

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2388.82	63.26 PK	74	-10.74	-35.18	3.18	-32.00
2	2389.99	47.53 AV	54	-6.47	-50.91	3.18	-47.73
3	2484.18	62.91 PK	74	-11.09	-35.53	3.18	-32.35
4	2484.25	47.2 AV	54	-6.8	-51.24	3.18	-48.06

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 52+26-tone MRU_CH 11

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2364.67	58.68 PK	74	-15.32	-39.76	3.18	-36.58
2	2385.14	42.78 AV	54	-11.22	-55.66	3.18	-52.48
3	2484.84	72.56 PK	74	-1.44	-25.88	3.18	-22.70
4	2483.5	47.81 AV	54	-6.19	-50.63	3.18	-47.45

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value




802.11be (EHT20) 52+26-tone MRU_CH 12

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2371.25	60.37 PK	74	-13.63	-38.07	3.18	-34.89
2	2389.61	47.53 AV	54	-6.47	-50.91	3.18	-47.73
3	2485.29	73.75 PK	74	-0.25	-24.69	3.18	-21.51
4	2483.87	50.82 AV	54	-3.18	-47.62	3.18	-44.44

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.






802.11be (EHT20) 52+26-tone MRU_CH 13

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2378.02	58.16 PK	74	-15.84	-40.28	3.18	-37.10
2	2389.13	42.04 AV	54	-11.96	-56.4	3.18	-53.22
3	2484.18	69.85 PK	74	-4.15	-28.59	3.18	-25.41
4	2483.51	49.16 AV	54	-4.84	-49.28	3.18	-46.10

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value




802.11be (EHT20) 106+26-tone MRU_CH 1

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2389.63	73.01 PK	74	-0.99	-25.43	3.18	-22.25
2	2389.91	44.81 AV	54	-9.19	-53.63	3.18	-50.45
3	2494.56	57.69 PK	74	-16.31	-40.75	3.18	-37.57
4	2488.67	41.68 AV	54	-12.32	-56.76	3.18	-53.58

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value




802.11be (EHT20) 106+26-tone MRU_CH 6

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2387.68	66.64 PK	74	-7.36	-31.8	3.18	-28.62
2	2385.88	47.13 AV	54	-6.87	-51.31	3.18	-48.13
3	2484.42	65.65 PK	74	-8.35	-32.79	3.18	-29.61
4	2483.89	46.74 AV	54	-7.26	-51.7	3.18	-48.52

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 106+26-tone MRU_CH 11

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2375.97	59.43 PK	74	-14.57	-39.01	3.18	-35.83
2	2379.94	47.56 AV	54	-6.44	-50.88	3.18	-47.70
3	2483.66	73.8 PK	74	-0.2	-24.64	3.18	-21.46
4	2484.04	51.51 AV	54	-2.49	-46.93	3.18	-43.75

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 106+26-tone MRU_CH 12

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2375.85	60 PK	74	-14	-38.44	3.18	-35.26
2	2387.75	47.57 AV	54	-6.43	-50.87	3.18	-47.69
3	2483.75	71.74 PK	74	-2.26	-26.7	3.18	-23.52
4	2483.75	52.37 AV	54	-1.63	-46.07	3.18	-42.89

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 106+26-tone MRU_CH 13

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	2376.16	57.51 PK	74	-16.49	-40.93	3.18	-37.75
2	2388.16	41.54 AV	54	-12.46	-56.9	3.18	-53.72
3	2485.44	63.2 PK	74	-10.8	-35.24	3.18	-32.06
4	2483.5	52.15 AV	54	-1.85	-46.29	3.18	-43.11

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value



2TX

802.11b_CH 1



No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.46	65.02 PK	74	-8.98	-39.6	-39.29	6.19	-30.24
2	2384.9	53.87 AV	54	-0.13	-52.74	-49.16	6.19	-41.39
3	2483.51	63.24 PK	74	-10.76	-41.58	-40.88	6.19	-32.02
4	2483.63	47.07 AV	54	-6.93	-58.02	-56.84	6.19	-48.19

Remarks:



1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value

Chain 0



Chain 1





802.11b_CH 6


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2387.25	64.47 PK	74	-9.53	-38.53	-42.22	6.19	-30.79
2	2386.28	53.11 AV	54	-0.89	-51.01	-51.71	6.19	-42.15
3	2499.05	63.64 PK	74	-10.36	-41.52	-40.22	6.19	-31.62
4	2488.19	51.49 AV	54	-2.51	-54.74	-51.71	6.19	-43.77

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value

Chain 0



Chain 1



802.11b_CH 11


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2325.17	63.59 PK	74	-10.41	-40.86	-40.88	6.19	-31.67
2	2389.25	47.19 AV	54	-6.81	-57.6	-56.97	6.19	-48.07
3	2483.7	64.91 PK	74	-9.09	-41.07	-38.43	6.19	-30.35
4	2483.51	52.47 AV	54	-1.53	-52.67	-51.41	6.19	-42.79

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value

Chain 0



Chain 1





802.11b_CH 12


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.91	57.39 PK	74	-16.61	-46.95	-47.19	6.19	-37.87
2	2389.99	44.46 AV	54	-9.54	-59.83	-60.17	6.19	-50.80
3	2483.77	61.84 PK	74	-12.16	-42.03	-43.3	6.19	-33.42
4	2483.68	53.55 AV	54	-0.45	-50.38	-51.52	6.19	-41.71

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value

Chain 0



Chain 1





802.11b_CH 13



No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2368.04	50.66 PK	74	-23.34	-54.02	-53.59	6.19	-44.60
2	2388.82	37.84 AV	54	-16.16	-66.5	-66.75	6.19	-57.42
3	2483.61	59.73 PK	74	-14.27	-44.78	-44.69	6.19	-35.53
4	2483.75	53.99 AV	54	-0.01	-51.04	-49.97	6.19	-41.27

Remarks:



1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value

Chain 0



Chain 1



802.11g_CH 1


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2388.99	70.76 PK	74	-3.24	-37.86	-31.61	6.19	-24.50
2	2389.72	53.8 AV	54	-0.2	-49.97	-51.49	6.19	-41.46
3	2484.99	63.72 PK	74	-10.28	-42.15	-39.67	6.19	-31.54
4	2486.17	49.59 AV	54	-4.41	-55.26	-54.51	6.19	-45.67

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value

Chain 0



Chain 1



802.11g_CH 6


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2386.3	69.5 PK	74	-4.5	-37.33	-33.43	6.19	-25.76
2	2389.77	53.16 AV	54	-0.84	-52.32	-50.47	6.19	-42.10
3	2484.96	69.61 PK	74	-4.39	-39.86	-32.59	6.19	-25.65
4	2483.8	53.23 AV	54	-0.77	-52.25	-50.4	6.19	-42.03

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value

Chain 0



Chain 1



802.11g_CH 11


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2381.55	63.59 PK	74	-10.41	-42.32	-39.79	6.19	-31.67
2	2388.51	49.78 AV	54	-4.22	-54.23	-55.19	6.19	-45.48
3	2483.58	67.53 PK	74	-6.47	-40.17	-35.1	6.19	-27.73
4	2483.58	52.85 AV	54	-1.15	-51.5	-51.73	6.19	-42.41

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value

Chain 0



Chain 1



802.11g_CH 12


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2356.14	63.33 PK	74	-10.67	-41.06	-41.2	6.19	-31.93
2	2389.68	49.74 AV	54	-4.26	-54.68	-54.77	6.19	-45.52
3	2483.89	67.79 PK	74	-6.21	-34.99	-39.43	6.19	-27.47
4	2483.77	53.88 AV	54	-0.12	-50.27	-50.92	6.19	-41.38

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value

Chain 0



Chain 1




802.11g_CH 13

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2366.95	64 PK	74	-10	-40.12	-40.83	6.19	-31.26
2	2389.15	49.52 AV	54	-4.48	-54.61	-55.3	6.19	-45.74
3	2483.89	66.34 PK	74	-7.66	-38.71	-37.6	6.19	-28.92
4	2483.51	53.51 AV	54	-0.49	-50.86	-51.04	6.19	-41.75



Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Chain 1



802.11be (EHT20)_CH 1


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2384.5	72.72 PK	74	-1.28	-31.11	-27.2	3.18	-22.54
2	2389.99	52.05 AV	54	-1.95	-49.15	-49.66	3.18	-43.21
3	2493.2	60.11 PK	74	-13.89	-40.87	-41.87	3.18	-35.15
4	2486.89	45.27 AV	54	-8.73	-56.08	-56.28	3.18	-49.99

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value

Chain 0



Chain 1



802.11be (EHT20)_CH 6


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2387.94	70.14 PK	74	-3.86	-35.23	-29.29	3.18	-25.12
2	2389.87	51.4 AV	54	-2.6	-51.78	-48.82	3.18	-43.86
3	2484.53	70.35 PK	74	-3.65	-34.83	-29.13	3.18	-24.91
4	2484.08	51.1 AV	54	-2.9	-51.68	-49.34	3.18	-44.16

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value

Chain 0



Chain 1



802.11be (EHT20)_CH 11


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2378.99	60.3 PK	74	-13.7	-40.77	-41.56	3.18	-34.96
2	2389.84	45.75 AV	54	-8.25	-55.65	-55.75	3.18	-49.51
3	2483.61	72.23 PK	74	-1.77	-29.32	-29.12	3.18	-23.03
4	2483.51	53.96 AV	54	-0.04	-46.99	-48.06	3.18	-41.30

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value

Chain 0



Chain 1





802.11be (EHT20)_CH 12


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.63	60.29 PK	74	-13.71	-40.1	-42.57	3.18	-34.97
2	2388.44	45.46 AV	54	-8.54	-56.08	-55.91	3.18	-49.80
3	2483.92	70.5 PK	74	-3.5	-29.57	-33	3.18	-24.76
4	2483.7	52.63 AV	54	-1.37	-48.37	-49.32	3.18	-42.63

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value

Chain 0



Chain 1




802.11be (EHT20)_CH 13

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.61	60.16 PK	74	-13.84	-42.53	-40.33	3.18	-35.10
2	2385.83	45.56 AV	54	-8.44	-56.11	-55.69	3.18	-49.70
3	2483.82	66.38 PK	74	-7.62	-35.33	-34.83	3.18	-28.88
4	2483.51	53.03 AV	54	-0.97	-48.79	-48.08	3.18	-42.23





Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Chain 1



802.11be (EHT40)_CH 3


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2388.63	66.42 PK	74	-7.58	-36.12	-34.16	3.18	-28.84
2	2389.82	52.84 AV	54	-1.16	-49.48	-47.89	3.18	-42.42
3	2484.18	61.08 PK	74	-12.92	-41	-39.82	3.18	-34.18
4	2484.39	46.71 AV	54	-7.29	-54.97	-54.52	3.18	-48.55

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value

Chain 0



Chain 1



802.11be (EHT40)_CH 6


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2370.75	69.81 PK	74	-4.19	-41.22	-28.88	3.18	-25.45
2	2389.87	51.98 AV	54	-2.02	-50.97	-48.35	3.18	-43.28
3	2488.36	69.6 PK	74	-4.4	-36.14	-29.74	3.18	-25.66
4	2483.77	52.06 AV	54	-1.94	-49.46	-49.32	3.18	-43.20

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value

Chain 0



Chain 1



802.11be (EHT40)_CH 9


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.13	61.5 PK	74	-12.5	-40.88	-39.19	3.18	-33.76
2	2389.7	47.71 AV	54	-6.29	-53.59	-53.9	3.18	-47.55
3	2487.27	67.16 PK	74	-6.84	-32.55	-37.25	3.18	-28.10
4	2483.58	52.4 AV	54	-1.6	-48.23	-50.05	3.18	-42.86

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value

Chain 0



Chain 1





802.11be (EHT40)_CH 10


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2383.64	60.98 PK	74	-13.02	-41.2	-39.85	3.18	-34.28
2	2388.7	46.85 AV	54	-7.15	-54.72	-54.48	3.18	-48.41
3	2484.84	66.07 PK	74	-7.93	-34.61	-36.32	3.18	-29.19
4	2484.68	51.88 AV	54	-2.12	-48.97	-50.27	3.18	-43.38

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value

Chain 0



Chain 1





802.11be (EHT40)_CH 11



No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2386.83	60.46 PK	74	-13.54	-40.63	-41.38	3.18	-34.80
2	2389.8	46.54 AV	54	-7.46	-55.46	-54.43	3.18	-48.72
3	2483.8	70.13 PK	74	-3.87	-33.92	-29.7	3.18	-25.13
4	2483.54	52.5 AV	54	-1.5	-49.16	-48.75	3.18	-42.76

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Spectrum Plot of Worst Value

Chain 0



Chain 1

