


802.11be (EHT160) - Channel 111
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38668.75	51.91 PK	74	-22.09	-48.27	4.92	-43.35
2	38803.75	40.65 AV	54	-13.35	-59.53	4.92	-54.61

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT160) - Channel 143
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38825.62	52.22 PK	74	-21.78	-47.96	4.92	-43.04
2	38839.37	40.54 AV	54	-13.46	-59.64	4.92	-54.72

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT160) - Channel 175

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38781.25	52.31 PK	74	-21.69	-47.87	4.92	-42.95
2	38800	40.5 AV	54	-13.5	-59.68	4.92	-54.76

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT160) - Channel 207
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38882.5	52.49 PK	74	-21.51	-47.69	4.92	-42.77
2	38740	40.64 AV	54	-13.36	-59.54	4.92	-54.62

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#7129.07	76.83 PK	88.2	-11.37	-22.52	4.09	-18.43
2	#7131.75	61.68 AV	68.2	-6.52	-37.67	4.09	-33.58

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




802.11be (EHT20) 26-tone RU - Channel 1
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38756.25	43.35 PK	74	-30.65	-56.83	4.92	-51.91
2	38771.87	30.8 AV	54	-23.2	-69.38	4.92	-64.46

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5882.65	55.18 PK	88.2	-33.02	-44.84	4.76	-40.08
2	#5881.97	42.32 AV	68.2	-25.88	-57.7	4.76	-52.94

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.






802.11be (EHT20) 26-tone RU - Channel 93 Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38809.37	42.29 PK	74	-31.71	-57.89	4.92	-52.97
2	38801.87	30.74 AV	54	-23.26	-69.44	4.92	-64.52

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 26-tone RU - Channel 97

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38823.75	44.17 PK	74	-29.83	-56.01	4.92	-51.09
2	38837.5	30.71 AV	54	-23.29	-69.47	4.92	-64.55

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.






802.11be (EHT20) 26-tone RU - Channel 113

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38755	41.8 PK	74	-32.2	-58.38	4.92	-53.46
2	38768.12	30.77 AV	54	-23.23	-69.41	4.92	-64.49

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 26-tone RU - Channel 117

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38790.62	42.87 PK	74	-31.13	-57.31	4.92	-52.39
2	38805.62	30.74 AV	54	-23.26	-69.44	4.92	-64.52

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 26-tone RU - Channel 185

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38786.87	42.36 PK	74	-31.64	-57.82	4.92	-52.90
2	38792.5	31.12 AV	54	-22.88	-69.06	4.92	-64.14

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 26-tone RU - Channel 209

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38773.12	41.63 PK	74	-32.37	-58.55	4.92	-53.63
2	38786.87	30.82 AV	54	-23.18	-69.36	4.92	-64.44

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 26-tone RU - Channel 233

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38797.5	41.81 PK	74	-32.19	-58.37	4.92	-53.45
2	38790.62	30.93 AV	54	-23.07	-69.25	4.92	-64.33

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.






Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#7125	74.2 PK	88.2	-14	-25.15	4.09	-21.06
2	#7125.02	62.57 AV	68.2	-5.63	-36.78	4.09	-32.69

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. Follow ANSI C63.10 section 12.7.4.4.3 Integration method.




802.11be (EHT20) 52-tone RU - Channel 1
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38816.87	42.01 PK	74	-31.99	-58.17	4.92	-53.25
2	38820.62	30.94 AV	54	-23.06	-69.24	4.92	-64.32

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5828.97	56.14 PK	88.2	-32.06	-43.88	4.76	-39.12
2	#5826.05	42.55 AV	68.2	-25.65	-57.47	4.76	-52.71

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



802.11be (EHT20) 52-tone RU - Channel 93

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38798.75	52.13 PK	74	-21.87	-48.05	4.92	-43.13
2	38788.75	30.84 AV	54	-23.16	-69.34	4.92	-64.42

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.






802.11be (EHT20) 52-tone RU - Channel 97

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38820.62	42.47 PK	74	-31.53	-57.71	4.92	-52.79
2	38831.87	30.73 AV	54	-23.27	-69.45	4.92	-64.53

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 52-tone RU - Channel 113

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38828.12	42.1 PK	74	-31.9	-58.08	4.92	-53.16
2	38831.87	30.96 AV	54	-23.04	-69.22	4.92	-64.30

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 52-tone RU - Channel 117

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38770	41.98 PK	74	-32.02	-58.2	4.92	-53.28
2	38781.25	30.84 AV	54	-23.16	-69.34	4.92	-64.42

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 52-tone RU - Channel 185

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38768.12	42.2 PK	74	-31.8	-57.98	4.92	-53.06
2	38777.5	31 AV	54	-23	-69.18	4.92	-64.26

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 52-tone RU - Channel 209

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38760	42.16 PK	74	-31.84	-58.02	4.92	-53.10
2	38751.25	30.85 AV	54	-23.15	-69.33	4.92	-64.41

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 52-tone RU - Channel 233

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38773.75	42.61 PK	74	-31.39	-57.57	4.92	-52.65
2	38788.75	30.8 AV	54	-23.2	-69.38	4.92	-64.46

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.






Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#7125	75.81 PK	88.2	-12.39	-23.54	4.09	-19.45
2	#7125	64.89 AV	68.2	-3.31	-34.46	4.09	-30.37

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low/ against the limit.
3. " # " : The frequency is out of the restricted band.
4. Follow ANSI C63.10 section 12.7.4.4.3 Integration method.




802.11be (EHT20) 106-tone RU - Channel 1
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38792.5	41.77 PK	74	-32.23	-58.41	4.92	-53.49
2	38781.25	30.13 AV	54	-23.87	-70.05	4.92	-65.13

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5875.25	54.78 PK	88.2	-33.42	-45.24	4.76	-40.48
2	#5893.75	41.92 AV	68.2	-26.28	-58.1	4.76	-53.34

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



802.11be (EHT20) 106-tone RU - Channel 93

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38811.87	41.53 PK	74	-32.47	-58.65	4.92	-53.73
2	38828.12	30.18 AV	54	-23.82	-70	4.92	-65.08

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





802.11be (EHT20) 106-tone RU - Channel 97

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38800	41.32 PK	74	-32.68	-58.86	4.92	-53.94
2	38788.75	30.12 AV	54	-23.88	-70.06	4.92	-65.14

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 106-tone RU - Channel 113

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38795	41.57 PK	74	-32.43	-58.61	4.92	-53.69
2	38805.62	30.28 AV	54	-23.72	-69.9	4.92	-64.98

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 106-tone RU - Channel 117

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38814.37	41.63 PK	74	-32.37	-58.55	4.92	-53.63
2	38826.25	29.97 AV	54	-24.03	-70.21	4.92	-65.29

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 106-tone RU - Channel 185

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38840	40.4 PK	74	-33.6	-59.78	4.92	-54.86
2	38850.62	30.03 AV	54	-23.97	-70.15	4.92	-65.23

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 106-tone RU - Channel 209

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38820.62	40.48 PK	74	-33.52	-59.7	4.92	-54.78
2	38830	30.01 AV	54	-23.99	-70.17	4.92	-65.25

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 106-tone RU - Channel 233

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38825.62	41.25 PK	74	-32.75	-58.93	4.92	-54.01
2	38831.87	30.13 AV	54	-23.87	-70.05	4.92	-65.13

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.






Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#7156.42	77.79 PK	88.2	-10.41	-21.56	4.09	-17.47
2	#7125	67.02 AV	68.2	-1.18	-32.33	4.09	-28.24

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. Follow ANSI C63.10 section 12.7.4.4.3 Integration method.




802.11be (EHT20) 52+26-tone MRU - Channel 1
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38770	41.29 PK	74	-32.71	-58.89	4.92	-53.97
2	38762.5	30.12 AV	54	-23.88	-70.06	4.92	-65.14

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5908.15	53.77 PK	88.2	-34.43	-46.25	4.76	-41.49
2	#5923.97	41.63 AV	68.2	-26.57	-58.39	4.76	-53.63

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




802.11be (EHT20) 52+26-tone MRU - Channel 93

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38864.37	42 PK	74	-32	-58.18	4.92	-53.26
2	38854.37	30.22 AV	54	-23.78	-69.96	4.92	-65.04

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.






802.11be (EHT20) 52+26-tone MRU - Channel 97

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38864.37	41.82 PK	74	-32.18	-58.36	4.92	-53.44
2	38873.12	30.05 AV	54	-23.95	-70.13	4.92	-65.21

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 52+26-tone MRU - Channel 113

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38800.62	41.27 PK	74	-32.73	-58.91	4.92	-53.99
2	38790.62	29.98 AV	54	-24.02	-70.2	4.92	-65.28

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 52+26-tone MRU - Channel 117

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38817.5	41.38 PK	74	-32.62	-58.8	4.92	-53.88
2	38828.12	30.05 AV	54	-23.95	-70.13	4.92	-65.21

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 52+26-tone MRU - Channel 185

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38766.87	41.46 PK	74	-32.54	-58.72	4.92	-53.80
2	38777.5	30.21 AV	54	-23.79	-69.97	4.92	-65.05

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.






802.11be (EHT20) 52+26-tone MRU - Channel 209

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38761.87	41.41 PK	74	-32.59	-58.77	4.92	-53.85
2	38779.37	30.03 AV	54	-23.97	-70.15	4.92	-65.23

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.






802.11be (EHT20) 52+26-tone MRU - Channel 233

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38790	41.16 PK	74	-32.84	-59.02	4.92	-54.10
2	38801.87	29.96 AV	54	-24.04	-70.22	4.92	-65.30

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#7125.07	79.02 PK	88.2	-9.18	-20.33	4.09	-16.24
2	#7125	59.2 AV	68.2	-9	-40.15	4.09	-36.06

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




802.11be (EHT20) 106+26-tone MRU - Channel 1

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38812.5	41.25 PK	74	-32.75	-58.93	4.92	-54.01
2	38822.5	30.17 AV	54	-23.83	-70.01	4.92	-65.09

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5919.7	53.74 PK	88.2	-34.46	-46.28	4.76	-41.52
2	#5860.7	41.85 AV	68.2	-26.35	-58.17	4.76	-53.41

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




802.11be (EHT20) 106+26-tone MRU - Channel 93

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38794.37	40.44 PK	74	-33.56	-59.74	4.92	-54.82
2	38801.87	30.07 AV	54	-23.93	-70.11	4.92	-65.19

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



802.11be (EHT20) 106+26-tone MRU - Channel 97

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38801.25	41.7 PK	74	-32.3	-58.48	4.92	-53.56
2	38813.12	30.06 AV	54	-23.94	-70.12	4.92	-65.20

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 106+26-tone MRU - Channel 113

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38819.37	42.03 PK	74	-31.97	-58.15	4.92	-53.23
2	38803.75	30.1 AV	54	-23.9	-70.08	4.92	-65.16

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 106+26-tone MRU - Channel 117

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38748.12	41.45 PK	74	-32.55	-58.73	4.92	-53.81
2	38766.25	29.95 AV	54	-24.05	-70.23	4.92	-65.31

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 106+26-tone MRU - Channel 185

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38841.25	41.86 PK	74	-32.14	-58.32	4.92	-53.40
2	38822.5	29.95 AV	54	-24.05	-70.23	4.92	-65.31

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 106+26-tone MRU - Channel 209

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38827.5	41.06 PK	74	-32.94	-59.12	4.92	-54.20
2	38813.12	30.1 AV	54	-23.9	-70.08	4.92	-65.16

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 106+26-tone MRU - Channel 233

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38813.12	41.73 PK	74	-32.27	-58.45	4.92	-53.53
2	38798.12	30.18 AV	54	-23.82	-70	4.92	-65.08

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#7129.07	73.95 PK	88.2	-14.25	-25.4	4.09	-21.31
2	#7131.75	63.6 AV	68.2	-4.6	-35.75	4.09	-31.66

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. Follow ANSI C63.10 section 12.7.4.4.3 Integration method.




802.11be (EHT80) 484+242-tone MRU - Channel 7

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38735.62	41.13 PK	74	-32.87	-59.05	4.92	-54.13
2	38796.25	30.13 AV	54	-23.87	-70.05	4.92	-65.13

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5921.67	66.42 PK	88.2	-21.78	-33.6	4.76	-28.84
2	#5924.05	54.46 AV	68.2	-13.74	-45.56	4.76	-40.80

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



802.11be (EHT80) 484+242-tone MRU - Channel 87

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38802.5	41.86 PK	74	-32.14	-58.32	4.92	-53.40
2	38777.5	30.01 AV	54	-23.99	-70.17	4.92	-65.25

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT80) 484+242-tone MRU - Channel 103

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38878.75	41.84 PK	74	-32.16	-58.34	4.92	-53.42
2	38869.37	30.04 AV	54	-23.96	-70.14	4.92	-65.22

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT80) 484+242-tone MRU - Channel 119

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38848.12	41.38 PK	74	-32.62	-58.8	4.92	-53.88
2	38852.5	30.05 AV	54	-23.95	-70.13	4.92	-65.21

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT80) 484+242-tone MRU - Channel 183

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38756.25	40.75 PK	74	-33.25	-59.43	4.92	-54.51
2	38773.75	30.09 AV	54	-23.91	-70.09	4.92	-65.17

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





802.11be (EHT80) 484+242-tone MRU - Channel 199

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38833.75	41.92 PK	74	-32.08	-58.26	4.92	-53.34
2	38764.37	29.97 AV	54	-24.03	-70.21	4.92	-65.29

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT80) 484+242-tone MRU - Channel 215

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38782.5	40.78 PK	74	-33.22	-59.4	4.92	-54.48
2	38798.12	30.07 AV	54	-23.93	-70.11	4.92	-65.19

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#7126.2	58.93 PK	88.2	-29.27	-40.42	4.09	-36.33
2	#7125.1	45.38 AV	68.2	-22.82	-53.97	4.09	-49.88

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




802.11be (EHT160) 996+484-tone MRU - Channel 15

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38856.25	40.6 PK	74	-33.4	-59.58	4.92	-54.66
2	38777.5	30.19 AV	54	-23.81	-69.99	4.92	-65.07

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5902.5	64.52 PK	88.2	-23.68	-35.5	4.76	-30.74
2	#5924.5	52.09 AV	68.2	-16.11	-47.93	4.76	-43.17

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



802.11be (EHT160) 996+484-tone MRU - Channel 79

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38825.62	41.53 PK	74	-32.47	-58.65	4.92	-53.73
2	38805.62	30.1 AV	54	-23.9	-70.08	4.92	-65.16

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT160) 996+484-tone MRU - Channel 111

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38689.37	41.5 PK	74	-32.5	-58.68	4.92	-53.76
2	38768.12	30.07 AV	54	-23.93	-70.11	4.92	-65.19

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.






802.11be (EHT160) 996+484-tone MRU - Channel 143

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38760.62	41.82 PK	74	-32.18	-58.36	4.92	-53.44
2	38762.5	30.09 AV	54	-23.91	-70.09	4.92	-65.17

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT160) 996+484-tone MRU - Channel 175

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38875	41.12 PK	74	-32.88	-59.06	4.92	-54.14
2	38800	29.96 AV	54	-24.04	-70.22	4.92	-65.30

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT160) 996+484-tone MRU - Channel 207

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38721.87	41.88 PK	74	-32.12	-58.3	4.92	-53.38
2	38809.37	30.02 AV	54	-23.98	-70.16	4.92	-65.24

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#7130.35	70.09 PK	88.2	-18.11	-29.26	4.09	-25.17
2	#7125.05	55.54 AV	68.2	-12.66	-43.81	4.09	-39.72

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.






802.11be (EHT160) 996+484+242-tone MRU - Channel 15

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38672.5	52.72 PK	74	-21.28	-47.46	4.92	-42.54
2	38803.75	30.84 AV	54	-23.16	-69.34	4.92	-64.42

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5924.2	66.45 PK	88.2	-21.75	-33.57	4.76	-28.81
2	#5924.5	52.18 AV	68.2	-16.02	-47.84	4.76	-43.08

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




802.11be (EHT160) 996+484+242-tone MRU - Channel 79

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38801.87	40.72 PK	74	-33.28	-59.46	4.92	-54.54
2	38843.12	29.97 AV	54	-24.03	-70.21	4.92	-65.29

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.






802.11be (EHT160) 996+484+242-tone MRU - Channel 111

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38753.12	40.87 PK	74	-33.13	-59.31	4.92	-54.39
2	38816.87	30.09 AV	54	-23.91	-70.09	4.92	-65.17

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT160) 996+484+242-tone MRU - Channel 143

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38843.12	41.93 PK	74	-32.07	-58.25	4.92	-53.33
2	38839.37	30.03 AV	54	-23.97	-70.15	4.92	-65.23

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT160) 996+484+242-tone MRU - Channel 175

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38721.87	41.62 PK	74	-32.38	-58.56	4.92	-53.64
2	38835.62	30.55 AV	54	-23.45	-69.63	4.92	-64.71

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT160) 996+484+242-tone MRU - Channel 207

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38882.5	42.46 PK	74	-31.54	-57.72	4.92	-52.80
2	38785	29.99 AV	54	-24.01	-70.19	4.92	-65.27

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#7131.2	76.11 PK	88.2	-12.09	-23.24	4.09	-19.15
2	#7128.1	58.69 AV	68.2	-9.51	-40.66	4.09	-36.57

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



2TX
802.11a - Channel 1

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11906.25	59.16 PK	74	-14.84	-46.32	-47.91	7.93	-36.10
2	11902.18	43.16 AV	54	-10.84	-63.7	-62.46	7.93	-52.10
3	17864.25	49.86 PK	74	-24.14	-58.02	-55.13	7.93	-45.40
4	17867.12	44.58 AV	54	-9.42	-60.48	-63.18	7.93	-50.68

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5892.25	69.59 PK	88.2	-18.61	-34.94	-38.79	7.77	-25.67
2	#5892	53.57 AV	68.2	-14.63	-52.67	-52.27	7.77	-41.69


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 45
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12364.37	59.49 PK	74	-14.51	-46.12	-47.39	7.93	-35.77
2	12365.62	44.3 AV	54	-9.7	-61.68	-62.14	7.93	-50.96
3	18514	50.31 PK	74	-23.69	-56.11	-55.69	7.93	-44.95
4	18515.43	45.98 AV	54	-8.02	-59.41	-61.21	7.93	-49.28

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





Chain 1



802.11a - Channel 93
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12823.43	58.57 PK	88.2	-29.63	-47.42	-47.86	7.93	-36.69
2	#12822.5	43.79 AV	68.2	-24.41	-62.74	-62.1	7.93	-51.47
3	19244	51.2 PK	74	-22.8	-53.93	-56.42	7.93	-44.06
4	19244.25	47.31 AV	54	-6.69	-59.08	-58.71	7.93	-47.95

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11a - Channel 97

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12859.37	59.04 PK	88.2	-29.16	-45.66	-49.47	7.93	-36.22
2	#12851.56	44.49 AV	68.2	-23.71	-62.2	-61.27	7.93	-50.77
3	19324.62	52.16 PK	74	-21.84	-54.29	-53.8	7.93	-43.10
4	19324.75	47.36 AV	54	-6.64	-59.22	-58.49	7.93	-47.90

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11a - Channel 105

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12968.75	57.69 PK	88.2	-30.51	-48.03	-49.06	7.93	-37.57
2	#12957.81	42.62 AV	68.2	-25.58	-63.3	-63.89	7.93	-52.64
3	19442.62	51.89 PK	74	-22.11	-54.9	-53.8	7.93	-43.37
4	19442.25	47.01 AV	54	-6.99	-58.89	-59.51	7.93	-48.25

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11a - Channel 113

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13032.81	58.15 PK	88.2	-30.05	-48.79	-47.41	7.93	-37.11
2	#13030.31	42.68 AV	68.2	-25.52	-63.59	-63.46	7.93	-52.58
3	19541.81	51.54 PK	74	-22.46	-53.81	-55.73	7.93	-43.72
4	19544.68	47.14 AV	54	-6.86	-59.68	-58.51	7.93	-48.12

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11a - Channel 117
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13084.06	57.77 PK	88.2	-30.43	-47.76	-49.23	7.93	-37.49
2	#13089.06	43.16 AV	68.2	-25.04	-63.44	-62.67	7.93	-52.10
3	19615.12	51.01 PK	74	-22.99	-54.85	-55.55	7.93	-44.25
4	19615.31	46.44 AV	54	-7.56	-59.26	-60.33	7.93	-48.82

Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



Chain 0



Chain 1



802.11a - Channel 149
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13401.56	58.44 PK	88.2	-29.76	-47.45	-48.1	7.93	-36.82
2	#13401.56	44.34 AV	68.2	-23.86	-62.14	-61.6	7.93	-50.92
3	20099.56	51.72 PK	74	-22.28	-54.94	-54.07	7.93	-43.54
4	20099.81	47.65 AV	54	-6.35	-58.51	-58.59	7.93	-47.61

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11a - Channel 181
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13730	50.35 PK	88.2	-37.85	-54.49	-57.85	7.93	-44.91
2	#13730	46.22 AV	68.2	-21.98	-59.18	-60.97	7.93	-49.04
3	20569.62	51.65 PK	74	-22.35	-54.2	-54.94	7.93	-43.61
4	20573.93	46.37 AV	54	-7.63	-59.49	-60.2	7.93	-48.89

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




802.11a - Channel 185
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13765.93	51.43 PK	88.2	-36.77	-53.38	-56.84	7.93	-43.83
2	#13765	46.77 AV	68.2	-21.43	-60.5	-58.57	7.93	-48.49
3	20630	51.05 PK	74	-22.95	-56.04	-54.42	7.93	-44.21
4	20629.93	46.4 AV	54	-7.6	-59.08	-60.66	7.93	-48.86

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1



802.11a - Channel 209
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14001.68	50.12 PK	88.2	-38.08	-55.85	-56.33	7.93	-45.14
2	#14001.43	46.14 AV	68.2	-22.06	-59.54	-60.65	7.93	-49.12
3	20998.25	51.24 PK	74	-22.76	-55.19	-54.74	7.93	-44.02
4	20998	46.82 AV	54	-7.18	-58.83	-60.02	7.93	-48.44

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11a - Channel 233

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14247.5	49.41 PK	88.2	-38.79	-56.17	-57.52	7.93	-45.85
2	#14241.75	46.27 AV	68.2	-21.93	-60.34	-59.55	7.93	-48.99
3	21344.37	51.72 PK	74	-22.28	-54.38	-54.58	7.93	-43.54
4	21350.18	46.95 AV	54	-7.05	-59.7	-58.85	7.93	-48.31

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





BUREAU
VERITAS

Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7125	63.89 PK	88.2	-24.31	-47.61	-39.04	7.10	-31.37
2	#7125	50.61 AV	68.2	-17.59	-54.39	-55.16	7.10	-44.65


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



2S2T

802.11be (EHT20) - Channel 1

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11912.5	55.6 PK	74	-18.4	-47.44	-47.75	4.92	-39.66
2	11912.18	40.36 AV	54	-13.64	-62.83	-62.84	4.92	-54.90
3	17875.75	46.95 PK	74	-27.05	-57.69	-55.15	4.92	-48.31
4	17872.87	41.68 AV	54	-12.32	-61.58	-61.44	4.92	-53.58

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





BUREAU
VERITAS

Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5841.25	65.15 PK	88.2	-23.05	-39.19	-36.88	4.76	-30.11
2	#5836.27	50.4 AV	68.2	-17.8	-53.28	-52.07	4.76	-44.86


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 45

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12356.25	56.18 PK	74	-17.82	-46.33	-47.82	4.92	-39.08
2	12350	40.41 AV	54	-13.59	-62.98	-62.58	4.92	-54.85
3	18532.56	47.48 PK	74	-26.52	-55.6	-55.82	4.92	-47.78
4	18534.12	43 AV	54	-11	-61.08	-59.45	4.92	-52.26

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





Chain 1



802.11be (EHT20) - Channel 93

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12846.87	55.71 PK	88.2	-32.49	-47.3	-47.66	4.92	-39.55
2	#12846.06	40.79 AV	68.2	-27.41	-62.32	-62.48	4.92	-54.47
3	19239.93	49.71 PK	74	-24.29	-52.1	-55.51	4.92	-45.55
4	19234.18	44.19 AV	54	-9.81	-59.05	-58.95	4.92	-51.07

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT20) - Channel 97

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12873.12	55.56 PK	88.2	-32.64	-47.24	-48.06	4.92	-39.70
2	#12873.43	41.21 AV	68.2	-26.99	-61.47	-62.57	4.92	-54.05
3	19305.93	49.18 PK	74	-24.82	-52.77	-55.74	4.92	-46.08
4	19306.06	43.46 AV	54	-10.54	-59.28	-60.24	4.92	-51.80

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



Chain 0

