









Chain 1



802.11be (EHT20) 52-tone RU - Channel 209

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13991.62	46.16 PK	88.2	-42.04	-57.82	-56.36	4.92	-49.10
2	#13975.81	43.9 AV	68.2	-24.3	-58.74	-59.92	4.92	-51.36
3	21000.87	48.75 PK	74	-25.25	-54.1	-54.82	4.92	-46.51
4	20989.37	43.42 AV	54	-10.58	-58.22	-62.19	4.92	-51.84

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT20) 52-tone RU - Channel 233

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14225.93	47.64 PK	88.2	-40.56	-57.13	-54.4	4.92	-47.62
2	#14243.18	43.74 AV	68.2	-24.46	-58.88	-60.1	4.92	-51.52
3	21354.5	49 PK	74	-25	-57.4	-52.36	4.92	-46.26
4	21334.37	44.86 AV	54	-9.14	-57.92	-58.79	4.92	-50.40

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7125	74.75 PK	88.2	-13.5	-28.53	-26.86	4.09	-20.51
2	#7125	60.61 AV	68.2	-7.59	-42.14	-41.4	4.09	-34.65


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. Follow ANSI C63.10 section 12.7.4.4.3 Integration method.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 1

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11929.68	56.56 PK	74	-17.44	-45.42	-48.32	4.92	-38.70
2	11893.75	40.64 AV	54	-13.36	-62.16	-62.97	4.92	-54.62
3	17874.31	46.24 PK	74	-27.76	-56.82	-57.08	4.92	-49.02
4	17855.62	42.63 AV	54	-11.37	-60.59	-60.53	4.92	-52.63

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5832.22	66.45 PK	88.2	-21.75	-37.44	-35.87	4.76	-28.81
2	#5838.45	52.65 AV	68.2	-15.55	-49.77	-51.08	4.76	-42.61


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 93

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12829.68	55.52 PK	88.2	-32.68	-47.75	-47.6	4.92	-39.74
2	#12821.87	41.76 AV	68.2	-26.44	-62.12	-60.83	4.92	-53.50
3	19237.06	48.37 PK	74	-25.63	-53.84	-56.09	4.92	-46.89
4	19229.87	45.33 AV	54	-8.67	-58.51	-57.3	4.92	-49.93

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT20) 106-tone RU - Channel 97


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12864.06	55.53 PK	88.2	-32.67	-46.44	-49.35	4.92	-39.73
2	#12868.75	40.9 AV	68.2	-27.3	-63.73	-61.21	4.92	-54.36
3	19310.37	47.65 PK	74	-26.35	-55.04	-56.11	4.92	-47.61
4	19310.37	44.64 AV	54	-9.36	-58.82	-58.29	4.92	-50.62

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1



802.11be (EHT20) 106-tone RU - Channel 113

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13050	54.62 PK	88.2	-33.58	-48.06	-49.15	4.92	-40.64
2	#13045.31	41.02 AV	68.2	-27.18	-62.37	-61.98	4.92	-54.24
3	19541.81	47.64 PK	74	-26.36	-54.54	-56.86	4.92	-47.62
4	19543.25	44.47 AV	54	-9.53	-58.75	-58.7	4.92	-50.79

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT20) 106-tone RU - Channel 117
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13082.81	54.81 PK	88.2	-33.39	-50.49	-46.97	4.92	-40.45
2	#13082.81	41 AV	68.2	-27.2	-61.32	-63.29	4.92	-54.26
3	19618	47.98 PK	74	-26.02	-54.77	-55.7	4.92	-47.28
4	19586.37	44.35 AV	54	-9.65	-59.04	-58.64	4.92	-50.91

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT20) 106-tone RU - Channel 185

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13745.81	45.97 PK	88.2	-42.23	-59.22	-55.85	4.92	-49.29
2	#13763.06	44.04 AV	68.2	-24.16	-57.99	-60.74	4.92	-51.22
3	20641.5	48.34 PK	74	-25.66	-55.93	-53.98	4.92	-46.92
4	20630	45.19 AV	54	-8.81	-58.52	-57.53	4.92	-50.07

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11be (EHT20) 106-tone RU - Channel 209

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13985.87	46.31 PK	88.2	-41.89	-56.71	-57.06	4.92	-48.95
2	#14003.12	44 AV	68.2	-24.2	-60.96	-57.93	4.92	-51.26
3	20989.37	47.3 PK	74	-26.7	-55.25	-56.64	4.92	-47.96
4	20983.62	44.26 AV	54	-9.74	-58.86	-59.01	4.92	-51.00

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT20) 106-tone RU - Channel 233

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14244.62	46.81 PK	88.2	-41.39	-57.28	-55.64	4.92	-48.45
2	#14241.75	43.68 AV	68.2	-24.52	-59.53	-59.5	4.92	-51.58
3	21357.37	49.17 PK	74	-24.83	-53.83	-54.22	4.92	-46.09
4	21334.37	44.17 AV	54	-9.83	-60.3	-58.03	4.92	-51.09

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1






Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7125	75.83 PK	88.2	-12.4	-27.23	-25.93	4.09	-19.43
2	#7125	61.79 AV	68.2	-6.41	-41.01	-40.18	4.09	-33.47


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. Follow ANSI C63.10 section 12.7.4.4.3 Integration method.

Chain 0



Chain 1



802.11be (EHT20) 52+26-tone MRU - Channel 1

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11928.12	55.99 PK	74	-18.01	-47.85	-46.64	4.92	-39.27
2	11900	40.81 AV	54	-13.19	-61.9	-62.93	4.92	-54.45
3	17849.87	46.56 PK	74	-27.44	-56.97	-56.31	4.92	-48.70
4	17858.5	43.52 AV	54	-10.48	-59.97	-59.39	4.92	-51.74

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5908.95	66.01 PK	88.2	-22.19	-37.33	-36.73	4.76	-29.25
2	#5828.95	52.69 AV	68.2	-15.51	-50.05	-50.65	4.76	-42.57


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 52+26-tone MRU - Channel 93

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12840.62	55.5 PK	88.2	-32.7	-46.58	-49.18	4.92	-39.76
2	#12814.06	41.44 AV	68.2	-26.76	-61.72	-61.78	4.92	-53.82
3	19245.68	48.93 PK	74	-25.07	-53.64	-54.98	4.92	-46.33
4	19252.87	44.79 AV	54	-9.21	-59	-57.88	4.92	-50.47

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT20) 52+26-tone MRU - Channel 97

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12867.18	55.51 PK	88.2	-32.69	-49.58	-46.36	4.92	-39.75
2	#12870.31	40.99 AV	68.2	-27.21	-64.31	-60.79	4.92	-54.27
3	19290.25	48.03 PK	74	-25.97	-57.51	-53.65	4.92	-47.23
4	19294.56	44.82 AV	54	-9.18	-58.55	-58.19	4.92	-50.44

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





BUREAU
VERITAS

Chain 1



802.11be (EHT20) 52+26-tone MRU - Channel 113

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13034.37	54.92 PK	88.2	-33.28	-48.88	-47.73	4.92	-40.34
2	#13037.5	40.55 AV	68.2	-27.65	-64.52	-61.34	4.92	-54.71
3	19533.18	48.17 PK	74	-25.83	-55.52	-54.58	4.92	-47.09
4	19551.87	44.91 AV	54	-9.09	-59.04	-57.64	4.92	-50.35

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11be (EHT20) 52+26-tone MRU - Channel 117

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13062.5	54.76 PK	88.2	-33.44	-48.89	-48.02	4.92	-40.50
2	#13075	40.9 AV	68.2	-27.3	-62.51	-62.08	4.92	-54.36
3	19589.25	48.51 PK	74	-25.49	-55.48	-54	4.92	-46.75
4	19590.68	44.44 AV	54	-9.56	-58.59	-58.91	4.92	-50.82

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT20) 52+26-tone MRU - Channel 185

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13744.37	46.48 PK	88.2	-41.72	-55.92	-57.68	4.92	-48.78
2	#13734.31	43.68 AV	68.2	-24.52	-59.77	-59.27	4.92	-51.58
3	20637.18	48.43 PK	74	-25.57	-54.42	-55.12	4.92	-46.83
4	20628.56	43.73 AV	54	-10.27	-59.1	-59.86	4.92	-51.53

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT20) 52+26-tone MRU - Channel 209

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13997.37	46.18 PK	88.2	-42.02	-56.55	-57.52	4.92	-49.08
2	#13993.06	43.86 AV	68.2	-24.34	-58.33	-60.64	4.92	-51.40
3	20980.75	48.23 PK	74	-25.77	-55.13	-54.8	4.92	-47.03
4	20970.68	44.15 AV	54	-9.85	-59.23	-58.85	4.92	-51.11

Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



Chain 0



Chain 1



802.11be (EHT20) 52+26-tone MRU - Channel 233

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14241.75	46.56 PK	88.2	-41.64	-55.68	-57.85	4.92	-48.70
2	#14223.06	43.62 AV	68.2	-24.58	-59.96	-59.21	4.92	-51.64
3	21350.18	48.89 PK	74	-25.11	-53.15	-55.88	4.92	-46.37
4	21338.68	44.73 AV	54	-9.27	-57.91	-59.1	4.92	-50.53

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7125.12	71.67 PK	88.2	-16.53	-29.3	-32.76	4.09	-23.59
2	#7125	47.85 AV	68.2	-20.35	-55.63	-53.62	4.09	-47.41


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 106+26-tone MRU - Channel 1

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11914.06	54.61 PK	74	-19.39	-49.36	-47.92	4.92	-40.65
2	11909.37	39.72 AV	54	-14.28	-63.09	-63.88	4.92	-55.54
3	17867.12	45.25 PK	74	-28.75	-58.4	-57.53	4.92	-50.01
4	17868.56	42.75 AV	54	-11.25	-60.43	-60.45	4.92	-52.51


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




BUREAU
VERITAS

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5846.02	65.82 PK	88.2	-22.38	-36.62	-37.9	4.76	-29.44
2	#5825.57	52.61 AV	68.2	-15.59	-51.11	-49.83	4.76	-42.65


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 106+26-tone MRU - Channel 93

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12834.37	55.67 PK	88.2	-32.53	-47.89	-47.18	4.92	-39.59
2	#12834.37	41.08 AV	68.2	-27.12	-62.43	-61.82	4.92	-54.18
3	19250	48.65 PK	74	-25.35	-54.73	-54.36	4.92	-46.61
4	19245.68	45.44 AV	54	-8.56	-56.2	-60.17	4.92	-49.82

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT20) 106+26-tone MRU - Channel 97

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12868.75	55 PK	88.2	-33.2	-48.03	-48.36	4.92	-40.26
2	#12873.43	41.1 AV	68.2	-27.1	-64.83	-60.43	4.92	-54.16
3	19307.5	48.08 PK	74	-25.92	-56.53	-54.04	4.92	-47.18
4	19301.75	43.9 AV	54	-10.1	-60.56	-58.31	4.92	-51.36

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11be (EHT20) 106+26-tone MRU - Channel 113
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13032.81	54.4 PK	88.2	-33.8	-47.08	-51.67	4.92	-40.86
2	#13029.68	38.94 AV	68.2	-29.26	-64.37	-64.13	4.92	-56.32
3	19546.12	47.83 PK	74	-26.17	-56.54	-54.44	4.92	-47.43
4	19541.81	44.37 AV	54	-9.63	-59.13	-58.53	4.92	-50.89

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT20) 106+26-tone MRU - Channel 117

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13070.31	54.19 PK	88.2	-34.01	-50.45	-47.91	4.92	-41.07
2	#13068.75	39.64 AV	68.2	-28.56	-62.68	-64.63	4.92	-55.62
3	19609.37	47.56 PK	74	-26.44	-54.38	-57.39	4.92	-47.70
4	19605.06	43.81 AV	54	-10.19	-59.98	-58.86	4.92	-51.45

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT20) 106+26-tone MRU - Channel 185

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13753	45.62 PK	88.2	-42.58	-56.13	-59.73	4.92	-49.64
2	#13750.12	43.56 AV	68.2	-24.64	-59.29	-60	4.92	-51.70
3	20628.56	48.18 PK	74	-25.82	-54.07	-56.2	4.92	-47.08
4	20622.81	44.31 AV	54	-9.69	-58.34	-59.5	4.92	-50.95

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11be (EHT20) 106+26-tone MRU - Channel 209
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13988.75	45.94 PK	88.2	-42.26	-56.77	-57.8	4.92	-49.32
2	#13988.75	43.25 AV	68.2	-24.95	-59.1	-60.99	4.92	-52.01
3	20987.93	46.47 PK	74	-27.53	-55.67	-58.1	4.92	-48.79
4	20980.75	43.88 AV	54	-10.12	-59.72	-58.94	4.92	-51.38

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



Chain 0



Chain 1



802.11be (EHT20) 106+26-tone MRU - Channel 233
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14230.25	45.01 PK	88.2	-43.19	-59.11	-57.42	4.92	-50.25
2	#14234.56	43.42 AV	68.2	-24.78	-59.58	-59.97	4.92	-51.84
3	21344.43	46.82 PK	74	-27.18	-56.24	-56.51	4.92	-48.44
4	21344.43	43.97 AV	54	-10.03	-59.62	-58.85	4.92	-51.29

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1






Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7125	72.4 PK	88.2	-15.8	-29.14	-30.97	4.09	-22.86
2	#7125	58.17 AV	68.2	-10	-43.71	-44.72	4.09	-37.09


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. Follow ANSI C63.10 section 12.7.4.4.3 Integration method.

Chain 0



Chain 1



802.11be (EHT80) 484+242-tone MRU - Channel 7

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11968.75	56.19 PK	74	-17.81	-47.13	-46.87	4.92	-39.07
2	11987.5	41.02 AV	54	-12.98	-60.94	-63.9	4.92	-54.24
3	17936.12	45.93 PK	74	-28.07	-57.12	-57.41	4.92	-49.33
4	17954.81	42.52 AV	54	-11.48	-60.69	-60.66	4.92	-52.74

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5914.82	65.12 PK	88.2	-23.08	-39.85	-36.57	4.76	-30.14
2	#5829.7	52.76 AV	68.2	-15.44	-50.13	-50.41	4.76	-42.50


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT80) 484+242-tone MRU - Channel 87

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12750	56.53 PK	88.2	-31.67	-46.22	-47.16	4.92	-38.73
2	#12778.12	40.81 AV	68.2	-27.39	-61.46	-63.56	4.92	-54.45
3	19147.93	49.13 PK	74	-24.87	-54.43	-53.72	4.92	-46.13
4	19136.43	44.67 AV	54	-9.33	-58.72	-58.32	4.92	-50.59

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT80) 484+242-tone MRU - Channel 103
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12931.25	54.57 PK	88.2	-33.63	-48.85	-48.4	4.92	-40.69
2	#12926.56	39.94 AV	68.2	-28.26	-64.26	-62.43	4.92	-55.32
3	19413.87	48.13 PK	74	-25.87	-55.66	-54.53	4.92	-47.13
4	19377.93	44.61 AV	54	-9.39	-58.01	-59.23	4.92	-50.65

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT80) 484+242-tone MRU - Channel 119

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13107.81	54.97 PK	88.2	-33.23	-47.21	-49.54	4.92	-40.29
2	#13095.31	40.97 AV	68.2	-27.23	-61.91	-62.56	4.92	-54.29
3	19629.5	48.39 PK	74	-25.61	-55.45	-54.23	4.92	-46.87
4	19639.56	44.52 AV	54	-9.48	-58.6	-58.75	4.92	-50.74

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11be (EHT80) 484+242-tone MRU - Channel 183

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13712.75	46.16 PK	88.2	-42.04	-56.37	-57.8	4.92	-49.10
2	#13722.81	43.93 AV	68.2	-24.27	-58.48	-60.22	4.92	-51.33
3	20604.12	48.18 PK	74	-25.82	-55.23	-54.81	4.92	-47.08
4	20614.18	44.04 AV	54	-9.96	-58.45	-59.99	4.92	-51.22

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11be (EHT80) 484+242-tone MRU - Channel 199

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13893.87	46.97 PK	88.2	-41.23	-59.06	-54.52	4.92	-48.29
2	#13905.37	42.96 AV	68.2	-25.24	-59.3	-61.42	4.92	-52.30
3	20848.5	48.8 PK	74	-25.2	-54.32	-54.47	4.92	-46.46
4	20845.62	43.81 AV	54	-10.19	-58.04	-61.34	4.92	-51.45

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11be (EHT80) 484+242-tone MRU - Channel 215

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14052	46.84 PK	88.2	-41.36	-57.22	-55.63	4.92	-48.42
2	#14060.62	43.29 AV	68.2	-24.91	-58.97	-61.09	4.92	-51.97
3	21085.68	48.13 PK	74	-25.87	-54.55	-55.63	4.92	-47.13
4	21078.5	43.78 AV	54	-10.22	-59.4	-59.42	4.92	-51.48

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7170.92	55.36 PK	88.2	-32.84	-47.09	-46.92	4.09	-39.90
2	#7173.82	43.89 AV	68.2	-24.31	-58.92	-58.06	4.09	-51.37


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT160) 996+484-tone MRU - Channel 15

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12060.93	55.36 PK	74	-18.64	-48.48	-47.27	4.92	-39.90
2	12042.18	42.85 AV	54	-11.15	-61.24	-59.6	4.92	-52.41
3	18084.18	47.13 PK	74	-26.87	-55.41	-56.83	4.92	-48.13
4	18065.5	42.93 AV	54	-11.07	-61.54	-59.28	4.92	-52.33

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





Chain 1






Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5902.5	66.38 PK	88.2	-21.82	-37.77	-35.76	4.76	-28.88
2	#5903.07	55.27 AV	68.2	-12.93	-48.14	-47.42	4.76	-39.99


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT160) 996+484-tone MRU - Channel 79

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12681.25	55.49 PK	74	-18.51	-49.93	-46.23	4.92	-39.77
2	12679.68	41.55 AV	54	-12.45	-61.91	-61.39	4.92	-53.71
3	19054.5	48.06 PK	74	-25.94	-56.82	-53.92	4.92	-47.20
4	19040.12	44.65 AV	54	-9.35	-57.45	-59.99	4.92	-50.61

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





Chain 1



802.11be (EHT160) 996+484-tone MRU - Channel 111

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13015.62	54.55 PK	88.2	-33.65	-48.31	-48.99	4.92	-40.71
2	#12993.75	40.19 AV	68.2	-28.01	-63.29	-62.72	4.92	-55.07
3	19533.18	49.09 PK	74	-24.91	-53.29	-55.09	4.92	-46.17
4	19505.87	44.71 AV	54	-9.29	-57.43	-59.87	4.92	-50.55

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11be (EHT160) 996+484-tone MRU - Channel 143

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	13345.31	55.32 PK	74	-18.68	-46.13	-50.81	4.92	-39.94
2	13339.06	40.36 AV	54	-13.64	-62.32	-63.42	4.92	-54.90
3	19975.93	48.88 PK	74	-25.12	-55.26	-53.53	4.92	-46.38
4	19990.31	45.29 AV	54	-8.71	-58.33	-57.51	4.92	-49.97

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



Chain 0



Chain 1



802.11be (EHT160) 996+484-tone MRU - Channel 175

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13633.68	46.67 PK	88.2	-41.53	-55.33	-58.16	4.92	-48.59
2	#13643.75	43.08 AV	68.2	-25.12	-60.38	-59.86	4.92	-52.18
3	20456.06	47.41 PK	74	-26.59	-55.52	-56.06	4.92	-47.85
4	20466.12	44.14 AV	54	-9.86	-57.95	-60.53	4.92	-51.12

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT160) 996+484-tone MRU - Channel 207

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13974.37	46.56 PK	88.2	-41.64	-56.78	-56.49	4.92	-48.70
2	#13955.68	43.4 AV	68.2	-24.8	-59.36	-60.27	4.92	-51.86
3	20946.25	48.18 PK	74	-25.82	-55.95	-54.24	4.92	-47.08
4	20960.62	43.99 AV	54	-10.01	-59.16	-59.25	4.92	-51.27

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7126.05	64.17 PK	88.2	-24.03	-47.86	-35.42	4.09	-31.09
2	#7126.07	49.65 AV	68.2	-18.55	-54.36	-51.52	4.09	-45.61


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT160) 996+484+242-tone MRU - Channel 15

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12068.75	55.94 PK	74	-18.06	-47.51	-47.01	4.92	-39.32
2	12057.81	41.2 AV	54	-12.8	-60.99	-63.28	4.92	-54.06
3	18074.12	47.73 PK	74	-26.27	-56.24	-54.8	4.92	-47.53
4	18085.62	43.37 AV	54	-10.63	-60.44	-59.27	4.92	-51.89

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





Chain 1






Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5827.4	65.92 PK	88.2	-22.28	-35.63	-39.36	4.76	-29.34
2	#5918.67	54.12 AV	68.2	-14.08	-47.51	-50.98	4.76	-41.14


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT160) 996+484+242-tone MRU - Channel 79

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12695.31	55.53 PK	74	-18.47	-47.12	-48.28	4.92	-39.73
2	12670.31	40.37 AV	54	-13.63	-64.65	-61.54	4.92	-54.89
3	19037.25	47.56 PK	74	-26.44	-57.04	-54.57	4.92	-47.70
4	19043	44.61 AV	54	-9.39	-60.08	-57.47	4.92	-50.65

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





Chain 1



802.11be (EHT160) 996+484+242-tone MRU - Channel 111

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12990.62	55.25 PK	88.2	-32.95	-47.83	-48.05	4.92	-40.01
2	#13020.31	39.88 AV	68.2	-28.32	-62.51	-64.28	4.92	-55.38
3	19517.37	48.82 PK	74	-25.18	-53.62	-55.29	4.92	-46.44
4	19497.25	43.84 AV	54	-10.16	-59.94	-58.83	4.92	-51.42

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT160) 996+484+242-tone MRU - Channel 143

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	13350	54.93 PK	74	-19.07	-47.45	-49.26	4.92	-40.33
2	13317.18	40.78 AV	54	-13.22	-62.52	-62.31	4.92	-54.48
3	19984.56	47.39 PK	74	-26.61	-54.36	-57.98	4.92	-47.87
4	19983.12	44.45 AV	54	-9.55	-58.23	-59.31	4.92	-50.81

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





Chain 1



802.11be (EHT160) 996+484+242-tone MRU - Channel 175


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13652.37	46.69 PK	88.2	-41.51	-57.78	-55.52	4.92	-48.57
2	#13640.87	43.6 AV	68.2	-24.6	-60.2	-59.06	4.92	-51.66
3	20492	49.61 PK	74	-24.39	-55.4	-52.3	4.92	-45.65
4	20481.93	43.75 AV	54	-10.25	-61.21	-58.18	4.92	-51.51

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1



802.11be (EHT160) 996+484+242-tone MRU - Channel 207


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13952.81	46.99 PK	88.2	-41.21	-54.81	-58.27	4.92	-48.27
2	#13980.12	43.36 AV	68.2	-24.84	-60.47	-59.27	4.92	-51.90
3	20950.56	47.63 PK	74	-26.37	-57.61	-54.18	4.92	-47.63
4	20960.62	43.68 AV	54	-10.32	-61.98	-57.94	4.92	-51.58

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1






Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7126.4	67.13 PK	88.2	-21.07	-32.41	-45.92	4.09	-28.13
2	#7126.07	51.09 AV	68.2	-17.11	-50.15	-52.79	4.09	-44.17


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1









Mode A_Standard Power Client
1TX
802.11a - Channel 1
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3808.75	55.49 PK	74	-18.51	-44.69	4.92	-39.77
2	3795.31	40.03 AV	54	-13.97	-60.15	4.92	-55.23
3	#24109.56	50.77 PK	88.2	-37.43	-49.41	4.92	-44.49
4	#24097.25	44.37 AV	68.2	-23.83	-55.81	4.92	-50.89
5	#38525	46.2 PK	88.2	-42	-53.98	4.92	-49.06
6	#38513.12	40.68 AV	68.2	-27.52	-59.5	4.92	-54.58

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5925	80.79 PK	88.2	-7.41	-19.23	4.76	-14.47
2	#5924.9	67.48 AV	68.2	-0.72	-32.54	4.76	-27.78

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









802.11a - Channel 45
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	4940.93	55.59 PK	74	-18.41	-44.59	4.92	-39.67
2	4954.68	40.04 AV	54	-13.96	-60.14	4.92	-55.22
3	#24473.87	49.61 PK	88.2	-38.59	-50.57	4.92	-45.65
4	#24459.5	44.32 AV	68.2	-23.88	-55.86	4.92	-50.94
5	#38508.12	46.79 PK	88.2	-41.41	-53.39	4.92	-48.47
6	#38494.37	40.96 AV	68.2	-27.24	-59.22	4.92	-54.30

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



802.11a - Channel 93

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	4088.75	55.39 PK	74	-18.61	-44.79	4.92	-39.87
2	4093.75	40.22 AV	54	-13.78	-59.96	4.92	-55.04
3	#24402.37	49.8 PK	88.2	-38.4	-50.38	4.92	-45.46
4	#24384.75	44.88 AV	68.2	-23.32	-55.3	4.92	-50.38
5	#38506.87	47.13 PK	88.2	-41.07	-53.05	4.92	-48.13
6	#38492.5	41.07 AV	68.2	-27.13	-59.11	4.92	-54.19

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



BUREAU VERITAS









802.11a - Channel 117
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3816.25	55.37 PK	74	-18.63	-44.81	4.92	-39.89
2	3803.12	40.07 AV	54	-13.93	-60.11	4.92	-55.19
3	#24777.5	49.91 PK	88.2	-38.29	-50.27	4.92	-45.35
4	#24790.12	45.08 AV	68.2	-23.12	-55.1	4.92	-50.18
5	#38511.25	46.88 PK	88.2	-41.32	-53.3	4.92	-48.38
6	#38516.87	40.82 AV	68.2	-27.38	-59.36	4.92	-54.44

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



802.11a - Channel 149
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3834.06	55.81 PK	74	-18.19	-44.37	4.92	-39.45
2	3850	40.23 AV	54	-13.77	-59.95	4.92	-55.03
3	#24461.25	50.25 PK	88.2	-37.95	-49.93	4.92	-45.01
4	#24469.56	44.05 AV	68.2	-24.15	-56.13	4.92	-51.21
5	#38554.37	46.58 PK	88.2	-41.62	-53.6	4.92	-48.68
6	#38569.37	40.69 AV	68.2	-27.51	-59.49	4.92	-54.57

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



BUREAU VERITAS



802.11a - Channel 181
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	4960.31	54.68 PK	74	-19.32	-45.5	4.92	-40.58
2	4967.18	39.78 AV	54	-14.22	-60.4	4.92	-55.48
3	23808.31	49.97 PK	74	-24.03	-50.21	4.92	-45.29
4	23820.25	43.99 AV	54	-10.01	-56.19	4.92	-51.27
5	39060.62	46.56 PK	74	-27.44	-53.62	4.92	-48.70
6	39073.12	40.64 AV	54	-13.36	-59.54	4.92	-54.62

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement. (Please refer Appendix B)