









BUREAU
VERITAS




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#7154.55	63.28 PK	88.2	-24.92	-36.59	4.61	-31.98
2	#7128.67	51.61 AV	68.2	-16.59	-48.26	4.61	-43.65

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



1S1T

802.11be (EHT20) - Channel 1

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3815.31	55.47 PK	74	-18.53	-44.71	4.92	-39.79
2	3801.56	40.09 AV	54	-13.91	-60.09	4.92	-55.17
3	#24708.56	49.58 PK	88.2	-38.62	-50.6	4.92	-45.68
4	#24719.68	44.73 AV	68.2	-23.47	-55.45	4.92	-50.53
5	#38456.87	46.65 PK	88.2	-41.55	-53.53	4.92	-48.61
6	#38441.87	40.3 AV	68.2	-27.9	-59.88	4.92	-54.96

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



BUREAU
VERITAS





Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5921.82	82.02 PK	88.2	-6.18	-18	4.76	-13.24
2	#5925	67.91 AV	68.2	-0.29	-32.11	4.76	-27.35

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









802.11be (EHT20) - Channel 45
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	4063.12	55.21 PK	74	-18.79	-44.97	4.92	-40.05
2	4070.31	40.5 AV	54	-13.5	-59.68	4.92	-54.76
3	#24971.93	51.91 PK	88.2	-36.29	-48.27	4.92	-43.35
4	#24985.62	44.22 AV	68.2	-23.98	-55.96	4.92	-51.04
5	#38531.87	46.62 PK	88.2	-41.58	-53.56	4.92	-48.64
6	#38545	41 AV	68.2	-27.2	-59.18	4.92	-54.26

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









802.11be (EHT20) - Channel 93
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	4046.87	54.81 PK	74	-19.19	-45.37	4.92	-40.45
2	4032.81	40.52 AV	54	-13.48	-59.66	4.92	-54.74
3	#24095	50.49 PK	88.2	-37.71	-49.69	4.92	-44.77
4	#24108.75	44.48 AV	68.2	-23.72	-55.7	4.92	-50.78
5	39143.12	46.42 PK	74	-27.58	-53.76	4.92	-48.84
6	39137.5	41.04 AV	54	-12.96	-59.14	4.92	-54.22

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



802.11be (EHT20) - Channel 117
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	4982.5	55.27 PK	74	-18.73	-44.91	4.92	-39.99
2	4968.75	39.84 AV	54	-14.16	-60.34	4.92	-55.42
3	#24945.5	49.62 PK	88.2	-38.58	-50.56	4.92	-45.64
4	#24951.12	44.67 AV	68.2	-23.53	-55.51	4.92	-50.59
5	38824.37	46.22 PK	74	-27.78	-53.96	4.92	-49.04
6	38810.62	41.6 AV	54	-12.4	-58.58	4.92	-53.66

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



BUREAU VERITAS









802.11be (EHT20) - Channel 149
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	4065.93	57.24 PK	74	-16.76	-42.94	4.92	-38.02
2	4076.56	40.29 AV	54	-13.71	-59.89	4.92	-54.97
3	22840.87	50.15 PK	74	-23.85	-50.03	4.92	-45.11
4	22854.12	44.13 AV	54	-9.87	-56.05	4.92	-51.13
5	38747.5	46.79 PK	74	-27.21	-53.39	4.92	-48.47
6	38737.5	40.93 AV	54	-13.07	-59.25	4.92	-54.33

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement. (Please refer Appendix B)









802.11be (EHT20) - Channel 181

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3829.06	54.83 PK	74	-19.17	-45.35	4.92	-40.43
2	3810.93	38.84 AV	54	-15.16	-61.34	4.92	-56.42
3	23831.25	49.33 PK	74	-24.67	-50.85	4.92	-45.93
4	23821.25	42.81 AV	54	-11.19	-57.37	4.92	-52.45
5	38603.12	47.14 PK	74	-26.86	-53.04	4.92	-48.12
6	38590.62	38.93 AV	54	-15.07	-61.25	4.92	-56.33

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement. (Please refer Appendix B)




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#7163.1	63.26 PK	88.2	-24.94	-36.61	4.61	-32.00
2	#7162.5	51.49 AV	68.2	-16.71	-48.38	4.61	-43.77

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









802.11be (EHT40) - Channel 3
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3834.68	55.12 PK	74	-18.88	-45.06	4.92	-40.14
2	3810.93	40.57 AV	54	-13.43	-59.61	4.92	-54.69
3	23768.06	49.24 PK	74	-24.76	-50.94	4.92	-46.02
4	23757	44.52 AV	54	-9.48	-55.66	4.92	-50.74
5	#38493.12	46.63 PK	88.2	-41.57	-53.55	4.92	-48.63
6	#38518.75	40.72 AV	68.2	-27.48	-59.46	4.92	-54.54

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5924.85	82.56 PK	88.2	-5.64	-17.46	4.76	-12.70
2	#5925.00	68.19 AV	68.2	-0.01	-31.83	4.76	-27.07

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









802.11be (EHT40) - Channel 43
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3834.68	54.95 PK	74	-19.05	-45.23	4.92	-40.31
2	3803.12	40.12 AV	54	-13.88	-60.06	4.92	-55.14
3	23885.93	50.42 PK	74	-23.58	-49.76	4.92	-44.84
4	23895.68	44.37 AV	54	-9.63	-55.81	4.92	-50.89
5	#38538.75	47.22 PK	88.2	-40.98	-52.96	4.92	-48.04
6	#38563.75	40.86 AV	68.2	-27.34	-59.32	4.92	-54.40

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









802.11be (EHT40) - Channel 91

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	4038.75	55.69 PK	74	-18.31	-44.49	4.92	-39.57
2	4040.62	40.01 AV	54	-13.99	-60.17	4.92	-55.25
3	#24766.43	50.97 PK	88.2	-37.23	-49.21	4.92	-44.29
4	#24798.75	44.36 AV	68.2	-23.84	-55.82	4.92	-50.90
5	#38503.75	46.68 PK	88.2	-41.52	-53.5	4.92	-48.58
6	#38518.75	41.19 AV	68.2	-27.01	-58.99	4.92	-54.07

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









802.11be (EHT40) - Channel 123
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3820	55.69 PK	74	-18.31	-44.49	4.92	-39.57
2	3846.87	39.76 AV	54	-14.24	-60.42	4.92	-55.50
3	#24947	50.73 PK	88.2	-37.47	-49.45	4.92	-44.53
4	#24969.81	44.57 AV	68.2	-23.63	-55.61	4.92	-50.69
5	#38523.12	47.02 PK	88.2	-41.18	-53.16	4.92	-48.24
6	#38554.37	40.67 AV	68.2	-27.53	-59.51	4.92	-54.59

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









802.11be (EHT40) - Channel 155

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	4032.81	55.31 PK	74	-18.69	-44.87	4.92	-39.95
2	4054.68	40.64 AV	54	-13.36	-59.54	4.92	-54.62
3	#24437.5	50.28 PK	88.2	-37.92	-49.9	4.92	-44.98
4	#24436.5	44.59 AV	68.2	-23.61	-55.59	4.92	-50.67
5	#38504.37	46.51 PK	88.2	-41.69	-53.67	4.92	-48.75
6	#38522.5	40.84 AV	68.2	-27.36	-59.34	4.92	-54.42

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









802.11be (EHT40) - Channel 179
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	4007.81	55.99 PK	74	-18.01	-44.19	4.92	-39.27
2	4039.06	39.58 AV	54	-14.42	-60.6	4.92	-55.68
3	23749.37	51.06 PK	74	-22.94	-49.12	4.92	-44.20
4	23765.87	44.27 AV	54	-9.73	-55.91	4.92	-50.99
5	39056.87	46.03 PK	74	-27.97	-54.15	4.92	-49.23
6	39036.25	40.87 AV	54	-13.13	-59.31	4.92	-54.39

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement. (Please refer Appendix B)




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#7175.17	67.37 PK	88.2	-20.83	-32.5	4.61	-27.89
2	#7128	52.87 AV	68.2	-15.33	-47	4.61	-42.39

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









802.11be (EHT80) - Channel 7

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	4012.5	55.76 PK	74	-18.24	-44.42	4.92	-39.50
2	4071.87	39.61 AV	54	-14.39	-60.57	4.92	-55.65
3	23883.06	50.46 PK	74	-23.54	-49.72	4.92	-44.80
4	23896.06	44.21 AV	54	-9.79	-55.97	4.92	-51.05
5	#38520.62	46.53 PK	88.2	-41.67	-53.65	4.92	-48.73
6	#38513.12	40.71 AV	68.2	-27.49	-59.47	4.92	-54.55

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.





Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5922.07	79.26 PK	88.2	-8.94	-20.76	4.76	-16.00
2	#5924.7	67.87 AV	68.2	-0.33	-32.15	4.76	-27.39

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









802.11be (EHT80) - Channel 39

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	4050	56.14 PK	74	-17.86	-44.04	4.92	-39.12
2	4032.81	40.37 AV	54	-13.63	-59.81	4.92	-54.89
3	23871.56	50.63 PK	74	-23.37	-49.55	4.92	-44.63
4	23897.12	44.18 AV	54	-9.82	-56	4.92	-51.08
5	#38533.75	47.2 PK	88.2	-41	-52.98	4.92	-48.06
6	#38554.37	40.52 AV	68.2	-27.68	-59.66	4.92	-54.74

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









802.11be (EHT80) - Channel 87
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	4914.06	56.03 PK	74	-17.97	-44.15	4.92	-39.23
2	4960.93	40.06 AV	54	-13.94	-60.12	4.92	-55.20
3	#24951.06	50.44 PK	88.2	-37.76	-49.74	4.92	-44.82
4	#24978.43	44.33 AV	68.2	-23.87	-55.85	4.92	-50.93
5	#38522.5	46.7 PK	88.2	-41.5	-53.48	4.92	-48.56
6	#38535.62	40.96 AV	68.2	-27.24	-59.22	4.92	-54.30

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









802.11be (EHT80) - Channel 135

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	4071.87	55.25 PK	74	-18.75	-44.93	4.92	-40.01
2	4043.75	39.4 AV	54	-14.6	-60.78	4.92	-55.86
3	23874.12	50 PK	74	-24	-50.18	4.92	-45.26
4	23854.31	44.56 AV	54	-9.44	-55.62	4.92	-50.70
5	#38498.12	47.55 PK	88.2	-40.65	-52.63	4.92	-47.71
6	#38500	41.78 AV	68.2	-26.42	-58.4	4.92	-53.48

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









802.11be (EHT80) - Channel 151
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	4004.37	55.02 PK	74	-18.98	-45.16	4.92	-40.24
2	4032.81	40.05 AV	54	-13.95	-60.13	4.92	-55.21
3	23887	50.42 PK	74	-23.58	-49.76	4.92	-44.84
4	23861.5	44.58 AV	54	-9.42	-55.6	4.92	-50.68
5	#38510	46.45 PK	88.2	-41.75	-53.73	4.92	-48.81
6	#38561.87	40.64 AV	68.2	-27.56	-59.54	4.92	-54.62

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









802.11be (EHT80) - Channel 167

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3881.56	55.59 PK	74	-18.41	-44.59	4.92	-39.67
2	3809.37	40.07 AV	54	-13.93	-60.11	4.92	-55.19
3	#24881.5	50.07 PK	88.2	-38.13	-50.11	4.92	-45.19
4	#24923.81	44.62 AV	68.2	-23.58	-55.56	4.92	-50.64
5	#38524.37	47.73 PK	88.2	-40.47	-52.45	4.92	-47.53
6	#38522.5	41.21 AV	68.2	-26.99	-58.97	4.92	-54.05

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#7130.62	80.51 PK	88.2	-7.69	-19.36	4.61	-14.75
2	#7126.57	67.76 AV	68.2	-0.44	-32.11	4.61	-27.50

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









802.11be (EHT160) - Channel 15
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	4095.31	55.52 PK	74	-18.48	-44.66	4.92	-39.74
2	4032.81	39.85 AV	54	-14.15	-60.33	4.92	-55.41
3	23825.56	50.08 PK	74	-23.92	-50.1	4.92	-45.18
4	23882.75	44.52 AV	54	-9.48	-55.66	4.92	-50.74
5	38963.12	46.45 PK	74	-27.55	-53.73	4.92	-48.81
6	38896.87	40.98 AV	54	-13.02	-59.2	4.92	-54.28

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement. (Please refer Appendix B)




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5909.07	81.33 PK	88.2	-6.87	-18.69	4.76	-13.93
2	#5922.62	67.11 AV	68.2	-1.09	-32.91	4.76	-28.15

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









802.11be (EHT160) - Channel 47
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	3904.68	55.43 PK	74	-18.57	-44.75	4.92	-39.83
2	3825	40.02 AV	54	-13.98	-60.16	4.92	-55.24
3	#24934.62	50.72 PK	88.2	-37.48	-49.46	4.92	-44.54
4	#24979.87	44.08 AV	68.2	-24.12	-56.1	4.92	-51.18
5	#38546.87	46.41 PK	88.2	-41.79	-53.77	4.92	-48.85
6	#38498.12	41.21 AV	68.2	-26.99	-58.97	4.92	-54.05

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









802.11be (EHT160) - Channel 79

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	4051.56	55.49 PK	74	-18.51	-44.69	4.92	-39.77
2	4062.5	40.25 AV	54	-13.75	-59.93	4.92	-55.01
3	#24913.5	50.72 PK	88.2	-37.48	-49.46	4.92	-44.54
4	#24954	44.46 AV	68.2	-23.74	-55.72	4.92	-50.80
5	#38509.37	47.55 PK	88.2	-40.65	-52.63	4.92	-47.71
6	#38477.5	41.06 AV	68.2	-27.14	-59.12	4.92	-54.20

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



802.11be (EHT160) - Channel 143
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	4075	55.77 PK	74	-18.23	-44.41	4.92	-39.49
2	4084.37	40.05 AV	54	-13.95	-60.13	4.92	-55.21
3	#24421.68	50.27 PK	88.2	-37.93	-49.91	4.92	-44.99
4	#24429.31	44.26 AV	68.2	-23.94	-55.92	4.92	-51.00
5	#38539.37	46.57 PK	88.2	-41.63	-53.61	4.92	-48.69
6	#38573.12	40.81 AV	68.2	-27.39	-59.37	4.92	-54.45

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



BUREAU
VERITAS




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#7128.71	77.1 PK	88.2	-11.1	-22.77	4.61	-18.16
2	#7125.86	62.27 AV	68.2	-5.93	-37.6	4.61	-32.99

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




802.11be (EHT20) 26-tone RU - Channel 1
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38763.12	51.15 PK	74	-22.85	-49.03	4.92	-44.11
2	38753.12	29.93 AV	54	-24.07	-70.25	4.92	-65.33

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5920.5	61.67 PK	88.2	-26.53	-38.35	4.76	-33.59
2	#5925	44.15 AV	68.2	-24.05	-55.87	4.76	-51.11

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.
4. "!": The unwanted emission was verified and the test result was passed by radiated measurement. (Please refer Appendix B)






802.11be (EHT20) 26-tone RU - Channel 93

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38793.12	51.39 PK	74	-22.61	-48.79	4.92	-43.87
2	38803.75	29.99 AV	54	-24.01	-70.19	4.92	-65.27

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 26-tone RU - Channel 117

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38835	51.55 PK	74	-22.45	-48.63	4.92	-43.71
2	38841.25	30.02 AV	54	-23.98	-70.16	4.92	-65.24

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 26-tone RU - Channel 181

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38783.12	52.26 PK	74	-21.74	-47.92	4.92	-43.00
2	38796.25	30.12 AV	54	-23.88	-70.06	4.92	-65.14

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#7166.45	54.33 PK	88.2	-33.87	-45.54	4.61	-40.93
2	#7132.54	42.17 AV	68.2	-26.03	-57.7	4.61	-53.09

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



802.11be (EHT20) 52-tone RU - Channel 1
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38793.12	51.29 PK	74	-22.71	-48.89	4.92	-43.97
2	38803.75	30.13 AV	54	-23.87	-70.05	4.92	-65.13

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.






Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5919.5	66.75 PK	88.2	-21.45	-33.27	4.76	-28.51
2	#5925	47.62 AV	68.2	-20.58	-52.4	4.76	-47.64

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement. (Please refer Appendix B)



802.11be (EHT20) 52-tone RU - Channel 93

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38767.5	52.38 PK	74	-21.62	-47.8	4.92	-42.88
2	38773.75	30.06 AV	54	-23.94	-70.12	4.92	-65.20

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 52-tone RU - Channel 117

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38749.37	51.76 PK	74	-22.24	-48.42	4.92	-43.50
2	38760.62	30.02 AV	54	-23.98	-70.16	4.92	-65.24

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT20) 52-tone RU - Channel 181

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38826.25	52.34 PK	74	-21.66	-47.84	4.92	-42.92
2	38828.12	30.05 AV	54	-23.95	-70.13	4.92	-65.21

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#7160.39	54.71 PK	88.2	-33.49	-45.16	4.61	-40.55
2	#7127.47	42.06 AV	68.2	-26.14	-57.81	4.61	-53.20

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



802.11be (EHT20) 106-tone RU - Channel 1

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38752.5	52.15 PK	74	-21.85	-48.03	4.92	-43.11
2	38766.25	29.93 AV	54	-24.07	-70.25	4.92	-65.33

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5922.75	73.4 PK	88.2	-14.8	-26.62	4.76	-21.86
2	#5924.25	57.61 AV	68.2	-10.59	-42.41	4.76	-37.65

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement. (Please refer Appendix B)




802.11be (EHT20) 106-tone RU - Channel 93

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38815	51.24 PK	74	-22.76	-48.94	4.92	-44.02
2	38801.87	30.21 AV	54	-23.79	-69.97	4.92	-65.05

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



802.11be (EHT20) 106-tone RU - Channel 117

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38800	52.19 PK	74	-21.81	-47.99	4.92	-43.07
2	38811.25	30.02 AV	54	-23.98	-70.16	4.92	-65.24

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.






802.11be (EHT20) 106-tone RU - Channel 181

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38808.12	51.94 PK	74	-22.06	-48.24	4.92	-43.32
2	38798.12	30.19 AV	54	-23.81	-69.99	4.92	-65.07

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#7183.16	53.68 PK	88.2	-34.52	-46.19	4.61	-41.58
2	#7182.29	42.06 AV	68.2	-26.14	-57.81	4.61	-53.20

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



802.11be (EHT20) 52+26-tone MRU - Channel 1

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38768.75	51.58 PK	74	-22.42	-48.6	4.92	-43.68
2	38779.37	29.96 AV	54	-24.04	-70.22	4.92	-65.30

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5924.65	66.89 PK	88.2	-21.31	-33.13	4.76	-28.37
2	#5925	53.51 AV	68.2	-14.69	-46.51	4.76	-41.75

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement. (Please refer Appendix B)



802.11be (EHT20) 52+26-tone MRU - Channel 93

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38792.5	53.38 PK	74	-20.62	-46.8	4.92	-41.88
2	38796.25	30.08 AV	54	-23.92	-70.1	4.92	-65.18

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





802.11be (EHT20) 52+26-tone MRU - Channel 117

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38808.75	51.37 PK	74	-22.63	-48.81	4.92	-43.89
2	38816.87	30.13 AV	54	-23.87	-70.05	4.92	-65.13

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



802.11be (EHT20) 52+26-tone MRU - Channel 181

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38842.5	53.71 PK	74	-20.29	-46.47	4.92	-41.55
2	38848.75	30.06 AV	54	-23.94	-70.12	4.92	-65.20

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#7162.74	54.02 PK	88.2	-34.18	-45.85	4.61	-41.24
2	#7143.19	42.07 AV	68.2	-26.13	-57.8	4.61	-53.19

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



802.11be (EHT20) 106+26-tone MRU - Channel 1

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38810.62	51.96 PK	74	-22.04	-48.22	4.92	-43.30
2	38805.62	29.95 AV	54	-24.05	-70.23	4.92	-65.31

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5924.75	72.4 PK	88.2	-15.8	-27.62	4.76	-22.86
2	#5924.55	57.61 AV	68.2	-10.59	-42.41	4.76	-37.65

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement. (Please refer Appendix B)



802.11be (EHT20) 106+26-tone MRU - Channel 93

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38786.25	51.69 PK	74	-22.31	-48.49	4.92	-43.57
2	38785	30.08 AV	54	-23.92	-70.1	4.92	-65.18

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



802.11be (EHT20) 106+26-tone MRU - Channel 117

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38840	51.34 PK	74	-22.66	-48.84	4.92	-43.92
2	38843.12	30.06 AV	54	-23.94	-70.12	4.92	-65.20

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



802.11be (EHT20) 106+26-tone MRU - Channel 181

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38837.5	52.19 PK	74	-21.81	-47.99	4.92	-43.07
2	38826.25	30.03 AV	54	-23.97	-70.15	4.92	-65.23

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#7183.8	55.43 PK	88.2	-32.77	-44.44	4.61	-39.83
2	#7141.05	42.15 AV	68.2	-26.05	-57.72	4.61	-53.11

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




802.11be (EHT80) 484+242-tone MRU - Channel 7

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38803.12	42.41 PK	74	-31.59	-57.77	4.92	-52.85
2	38813.12	30.84 AV	54	-23.16	-69.34	4.92	-64.42

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5924.92	78.54 PK	88.2	-9.66	-21.48	4.76	-16.72
2	#5924.62	62.82 AV	68.2	-5.38	-37.2	4.76	-32.44

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement. (Please refer Appendix B)




802.11be (EHT80) 484+242-tone MRU - Channel 87

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38804.37	52.18 PK	74	-21.82	-48	4.92	-43.08
2	38835.62	30.01 AV	54	-23.99	-70.17	4.92	-65.25

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT80) 484+242-tone MRU - Channel 135

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38768.12	51.05 PK	74	-22.95	-49.13	4.92	-44.21
2	38770	30.03 AV	54	-23.97	-70.15	4.92	-65.23

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




802.11be (EHT80) 484+242-tone MRU - Channel 167

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38803.75	51.96 PK	74	-22.04	-48.22	4.92	-43.30
2	38798.12	29.94 AV	54	-24.06	-70.24	4.92	-65.32

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#7173.88	59.97 PK	88.2	-28.23	-39.9	4.61	-35.29
2	#7126.48	44.68 AV	68.2	-23.52	-55.19	4.61	-50.58

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




802.11be (EHT160) 996+484-tone MRU - Channel 15

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38815	42.91 PK	74	-31.09	-57.27	4.92	-52.35
2	38854.37	30.68 AV	54	-23.32	-69.5	4.92	-64.58

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5917.55	80.84 PK	88.2	-7.36	-19.18	4.76	-14.42
2	#5924.65	67.94 AV	68.2	-0.26	-32.08	4.76	-27.32

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement. (Please refer Appendix B)



802.11be (EHT160) 996+484-tone MRU - Channel 79

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38866.87	51.7 PK	74	-22.3	-48.48	4.92	-43.56
2	38766.25	30.07 AV	54	-23.93	-70.11	4.92	-65.19

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.






802.11be (EHT160) 996+484-tone MRU - Channel 143

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38809.37	51.91 PK	74	-22.09	-48.27	4.92	-43.35
2	38801.87	30.01 AV	54	-23.99	-70.17	4.92	-65.25

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#7136.5	63.54 PK	88.2	-24.66	-36.33	4.61	-31.72
2	#7129.08	43.66 AV	68.2	-24.54	-56.21	4.61	-51.60

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.





802.11be (EHT160) 996+484+242-tone MRU - Channel 15

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38875	43.2 PK	74	-30.8	-56.98	4.92	-52.06
2	38798.12	30.79 AV	54	-23.21	-69.39	4.92	-64.47

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#5909.72	82.51 PK	88.2	-5.69	-17.51	4.76	-12.75
2	#5923.02	67.53 AV	68.2	-0.67	-32.49	4.76	-27.73

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement. (Please refer Appendix B)




802.11be (EHT160) 996+484+242-tone MRU - Channel 79

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38906.25	51.36 PK	74	-22.64	-48.82	4.92	-43.90
2	38801.87	29.91 AV	54	-24.09	-70.27	4.92	-65.35

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.






802.11be (EHT160) 996+484+242-tone MRU - Channel 143

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	38696.25	52.1 PK	74	-21.9	-48.08	4.92	-43.16
2	38783.12	30.75 AV	54	-23.25	-69.43	4.92	-64.51

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)	Correction Factor (dB)	EIRP Level (dBm)
1	#7150.74	67.33 PK	88.2	-20.87	-32.54	4.61	-27.93
2	#7131.18	45.98 AV	68.2	-22.22	-53.89	4.61	-49.28

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



2TX
 802.11a - Channel 1

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11914.31	58.87 PK	74	-15.13	-47.51	-47.15	7.93	-36.39
2	11914.06	42.39 AV	54	-11.61	-63.67	-63.95	7.93	-52.87
3	17880.06	50.01 PK	74	-23.99	-56.43	-55.97	7.93	-45.25
4	17878.56	44.69 AV	54	-9.31	-62.72	-60.56	7.93	-50.57
5	#7956.25	59.72 PK	88.2	-28.48	-45.7	-47.44	7.93	-35.54
6	#7950.62	44.3 AV	68.2	-23.9	-61.32	-62.57	7.93	-50.96

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5925	70.67 PK	88.2	-17.53	-34.01	-37.36	7.77	-24.59
2	#5924.87	59.65 AV	68.2	-8.55	-46.77	-46.04	7.77	-35.61


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 45

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12348.43	58.89 PK	74	-15.11	-47.18	-47.45	7.93	-36.37
2	12350	42.93 AV	54	-11.07	-63.96	-62.67	7.93	-52.33
3	18534.12	51.59 PK	74	-22.41	-55.12	-54.15	7.93	-43.67
4	18532.62	46.46 AV	54	-7.54	-60.19	-59.34	7.93	-48.80
5	8229.68	59.23 PK	74	-14.77	-47.13	-46.82	7.93	-36.03
6	8232.81	45.2 AV	54	-8.8	-60.29	-61.84	7.93	-50.06

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





Chain 1



802.11a - Channel 93

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12828.12	58.8 PK	88.2	-29.4	-46.58	-48.4	7.93	-36.46
2	#12820.93	43.84 AV	68.2	-24.36	-62.09	-62.65	7.93	-51.42
3	19242.81	52.78 PK	74	-21.22	-53.9	-52.99	7.93	-42.48
4	19244.25	46.94 AV	54	-7.06	-59.32	-59.2	7.93	-48.32
5	#8566.87	58.45 PK	88.2	-29.75	-46.88	-48.84	7.93	-36.81
6	#8567.18	43.42 AV	68.2	-24.78	-62.5	-63.08	7.93	-51.84

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11a - Channel 117

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13062.5	58.34 PK	88.2	-29.86	-48.49	-47.31	7.93	-36.92
2	#13079.68	42.71 AV	68.2	-25.49	-63.43	-63.56	7.93	-52.55
3	19613.31	53.08 PK	74	-20.92	-53.23	-53.02	7.93	-42.18
4	19613.68	46.2 AV	54	-7.8	-58.74	-61.78	7.93	-49.06
5	#8710.93	58.08 PK	88.2	-30.12	-48.9	-47.46	7.93	-37.18
6	#8714.06	41.73 AV	68.2	-26.47	-63.52	-65.68	7.93	-53.53

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11a - Channel 149
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13404.68	58.98 PK	88.2	-29.22	-47.02	-47.43	7.93	-36.28
2	#13404.68	43.56 AV	68.2	-24.64	-61.91	-63.51	7.93	-51.70
3	20092.31	54.33 PK	74	-19.67	-51.36	-52.45	7.93	-40.93
4	20096.68	46.72 AV	54	-7.28	-60.05	-58.98	7.93	-48.54
5	#8917.18	60.08 PK	88.2	-28.12	-45.67	-46.63	7.93	-35.18
6	#8914.06	44.47 AV	68.2	-23.73	-61.99	-61.48	7.93	-50.79

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11a - Channel 181
Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13715.62	52.27 PK	88.2	-35.93	-55.4	-52.83	7.93	-42.99
2	#13725.68	45.09 AV	68.2	-23.11	-60.63	-61.64	7.93	-50.17
3	20569.62	55.82 PK	74	-18.18	-51.6	-49.43	7.93	-39.44
4	20569.62	48.13 AV	54	-5.87	-57.8	-58.35	7.93	-47.13
5	9143.75	59.93 PK	74	-14.07	-46.43	-46.12	7.93	-35.33
6	9143	44.12 AV	54	-9.88	-61.5	-62.76	7.93	-51.14

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7147.09	57.56 PK	88.2	-30.64	-49.68	-47.3	7.62	-37.70
2	#7149.7	45.21 AV	68.2	-22.99	-59.6	-62.11	7.62	-50.05


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



2S2T

802.11be (EHT20) - Channel 1

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11912.5	56.58 PK	74	-17.42	-46.09	-47.2	4.92	-38.68
2	11907.81	40.03 AV	54	-13.97	-62.07	-64.62	4.92	-55.23
3	17868.56	47.54 PK	74	-26.46	-55.44	-55.87	4.92	-47.72
4	17868.56	41.41 AV	54	-12.59	-62.34	-61.28	4.92	-53.85
5	#7951.56	56.02 PK	88.2	-32.18	-47.97	-46.5	4.92	-39.24
6	#7950.62	44.4 AV	68.2	-23.8	-56.31	-65.2	4.92	-50.86

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5924.55	71.19 PK	88.2	-17.01	-34.99	-30.03	4.76	-24.07
2	#5924.82	59.56 AV	68.2	-8.64	-42.69	-44.42	4.76	-35.70


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 45
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12359.37	55.89 PK	74	-18.11	-48.4	-46.42	4.92	-39.37
2	12350	39.92 AV	54	-14.08	-62.34	-64.45	4.92	-55.34
3	18521.18	49.14 PK	74	-24.86	-54.64	-53.54	4.92	-46.12
4	18528.37	43.17 AV	54	-10.83	-60.27	-59.79	4.92	-52.09
5	8253.12	55.88 PK	74	-18.12	-47.83	-46.85	4.92	-39.38
6	8252.81	42.08 AV	54	-11.92	-59.65	-63.33	4.92	-53.18

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





Chain 1



802.11be (EHT20) - Channel 93

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12845.62	55.55 PK	88.2	-32.65	-47.84	-47.44	4.92	-39.71
2	#12845.31	40.08 AV	68.2	-28.12	-63.01	-63.22	4.92	-55.18
3	19241.37	50.01 PK	74	-23.99	-55.03	-51.89	4.92	-45.25
4	19234.18	43.64 AV	54	-10.36	-58.78	-60.49	4.92	-51.62
5	#8545.31	55.78 PK	88.2	-32.42	-47.73	-47.12	4.92	-39.48
6	#8553.12	41.32 AV	68.2	-26.88	-60.41	-64.1	4.92	-53.94

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT20) - Channel 117

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13081.25	54.69 PK	88.2	-33.51	-48.58	-48.43	4.92	-40.57
2	#13071.87	39.84 AV	68.2	-28.36	-63.35	-63.36	4.92	-55.42
3	19602.18	50.54 PK	74	-23.46	-52.21	-53.15	4.92	-44.72
4	19603.62	44.41 AV	54	-9.59	-57.7	-60.22	4.92	-50.85
5	#8717.81	55.28 PK	88.2	-32.92	-47.2	-48.76	4.92	-39.98
6	#8721.87	38.08 AV	68.2	-30.12	-64.15	-66.34	4.92	-57.18

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



802.11be (EHT20) - Channel 149

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	13392.18	55.49 PK	74	-18.51	-46.8	-48.85	4.92	-39.77
2	13389.06	39.87 AV	54	-14.13	-63.63	-63.04	4.92	-55.39
3	20085.18	52.19 PK	74	-21.81	-53.36	-49.48	4.92	-43.07
4	20090.93	45.11 AV	54	-8.89	-58.63	-57.6	4.92	-50.15
5	#8935.93	55.71 PK	88.2	-32.49	-47.76	-47.22	4.92	-39.55
6	#8921.87	41.95 AV	68.2	-26.25	-62.05	-60.55	4.92	-53.31

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT20) - Channel 181
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13708.43	49.54 PK	88.2	-38.66	-54.6	-52.87	4.92	-45.72
2	#13702.68	42.53 AV	68.2	-25.67	-60.02	-61.42	4.92	-52.73
3	20568.18	56.79 PK	74	-17.21	-50.68	-44.29	4.92	-38.47
4	20562.43	47.69 AV	54	-6.31	-58.21	-53.84	4.92	-47.57
5	9137.5	56.03 PK	74	-17.97	-48.05	-46.43	4.92	-39.23
6	9135	41 AV	54	-13	-63.6	-61.12	4.92	-54.26

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7155.88	54.91 PK	88.2	-33.29	-46.27	-50.79	4.61	-40.35
2	#7159.88	42.27 AV	68.2	-25.93	-60.04	-61.27	4.61	-52.99


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 3
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11946.56	56.22 PK	74	-17.78	-46.43	-47.59	4.92	-39.04
2	11946.87	40.87 AV	54	-13.13	-61.66	-63.09	4.92	-54.39
3	17901.87	52.95 PK	74	-21.05	-47.58	-58.29	4.92	-42.31
4	17901.62	45.93 AV	54	-8.07	-55.4	-60.58	4.92	-49.33
5	#7970.31	55.73 PK	88.2	-32.47	-47.71	-47.22	4.92	-39.53
6	#7970.12	45.07 AV	68.2	-23.13	-55.92	-62.83	4.92	-50.19

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.