















### Chain 0





### Chain 1




### Bandedge table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #5925           | 84.3 PK                 | 88.2           | -3.9        | -19.6           | -18    | 4.76                   | -10.96           |
| 2   | #5924.9         | 68.16 AV                | 68.2           | -0.04       | -34.54          | -35.22 | 4.76                   | -27.10           |


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0



### Chain 1



### 802.11be (EHT40) - Channel 43

#### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | 12331.25        | 56 PK                   | 74             | -18         | -47.99          | -46.52 | 4.92                   | -39.26           |
| 2   | 12331.56        | 42.19 AV                | 54             | -11.81      | -60.45          | -61.64 | 4.92                   | -53.07           |
| 3   | 18498.18        | 58.5 PK                 | 74             | -15.5       | -41.88          | -55.15 | 4.92                   | -36.76           |
| 4   | 18495.31        | 53.09 AV                | 54             | -0.91       | -47.27          | -61.07 | 4.92                   | -42.17           |
| 5   | 8232.81         | 56.6 PK                 | 74             | -17.4       | -46.17          | -47.06 | 4.92                   | -38.66           |
| 6   | 8230.31         | 41.59 AV                | 54             | -12.41      | -60.48          | -63.11 | 4.92                   | -53.67           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









### Chain 0





### Chain 1



**802.11be (EHT40) - Channel 91**
**Conducted spurious emission table**







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #12821.87       | 55.67 PK                | 88.2           | -32.53      | -47.01          | -48.09 | 4.92                   | -39.59           |
| 2   | #12817.18       | 41.18 AV                | 68.2           | -27.02      | -61.57          | -62.5  | 4.92                   | -54.08           |
| 3   | 19216.93        | 65.08 PK                | 74             | -8.92       | -35.14          | -55.83 | 4.92                   | -30.18           |
| 4   | 19214.06        | 53.4 AV                 | 54             | -0.6        | -47.03          | -59.26 | 4.92                   | -41.86           |
| 5   | #8539.06        | 56.41 PK                | 88.2           | -31.79      | -46.24          | -47.4  | 4.92                   | -38.85           |
| 6   | #8540.62        | 40.69 AV                | 68.2           | -27.51      | -61.08          | -64.63 | 4.92                   | -54.57           |

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









### Chain 0







### Chain 1



### 802.11be (EHT40) - Channel 123

#### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #13140.62       | 56.16 PK                | 88.2           | -32.04      | -47.39          | -46.69 | 4.92                   | -39.10           |
| 2   | #13132.81       | 41.54 AV                | 68.2           | -26.66      | -60.65          | -62.95 | 4.92                   | -53.72           |
| 3   | 19698.5         | 62.43 PK                | 74             | -11.57      | -37.84          | -54.63 | 4.92                   | -32.83           |
| 4   | 19691.31        | 52.4 AV                 | 54             | -1.6        | -48.02          | -60.56 | 4.92                   | -42.86           |
| 5   | #8760.93        | 55.39 PK                | 88.2           | -32.81      | -47.31          | -48.35 | 4.92                   | -39.87           |
| 6   | #8753.12        | 39.76 AV                | 68.2           | -28.44      | -61.95          | -65.68 | 4.92                   | -55.50           |

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



### Chain 0



### Chain 1



### 802.11be (EHT40) - Channel 155

#### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #13442.81       | 56.03 PK                | 88.2           | -32.17      | -47.57          | -46.79 | 4.92                   | -39.23           |
| 2   | #13445.31       | 42.16 AV                | 68.2           | -26.04      | -60.46          | -61.68 | 4.92                   | -53.10           |
| 3   | 20168.56        | 62.74 PK                | 74             | -11.26      | -37.56          | -53.23 | 4.92                   | -32.52           |
| 4   | 20171.43        | 53.54 AV                | 54             | -0.46       | -46.91          | -58.84 | 4.92                   | -41.72           |
| 5   | #8967.18        | 56.69 PK                | 88.2           | -31.51      | -46.7           | -46.3  | 4.92                   | -38.57           |
| 6   | #8967.18        | 40.93 AV                | 68.2           | -27.27      | -61.72          | -62.87 | 4.92                   | -54.33           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









### Chain 0





### Chain 1



**802.11be (EHT40) - Channel 179**
**Conducted spurious emission table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #13704.43       | 48.43 PK                | 88.2           | -39.77      | -56             | -53.8  | 4.92                   | -46.83           |
| 2   | #13704.12       | 43.03 AV                | 68.2           | -25.17      | -60.03          | -60.3  | 4.92                   | -52.23           |
| 3   | 20543.75        | 61.72 PK                | 74             | -12.28      | -38.95          | -48.2  | 4.92                   | -33.54           |
| 4   | 20536.56        | 53.03 AV                | 54             | -0.97       | -47.68          | -56.51 | 4.92                   | -42.23           |
| 5   | 9114.06         | 56.6 PK                 | 74             | -17.4       | -45.67          | -47.75 | 4.92                   | -38.66           |
| 6   | 9110.93         | 41.55 AV                | 54             | -12.45      | -61.15          | -62.2  | 4.92                   | -53.71           |







**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.






### Chain 0





### Chain 1




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #7153.82        | 55.55 PK                | 88.2           | -32.65      | -47.64          | -47.05 | 4.61                   | -39.71           |
| 2   | #7149.52        | 42.19 AV                | 68.2           | -26.01      | -60.39          | -61.02 | 4.61                   | -53.07           |


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**



**Chain 1**



### 802.11be (EHT80) - Channel 7

#### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | 11967.18        | 56.2 PK                 | 74             | -17.8       | -48.8           | -45.72 | 4.92                   | -39.06           |
| 2   | 11960           | 41.4 AV                 | 54             | -12.6       | -62.01          | -61.59 | 4.92                   | -53.86           |
| 3   | 17964.87        | 47.38 PK                | 74             | -26.62      | -54.68          | -57.35 | 4.92                   | -47.88           |
| 4   | 17962           | 42.01 AV                | 54             | -11.99      | -60.63          | -61.8  | 4.92                   | -53.25           |
| 5   | #7979.68        | 56.36 PK                | 88.2           | -31.84      | -45.78          | -48.21 | 4.92                   | -38.90           |
| 6   | #7979.68        | 45.66 AV                | 68.2           | -22.54      | -55.3           | -62.34 | 4.92                   | -49.60           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #5924.5         | 83.39 PK                | 88.2           | -4.81       | -19.44          | -19.86 | 4.76                   | -11.87           |
| 2   | #5924.82        | 68.12 AV                | 68.2           | -0.08       | -35.07          | -34.76 | 4.76                   | -27.14           |


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**



**Chain 1**



### 802.11be (EHT80) - Channel 39

#### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | 12309.37        | 55.95 PK                | 74             | -18.05      | -46.34          | -48.38 | 4.92                   | -39.31           |
| 2   | 12309.43        | 40.4 AV                 | 54             | -13.6       | -62.67          | -62.92 | 4.92                   | -54.86           |
| 3   | 18440.68        | 47.82 PK                | 74             | -26.18      | -56.92          | -54.23 | 4.92                   | -47.44           |
| 4   | 18433.43        | 42.88 AV                | 54             | -11.12      | -60.42          | -60.21 | 4.92                   | -52.38           |
| 5   | 8190.62         | 56.26 PK                | 74             | -17.74      | -45.66          | -48.72 | 4.92                   | -39.00           |
| 6   | 8193.75         | 41.87 AV                | 54             | -12.13      | -59.98          | -63.28 | 4.92                   | -53.39           |







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.






### Chain 0





### Chain 1



### 802.11be (EHT80) - Channel 87

#### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #12778.12       | 55.51 PK                | 88.2           | -32.69      | -48.21          | -47.21 | 4.92                   | -39.75           |
| 2   | #12782.81       | 40.48 AV                | 68.2           | -27.72      | -63.37          | -62.13 | 4.92                   | -54.78           |
| 3   | 19157.87        | 50.17 PK                | 74             | -23.83      | -54.44          | -51.95 | 4.92                   | -45.09           |
| 4   | 19160.87        | 43.68 AV                | 54             | -10.32      | -58.64          | -60.59 | 4.92                   | -51.58           |
| 5   | #8520.31        | 55.36 PK                | 88.2           | -32.84      | -48.3           | -47.4  | 4.92                   | -39.90           |
| 6   | #8514.06        | 41.21 AV                | 68.2           | -26.99      | -60.89          | -63.45 | 4.92                   | -54.05           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









### Chain 0





### Chain 1



### 802.11be (EHT80) - Channel 135

#### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | 13262.5         | 55.12 PK                | 74             | -18.88      | -48.48          | -47.7  | 4.92                   | -40.14           |
| 2   | 13253.12        | 40.29 AV                | 54             | -13.71      | -63.09          | -62.71 | 4.92                   | -54.97           |
| 3   | 19882.12        | 50.52 PK                | 74             | -23.48      | -51.96          | -53.51 | 4.92                   | -44.74           |
| 4   | 19882.5         | 43.97 AV                | 54             | -10.03      | -59.57          | -58.89 | 4.92                   | -51.29           |
| 5   | #8828.75        | 55.83 PK                | 88.2           | -32.37      | -47.84          | -46.92 | 4.92                   | -39.43           |
| 6   | #8832.81        | 42.35 AV                | 68.2           | -25.85      | -59.65          | -62.5  | 4.92                   | -52.91           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









### Chain 0





### Chain 1





### 802.11be (EHT80) - Channel 151

#### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #13420.93       | 55.94 PK                | 88.2           | -32.26      | -47.2           | -47.3  | 4.92                   | -39.32           |
| 2   | #13421.87       | 41.77 AV                | 68.2           | -26.43      | -60.97          | -61.93 | 4.92                   | -53.49           |
| 3   | 20131.68        | 51.61 PK                | 74             | -22.39      | -53.78          | -50.12 | 4.92                   | -43.65           |
| 4   | 20131.18        | 44.51 AV                | 54             | -9.49       | -58.48          | -58.9  | 4.92                   | -50.75           |
| 5   | #8959.37        | 57.39 PK                | 88.2           | -30.81      | -46.22          | -45.41 | 4.92                   | -37.87           |
| 6   | #8956.56        | 41.8 AV                 | 68.2           | -26.4       | -61.44          | -61.34 | 4.92                   | -53.46           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









### Chain 0





### Chain 1



### 802.11be (EHT80) - Channel 167

#### Conducted spurious emission table


| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #13589.12       | 45.35 PK                | 88.2           | -42.85      | -57.15          | -58.67 | 4.92                   | -49.91           |
| 2   | #13586.12       | 40.32 AV                | 68.2           | -27.88      | -62.74          | -63.01 | 4.92                   | -54.94           |
| 3   | 20343.93        | 49.84 PK                | 74             | -24.16      | -54             | -52.78 | 4.92                   | -45.42           |
| 4   | 20348.25        | 43.85 AV                | 54             | -10.15      | -59.06          | -59.63 | 4.92                   | -51.41           |
| 5   | 9044.37         | 56.05 PK                | 74             | -17.95      | -45.61          | -49.51 | 4.92                   | -39.21           |
| 6   | 9053.12         | 40.43 AV                | 54             | -13.57      | -61.79          | -64.01 | 4.92                   | -54.83           |

Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



### Chain 0



### Chain 1




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #7129.75        | 54.53 PK                | 88.2           | -33.67      | -47.75          | -49.05 | 4.61                   | -40.73           |
| 2   | #7131.33        | 42.91 AV                | 68.2           | -25.29      | -59.46          | -60.56 | 4.61                   | -52.35           |


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**



**Chain 1**



**802.11be (EHT160) - Channel 15**
**Conducted spurious emission table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | 12051.56        | 56.42 PK                | 74             | -17.58      | -45.4           | -48.77 | 4.92                   | -38.84           |
| 2   | 12042.81        | 41.97 AV                | 54             | -12.03      | -61.91          | -60.63 | 4.92                   | -53.29           |
| 3   | 18087.06        | 46.94 PK                | 74             | -27.06      | -55.56          | -57.06 | 4.92                   | -48.32           |
| 4   | 18091.37        | 43.79 AV                | 54             | -10.21      | -59.44          | -59.36 | 4.92                   | -51.47           |
| 5   | 8039.06         | 56.59 PK                | 74             | -17.41      | -46.49          | -46.71 | 4.92                   | -38.67           |
| 6   | 8032.81         | 44.91 AV                | 54             | -9.09       | -56.48          | -61.4  | 4.92                   | -50.35           |







**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.






### Chain 0





### Chain 1






### Bandedge table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #5922.62        | 86.23 PK                | 88.2           | -1.97       | -16.99          | -16.61 | 4.76                   | -9.03            |
| 2   | #5922.5         | 67.1 AV                 | 68.2           | -1.1        | -35.97          | -35.9  | 4.76                   | -28.16           |


#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0



### Chain 1



### 802.11be (EHT160) - Channel 47

#### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | 12367.18        | 56.07 PK                | 74             | -17.93      | -47.77          | -46.56 | 4.92                   | -39.19           |
| 2   | 12365.62        | 42.12 AV                | 54             | -11.88      | -60.9           | -61.25 | 4.92                   | -53.14           |
| 3   | 18568.62        | 54.56 PK                | 74             | -19.44      | -46.04          | -55.94 | 4.92                   | -40.70           |
| 4   | 18567.06        | 47.72 AV                | 54             | -6.28       | -53.3           | -60    | 4.92                   | -47.54           |
| 5   | 8250            | 56.55 PK                | 74             | -17.45      | -46.29          | -47.03 | 4.92                   | -38.71           |
| 6   | 8246.87         | 42.59 AV                | 54             | -11.41      | -59.42          | -62.24 | 4.92                   | -52.67           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









### Chain 0





### Chain 1



### 802.11be (EHT160) - Channel 79

#### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | 12682.81        | 55.63 PK                | 74             | -18.37      | -46.86          | -48.39 | 4.92                   | -39.63           |
| 2   | 12681.25        | 40.79 AV                | 54             | -13.21      | -62.22          | -62.58 | 4.92                   | -54.47           |
| 3   | 19051.62        | 49.64 PK                | 74             | -24.36      | -52.32          | -55.28 | 4.92                   | -45.62           |
| 4   | 19018.56        | 44.86 AV                | 54             | -9.14       | -58.53          | -58.13 | 4.92                   | -50.40           |
| 5   | 8450            | 55.55 PK                | 74             | -18.45      | -46.7           | -48.83 | 4.92                   | -39.71           |
| 6   | 8446.87         | 41.74 AV                | 54             | -12.26      | -61.52          | -61.38 | 4.92                   | -53.52           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









### Chain 0







### Chain 1



**802.11be (EHT160) - Channel 143**
**Conducted spurious emission table**


| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | 13345.31        | 55.09 PK                | 74             | -18.91      | -47.44          | -48.89 | 4.92                   | -40.17           |
| 2   | 13343.75        | 41.11 AV                | 54             | -12.89      | -62.73          | -61.51 | 4.92                   | -54.15           |
| 3   | 20007.43        | 49.66 PK                | 74             | -24.34      | -55.21          | -52.32 | 4.92                   | -45.60           |
| 4   | 20007.56        | 45.47 AV                | 54             | -8.53       | -56.47          | -59.49 | 4.92                   | -49.79           |
| 5   | #8898.43        | 56.87 PK                | 88.2           | -31.33      | -45.11          | -48.01 | 4.92                   | -38.39           |
| 6   | #8900           | 43.14 AV                | 68.2           | -25.06      | -60.53          | -59.62 | 4.92                   | -52.12           |

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









### Chain 0





### Chain 1






### Bandedge table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #7138.85        | 62.37 PK                | 88.2           | -25.83      | -48.94          | -37.82 | 4.61                   | -32.89           |
| 2   | #7136.3         | 43.62 AV                | 68.2           | -24.58      | -59.22          | -59.31 | 4.61                   | -51.64           |


#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0



### Chain 1



### 802.11be (EHT20) 26-tone RU - Channel 1

#### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | 11923.43        | 56.29 PK                | 74             | -17.71      | -47.72          | -46.21 | 4.92                   | -38.97           |
| 2   | 11895.31        | 40.86 AV                | 54             | -13.14      | -62.11          | -62.56 | 4.92                   | -54.40           |
| 3   | 17849.87        | 46.18 PK                | 74             | -27.82      | -58.93          | -55.69 | 4.92                   | -49.08           |
| 4   | 17857.06        | 42.78 AV                | 54             | -11.22      | -61.56          | -59.51 | 4.92                   | -52.48           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




### Chain 0





### Chain 1






**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #5841.1         | 65.83 PK                | 88.2           | -22.37      | -37.34          | -37.06 | 4.76                   | -29.43           |
| 2   | #5828.32        | 53.05 AV                | 68.2           | -15.15      | -49.59          | -50.4  | 4.76                   | -42.21           |


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**



**Chain 1**



**802.11be (EHT20) 26-tone RU - Channel 93**
**Conducted spurious emission table**







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #12842.18       | 55.5 PK                 | 88.2           | -32.7       | -46.97          | -48.55 | 4.92                   | -39.76           |
| 2   | #12821.87       | 41.17 AV                | 68.2           | -27.03      | -63.46          | -60.94 | 4.92                   | -54.09           |
| 3   | 19242.81        | 48.28 PK                | 74             | -25.72      | -54.31          | -55.61 | 4.92                   | -46.98           |
| 4   | 19250           | 44.74 AV                | 54             | -9.26       | -59.65          | -57.51 | 4.92                   | -50.52           |

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1



**802.11be (EHT20) 26-tone RU - Channel 117**
**Conducted spurious emission table**







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #13067.18       | 54.83 PK                | 88.2           | -33.37      | -48.3           | -48.43 | 4.92                   | -40.43           |
| 2   | #13081.25       | 40.47 AV                | 68.2           | -27.73      | -63.45          | -62.09 | 4.92                   | -54.79           |
| 3   | 19586.37        | 47.86 PK                | 74             | -26.14      | -53.85          | -57.59 | 4.92                   | -47.40           |
| 4   | 19590.68        | 44.42 AV                | 54             | -9.58       | -58.11          | -59.55 | 4.92                   | -50.84           |

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1



### 802.11be (EHT20) 26-tone RU - Channel 181

#### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #13698.37       | 48.13 PK                | 88.2           | -40.07      | -55.35          | -54.78 | 4.92                   | -47.13           |
| 2   | #13711.31       | 42.22 AV                | 68.2           | -25.98      | -60.63          | -61.35 | 4.92                   | -53.04           |
| 3   | 20553.81        | 48.92 PK                | 74             | -25.08      | -53.37          | -55.42 | 4.92                   | -46.34           |
| 4   | 20579.68        | 42.91 AV                | 54             | -11.09      | -58.53          | -63.27 | 4.92                   | -52.35           |







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.






### Chain 0





### Chain 1




### Bandedge table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #7189.75        | 65.61 PK                | 88.2           | -22.59      | -38.61          | -36.25 | 4.61                   | -29.65           |
| 2   | #7181.68        | 53.24 AV                | 68.2           | -14.96      | -50.53          | -48.9  | 4.61                   | -42.02           |


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0



### Chain 1



### 802.11be (EHT20) 52-tone RU - Channel 1







#### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | 11925           | 55.96 PK                | 74             | -18.04      | -47.67          | -46.84 | 4.92                   | -39.30           |
| 2   | 11921.87        | 40.78 AV                | 54             | -13.22      | -62.98          | -61.91 | 4.92                   | -54.48           |
| 3   | 17851.31        | 47.74 PK                | 74             | -26.26      | -55.39          | -55.52 | 4.92                   | -47.52           |
| 4   | 17867.12        | 42.81 AV                | 54             | -11.19      | -61.03          | -59.81 | 4.92                   | -52.45           |

Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





### Chain 1




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #5910.37        | 65.7 PK                 | 88.2           | -22.5       | -38.56          | -36.38 | 4.76                   | -29.56           |
| 2   | #5896.45        | 53.01 AV                | 68.2           | -15.19      | -49.58          | -50.51 | 4.76                   | -42.25           |


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**



**Chain 1**



**802.11be (EHT20) 52-tone RU - Channel 93**
**Conducted spurious emission table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #12835.93       | 56.04 PK                | 88.2           | -32.16      | -46.97          | -47.34 | 4.92                   | -39.22           |
| 2   | #12812.5        | 41.54 AV                | 68.2           | -26.66      | -61.02          | -62.38 | 4.92                   | -53.72           |
| 3   | 19248.56        | 48.65 PK                | 74             | -25.35      | -56.33          | -53.28 | 4.92                   | -46.61           |
| 4   | 19228.43        | 44.85 AV                | 54             | -9.15       | -58.37          | -58.32 | 4.92                   | -50.41           |


**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.






### Chain 0





### Chain 1



### 802.11be (EHT20) 52-tone RU - Channel 117

#### Conducted spurious emission table


| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #13062.5        | 54.64 PK                | 88.2           | -33.56      | -49.38          | -47.86 | 4.92                   | -40.62           |
| 2   | #13082.81       | 40.51 AV                | 68.2           | -27.69      | -61.8           | -63.78 | 4.92                   | -54.75           |
| 3   | 19602.18        | 48.07 PK                | 74             | -25.93      | -56.38          | -54.14 | 4.92                   | -47.19           |
| 4   | 19593.56        | 43.34 AV                | 54             | -10.66      | -58.94          | -61    | 4.92                   | -51.92           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









### Chain 0





### Chain 1



### 802.11be (EHT20) 52-tone RU - Channel 181


#### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #13727.12       | 47.16 PK                | 88.2           | -41.04      | -54.59          | -58.2  | 4.92                   | -48.10           |
| 2   | #13725.68       | 42.09 AV                | 68.2           | -26.11      | -62.12          | -60.27 | 4.92                   | -53.17           |
| 3   | 20546.62        | 47.41 PK                | 74             | -26.59      | -54.97          | -56.77 | 4.92                   | -47.85           |
| 4   | 20559.56        | 41.88 AV                | 54             | -12.12      | -61.4           | -61.23 | 4.92                   | -53.38           |


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0



**Chain 1**








### Bandedge table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #7189.16        | 65.49 PK                | 88.2           | -22.71      | -37.04          | -37.78 | 4.61                   | -29.77           |
| 2   | #7192.38        | 53.14 AV                | 68.2           | -15.06      | -49.89          | -49.6  | 4.61                   | -42.12           |


#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0



### Chain 1



### 802.11be (EHT20) 106-tone RU - Channel 1

#### Conducted spurious emission table


| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | 11917.18        | 55.51 PK                | 74             | -18.49      | -47.66          | -47.7  | 4.92                   | -39.75           |
| 2   | 11929.68        | 40.35 AV                | 54             | -13.65      | -62.88          | -62.81 | 4.92                   | -54.91           |
| 3   | 17857.06        | 46.31 PK                | 74             | -27.69      | -57.09          | -56.68 | 4.92                   | -48.95           |
| 4   | 17875.75        | 42.03 AV                | 54             | -11.97      | -61.96          | -60.48 | 4.92                   | -53.23           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




### Chain 0





### Chain 1




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #5923.15        | 69.35 PK                | 88.2           | -18.85      | -35.2           | -32.56 | 4.76                   | -25.91           |
| 2   | #5924.9         | 58.28 AV                | 68.2           | -9.92       | -45.03          | -44.49 | 4.76                   | -36.98           |


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**



**Chain 1**



### 802.11be (EHT20) 106-tone RU - Channel 93

#### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #12831.25       | 55.43 PK                | 88.2           | -32.77      | -49.36          | -46.59 | 4.92                   | -39.83           |
| 2   | #12846.87       | 41.53 AV                | 68.2           | -26.67      | -60.76          | -62.79 | 4.92                   | -53.73           |
| 3   | 19237.06        | 49.1 PK                 | 74             | -24.9       | -54.79          | -53.49 | 4.92                   | -46.16           |
| 4   | 19234.18        | 44.83 AV                | 54             | -9.17       | -58.48          | -58.24 | 4.92                   | -50.43           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1





### 802.11be (EHT20) 106-tone RU - Channel 117


#### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #13079.68       | 55.45 PK                | 88.2           | -32.75      | -47.63          | -47.85 | 4.92                   | -39.81           |
| 2   | #13076.56       | 40.31 AV                | 68.2           | -27.89      | -61.74          | -64.42 | 4.92                   | -54.95           |
| 3   | 19603.62        | 48.86 PK                | 74             | -25.14      | -55.2           | -53.6  | 4.92                   | -46.40           |
| 4   | 19593.56        | 44.02 AV                | 54             | -9.98       | -59.43          | -58.92 | 4.92                   | -51.24           |

#### Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0





### Chain 1



### 802.11be (EHT20) 106-tone RU - Channel 181


#### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #13707          | 46.22 PK                | 88.2           | -41.98      | -55.48          | -59.27 | 4.92                   | -49.04           |
| 2   | #13715.62       | 43.35 AV                | 68.2           | -24.85      | -58.83          | -61.16 | 4.92                   | -51.91           |
| 3   | 20550.93        | 48.33 PK                | 74             | -25.67      | -57.41          | -53.26 | 4.92                   | -46.93           |
| 4   | 20562.43        | 42.54 AV                | 54             | -11.46      | -61.91          | -59.67 | 4.92                   | -52.72           |

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0





### Chain 1




### Bandedge table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #7201.3         | 65.89 PK                | 88.2           | -22.31      | -38.69          | -35.77 | 4.61                   | -29.37           |
| 2   | #7199.8         | 52.74 AV                | 68.2           | -15.46      | -50.93          | -49.48 | 4.61                   | -42.52           |


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0



### Chain 1



### 802.11be (EHT20) 52+26-tone MRU - Channel 1

#### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | 11895.31        | 55.78 PK                | 74             | -18.22      | -47.77          | -47.08 | 4.92                   | -39.48           |
| 2   | 11912.5         | 41.27 AV                | 54             | -12.73      | -60.83          | -63.37 | 4.92                   | -53.99           |
| 3   | 17855.62        | 46.35 PK                | 74             | -27.65      | -58.46          | -55.66 | 4.92                   | -48.91           |
| 4   | 17878.62        | 43.24 AV                | 54             | -10.76      | -60.54          | -59.43 | 4.92                   | -52.02           |







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.






### Chain 0



### Chain 1




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #5924.87        | 66.5 PK                 | 88.2           | -21.7       | -36.67          | -36.4  | 4.76                   | -28.76           |
| 2   | #5924.85        | 55.15 AV                | 68.2           | -13.05      | -47.59          | -48.2  | 4.76                   | -40.11           |


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**



**Chain 1**



**802.11be (EHT20) 52+26-tone MRU - Channel 93**
**Conducted spurious emission table**


| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #12840.62       | 56.12 PK                | 88.2           | -32.08      | -46.54          | -47.68 | 4.92                   | -39.14           |
| 2   | #12820.31       | 41.13 AV                | 68.2           | -27.07      | -61.58          | -62.6  | 4.92                   | -54.13           |
| 3   | 19241.37        | 49.2 PK                 | 74             | -24.8       | -53.15          | -55.04 | 4.92                   | -46.06           |
| 4   | 19235.62        | 45.79 AV                | 54             | -8.21       | -58.09          | -56.81 | 4.92                   | -49.47           |

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1



### 802.11be (EHT20) 52+26-tone MRU - Channel 117


#### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #13087.5        | 55.18 PK                | 88.2           | -33.02      | -47.78          | -48.25 | 4.92                   | -40.08           |
| 2   | #13081.25       | 41.21 AV                | 68.2           | -26.99      | -61.72          | -62.26 | 4.92                   | -54.05           |
| 3   | 19589.25        | 48.1 PK                 | 74             | -25.9       | -54.46          | -55.83 | 4.92                   | -47.16           |
| 4   | 19596.43        | 44.14 AV                | 54             | -9.86       | -58.85          | -59.27 | 4.92                   | -51.12           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.


**Chain 0**







### Chain 1



**802.11be (EHT20) 52+26-tone MRU - Channel 181**
**Conducted spurious emission table**







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #13691.18       | 47.06 PK                | 88.2           | -41.14      | -56.43          | -55.85 | 4.92                   | -48.20           |
| 2   | #13721.37       | 41.95 AV                | 68.2           | -26.25      | -61.99          | -60.6  | 4.92                   | -53.31           |
| 3   | 20555.25        | 48.07 PK                | 74             | -25.93      | -55.13          | -55.11 | 4.92                   | -47.19           |
| 4   | 20555.25        | 42.53 AV                | 54             | -11.47      | -61.2           | -60.18 | 4.92                   | -52.73           |

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #7194.22        | 65.85 PK                | 88.2           | -22.35      | -36.02          | -38.35 | 4.61                   | -29.41           |
| 2   | #7194.94        | 53 AV                   | 68.2           | -15.2       | -49.88          | -49.88 | 4.61                   | -42.26           |


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**



**Chain 1**



### 802.11be (EHT20) 106+26-tone MRU - Channel 1


#### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | 11900           | 55.65 PK                | 74             | -18.35      | -48.71          | -46.62 | 4.92                   | -39.61           |
| 2   | 11906.25        | 40.65 AV                | 54             | -13.35      | -62.71          | -62.38 | 4.92                   | -54.61           |
| 3   | 17870           | 46.39 PK                | 74             | -27.61      | -56.22          | -57.46 | 4.92                   | -48.87           |
| 4   | 17870           | 42.73 AV                | 54             | -11.27      | -60.46          | -60.47 | 4.92                   | -52.53           |

Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

**Chain 0**





### Chain 1






**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #5923.02        | 68.6 PK                 | 88.2           | -19.6       | -36.79          | -32.91 | 4.76                   | -26.66           |
| 2   | #5924.95        | 57.76 AV                | 68.2           | -10.44      | -45.23          | -45.31 | 4.76                   | -37.50           |


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**



**Chain 1**



**802.11be (EHT20) 106+26-tone MRU - Channel 93**
**Conducted spurious emission table**







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #12828.12       | 56.03 PK                | 88.2           | -32.17      | -46.49          | -47.96 | 4.92                   | -39.23           |
| 2   | #12837.5        | 42.08 AV                | 68.2           | -26.12      | -60.14          | -62.37 | 4.92                   | -53.18           |
| 3   | 19247.12        | 48.66 PK                | 74             | -25.34      | -56.07          | -53.4  | 4.92                   | -46.60           |
| 4   | 19257.18        | 45.29 AV                | 54             | -8.71       | -57.69          | -58.13 | 4.92                   | -49.97           |

**Remarks:**

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









### Chain 0





### Chain 1



### 802.11be (EHT20) 106+26-tone MRU - Channel 117

#### Conducted spurious emission table


| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #13071.87       | 55.05 PK                | 88.2           | -33.15      | -50.39          | -46.67 | 4.92                   | -40.21           |
| 2   | #13064.06       | 40.46 AV                | 68.2           | -27.74      | -61.09          | -65.38 | 4.92                   | -54.80           |
| 3   | 19620.87        | 48.05 PK                | 74             | -25.95      | -55.17          | -55.11 | 4.92                   | -47.21           |
| 4   | 19590.68        | 44.41 AV                | 54             | -9.59       | -59.47          | -58.19 | 4.92                   | -50.85           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1



### 802.11be (EHT20) 106+26-tone MRU - Channel 181

#### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #13711.31       | 46.2 PK                 | 88.2           | -42         | -56.33          | -57.77 | 4.92                   | -49.06           |
| 2   | #13714.18       | 42.76 AV                | 68.2           | -25.44      | -59.95          | -60.98 | 4.92                   | -52.50           |
| 3   | 20563.87        | 47.2 PK                 | 74             | -26.8       | -57             | -55.17 | 4.92                   | -48.06           |
| 4   | 20578.25        | 43.46 AV                | 54             | -10.54      | -58.93          | -60.71 | 4.92                   | -51.80           |







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.






### Chain 0





### Chain 1




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #7179.45        | 65.74 PK                | 88.2           | -22.46      | -37.18          | -37.11 | 4.61                   | -29.52           |
| 2   | #7174.14        | 53.28 AV                | 68.2           | -14.92      | -49.51          | -49.69 | 4.61                   | -41.98           |


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**



**Chain 1**



### 802.11be (EHT80) 484+242-tone MRU - Channel 7

#### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | 11960.93        | 57.29 PK                | 74             | -16.71      | -45.96          | -45.84 | 4.92                   | -37.97           |
| 2   | 11968.75        | 41.54 AV                | 54             | -12.46      | -62.11          | -61.24 | 4.92                   | -53.72           |
| 3   | 17957.68        | 46.48 PK                | 74             | -27.52      | -56.97          | -56.47 | 4.92                   | -48.78           |
| 4   | 17966.31        | 42.64 AV                | 54             | -11.36      | -61.65          | -59.67 | 4.92                   | -52.62           |

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



### Chain 0



**Chain 1**




### Bandedge table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #5922.4         | 80.02 PK                | 88.2           | -8.18       | -21.11          | -26.49 | 4.76                   | -15.24           |
| 2   | #5924.77        | 68.01 AV                | 68.2           | -0.19       | -33.38          | -37.67 | 4.76                   | -27.25           |


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0



### Chain 1



### 802.11be (EHT80) 484+242-tone MRU - Channel 87

#### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #12776.56       | 55.39 PK                | 88.2           | -32.81      | -48.07          | -47.55 | 4.92                   | -39.87           |
| 2   | #12767.18       | 41.11 AV                | 68.2           | -27.09      | -62.2           | -61.97 | 4.92                   | -54.15           |
| 3   | 19159.43        | 48.87 PK                | 74             | -25.13      | -54.18          | -54.46 | 4.92                   | -46.39           |
| 4   | 19153.68        | 44.21 AV                | 54             | -9.79       | -59.97          | -58.17 | 4.92                   | -51.05           |







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.











### Chain 0





### Chain 1



### 802.11be (EHT80) 484+242-tone MRU - Channel 135

#### Conducted spurious emission table


| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | 13251.56        | 55.11 PK                | 74             | -18.89      | -48.61          | -47.61 | 4.92                   | -40.15           |
| 2   | #13248.43       | 39.81 AV                | 68.2           | -28.39      | -63.89          | -62.92 | 4.92                   | -55.45           |
| 3   | 19879.62        | 47.91 PK                | 74             | -26.09      | -53.45          | -58.49 | 4.92                   | -47.35           |
| 4   | 19875.31        | 42.66 AV                | 54             | -11.34      | -59.02          | -62.87 | 4.92                   | -52.60           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1



**802.11be (EHT80) 484+242-tone MRU - Channel 167**
**Conducted spurious emission table**


| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #13550.31       | 43.6 PK                 | 88.2           | -44.6       | -57.8           | -62.67 | 4.92                   | -51.66           |
| 2   | #13570.43       | 39.27 AV                | 68.2           | -28.93      | -63.03          | -65.04 | 4.92                   | -55.99           |
| 3   | 20354           | 47.89 PK                | 74             | -26.11      | -54.75          | -55.93 | 4.92                   | -47.37           |
| 4   | 20343.93        | 41.73 AV                | 54             | -12.27      | -62.59          | -60.56 | 4.92                   | -53.53           |

**Remarks:**


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



### Chain 0



### Chain 1






**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #7177.81        | 65.02 PK                | 88.2           | -23.18      | -37.72          | -38    | 4.61                   | -30.24           |
| 2   | #7177.68        | 53.03 AV                | 68.2           | -15.17      | -50.13          | -49.58 | 4.61                   | -42.23           |


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**



**Chain 1**



### 802.11be (EHT160) 996+484-tone MRU - Channel 15

#### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | 12060.93        | 55.68 PK                | 74             | -18.32      | -48.31          | -46.84 | 4.92                   | -39.58           |
| 2   | 12032.81        | 40.72 AV                | 54             | -13.28      | -62.27          | -62.69 | 4.92                   | -54.54           |
| 3   | 18065.5         | 47.03 PK                | 74             | -26.97      | -59.67          | -54.25 | 4.92                   | -48.23           |
| 4   | 18075.56        | 42.88 AV                | 54             | -11.12      | -60.33          | -60.3  | 4.92                   | -52.38           |

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



### Chain 0



**Chain 1**






### Bandedge table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #5921.67        | 78.32 PK                | 88.2           | -9.88       | -30.82          | -22.27 | 4.76                   | -16.94           |
| 2   | #5924.95        | 66.91 AV                | 68.2           | -1.29       | -39.04          | -34.39 | 4.76                   | -28.35           |


#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0



### Chain 1



### 802.11be (EHT160) 996+484-tone MRU - Channel 79

#### Conducted spurious emission table


| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | 12678.12        | 55.79 PK                | 74             | -18.21      | -46.9           | -47.96 | 4.92                   | -39.47           |
| 2   | 12682.81        | 40.7 AV                 | 54             | -13.3       | -62.23          | -62.77 | 4.92                   | -54.56           |
| 3   | 19015.68        | 48.97 PK                | 74             | -25.03      | -54.23          | -54.21 | 4.92                   | -46.29           |
| 4   | 19015.68        | 44.12 AV                | 54             | -9.88       | -59.01          | -59.13 | 4.92                   | -51.14           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









### Chain 0





### Chain 1





### 802.11be (EHT160) 996+484-tone MRU - Channel 143

#### Conducted spurious emission table


| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | 13325           | 56.08 PK                | 74             | -17.92      | -46.49          | -47.84 | 4.92                   | -39.18           |
| 2   | 13348.43        | 40.96 AV                | 54             | -13.04      | -61.58          | -62.99 | 4.92                   | -54.30           |
| 3   | 20004.68        | 48.13 PK                | 74             | -25.87      | -56.53          | -53.96 | 4.92                   | -47.13           |
| 4   | 20010.43        | 44.08 AV                | 54             | -9.92       | -57.92          | -60.77 | 4.92                   | -51.18           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









### Chain 0





### Chain 1






### Bandedge table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #7182.93        | 64.46 PK                | 88.2           | -23.74      | -39.77          | -37.39 | 4.61                   | -30.80           |
| 2   | #7180.76        | 53.07 AV                | 68.2           | -15.13      | -49.33          | -50.36 | 4.61                   | -42.19           |


#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0



### Chain 1



### 802.11be (EHT160) 996+484+242-tone MRU - Channel 15

#### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | 12039.06        | 55.3 PK                 | 74             | -18.7       | -46.96          | -49.08 | 4.92                   | -39.96           |
| 2   | 12067.18        | 41.56 AV                | 54             | -12.44      | -60.44          | -63.27 | 4.92                   | -53.70           |
| 3   | 18089.93        | 47.3 PK                 | 74             | -26.7       | -55.78          | -56.01 | 4.92                   | -47.96           |
| 4   | 18094.25        | 42.92 AV                | 54             | -11.08      | -61.4           | -59.38 | 4.92                   | -52.34           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









### Chain 0





### Chain 1




**Bandedge table**

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #5922.02        | 81.48 PK                | 88.2           | -6.72       | -25.47          | -19.52 | 4.76                   | -13.78           |
| 2   | #5922.35        | 66.94 AV                | 68.2           | -1.26       | -34.55          | -38.49 | 4.76                   | -28.32           |


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**



**Chain 1**





### 802.11be (EHT160) 996+484+242-tone MRU - Channel 79

#### Conducted spurious emission table







| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | #12706.25       | 55.39 PK                | 88.2           | -32.81      | -47.41          | -48.24 | 4.92                   | -39.87           |
| 2   | 12670.31        | 41.47 AV                | 54             | -12.53      | -61.14          | -62.38 | 4.92                   | -53.79           |
| 3   | 19040.12        | 48.29 PK                | 74             | -25.71      | -53.07          | -58.11 | 4.92                   | -46.97           |
| 4   | 19028.62        | 44.36 AV                | 54             | -9.64       | -60.91          | -57.43 | 4.92                   | -50.90           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









### Chain 0





### Chain 1



### 802.11be (EHT160) 996+484+242-tone MRU - Channel 143

#### Conducted spurious emission table

| No. | Frequency (MHz) | Emission Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw Value (dBm) |        | Correction Factor (dB) | EIRP Level (dBm) |
|-----|-----------------|-------------------------|----------------|-------------|-----------------|--------|------------------------|------------------|
|     |                 |                         |                |             | Chain0          | Chain1 |                        |                  |
| 1   | 13346.87        | 54.84 PK                | 74             | -19.16      | -49.7           | -47.33 | 4.92                   | -40.42           |
| 2   | 13310.93        | 40.53 AV                | 54             | -13.47      | -63.13          | -62.23 | 4.92                   | -54.73           |
| 3   | 19975.93        | 48.08 PK                | 74             | -25.92      | -55.9           | -54.45 | 4.92                   | -47.18           |
| 4   | 19978.81        | 44.36 AV                | 54             | -9.64       | -57.91          | -60    | 4.92                   | -50.90           |

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.