


5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5845MHz_TX




EUT_Z_2TX
Setting 20
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.70328G	64.93	74.00	-9.07	51.29	3	Horizontal	324	2.18	-	38.70	9.58	34.64
AV	11.70399G	53.66	54.00	-0.34	40.02	3	Horizontal	324	2.18	-	38.70	9.58	34.64
PK	17.54774G	62.93	88.20	-25.27	43.57	3	Horizontal	256	2.68	-	41.80	12.70	35.14
RMS	17.54625G	50.91	88.20	-37.29	31.55	3	Horizontal	256	2.68	-	41.81	12.69	35.14

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5845MHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.62356G	60.22	68.20	-7.98	53.72	3	Vertical	309	1.02	-	33.70	6.22	33.42
PK	5.85356G	111.57	Inf	-Inf	104.39	3	Vertical	309	1.02	-	34.42	6.25	33.49
RMS	5.84706G	103.33	Inf	-Inf	96.19	3	Vertical	309	1.02	-	34.39	6.24	33.49
PK	6.02556G	62.21	88.20	-25.99	54.33	3	Vertical	309	1.02	-	35.00	6.41	33.53
RMS	6.09556G	53.17	68.20	-15.03	45.12	3	Vertical	309	1.02	-	35.09	6.49	33.53

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5845MHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6035G	60.22	68.20	-7.98	53.72	3	Horizontal	356	2.01	-	33.70	6.22	33.42
PK	5.85G	118.75	Inf	-Inf	111.59	3	Horizontal	356	2.01	-	34.40	6.25	33.49
RMS	5.848G	109.60	Inf	-Inf	102.46	3	Horizontal	356	2.01	-	34.39	6.24	33.49
RMS	5.9275G	53.65	68.20	-14.55	45.98	3	Horizontal	356	2.01	-	34.87	6.31	33.51
PK	6.02G	62.82	88.20	-25.38	54.95	3	Horizontal	356	2.01	-	35.00	6.40	33.53

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5845MHz_TX




EUT_Z_2TX
Setting 21.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6962G	61.21	74.00	-12.79	47.56	3	Vertical	14	1.80	-	38.71	9.58	34.64
AV	11.70078G	49.85	54.00	-4.15	36.21	3	Vertical	14	1.80	-	38.70	9.58	34.64
PK	17.55185G	63.94	88.20	-24.26	44.58	3	Vertical	285	2.45	-	41.80	12.70	35.14
RMS	17.55159G	52.64	68.20	-15.56	33.28	3	Vertical	285	2.45	-	41.80	12.70	35.14

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5845MHz_TX




EUT_Z_2TX
Setting 21.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.70163G	65.02	74.00	-8.98	51.38	3	Horizontal	321	2.18	-	38.70	9.58	34.64
AV	11.70123G	53.94	54.00	-0.06	40.30	3	Horizontal	321	2.18	-	38.70	9.58	34.64
PK	17.55319G	62.96	88.20	-25.24	43.59	3	Horizontal	24	1.80	-	41.81	12.70	35.14
RMS	17.54598G	50.98	68.20	-17.22	31.62	3	Horizontal	24	1.80	-	41.81	12.69	35.14

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5865MHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.622G	62.38	68.20	-5.82	55.88	3	Vertical	102	1.74	-	33.70	6.22	33.42
PK	5.874G	112.94	Inf	-Inf	105.62	3	Vertical	102	1.74	-	34.54	6.27	33.49
RMS	5.8735G	106.68	Inf	-Inf	99.36	3	Vertical	102	1.74	-	34.54	6.27	33.49
PK	5.9085G	87.16	100.30	-13.14	79.61	3	Vertical	102	1.74	-	34.75	6.30	33.50
RMS	5.9075G	66.76	81.03	-14.27	59.22	3	Vertical	102	1.74	-	34.74	6.30	33.50

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5865MHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	61.92	68.20	-6.28	55.43	3	Horizontal	358	2.08	-	33.70	6.22	33.43
PK	5.874G	119.73	Inf	-Inf	112.41	3	Horizontal	358	2.08	-	34.54	6.27	33.49
RMS	5.8735G	114.03	Inf	-Inf	106.71	3	Horizontal	358	2.08	-	34.54	6.27	33.49
PK	5.908G	94.87	100.67	-5.80	87.32	3	Horizontal	358	2.08	-	34.75	6.30	33.50
RMS	5.9075G	73.32	81.03	-7.71	65.78	3	Horizontal	358	2.08	-	34.74	6.30	33.50

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5865MHz_TX




EUT_Z_2TX
Setting 17
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.74617G	61.90	74.00	-12.10	48.23	3	Vertical	18	1.85	-	38.70	9.60	34.63
AV	11.74611G	49.62	54.00	-4.38	35.95	3	Vertical	18	1.85	-	38.70	9.60	34.63
PK	17.61179G	62.85	88.20	-25.35	43.41	3	Vertical	60	2.10	-	41.85	12.75	35.16
RMS	17.61569G	51.29	68.20	-16.91	31.86	3	Vertical	60	2.10	-	41.84	12.75	35.16

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5865MHz_TX




EUT_Z_2TX
Setting 17
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7462G	66.15	74.00	-7.85	52.48	3	Horizontal	320	2.19	-	38.70	9.60	34.63
AV	11.7464G	53.58	54.00	-0.42	39.91	3	Horizontal	320	2.19	-	38.70	9.60	34.63
PK	17.61619G	63.52	88.20	-24.68	44.09	3	Horizontal	148	2.46	-	41.84	12.75	35.16
RMS	17.61555G	51.09	68.20	-17.11	31.66	3	Horizontal	148	2.46	-	41.84	12.75	35.16

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5865MHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6305G	60.87	68.20	-7.33	54.38	3	Vertical	101	1.80	-	33.70	6.22	33.43
PK	5.8725G	110.98	Inf	-Inf	103.67	3	Vertical	101	1.80	-	34.53	6.27	33.49
RMS	5.872G	103.08	Inf	-Inf	95.78	3	Vertical	101	1.80	-	34.53	6.26	33.49
PK	5.9045G	81.67	103.23	-21.56	74.15	3	Vertical	101	1.80	-	34.73	6.29	33.50
RMS	6.1105G	53.03	68.20	-15.17	44.95	3	Vertical	101	1.80	-	35.10	6.51	33.53

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5865MHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	60.89	68.20	-7.31	54.40	3	Horizontal	358	2.09	-	33.70	6.22	33.43
PK	5.8745G	119.00	Inf	-Inf	111.67	3	Horizontal	358	2.09	-	34.55	6.27	33.49
RMS	5.8715G	110.89	Inf	-Inf	103.59	3	Horizontal	358	2.09	-	34.53	6.26	33.49
PK	5.903G	86.19	104.33	-18.14	78.68	3	Horizontal	358	2.09	-	34.72	6.29	33.50
RMS	5.9295G	53.60	68.20	-14.60	45.91	3	Horizontal	358	2.09	-	34.88	6.32	33.51

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5865MHz_TX




EUT_Z_2TX
Setting 20
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.74573G	61.54	74.00	-12.46	47.87	3	Vertical	15	1.80	-	38.70	9.60	34.63
AV	11.74569G	50.62	54.00	-3.38	36.95	3	Vertical	15	1.80	-	38.70	9.60	34.63
PK	17.61271G	63.68	88.20	-24.52	44.24	3	Vertical	15	1.80	-	41.85	12.75	35.16
RMS	17.61161G	51.34	68.20	-16.86	31.90	3	Vertical	15	1.80	-	41.85	12.75	35.16

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5865MHz_TX




EUT_Z_2TX
Setting 20
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.74352G	65.41	74.00	-8.59	51.74	3	Horizontal	324	2.18	-	38.70	9.60	34.63
AV	11.7438G	53.69	54.00	-0.31	40.02	3	Horizontal	324	2.18	-	38.70	9.60	34.63
PK	17.60774G	63.66	88.20	-24.54	44.21	3	Horizontal	-0	1.80	-	41.87	12.74	35.16
RMS	17.61412G	51.28	68.20	-16.92	31.85	3	Horizontal	-0	1.80	-	41.84	12.75	35.16

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5865MHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6295G	59.84	68.20	-8.36	53.35	3	Vertical	354	2.08	-	33.70	6.22	33.43
PK	5.868G	117.99	Inf	-Inf	110.71	3	Vertical	354	2.08	-	34.51	6.26	33.49
RMS	5.8675G	108.60	Inf	-Inf	101.32	3	Vertical	354	2.08	-	34.51	6.26	33.49
PK	5.9015G	84.73	105.43	-20.70	77.23	3	Vertical	354	2.08	-	34.71	6.29	33.50
RMS	5.926G	53.95	68.20	-14.25	46.29	3	Vertical	354	2.08	-	34.86	6.31	33.51

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5865MHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6295G	60.18	68.20	-8.02	53.69	3	Horizontal	360	1.80	-	33.70	6.22	33.43
PK	5.8695G	116.63	Inf	-Inf	109.34	3	Horizontal	360	1.80	-	34.52	6.26	33.49
RMS	5.867G	107.42	Inf	-Inf	100.15	3	Horizontal	360	1.80	-	34.50	6.26	33.49
PK	5.9245G	67.23	88.57	-21.34	59.58	3	Horizontal	360	1.80	-	34.85	6.31	33.51
RMS	5.925G	53.69	68.20	-14.51	46.04	3	Horizontal	360	1.80	-	34.85	6.31	33.51

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5865MHz_TX




EUT_Z_2TX
Setting 22
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73625G	62.31	74.00	-11.69	48.64	3	Vertical	16	1.70	-	38.70	9.60	34.63
AV	11.74105G	50.37	54.00	-3.63	36.70	3	Vertical	16	1.70	-	38.70	9.60	34.63
PK	17.61621G	62.76	88.20	-25.44	43.33	3	Vertical	193	2.77	-	41.84	12.75	35.16
RMS	17.61759G	51.23	68.20	-16.97	31.81	3	Vertical	193	2.77	-	41.83	12.75	35.16

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5865MHz_TX




EUT_Z_2TX
Setting 22
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73841G	64.71	74.00	-9.29	51.04	3	Horizontal	324	2.17	-	38.70	9.60	34.63
AV	11.73893G	53.80	54.00	-0.20	40.13	3	Horizontal	324	2.17	-	38.70	9.60	34.63
PK	17.60091G	63.09	88.20	-25.11	43.61	3	Horizontal	71	1.55	-	41.90	12.74	35.16
RMS	17.61603G	51.23	68.20	-16.97	31.80	3	Horizontal	71	1.55	-	41.84	12.75	35.16

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5885MHz_TX




EUT_Z_2TX
Setting 16.5
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7075G	61.25	107.30	-46.05	54.66	3	Vertical	305	1.03	80_BP 1M	33.83	6.21	33.45
PK	5.89363G	113.39	Inf	-Inf	105.95	3	Vertical	305	1.03	80_BP 1M	34.66	6.28	33.50
RMS	5.89363G	105.69	Inf	-Inf	98.25	3	Vertical	305	1.03	80_BP 1M	34.66	6.28	33.50
PK	5.8955G	93.20	109.83	-16.63	85.74	3	Vertical	305	1.03	80_BP 1M	34.67	6.29	33.50
RMS	5.8955G	83.40	89.83	-6.43	75.94	3	Vertical	305	1.03	80_BP 1M	34.67	6.29	33.50

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5885MHz_TX




EUT_Z_2TX
Setting 16.5
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6855G	61.58	94.47	-32.89	55.04	3	Horizontal	357	2.07	80_BP 1M	33.77	6.21	33.44
PK	5.89363G	119.50	Inf	-Inf	112.06	3	Horizontal	357	2.07	80_BP 1M	34.66	6.28	33.50
RMS	5.89363G	111.80	Inf	-Inf	104.36	3	Horizontal	357	2.07	80_BP 1M	34.66	6.28	33.50
PK	5.8955G	100.88	109.83	-8.95	93.42	3	Horizontal	357	2.07	80_BP 1M	34.67	6.29	33.50
RMS	5.8955G	89.78	89.83	-0.05	82.32	3	Horizontal	357	2.07	80_BP 1M	34.67	6.29	33.50

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5885MHz_TX




EUT_Z_2TX
Setting 16.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.78804G	63.57	74.00	-10.43	49.94	3	Vertical	18	2.20	-	38.62	9.62	34.61
AV	11.78615G	50.31	54.00	-3.69	36.67	3	Vertical	18	2.20	-	38.63	9.62	34.61
PK	17.66984G	63.04	88.20	-25.16	43.81	3	Vertical	43	2.35	-	41.62	12.79	35.18
RMS	17.66668G	50.93	68.20	-17.27	31.69	3	Vertical	43	2.35	-	41.63	12.79	35.18

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5885MHz_TX




EUT_Z_2TX
Setting 16.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.78681G	65.10	74.00	-8.90	51.46	3	Horizontal	319	2.17	-	38.63	9.62	34.61
AV	11.78671G	52.54	54.00	-1.46	38.90	3	Horizontal	319	2.17	-	38.63	9.62	34.61
PK	17.6745G	63.62	88.20	-24.58	44.40	3	Horizontal	124	1.28	-	41.60	12.80	35.18
RMS	17.66638G	50.86	68.20	-17.34	31.62	3	Horizontal	124	1.28	-	41.63	12.79	35.18

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5885MHz_TX




EUT_Z_2TX
Setting 16.5
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7195G	61.35	110.66	-49.31	54.71	3	Vertical	309	1.02	80_BP 1M	33.88	6.21	33.45
PK	5.89163G	110.68	Inf	-Inf	103.25	3	Vertical	309	1.02	80_BP 1M	34.65	6.28	33.50
RMS	5.89163G	102.66	Inf	-Inf	95.23	3	Vertical	309	1.02	80_BP 1M	34.65	6.28	33.50
PK	5.8955G	92.52	109.83	-17.31	85.06	3	Vertical	309	1.02	80_BP 1M	34.67	6.29	33.50
RMS	5.8955G	82.15	89.83	-7.68	74.69	3	Vertical	309	1.02	80_BP 1M	34.67	6.29	33.50

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5885MHz_TX




EUT_Z_2TX
Setting 16.5
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7065G	61.60	107.02	-45.42	55.01	3	Horizontal	355	2.00	80_BP 1M	33.83	6.21	33.45
PK	5.89263G	116.76	Inf	-Inf	109.32	3	Horizontal	355	2.00	80_BP 1M	34.66	6.28	33.50
RMS	5.89263G	109.12	Inf	-Inf	101.68	3	Horizontal	355	2.00	80_BP 1M	34.66	6.28	33.50
PK	5.8955G	99.91	109.83	-9.92	92.45	3	Horizontal	355	2.00	80_BP 1M	34.67	6.29	33.50
RMS	5.8955G	89.42	89.83	-0.41	81.96	3	Horizontal	355	2.00	80_BP 1M	34.67	6.29	33.50

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5885MHz_TX




EUT_Z_2TX
Setting 16.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.78526G	58.59	74.00	-15.41	44.95	3	Vertical	15	1.74	-	38.63	9.62	34.61
AV	11.78587G	47.17	54.00	-6.83	33.53	3	Vertical	15	1.74	-	38.63	9.62	34.61
PK	17.66985G	61.86	88.20	-26.34	42.63	3	Vertical	293	2.19	-	41.62	12.79	35.18
RMS	17.66832G	50.87	68.20	-17.33	31.63	3	Vertical	293	2.19	-	41.63	12.79	35.18

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5885MHz_TX




EUT_Z_2TX
Setting 16.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.78384G	63.02	74.00	-10.98	49.38	3	Horizontal	320	2.19	-	38.63	9.62	34.61
AV	11.7842G	50.23	54.00	-3.77	36.59	3	Horizontal	320	2.19	-	38.63	9.62	34.61
PK	17.6668G	62.49	88.20	-25.71	43.25	3	Horizontal	199	2.61	-	41.63	12.79	35.18
RMS	17.66588G	50.80	68.20	-17.40	31.55	3	Horizontal	199	2.61	-	41.64	12.79	35.18

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5885MHz_TX




EUT_Z_2TX
Setting 18
04-K-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6585G	60.75	74.49	-13.74	54.25	3	Vertical	104	1.90	80_BP 1M	33.72	6.21	33.43
PK	5.89063G	109.32	Inf	-Inf	101.90	3	Vertical	104	1.90	80_BP 1M	34.64	6.28	33.50
RMS	5.89063G	100.69	Inf	-Inf	93.27	3	Vertical	104	1.90	80_BP 1M	34.64	6.28	33.50
PK	5.8955G	93.01	109.83	-16.82	85.55	3	Vertical	104	1.90	80_BP 1M	34.67	6.29	33.50
RMS	5.8955G	83.52	89.83	-6.31	76.06	3	Vertical	104	1.90	80_BP 1M	34.67	6.29	33.50

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5885MHz_TX




EUT_Z_2TX
Setting 18
04-K-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6955G	61.35	101.87	-40.52	54.79	3	Horizontal	356	2.07	80_BP 1M	33.79	6.21	33.44
PK	5.89263G	115.41	Inf	-Inf	107.97	3	Horizontal	356	2.07	80_BP 1M	34.66	6.28	33.50
RMS	5.89263G	107.26	Inf	-Inf	99.82	3	Horizontal	356	2.07	80_BP 1M	34.66	6.28	33.50
PK	5.8955G	99.04	109.83	-10.79	91.58	3	Horizontal	356	2.07	80_BP 1M	34.67	6.29	33.50
RMS	5.8955G	89.69	89.83	-0.14	82.23	3	Horizontal	356	2.07	80_BP 1M	34.67	6.29	33.50

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5885MHz_TX




EUT_Z_2TX
Setting 18
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.78096G	62.81	74.00	-11.19	49.16	3	Vertical	18	2.17	-	38.64	9.62	34.61
AV	11.78079G	49.09	54.00	-4.91	35.44	3	Vertical	18	2.17	-	38.64	9.62	34.61
PK	17.66585G	63.59	88.20	-24.61	44.34	3	Vertical	89	2.97	-	41.64	12.79	35.18
RMS	17.66689G	51.33	68.20	-16.87	32.09	3	Vertical	89	2.97	-	41.63	12.79	35.18

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5885MHz_TX



EUT_Z_2TX
Setting 18
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.78149G	63.64	74.00	-10.36	49.99	3	Horizontal	319	2.19	-	38.64	9.62	34.61
AV	11.77898G	51.23	54.00	-2.77	37.59	3	Horizontal	319	2.19	-	38.64	9.62	34.62
PK	17.66428G	63.97	88.20	-24.23	44.72	3	Horizontal	289	1.80	-	41.64	12.79	35.18
RMS	17.66817G	51.47	68.20	-16.73	32.23	3	Horizontal	289	1.80	-	41.63	12.79	35.18




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	RMS	5.89658G	87.65	89.04	-1.39	3	Vertical	143	2.19	80_BP 1MHz

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_2TX

5845MHz_TX




EUT_Z_2TX
Setting 22
04-K-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6115G	60.98	68.20	-7.22	54.48	3	Vertical	77	2.13	-	33.70	6.22	33.42
PK	5.8455G	122.28	Inf	-Inf	115.15	3	Vertical	77	2.13	-	34.38	6.24	33.49
RMS	5.846G	113.87	Inf	-Inf	106.74	3	Vertical	77	2.13	-	34.38	6.24	33.49
PK	5.9265G	72.65	88.20	-15.55	64.99	3	Vertical	77	2.13	-	34.86	6.31	33.51
RMS	5.925G	59.88	68.20	-8.32	52.23	3	Vertical	77	2.13	-	34.85	6.31	33.51

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_2TX

5845MHz_TX




EUT_Z_2TX
Setting 22
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.68626G	61.26	74.00	-12.74	80.13	3	Vertical	90	2.31	-	38.45	8.63	65.95
AV	11.69062G	45.88	54.00	-8.12	64.73	3	Vertical	90	2.31	-	38.46	8.63	65.94
PK	17.53137G	57.91	88.20	-30.29	69.86	3	Vertical	183	2.95	-	39.91	11.34	63.20
RMS	17.53634G	44.60	68.20	-23.60	56.48	3	Vertical	183	2.95	-	39.96	11.35	63.19

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_2TX

5845MHz_TX




EUT_Z_2TX
Setting 22
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69171G	55.51	74.00	-18.49	74.34	3	Horizontal	50	2.25	-	38.47	8.64	65.94
AV	11.69118G	41.35	54.00	-12.65	60.19	3	Horizontal	50	2.25	-	38.46	8.64	65.94
PK	17.53651G	57.26	88.20	-30.94	69.13	3	Horizontal	192	2.30	-	39.97	11.35	63.19
RMS	17.53861G	43.65	68.20	-24.55	55.49	3	Horizontal	192	2.30	-	39.99	11.35	63.18

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_2TX

5865MHz_TX




EUT_Z_2TX
Setting 22
04-K-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.623G	60.84	68.20	-7.36	54.34	3	Vertical	211	2.21	-	33.70	6.22	33.42
PK	5.863G	120.29	Inf	-Inf	113.04	3	Vertical	211	2.21	-	34.48	6.26	33.49
RMS	5.8625G	111.94	Inf	-Inf	104.69	3	Vertical	211	2.21	-	34.48	6.26	33.49
PK	5.9255G	77.33	88.20	-10.87	69.68	3	Vertical	211	2.21	-	34.85	6.31	33.51
RMS	5.9245G	64.39	68.57	-4.18	56.74	3	Vertical	211	2.21	-	34.85	6.31	33.51

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_2TX

5865MHz_TX




EUT_Z_2TX
Setting 22
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73089G	59.93	74.00	-14.07	78.70	3	Vertical	89	2.18	-	38.50	8.65	65.92
AV	11.73053G	45.61	54.00	-8.39	64.38	3	Vertical	89	2.18	-	38.50	8.65	65.92
PK	17.59541G	58.33	88.20	-29.87	69.73	3	Vertical	307	2.99	-	40.28	11.39	63.07
RMS	17.59145G	44.80	68.20	-23.40	56.22	3	Vertical	307	2.99	-	40.27	11.39	63.08

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_2TX

5865MHz_TX




EUT_Z_2TX
Setting 22
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73057G	59.76	74.00	-14.24	78.53	3	Horizontal	332	1.91	-	38.50	8.65	65.92
AV	11.73078G	45.30	54.00	-8.70	64.07	3	Horizontal	332	1.91	-	38.50	8.65	65.92
PK	17.59002G	57.74	88.20	-30.46	69.17	3	Horizontal	283	1.04	-	40.26	11.39	63.08
RMS	17.59072G	43.95	68.20	-24.25	55.38	3	Horizontal	283	1.04	-	40.26	11.39	63.08

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_2TX

5885MHz_TX




EUT_Z_2TX
Setting 21
02-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7205G	61.41	111.94	-50.53	53.70	3	Vertical	130	2.16	80_BP 1M	33.16	5.61	31.06
PK	5.88659G	117.18	Inf	-Inf	108.67	3	Vertical	130	2.16	80_BP 1M	33.92	5.73	31.14
RMS	5.88659G	110.07	Inf	-Inf	101.56	3	Vertical	130	2.16	80_BP 1M	33.92	5.73	31.14
PK	5.89558G	97.20	109.77	-12.57	88.63	3	Vertical	130	2.16	80_BP 1M	33.97	5.74	31.14
RMS	5.89558G	88.13	89.77	-1.64	79.56	3	Vertical	130	2.16	80_BP 1M	33.97	5.74	31.14

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_2TX

5885MHz_TX




EUT_Z_2TX
Setting 21
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7744G	49.67	74.00	-24.33	68.50	3	Vertical	327	2.95	-	38.40	8.66	65.89
AV	11.7745G	36.24	54.00	-17.76	55.07	3	Vertical	327	2.95	-	38.40	8.66	65.89
PK	17.65771G	58.50	88.20	-29.70	69.51	3	Vertical	106	2.92	-	40.51	11.43	62.95
RMS	17.65255G	45.22	68.20	-22.98	56.31	3	Vertical	106	2.92	-	40.44	11.43	62.96

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_2TX

5885MHz_TX




EUT_Z_2TX
Setting 21
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.76669G	49.22	74.00	-24.78	68.02	3	Horizontal	30	1.29	-	38.43	8.66	65.89
AV	11.77126G	35.51	54.00	-18.49	54.33	3	Horizontal	30	1.29	-	38.41	8.66	65.89
PK	17.65513G	57.36	88.20	-30.84	68.42	3	Horizontal	290	1.21	-	40.47	11.43	62.96
RMS	17.65393G	44.06	68.20	-24.14	55.13	3	Horizontal	290	1.21	-	40.46	11.43	62.96

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TX




EUT_Z_2TX
Setting 22
04-K-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.622G	59.88	68.20	-8.32	53.38	3	Vertical	63	2.00	-	33.70	6.22	33.42
PK	5.8435G	118.33	Inf	-Inf	111.21	3	Vertical	63	2.00	-	34.37	6.24	33.49
RMS	5.846G	109.50	Inf	-Inf	102.37	3	Vertical	63	2.00	-	34.38	6.24	33.49
PK	5.9275G	67.04	108.20	-41.16	59.37	3	Vertical	63	2.00	-	34.87	6.31	33.51
RMS	5.925G	56.66	88.20	-31.54	49.01	3	Vertical	63	2.00	-	34.85	6.31	33.51

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TX




EUT_Z_2TX
Setting 22
04-K-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69054G	60.26	74.00	-13.74	46.62	3	Vertical	299	1.10	-	38.72	9.57	34.65
AV	11.68808G	48.66	54.00	-5.34	35.02	3	Vertical	299	1.10	-	38.72	9.57	34.65
PK	17.5306G	63.72	108.20	-44.48	44.34	3	Vertical	299	1.10	-	41.84	12.68	35.14
RMS	17.5254G	51.12	88.20	-37.08	31.73	3	Vertical	299	1.10	-	41.85	12.68	35.14

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TX




EUT_Z_2TX
Setting 22
04-K-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.68354G	56.55	74.00	-17.45	42.90	3	Horizontal	53	2.16	-	38.73	9.57	34.65
AV	11.68496G	43.81	54.00	-10.19	30.16	3	Horizontal	53	2.16	-	38.73	9.57	34.65
PK	17.52692G	62.83	108.20	-45.37	43.44	3	Horizontal	275	1.99	-	41.85	12.68	35.14
RMS	17.5255G	50.86	88.20	-37.34	31.47	3	Horizontal	275	1.99	-	41.85	12.68	35.14

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TX




EUT_Z_2TX
Setting 22
04-K-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	60.62	68.20	-7.58	54.13	3	Vertical	78	2.22	-	33.70	6.22	33.43
PK	5.8615G	119.92	Inf	-Inf	112.68	3	Vertical	78	2.22	-	34.47	6.26	33.49
RMS	5.864G	111.33	Inf	-Inf	104.08	3	Vertical	78	2.22	-	34.48	6.26	33.49
PK	5.9255G	73.48	88.20	-14.72	65.83	3	Vertical	78	2.22	-	34.85	6.31	33.51
RMS	5.925G	61.65	68.20	-6.55	54.00	3	Vertical	78	2.22	-	34.85	6.31	33.51

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TX




EUT_Z_2TX
Setting 22
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7264G	51.71	74.00	-22.29	70.48	3	Vertical	283	1.05	-	38.50	8.65	65.92
AV	11.72578G	36.90	54.00	-17.10	55.67	3	Vertical	283	1.05	-	38.50	8.65	65.92
PK	17.59539G	58.81	88.20	-29.39	70.21	3	Vertical	27	1.38	-	40.28	11.39	63.07
RMS	17.59027G	44.91	68.20	-23.29	56.34	3	Vertical	27	1.38	-	40.26	11.39	63.08

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TX




EUT_Z_2TX
Setting 22
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72931G	49.43	74.00	-24.57	68.20	3	Horizontal	290	1.82	-	38.50	8.65	65.92
AV	11.72819G	35.17	54.00	-18.83	53.94	3	Horizontal	290	1.82	-	38.50	8.65	65.92
PK	17.59702G	56.90	88.20	-31.30	68.29	3	Horizontal	317	2.79	-	40.29	11.39	63.07
RMS	17.59018G	44.08	68.20	-24.12	55.51	3	Horizontal	317	2.79	-	40.26	11.39	63.08

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TX




EUT_Z_2TX
Setting 22
02-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7205G	61.65	111.94	-50.29	53.94	3	Vertical	143	2.19	80_BP 1M	33.16	5.61	31.06
PK	5.88659G	116.22	Inf	-Inf	107.71	3	Vertical	143	2.19	80_BP 1M	33.92	5.73	31.14
RMS	5.88659G	109.99	Inf	-Inf	101.48	3	Vertical	143	2.19	80_BP 1M	33.92	5.73	31.14
PK	5.89658G	97.24	109.04	-11.80	88.66	3	Vertical	143	2.19	80_BP 1M	33.98	5.74	31.14
RMS	5.89658G	87.65	89.04	-1.39	79.07	3	Vertical	143	2.19	80_BP 1M	33.98	5.74	31.14

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TX




EUT_Z_2TX
Setting 22
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.76605G	50.79	74.00	-23.21	69.43	3	Vertical	90	2.08	-	38.44	8.66	65.74
AV	11.76519G	36.65	54.00	-17.35	55.29	3	Vertical	90	2.08	-	38.44	8.66	65.74
PK	17.65189G	55.15	88.20	-33.05	68.69	3	Vertical	50	1.32	-	40.43	11.43	65.40
RMS	17.65329G	41.79	68.20	-26.41	55.31	3	Vertical	50	1.32	-	40.45	11.43	65.40

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TX




EUT_Z_2TX
Setting 22
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.76832G	48.88	74.00	-25.12	67.68	3	Horizontal	9	1.63	-	38.43	8.66	65.89
AV	11.7672G	35.53	54.00	-18.47	54.33	3	Horizontal	9	1.63	-	38.43	8.66	65.89
PK	17.65377G	58.20	88.20	-30.00	69.28	3	Horizontal	53	1.54	-	40.45	11.43	62.96
RMS	17.65645G	44.10	68.20	-24.10	55.13	3	Horizontal	53	1.54	-	40.49	11.43	62.95

5.725-5.895GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5835MHz_TX




EUT_Z_2TX
Setting 22
02-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.603G	58.83	68.20	-9.37	51.67	3	Vertical	358	1.07	-	32.60	5.57	31.01
PK	5.8375G	104.55	Inf	-Inf	96.35	3	Vertical	358	1.07	-	33.65	5.67	31.12
RMS	5.838G	94.83	Inf	-Inf	86.63	3	Vertical	358	1.07	-	33.65	5.67	31.12
PK	5.942G	60.38	88.20	-27.82	51.75	3	Vertical	358	1.07	-	34.00	5.79	31.16
RMS	5.925G	50.83	68.20	-17.37	42.22	3	Vertical	358	1.07	-	34.00	5.77	31.16

5.725-5.895GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5835MHz_TX




EUT_Z_2TX
Setting 22
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66302G	56.08	74.00	-17.92	75.06	3	Vertical	89	2.16	-	38.35	8.63	65.96
AV	11.67278G	42.04	54.00	-11.96	60.98	3	Vertical	89	2.16	-	38.39	8.63	65.96
PK	17.49602G	56.72	88.20	-31.48	69.07	3	Vertical	3	2.18	-	39.59	11.32	63.26
RMS	17.50818G	43.38	68.20	-24.82	55.61	3	Vertical	3	2.18	-	39.68	11.33	63.24

5.725-5.895GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5835MHz_TX




EUT_Z_2TX
Setting 22
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66556G	50.09	74.00	-23.91	69.06	3	Horizontal	114	1.03	-	38.36	8.63	65.96
AV	11.67308G	37.02	54.00	-16.98	55.96	3	Horizontal	114	1.03	-	38.39	8.63	65.96
PK	17.51111G	57.38	88.20	-30.82	69.58	3	Horizontal	114	2.26	-	39.71	11.33	63.24
RMS	17.50904G	43.08	68.20	-25.12	55.30	3	Horizontal	114	2.26	-	39.69	11.33	63.24

5.725-5.895GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5875MHz_TX




EUT_Z_2TX
Setting 22
02-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7235G	61.94	118.78	-56.84	54.20	3	Vertical	145	2.09	80_BP 1M	33.19	5.61	31.06
PK	5.87256G	114.62	Inf	-Inf	106.20	3	Vertical	145	2.09	80_BP 1M	33.84	5.71	31.13
RMS	5.87256G	107.61	Inf	-Inf	99.19	3	Vertical	145	2.09	80_BP 1M	33.84	5.71	31.13
PK	5.89556G	94.88	109.79	-14.91	86.31	3	Vertical	145	2.09	80_BP 1M	33.97	5.74	31.14
RMS	5.89556G	84.46	89.79	-5.33	75.89	3	Vertical	145	2.09	80_BP 1M	33.97	5.74	31.14

5.725-5.895GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5875MHz_TX




EUT_Z_2TX
Setting 22
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.74032G	56.55	74.00	-17.45	75.31	3	Vertical	91	2.44	-	38.50	8.65	65.91
AV	11.75018G	43.10	54.00	-10.90	61.84	3	Vertical	91	2.44	-	38.50	8.66	65.90
PK	17.62458G	57.69	88.20	-30.51	68.95	3	Vertical	137	1.98	-	40.35	11.41	63.02
RMS	17.63402G	44.46	68.20	-23.74	55.67	3	Vertical	137	1.98	-	40.37	11.42	63.00

5.725-5.895GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5875MHz_TX




EUT_Z_2TX
Setting 22
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.75206G	54.16	74.00	-19.84	72.91	3	Horizontal	287	2.82	-	38.49	8.66	65.90
AV	11.7501G	41.21	54.00	-12.79	59.95	3	Horizontal	287	2.82	-	38.50	8.66	65.90
PK	17.62334G	58.05	88.20	-30.15	69.31	3	Horizontal	212	1.11	-	40.35	11.41	63.02
RMS	17.63386G	44.16	68.20	-24.04	55.37	3	Horizontal	212	1.11	-	40.37	11.42	63.00

5.725-5.895GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5855MHz_TX




EUT_Z_2TX
Setting 22
02-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7215G	72.53	114.22	-41.69	64.81	3	Vertical	144	2.08	80_BP 1M	33.17	5.61	31.06
PK	5.85851G	113.42	Inf	-Inf	105.10	3	Vertical	144	2.08	80_BP 1M	33.75	5.69	31.12
RMS	5.86151G	105.71	Inf	-Inf	97.37	3	Vertical	144	2.08	80_BP 1M	33.77	5.70	31.13
PK	5.89651G	93.91	109.09	-15.18	85.33	3	Vertical	144	2.08	80_BP 1M	33.98	5.74	31.14
RMS	5.89651G	83.25	89.09	-5.84	74.67	3	Vertical	144	2.08	80_BP 1M	33.98	5.74	31.14

5.725-5.895GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5855MHz_TX




EUT_Z_2TX
Setting 22
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.71532G	55.28	74.00	-18.72	74.07	3	Vertical	91	1.90	-	38.50	8.64	65.93
AV	11.70788G	42.26	54.00	-11.74	61.05	3	Vertical	91	1.90	-	38.50	8.64	65.93
PK	17.56458G	57.71	88.20	-30.49	69.31	3	Vertical	286	1.47	-	40.16	11.37	63.13
RMS	17.55952G	44.59	68.20	-23.61	56.23	3	Vertical	286	1.47	-	40.14	11.36	63.14

5.725-5.895GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5855MHz_TX



EUT_Z_2TX
Setting 22
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.71106G	50.37	74.00	-23.63	69.16	3	Horizontal	64	2.75	-	38.50	8.64	65.93
AV	11.7157G	38.01	54.00	-15.99	56.80	3	Horizontal	64	2.75	-	38.50	8.64	65.93
PK	17.56338G	58.11	88.20	-30.09	69.73	3	Horizontal	238	2.84	-	40.15	11.37	63.14
RMS	17.55796G	44.51	68.20	-23.69	56.17	3	Horizontal	238	2.84	-	40.13	11.36	63.15




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	RMS	5.8955G	89.71	89.83	-0.12	3	Vertical	15	2.15	80_BP 1MHz

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5845MHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	61.82	68.20	-6.38	55.33	3	Vertical	13	2.16	-	33.70	6.22	33.43
PK	5.854G	124.14	Inf	-Inf	116.96	3	Vertical	13	2.16	-	34.42	6.25	33.49
RMS	5.854G	116.97	Inf	-Inf	109.79	3	Vertical	13	2.16	-	34.42	6.25	33.49
PK	5.925G	75.47	88.20	-12.73	67.82	3	Vertical	13	2.16	-	34.85	6.31	33.51
RMS	5.934G	55.13	68.20	-13.07	47.42	3	Vertical	13	2.16	-	34.90	6.32	33.51

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5845MHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.70772G	63.12	74.00	-10.88	49.48	3	Vertical	89	2.22	-	38.70	9.58	34.64
AV	11.70762G	52.16	54.00	-1.84	38.52	3	Vertical	89	2.22	-	38.70	9.58	34.64
PK	17.54331G	64.08	88.20	-24.12	44.72	3	Vertical	291	1.39	-	41.81	12.69	35.14
RMS	17.54253G	52.43	68.20	-15.77	33.07	3	Vertical	291	1.39	-	41.81	12.69	35.14

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5845MHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.70738G	61.91	74.00	-12.09	48.27	3	Horizontal	334	2.24	-	38.70	9.58	34.64
AV	11.70728G	51.37	54.00	-2.63	37.73	3	Horizontal	334	2.24	-	38.70	9.58	34.64
PK	17.54924G	63.71	88.20	-24.49	44.35	3	Horizontal	279	1.83	-	41.80	12.70	35.14
RMS	17.54398G	52.48	68.20	-15.72	33.12	3	Horizontal	279	1.83	-	41.81	12.69	35.14

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5845MHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.618G	60.13	68.20	-8.07	53.63	3	Vertical	19	2.25	-	33.70	6.22	33.42
PK	5.853G	122.38	Inf	-Inf	115.20	3	Vertical	19	2.25	-	34.42	6.25	33.49
RMS	5.853G	113.83	Inf	-Inf	106.65	3	Vertical	19	2.25	-	34.42	6.25	33.49
PK	5.9295G	62.97	88.20	-25.23	55.28	3	Vertical	19	2.25	-	34.88	6.32	33.51
RMS	5.933G	53.58	68.20	-14.62	45.87	3	Vertical	19	2.25	-	34.90	6.32	33.51

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5845MHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.70549G	60.51	74.00	-13.49	46.87	3	Vertical	90	2.25	-	38.70	9.58	34.64
AV	11.70544G	50.89	54.00	-3.11	37.25	3	Vertical	90	2.25	-	38.70	9.58	34.64
PK	17.54692G	64.20	88.20	-24.00	44.83	3	Vertical	349	2.63	-	41.81	12.70	35.14
RMS	17.55824G	52.87	68.20	-15.33	33.50	3	Vertical	349	2.63	-	41.82	12.70	35.15

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5845MHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7031G	61.57	74.00	-12.43	47.93	3	Horizontal	345	3.00	-	38.70	9.58	34.64
AV	11.70534G	51.63	54.00	-2.37	37.99	3	Horizontal	345	3.00	-	38.70	9.58	34.64
PK	17.54852G	64.09	88.20	-24.11	44.73	3	Horizontal	269	1.98	-	41.80	12.70	35.14
RMS	17.56086G	52.87	68.20	-15.33	33.49	3	Horizontal	269	1.98	-	41.82	12.71	35.15

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5845MHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.606G	60.81	68.20	-7.39	54.31	3	Vertical	14	2.36	-	33.70	6.22	33.42
PK	5.851G	120.87	Inf	-Inf	113.70	3	Vertical	14	2.36	-	34.41	6.25	33.49
RMS	5.851G	110.91	Inf	-Inf	103.74	3	Vertical	14	2.36	-	34.41	6.25	33.49
PK	5.955G	63.08	88.20	-25.12	55.26	3	Vertical	14	2.36	-	35.00	6.34	33.52
RMS	5.9285G	53.40	68.20	-14.80	45.72	3	Vertical	14	2.36	-	34.87	6.32	33.51

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5845MHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69797G	59.34	74.00	-14.66	45.70	3	Vertical	93	2.31	-	38.70	9.58	34.64
AV	11.70046G	48.53	54.00	-5.47	34.89	3	Vertical	93	2.31	-	38.70	9.58	34.64
PK	17.53398G	63.19	88.20	-25.01	43.82	3	Vertical	22	1.40	-	41.83	12.68	35.14
RMS	17.53588G	51.86	68.20	-16.34	32.48	3	Vertical	22	1.40	-	41.83	12.69	35.14

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5845MHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.70282G	58.99	74.00	-15.01	45.35	3	Horizontal	346	3.00	-	38.70	9.58	34.64
AV	11.70051G	48.53	54.00	-5.47	34.89	3	Horizontal	346	3.00	-	38.70	9.58	34.64
PK	17.53514G	63.03	88.20	-25.17	43.65	3	Horizontal	199	2.36	-	41.83	12.69	35.14
RMS	17.53906G	51.71	68.20	-16.49	32.34	3	Horizontal	199	2.36	-	41.82	12.69	35.14

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5865MHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.621G	61.12	68.20	-7.08	54.62	3	Vertical	16	2.25	-	33.70	6.22	33.42
PK	5.874G	123.68	Inf	-Inf	116.36	3	Vertical	16	2.25	-	34.54	6.27	33.49
RMS	5.874G	116.27	Inf	-Inf	108.95	3	Vertical	16	2.25	-	34.54	6.27	33.49
PK	5.907G	94.74	101.40	-6.66	87.20	3	Vertical	16	2.25	-	34.74	6.30	33.50
RMS	5.907G	75.04	81.40	-6.36	67.50	3	Vertical	16	2.25	-	34.74	6.30	33.50

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5865MHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.74818G	62.80	74.00	-11.20	49.13	3	Vertical	91	2.38	-	38.70	9.60	34.63
AV	11.74736G	51.26	54.00	-2.74	37.59	3	Vertical	91	2.38	-	38.70	9.60	34.63
PK	17.62057G	65.72	88.20	-22.48	46.31	3	Vertical	260	1.76	-	41.82	12.75	35.16
RMS	17.62103G	54.89	68.20	-13.31	35.48	3	Vertical	260	1.76	-	41.82	12.75	35.16

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5865MHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.74764G	62.60	74.00	-11.40	48.93	3	Horizontal	344	3.00	-	38.70	9.60	34.63
AV	11.74754G	52.72	54.00	-1.28	39.05	3	Horizontal	344	3.00	-	38.70	9.60	34.63
PK	17.61591G	64.70	88.20	-23.50	45.27	3	Horizontal	289	1.10	-	41.84	12.75	35.16
RMS	17.62017G	53.40	68.20	-14.80	33.99	3	Horizontal	289	1.10	-	41.82	12.75	35.16

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5865MHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6335G	60.81	68.20	-7.39	54.32	3	Vertical	53	2.20	-	33.70	6.22	33.43
PK	5.873G	121.69	Inf	-Inf	114.37	3	Vertical	53	2.20	-	34.54	6.27	33.49
RMS	5.873G	113.12	Inf	-Inf	105.80	3	Vertical	53	2.20	-	34.54	6.27	33.49
PK	5.903G	90.33	104.33	-14.00	82.82	3	Vertical	53	2.20	-	34.72	6.29	33.50
RMS	5.903G	74.79	84.33	-9.54	67.28	3	Vertical	53	2.20	-	34.72	6.29	33.50

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5865MHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.74595G	61.31	74.00	-12.69	47.64	3	Vertical	91	2.13	-	38.70	9.60	34.63
AV	11.74539G	50.64	54.00	-3.36	36.97	3	Vertical	91	2.13	-	38.70	9.60	34.63
PK	17.61616G	63.77	88.20	-24.43	44.34	3	Vertical	16	1.84	-	41.84	12.75	35.16
RMS	17.61356G	51.71	68.20	-16.49	32.27	3	Vertical	16	1.84	-	41.85	12.75	35.16

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5865MHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.74759G	59.20	74.00	-14.80	45.53	3	Horizontal	77	2.64	-	38.70	9.60	34.63
AV	11.74504G	47.54	54.00	-6.46	33.87	3	Horizontal	77	2.64	-	38.70	9.60	34.63
PK	17.60576G	62.84	88.20	-25.36	43.38	3	Horizontal	152	1.83	-	41.88	12.74	35.16
RMS	17.61978G	51.46	68.20	-16.74	32.05	3	Horizontal	152	1.83	-	41.82	12.75	35.16

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5865MHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6245G	59.93	68.20	-8.27	53.43	3	Vertical	315	2.29	-	33.70	6.22	33.42
PK	5.871G	119.81	Inf	-Inf	112.51	3	Vertical	315	2.29	-	34.53	6.26	33.49
RMS	5.868G	110.88	Inf	-Inf	103.60	3	Vertical	315	2.29	-	34.51	6.26	33.49
PK	5.926G	68.80	88.20	-19.40	61.14	3	Vertical	315	2.29	-	34.86	6.31	33.51
RMS	5.924G	54.65	68.93	-14.28	47.01	3	Vertical	315	2.29	-	34.84	6.31	33.51

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5865MHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73999G	59.47	74.00	-14.53	45.80	3	Vertical	138	2.11	-	38.70	9.60	34.63
AV	11.74023G	49.02	54.00	-4.98	35.35	3	Vertical	138	2.11	-	38.70	9.60	34.63
PK	17.6033G	62.75	88.20	-25.45	43.28	3	Vertical	28	2.73	-	41.89	12.74	35.16
RMS	17.6289G	51.67	68.20	-16.53	32.30	3	Vertical	28	2.73	-	41.78	12.76	35.17

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5865MHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.74306G	60.89	74.00	-13.11	47.22	3	Horizontal	345	3.00	-	38.70	9.60	34.63
AV	11.74027G	49.25	54.00	-4.75	35.58	3	Horizontal	345	3.00	-	38.70	9.60	34.63
PK	17.6007G	62.78	88.20	-25.42	43.30	3	Horizontal	290	1.45	-	41.90	12.74	35.16
RMS	17.6126G	51.64	68.20	-16.56	32.20	3	Horizontal	290	1.45	-	41.85	12.75	35.16

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5885MHz_TX




EUT_Z_2TX
Setting 17
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6935G	61.24	100.39	-39.15	54.68	3	Vertical	15	2.15	80_BP 1M	33.79	6.21	33.44
PK	5.89438G	121.44	Inf	-Inf	113.99	3	Vertical	15	2.15	80_BP 1M	34.67	6.28	33.50
RMS	5.89438G	113.86	Inf	-Inf	106.41	3	Vertical	15	2.15	80_BP 1M	34.67	6.28	33.50
PK	5.8955G	102.70	109.83	-7.13	95.24	3	Vertical	15	2.15	80_BP 1M	34.67	6.29	33.50
RMS	5.8955G	89.71	89.83	-0.12	82.25	3	Vertical	15	2.15	80_BP 1M	34.67	6.29	33.50

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5885MHz_TX




EUT_Z_2TX
Setting 17
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.78526G	61.50	74.00	-12.50	47.86	3	Vertical	127	1.00	-	38.63	9.62	34.61
AV	11.78726G	49.44	54.00	-4.56	35.80	3	Vertical	127	1.00	-	38.63	9.62	34.61
PK	17.66011G	63.08	88.20	-25.12	43.80	3	Vertical	325	2.28	-	41.66	12.79	35.17
RMS	17.66185G	51.55	68.20	-16.65	32.29	3	Vertical	325	2.28	-	41.65	12.79	35.18

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5885MHz_TX




EUT_Z_2TX
Setting 17
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.78778G	59.82	74.00	-14.18	46.19	3	Horizontal	340	3.00	-	38.62	9.62	34.61
AV	11.78732G	48.68	54.00	-5.32	35.04	3	Horizontal	340	3.00	-	38.63	9.62	34.61
PK	17.67609G	63.03	88.20	-25.17	43.81	3	Horizontal	236	1.41	-	41.60	12.80	35.18
RMS	17.66289G	51.42	68.20	-16.78	32.16	3	Horizontal	236	1.41	-	41.65	12.79	35.18

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5885MHz_TX




EUT_Z_2TX
Setting 17.5
04-K-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7165G	61.50	109.82	-48.32	54.87	3	Vertical	143	2.17	80_BP 1M	33.87	6.21	33.45
PK	5.89163G	122.08	Inf	-Inf	114.65	3	Vertical	143	2.17	80_BP 1M	34.65	6.28	33.50
RMS	5.89163G	114.56	Inf	-Inf	107.13	3	Vertical	143	2.17	80_BP 1M	34.65	6.28	33.50
PK	5.8955G	99.91	109.83	-9.92	92.45	3	Vertical	143	2.17	80_BP 1M	34.67	6.29	33.50
RMS	5.8955G	88.77	89.83	-1.06	81.31	3	Vertical	143	2.17	80_BP 1M	34.67	6.29	33.50

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5885MHz_TX




EUT_Z_2TX
Setting 17.5
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.78529G	57.76	74.00	-16.24	44.12	3	Vertical	93	2.14	-	38.63	9.62	34.61
AV	11.78519G	46.35	54.00	-7.65	32.71	3	Vertical	93	2.14	-	38.63	9.62	34.61
PK	17.67132G	62.28	88.20	-25.92	43.05	3	Vertical	280	1.92	-	41.61	12.80	35.18
RMS	17.68538G	51.04	88.20	-37.16	31.85	3	Vertical	280	1.92	-	41.56	12.81	35.18

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5885MHz_TX




EUT_Z_2TX
Setting 17.5
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.78345G	58.59	74.00	-15.41	44.95	3	Horizontal	344	3.00	-	38.63	9.62	34.61
AV	11.78483G	47.07	54.00	-6.93	33.43	3	Horizontal	344	3.00	-	38.63	9.62	34.61
PK	17.66743G	63.29	88.20	-24.91	44.05	3	Horizontal	334	2.14	-	41.63	12.79	35.18
RMS	17.66203G	51.28	88.20	-36.92	32.02	3	Horizontal	334	2.14	-	41.65	12.79	35.18

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5885MHz_TX




13/05/2024

EUT_Z_2TX
Setting 18
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7245G	62.34	121.06	-58.72	55.68	3	Vertical	154	1.80	80_BP 1M	33.90	6.21	33.45
PK	5.89163G	122.25	Inf	-Inf	114.82	3	Vertical	154	1.80	80_BP 1M	34.65	6.28	33.50
RMS	5.88863G	112.70	Inf	-Inf	105.29	3	Vertical	154	1.80	80_BP 1M	34.63	6.28	33.50
PK	5.8955G	99.89	109.83	-9.94	92.43	3	Vertical	154	1.80	80_BP 1M	34.67	6.29	33.50
RMS	5.8955G	89.17	89.83	-0.66	81.71	3	Vertical	154	1.80	80_BP 1M	34.67	6.29	33.50

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5885MHz_TX




EUT_Z_2TX
Setting 18
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.78014G	57.28	74.00	-16.72	43.63	3	Vertical	38	1.02	-	38.64	9.62	34.61
AV	11.78034G	45.16	54.00	-8.84	31.51	3	Vertical	38	1.02	-	38.64	9.62	34.61
PK	17.67485G	62.62	88.20	-25.58	43.40	3	Vertical	53	1.03	-	41.60	12.80	35.18
RMS	17.6445G	51.45	88.20	-36.75	32.13	3	Vertical	53	1.03	-	41.72	12.77	35.17

5.725-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5885MHz_TX



EUT_Z_2TX
Setting 18
04-K-G-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.78064G	57.76	74.00	-16.24	44.11	3	Horizontal	-0	3.00	-	38.64	9.62	34.61
AV	11.78024G	45.70	54.00	-8.30	32.05	3	Horizontal	-0	3.00	-	38.64	9.62	34.61
PK	17.6496G	62.05	88.20	-26.15	42.74	3	Horizontal	173	1.61	-	41.70	12.78	35.17
RMS	17.645G	51.45	88.20	-36.75	32.13	3	Horizontal	173	1.61	-	41.72	12.77	35.17



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.23371G	34.07	54.00	-19.93	Vertical


Mode 1



23/04/2024

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.23753G	45.79	74.00	-28.21	-7.36	3	Vertical	354	2.06	-	53.15	25.67	3.79	36.82
AV	1.23371G	34.07	54.00	-19.93	-7.26	3	Vertical	354	2.06	"Worst"	41.33	25.79	3.78	36.83

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.23331G	43.94	74.00	-30.06	-7.25	3	Horizontal	180	2.16	-	51.19	25.80	3.78	36.83
AV	1.23351G	30.94	54.00	-23.06	-7.26	3	Horizontal	180	2.16	"Worst"	38.20	25.79	3.78	36.83