


5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
 Setting 14.5
 04-K-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	63.33	74.00	-10.67	58.09	3	Vertical	153	1.10	-	32.60	5.90	33.26
AV	5.1497G	50.58	54.00	-3.42	45.34	3	Vertical	153	1.10	-	32.60	5.90	33.26
PK	5.1793G	112.90	Inf	-Inf	107.60	3	Vertical	153	1.10	-	32.66	5.91	33.27
AV	5.1792G	100.81	Inf	-Inf	95.51	3	Vertical	153	1.10	-	32.66	5.91	33.27

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
 Setting 14.5
 04-K-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1485G	67.85	74.00	-6.15	62.61	3	Horizontal	193	2.43	-	32.60	5.90	33.26
AV	5.15G	53.54	54.00	-0.46	48.30	3	Horizontal	193	2.43	-	32.60	5.90	33.26
PK	5.1805G	116.88	Inf	-Inf	111.58	3	Horizontal	193	2.43	-	32.66	5.91	33.27
AV	5.1804G	105.56	Inf	-Inf	100.26	3	Horizontal	193	2.43	-	32.66	5.91	33.27

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 14.5
04-K-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36483G	53.94	68.20	-14.26	49.46	3	Vertical	224	2.41	-	38.60	8.90	43.02
PK	15.54416G	53.81	74.00	-20.19	46.84	3	Vertical	98	2.92	-	38.30	11.23	42.56
AV	15.53648G	41.53	54.00	-12.47	34.57	3	Vertical	98	2.92	-	38.30	11.23	42.57

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
 Setting 14.5
 04-K-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35738G	53.84	68.20	-14.36	49.37	3	Horizontal	282	2.58	-	38.60	8.89	43.02
PK	15.54497G	53.80	74.00	-20.20	46.83	3	Horizontal	178	1.15	-	38.30	11.23	42.56
AV	15.54377G	41.48	54.00	-12.52	34.51	3	Horizontal	178	1.15	-	38.30	11.23	42.56

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 16.5
04-K-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	61.94	74.00	-12.06	56.70	3	Vertical	155	1.23	-	32.60	5.90	33.26
AV	5.1488G	50.29	54.00	-3.71	45.05	3	Vertical	155	1.23	-	32.60	5.90	33.26
PK	5.2014G	113.10	Inf	-Inf	107.76	3	Vertical	155	1.23	-	32.70	5.92	33.28
AV	5.1992G	101.92	Inf	-Inf	96.58	3	Vertical	155	1.23	-	32.70	5.92	33.28

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
 Setting 16.5
 04-K-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	67.97	74.00	-6.03	62.73	3	Horizontal	194	2.41	-	32.60	5.90	33.26
AV	5.1498G	53.73	54.00	-0.27	48.49	3	Horizontal	194	2.41	-	32.60	5.90	33.26
PK	5.2004G	117.38	Inf	-Inf	112.04	3	Horizontal	194	2.41	-	32.70	5.92	33.28
AV	5.1978G	106.93	Inf	-Inf	101.59	3	Horizontal	194	2.41	-	32.70	5.92	33.28

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
 Setting 16.5
 04-K-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40137G	57.65	68.20	-10.55	53.17	3	Vertical	62	1.66	-	38.60	8.91	43.03
PK	15.60269G	54.79	74.00	-19.21	47.64	3	Vertical	226	2.87	-	38.38	11.26	42.49
AV	15.59616G	42.10	54.00	-11.90	34.95	3	Vertical	226	2.87	-	38.39	11.26	42.50

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
 Setting 16.5
 04-K-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40058G	54.23	68.20	-13.97	49.75	3	Horizontal	342	2.79	-	38.60	8.91	43.03
PK	15.59602G	54.51	74.00	-19.49	47.36	3	Horizontal	330	1.45	-	38.39	11.26	42.50
AV	15.59737G	41.95	54.00	-12.05	34.80	3	Horizontal	330	1.45	-	38.39	11.26	42.50

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 21.5
04-K-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	61.61	74.00	-12.39	56.37	3	Vertical	152	1.33	-	32.60	5.90	33.26
AV	5.1494G	48.94	54.00	-5.06	43.70	3	Vertical	152	1.33	-	32.60	5.90	33.26
PK	5.2418G	116.61	Inf	-Inf	111.25	3	Vertical	152	1.33	-	32.70	5.96	33.30
AV	5.2418G	105.06	Inf	-Inf	99.70	3	Vertical	152	1.33	-	32.70	5.96	33.30
PK	5.3516G	61.59	74.00	-12.41	55.95	3	Vertical	152	1.33	-	32.91	6.07	33.34
AV	5.3528G	48.57	54.00	-5.43	42.93	3	Vertical	152	1.33	-	32.91	6.07	33.34

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 21.5
04-K-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	65.68	74.00	-8.32	60.44	3	Horizontal	194	2.36	-	32.60	5.90	33.26
AV	5.1494G	51.84	54.00	-2.16	46.60	3	Horizontal	194	2.36	-	32.60	5.90	33.26
PK	5.2412G	121.91	Inf	-Inf	116.55	3	Horizontal	194	2.36	-	32.70	5.96	33.30
AV	5.2415G	110.04	Inf	-Inf	104.68	3	Horizontal	194	2.36	-	32.70	5.96	33.30
PK	5.3522G	63.75	74.00	-10.25	58.11	3	Horizontal	194	2.36	-	32.91	6.07	33.34
AV	5.35G	50.19	54.00	-3.81	44.56	3	Horizontal	194	2.36	-	32.90	6.07	33.34

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 21.5
04-K-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4757G	59.88	68.20	-8.32	55.32	3	Vertical	103	1.62	-	38.65	8.95	43.04
PK	15.72128G	53.29	74.00	-20.71	46.39	3	Vertical	42	2.98	-	37.93	11.32	42.35
AV	15.71543G	41.24	54.00	-12.76	34.40	3	Vertical	42	2.98	-	37.89	11.31	42.36

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
 Setting 21.5
 04-K-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47649G	54.15	68.20	-14.05	49.59	3	Horizontal	56	2.49	-	38.65	8.95	43.04
PK	15.71979G	53.40	74.00	-20.60	46.52	3	Horizontal	181	2.76	-	37.92	11.32	42.36
AV	15.71598G	41.26	54.00	-12.74	34.40	3	Horizontal	181	2.76	-	37.90	11.32	42.36

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 21.5
04-K-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1499G	60.26	74.00	-13.74	55.02	3	Vertical	154	1.19	-	32.60	5.90	33.26
AV	5.1493G	48.08	54.00	-5.92	42.84	3	Vertical	154	1.19	-	32.60	5.90	33.26
PK	5.2588G	117.17	Inf	-Inf	111.77	3	Vertical	154	1.19	-	32.72	5.98	33.30
AV	5.2591G	106.54	Inf	-Inf	101.14	3	Vertical	154	1.19	-	32.72	5.98	33.30
PK	5.3548G	62.91	74.00	-11.09	57.26	3	Vertical	154	1.19	-	32.92	6.07	33.34
AV	5.35G	50.34	54.00	-3.66	44.71	3	Vertical	154	1.19	-	32.90	6.07	33.34

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 21.5
04-K-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1469G	63.08	74.00	-10.92	57.85	3	Horizontal	194	2.39	-	32.59	5.90	33.26
AV	5.146G	49.84	54.00	-4.16	44.61	3	Horizontal	194	2.39	-	32.59	5.90	33.26
PK	5.2588G	121.60	Inf	-Inf	116.20	3	Horizontal	194	2.39	-	32.72	5.98	33.30
AV	5.2591G	110.72	Inf	-Inf	105.32	3	Horizontal	194	2.39	-	32.72	5.98	33.30
PK	5.3518G	67.93	74.00	-6.07	62.29	3	Horizontal	194	2.39	-	32.91	6.07	33.34
AV	5.3512G	52.66	54.00	-1.34	47.03	3	Horizontal	194	2.39	-	32.90	6.07	33.34

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
 Setting 21.5
 04-K-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51806G	60.44	68.20	-7.76	55.77	3	Vertical	290	1.97	-	38.74	8.97	43.04
PK	15.78115G	54.56	74.00	-19.44	47.33	3	Vertical	79	2.74	-	38.16	11.35	42.28
AV	15.78056G	42.22	54.00	-11.78	34.99	3	Vertical	79	2.74	-	38.16	11.35	42.28

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 21.5
04-K-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51982G	53.74	68.20	-14.46	49.06	3	Horizontal	74	1.61	-	38.74	8.98	43.04
PK	15.78364G	54.44	74.00	-19.56	47.20	3	Horizontal	170	1.17	-	38.17	11.35	42.28
AV	15.78034G	42.07	54.00	-11.93	34.84	3	Horizontal	170	1.17	-	38.16	11.35	42.28

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUTZ_2TX
 Setting 17.5
 04-K-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3004G	113.81	Inf	-Inf	108.31	3	Vertical	152	1.02	-	32.80	6.02	33.32
AV	5.3006G	103.35	Inf	-Inf	97.85	3	Vertical	152	1.02	-	32.80	6.02	33.32
PK	5.3506G	64.04	74.00	-9.96	58.41	3	Vertical	152	1.02	-	32.90	6.07	33.34
AV	5.3516G	50.92	54.00	-3.08	45.28	3	Vertical	152	1.02	-	32.91	6.07	33.34

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 17.5
04-K-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3004G	117.84	Inf	-Inf	112.34	3	Horizontal	193	2.30	-	32.80	6.02	33.32
AV	5.2978G	106.53	Inf	-Inf	101.03	3	Horizontal	193	2.30	-	32.80	6.02	33.32
PK	5.3522G	70.17	74.00	-3.83	64.53	3	Horizontal	193	2.30	-	32.91	6.07	33.34
AV	5.35G	53.61	54.00	-0.39	47.98	3	Horizontal	193	2.30	-	32.90	6.07	33.34

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 17.5
 04-K-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60029G	58.08	74.00	-15.92	53.21	3	Vertical	23	1.09	-	38.90	9.02	43.05
AV	10.60193G	45.79	54.00	-8.21	40.92	3	Vertical	23	1.09	-	38.90	9.02	43.05
PK	15.89908G	55.24	74.00	-18.76	47.79	3	Vertical	157	2.09	-	38.20	11.40	42.15
AV	15.89652G	42.78	54.00	-11.22	35.34	3	Vertical	157	2.09	-	38.19	11.40	42.15

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 17.5
 04-K-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60153G	53.90	74.00	-20.10	49.03	3	Horizontal	257	1.29	-	38.90	9.02	43.05
AV	10.6012G	41.76	54.00	-12.24	36.89	3	Horizontal	257	1.29	-	38.90	9.02	43.05
PK	15.90401G	55.11	74.00	-18.89	47.63	3	Horizontal	309	1.05	-	38.22	11.40	42.14
AV	15.8998G	42.78	54.00	-11.22	35.33	3	Horizontal	309	1.05	-	38.20	11.40	42.15

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 14.5
 04-K-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.319G	111.80	Inf	-Inf	106.24	3	Vertical	158	1.04	-	32.84	6.04	33.32
AV	5.319G	100.08	Inf	-Inf	94.52	3	Vertical	158	1.04	-	32.84	6.04	33.32
PK	5.3511G	68.64	74.00	-5.36	63.01	3	Vertical	158	1.04	-	32.90	6.07	33.34
AV	5.3514G	51.84	54.00	-2.16	46.20	3	Vertical	158	1.04	-	32.91	6.07	33.34

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 14.5
04-K-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3177G	114.71	Inf	-Inf	109.15	3	Horizontal	190	2.35	-	32.84	6.04	33.32
AV	5.3205G	103.11	Inf	-Inf	97.56	3	Horizontal	190	2.35	-	32.84	6.04	33.33
PK	5.3507G	70.93	74.00	-3.07	65.30	3	Horizontal	190	2.35	-	32.90	6.07	33.34
AV	5.3504G	53.91	54.00	-0.09	48.28	3	Horizontal	190	2.35	-	32.90	6.07	33.34

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 14.5
 04-K-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63807G	54.63	74.00	-19.37	49.75	3	Vertical	328	1.40	-	38.90	9.04	43.06
AV	10.63554G	41.60	54.00	-12.40	36.73	3	Vertical	328	1.40	-	38.90	9.03	43.06
PK	15.96487G	56.29	74.00	-17.71	48.53	3	Vertical	257	2.45	-	38.40	11.43	42.07
AV	15.95926G	43.29	54.00	-10.71	35.54	3	Vertical	257	2.45	-	38.40	11.43	42.08

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 14.5
04-K-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64376G	54.18	74.00	-19.82	49.30	3	Horizontal	171	1.97	-	38.90	9.04	43.06
AV	10.63678G	41.62	54.00	-12.38	36.75	3	Horizontal	171	1.97	-	38.90	9.03	43.06
PK	15.96326G	55.59	74.00	-18.41	47.83	3	Horizontal	206	2.47	-	38.40	11.43	42.07
AV	15.95668G	43.19	54.00	-10.81	35.44	3	Horizontal	206	2.47	-	38.40	11.43	42.08

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 14
04-K-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.38	74.00	-10.62	57.25	3	Vertical	158	1.02	-	33.36	6.15	33.38
AV	5.458G	50.14	54.00	-3.86	44.01	3	Vertical	158	1.02	-	33.35	6.15	33.37
PK	5.4678G	64.66	68.20	-3.54	58.48	3	Vertical	158	1.02	-	33.41	6.15	33.38
PK	5.4978G	114.33	Inf	-Inf	107.96	3	Vertical	158	1.02	-	33.59	6.17	33.39
AV	5.4977G	101.44	Inf	-Inf	95.07	3	Vertical	158	1.02	-	33.59	6.17	33.39

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 14
04-K-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4591G	64.57	74.00	-9.43	58.45	3	Horizontal	194	2.32	-	33.35	6.15	33.38
AV	5.459G	51.53	54.00	-2.47	45.41	3	Horizontal	194	2.32	-	33.35	6.15	33.38
PK	5.4691G	67.25	68.20	-0.95	61.07	3	Horizontal	194	2.32	-	33.41	6.15	33.38
PK	5.5015G	116.87	Inf	-Inf	110.49	3	Horizontal	194	2.32	-	33.60	6.17	33.39
AV	5.4988G	104.19	Inf	-Inf	97.82	3	Horizontal	194	2.32	-	33.59	6.17	33.39

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 14
04-K-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99906G	54.88	74.00	-19.12	49.86	3	Vertical	60	2.39	-	38.90	9.22	43.10
AV	11.00251G	42.01	54.00	-11.99	37.00	3	Vertical	60	2.39	-	38.89	9.22	43.10
PK	16.50462G	56.05	68.20	-12.15	46.48	3	Vertical	154	3.00	-	39.31	11.86	41.60

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 14
04-K-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00443G	55.10	74.00	-18.90	50.09	3	Horizontal	187	1.57	-	38.89	9.22	43.10
AV	10.99563G	41.99	54.00	-12.01	36.96	3	Horizontal	187	1.57	-	38.91	9.22	43.10
PK	16.49759G	55.83	68.20	-12.37	46.28	3	Horizontal	145	2.20	-	39.30	11.85	41.60

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
 Setting 21.5
 04-K-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.348G	59.39	68.20	-8.81	53.76	3	Vertical	160	1.13	-	32.90	6.07	33.34
PK	5.4525G	60.24	74.00	-13.76	54.15	3	Vertical	160	1.13	-	33.31	6.15	33.37
PK	5.463G	61.50	68.20	-6.70	55.35	3	Vertical	160	1.13	-	33.38	6.15	33.38
AV	5.4595G	49.00	54.00	-5.00	42.87	3	Vertical	160	1.13	-	33.36	6.15	33.38
PK	5.581G	117.17	Inf	-Inf	110.67	3	Vertical	160	1.13	-	33.70	6.21	33.41
AV	5.579G	106.80	Inf	-Inf	100.30	3	Vertical	160	1.13	-	33.70	6.21	33.41
PK	5.778G	65.45	68.20	-2.75	58.61	3	Vertical	160	1.13	-	34.11	6.20	33.47

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 21.5
04-K-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.334G	59.98	68.20	-8.22	54.39	3	Horizontal	193	2.36	-	32.87	6.05	33.33
PK	5.46G	62.55	74.00	-11.45	56.42	3	Horizontal	193	2.36	-	33.36	6.15	33.38
AV	5.46G	50.14	54.00	-3.86	44.01	3	Horizontal	193	2.36	-	33.36	6.15	33.38
PK	5.4655G	65.66	68.20	-2.54	59.50	3	Horizontal	193	2.36	-	33.39	6.15	33.38
PK	5.5815G	121.22	Inf	-Inf	114.72	3	Horizontal	193	2.36	-	33.70	6.21	33.41
AV	5.579G	111.00	Inf	-Inf	104.50	3	Horizontal	193	2.36	-	33.70	6.21	33.41
PK	5.7785G	66.36	68.20	-1.84	59.52	3	Horizontal	193	2.36	-	34.11	6.20	33.47

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
 Setting 21.5
 04-K-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15812G	59.01	74.00	-14.99	54.27	3	Vertical	290	2.13	-	38.60	9.30	43.16
AV	11.15852G	46.57	54.00	-7.43	41.83	3	Vertical	290	2.13	-	38.60	9.30	43.16
PK	16.74489G	57.54	68.20	-10.66	47.55	3	Vertical	336	1.52	-	39.78	12.05	41.84

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 21.5
04-K-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16322G	53.87	74.00	-20.13	49.14	3	Horizontal	165	1.74	-	38.60	9.30	43.17
AV	11.15682G	41.57	54.00	-12.43	36.83	3	Horizontal	165	1.74	-	38.60	9.30	43.16
PK	16.74225G	57.20	68.20	-11.00	47.22	3	Horizontal	311	2.28	-	39.77	12.05	41.84

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 13.5
04-K-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7015G	111.24	Inf	-Inf	104.67	3	Vertical	161	1.15	-	33.81	6.21	33.45
AV	5.6989G	99.07	Inf	-Inf	92.51	3	Vertical	161	1.15	-	33.80	6.21	33.45
PK	5.7309G	65.70	68.20	-2.50	59.02	3	Vertical	161	1.15	-	33.92	6.21	33.45

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 13.5
04-K-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7021G	114.93	Inf	-Inf	108.36	3	Horizontal	195	2.25	-	33.81	6.21	33.45
AV	5.6974G	103.20	Inf	-Inf	96.65	3	Horizontal	195	2.25	-	33.79	6.21	33.45
PK	5.7251G	67.46	68.20	-0.74	60.80	3	Horizontal	195	2.25	-	33.90	6.21	33.45

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
 Setting 13.5
 04-K-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39862G	54.51	74.00	-19.49	49.55	3	Vertical	227	1.39	-	38.80	9.42	43.26
AV	11.39709G	41.79	54.00	-12.21	36.83	3	Vertical	227	1.39	-	38.80	9.42	43.26
PK	17.09893G	59.37	68.20	-8.83	48.12	3	Vertical	350	1.81	-	40.99	12.33	42.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
 Setting 13.5
 04-K-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39575G	54.49	74.00	-19.51	49.53	3	Horizontal	252	2.32	-	38.80	9.42	43.26
AV	11.39584G	41.67	54.00	-12.33	36.71	3	Horizontal	252	2.32	-	38.80	9.42	43.26
PK	17.10032G	59.23	68.20	-8.97	47.96	3	Horizontal	81	2.11	-	41.00	12.34	42.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22
04-K-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7192G	116.48	Inf	-Inf	109.84	3	Vertical	161	1.04	-	33.88	6.21	33.45
AV	5.7212G	105.28	Inf	-Inf	98.64	3	Vertical	161	1.04	-	33.88	6.21	33.45
PK	5.8612G	63.44	68.20	-4.76	56.20	3	Vertical	161	1.04	-	34.47	6.26	33.49

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22
04-K-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7232G	121.20	Inf	-Inf	114.55	3	Horizontal	198	2.27	-	33.89	6.21	33.45
AV	5.7208G	109.79	Inf	-Inf	103.15	3	Horizontal	198	2.27	-	33.88	6.21	33.45
PK	5.85G	66.25	68.20	-1.95	59.09	3	Horizontal	198	2.27	-	34.40	6.25	33.49

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22
04-K-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44197G	59.50	74.00	-14.50	54.53	3	Vertical	125	1.25	-	38.80	9.45	43.28
AV	11.44198G	47.04	54.00	-6.96	42.07	3	Vertical	125	1.25	-	38.80	9.45	43.28
PK	17.16165G	59.69	68.20	-8.51	48.23	3	Vertical	266	1.24	-	41.12	12.39	42.05

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22
04-K-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4361G	53.89	74.00	-20.11	48.92	3	Horizontal	89	2.55	-	38.80	9.44	43.27
AV	11.44218G	41.04	54.00	-12.96	36.07	3	Horizontal	89	2.55	-	38.80	9.45	43.28
PK	17.1563G	58.30	68.20	-9.90	46.86	3	Horizontal	247	1.54	-	41.11	12.38	42.05

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
 Setting 21.5
 04-K-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	62.49	68.20	-5.71	56.01	3	Vertical	159.8	1.00	-	33.70	6.21	33.43
PK	5.746G	116.17	Inf	-Inf	109.44	3	Vertical	159.8	1.00	-	33.98	6.21	33.46
AV	5.744G	105.56	Inf	-Inf	98.83	3	Vertical	159.8	1.00	-	33.98	6.21	33.46
PK	5.9545G	63.06	68.20	-5.14	55.24	3	Vertical	159.8	1.00	-	35.00	6.34	33.52

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 21.5
04-K-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	64.20	68.20	-4.00	57.71	3	Horizontal	192	2.24	-	33.70	6.22	33.43
PK	5.7425G	120.44	Inf	-Inf	113.72	3	Horizontal	192	2.24	-	33.97	6.21	33.46
AV	5.7425G	109.40	Inf	-Inf	102.68	3	Horizontal	192	2.24	-	33.97	6.21	33.46
PK	5.932G	62.09	68.20	-6.11	54.39	3	Horizontal	192	2.24	-	34.89	6.32	33.51

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 21.5
04-K-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49038G	59.04	74.00	-14.96	54.07	3	Vertical	282	2.89	-	38.80	9.47	43.30
AV	11.49494G	46.84	54.00	-7.16	41.87	3	Vertical	282	2.89	-	38.80	9.47	43.30
PK	17.2356G	58.29	68.20	-9.91	46.61	3	Vertical	101	2.98	-	41.27	12.44	42.03

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
 Setting 21.5
 04-K-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49393G	52.90	74.00	-21.10	47.93	3	Horizontal	225	2.64	-	38.80	9.47	43.30
AV	11.49317G	40.91	54.00	-13.09	35.94	3	Horizontal	225	2.64	-	38.80	9.47	43.30
PK	17.2371G	58.44	68.20	-9.76	46.75	3	Horizontal	237	1.50	-	41.27	12.45	42.03

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 22
04-K-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	61.77	68.20	-6.43	55.28	3	Vertical	162	1.00	-	33.70	6.22	33.43
PK	5.7815G	115.83	Inf	-Inf	108.97	3	Vertical	162	1.00	-	34.13	6.20	33.47
AV	5.7835G	105.49	Inf	-Inf	98.63	3	Vertical	162	1.00	-	34.13	6.20	33.47
PK	5.9855G	62.23	68.20	-5.97	54.39	3	Vertical	162	1.00	-	35.00	6.37	33.53

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 22
04-K-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	63.46	68.20	-4.74	56.97	3	Horizontal	191	2.19	-	33.70	6.22	33.43
PK	5.7825G	120.21	Inf	-Inf	113.35	3	Horizontal	191	2.19	-	34.13	6.20	33.47
AV	5.783G	109.60	Inf	-Inf	102.74	3	Horizontal	191	2.19	-	34.13	6.20	33.47
PK	5.9395G	63.12	68.20	-5.08	55.36	3	Horizontal	191	2.19	-	34.94	6.33	33.51

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 22
04-K-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57076G	60.32	74.00	-13.68	55.30	3	Vertical	275	2.54	-	38.80	9.51	43.29
AV	11.56806G	47.97	54.00	-6.03	42.95	3	Vertical	275	2.54	-	38.80	9.51	43.29
PK	17.36396G	59.80	68.20	-8.40	47.49	3	Vertical	32	2.93	-	41.76	12.55	42.00

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 22
04-K-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57642G	53.37	74.00	-20.63	48.35	3	Horizontal	317	1.62	-	38.80	9.51	43.29
AV	11.5672G	41.39	54.00	-12.61	36.37	3	Horizontal	317	1.62	-	38.80	9.51	43.29
PK	17.36128G	59.29	68.20	-8.91	46.99	3	Horizontal	171	2.08	-	41.75	12.55	42.00

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 22
04-K-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5985G	60.43	68.20	-7.77	53.93	3	Vertical	162	1.02	-	33.70	6.22	33.42
PK	5.8225G	114.56	Inf	-Inf	107.53	3	Vertical	162	1.02	-	34.29	6.22	33.48
AV	5.8225G	104.05	Inf	-Inf	97.02	3	Vertical	162	1.02	-	34.29	6.22	33.48
PK	5.9815G	62.46	68.20	-5.74	54.62	3	Vertical	162	1.02	-	35.00	6.36	33.52

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 22
04-K-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5885G	61.34	68.20	-6.86	54.84	3	Horizontal	199	2.18	-	33.70	6.21	33.41
PK	5.826G	120.03	Inf	-Inf	112.99	3	Horizontal	199	2.18	-	34.30	6.22	33.48
AV	5.8255G	109.17	Inf	-Inf	102.13	3	Horizontal	199	2.18	-	34.30	6.22	33.48
PK	5.927G	64.43	68.20	-3.77	56.77	3	Horizontal	199	2.18	-	34.86	6.31	33.51

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 22
04-K-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65139G	60.90	74.00	-13.10	55.83	3	Vertical	162	2.14	-	38.80	9.55	43.28
AV	11.65284G	47.89	54.00	-6.11	42.83	3	Vertical	162	2.14	-	38.79	9.55	43.28
PK	17.47277G	59.84	68.20	-8.36	47.23	3	Vertical	199	1.22	-	41.95	12.64	41.98

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 22
04-K-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65354G	54.41	74.00	-19.59	49.35	3	Horizontal	289	1.23	-	38.79	9.55	43.28
AV	11.64958G	41.94	54.00	-12.06	36.87	3	Horizontal	289	1.23	-	38.80	9.55	43.28
PK	17.47331G	60.19	68.20	-8.01	47.58	3	Horizontal	191	1.61	-	41.95	12.64	41.98

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 13
04-K-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.16	74.00	-9.84	58.92	3	Vertical	153	1.00	-	32.60	5.90	33.26
AV	5.148G	50.43	54.00	-3.57	45.19	3	Vertical	153	1.00	-	32.60	5.90	33.26
PK	5.193G	106.29	Inf	-Inf	100.96	3	Vertical	153	1.00	-	32.69	5.92	33.28
AV	5.193G	94.42	Inf	-Inf	89.09	3	Vertical	153	1.00	-	32.69	5.92	33.28

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 13
04-K-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	69.78	74.00	-4.22	64.54	3	Horizontal	193	2.27	-	32.60	5.90	33.26
AV	5.149G	53.14	54.00	-0.86	47.90	3	Horizontal	193	2.27	-	32.60	5.90	33.26
PK	5.189G	110.76	Inf	-Inf	105.44	3	Horizontal	193	2.27	-	32.68	5.92	33.28
AV	5.189G	99.14	Inf	-Inf	93.82	3	Horizontal	193	2.27	-	32.68	5.92	33.28

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 13
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36515G	53.92	68.20	-14.28	49.44	3	Vertical	46	1.73	-	38.60	8.90	43.02
PK	15.57765G	55.83	74.00	-18.17	48.74	3	Vertical	98	2.77	-	38.36	11.25	42.52
AV	15.58332G	43.03	54.00	-10.97	35.92	3	Vertical	98	2.77	-	38.37	11.25	42.51

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 13
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39248G	53.72	68.20	-14.48	49.24	3	Horizontal	252	2.40	-	38.60	8.91	43.03
PK	15.56682G	55.05	74.00	-18.95	48.01	3	Horizontal	133	2.91	-	38.33	11.24	42.53
AV	15.57771G	42.97	54.00	-11.03	35.88	3	Horizontal	133	2.91	-	38.36	11.25	42.52

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 18.5
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	62.93	74.00	-11.07	57.69	3	Vertical	153	1.98	-	32.60	5.90	33.26
AV	5.15G	50.81	54.00	-3.19	45.57	3	Vertical	153	1.98	-	32.60	5.90	33.26
PK	5.2256G	109.51	Inf	-Inf	104.15	3	Vertical	153	1.98	-	32.70	5.95	33.29
AV	5.228G	98.81	Inf	-Inf	93.45	3	Vertical	153	1.98	-	32.70	5.95	33.29
PK	5.3656G	60.32	74.00	-13.68	54.61	3	Vertical	153	1.98	-	32.96	6.09	33.34
AV	5.3504G	48.82	54.00	-5.18	43.19	3	Vertical	153	1.98	-	32.90	6.07	33.34

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
 Setting 18.5
 04-K-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	67.04	74.00	-6.96	61.80	3	Horizontal	139	2.18	-	32.60	5.90	33.26
AV	5.15G	53.97	54.00	-0.03	48.73	3	Horizontal	139	2.18	-	32.60	5.90	33.26
PK	5.2252G	115.10	Inf	-Inf	109.74	3	Horizontal	139	2.18	-	32.70	5.95	33.29
AV	5.228G	103.62	Inf	-Inf	98.26	3	Horizontal	139	2.18	-	32.70	5.95	33.29
PK	5.3508G	63.51	74.00	-10.49	57.88	3	Horizontal	139	2.18	-	32.90	6.07	33.34
AV	5.3508G	49.67	54.00	-4.33	44.04	3	Horizontal	139	2.18	-	32.90	6.07	33.34

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
 Setting 18.5
 04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4651G	54.50	68.20	-13.70	49.96	3	Vertical	308	2.60	-	38.63	8.95	43.04
PK	15.68829G	54.85	74.00	-19.15	48.09	3	Vertical	226	1.50	-	37.85	11.30	42.39
AV	15.6918G	42.65	54.00	-11.35	35.91	3	Vertical	226	1.50	-	37.83	11.30	42.39

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
 Setting 18.5
 04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47362G	53.76	68.20	-14.44	49.20	3	Horizontal	308	1.26	-	38.65	8.95	43.04
PK	15.68925G	55.02	74.00	-18.98	48.27	3	Horizontal	183	2.00	-	37.84	11.30	42.39
AV	15.68736G	42.70	54.00	-11.30	35.94	3	Horizontal	183	2.00	-	37.85	11.30	42.39

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 18
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0852G	60.38	74.00	-13.62	55.22	3	Vertical	161	1.06	-	32.53	5.87	33.24
AV	5.148G	48.16	54.00	-5.84	42.92	3	Vertical	161	1.06	-	32.60	5.90	33.26
PK	5.2764G	109.73	Inf	-Inf	104.29	3	Vertical	161	1.06	-	32.75	6.00	33.31
AV	5.2712G	99.01	Inf	-Inf	93.59	3	Vertical	161	1.06	-	32.74	5.99	33.31
PK	5.354G	64.78	74.00	-9.22	59.13	3	Vertical	161	1.06	-	32.92	6.07	33.34
AV	5.3512G	51.28	54.00	-2.72	45.65	3	Vertical	161	1.06	-	32.90	6.07	33.34
PK	5.4696G	60.13	68.20	-8.07	53.94	3	Vertical	161	1.06	-	33.42	6.15	33.38

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 18
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	60.83	74.00	-13.17	55.59	3	Horizontal	141	2.22	-	32.60	5.90	33.26
AV	5.1484G	49.19	54.00	-4.81	43.95	3	Horizontal	141	2.22	-	32.60	5.90	33.26
PK	5.2664G	114.53	Inf	-Inf	109.12	3	Horizontal	141	2.22	-	32.73	5.99	33.31
AV	5.2692G	102.86	Inf	-Inf	97.44	3	Horizontal	141	2.22	-	32.74	5.99	33.31
PK	5.3516G	67.40	74.00	-6.60	61.76	3	Horizontal	141	2.22	-	32.91	6.07	33.34
AV	5.3516G	53.20	54.00	-0.80	47.56	3	Horizontal	141	2.22	-	32.91	6.07	33.34
PK	5.468G	59.66	68.20	-8.54	53.48	3	Horizontal	141	2.22	-	33.41	6.15	33.38

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 18
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.55053G	54.17	68.20	-14.03	49.43	3	Vertical	289	2.43	-	38.80	8.99	43.05
PK	15.8106G	54.60	74.00	-19.40	47.31	3	Vertical	291	2.63	-	38.18	11.36	42.25
AV	15.8046G	42.85	54.00	-11.15	35.56	3	Vertical	291	2.63	-	38.19	11.36	42.26

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 18
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52626G	53.74	68.20	-14.46	49.05	3	Horizontal	171	1.06	-	38.75	8.98	43.04
PK	15.80235G	55.48	74.00	-18.52	48.18	3	Horizontal	188	2.98	-	38.20	11.36	42.26
AV	15.80238G	42.83	54.00	-11.17	35.53	3	Horizontal	188	2.98	-	38.20	11.36	42.26

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUTZ_2TX
Setting 14.5
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3114G	108.13	Inf	-Inf	102.60	3	Vertical	160	1.00	-	32.82	6.03	33.32
AV	5.3088G	96.75	Inf	-Inf	91.22	3	Vertical	160	1.00	-	32.82	6.03	33.32
PK	5.3524G	71.24	74.00	-2.76	65.60	3	Vertical	160	1.00	-	32.91	6.07	33.34
AV	5.3514G	52.98	54.00	-1.02	47.34	3	Vertical	160	1.00	-	32.91	6.07	33.34

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
 Setting 14.5
 04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3128G	110.70	Inf	-Inf	105.16	3	Horizontal	143	2.17	-	32.83	6.03	33.32
AV	5.3076G	99.34	Inf	-Inf	93.81	3	Horizontal	143	2.17	-	32.82	6.03	33.32
PK	5.3528G	71.70	74.00	-2.30	66.06	3	Horizontal	143	2.17	-	32.91	6.07	33.34
AV	5.3502G	53.97	54.00	-0.03	48.34	3	Horizontal	143	2.17	-	32.90	6.07	33.34

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 14.5
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63467G	54.02	74.00	-19.98	49.15	3	Vertical	347	2.13	-	38.90	9.03	43.06
AV	10.61385G	42.08	54.00	-11.92	37.21	3	Vertical	347	2.13	-	38.90	9.02	43.05
PK	15.92619G	55.62	74.00	-18.38	48.03	3	Vertical	39	1.79	-	38.30	11.41	42.12
AV	15.92697G	43.60	54.00	-10.40	35.98	3	Vertical	39	1.79	-	38.31	11.42	42.11

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 14.5
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60788G	53.93	74.00	-20.07	49.06	3	Horizontal	61	1.99	-	38.90	9.02	43.05
AV	10.60524G	42.02	54.00	-11.98	37.15	3	Horizontal	61	1.99	-	38.90	9.02	43.05
PK	15.92109G	55.63	74.00	-18.37	48.06	3	Horizontal	19	1.69	-	38.28	11.41	42.12
AV	15.92319G	43.53	54.00	-10.47	35.95	3	Horizontal	19	1.69	-	38.29	11.41	42.12

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 13
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4562G	64.01	74.00	-9.99	57.89	3	Vertical	157	1.00	-	33.34	6.15	33.37
AV	5.4598G	49.43	54.00	-4.57	43.30	3	Vertical	157	1.00	-	33.36	6.15	33.38
PK	5.4662G	64.23	68.20	-3.97	58.06	3	Vertical	157	1.00	-	33.40	6.15	33.38
PK	5.5106G	106.40	Inf	-Inf	99.99	3	Vertical	157	1.00	-	33.62	6.18	33.39
AV	5.508G	95.48	Inf	-Inf	89.08	3	Vertical	157	1.00	-	33.62	6.17	33.39

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 13
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	64.95	74.00	-9.05	58.83	3	Horizontal	142	2.22	-	33.35	6.15	33.38
AV	5.4592G	50.38	54.00	-3.62	44.25	3	Horizontal	142	2.22	-	33.36	6.15	33.38
PK	5.469G	67.72	68.20	-0.48	61.54	3	Horizontal	142	2.22	-	33.41	6.15	33.38
PK	5.5088G	109.01	Inf	-Inf	102.61	3	Horizontal	142	2.22	-	33.62	6.17	33.39
AV	5.5092G	97.44	Inf	-Inf	91.04	3	Horizontal	142	2.22	-	33.62	6.17	33.39

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 13
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00815G	54.43	74.00	-19.57	49.43	3	Vertical	41	2.66	-	38.88	9.22	43.10
AV	11.0068G	42.30	54.00	-11.70	37.29	3	Vertical	41	2.66	-	38.89	9.22	43.10
PK	16.52151G	56.43	68.20	-11.77	46.84	3	Vertical	182	2.54	-	39.34	11.87	41.62

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 13
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02195G	54.59	74.00	-19.41	49.61	3	Horizontal	159	1.76	-	38.86	9.23	43.11
AV	11.01736G	42.43	54.00	-11.57	37.44	3	Horizontal	159	1.76	-	38.87	9.23	43.11
PK	16.51749G	56.34	68.20	-11.86	46.76	3	Horizontal	217	2.30	-	39.33	11.87	41.62

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




10/04/2024

EUT_Z_2TX
Setting 18
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	59.01	74.00	-14.99	53.38	3	Vertical	160	1.00	-	32.90	6.07	33.34
AV	5.35G	47.48	54.00	-6.52	41.85	3	Vertical	160	1.00	-	32.90	6.07	33.34
PK	5.4584G	63.06	74.00	-10.94	56.94	3	Vertical	160	1.00	-	33.35	6.15	33.38
AV	5.4588G	51.75	54.00	-2.25	45.63	3	Vertical	160	1.00	-	33.35	6.15	33.38
PK	5.4664G	66.14	68.20	-2.06	59.97	3	Vertical	160	1.00	-	33.40	6.15	33.38
PK	5.546G	110.66	Inf	-Inf	104.18	3	Vertical	160	1.00	-	33.69	6.19	33.40
AV	5.5488G	100.20	Inf	-Inf	93.71	3	Vertical	160	1.00	-	33.70	6.19	33.40
PK	5.7404G	60.82	68.20	-7.38	54.11	3	Vertical	160	1.00	-	33.96	6.21	33.46

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 18
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	58.44	74.00	-15.56	52.81	3	Horizontal	142	2.21	-	32.90	6.07	33.34
AV	5.35G	47.69	54.00	-6.31	42.06	3	Horizontal	142	2.21	-	32.90	6.07	33.34
PK	5.4564G	65.11	74.00	-8.89	58.99	3	Horizontal	142	2.21	-	33.34	6.15	33.37
AV	5.46G	52.61	54.00	-1.39	46.48	3	Horizontal	142	2.21	-	33.36	6.15	33.38
PK	5.47G	66.59	68.20	-1.61	60.39	3	Horizontal	142	2.21	-	33.42	6.16	33.38
PK	5.5556G	112.80	Inf	-Inf	106.31	3	Horizontal	142	2.21	-	33.70	6.20	33.41
AV	5.548G	101.95	Inf	-Inf	95.46	3	Horizontal	142	2.21	-	33.70	6.19	33.40
PK	5.73G	61.09	68.20	-7.11	54.41	3	Horizontal	142	2.21	-	33.92	6.21	33.45

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 18
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.11293G	54.13	74.00	-19.87	49.25	3	Vertical	246	2.18	-	38.75	9.28	43.15
AV	11.10666G	41.82	54.00	-12.18	36.92	3	Vertical	246	2.18	-	38.77	9.27	43.14
PK	16.63932G	57.25	68.20	-10.95	47.57	3	Vertical	212	2.48	-	39.46	11.96	41.74

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 18
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10816G	54.26	74.00	-19.74	49.35	3	Horizontal	193	1.38	-	38.77	9.28	43.14
AV	11.10612G	41.80	54.00	-12.20	36.89	3	Horizontal	193	1.38	-	38.78	9.27	43.14
PK	16.6632G	56.31	68.20	-11.89	46.56	3	Horizontal	151	1.28	-	39.53	11.98	41.76

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
 Setting 15
 04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6686G	109.30	Inf	-Inf	102.79	3	Vertical	159	1.03	-	33.74	6.21	33.44
AV	5.669G	97.67	Inf	-Inf	91.16	3	Vertical	159	1.03	-	33.74	6.21	33.44
PK	5.725G	65.77	68.20	-2.43	59.11	3	Vertical	159	1.03	-	33.90	6.21	33.45

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 15
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6678G	110.65	Inf	-Inf	104.14	3	Horizontal	146	2.22	-	33.74	6.21	33.44
AV	5.6676G	99.41	Inf	-Inf	92.90	3	Horizontal	146	2.22	-	33.74	6.21	33.44
PK	5.7276G	67.77	68.20	-0.43	61.10	3	Horizontal	146	2.22	-	33.91	6.21	33.45

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 15
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33658G	53.43	74.00	-20.57	48.47	3	Vertical	352	2.73	-	38.80	9.39	43.23
AV	11.32824G	41.71	54.00	-12.29	36.75	3	Vertical	352	2.73	-	38.80	9.39	43.23
PK	17.00361G	58.16	68.20	-10.04	47.48	3	Vertical	331	2.02	-	40.51	12.26	42.09

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 15
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34024G	53.72	74.00	-20.28	48.77	3	Horizontal	187	2.02	-	38.80	9.39	43.24
AV	11.32923G	41.61	54.00	-12.39	36.65	3	Horizontal	187	2.02	-	38.80	9.39	43.23
PK	17.02272G	58.35	68.20	-9.85	47.57	3	Horizontal	95	2.00	-	40.59	12.27	42.08

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 21
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4184G	59.86	74.00	-14.14	53.92	3	Vertical	158	2.94	-	33.17	6.13	33.36
PK	5.4688G	59.61	68.20	-8.59	53.43	3	Vertical	158	2.94	-	33.41	6.15	33.38
AV	5.4538G	48.15	54.00	-5.85	42.05	3	Vertical	158	2.94	-	33.32	6.15	33.37
PK	5.7064G	113.18	Inf	-Inf	106.59	3	Vertical	158	2.94	-	33.83	6.21	33.45
AV	5.7088G	102.78	Inf	-Inf	96.18	3	Vertical	158	2.94	-	33.84	6.21	33.45
PK	5.8534G	67.50	68.20	-0.70	60.32	3	Vertical	158	2.94	-	34.42	6.25	33.49

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 21
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4214G	59.96	74.00	-14.04	54.00	3	Horizontal	147	2.22	-	33.19	6.13	33.36
PK	5.47G	60.71	68.20	-7.49	54.51	3	Horizontal	147	2.22	-	33.42	6.16	33.38
AV	5.4598G	48.18	54.00	-5.82	42.05	3	Horizontal	147	2.22	-	33.36	6.15	33.38
PK	5.7112G	115.18	Inf	-Inf	108.58	3	Horizontal	147	2.22	-	33.84	6.21	33.45
AV	5.7088G	103.82	Inf	-Inf	97.22	3	Horizontal	147	2.22	-	33.84	6.21	33.45
PK	5.8528G	68.12	68.20	-0.08	60.94	3	Horizontal	147	2.22	-	34.42	6.25	33.49

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 21
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4128G	53.88	74.00	-20.12	48.92	3	Vertical	219	1.55	-	38.80	9.43	43.27
AV	11.42273G	41.31	54.00	-12.69	36.34	3	Vertical	219	1.55	-	38.80	9.44	43.27
PK	17.12481G	58.36	68.20	-9.84	47.01	3	Vertical	140	2.49	-	41.05	12.36	42.06

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 21
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42339G	53.70	74.00	-20.30	48.73	3	Horizontal	290	1.87	-	38.80	9.44	43.27
AV	11.42531G	41.44	54.00	-12.56	36.47	3	Horizontal	290	1.87	-	38.80	9.44	43.27
PK	17.14479G	57.90	68.20	-10.30	46.50	3	Horizontal	293	2.71	-	41.09	12.37	42.06

5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
 Setting 20.5
 04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	67.09	68.94	-1.85	60.61	3	Vertical	156	2.90	-	33.70	6.21	33.43
PK	5.7615G	113.27	Inf	-Inf	106.48	3	Vertical	156	2.90	-	34.05	6.20	33.46
AV	5.754G	101.59	Inf	-Inf	94.83	3	Vertical	156	2.90	-	34.02	6.20	33.46
PK	5.969G	62.51	68.20	-5.69	54.68	3	Vertical	156	2.90	-	35.00	6.35	33.52

5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 20.5
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	68.01	68.20	-0.19	61.53	3	Horizontal	146	2.25	-	33.70	6.21	33.43
PK	5.7525G	114.72	Inf	-Inf	107.97	3	Horizontal	146	2.25	-	34.01	6.20	33.46
AV	5.753G	103.95	Inf	-Inf	97.20	3	Horizontal	146	2.25	-	34.01	6.20	33.46
PK	5.925G	65.25	68.20	-2.95	57.60	3	Horizontal	146	2.25	-	34.85	6.31	33.51

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
 Setting 20.5
 04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51309G	53.35	74.00	-20.65	48.37	3	Vertical	161	2.32	-	38.80	9.48	43.30
AV	11.52284G	41.78	54.00	-12.22	36.79	3	Vertical	161	2.32	-	38.80	9.49	43.30
PK	17.27358G	59.32	68.20	-8.88	47.42	3	Vertical	3	2.23	-	41.44	12.48	42.02

5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
 Setting 20.5
 04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50706G	54.71	74.00	-19.29	49.73	3	Horizontal	43	2.56	-	38.80	9.48	43.30
AV	11.52317G	41.80	54.00	-12.20	36.81	3	Horizontal	43	2.56	-	38.80	9.49	43.30
PK	17.26083G	59.52	68.20	-8.68	47.73	3	Horizontal	25	2.85	-	41.36	12.46	42.03

5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
 Setting 20.5
 04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.634G	62.09	68.20	-6.11	55.60	3	Vertical	163	3.00	-	33.70	6.22	33.43
PK	5.7955G	111.04	Inf	-Inf	104.13	3	Vertical	163	3.00	-	34.18	6.20	33.47
AV	5.796G	100.43	Inf	-Inf	93.52	3	Vertical	163	3.00	-	34.18	6.20	33.47
PK	5.9255G	65.63	68.20	-2.57	57.98	3	Vertical	163	3.00	-	34.85	6.31	33.51

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
 Setting 20.5
 04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6495G	64.08	68.20	-4.12	57.59	3	Horizontal	146	2.15	-	33.70	6.22	33.43
PK	5.798G	113.63	Inf	-Inf	106.71	3	Horizontal	146	2.15	-	34.19	6.20	33.47
AV	5.7975G	103.30	Inf	-Inf	96.38	3	Horizontal	146	2.15	-	34.19	6.20	33.47
PK	5.932G	67.71	68.20	-0.49	60.01	3	Horizontal	146	2.15	-	34.89	6.32	33.51

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
 Setting 20.5
 04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58778G	53.66	74.00	-20.34	48.63	3	Vertical	177	1.58	-	38.80	9.52	43.29
AV	11.60473G	41.53	54.00	-12.47	36.48	3	Vertical	177	1.58	-	38.80	9.53	43.28
PK	17.38812G	59.80	68.20	-8.40	47.38	3	Vertical	257	2.04	-	41.85	12.57	42.00

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
 Setting 20.5
 04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.60428G	53.67	74.00	-20.33	48.62	3	Horizontal	12	1.08	-	38.80	9.53	43.28
AV	11.60392G	41.46	54.00	-12.54	36.41	3	Horizontal	12	1.08	-	38.80	9.53	43.28
PK	17.38686G	59.97	68.20	-8.23	47.55	3	Horizontal	214	1.23	-	41.85	12.57	42.00

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 12.5
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	62.49	74.00	-11.51	57.25	3	Vertical	155	1.09	-	32.60	5.90	33.26
AV	5.1488G	51.32	54.00	-2.68	46.08	3	Vertical	155	1.09	-	32.60	5.90	33.26
PK	5.204G	101.44	Inf	-Inf	96.10	3	Vertical	155	1.09	-	32.70	5.92	33.28
AV	5.2116G	91.25	Inf	-Inf	85.91	3	Vertical	155	1.09	-	32.70	5.93	33.29
PK	5.3716G	60.61	74.00	-13.39	54.87	3	Vertical	155	1.09	-	32.99	6.09	33.34
AV	5.36G	48.35	54.00	-5.65	42.67	3	Vertical	155	1.09	-	32.94	6.08	33.34

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
 Setting 12.5
 04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.05	74.00	-9.95	58.81	3	Horizontal	142	2.16	-	32.60	5.90	33.26
AV	5.1496G	53.82	54.00	-0.18	48.58	3	Horizontal	142	2.16	-	32.60	5.90	33.26
PK	5.2204G	104.88	Inf	-Inf	99.53	3	Horizontal	142	2.16	-	32.70	5.94	33.29
AV	5.2128G	94.65	Inf	-Inf	89.31	3	Horizontal	142	2.16	-	32.70	5.93	33.29
PK	5.3584G	60.34	74.00	-13.66	54.67	3	Horizontal	142	2.16	-	32.93	6.08	33.34
AV	5.358G	48.52	54.00	-5.48	42.85	3	Horizontal	142	2.16	-	32.93	6.08	33.34

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
 Setting 12.5
 04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4152G	53.48	68.20	-14.72	48.99	3	Vertical	264	1.53	-	38.60	8.92	43.03
PK	15.61929G	53.85	74.00	-20.15	46.80	3	Vertical	89	1.46	-	38.25	11.27	42.47
AV	15.61521G	42.30	54.00	-11.70	35.23	3	Vertical	89	1.46	-	38.28	11.27	42.48

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
 Setting 12.5
 04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42333G	54.54	68.20	-13.66	50.04	3	Horizontal	342	1.52	-	38.60	8.93	43.03
PK	15.63051G	54.04	74.00	-19.96	47.07	3	Horizontal	132	2.08	-	38.16	11.27	42.46
AV	15.61539G	42.34	54.00	-11.66	35.27	3	Horizontal	132	2.08	-	38.28	11.27	42.48

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 14.5
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	59.58	74.00	-14.42	54.35	3	Vertical	157	1.05	-	32.59	5.90	33.26
AV	5.148G	47.98	54.00	-6.02	42.74	3	Vertical	157	1.05	-	32.60	5.90	33.26
PK	5.2932G	103.73	Inf	-Inf	98.25	3	Vertical	157	1.05	-	32.79	6.01	33.32
AV	5.2928G	92.60	Inf	-Inf	87.12	3	Vertical	157	1.05	-	32.79	6.01	33.32
PK	5.35G	63.54	74.00	-10.46	57.91	3	Vertical	157	1.05	-	32.90	6.07	33.34
AV	5.3504G	52.04	54.00	-1.96	46.41	3	Vertical	157	1.05	-	32.90	6.07	33.34
PK	5.482G	60.05	68.20	-8.15	53.78	3	Vertical	157	1.05	-	33.49	6.16	33.38

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 14.5
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	59.73	74.00	-14.27	54.50	3	Horizontal	142	2.28	-	32.59	5.90	33.26
AV	5.148G	48.34	54.00	-5.66	43.10	3	Horizontal	142	2.28	-	32.60	5.90	33.26
PK	5.2864G	106.26	Inf	-Inf	100.79	3	Horizontal	142	2.28	-	32.77	6.01	33.31
AV	5.2916G	95.72	Inf	-Inf	90.24	3	Horizontal	142	2.28	-	32.78	6.01	33.31
PK	5.3728G	69.57	74.00	-4.43	63.83	3	Horizontal	142	2.28	-	32.99	6.09	33.34
AV	5.3544G	53.74	54.00	-0.26	48.09	3	Horizontal	142	2.28	-	32.92	6.07	33.34
PK	5.466G	60.14	68.20	-8.06	53.97	3	Horizontal	142	2.28	-	33.40	6.15	33.38

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 14.5
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5884G	53.53	68.20	-14.67	48.69	3	Vertical	54	2.32	-	38.88	9.01	43.05
PK	15.87141G	54.33	74.00	-19.67	46.98	3	Vertical	24	2.06	-	38.14	11.39	42.18
AV	15.88272G	43.06	54.00	-10.94	35.67	3	Vertical	24	2.06	-	38.17	11.39	42.17

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 14.5
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57502G	54.22	68.20	-13.98	49.42	3	Horizontal	336	2.11	-	38.85	9.00	43.05
PK	15.88212G	55.60	74.00	-18.40	48.22	3	Horizontal	54	2.64	-	38.16	11.39	42.17
AV	15.88005G	43.01	54.00	-10.99	35.63	3	Horizontal	54	2.64	-	38.16	11.39	42.17

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 14
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3158G	59.85	68.20	-8.35	54.30	3	Vertical	160	1.00	-	32.83	6.04	33.32
AV	5.35G	47.89	54.00	-6.11	42.26	3	Vertical	160	1.00	-	32.90	6.07	33.34
PK	5.4466G	64.64	74.00	-9.36	58.58	3	Vertical	160	1.00	-	33.29	6.14	33.37
PK	5.4646G	65.90	68.20	-2.30	59.74	3	Vertical	160	1.00	-	33.39	6.15	33.38
AV	5.4574G	51.88	54.00	-2.12	45.76	3	Vertical	160	1.00	-	33.34	6.15	33.37
PK	5.5402G	103.99	Inf	-Inf	97.52	3	Vertical	160	1.00	-	33.68	6.19	33.40
AV	5.5276G	91.95	Inf	-Inf	85.51	3	Vertical	160	1.00	-	33.66	6.18	33.40
PK	5.7844G	61.44	68.20	-6.76	54.57	3	Vertical	160	1.00	-	34.14	6.20	33.47

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 14
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2936G	59.64	68.20	-8.56	54.16	3	Horizontal	142	2.13	-	32.79	6.01	33.32
AV	5.35G	47.69	54.00	-6.31	42.06	3	Horizontal	142	2.13	-	32.90	6.07	33.34
PK	5.4532G	65.39	74.00	-8.61	59.29	3	Horizontal	142	2.13	-	33.32	6.15	33.37
AV	5.4592G	53.17	54.00	-0.83	47.04	3	Horizontal	142	2.13	-	33.36	6.15	33.38
PK	5.4694G	66.58	68.20	-1.62	60.39	3	Horizontal	142	2.13	-	33.42	6.15	33.38
PK	5.5288G	105.66	Inf	-Inf	99.22	3	Horizontal	142	2.13	-	33.66	6.18	33.40
AV	5.5318G	94.61	Inf	-Inf	88.16	3	Horizontal	142	2.13	-	33.66	6.19	33.40
PK	5.8264G	61.72	68.20	-6.48	54.67	3	Horizontal	142	2.13	-	34.31	6.22	33.48

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 14
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06021G	53.84	74.00	-20.16	48.91	3	Vertical	118	2.19	-	38.80	9.25	43.12
AV	11.04518G	42.17	54.00	-11.83	37.24	3	Vertical	118	2.19	-	38.81	9.24	43.12
PK	16.59942G	57.32	68.20	-10.88	47.79	3	Vertical	190	1.22	-	39.30	11.93	41.70

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 14
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.04683G	53.61	74.00	-20.39	48.68	3	Horizontal	160	1.33	-	38.81	9.24	43.12
AV	11.04647G	42.34	54.00	-11.66	37.41	3	Horizontal	160	1.33	-	38.81	9.24	43.12
PK	16.5927G	57.29	68.20	-10.91	47.74	3	Horizontal	225	2.51	-	39.31	11.93	41.69

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 18
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4524G	62.04	74.00	-11.96	55.95	3	Vertical	164	1.05	-	33.31	6.15	33.37
AV	5.4596G	50.67	54.00	-3.33	44.54	3	Vertical	164	1.05	-	33.36	6.15	33.38
PK	5.4692G	62.36	68.20	-5.84	56.17	3	Vertical	164	1.05	-	33.42	6.15	33.38
PK	5.6152G	107.12	Inf	-Inf	100.62	3	Vertical	164	1.05	-	33.70	6.22	33.42
AV	5.6124G	95.68	Inf	-Inf	89.18	3	Vertical	164	1.05	-	33.70	6.22	33.42
PK	5.7272G	67.28	68.20	-0.92	60.61	3	Vertical	164	1.05	-	33.91	6.21	33.45

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 18
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	62.92	74.00	-11.08	56.80	3	Horizontal	147	2.13	-	33.34	6.15	33.37
AV	5.4584G	51.49	54.00	-2.51	45.37	3	Horizontal	147	2.13	-	33.35	6.15	33.38
PK	5.4668G	63.44	68.20	-4.76	57.27	3	Horizontal	147	2.13	-	33.40	6.15	33.38
PK	5.6216G	109.13	Inf	-Inf	102.63	3	Horizontal	147	2.13	-	33.70	6.22	33.42
AV	5.6112G	98.24	Inf	-Inf	91.74	3	Horizontal	147	2.13	-	33.70	6.22	33.42
PK	5.7372G	66.88	68.20	-1.32	60.18	3	Horizontal	147	2.13	-	33.95	6.21	33.46

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 18
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21778G	53.94	74.00	-20.06	49.16	3	Vertical	340	2.38	-	38.64	9.33	43.19
AV	11.21499G	42.41	54.00	-11.59	37.64	3	Vertical	340	2.38	-	38.63	9.33	43.19
PK	16.82439G	57.25	68.20	-10.95	46.96	3	Vertical	297	1.85	-	40.10	12.11	41.92

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 18
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.20848G	54.46	74.00	-19.54	49.69	3	Horizontal	197	2.57	-	38.62	9.33	43.18
AV	11.20623G	42.78	54.00	-11.22	38.02	3	Horizontal	197	2.57	-	38.61	9.33	43.18
PK	16.83999G	57.76	68.20	-10.44	47.40	3	Horizontal	259	1.16	-	40.16	12.13	41.93

5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 19.5
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4266G	59.76	74.00	-14.24	53.78	3	Vertical	158	1.04	-	33.21	6.13	33.36
PK	5.4626G	59.30	68.20	-8.90	53.15	3	Vertical	158	1.04	-	33.38	6.15	33.38
AV	5.4596G	48.74	54.00	-5.26	42.61	3	Vertical	158	1.04	-	33.36	6.15	33.38
PK	5.7008G	109.17	Inf	-Inf	102.61	3	Vertical	158	1.04	-	33.80	6.21	33.45
AV	5.6876G	97.54	Inf	-Inf	90.99	3	Vertical	158	1.04	-	33.78	6.21	33.44
PK	5.8556G	65.71	68.20	-2.49	58.52	3	Vertical	158	1.04	-	34.43	6.25	33.49

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 19.5
 04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	60.83	74.00	-13.17	54.70	3	Horizontal	144	2.20	-	33.36	6.15	33.38
AV	5.4566G	49.25	54.00	-4.75	43.13	3	Horizontal	144	2.20	-	33.34	6.15	33.37
PK	5.4602G	60.83	68.20	-7.37	54.70	3	Horizontal	144	2.20	-	33.36	6.15	33.38
PK	5.6918G	110.31	Inf	-Inf	103.76	3	Horizontal	144	2.20	-	33.78	6.21	33.44
AV	5.6918G	99.91	Inf	-Inf	93.36	3	Horizontal	144	2.20	-	33.78	6.21	33.44
PK	5.8538G	67.85	68.20	-0.35	60.67	3	Horizontal	144	2.20	-	34.42	6.25	33.49

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 19.5
 04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37826G	53.37	74.00	-20.63	48.41	3	Vertical	273	2.59	-	38.80	9.41	43.25
AV	11.39452G	41.89	54.00	-12.11	36.93	3	Vertical	273	2.59	-	38.80	9.42	43.26
PK	17.05917G	58.94	68.20	-9.26	47.96	3	Vertical	267	1.03	-	40.76	12.30	42.08

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 19.5
 04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3905G	53.78	74.00	-20.22	48.82	3	Horizontal	17	1.96	-	38.80	9.42	43.26
AV	11.39158G	41.94	54.00	-12.06	36.98	3	Horizontal	17	1.96	-	38.80	9.42	43.26
PK	17.05701G	58.70	68.20	-9.50	47.74	3	Horizontal	185	1.13	-	40.74	12.30	42.08

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 19
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6495G	64.88	68.20	-3.32	58.39	3	Vertical	162	3.00	-	33.70	6.22	33.43
PK	5.78G	107.54	Inf	-Inf	100.69	3	Vertical	162	3.00	-	34.12	6.20	33.47
AV	5.777G	96.81	Inf	-Inf	89.97	3	Vertical	162	3.00	-	34.11	6.20	33.47
PK	5.9245G	66.44	68.57	-2.13	58.79	3	Vertical	162	3.00	-	34.85	6.31	33.51

5.725-5.85GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 19
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6425G	66.60	68.20	-1.60	60.11	3	Horizontal	145	2.12	-	33.70	6.22	33.43
PK	5.778G	110.01	Inf	-Inf	103.17	3	Horizontal	145	2.12	-	34.11	6.20	33.47
AV	5.773G	98.80	Inf	-Inf	91.98	3	Horizontal	145	2.12	-	34.09	6.20	33.47
PK	5.925G	66.15	68.20	-2.05	58.50	3	Horizontal	145	2.12	-	34.85	6.31	33.51

5.725-5.85GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 19
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54448G	54.07	74.00	-19.93	49.06	3	Vertical	293	2.99	-	38.80	9.50	43.29
AV	11.54886G	42.12	54.00	-11.88	37.11	3	Vertical	293	2.99	-	38.80	9.50	43.29
PK	17.33343G	58.67	68.20	-9.53	46.49	3	Vertical	244	2.63	-	41.67	12.52	42.01

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX



EUT_Z_2TX
Setting 19
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.53647G	54.29	74.00	-19.71	49.29	3	Horizontal	210	1.34	-	38.80	9.49	43.29
AV	11.54865G	42.18	54.00	-11.82	37.17	3	Horizontal	210	1.34	-	38.80	9.50	43.29
PK	17.3217G	59.24	68.20	-8.96	47.10	3	Horizontal	71	2.25	-	41.64	12.51	42.01




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	Pass	AV	11.47316G	53.97	54.00	-0.03	3	Vertical	286	1.99	-

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5180MHz_TX




EUT_Z_2TX
Setting 12.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1377G	69.57	74.00	-4.43	62.22	3	Vertical	140	1.80	-	32.72	5.30	30.67
AV	5.1372G	48.14	54.00	-5.86	40.78	3	Vertical	140	1.80	-	32.73	5.30	30.67
PK	5.171G	112.23	Inf	-Inf	104.85	3	Vertical	140	1.80	-	32.74	5.34	30.70
AV	5.1709G	101.19	Inf	-Inf	93.81	3	Vertical	140	1.80	-	32.74	5.34	30.70

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5180MHz_TX




EUT_Z_2TX
Setting 12.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1393G	70.89	74.00	-3.11	63.54	3	Horizontal	355	2.26	-	32.72	5.30	30.67
AV	5.1382G	52.15	54.00	-1.85	44.80	3	Horizontal	355	2.26	-	32.72	5.30	30.67
PK	5.1711G	120.48	Inf	-Inf	113.10	3	Horizontal	355	2.26	-	32.74	5.34	30.70
AV	5.1715G	109.18	Inf	-Inf	101.80	3	Horizontal	355	2.26	-	32.74	5.34	30.70

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5180MHz_TX




EUTZ_2TX
Setting 12.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.31282G	52.79	68.20	-15.41	37.96	3	Vertical	194	2.82	-	38.43	8.17	31.77
PK	15.56493G	58.44	74.00	-15.56	42.31	3	Vertical	145	2.91	-	37.94	10.15	31.96
AV	15.56697G	45.24	54.00	-8.76	29.12	3	Vertical	145	2.91	-	37.93	10.15	31.96

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5180MHz_TX




EUT_Z_2TX
Setting 12.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	9.98134G	51.19	68.20	-17.01	36.70	3	Horizontal	291	1.80	-	38.13	8.06	31.70
PK	15.46368G	57.76	74.00	-16.24	41.22	3	Horizontal	314	2.23	-	38.36	10.12	31.94
AV	15.46114G	44.32	54.00	-9.68	27.75	3	Horizontal	314	2.23	-	38.39	10.12	31.94

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5180MHz_TX




EUT_Z_2TX
Setting 12.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1437G	65.97	74.00	-8.03	58.62	3	Vertical	142	1.80	-	32.71	5.31	30.67
AV	5.1432G	47.39	54.00	-6.61	40.04	3	Vertical	142	1.80	-	32.71	5.31	30.67
PK	5.1738G	112.57	Inf	-Inf	105.18	3	Vertical	142	1.80	-	32.75	5.34	30.70
AV	5.1715G	100.64	Inf	-Inf	93.26	3	Vertical	142	1.80	-	32.74	5.34	30.70

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5180MHz_TX




EUT_Z_2TX
Setting 12.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	73.12	74.00	-0.88	65.78	3	Horizontal	5	2.36	-	32.71	5.31	30.68
AV	5.1434G	51.57	54.00	-2.43	44.22	3	Horizontal	5	2.36	-	32.71	5.31	30.67
PK	5.171G	118.17	Inf	-Inf	110.79	3	Horizontal	5	2.36	-	32.74	5.34	30.70
AV	5.1737G	106.47	Inf	-Inf	99.08	3	Horizontal	5	2.36	-	32.75	5.34	30.70

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5180MHz_TX




EUT_Z_2TX
Setting 12.5
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34451G	56.89	68.20	-11.31	42.00	3	Vertical	282	1.94	-	38.49	8.18	31.78
PK	15.52106G	59.31	74.00	-14.69	43.13	3	Vertical	41	1.04	-	38.00	10.13	31.95
AV	15.5227G	45.94	54.00	-8.06	29.76	3	Vertical	41	1.04	-	38.00	10.13	31.95

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5180MHz_TX




EUT_Z_2TX
Setting 12.5
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34783G	55.76	68.20	-12.44	40.86	3	Horizontal	304	2.00	-	38.50	8.18	31.78
PK	15.52517G	59.70	74.00	-14.30	43.51	3	Horizontal	173	1.83	-	38.00	10.14	31.95
AV	15.51877G	46.03	54.00	-7.97	29.85	3	Horizontal	173	1.83	-	38.00	10.13	31.95

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5180MHz_TX




EUT_Z_2TX
Setting 15
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	70.82	74.00	-3.18	63.48	3	Vertical	140	1.81	-	32.71	5.31	30.68
AV	5.15G	48.62	54.00	-5.38	41.28	3	Vertical	140	1.81	-	32.70	5.32	30.68
PK	5.1779G	111.68	Inf	-Inf	104.27	3	Vertical	140	1.81	-	32.76	5.35	30.70
AV	5.1752G	99.95	Inf	-Inf	92.56	3	Vertical	140	1.81	-	32.75	5.34	30.70

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5180MHz_TX




EUT_Z_2TX
Setting 15
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1474G	73.12	74.00	-0.88	65.78	3	Horizontal	2	2.50	-	32.71	5.31	30.68
AV	5.149G	52.68	54.00	-1.32	45.35	3	Horizontal	2	2.50	-	32.70	5.31	30.68
PK	5.1742G	117.93	Inf	-Inf	110.54	3	Horizontal	2	2.50	-	32.75	5.34	30.70
AV	5.1746G	105.54	Inf	-Inf	98.15	3	Horizontal	2	2.50	-	32.75	5.34	30.70

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5180MHz_TX




EUTZ_2TX
Setting 15
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34714G	56.80	68.20	-11.40	41.91	3	Vertical	354	3.00	-	38.49	8.18	31.78
PK	15.52288G	58.81	74.00	-15.19	42.63	3	Vertical	120	2.88	-	38.00	10.13	31.95
AV	15.52242G	45.84	54.00	-8.16	29.66	3	Vertical	120	2.88	-	38.00	10.13	31.95

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5180MHz_TX




EUT_Z_2TX
Setting 15
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34643G	55.39	68.20	-12.81	40.50	3	Horizontal	265	1.82	-	38.49	8.18	31.78
PK	15.52794G	58.54	74.00	-15.46	42.35	3	Horizontal	33	2.62	-	38.00	10.14	31.95
AV	15.5279G	45.94	54.00	-8.06	29.75	3	Horizontal	33	2.62	-	38.00	10.14	31.95

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5320MHz_TX




EUT_Z_2TX
Setting 13.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3289G	115.06	Inf	-Inf	107.84	3	Vertical	123	1.05	-	32.64	5.40	30.82
AV	5.329G	104.02	Inf	-Inf	96.80	3	Vertical	123	1.05	-	32.64	5.40	30.82
PK	5.3644G	71.48	74.00	-2.52	64.30	3	Vertical	123	1.05	-	32.63	5.40	30.85
AV	5.3614G	48.33	54.00	-5.67	41.16	3	Vertical	123	1.05	-	32.62	5.40	30.85

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5320MHz_TX




EUT_Z_2TX
Setting 13.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3276G	117.55	Inf	-Inf	110.33	3	Horizontal	3	2.89	-	32.64	5.40	30.82
AV	5.3278G	105.99	Inf	-Inf	98.77	3	Horizontal	3	2.89	-	32.64	5.40	30.82
PK	5.3628G	73.85	74.00	-0.15	66.67	3	Horizontal	3	2.89	-	32.63	5.40	30.85
AV	5.3625G	50.49	54.00	-3.51	43.32	3	Horizontal	3	2.89	-	32.62	5.40	30.85

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5320MHz_TX




EUT_Z_2TX
Setting 13.5
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65653G	56.03	74.00	-17.97	40.62	3	Vertical	276	1.42	-	39.00	8.28	31.87
AV	10.65649G	43.16	54.00	-10.84	27.75	3	Vertical	276	1.42	-	39.00	8.28	31.87
PK	15.98003G	57.77	74.00	-16.23	42.05	3	Vertical	235	1.51	-	37.44	10.27	31.99
AV	15.97999G	44.96	54.00	-9.04	29.24	3	Vertical	235	1.51	-	37.44	10.27	31.99

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5320MHz_TX




EUT_Z_2TX
Setting 13.5
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65641G	57.86	74.00	-16.14	42.45	3	Horizontal	309	1.94	-	39.00	8.28	31.87
AV	10.6563G	44.39	54.00	-9.61	28.98	3	Horizontal	309	1.94	-	39.00	8.28	31.87
PK	15.98034G	57.75	74.00	-16.25	42.03	3	Horizontal	146	2.08	-	37.44	10.27	31.99
AV	15.98033G	44.74	54.00	-9.26	29.02	3	Horizontal	146	2.08	-	37.44	10.27	31.99

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5320MHz_TX




EUT_Z_2TX
Setting 13.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3284G	112.47	Inf	-Inf	105.25	3	Vertical	118	1.05	-	32.64	5.40	30.82
AV	5.3282G	101.68	Inf	-Inf	94.46	3	Vertical	118	1.05	-	32.64	5.40	30.82
PK	5.3551G	68.14	74.00	-5.86	60.97	3	Vertical	118	1.05	-	32.61	5.40	30.84
AV	5.3578G	47.68	54.00	-6.32	40.51	3	Vertical	118	1.05	-	32.62	5.40	30.85

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5320MHz_TX




EUT_Z_2TX
Setting 13.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3269G	118.19	Inf	-Inf	110.96	3	Horizontal	348	2.50	-	32.65	5.40	30.82
AV	5.3271G	105.63	Inf	-Inf	98.40	3	Horizontal	348	2.50	-	32.65	5.40	30.82
PK	5.3571G	72.13	74.00	-1.87	64.97	3	Horizontal	348	2.50	-	32.61	5.40	30.85
AV	5.3566G	50.36	54.00	-3.64	43.20	3	Horizontal	348	2.50	-	32.61	5.40	30.85

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5320MHz_TX




EUT_Z_2TX
Setting 13.5
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65377G	55.77	74.00	-18.23	40.36	3	Vertical	292	2.01	-	39.00	8.28	31.87
AV	10.65405G	42.37	54.00	-11.63	26.96	3	Vertical	292	2.01	-	39.00	8.28	31.87
PK	15.98107G	57.65	74.00	-16.35	41.93	3	Vertical	129	3.00	-	37.44	10.27	31.99
AV	15.9855G	44.46	54.00	-9.54	28.74	3	Vertical	129	3.00	-	37.43	10.28	31.99

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5320MHz_TX




EUT_Z_2TX
Setting 13.5
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6543G	55.58	74.00	-18.42	40.17	3	Horizontal	272	2.14	-	39.00	8.28	31.87
AV	10.65414G	42.07	54.00	-11.93	26.66	3	Horizontal	272	2.14	-	39.00	8.28	31.87
PK	15.98158G	57.52	74.00	-16.48	41.80	3	Horizontal	94	2.80	-	37.44	10.27	31.99
AV	15.98336G	44.55	54.00	-9.45	28.84	3	Horizontal	94	2.80	-	37.43	10.27	31.99

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5320MHz_TX




EUT_Z_2TX
Setting 14.5
04-K-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3287G	110.21	Inf	-Inf	104.63	3	Vertical	159	1.80	-	32.86	6.05	33.33
AV	5.3286G	99.22	Inf	-Inf	93.64	3	Vertical	159	1.80	-	32.86	6.05	33.33
PK	5.3502G	66.26	74.00	-7.74	60.63	3	Vertical	159	1.80	-	32.90	6.07	33.34
AV	5.3533G	49.27	54.00	-4.73	43.63	3	Vertical	159	1.80	-	32.91	6.07	33.34

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5320MHz_TX




EUTZ_2TX
Setting 14.5
04-K-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3266G	116.86	Inf	-Inf	111.29	3	Horizontal	360	2.54	-	32.85	6.05	33.33
AV	5.3267G	105.88	Inf	-Inf	100.31	3	Horizontal	360	2.54	-	32.85	6.05	33.33
PK	5.3513G	69.21	74.00	-4.79	63.57	3	Horizontal	360	2.54	-	32.91	6.07	33.34
AV	5.3514G	52.45	54.00	-1.55	46.81	3	Horizontal	360	2.54	-	32.91	6.07	33.34

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5320MHz_TX




EUT_Z_2TX
Setting 14.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64895G	54.57	74.00	-19.43	40.60	3	Vertical	292	2.02	-	38.90	9.04	33.97
AV	10.64906G	41.63	54.00	-12.37	27.66	3	Vertical	292	2.02	-	38.90	9.04	33.97
PK	15.94354G	58.45	74.00	-15.55	43.68	3	Vertical	84	1.80	-	38.37	11.42	35.02
AV	15.93608G	44.56	54.00	-9.44	29.82	3	Vertical	84	1.80	-	38.34	11.42	35.02

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5320MHz_TX




EUT_Z_2TX
Setting 14.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65209G	54.46	74.00	-19.54	40.49	3	Horizontal	271	2.26	-	38.90	9.04	33.97
AV	10.64927G	41.39	54.00	-12.61	27.42	3	Horizontal	271	2.26	-	38.90	9.04	33.97
PK	15.94734G	57.39	74.00	-16.61	42.60	3	Horizontal	192	1.80	-	38.39	11.42	35.02
AV	15.92968G	44.52	54.00	-9.48	29.80	3	Horizontal	192	1.80	-	38.32	11.42	35.02

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5500MHz_TX




EUT_Z_2TX
Setting 14
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	71.56	74.00	-2.44	64.43	3	Vertical	117	1.91	-	32.60	5.46	30.93
AV	5.4574G	48.42	54.00	-5.58	41.29	3	Vertical	117	1.91	-	32.60	5.46	30.93
PK	5.4602G	62.39	68.20	-5.81	55.26	3	Vertical	117	1.91	-	32.60	5.46	30.93
PK	5.4916G	115.56	Inf	-Inf	108.43	3	Vertical	117	1.91	-	32.60	5.48	30.95
AV	5.4918G	105.30	Inf	-Inf	98.17	3	Vertical	117	1.91	-	32.60	5.48	30.95

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5500MHz_TX




EUT_Z_2TX
Setting 14
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	73.76	74.00	-0.24	66.63	3	Horizontal	360	2.94	-	32.60	5.46	30.93
AV	5.457G	50.80	54.00	-3.20	43.67	3	Horizontal	360	2.94	-	32.60	5.46	30.93
PK	5.4602G	65.19	68.20	-3.01	58.06	3	Horizontal	360	2.94	-	32.60	5.46	30.93
PK	5.4918G	119.29	Inf	-Inf	112.16	3	Horizontal	360	2.94	-	32.60	5.48	30.95
AV	5.4918G	108.37	Inf	-Inf	101.24	3	Horizontal	360	2.94	-	32.60	5.48	30.95

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5500MHz_TX




EUT_Z_2TX
Setting 14
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.016G	46.29	74.00	-27.71	42.25	3	Vertical	293	1.00	-	38.74	8.41	43.11
AV	11.01595G	32.68	54.00	-21.32	28.64	3	Vertical	293	1.00	-	38.74	8.41	43.11
PK	16.503G	49.24	68.20	-18.96	41.53	3	Vertical	300	1.80	-	38.68	10.63	41.60

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5500MHz_TX




EUT_Z_2TX
Setting 14
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9088G	42.52	74.00	-31.48	38.34	3	Horizontal	92	2.27	-	38.90	8.37	43.09
AV	10.9412G	29.14	54.00	-24.86	24.95	3	Horizontal	92	2.27	-	38.90	8.38	43.09
PK	16.49902G	49.30	68.20	-18.90	41.58	3	Horizontal	164	1.80	-	38.69	10.63	41.60

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5500MHz_TX




EUT_Z_2TX
Setting 12
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	62.98	74.00	-11.02	55.85	3	Vertical	119	1.90	-	32.60	5.46	30.93
AV	5.4584G	46.99	54.00	-7.01	39.86	3	Vertical	119	1.90	-	32.60	5.46	30.93
PK	5.4612G	64.62	68.20	-3.58	57.49	3	Vertical	119	1.90	-	32.60	5.46	30.93
PK	5.491G	112.52	Inf	-Inf	105.39	3	Vertical	119	1.90	-	32.60	5.48	30.95
AV	5.4933G	100.07	Inf	-Inf	92.94	3	Vertical	119	1.90	-	32.60	5.48	30.95

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5500MHz_TX




EUT_Z_2TX
Setting 12
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4587G	64.81	74.00	-9.19	57.68	3	Horizontal	-0	2.41	-	32.60	5.46	30.93
AV	5.4584G	48.65	54.00	-5.35	41.52	3	Horizontal	-0	2.41	-	32.60	5.46	30.93
PK	5.4608G	67.05	68.20	-1.15	59.92	3	Horizontal	-0	2.41	-	32.60	5.46	30.93
PK	5.4934G	114.03	Inf	-Inf	106.90	3	Horizontal	-0	2.41	-	32.60	5.48	30.95
AV	5.4933G	102.18	Inf	-Inf	95.05	3	Horizontal	-0	2.41	-	32.60	5.48	30.95

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5500MHz_TX




EUT_Z_2TX
Setting 12
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98349G	56.14	74.00	-17.86	40.90	3	Vertical	296	3.00	-	38.83	8.39	31.98
AV	10.98389G	43.01	54.00	-10.99	27.77	3	Vertical	296	3.00	-	38.83	8.39	31.98
PK	16.48129G	60.64	68.20	-7.56	43.78	3	Vertical	152	1.80	-	38.59	10.61	32.34

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5500MHz_TX




EUT_Z_2TX
Setting 12
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99154G	54.49	74.00	-19.51	39.26	3	Horizontal	143	1.04	-	38.82	8.40	31.99
AV	10.97452G	40.96	54.00	-13.04	25.70	3	Horizontal	143	1.04	-	38.85	8.39	31.98
PK	16.4803G	61.12	68.20	-7.08	44.27	3	Horizontal	237	2.77	-	38.58	10.61	32.34

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5500MHz_TX




EUT_Z_2TX
Setting 14
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4599G	59.37	74.00	-14.63	52.24	3	Vertical	118	1.90	-	32.60	5.46	30.93
AV	5.456G	46.60	54.00	-7.40	39.47	3	Vertical	118	1.90	-	32.60	5.45	30.92
PK	5.4649G	66.33	68.20	-1.87	59.20	3	Vertical	118	1.90	-	32.60	5.46	30.93
PK	5.4942G	110.45	Inf	-Inf	103.32	3	Vertical	118	1.90	-	32.60	5.49	30.96
AV	5.4921G	98.92	Inf	-Inf	91.79	3	Vertical	118	1.90	-	32.60	5.48	30.95

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5500MHz_TX




EUT_Z_2TX
Setting 14
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.92	74.00	-11.08	55.79	3	Horizontal	5	2.98	-	32.60	5.46	30.93
AV	5.4589G	48.45	54.00	-5.55	41.32	3	Horizontal	5	2.98	-	32.60	5.46	30.93
PK	5.4674G	68.08	68.20	-0.12	60.95	3	Horizontal	5	2.98	-	32.60	5.46	30.93
PK	5.495G	113.51	Inf	-Inf	106.38	3	Horizontal	5	2.98	-	32.60	5.49	30.96
AV	5.495G	101.00	Inf	-Inf	93.87	3	Horizontal	5	2.98	-	32.60	5.49	30.96

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5500MHz_TX




EUT_Z_2TX
Setting 14
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9886G	55.77	74.00	-18.23	40.54	3	Vertical	292	2.54	-	38.82	8.40	31.99
AV	10.98884G	43.08	54.00	-10.92	27.85	3	Vertical	292	2.54	-	38.82	8.40	31.99
PK	16.4801G	60.09	68.20	-8.11	43.24	3	Vertical	244	2.02	-	38.58	10.61	32.34

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5500MHz_TX




EUT_Z_2TX
Setting 14
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98552G	53.74	74.00	-20.26	38.49	3	Horizontal	157	2.99	-	38.83	8.40	31.98
AV	10.97812G	40.91	54.00	-13.09	25.66	3	Horizontal	157	2.99	-	38.84	8.39	31.98
PK	16.47865G	59.88	68.20	-8.32	43.03	3	Horizontal	188	1.09	-	38.57	10.61	32.33

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5700MHz_TX




EUTZ_2TX
Setting 11.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.709G	114.49	Inf	-Inf	106.88	3	Vertical	128	1.04	-	33.07	5.60	31.06
AV	5.7091G	103.20	Inf	-Inf	95.59	3	Vertical	128	1.04	-	33.07	5.60	31.06
PK	5.7422G	65.23	68.20	-2.97	57.35	3	Vertical	128	1.04	-	33.34	5.61	31.07

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5700MHz_TX




EUT_Z_2TX
Setting 11.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7081G	120.14	Inf	-Inf	112.54	3	Horizontal	166	2.43	-	33.06	5.60	31.06
AV	5.7082G	108.38	Inf	-Inf	100.77	3	Horizontal	166	2.43	-	33.07	5.60	31.06
PK	5.743G	67.76	68.20	-0.44	59.88	3	Horizontal	166	2.43	-	33.34	5.61	31.07

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5700MHz_TX




EUT_Z_2TX
Setting 11.5
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41592G	59.14	74.00	-14.86	43.89	3	Vertical	285	2.05	-	38.84	8.54	32.13
AV	11.41616G	44.32	54.00	-9.68	29.07	3	Vertical	285	2.05	-	38.84	8.54	32.13
PK	17.12036G	60.49	68.20	-7.71	43.26	3	Vertical	118	1.57	-	38.38	11.06	32.21

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5700MHz_TX




EUT_Z_2TX
Setting 11.5
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41596G	58.59	74.00	-15.41	43.34	3	Horizontal	284	1.87	-	38.84	8.54	32.13
AV	11.41601G	44.35	54.00	-9.65	29.10	3	Horizontal	284	1.87	-	38.84	8.54	32.13
PK	17.11346G	60.24	68.20	-7.96	43.05	3	Horizontal	31	1.79	-	38.35	11.05	32.21

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5700MHz_TX




EUT_Z_2TX
Setting 11.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7089G	111.99	Inf	-Inf	104.39	3	Vertical	129	1.04	-	33.06	5.60	31.06
AV	5.7089G	100.03	Inf	-Inf	92.42	3	Vertical	129	1.04	-	33.07	5.60	31.06
PK	5.7369G	63.90	68.20	-4.30	56.06	3	Vertical	129	1.04	-	33.30	5.61	31.07

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5700MHz_TX




EUT_Z_2TX
Setting 11.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7076G	116.63	Inf	-Inf	109.03	3	Horizontal	169	2.58	-	33.06	5.60	31.06
AV	5.7079G	104.91	Inf	-Inf	97.31	3	Horizontal	169	2.58	-	33.06	5.60	31.06
PK	5.7386G	68.01	68.20	-0.19	60.16	3	Horizontal	169	2.58	-	33.31	5.61	31.07

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5700MHz_TX




EUTZ_2TX
Setting 11.5
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41597G	58.28	74.00	-15.72	43.03	3	Vertical	291	1.91	-	38.84	8.54	32.13
AV	11.41363G	44.43	54.00	-9.57	29.17	3	Vertical	291	1.91	-	38.85	8.54	32.13
PK	17.11872G	59.87	68.20	-8.33	42.65	3	Vertical	340	2.45	-	38.37	11.06	32.21

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5700MHz_TX




EUT_Z_2TX
Setting 11.5
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41533G	55.42	74.00	-18.58	40.17	3	Horizontal	295	1.90	-	38.84	8.54	32.13
AV	11.41593G	42.62	54.00	-11.38	27.37	3	Horizontal	295	1.90	-	38.84	8.54	32.13
PK	17.12613G	60.14	68.20	-8.06	42.90	3	Horizontal	119	2.83	-	38.40	11.06	32.22

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5700MHz_TX




EUT_Z_2TX
Setting 13
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7064G	109.93	Inf	-Inf	103.34	3	Vertical	168	1.00	-	33.83	6.21	33.45
AV	5.7018G	98.12	Inf	-Inf	91.55	3	Vertical	168	1.00	-	33.81	6.21	33.45
PK	5.7256G	64.73	68.20	-3.47	58.07	3	Vertical	168	1.00	-	33.90	6.21	33.45

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5700MHz_TX




EUT_Z_2TX
Setting 13
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7064G	117.03	Inf	-Inf	110.44	3	Horizontal	174	2.55	-	33.83	6.21	33.45
AV	5.7037G	104.69	Inf	-Inf	98.12	3	Horizontal	174	2.55	-	33.81	6.21	33.45
PK	5.7271G	65.92	68.20	-2.28	59.25	3	Horizontal	174	2.55	-	33.91	6.21	33.45

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5700MHz_TX




EUT_Z_2TX
Setting 13
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40884G	56.95	74.00	-17.05	43.35	3	Vertical	292	1.91	-	38.80	9.43	34.63
AV	11.41131G	43.53	54.00	-10.47	29.93	3	Vertical	292	1.91	-	38.80	9.43	34.63
PK	17.11052G	60.08	68.20	-8.12	41.79	3	Vertical	74	2.43	-	41.02	12.34	35.07

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5700MHz_TX




EUT_Z_2TX
Setting 13
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41546G	54.52	74.00	-19.48	40.93	3	Horizontal	113	1.80	-	38.80	9.43	34.64
AV	11.40675G	41.28	54.00	-12.72	27.68	3	Horizontal	113	1.80	-	38.80	9.43	34.63
PK	17.11658G	59.80	68.20	-8.40	41.49	3	Horizontal	296	2.17	-	41.03	12.35	35.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.43447G	59.56	74.00	-14.44	53.55	3	Vertical	120	1.06	-	33.24	6.14	33.37
PK	5.46627G	59.51	68.20	-8.69	53.34	3	Vertical	120	1.06	-	33.40	6.15	33.38
AV	5.45067G	47.95	54.00	-6.05	41.87	3	Vertical	120	1.06	-	33.30	6.15	33.37
PK	5.71107G	118.65	Inf	-Inf	112.05	3	Vertical	120	1.06	-	33.84	6.21	33.45
AV	5.71107G	111.87	Inf	-Inf	105.27	3	Vertical	120	1.06	-	33.84	6.21	33.45
PK	5.85927G	62.10	68.20	-6.10	54.88	3	Vertical	120	1.06	-	34.46	6.25	33.49

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.41819G	59.48	74.00	-14.52	53.54	3	Horizontal	170	2.25	-	33.17	6.13	33.36
PK	5.46439G	59.55	68.20	-8.65	53.39	3	Horizontal	170	2.25	-	33.39	6.15	33.38
AV	5.46G	48.00	54.00	-6.00	41.87	3	Horizontal	170	2.25	-	33.36	6.15	33.38
PK	5.71159G	122.21	Inf	-Inf	115.60	3	Horizontal	170	2.25	-	33.85	6.21	33.45
AV	5.71159G	115.69	Inf	-Inf	109.08	3	Horizontal	170	2.25	-	33.85	6.21	33.45
PK	5.95219G	62.07	68.20	-6.13	54.25	3	Horizontal	170	2.25	-	35.00	6.34	33.52

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 20
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42318G	62.78	74.00	-11.22	49.18	3	Vertical	290	3.00	-	38.80	9.44	34.64
AV	11.42326G	53.75	54.00	-0.25	40.15	3	Vertical	290	3.00	-	38.80	9.44	34.64
PK	17.13438G	63.73	68.20	-4.47	45.37	3	Vertical	181	1.74	-	41.07	12.36	35.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 20
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42416G	59.74	74.00	-14.26	46.14	3	Horizontal	326	1.80	-	38.80	9.44	34.64
AV	11.42368G	50.07	54.00	-3.93	36.47	3	Horizontal	326	1.80	-	38.80	9.44	34.64
PK	17.13546G	62.70	68.20	-5.50	44.34	3	Horizontal	211	1.15	-	41.07	12.36	35.07

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	59.64	74.00	-14.36	53.52	3	Vertical	134	1.03	-	33.34	6.15	33.37
AV	5.4596G	47.99	54.00	-6.01	41.86	3	Vertical	134	1.03	-	33.36	6.15	33.38
PK	5.4668G	59.92	68.20	-8.28	53.75	3	Vertical	134	1.03	-	33.40	6.15	33.38
PK	5.714G	119.40	Inf	-Inf	112.78	3	Vertical	134	1.03	-	33.86	6.21	33.45
AV	5.714G	110.73	Inf	-Inf	104.11	3	Vertical	134	1.03	-	33.86	6.21	33.45
PK	5.951G	61.92	68.20	-6.28	54.10	3	Vertical	134	1.03	-	35.00	6.34	33.52

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	59.79	74.00	-14.21	53.67	3	Horizontal	184	3.00	-	33.34	6.15	33.37
AV	5.4536G	47.97	54.00	-6.03	41.87	3	Horizontal	184	3.00	-	33.32	6.15	33.37
PK	5.4626G	59.48	68.20	-8.72	53.33	3	Horizontal	184	3.00	-	33.38	6.15	33.38
PK	5.714G	121.66	Inf	-Inf	115.04	3	Horizontal	184	3.00	-	33.86	6.21	33.45
AV	5.7116G	113.27	Inf	-Inf	106.66	3	Horizontal	184	3.00	-	33.85	6.21	33.45
PK	5.9894G	62.26	68.20	-5.94	54.42	3	Horizontal	184	3.00	-	35.00	6.37	33.53

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42386G	64.08	74.00	-9.92	50.48	3	Vertical	287	2.93	-	38.80	9.44	34.64
AV	11.42594G	53.86	54.00	-0.14	40.27	3	Vertical	287	2.93	-	38.80	9.44	34.65
PK	17.13732G	65.27	68.20	-2.93	46.90	3	Vertical	0	1.83	-	41.07	12.37	35.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42576G	60.98	74.00	-13.02	47.39	3	Horizontal	326	1.80	-	38.80	9.44	34.65
AV	11.42582G	50.62	54.00	-3.38	37.03	3	Horizontal	326	1.80	-	38.80	9.44	34.65
PK	17.13642G	61.78	68.20	-6.42	43.42	3	Horizontal	117	2.91	-	41.07	12.36	35.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	60.13	74.00	-13.87	54.01	3	Vertical	133	1.03	-	33.35	6.15	33.38
AV	5.4578G	47.80	54.00	-6.20	41.67	3	Vertical	133	1.03	-	33.35	6.15	33.37
PK	5.4656G	59.19	68.20	-9.01	53.03	3	Vertical	133	1.03	-	33.39	6.15	33.38
PK	5.7116G	117.30	Inf	-Inf	110.69	3	Vertical	133	1.03	-	33.85	6.21	33.45
AV	5.714G	107.40	Inf	-Inf	100.78	3	Vertical	133	1.03	-	33.86	6.21	33.45
PK	5.9564G	62.26	68.20	-5.94	54.44	3	Vertical	133	1.03	-	35.00	6.34	33.52

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.429G	59.87	74.00	-14.13	53.88	3	Horizontal	164	3.00	-	33.22	6.13	33.36
PK	5.4686G	60.13	68.20	-8.07	53.95	3	Horizontal	164	3.00	-	33.41	6.15	33.38
AV	5.4596G	47.99	54.00	-6.01	41.86	3	Horizontal	164	3.00	-	33.36	6.15	33.38
PK	5.7134G	119.89	Inf	-Inf	113.28	3	Horizontal	164	3.00	-	33.85	6.21	33.45
AV	5.7164G	110.35	Inf	-Inf	103.72	3	Horizontal	164	3.00	-	33.87	6.21	33.45
PK	5.9708G	61.78	68.20	-6.42	53.95	3	Horizontal	164	3.00	-	35.00	6.35	33.52

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42619G	62.54	74.00	-11.46	48.95	3	Vertical	282	3.00	-	38.80	9.44	34.65
AV	11.42841G	52.20	54.00	-1.80	38.61	3	Vertical	282	3.00	-	38.80	9.44	34.65
PK	17.14974G	63.37	68.20	-4.83	44.96	3	Vertical	357	1.54	-	41.10	12.38	35.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42859G	60.48	74.00	-13.52	46.89	3	Horizontal	329	2.27	-	38.80	9.44	34.65
AV	11.42871G	50.17	54.00	-3.83	36.58	3	Horizontal	329	2.27	-	38.80	9.44	34.65
PK	17.14396G	61.92	68.20	-6.28	43.53	3	Horizontal	268	1.42	-	41.09	12.37	35.07

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5745MHz_TX




EUT_Z_2TX
Setting 20.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6655G	74.87	79.67	-4.80	67.60	3	Vertical	122	1.02	-	32.72	5.59	31.04
PK	5.737G	112.68	Inf	-Inf	104.84	3	Vertical	122	1.02	-	33.30	5.61	31.07
AV	5.737G	104.24	Inf	-Inf	96.40	3	Vertical	122	1.02	-	33.30	5.61	31.07
PK	5.9245G	58.95	68.57	-9.62	50.34	3	Vertical	122	1.02	-	34.00	5.77	31.16

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5745MHz_TX




EUT_Z_2TX
Setting 20.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6335G	67.75	68.20	-0.45	60.59	3	Horizontal	166	2.54	-	32.60	5.58	31.02
PK	5.7355G	123.93	Inf	-Inf	116.11	3	Horizontal	166	2.54	-	33.28	5.61	31.07
AV	5.736G	114.77	Inf	-Inf	106.94	3	Horizontal	166	2.54	-	33.29	5.61	31.07
PK	5.933G	58.58	68.20	-9.62	49.96	3	Horizontal	166	2.54	-	34.00	5.78	31.16

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5745MHz_TX




EUT_Z_2TX
Setting 18
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47345G	66.90	74.00	-7.10	51.74	3	Vertical	286	1.99	-	38.75	8.56	32.15
AV	11.47316G	53.97	54.00	-0.03	38.81	3	Vertical	286	1.99	-	38.75	8.56	32.15
PK	17.2449G	60.47	68.20	-7.73	42.73	3	Vertical	290	2.44	-	38.89	11.15	32.30

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5745MHz_TX




EUT_Z_2TX
Setting 18
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47342G	64.49	74.00	-9.51	49.33	3	Horizontal	288	2.24	-	38.75	8.56	32.15
AV	11.47328G	52.11	54.00	-1.89	36.95	3	Horizontal	288	2.24	-	38.75	8.56	32.15
PK	17.24489G	59.76	68.20	-8.44	42.02	3	Horizontal	23	2.43	-	38.89	11.15	32.30

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5745MHz_TX




EUT_Z_2TX
Setting 21
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6525G	66.76	70.05	-3.29	59.58	3	Vertical	121	1.02	-	32.62	5.59	31.03
PK	5.7375G	117.72	Inf	-Inf	109.88	3	Vertical	121	1.02	-	33.30	5.61	31.07
AV	5.737G	108.42	Inf	-Inf	100.58	3	Vertical	121	1.02	-	33.30	5.61	31.07
PK	5.959G	58.03	68.20	-10.17	49.42	3	Vertical	121	1.02	-	33.98	5.80	31.17

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5745MHz_TX




EUT_Z_2TX
Setting 21
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.67G	81.11	83.00	-1.89	73.80	3	Horizontal	168	2.51	-	32.76	5.59	31.04
PK	5.7395G	121.79	Inf	-Inf	113.93	3	Horizontal	168	2.51	-	33.32	5.61	31.07
AV	5.7365G	112.28	Inf	-Inf	104.45	3	Horizontal	168	2.51	-	33.29	5.61	31.07
PK	5.9355G	58.59	68.20	-9.61	49.97	3	Horizontal	168	2.51	-	34.00	5.78	31.16

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5745MHz_TX




EUT_Z_2TX
Setting 21
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4735G	65.39	74.00	-8.61	50.23	3	Vertical	282	2.02	-	38.75	8.56	32.15
AV	11.47614G	53.24	54.00	-0.76	38.08	3	Vertical	282	2.02	-	38.75	8.56	32.15
PK	17.22064G	59.92	68.20	-8.28	42.23	3	Vertical	293	1.80	-	38.84	11.13	32.28

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5745MHz_TX




EUT_Z_2TX
Setting 21
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47578G	63.69	74.00	-10.31	48.53	3	Horizontal	306	1.90	-	38.75	8.56	32.15
AV	11.4758G	51.18	54.00	-2.82	36.02	3	Horizontal	306	1.90	-	38.75	8.56	32.15
PK	17.2145G	61.92	68.20	-6.28	44.25	3	Horizontal	286	1.99	-	38.83	11.12	32.28

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5745MHz_TX




EUT_Z_2TX
Setting 21.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.654G	70.83	71.16	-0.33	63.64	3	Vertical	123	1.03	-	32.63	5.59	31.03
PK	5.742G	115.83	Inf	-Inf	107.95	3	Vertical	123	1.03	-	33.34	5.61	31.07
AV	5.742G	105.45	Inf	-Inf	97.57	3	Vertical	123	1.03	-	33.34	5.61	31.07
PK	5.9465G	57.99	68.20	-10.21	49.37	3	Vertical	123	1.03	-	34.00	5.79	31.17

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5745MHz_TX




EUT_Z_2TX
Setting 21.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	66.91	68.20	-1.29	59.76	3	Horizontal	166	2.52	-	32.60	5.58	31.03
PK	5.743G	120.22	Inf	-Inf	112.34	3	Horizontal	166	2.52	-	33.34	5.61	31.07
AV	5.7405G	110.30	Inf	-Inf	102.44	3	Horizontal	166	2.52	-	33.32	5.61	31.07
PK	5.98G	59.93	68.20	-8.27	51.34	3	Horizontal	166	2.52	-	33.94	5.83	31.18

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5745MHz_TX




EUT_Z_2TX
Setting 21.5
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47867G	64.87	74.00	-9.13	49.70	3	Vertical	291	1.98	-	38.76	8.56	32.15
AV	11.47853G	52.52	54.00	-1.48	37.35	3	Vertical	291	1.98	-	38.76	8.56	32.15
PK	17.21828G	62.56	68.20	-5.64	44.87	3	Vertical	293	3.00	-	38.84	11.13	32.28

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5745MHz_TX




EUT_Z_2TX
Setting 21.5
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47829G	61.38	74.00	-12.62	46.21	3	Horizontal	316	1.90	-	38.76	8.56	32.15
AV	11.47849G	48.99	54.00	-5.01	33.82	3	Horizontal	316	1.90	-	38.76	8.56	32.15
PK	17.22424G	59.72	68.20	-8.48	42.02	3	Horizontal	35	2.12	-	38.85	11.13	32.28

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5825MHz_TX




EUT_Z_2TX
Setting 21.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6355G	56.95	68.20	-11.25	49.79	3	Vertical	71	1.80	-	32.60	5.58	31.02
PK	5.834G	115.25	Inf	-Inf	107.05	3	Vertical	71	1.80	-	33.64	5.67	31.11
AV	5.834G	106.95	Inf	-Inf	98.75	3	Vertical	71	1.80	-	33.64	5.67	31.11
PK	5.9335G	66.88	68.20	-1.32	58.26	3	Vertical	71	1.80	-	34.00	5.78	31.16

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5825MHz_TX




EUT_Z_2TX
Setting 21.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.593G	58.15	68.20	-10.05	50.99	3	Horizontal	166	2.59	-	32.60	5.56	31.00
PK	5.833G	122.76	Inf	-Inf	114.57	3	Horizontal	166	2.59	-	33.63	5.67	31.11
AV	5.833G	115.15	Inf	-Inf	106.96	3	Horizontal	166	2.59	-	33.63	5.67	31.11
PK	5.9035G	78.93	84.11	-5.18	70.34	3	Horizontal	166	2.59	-	34.00	5.74	31.15

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5825MHz_TX




EUT_Z_2TX
Setting 21.5
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66815G	67.00	74.00	-7.00	51.86	3	Vertical	283	2.08	-	38.37	8.63	31.86
AV	11.66748G	53.87	54.00	-0.13	38.74	3	Vertical	283	2.08	-	38.37	8.63	31.87
PK	17.50205G	64.86	68.20	-3.34	46.39	3	Vertical	273	2.28	-	39.62	11.32	32.47

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5825MHz_TX




EUTZ_2TX
Setting 21.5
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66568G	66.30	74.00	-7.70	51.18	3	Horizontal	305	1.87	-	38.36	8.63	31.87
AV	11.66778G	53.94	54.00	-0.06	38.80	3	Horizontal	305	1.87	-	38.37	8.63	31.86
PK	17.49804G	62.15	68.20	-6.05	43.70	3	Horizontal	284	2.49	-	39.60	11.32	32.47

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5825MHz_TX




EUT_Z_2TX
Setting 21.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	56.93	68.20	-11.27	49.78	3	Vertical	72	1.22	-	32.60	5.58	31.03
PK	5.832G	114.73	Inf	-Inf	106.54	3	Vertical	72	1.22	-	33.63	5.67	31.11
AV	5.8315G	104.51	Inf	-Inf	96.33	3	Vertical	72	1.22	-	33.63	5.66	31.11
PK	5.926G	63.66	68.20	-4.54	55.05	3	Vertical	72	1.22	-	34.00	5.77	31.16

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5825MHz_TX




EUT_Z_2TX
Setting 21.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.59G	57.03	68.20	-11.17	49.87	3	Horizontal	135	2.02	-	32.60	5.56	31.00
PK	5.8325G	117.33	Inf	-Inf	109.14	3	Horizontal	135	2.02	-	33.63	5.67	31.11
AV	5.8325G	108.05	Inf	-Inf	99.86	3	Horizontal	135	2.02	-	33.63	5.67	31.11
PK	5.9235G	62.82	69.31	-6.49	54.20	3	Horizontal	135	2.02	-	34.00	5.77	31.15

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5825MHz_TX




EUT_Z_2TX
Setting 21.5
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66597G	64.98	74.00	-9.02	49.86	3	Vertical	284	1.36	-	38.36	8.63	31.87
AV	11.66564G	52.34	54.00	-1.66	37.22	3	Vertical	284	1.36	-	38.36	8.63	31.87
PK	17.50082G	64.06	68.20	-4.14	45.60	3	Vertical	276	2.01	-	39.61	11.32	32.47

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5825MHz_TX




EUT_Z_2TX
Setting 21.5
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66549G	61.41	74.00	-12.59	46.29	3	Horizontal	264	1.80	-	38.36	8.63	31.87
AV	11.66551G	49.18	54.00	-4.82	34.06	3	Horizontal	264	1.80	-	38.36	8.63	31.87
PK	17.49742G	61.21	68.20	-6.99	42.77	3	Horizontal	88	2.08	-	39.59	11.32	32.47

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5825MHz_TX




EUT_Z_2TX
Setting 21.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6165G	57.35	68.20	-10.85	50.19	3	Vertical	70	1.12	-	32.60	5.57	31.01
PK	5.833G	114.74	Inf	-Inf	106.55	3	Vertical	70	1.12	-	33.63	5.67	31.11
AV	5.8325G	104.30	Inf	-Inf	96.11	3	Vertical	70	1.12	-	33.63	5.67	31.11
PK	5.9265G	65.15	68.20	-3.05	56.54	3	Vertical	70	1.12	-	34.00	5.77	31.16

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5825MHz_TX




EUT_Z_2TX
Setting 21.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	57.41	68.20	-10.79	50.26	3	Horizontal	165	2.71	-	32.60	5.58	31.03
PK	5.833G	121.16	Inf	-Inf	112.97	3	Horizontal	165	2.71	-	33.63	5.67	31.11
AV	5.833G	111.75	Inf	-Inf	103.56	3	Horizontal	165	2.71	-	33.63	5.67	31.11
PK	5.923G	68.24	69.68	-1.44	59.62	3	Horizontal	165	2.71	-	34.00	5.77	31.15

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5825MHz_TX




EUT_Z_2TX
Setting 21.5
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66082G	63.48	74.00	-10.52	48.40	3	Vertical	291	1.95	-	38.34	8.62	31.88
AV	11.6608G	51.93	54.00	-2.07	36.85	3	Vertical	291	1.95	-	38.34	8.62	31.88
PK	17.4884G	60.41	68.20	-7.79	41.98	3	Vertical	183	2.46	-	39.58	11.31	32.46

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5825MHz_TX



EUT_Z_2TX
Setting 21.5
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66054G	57.98	74.00	-16.02	42.90	3	Horizontal	263	1.80	-	38.34	8.62	31.88
AV	11.66048G	45.47	54.00	-8.53	30.39	3	Horizontal	263	1.80	-	38.34	8.62	31.88
PK	17.49374G	61.33	68.20	-6.87	42.89	3	Horizontal	167	1.00	-	39.59	11.32	32.47




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.647G	68.17	68.20	-0.03	3	Horizontal	355	3.00	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 13
01-K-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1485G	64.22	74.00	-9.78	57.79	3	Vertical	64	1.96	-	32.09	7.24	32.90
AV	5.149G	51.08	54.00	-2.92	44.64	3	Vertical	64	1.96	-	32.10	7.24	32.90
PK	5.1789G	111.11	Inf	-Inf	104.81	3	Vertical	64	1.96	-	31.93	7.26	32.89
AV	5.1794G	102.43	Inf	-Inf	96.14	3	Vertical	64	1.96	-	31.92	7.26	32.89

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
 Setting 13
 01-K-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	68.86	74.00	-5.14	63.62	3	Horizontal	360	1.99	-	32.60	5.90	33.26
AV	5.1496G	53.96	54.00	-0.04	48.72	3	Horizontal	360	1.99	-	32.60	5.90	33.26
PK	5.181G	114.53	Inf	-Inf	109.24	3	Horizontal	360	1.99	-	32.66	5.91	33.28
AV	5.1808G	106.40	Inf	-Inf	101.11	3	Horizontal	360	1.99	-	32.66	5.91	33.28

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
 Setting 12.5
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54309G	62.12	74.00	-11.88	43.48	3	Vertical	236	2.39	-	38.14	12.59	32.09
AV	15.53145G	50.09	54.00	-3.91	31.38	3	Vertical	236	2.39	-	38.21	12.58	32.08

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
 Setting 12.5
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54039G	62.26	74.00	-11.74	43.60	3	Horizontal	105	2.44	-	38.16	12.59	32.09
AV	15.5319G	50.09	54.00	-3.91	31.38	3	Horizontal	105	2.44	-	38.21	12.58	32.08

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 15
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	66.70	74.00	-7.30	60.29	3	Vertical	50	1.00	-	32.08	7.23	32.90
AV	5.15G	53.80	54.00	-0.20	47.36	3	Vertical	50	1.00	-	32.10	7.24	32.90
PK	5.2008G	115.43	Inf	-Inf	109.25	3	Vertical	50	1.00	-	31.79	7.28	32.89
AV	5.2008G	106.82	Inf	-Inf	100.64	3	Vertical	50	1.00	-	31.79	7.28	32.89

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
 Setting 15
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	67.08	74.00	-6.92	60.67	3	Horizontal	360	3.00	-	32.08	7.23	32.90
AV	5.15G	53.91	54.00	-0.09	47.47	3	Horizontal	360	3.00	-	32.10	7.24	32.90
PK	5.2012G	117.15	Inf	-Inf	110.97	3	Horizontal	360	3.00	-	31.79	7.28	32.89
AV	5.201G	108.72	Inf	-Inf	102.54	3	Horizontal	360	3.00	-	31.79	7.28	32.89

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 15
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.58509G	62.10	74.00	-11.90	43.78	3	Vertical	328	1.68	-	37.82	12.61	32.11
AV	15.59862G	49.90	54.00	-4.10	31.69	3	Vertical	328	1.68	-	37.71	12.62	32.12

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 15
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59067G	61.93	74.00	-12.07	43.67	3	Horizontal	98	1.09	-	37.77	12.61	32.12
AV	15.5913G	49.88	54.00	-4.12	31.62	3	Horizontal	98	1.09	-	37.77	12.61	32.12

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 22
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1485G	68.68	74.00	-5.32	62.25	3	Vertical	53	1.00	-	32.09	7.24	32.90
AV	5.15G	51.69	54.00	-2.31	45.25	3	Vertical	53	1.00	-	32.10	7.24	32.90
PK	5.2388G	119.28	Inf	-Inf	113.37	3	Vertical	53	1.00	-	31.49	7.30	32.88
AV	5.2388G	110.09	Inf	-Inf	104.18	3	Vertical	53	1.00	-	31.49	7.30	32.88
PK	5.35G	64.04	74.00	-9.96	58.15	3	Vertical	53	1.00	-	31.40	7.35	32.86
AV	5.3504G	48.58	54.00	-5.42	42.69	3	Vertical	53	1.00	-	31.40	7.35	32.86

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 22
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1413G	69.99	74.00	-4.01	63.59	3	Horizontal	360	3.00	-	32.07	7.23	32.90
AV	5.1476G	52.61	54.00	-1.39	46.18	3	Horizontal	360	3.00	-	32.09	7.24	32.90
PK	5.2412G	122.40	Inf	-Inf	116.51	3	Horizontal	360	3.00	-	31.47	7.30	32.88
AV	5.2412G	113.15	Inf	-Inf	107.26	3	Horizontal	360	3.00	-	31.47	7.30	32.88
PK	5.3726G	65.89	74.00	-8.11	59.94	3	Horizontal	360	3.00	-	31.45	7.36	32.86
AV	5.3525G	49.62	54.00	-4.38	43.72	3	Horizontal	360	3.00	-	31.41	7.35	32.86

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 22
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.73047G	62.83	74.00	-11.17	44.46	3	Vertical	354	1.80	-	37.90	12.68	32.21
AV	15.72513G	50.56	54.00	-3.44	32.19	3	Vertical	354	1.80	-	37.90	12.67	32.20

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 22
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.73164G	63.06	74.00	-10.94	44.69	3	Horizontal	49	1.80	-	37.90	12.68	32.21
AV	15.72381G	50.56	54.00	-3.44	32.19	3	Horizontal	49	1.80	-	37.90	12.67	32.20

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 21
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1352G	63.28	74.00	-10.72	56.92	3	Vertical	51	1.01	-	32.04	7.22	32.90
AV	5.1454G	50.12	54.00	-3.88	43.71	3	Vertical	51	1.01	-	32.08	7.23	32.90
PK	5.2612G	118.94	Inf	-Inf	113.13	3	Vertical	51	1.01	-	31.38	7.31	32.88
AV	5.2609G	109.65	Inf	-Inf	103.84	3	Vertical	51	1.01	-	31.38	7.31	32.88
PK	5.3518G	65.21	74.00	-8.79	59.32	3	Vertical	51	1.01	-	31.40	7.35	32.86
AV	5.3512G	51.48	54.00	-2.52	45.59	3	Vertical	51	1.01	-	31.40	7.35	32.86

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 21
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	61.90	74.00	-12.10	55.47	3	Horizontal	360	3.00	-	32.09	7.24	32.90
AV	5.1463G	50.46	54.00	-3.54	44.04	3	Horizontal	360	3.00	-	32.09	7.23	32.90
PK	5.2615G	121.47	Inf	-Inf	115.66	3	Horizontal	360	3.00	-	31.38	7.31	32.88
AV	5.2612G	112.35	Inf	-Inf	106.54	3	Horizontal	360	3.00	-	31.38	7.31	32.88
PK	5.356G	66.59	74.00	-7.41	60.69	3	Horizontal	360	3.00	-	31.41	7.35	32.86
AV	5.3512G	53.34	54.00	-0.66	47.45	3	Horizontal	360	3.00	-	31.40	7.35	32.86

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 21
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77103G	62.13	74.00	-11.87	43.90	3	Vertical	328	1.43	-	37.77	12.69	32.23
AV	15.76887G	50.19	54.00	-3.81	31.94	3	Vertical	328	1.43	-	37.79	12.69	32.23

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 21
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.76596G	62.55	74.00	-11.45	44.29	3	Horizontal	219	2.27	-	37.80	12.69	32.23
AV	15.76647G	50.19	54.00	-3.81	31.93	3	Horizontal	219	2.27	-	37.80	12.69	32.23

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 17.5
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2988G	115.22	Inf	-Inf	109.47	3	Vertical	51	1.01	-	31.30	7.32	32.87
AV	5.2985G	107.34	Inf	-Inf	101.59	3	Vertical	51	1.01	-	31.30	7.32	32.87
PK	5.3522G	66.68	74.00	-7.32	60.79	3	Vertical	51	1.01	-	31.40	7.35	32.86
AV	5.3507G	52.57	54.00	-1.43	46.68	3	Vertical	51	1.01	-	31.40	7.35	32.86

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 17.5
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2988G	117.59	Inf	-Inf	111.84	3	Horizontal	0	1.80	-	31.30	7.32	32.87
AV	5.2988G	109.62	Inf	-Inf	103.87	3	Horizontal	0	1.80	-	31.30	7.32	32.87
PK	5.3525G	67.13	74.00	-6.87	61.23	3	Horizontal	0	1.80	-	31.41	7.35	32.86
AV	5.3504G	53.64	54.00	-0.36	47.75	3	Horizontal	0	1.80	-	31.40	7.35	32.86

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUTZ_2TX
Setting 17.5
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60197G	59.70	74.00	-14.30	42.29	3	Vertical	327	1.41	-	39.60	10.35	32.54
AV	10.61497G	47.74	54.00	-6.26	30.32	3	Vertical	327	1.41	-	39.60	10.36	32.54
PK	15.9021G	62.17	74.00	-11.83	44.35	3	Vertical	8	1.01	-	37.39	12.75	32.32
AV	15.90327G	49.54	54.00	-4.46	31.71	3	Vertical	8	1.01	-	37.39	12.76	32.32

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUTZ_2TX
 Setting 17.5
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60916G	60.05	74.00	-13.95	42.63	3	Horizontal	135	2.90	-	39.60	10.36	32.54
AV	10.6117G	47.59	54.00	-6.41	30.17	3	Horizontal	135	2.90	-	39.60	10.36	32.54
PK	15.89883G	61.99	74.00	-12.01	44.16	3	Horizontal	87	1.63	-	37.40	12.75	32.32
AV	15.89337G	49.66	54.00	-4.34	31.82	3	Horizontal	87	1.63	-	37.40	12.75	32.31

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 13.5
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3188G	112.69	Inf	-Inf	106.89	3	Vertical	50	1.00	-	31.34	7.33	32.87
AV	5.3188G	104.13	Inf	-Inf	98.33	3	Vertical	50	1.00	-	31.34	7.33	32.87
PK	5.3528G	69.21	74.00	-4.79	63.31	3	Vertical	50	1.00	-	31.41	7.35	32.86
AV	5.35G	52.45	54.00	-1.55	46.56	3	Vertical	50	1.00	-	31.40	7.35	32.86

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 13.5
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3188G	114.14	Inf	-Inf	108.34	3	Horizontal	360	1.80	-	31.34	7.33	32.87
AV	5.3188G	106.16	Inf	-Inf	100.36	3	Horizontal	360	1.80	-	31.34	7.33	32.87
PK	5.3524G	67.45	74.00	-6.55	61.56	3	Horizontal	360	1.80	-	31.40	7.35	32.86
AV	5.35G	53.44	54.00	-0.56	47.55	3	Horizontal	360	1.80	-	31.40	7.35	32.86

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 13.5
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65032G	60.22	74.00	-13.78	42.78	3	Vertical	351	1.43	-	39.60	10.38	32.54
AV	10.64543G	48.13	54.00	-5.87	30.70	3	Vertical	351	1.43	-	39.60	10.37	32.54
PK	15.95448G	61.38	74.00	-12.62	43.76	3	Vertical	297	1.51	-	37.19	12.78	32.35
AV	15.94665G	48.88	54.00	-5.12	31.24	3	Vertical	297	1.51	-	37.21	12.78	32.35

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 13.5
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64273G	61.18	74.00	-12.82	43.75	3	Horizontal	133	2.18	-	39.60	10.37	32.54
AV	10.64525G	48.13	54.00	-5.87	30.70	3	Horizontal	133	2.18	-	39.60	10.37	32.54
PK	15.94806G	60.86	74.00	-13.14	43.22	3	Horizontal	230	2.28	-	37.21	12.78	32.35
AV	15.94539G	48.81	54.00	-5.19	31.17	3	Horizontal	230	2.28	-	37.22	12.77	32.35

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 13
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	61.95	74.00	-12.05	55.71	3	Vertical	23	1.01	-	31.68	7.40	32.84
PK	5.4656G	65.12	68.20	-3.08	58.78	3	Vertical	23	1.01	-	31.76	7.42	32.84
AV	5.457G	50.52	54.00	-3.48	44.22	3	Vertical	23	1.01	-	31.73	7.41	32.84
PK	5.5006G	109.96	Inf	-Inf	103.44	3	Vertical	23	1.01	-	31.90	7.45	32.83
AV	5.501G	101.91	Inf	-Inf	95.39	3	Vertical	23	1.01	-	31.90	7.45	32.83

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 13
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	64.35	74.00	-9.65	58.04	3	Horizontal	360	1.80	-	31.74	7.41	32.84
AV	5.46G	52.59	54.00	-1.41	46.27	3	Horizontal	360	1.80	-	31.74	7.42	32.84
PK	5.4664G	67.44	68.20	-0.76	61.09	3	Horizontal	360	1.80	-	31.77	7.42	32.84
PK	5.501G	114.33	Inf	-Inf	107.81	3	Horizontal	360	1.80	-	31.90	7.45	32.83
AV	5.5008G	106.55	Inf	-Inf	100.03	3	Horizontal	360	1.80	-	31.90	7.45	32.83

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 13
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01137G	59.86	74.00	-14.14	41.84	3	Vertical	187	2.98	-	39.98	10.58	32.54
AV	10.98827G	47.94	54.00	-6.06	29.87	3	Vertical	187	2.98	-	40.05	10.56	32.54

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 13
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98761G	60.37	74.00	-13.63	42.30	3	Horizontal	95	2.19	-	40.05	10.56	32.54
AV	10.98779G	47.95	54.00	-6.05	29.88	3	Horizontal	95	2.19	-	40.05	10.56	32.54

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
 Setting 22
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4552G	59.38	74.00	-14.62	53.09	3	Vertical	11	1.80	-	31.72	7.41	32.84
AV	5.4564G	48.50	54.00	-5.50	42.20	3	Vertical	11	1.80	-	31.73	7.41	32.84
PK	5.462G	60.14	68.20	-8.06	53.81	3	Vertical	11	1.80	-	31.75	7.42	32.84
PK	5.5808G	115.30	Inf	-Inf	108.91	3	Vertical	11	1.80	-	31.74	7.51	32.86
AV	5.5808G	106.33	Inf	-Inf	99.94	3	Vertical	11	1.80	-	31.74	7.51	32.86
PK	5.7548G	61.28	68.20	-6.92	54.52	3	Vertical	11	1.80	-	32.11	7.57	32.92

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 22
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	62.53	74.00	-11.47	56.23	3	Horizontal	360	1.80	-	31.73	7.41	32.84
AV	5.456G	50.17	54.00	-3.83	43.88	3	Horizontal	360	1.80	-	31.72	7.41	32.84
PK	5.4624G	64.55	68.20	-3.65	58.22	3	Horizontal	360	1.80	-	31.75	7.42	32.84
PK	5.5808G	121.77	Inf	-Inf	115.38	3	Horizontal	360	1.80	-	31.74	7.51	32.86
AV	5.5808G	112.75	Inf	-Inf	106.36	3	Horizontal	360	1.80	-	31.74	7.51	32.86
PK	5.7752G	62.52	68.20	-5.68	55.72	3	Horizontal	360	1.80	-	32.15	7.57	32.92

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 22
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15832G	61.19	74.00	-12.81	43.46	3	Vertical	307	1.64	-	39.60	10.66	32.53
AV	11.15787G	49.81	54.00	-4.19	32.08	3	Vertical	307	1.64	-	39.60	10.66	32.53

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 22
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16873G	60.95	74.00	-13.05	43.22	3	Horizontal	80	1.69	-	39.60	10.66	32.53
AV	11.15874G	49.71	54.00	-4.29	31.98	3	Horizontal	80	1.69	-	39.60	10.66	32.53

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
 Setting 13
 01-K-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7011G	108.01	Inf	-Inf	101.45	3	Vertical	21	1.77	-	33.80	6.21	33.45
AV	5.7009G	99.81	Inf	-Inf	93.25	3	Vertical	21	1.77	-	33.80	6.21	33.45
PK	5.7267G	63.21	68.20	-4.99	56.54	3	Vertical	21	1.77	-	33.91	6.21	33.45

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
 Setting 13
 01-K-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7011G	113.76	Inf	-Inf	107.20	3	Horizontal	-0	1.98	-	33.80	6.21	33.45
AV	5.7012G	105.14	Inf	-Inf	98.58	3	Horizontal	-0	1.98	-	33.80	6.21	33.45
PK	5.726G	67.62	68.20	-0.58	60.96	3	Horizontal	-0	1.98	-	33.90	6.21	33.45

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUTZ_2TX
 Setting 12.5
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39919G	61.44	74.00	-12.56	43.17	3	Vertical	2	1.63	-	40.00	10.79	32.52
AV	11.39379G	49.06	54.00	-4.94	30.80	3	Vertical	2	1.63	-	39.99	10.79	32.52

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
 Setting 12.5
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39613G	61.99	74.00	-12.01	43.73	3	Horizontal	360	2.95	-	39.99	10.79	32.52
AV	11.40282G	49.53	54.00	-4.47	31.27	3	Horizontal	360	2.95	-	39.99	10.79	32.52

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4456G	60.05	74.00	-13.95	53.81	3	Vertical	317	1.80	-	31.68	7.40	32.84
AV	5.454G	48.05	54.00	-5.95	41.76	3	Vertical	317	1.80	-	31.72	7.41	32.84
PK	5.4673G	59.80	68.20	-8.40	53.45	3	Vertical	317	1.80	-	31.77	7.42	32.84
PK	5.7186G	115.63	Inf	-Inf	108.93	3	Vertical	317	1.80	-	32.04	7.56	32.90
AV	5.7193G	105.90	Inf	-Inf	99.20	3	Vertical	317	1.80	-	32.04	7.56	32.90
PK	5.8593G	61.56	68.20	-6.64	54.66	3	Vertical	317	1.80	-	32.24	7.61	32.95

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4554G	60.06	74.00	-13.94	53.77	3	Horizontal	0	1.80	-	31.72	7.41	32.84
AV	5.4414G	48.11	54.00	-5.89	41.88	3	Horizontal	0	1.80	-	31.67	7.40	32.84
PK	5.4694G	60.10	68.20	-8.10	53.74	3	Horizontal	0	1.80	-	31.78	7.42	32.84
PK	5.7193G	121.03	Inf	-Inf	114.33	3	Horizontal	0	1.80	-	32.04	7.56	32.90
AV	5.7186G	111.85	Inf	-Inf	105.15	3	Horizontal	0	1.80	-	32.04	7.56	32.90
PK	5.853G	64.98	68.20	-3.22	58.11	3	Horizontal	0	1.80	-	32.21	7.61	32.95

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22
01-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.43646G	62.52	74.00	-11.48	44.30	3	Vertical	49	1.49	-	39.93	10.81	32.52			
AV	11.4376G	50.79	54.00	-3.21	32.58	3	Vertical	49	1.49	-	39.92	10.81	32.52			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43766G	63.37	74.00	-10.63	45.16	3	Horizontal	164	2.65	-	39.92	10.81	32.52
AV	11.43739G	51.02	54.00	-2.98	32.80	3	Horizontal	164	2.65	-	39.93	10.81	32.52

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 21
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.522G	60.77	68.20	-7.43	54.29	3	Vertical	318	1.80	-	31.86	7.46	32.84
PK	5.744G	113.80	Inf	-Inf	107.06	3	Vertical	318	1.80	-	32.09	7.56	32.91
AV	5.744G	105.48	Inf	-Inf	98.74	3	Vertical	318	1.80	-	32.09	7.56	32.91
PK	5.9375G	61.60	68.20	-6.60	54.53	3	Vertical	318	1.80	-	32.40	7.65	32.98

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 21
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	64.97	68.20	-3.23	58.51	3	Horizontal	0	3.00	-	31.80	7.54	32.88
PK	5.743G	119.74	Inf	-Inf	113.00	3	Horizontal	0	3.00	-	32.09	7.56	32.91
AV	5.7435G	111.15	Inf	-Inf	104.41	3	Horizontal	0	3.00	-	32.09	7.56	32.91
PK	5.9455G	62.04	68.20	-6.16	54.97	3	Horizontal	0	3.00	-	32.40	7.65	32.98

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 21
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49726G	62.52	74.00	-11.48	44.11	3	Vertical	22	1.17	-	40.09	10.84	32.52
AV	11.49234G	50.89	54.00	-3.11	32.50	3	Vertical	22	1.17	-	40.07	10.84	32.52

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 21
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49141G	62.76	74.00	-11.24	44.37	3	Horizontal	334	1.19	-	40.07	10.84	32.52
AV	11.4921G	50.94	54.00	-3.06	32.55	3	Horizontal	334	1.19	-	40.07	10.84	32.52

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 22
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.628G	60.06	68.20	-8.14	53.64	3	Vertical	114	1.80	-	31.76	7.53	32.87
PK	5.786G	115.27	Inf	-Inf	108.45	3	Vertical	114	1.80	-	32.17	7.58	32.93
AV	5.786G	106.09	Inf	-Inf	99.27	3	Vertical	114	1.80	-	32.17	7.58	32.93
PK	6.0335G	62.45	68.20	-5.75	55.19	3	Vertical	114	1.80	-	32.57	7.69	33.00

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Z_2TX
 Setting 22
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	63.10	68.20	-5.10	56.65	3	Horizontal	0	3.00	-	31.80	7.53	32.88
PK	5.7865G	121.52	Inf	-Inf	114.70	3	Horizontal	0	3.00	-	32.17	7.58	32.93
AV	5.786G	112.35	Inf	-Inf	105.53	3	Horizontal	0	3.00	-	32.17	7.58	32.93
PK	5.933G	63.38	68.20	-4.82	56.31	3	Horizontal	0	3.00	-	32.40	7.65	32.98

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 22
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56622G	63.09	74.00	-10.91	44.75	3	Vertical	12	1.79	-	39.97	10.88	32.51
AV	11.56628G	51.09	54.00	-2.91	32.75	3	Vertical	12	1.79	-	39.97	10.88	32.51

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 22
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56703G	63.03	74.00	-10.97	44.69	3	Horizontal	323	2.93	-	39.97	10.88	32.51
AV	11.567G	51.19	54.00	-2.81	32.85	3	Horizontal	323	2.93	-	39.97	10.88	32.51

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 22
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.628G	60.55	68.20	-7.65	54.13	3	Vertical	316	1.80	-	31.76	7.53	32.87
PK	5.823G	114.16	Inf	-Inf	107.31	3	Vertical	316	1.80	-	32.20	7.59	32.94
AV	5.8235G	105.69	Inf	-Inf	98.84	3	Vertical	316	1.80	-	32.20	7.59	32.94
PK	5.9255G	63.15	68.20	-5.05	56.08	3	Vertical	316	1.80	-	32.40	7.64	32.97

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 22
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.59G	60.64	68.20	-7.56	54.27	3	Horizontal	360	1.80	-	31.72	7.51	32.86
PK	5.8235G	120.40	Inf	-Inf	113.55	3	Horizontal	360	1.80	-	32.20	7.59	32.94
AV	5.8235G	110.91	Inf	-Inf	104.06	3	Horizontal	360	1.80	-	32.20	7.59	32.94
PK	5.9455G	65.98	68.20	-2.22	58.91	3	Horizontal	360	1.80	-	32.40	7.65	32.98

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 22
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65162G	63.39	74.00	-10.61	45.26	3	Vertical	312	2.69	-	39.70	10.93	32.50
AV	11.65108G	51.32	54.00	-2.68	33.19	3	Vertical	312	2.69	-	39.70	10.93	32.50

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 22
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65147G	63.02	74.00	-10.98	44.89	3	Horizontal	0	2.93	-	39.70	10.93	32.50
AV	11.65117G	51.18	54.00	-2.82	33.05	3	Horizontal	0	2.93	-	39.70	10.93	32.50

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
 Setting 13.5
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1474G	69.10	74.00	-4.90	62.67	3	Vertical	55	1.00	-	32.09	7.24	32.90
AV	5.1496G	53.35	54.00	-0.65	46.91	3	Vertical	55	1.00	-	32.10	7.24	32.90
PK	5.1806G	115.20	Inf	-Inf	108.91	3	Vertical	55	1.00	-	31.92	7.26	32.89
AV	5.1806G	103.31	Inf	-Inf	97.02	3	Vertical	55	1.00	-	31.92	7.26	32.89

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
 Setting 13.5
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	68.38	74.00	-5.62	61.94	3	Horizontal	3	2.99	-	32.10	7.24	32.90
AV	5.15G	53.69	54.00	-0.31	47.25	3	Horizontal	3	2.99	-	32.10	7.24	32.90
PK	5.178G	114.77	Inf	-Inf	108.47	3	Horizontal	3	2.99	-	31.93	7.26	32.89
AV	5.1808G	104.82	Inf	-Inf	98.53	3	Horizontal	3	2.99	-	31.92	7.26	32.89

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
 Setting 13.5
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53079G	62.34	74.00	-11.66	43.62	3	Vertical	348	1.36	-	38.22	12.58	32.08
AV	15.54858G	50.13	54.00	-3.87	31.52	3	Vertical	348	1.36	-	38.11	12.59	32.09

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
 Setting 13.5
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.55356G	62.33	74.00	-11.67	43.76	3	Horizontal	352	2.67	-	38.07	12.59	32.09
AV	15.55341G	50.06	54.00	-3.94	31.49	3	Horizontal	352	2.67	-	38.07	12.59	32.09

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
 Setting 15.5
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	67.52	74.00	-6.48	61.08	3	Vertical	52	1.00	-	32.10	7.24	32.90
AV	5.15G	52.99	54.00	-1.01	46.55	3	Vertical	52	1.00	-	32.10	7.24	32.90
PK	5.2004G	115.79	Inf	-Inf	109.60	3	Vertical	52	1.00	-	31.80	7.28	32.89
AV	5.2006G	105.46	Inf	-Inf	99.27	3	Vertical	52	1.00	-	31.80	7.28	32.89

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
 Setting 15.5
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	66.89	74.00	-7.11	60.45	3	Horizontal	360	3.00	-	32.10	7.24	32.90
AV	5.1498G	53.23	54.00	-0.77	46.79	3	Horizontal	360	3.00	-	32.10	7.24	32.90
PK	5.198G	118.99	Inf	-Inf	112.79	3	Horizontal	360	3.00	-	31.81	7.28	32.89
AV	5.2006G	107.38	Inf	-Inf	101.19	3	Horizontal	360	3.00	-	31.80	7.28	32.89

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUTZ_2TX
 Setting 15.5
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.58731G	61.88	74.00	-12.12	43.59	3	Vertical	162	1.54	-	37.80	12.61	32.12
AV	15.59553G	49.82	54.00	-4.18	31.59	3	Vertical	162	1.54	-	37.74	12.61	32.12

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
 Setting 15.5
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5856G	62.06	74.00	-11.94	43.74	3	Horizontal	141	1.82	-	37.82	12.61	32.11
AV	15.59487G	49.81	54.00	-4.19	31.58	3	Horizontal	141	1.82	-	37.74	12.61	32.12

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 21.5
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1479G	64.32	74.00	-9.68	57.89	3	Vertical	51	1.00	-	32.09	7.24	32.90
AV	5.1482G	51.10	54.00	-2.90	44.67	3	Vertical	51	1.00	-	32.09	7.24	32.90
PK	5.2409G	118.74	Inf	-Inf	112.85	3	Vertical	51	1.00	-	31.47	7.30	32.88
AV	5.2406G	109.04	Inf	-Inf	103.14	3	Vertical	51	1.00	-	31.48	7.30	32.88
PK	5.3567G	60.39	74.00	-13.61	54.49	3	Vertical	51	1.00	-	31.41	7.35	32.86
AV	5.354G	48.42	54.00	-5.58	42.52	3	Vertical	51	1.00	-	31.41	7.35	32.86

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 21.5
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	64.58	74.00	-9.42	58.15	3	Horizontal	360	3.00	-	32.09	7.24	32.90
AV	5.1482G	51.68	54.00	-2.32	45.25	3	Horizontal	360	3.00	-	32.09	7.24	32.90
PK	5.243G	121.01	Inf	-Inf	115.13	3	Horizontal	360	3.00	-	31.46	7.30	32.88
AV	5.2406G	111.53	Inf	-Inf	105.63	3	Horizontal	360	3.00	-	31.48	7.30	32.88
PK	5.3609G	62.25	74.00	-11.75	56.34	3	Horizontal	360	3.00	-	31.42	7.35	32.86
AV	5.3534G	49.29	54.00	-4.71	43.39	3	Horizontal	360	3.00	-	31.41	7.35	32.86

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 21.5
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71298G	63.12	74.00	-10.88	44.75	3	Vertical	2	1.80	-	37.90	12.67	32.20
AV	15.72852G	50.61	54.00	-3.39	32.24	3	Vertical	2	1.80	-	37.90	12.68	32.21

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 21.5
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72105G	62.63	74.00	-11.37	44.26	3	Horizontal	76	1.80	-	37.90	12.67	32.20
AV	15.7221G	50.56	54.00	-3.44	32.19	3	Horizontal	76	1.80	-	37.90	12.67	32.20

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 21
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1394G	62.49	74.00	-11.51	56.10	3	Vertical	52	1.00	-	32.06	7.23	32.90
AV	5.149G	49.65	54.00	-4.35	43.21	3	Vertical	52	1.00	-	32.10	7.24	32.90
PK	5.2591G	118.85	Inf	-Inf	113.04	3	Vertical	52	1.00	-	31.38	7.31	32.88
AV	5.2591G	108.59	Inf	-Inf	102.78	3	Vertical	52	1.00	-	31.38	7.31	32.88
PK	5.3548G	65.97	74.00	-8.03	60.07	3	Vertical	52	1.00	-	31.41	7.35	32.86
AV	5.3521G	51.35	54.00	-2.65	45.46	3	Vertical	52	1.00	-	31.40	7.35	32.86

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 21
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1481G	61.55	74.00	-12.45	55.12	3	Horizontal	0	1.80	-	32.09	7.24	32.90
AV	5.1496G	50.00	54.00	-4.00	43.56	3	Horizontal	0	1.80	-	32.10	7.24	32.90
PK	5.2582G	120.31	Inf	-Inf	114.50	3	Horizontal	0	1.80	-	31.38	7.31	32.88
AV	5.2606G	110.11	Inf	-Inf	104.30	3	Horizontal	0	1.80	-	31.38	7.31	32.88
PK	5.3506G	67.92	74.00	-6.08	62.03	3	Horizontal	0	1.80	-	31.40	7.35	32.86
AV	5.3503G	51.98	54.00	-2.02	46.09	3	Horizontal	0	1.80	-	31.40	7.35	32.86

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 21
01-R-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.78318G	62.33	74.00	-11.67	44.17	3	Vertical	43	1.45	-	37.70	12.70	32.24
AV	15.76629G	50.13	54.00	-3.87	31.87	3	Vertical	43	1.45	-	37.80	12.69	32.23

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 21
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77481G	62.14	74.00	-11.86	43.93	3	Horizontal	278	1.96	-	37.75	12.70	32.24
AV	15.76722G	50.13	54.00	-3.87	31.87	3	Horizontal	278	1.96	-	37.80	12.69	32.23

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 17
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3006G	116.05	Inf	-Inf	110.29	3	Vertical	51	1.02	-	31.30	7.33	32.87
AV	5.3008G	105.27	Inf	-Inf	99.51	3	Vertical	51	1.02	-	31.30	7.33	32.87
PK	5.3506G	65.44	74.00	-8.56	59.55	3	Vertical	51	1.02	-	31.40	7.35	32.86
AV	5.3506G	52.68	54.00	-1.32	46.79	3	Vertical	51	1.02	-	31.40	7.35	32.86

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 17
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.297G	118.78	Inf	-Inf	113.02	3	Horizontal	360	1.80	-	31.31	7.32	32.87
AV	5.2992G	107.81	Inf	-Inf	102.06	3	Horizontal	360	1.80	-	31.30	7.32	32.87
PK	5.3516G	70.04	74.00	-3.96	64.15	3	Horizontal	360	1.80	-	31.40	7.35	32.86
AV	5.3512G	53.54	54.00	-0.46	47.65	3	Horizontal	360	1.80	-	31.40	7.35	32.86

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 17
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60591G	59.71	74.00	-14.29	42.30	3	Vertical	343	1.01	-	39.60	10.35	32.54
AV	10.615G	47.67	54.00	-6.33	30.25	3	Vertical	343	1.01	-	39.60	10.36	32.54
PK	15.91026G	62.51	74.00	-11.49	44.71	3	Vertical	82	1.26	-	37.36	12.76	32.32
AV	15.89382G	49.52	54.00	-4.48	31.68	3	Vertical	82	1.26	-	37.40	12.75	32.31

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 17
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6039G	59.45	74.00	-14.55	42.04	3	Horizontal	53	1.97	-	39.60	10.35	32.54
AV	10.61161G	47.66	54.00	-6.34	30.24	3	Horizontal	53	1.97	-	39.60	10.36	32.54
PK	15.8994G	61.55	74.00	-12.45	43.72	3	Horizontal	6	2.80	-	37.40	12.75	32.32
AV	15.89736G	49.54	54.00	-4.46	31.70	3	Horizontal	6	2.80	-	37.40	12.75	32.31

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 14
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3206G	113.55	Inf	-Inf	107.75	3	Vertical	51	1.00	-	31.34	7.33	32.87
AV	5.3206G	102.77	Inf	-Inf	96.97	3	Vertical	51	1.00	-	31.34	7.33	32.87
PK	5.3502G	68.36	74.00	-5.64	62.47	3	Vertical	51	1.00	-	31.40	7.35	32.86
AV	5.3506G	52.80	54.00	-1.20	46.91	3	Vertical	51	1.00	-	31.40	7.35	32.86

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX



EUT_Z_2TX
Setting 14
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3234G	116.50	Inf	-Inf	110.68	3	Horizontal	360	3.00	-	31.35	7.34	32.87
AV	5.3206G	105.36	Inf	-Inf	99.56	3	Horizontal	360	3.00	-	31.34	7.33	32.87
PK	5.3502G	70.46	74.00	-3.54	64.57	3	Horizontal	360	3.00	-	31.40	7.35	32.86
AV	5.3506G	53.34	54.00	-0.66	47.45	3	Horizontal	360	3.00	-	31.40	7.35	32.86