


2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

2412MHz_TX




EUT_X_2TX
Setting 16.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81272G	47.60	74.00	-26.40	53.54	3	Vertical	238	1.80	-	32.88	5.09	43.91
AV	4.81212G	32.24	54.00	-21.76	38.19	3	Vertical	238	1.80	-	32.87	5.09	43.91

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

2412MHz_TX




EUT_X_2TX
Setting 16.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81486G	52.04	74.00	-21.96	57.97	3	Horizontal	357	2.27	-	32.89	5.09	43.91
AV	4.81268G	36.25	54.00	-17.75	42.19	3	Horizontal	357	2.27	-	32.88	5.09	43.91

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

2437MHz_TX




EUT_X_2TX
Setting 21.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.359G	73.91	74.00	-0.09	42.67	3	Vertical	272	2.48	-	28.20	3.04	-
AV	2.3898G	50.06	54.00	-3.94	18.61	3	Vertical	272	2.48	-	28.40	3.05	-
PK	2.4278G	119.94	Inf	-Inf	88.39	3	Vertical	272	2.48	-	28.48	3.07	-
AV	2.4278G	109.79	Inf	-Inf	78.24	3	Vertical	272	2.48	-	28.48	3.07	-
PK	2.4958G	67.27	74.00	-6.73	35.61	3	Vertical	272	2.48	-	28.56	3.10	-
AV	2.4978G	47.81	54.00	-6.19	16.13	3	Vertical	272	2.48	-	28.58	3.10	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

2437MHz_TX




EUT_X_2TX
Setting 21.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3586G	67.74	74.00	-6.26	36.50	3	Horizontal	217	1.96	-	28.20	3.04	-
AV	2.3898G	48.42	54.00	-5.58	16.97	3	Horizontal	217	1.96	-	28.40	3.05	-
PK	2.4286G	121.20	Inf	-Inf	89.64	3	Horizontal	217	1.96	-	28.49	3.07	-
AV	2.4286G	112.41	Inf	-Inf	80.85	3	Horizontal	217	1.96	-	28.49	3.07	-
PK	2.497G	65.79	74.00	-8.21	34.12	3	Horizontal	217	1.96	-	28.57	3.10	-
AV	2.4962G	47.68	54.00	-6.32	16.02	3	Horizontal	217	1.96	-	28.56	3.10	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

2437MHz_TX




EUT_X_2TX
Setting 21
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8576G	59.39	74.00	-14.61	65.04	3	Vertical	237	1.75	-	33.12	5.11	43.88
AV	4.8572G	45.04	54.00	-8.96	50.70	3	Vertical	237	1.75	-	33.11	5.11	43.88
PK	7.28446G	66.57	74.00	-7.43	66.09	3	Vertical	111	2.23	-	36.54	6.50	42.56
AV	7.28458G	52.80	54.00	-1.20	52.32	3	Vertical	111	2.23	-	36.54	6.50	42.56

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

2437MHz_TX




EUT_X_2TX
Setting 21
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.85778G	63.37	74.00	-10.63	69.02	3	Horizontal	352	2.24	-	33.12	5.11	43.88
AV	4.85736G	49.11	54.00	-4.89	54.77	3	Horizontal	352	2.24	-	33.11	5.11	43.88
PK	7.28416G	63.52	74.00	-10.48	63.04	3	Horizontal	50	1.80	-	36.54	6.50	42.56
AV	7.28621G	49.72	54.00	-4.28	49.24	3	Horizontal	50	1.80	-	36.54	6.50	42.56

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

2437MHz_TX




EUT_X_2TX
Setting 22
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3854G	65.62	74.00	-8.38	34.17	3	Vertical	268	2.20	-	28.40	3.05	-
AV	2.3898G	48.67	54.00	-5.33	17.22	3	Vertical	268	2.20	-	28.40	3.05	-
PK	2.431G	120.94	Inf	-Inf	89.38	3	Vertical	268	2.20	-	28.49	3.07	-
AV	2.4286G	111.29	Inf	-Inf	79.73	3	Vertical	268	2.20	-	28.49	3.07	-
PK	2.4922G	64.15	74.00	-9.85	32.53	3	Vertical	268	2.20	-	28.52	3.10	-
AV	2.489G	48.02	54.00	-5.98	16.42	3	Vertical	268	2.20	-	28.50	3.10	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

2437MHz_TX




EUT_X_2TX
Setting 22
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.361G	65.70	74.00	-8.30	34.45	3	Horizontal	238	1.80	-	28.21	3.04	-
AV	2.3898G	46.20	54.00	-7.80	14.75	3	Horizontal	238	1.80	-	28.40	3.05	-
PK	2.431G	117.90	Inf	-Inf	86.34	3	Horizontal	238	1.80	-	28.49	3.07	-
AV	2.431G	108.30	Inf	-Inf	76.74	3	Horizontal	238	1.80	-	28.49	3.07	-
PK	2.4894G	61.22	74.00	-12.78	29.62	3	Horizontal	238	1.80	-	28.50	3.10	-
AV	2.4886G	46.16	54.00	-7.84	14.56	3	Horizontal	238	1.80	-	28.50	3.10	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

2437MHz_TX




EUT_X_2TX
Setting 22
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.85785G	57.52	74.00	-16.48	63.17	3	Vertical	275	1.80	-	33.12	5.11	43.88
AV	4.86015G	43.63	54.00	-10.37	49.28	3	Vertical	275	1.80	-	33.12	5.11	43.88
PK	7.28665G	61.77	74.00	-12.23	61.28	3	Vertical	110	2.40	-	36.55	6.50	42.56
AV	7.28955G	50.83	54.00	-3.17	50.33	3	Vertical	110	2.40	-	36.56	6.50	42.56

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

2437MHz_TX




EUT_X_2TX
Setting 22
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.85735G	62.37	74.00	-11.63	68.03	3	Horizontal	354	2.19	-	33.11	5.11	43.88
AV	4.86012G	48.62	54.00	-5.38	54.27	3	Horizontal	354	2.19	-	33.12	5.11	43.88
PK	7.28896G	60.99	74.00	-13.01	60.49	3	Horizontal	49	1.80	-	36.56	6.50	42.56
AV	7.28896G	49.09	54.00	-4.91	48.59	3	Horizontal	49	1.80	-	36.56	6.50	42.56

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

2437MHz_TX




EUT_X_2TX
Setting 22
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3878G	67.13	74.00	-6.87	35.68	3	Vertical	269	2.21	-	28.40	3.05	-
AV	2.3898G	50.34	54.00	-3.66	18.89	3	Vertical	269	2.21	-	28.40	3.05	-
PK	2.4294G	118.77	Inf	-Inf	87.21	3	Vertical	269	2.21	-	28.49	3.07	-
AV	2.4298G	107.90	Inf	-Inf	76.33	3	Vertical	269	2.21	-	28.50	3.07	-
PK	2.4835G	65.84	74.00	-8.16	34.25	3	Vertical	269	2.21	-	28.50	3.09	-
AV	2.4846G	47.02	54.00	-6.98	15.43	3	Vertical	269	2.21	-	28.50	3.09	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

2437MHz_TX




EUT_X_2TX
Setting 22
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	62.38	74.00	-11.62	30.93	3	Horizontal	239	1.80	-	28.40	3.05	-
AV	2.3866G	48.32	54.00	-5.68	16.87	3	Horizontal	239	1.80	-	28.40	3.05	-
PK	2.4294G	117.95	Inf	-Inf	86.39	3	Horizontal	239	1.80	-	28.49	3.07	-
AV	2.4322G	106.96	Inf	-Inf	75.41	3	Horizontal	239	1.80	-	28.48	3.07	-
PK	2.4878G	63.75	74.00	-10.25	32.15	3	Horizontal	239	1.80	-	28.50	3.10	-
AV	2.4846G	46.70	54.00	-7.30	15.11	3	Horizontal	239	1.80	-	28.50	3.09	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

2437MHz_TX




EUT_X_2TX
Setting 22
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86008G	53.96	74.00	-20.04	59.61	3	Vertical	274	1.80	-	33.12	5.11	43.88
AV	4.8629G	41.03	54.00	-12.97	46.67	3	Vertical	274	1.80	-	33.13	5.11	43.88
PK	7.2991G	64.14	74.00	-9.86	63.60	3	Vertical	114	2.23	-	36.60	6.50	42.56
AV	7.29426G	50.67	54.00	-3.33	50.15	3	Vertical	114	2.23	-	36.58	6.50	42.56

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

2437MHz_TX




EUT_X_2TX
Setting 22
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8625G	59.56	74.00	-14.44	65.21	3	Horizontal	354	2.24	-	33.12	5.11	43.88
AV	4.86244G	45.79	54.00	-8.21	51.44	3	Horizontal	354	2.24	-	33.12	5.11	43.88
PK	7.29419G	59.64	74.00	-14.36	59.12	3	Horizontal	54	1.88	-	36.58	6.50	42.56
AV	7.2964G	47.62	54.00	-6.38	47.09	3	Horizontal	54	1.88	-	36.59	6.50	42.56

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2462MHz_TX




EUT_X_2TX
Setting 17
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.47G	122.27	Inf	-Inf	90.68	3	Vertical	263	2.84	-	28.50	3.09	-
AV	2.4702G	111.16	Inf	-Inf	79.57	3	Vertical	263	2.84	-	28.50	3.09	-
PK	2.4835G	72.65	74.00	-1.35	41.06	3	Vertical	263	2.84	-	28.50	3.09	-
AV	2.4835G	48.03	54.00	-5.97	16.44	3	Vertical	263	2.84	-	28.50	3.09	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2462MHz_TX




EUT_X_2TX
Setting 17
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4704G	122.38	Inf	-Inf	90.79	3	Horizontal	202	2.15	-	28.50	3.09	-
AV	2.4704G	110.75	Inf	-Inf	79.16	3	Horizontal	202	2.15	-	28.50	3.09	-
PK	2.4838G	71.56	74.00	-2.44	39.97	3	Horizontal	202	2.15	-	28.50	3.09	-
AV	2.4835G	48.50	54.00	-5.50	16.91	3	Horizontal	202	2.15	-	28.50	3.09	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2462MHz_TX




EUT_X_2TX
Setting 17
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94122G	55.16	74.00	-18.84	60.58	3	Vertical	78	1.00	-	33.28	5.13	43.83
AV	4.9412G	41.17	54.00	-12.83	46.59	3	Vertical	78	1.00	-	33.28	5.13	43.83
PK	7.4096G	61.36	74.00	-12.64	60.65	3	Vertical	95	2.06	-	36.70	6.56	42.55
AV	7.41173G	45.44	54.00	-8.56	44.72	3	Vertical	95	2.06	-	36.70	6.57	42.55

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2462MHz_TX




EUT_X_2TX
Setting 17
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93995G	56.25	74.00	-17.75	61.67	3	Horizontal	351	2.19	-	33.28	5.13	43.83
AV	4.94048G	39.73	54.00	-14.27	45.15	3	Horizontal	351	2.19	-	33.28	5.13	43.83
PK	7.41068G	58.56	74.00	-15.44	57.84	3	Horizontal	66	1.93	-	36.70	6.57	42.55
AV	7.41107G	43.15	54.00	-10.85	42.43	3	Horizontal	66	1.93	-	36.70	6.57	42.55

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2462MHz_TX




EUT_X_2TX
Setting 15.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.47G	116.29	Inf	-Inf	84.70	3	Vertical	268	2.20	-	28.50	3.09	-
AV	2.47G	106.49	Inf	-Inf	74.90	3	Vertical	268	2.20	-	28.50	3.09	-
PK	2.4972G	73.18	74.00	-0.82	41.51	3	Vertical	268	2.20	-	28.57	3.10	-
AV	2.4972G	49.79	54.00	-4.21	18.12	3	Vertical	268	2.20	-	28.57	3.10	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2462MHz_TX




EUT_X_2TX
Setting 15.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4704G	116.84	Inf	-Inf	85.25	3	Horizontal	202	2.18	-	28.50	3.09	-
AV	2.4706G	106.80	Inf	-Inf	75.21	3	Horizontal	202	2.18	-	28.50	3.09	-
PK	2.4958G	72.84	74.00	-1.16	41.18	3	Horizontal	202	2.18	-	28.56	3.10	-
AV	2.4984G	49.93	54.00	-4.07	18.25	3	Horizontal	202	2.18	-	28.58	3.10	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2462MHz_TX




EUT_X_2TX
Setting 15.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93934G	53.24	74.00	-20.76	58.67	3	Vertical	76	1.00	-	33.28	5.13	43.84
AV	4.93888G	39.90	54.00	-14.10	45.33	3	Vertical	76	1.00	-	33.28	5.13	43.84
PK	7.41037G	57.92	74.00	-16.08	57.20	3	Vertical	109	2.34	-	36.70	6.57	42.55
AV	7.40778G	42.83	54.00	-11.17	42.12	3	Vertical	109	2.34	-	36.70	6.56	42.55

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2462MHz_TX




EUT_X_2TX
Setting 15.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9397G	51.83	74.00	-22.17	57.25	3	Horizontal	350	2.19	-	33.28	5.13	43.83
AV	4.94016G	37.87	54.00	-16.13	43.29	3	Horizontal	350	2.19	-	33.28	5.13	43.83
PK	7.40865G	55.82	74.00	-18.18	55.11	3	Horizontal	71	2.07	-	36.70	6.56	42.55
AV	7.40836G	41.16	54.00	-12.84	40.45	3	Horizontal	71	2.07	-	36.70	6.56	42.55

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2462MHz_TX




EUT_X_2TX
Setting 16.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.466G	114.87	Inf	-Inf	83.28	3	Vertical	268	2.05	-	28.50	3.09	-
AV	2.4686G	104.63	Inf	-Inf	73.04	3	Vertical	268	2.05	-	28.50	3.09	-
PK	2.4914G	72.18	74.00	-1.82	40.57	3	Vertical	268	2.05	-	28.51	3.10	-
AV	2.4836G	50.52	54.00	-3.48	18.93	3	Vertical	268	2.05	-	28.50	3.09	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2462MHz_TX




EUT_X_2TX
Setting 16.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4646G	114.90	Inf	-Inf	83.31	3	Horizontal	205	2.23	-	28.50	3.09	-
AV	2.464G	104.35	Inf	-Inf	72.76	3	Horizontal	205	2.23	-	28.50	3.09	-
PK	2.4838G	70.55	74.00	-3.45	38.96	3	Horizontal	205	2.23	-	28.50	3.09	-
AV	2.4866G	51.30	54.00	-2.70	19.71	3	Horizontal	205	2.23	-	28.50	3.09	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2462MHz_TX




EUT_X_2TX
Setting 16.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9363G	48.13	74.00	-25.87	53.57	3	Vertical	77	1.00	-	33.27	5.13	43.84
AV	4.93408G	35.75	54.00	-18.25	41.19	3	Vertical	77	1.00	-	33.27	5.13	43.84
PK	7.39634G	56.77	74.00	-17.23	56.06	3	Vertical	113	2.11	-	36.70	6.56	42.55
AV	7.4016G	42.57	54.00	-11.43	41.86	3	Vertical	113	2.11	-	36.70	6.56	42.55

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2462MHz_TX




EUT_X_2TX
Setting 16.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93276G	48.98	74.00	-25.02	54.42	3	Horizontal	351	2.40	-	33.27	5.13	43.84
AV	4.93278G	33.87	54.00	-20.13	39.31	3	Horizontal	351	2.40	-	33.27	5.13	43.84
PK	7.3873G	48.36	74.00	-25.64	47.66	3	Horizontal	336	1.80	-	36.70	6.55	42.55
AV	7.38292G	35.58	54.00	-18.42	34.88	3	Horizontal	336	1.80	-	36.70	6.55	42.55

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2467MHz_TX




EUT_X_2TX
Setting 15
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4748G	120.72	Inf	-Inf	89.13	3	Vertical	269	2.24	-	28.50	3.09	-
AV	2.4752G	109.50	Inf	-Inf	77.91	3	Vertical	269	2.24	-	28.50	3.09	-
PK	2.4838G	72.32	74.00	-1.68	40.73	3	Vertical	269	2.24	-	28.50	3.09	-
AV	2.4838G	53.89	54.00	-0.11	22.30	3	Vertical	269	2.24	-	28.50	3.09	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2467MHz_TX




EUT_X_2TX
Setting 15
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4752G	119.08	Inf	-Inf	87.49	3	Horizontal	238	1.16	-	28.50	3.09	-
AV	2.475G	107.63	Inf	-Inf	76.04	3	Horizontal	238	1.16	-	28.50	3.09	-
PK	2.484G	71.49	74.00	-2.51	39.90	3	Horizontal	238	1.16	-	28.50	3.09	-
AV	2.4838G	52.66	54.00	-1.34	21.07	3	Horizontal	238	1.16	-	28.50	3.09	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2467MHz_TX




EUT_X_2TX
Setting 15
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.95167G	54.46	74.00	-19.54	59.85	3	Vertical	77	1.00	-	33.30	5.14	43.83
AV	4.95117G	42.59	54.00	-11.41	47.98	3	Vertical	77	1.00	-	33.30	5.14	43.83
PK	7.42616G	60.01	74.00	-13.99	59.29	3	Vertical	103	2.30	-	36.70	6.57	42.55
AV	7.4261G	44.24	54.00	-9.76	43.52	3	Vertical	103	2.30	-	36.70	6.57	42.55

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2467MHz_TX




EUT_X_2TX
Setting 15
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9502G	53.27	74.00	-20.73	58.66	3	Horizontal	353	2.54	-	33.30	5.14	43.83
AV	4.95052G	39.79	54.00	-14.21	45.18	3	Horizontal	353	2.54	-	33.30	5.14	43.83
PK	7.42585G	57.76	74.00	-16.24	57.04	3	Horizontal	68	2.16	-	36.70	6.57	42.55
AV	7.42603G	41.82	54.00	-12.18	41.10	3	Horizontal	68	2.16	-	36.70	6.57	42.55

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2467MHz_TX




EUT_X_2TX
Setting 16
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4748G	116.04	Inf	-Inf	84.45	3	Vertical	312	2.29	-	28.50	3.09	-
AV	2.4746G	106.64	Inf	-Inf	75.05	3	Vertical	312	2.29	-	28.50	3.09	-
PK	2.4974G	71.71	74.00	-2.29	40.04	3	Vertical	312	2.29	-	28.57	3.10	-
AV	2.4835G	52.06	54.00	-1.94	20.47	3	Vertical	312	2.29	-	28.50	3.09	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2467MHz_TX




EUT_X_2TX
Setting 16
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4732G	117.94	Inf	-Inf	86.35	3	Horizontal	201	2.20	-	28.50	3.09	-
AV	2.473G	107.38	Inf	-Inf	75.79	3	Horizontal	201	2.20	-	28.50	3.09	-
PK	2.4835G	72.56	74.00	-1.44	40.97	3	Horizontal	201	2.20	-	28.50	3.09	-
AV	2.4836G	51.67	54.00	-2.33	20.08	3	Horizontal	201	2.20	-	28.50	3.09	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2467MHz_TX




EUT_X_2TX
Setting 16
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94932G	52.10	74.00	-21.90	57.50	3	Vertical	79	1.00	-	33.30	5.13	43.83
AV	4.94868G	40.91	54.00	-13.09	46.31	3	Vertical	79	1.00	-	33.30	5.13	43.83
PK	7.42275G	60.43	74.00	-13.57	59.71	3	Vertical	114	2.17	-	36.70	6.57	42.55
AV	7.42263G	45.12	54.00	-8.88	44.40	3	Vertical	114	2.17	-	36.70	6.57	42.55

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2467MHz_TX




EUT_X_2TX
Setting 16
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.95047G	52.34	74.00	-21.66	57.73	3	Horizontal	350	2.19	-	33.30	5.14	43.83
AV	4.94997G	38.46	54.00	-15.54	43.86	3	Horizontal	350	2.19	-	33.30	5.13	43.83
PK	7.41982G	57.03	74.00	-16.97	56.31	3	Horizontal	50	2.42	-	36.70	6.57	42.55
AV	7.42242G	41.85	54.00	-12.15	41.13	3	Horizontal	50	2.42	-	36.70	6.57	42.55

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2467MHz_TX




EUT_X_2TX
Setting 15
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4746G	114.84	Inf	-Inf	83.25	3	Vertical	269	2.19	-	28.50	3.09	-
AV	2.4724G	103.94	Inf	-Inf	72.35	3	Vertical	269	2.19	-	28.50	3.09	-
PK	2.4848G	72.43	74.00	-1.57	40.84	3	Vertical	269	2.19	-	28.50	3.09	-
AV	2.4835G	52.71	54.00	-1.29	21.12	3	Vertical	269	2.19	-	28.50	3.09	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2467MHz_TX




EUT_X_2TX
Setting 15
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4754G	114.48	Inf	-Inf	82.89	3	Horizontal	202	2.17	-	28.50	3.09	-
AV	2.4732G	103.80	Inf	-Inf	72.21	3	Horizontal	202	2.17	-	28.50	3.09	-
PK	2.4838G	73.23	74.00	-0.77	41.64	3	Horizontal	202	2.17	-	28.50	3.09	-
AV	2.4835G	53.53	54.00	-0.47	21.94	3	Horizontal	202	2.17	-	28.50	3.09	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2467MHz_TX




EUT_X_2TX
Setting 15
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94539G	47.30	74.00	-26.70	52.71	3	Vertical	233	1.80	-	33.29	5.13	43.83
AV	4.94495G	34.58	54.00	-19.42	39.99	3	Vertical	233	1.80	-	33.29	5.13	43.83
PK	7.41113G	48.29	74.00	-25.71	47.57	3	Vertical	115	2.21	-	36.70	6.57	42.55
AV	7.41673G	36.43	54.00	-17.57	35.71	3	Vertical	115	2.21	-	36.70	6.57	42.55

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2467MHz_TX




EUT_X_2TX
Setting 15
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94748G	48.06	74.00	-25.94	53.47	3	Horizontal	346	1.32	-	33.29	5.13	43.83
AV	4.94482G	35.09	54.00	-18.91	40.50	3	Horizontal	346	1.32	-	33.29	5.13	43.83
PK	7.3985G	49.15	74.00	-24.85	48.44	3	Horizontal	73	1.04	-	36.70	6.56	42.55
AV	7.39694G	35.50	54.00	-18.50	34.79	3	Horizontal	73	1.04	-	36.70	6.56	42.55

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2472MHz_TX




EUT_X_2TX
Setting 8
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4805G	111.01	Inf	-Inf	111.04	3	Vertical	267	2.85	BP 1MHz	28.50	3.72	32.25
AV	2.4805G	104.95	Inf	-Inf	104.98	3	Vertical	267	2.85	BP 1MHz	28.50	3.72	32.25
PK	2.484G	63.88	74.00	-10.12	63.91	3	Vertical	267	2.85	BP 1MHz	28.50	3.72	32.25
AV	2.484G	53.46	54.00	-0.54	53.49	3	Vertical	267	2.85	BP 1MHz	28.50	3.72	32.25

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2472MHz_TX




EUT_X_2TX
Setting 8
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4805G	110.06	Inf	-Inf	110.09	3	Horizontal	203	2.18	BP 1MHz	28.50	3.72	32.25
AV	2.4805G	103.65	Inf	-Inf	103.68	3	Horizontal	203	2.18	BP 1MHz	28.50	3.72	32.25
PK	2.484G	64.87	74.00	-9.13	64.90	3	Horizontal	203	2.18	BP 1MHz	28.50	3.72	32.25
AV	2.484G	53.73	54.00	-0.27	53.76	3	Horizontal	203	2.18	BP 1MHz	28.50	3.72	32.25

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2472MHz_TX




EUT_X_2TX
Setting 8
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.96071G	48.78	74.00	-25.22	54.14	3	Vertical	235	1.58	-	33.32	5.14	43.82
AV	4.96055G	36.70	54.00	-17.30	42.06	3	Vertical	235	1.58	-	33.32	5.14	43.82
PK	7.41728G	48.40	74.00	-25.60	47.68	3	Vertical	95	2.50	-	36.70	6.57	42.55
AV	7.41988G	35.69	54.00	-18.31	34.97	3	Vertical	95	2.50	-	36.70	6.57	42.55

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2472MHz_TX




EUT_X_2TX
Setting 8
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.96052G	51.93	74.00	-22.07	57.29	3	Horizontal	352	2.18	-	33.32	5.14	43.82
AV	4.96057G	39.23	54.00	-14.77	44.59	3	Horizontal	352	2.18	-	33.32	5.14	43.82
PK	7.4154G	47.89	74.00	-26.11	47.17	3	Horizontal	256	1.11	-	36.70	6.57	42.55
AV	7.4232G	35.66	54.00	-18.34	34.94	3	Horizontal	256	1.11	-	36.70	6.57	42.55

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2472MHz_TX




EUT_X_2TX
Setting 8
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4785G	108.61	Inf	-Inf	108.64	3	Vertical	266	2.38	BP 1MHz	28.50	3.72	32.25
AV	2.4785G	102.52	Inf	-Inf	102.55	3	Vertical	266	2.38	BP 1MHz	28.50	3.72	32.25
PK	2.484G	64.67	74.00	-9.33	64.70	3	Vertical	266	2.38	BP 1MHz	28.50	3.72	32.25
AV	2.484G	53.74	54.00	-0.26	53.77	3	Vertical	266	2.38	BP 1MHz	28.50	3.72	32.25

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2472MHz_TX




EUT_X_2TX
Setting 8
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4795G	108.07	Inf	-Inf	108.10	3	Horizontal	202	2.12	BP 1MHz	28.50	3.72	32.25
AV	2.4795G	101.83	Inf	-Inf	101.86	3	Horizontal	202	2.12	BP 1MHz	28.50	3.72	32.25
PK	2.484G	62.72	74.00	-11.28	62.75	3	Horizontal	202	2.12	BP 1MHz	28.50	3.72	32.25
AV	2.484G	52.46	54.00	-1.54	52.49	3	Horizontal	202	2.12	BP 1MHz	28.50	3.72	32.25

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2472MHz_TX




EUT_X_2TX
Setting 8
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.95911G	50.29	74.00	-23.71	55.65	3	Vertical	82	1.00	-	33.32	5.14	43.82
AV	4.95893G	37.50	54.00	-16.50	42.86	3	Vertical	82	1.00	-	33.32	5.14	43.82
PK	7.4362G	48.11	74.00	-25.89	47.38	3	Vertical	299	1.46	-	36.70	6.58	42.55
AV	7.4369G	35.99	54.00	-18.01	35.26	3	Vertical	299	1.46	-	36.70	6.58	42.55

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2472MHz_TX




EUT_X_2TX
Setting 8
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.96023G	50.68	74.00	-23.32	56.04	3	Horizontal	349	2.18	-	33.32	5.14	43.82
AV	4.95796G	36.87	54.00	-17.13	42.23	3	Horizontal	349	2.18	-	33.32	5.14	43.82
PK	7.4094G	48.57	74.00	-25.43	47.86	3	Horizontal	119	2.06	-	36.70	6.56	42.55
AV	7.4402G	35.88	54.00	-18.12	35.14	3	Horizontal	119	2.06	-	36.70	6.58	42.54

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2472MHz_TX




EUT_X_2TX
Setting 8
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4785G	105.51	Inf	-Inf	105.54	3	Vertical	268	2.36	BP 1MHz	28.50	3.72	32.25
AV	2.4785G	99.49	Inf	-Inf	99.52	3	Vertical	268	2.36	BP 1MHz	28.50	3.72	32.25
PK	2.484G	63.82	74.00	-10.18	63.85	3	Vertical	268	2.36	BP 1MHz	28.50	3.72	32.25
AV	2.484G	53.46	54.00	-0.54	53.49	3	Vertical	268	2.36	BP 1MHz	28.50	3.72	32.25

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2472MHz_TX




EUT_X_2TX
Setting 8
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4765G	105.60	Inf	-Inf	105.63	3	Horizontal	205	2.19	BP 1MHz	28.50	3.72	32.25
AV	2.4765G	99.33	Inf	-Inf	99.36	3	Horizontal	205	2.19	BP 1MHz	28.50	3.72	32.25
PK	2.484G	61.35	74.00	-12.65	61.38	3	Horizontal	205	2.19	BP 1MHz	28.50	3.72	32.25
AV	2.484G	52.09	54.00	-1.91	52.12	3	Horizontal	205	2.19	BP 1MHz	28.50	3.72	32.25

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2472MHz_TX




EUT_X_2TX
Setting 8
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.95306G	46.59	74.00	-27.41	51.97	3	Vertical	237	1.80	-	33.31	5.14	43.83
AV	4.95284G	33.28	54.00	-20.72	38.66	3	Vertical	237	1.80	-	33.31	5.14	43.83
PK	7.4106G	48.45	74.00	-25.55	47.73	3	Vertical	85	2.36	-	36.70	6.57	42.55
AV	7.41216G	35.65	54.00	-18.35	34.93	3	Vertical	85	2.36	-	36.70	6.57	42.55

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2472MHz_TX



EUT_X_2TX
Setting 8
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.95248G	47.58	74.00	-26.42	52.97	3	Horizontal	347	1.32	-	33.30	5.14	43.83
AV	4.955G	34.21	54.00	-19.79	39.59	3	Horizontal	347	1.32	-	33.31	5.14	43.83
PK	7.42112G	48.55	74.00	-25.45	47.83	3	Horizontal	254	2.82	-	36.70	6.57	42.55
AV	7.4142G	35.68	54.00	-18.32	34.96	3	Horizontal	254	2.82	-	36.70	6.57	42.55




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	2.3896G	53.98	54.00	-0.02	3	Horizontal	338	2.13	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUTY_2TX
 Setting 16.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3872G	61.44	74.00	-12.56	30.70	3	Vertical	28	1.67	-	27.40	3.34	-
AV	2.3852G	52.37	54.00	-1.63	21.63	3	Vertical	28	1.67	-	27.40	3.34	-
PK	2.4128G	111.59	Inf	-Inf	80.73	3	Vertical	28	1.67	-	27.50	3.36	-
AV	2.4128G	109.07	Inf	-Inf	78.21	3	Vertical	28	1.67	-	27.50	3.36	-
PK	2.4912G	59.43	74.00	-14.57	28.33	3	Vertical	28	1.67	-	27.70	3.40	-
AV	2.5G	47.39	54.00	-6.61	16.28	3	Vertical	28	1.67	-	27.70	3.41	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
 Setting 16.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	62.94	74.00	-11.06	32.19	3	Horizontal	312	1.69	-	27.40	3.35	-
AV	2.3876G	53.27	54.00	-0.73	22.52	3	Horizontal	312	1.69	-	27.40	3.35	-
PK	2.4092G	110.04	Inf	-Inf	79.18	3	Horizontal	312	1.69	-	27.50	3.36	-
AV	2.4092G	107.10	Inf	-Inf	76.24	3	Horizontal	312	1.69	-	27.50	3.36	-
PK	2.4936G	59.43	74.00	-14.57	28.33	3	Horizontal	312	1.69	-	27.70	3.40	-
AV	2.4952G	48.12	54.00	-5.88	17.02	3	Horizontal	312	1.69	-	27.70	3.40	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
 Setting 16.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82404G	48.08	74.00	-25.92	43.33	3	Vertical	131	1.85	-	32.35	5.67	33.27
AV	4.82392G	40.20	54.00	-13.80	35.45	3	Vertical	131	1.85	-	32.35	5.67	33.27

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
 Setting 16.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82376G	49.37	74.00	-24.63	44.62	3	Horizontal	284	1.66	-	32.35	5.67	33.27
AV	4.82396G	43.49	54.00	-10.51	38.74	3	Horizontal	284	1.66	-	32.35	5.67	33.27

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2417MHz_TX




23/03/2024

EUT_Y_2TX
Setting 18
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3806G	62.68	74.00	-11.32	31.94	3	Vertical	10	2.54	-	27.40	3.34	-
AV	2.3806G	52.24	54.00	-1.76	21.50	3	Vertical	10	2.54	-	27.40	3.34	-
PK	2.4198G	107.91	Inf	-Inf	77.05	3	Vertical	10	2.54	-	27.50	3.36	-
AV	2.4198G	104.93	Inf	-Inf	74.07	3	Vertical	10	2.54	-	27.50	3.36	-
PK	2.4942G	59.43	74.00	-14.57	28.33	3	Vertical	10	2.54	-	27.70	3.40	-
AV	2.4874G	47.83	54.00	-6.17	16.76	3	Vertical	10	2.54	-	27.67	3.40	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2417MHz_TX




EUT_Y_2TX
Setting 18
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.381G	63.91	74.00	-10.09	33.17	3	Horizontal	340	2.41	-	27.40	3.34	-
AV	2.3806G	53.94	54.00	-0.06	23.20	3	Horizontal	340	2.41	-	27.40	3.34	-
PK	2.4142G	110.03	Inf	-Inf	79.17	3	Horizontal	340	2.41	-	27.50	3.36	-
AV	2.4134G	107.44	Inf	-Inf	76.58	3	Horizontal	340	2.41	-	27.50	3.36	-
PK	2.4986G	60.99	74.00	-13.01	29.89	3	Horizontal	340	2.41	-	27.70	3.40	-
AV	2.4854G	48.97	54.00	-5.03	17.92	3	Horizontal	340	2.41	-	27.65	3.40	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 20
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	63.33	74.00	-10.67	32.58	3	Vertical	8	1.88	-	27.40	3.35	-
AV	2.3878G	53.62	54.00	-0.38	22.87	3	Vertical	8	1.88	-	27.40	3.35	-
PK	2.4364G	114.97	Inf	-Inf	84.04	3	Vertical	8	1.88	-	27.56	3.37	-
AV	2.4364G	112.54	Inf	-Inf	81.61	3	Vertical	8	1.88	-	27.56	3.37	-
PK	2.4874G	61.47	74.00	-12.53	30.40	3	Vertical	8	1.88	-	27.67	3.40	-
AV	2.4856G	50.74	54.00	-3.26	19.68	3	Vertical	8	1.88	-	27.66	3.40	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 20
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3866G	63.19	74.00	-10.81	32.45	3	Horizontal	338	1.89	-	27.40	3.34	-
AV	2.3866G	52.77	54.00	-1.23	22.03	3	Horizontal	338	1.89	-	27.40	3.34	-
PK	2.4412G	110.84	Inf	-Inf	79.87	3	Horizontal	338	1.89	-	27.60	3.37	-
AV	2.4406G	108.55	Inf	-Inf	77.58	3	Horizontal	338	1.89	-	27.60	3.37	-
PK	2.4844G	62.08	74.00	-11.92	31.04	3	Horizontal	338	1.89	-	27.64	3.40	-
AV	2.4835G	52.61	54.00	-1.39	21.57	3	Horizontal	338	1.89	-	27.64	3.40	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 20
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87418G	52.06	74.00	-21.94	47.10	3	Vertical	42	1.80	-	32.50	5.72	33.26
AV	4.874G	47.71	54.00	-6.29	42.75	3	Vertical	42	1.80	-	32.50	5.72	33.26
PK	7.31022G	54.40	74.00	-19.60	44.17	3	Vertical	84	2.07	-	37.20	7.12	34.09
AV	7.31034G	46.24	54.00	-7.76	36.01	3	Vertical	84	2.07	-	37.20	7.12	34.09

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 20
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87418G	56.04	74.00	-17.96	51.08	3	Horizontal	346	1.80	-	32.50	5.72	33.26
AV	4.87406G	52.82	54.00	-1.18	47.86	3	Horizontal	346	1.80	-	32.50	5.72	33.26
PK	7.3125G	56.92	74.00	-17.08	46.69	3	Horizontal	67	1.80	-	37.20	7.12	34.09
AV	7.31028G	49.84	54.00	-4.16	39.61	3	Horizontal	67	1.80	-	37.20	7.12	34.09

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 17.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3728G	59.94	74.00	-14.06	29.13	3	Vertical	350	1.40	-	27.47	3.34	-
AV	2.3736G	47.87	54.00	-6.13	17.07	3	Vertical	350	1.40	-	27.46	3.34	-
PK	2.4612G	111.52	Inf	-Inf	80.54	3	Vertical	350	1.40	-	27.60	3.38	-
AV	2.4612G	108.97	Inf	-Inf	77.99	3	Vertical	350	1.40	-	27.60	3.38	-
PK	2.4984G	61.32	74.00	-12.68	30.22	3	Vertical	350	1.40	-	27.70	3.40	-
AV	2.49G	50.43	54.00	-3.57	19.33	3	Vertical	350	1.40	-	27.70	3.40	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUTY_2TX
 Setting 17.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3712G	61.67	74.00	-12.33	30.84	3	Horizontal	304	1.80	-	27.49	3.34	-
AV	2.3744G	50.03	54.00	-3.97	19.23	3	Horizontal	304	1.80	-	27.46	3.34	-
PK	2.4592G	112.91	Inf	-Inf	81.93	3	Horizontal	304	1.80	-	27.60	3.38	-
AV	2.4604G	110.18	Inf	-Inf	79.20	3	Horizontal	304	1.80	-	27.60	3.38	-
PK	2.4968G	64.64	74.00	-9.36	33.54	3	Horizontal	304	1.80	-	27.70	3.40	-
AV	2.4912G	53.89	54.00	-0.11	22.79	3	Horizontal	304	1.80	-	27.70	3.40	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
 Setting 17.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92404G	49.54	74.00	-24.46	44.37	3	Vertical	94	1.70	-	32.65	5.76	33.24
AV	4.92396G	42.73	54.00	-11.27	37.56	3	Vertical	94	1.70	-	32.65	5.76	33.24
PK	7.3866G	54.22	74.00	-19.78	43.98	3	Vertical	151	1.53	-	37.20	7.16	34.12
AV	7.3868G	44.44	54.00	-9.56	34.20	3	Vertical	151	1.53	-	37.20	7.16	34.12

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
 Setting 17.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92412G	51.99	74.00	-22.01	46.82	3	Horizontal	136	1.94	-	32.65	5.76	33.24
AV	4.924G	47.66	54.00	-6.34	42.49	3	Horizontal	136	1.94	-	32.65	5.76	33.24
PK	7.38664G	56.12	74.00	-17.88	45.88	3	Horizontal	326	1.80	-	37.20	7.16	34.12
AV	7.38676G	49.70	54.00	-4.30	39.46	3	Horizontal	326	1.80	-	37.20	7.16	34.12

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2467MHz_TX




EUT_Y_2TX
Setting 12
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.466G	106.33	Inf	-Inf	75.34	3	Vertical	344	1.21	-	27.60	3.39	-
AV	2.466G	103.67	Inf	-Inf	72.68	3	Vertical	344	1.21	-	27.60	3.39	-
PK	2.4836G	61.83	74.00	-12.17	30.79	3	Vertical	344	1.21	-	27.64	3.40	-
AV	2.4835G	52.75	54.00	-1.25	21.71	3	Vertical	344	1.21	-	27.64	3.40	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2467MHz_TX




EUT_Y_2TX
Setting 12
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4642G	107.45	Inf	-Inf	76.46	3	Horizontal	306	2.48	-	27.60	3.39	-
AV	2.4652G	104.68	Inf	-Inf	73.69	3	Horizontal	306	2.48	-	27.60	3.39	-
PK	2.4835G	62.40	74.00	-11.60	31.36	3	Horizontal	306	2.48	-	27.64	3.40	-
AV	2.4835G	53.68	54.00	-0.32	22.64	3	Horizontal	306	2.48	-	27.64	3.40	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2467MHz_TX




EUT_Y_2TX
Setting 12
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93428G	48.19	74.00	-25.81	42.98	3	Vertical	95	1.80	-	32.67	5.77	33.23
AV	4.93394G	37.77	54.00	-16.23	32.56	3	Vertical	95	1.80	-	32.67	5.77	33.23
PK	7.40164G	51.96	74.00	-22.04	41.72	3	Vertical	56	1.03	-	37.20	7.17	34.13
AV	7.402G	40.37	54.00	-13.63	30.13	3	Vertical	56	1.03	-	37.20	7.17	34.13

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2467MHz_TX




EUT_Y_2TX
Setting 12
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93406G	49.76	74.00	-24.24	44.55	3	Horizontal	140	1.80	-	32.67	5.77	33.23
AV	4.93392G	41.62	54.00	-12.38	36.41	3	Horizontal	140	1.80	-	32.67	5.77	33.23
PK	7.404G	53.86	74.00	-20.14	43.62	3	Horizontal	324	1.65	-	37.20	7.17	34.13
AV	7.4019G	43.72	54.00	-10.28	33.48	3	Horizontal	324	1.65	-	37.20	7.17	34.13

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2472MHz_TX




EUT_Y_2TX
 Setting 7.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4705G	107.33	Inf	-Inf	76.34	3	Vertical	7	2.44	BP 1MHz	27.60	3.39	-
AV	2.4705G	101.13	Inf	-Inf	70.14	3	Vertical	7	2.44	BP 1MHz	27.60	3.39	-
PK	2.488G	58.50	74.00	-15.50	27.42	3	Vertical	7	2.44	BP 1MHz	27.68	3.40	-
AV	2.488G	51.46	54.00	-2.54	20.38	3	Vertical	7	2.44	BP 1MHz	27.68	3.40	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2472MHz_TX




EUT_Y_2TX
 Setting 7.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4735G	112.07	Inf	-Inf	81.08	3	Horizontal	309	2.62	BP 1MHz	27.60	3.39	-
AV	2.4735G	105.92	Inf	-Inf	74.93	3	Horizontal	309	2.62	BP 1MHz	27.60	3.39	-
PK	2.488G	58.90	74.00	-15.10	27.82	3	Horizontal	309	2.62	BP 1MHz	27.68	3.40	-
AV	2.489G	51.55	54.00	-2.45	20.46	3	Horizontal	309	2.62	BP 1MHz	27.69	3.40	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2472MHz_TX




EUTY_2TX
 Setting 7.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9439G	47.67	74.00	-26.33	42.43	3	Vertical	0	1.83	-	32.69	5.78	33.23
AV	4.94398G	38.70	54.00	-15.30	33.46	3	Vertical	0	1.83	-	32.69	5.78	33.23
PK	7.41464G	52.05	74.00	-21.95	41.80	3	Vertical	85	1.87	-	37.20	7.19	34.14
AV	7.41436G	39.10	54.00	-14.90	28.85	3	Vertical	85	1.87	-	37.20	7.19	34.14

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2472MHz_TX




EUT_Y_2TX
 Setting 7.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94378G	50.60	74.00	-23.40	45.36	3	Horizontal	0	1.10	-	32.69	5.78	33.23
AV	4.94396G	44.36	54.00	-9.64	39.12	3	Horizontal	0	1.10	-	32.69	5.78	33.23
PK	7.41452G	52.35	74.00	-21.65	42.10	3	Horizontal	292	1.49	-	37.20	7.19	34.14
AV	7.41438G	39.84	54.00	-14.16	29.59	3	Horizontal	292	1.49	-	37.20	7.19	34.14

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 12
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	72.77	74.00	-1.23	42.02	3	Vertical	20	2.54	-	27.40	3.35	-
AV	2.39G	53.63	54.00	-0.37	22.88	3	Vertical	20	2.54	-	27.40	3.35	-
PK	2.4104G	111.90	Inf	-Inf	81.04	3	Vertical	20	2.54	-	27.50	3.36	-
AV	2.4108G	103.63	Inf	-Inf	72.77	3	Vertical	20	2.54	-	27.50	3.36	-
PK	2.4964G	58.90	74.00	-15.10	27.80	3	Vertical	20	2.54	-	27.70	3.40	-
AV	2.4984G	47.63	54.00	-6.37	16.53	3	Vertical	20	2.54	-	27.70	3.40	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 12
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3864G	71.07	74.00	-2.93	40.33	3	Horizontal	337	2.40	-	27.40	3.34	-
AV	2.3876G	53.96	54.00	-0.04	23.21	3	Horizontal	337	2.40	-	27.40	3.35	-
PK	2.4112G	115.52	Inf	-Inf	84.66	3	Horizontal	337	2.40	-	27.50	3.36	-
AV	2.4112G	106.67	Inf	-Inf	75.81	3	Horizontal	337	2.40	-	27.50	3.36	-
PK	2.4835G	59.41	74.00	-14.59	28.37	3	Horizontal	337	2.40	-	27.64	3.40	-
AV	2.4864G	48.06	54.00	-5.94	17.00	3	Horizontal	337	2.40	-	27.66	3.40	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 12
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82792G	45.01	74.00	-28.99	40.24	3	Vertical	280	2.85	-	32.36	5.68	33.27
AV	4.82672G	32.84	54.00	-21.16	28.09	3	Vertical	280	2.85	-	32.35	5.67	33.27

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 12
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8276G	46.28	74.00	-27.72	41.52	3	Horizontal	32	2.44	-	32.36	5.67	33.27
AV	4.8272G	33.30	54.00	-20.70	28.55	3	Horizontal	32	2.44	-	32.35	5.67	33.27

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUTY_2TX
 Setting 13.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3854G	69.39	74.00	-4.61	38.65	3	Vertical	15	2.28	-	27.40	3.34	-
AV	2.3886G	51.71	54.00	-2.29	20.96	3	Vertical	15	2.28	-	27.40	3.35	-
PK	2.4126G	113.00	Inf	-Inf	82.14	3	Vertical	15	2.28	-	27.50	3.36	-
AV	2.4178G	104.93	Inf	-Inf	74.07	3	Vertical	15	2.28	-	27.50	3.36	-
PK	2.4938G	59.30	74.00	-14.70	28.20	3	Vertical	15	2.28	-	27.70	3.40	-
AV	2.497G	47.63	54.00	-6.37	16.53	3	Vertical	15	2.28	-	27.70	3.40	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUTY_2TX
 Setting 13.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	71.28	74.00	-2.72	40.53	3	Horizontal	339	1.95	-	27.40	3.35	-
AV	2.3898G	53.97	54.00	-0.03	23.22	3	Horizontal	339	1.95	-	27.40	3.35	-
PK	2.419G	116.69	Inf	-Inf	85.83	3	Horizontal	339	1.95	-	27.50	3.36	-
AV	2.419G	107.89	Inf	-Inf	77.03	3	Horizontal	339	1.95	-	27.50	3.36	-
PK	2.4966G	60.25	74.00	-13.75	29.15	3	Horizontal	339	1.95	-	27.70	3.40	-
AV	2.4858G	48.30	54.00	-5.70	17.24	3	Horizontal	339	1.95	-	27.66	3.40	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 19.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	65.49	74.00	-8.51	34.74	3	Vertical	18	2.21	-	27.40	3.35	-
AV	2.3898G	52.00	54.00	-2.00	21.25	3	Vertical	18	2.21	-	27.40	3.35	-
PK	2.4378G	115.41	Inf	-Inf	84.46	3	Vertical	18	2.21	-	27.58	3.37	-
AV	2.4378G	107.46	Inf	-Inf	76.51	3	Vertical	18	2.21	-	27.58	3.37	-
PK	2.485G	63.21	74.00	-10.79	32.16	3	Vertical	18	2.21	-	27.65	3.40	-
AV	2.4838G	50.53	54.00	-3.47	19.49	3	Vertical	18	2.21	-	27.64	3.40	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUTY_2TX
 Setting 19.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	67.05	74.00	-6.95	36.30	3	Horizontal	304	2.50	-	27.40	3.35	-
AV	2.3894G	53.74	54.00	-0.26	22.99	3	Horizontal	304	2.50	-	27.40	3.35	-
PK	2.4358G	119.80	Inf	-Inf	88.87	3	Horizontal	304	2.50	-	27.56	3.37	-
AV	2.4358G	111.49	Inf	-Inf	80.56	3	Horizontal	304	2.50	-	27.56	3.37	-
PK	2.4866G	65.76	74.00	-8.24	34.69	3	Horizontal	304	2.50	-	27.67	3.40	-
AV	2.4835G	53.03	54.00	-0.97	21.99	3	Horizontal	304	2.50	-	27.64	3.40	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUTY_2TX
Setting 19.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87128G	48.12	74.00	-25.88	43.18	3	Vertical	360	1.75	-	32.49	5.71	33.26
AV	4.8714G	35.62	54.00	-18.38	30.68	3	Vertical	360	1.75	-	32.49	5.71	33.26
PK	7.31116G	53.83	74.00	-20.17	43.60	3	Vertical	83	2.09	-	37.20	7.12	34.09
AV	7.31152G	40.92	54.00	-13.08	30.69	3	Vertical	83	2.09	-	37.20	7.12	34.09

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 19.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87104G	52.03	74.00	-21.97	47.10	3	Horizontal	338	1.83	-	32.48	5.71	33.26
AV	4.8722G	38.37	54.00	-15.63	33.43	3	Horizontal	338	1.83	-	32.49	5.71	33.26
PK	7.30924G	56.13	74.00	-17.87	45.90	3	Horizontal	326	1.80	-	37.20	7.12	34.09
AV	7.313G	43.01	54.00	-10.99	32.79	3	Horizontal	326	1.80	-	37.20	7.12	34.10

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUTY_2TX
Setting 15
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.371G	59.16	74.00	-14.84	28.33	3	Vertical	24	2.69	-	27.49	3.34	-
AV	2.3682G	47.67	54.00	-6.33	16.85	3	Vertical	24	2.69	-	27.48	3.34	-
PK	2.4554G	111.13	Inf	-Inf	80.15	3	Vertical	24	2.69	-	27.60	3.38	-
AV	2.4558G	103.03	Inf	-Inf	72.05	3	Vertical	24	2.69	-	27.60	3.38	-
PK	2.487G	61.62	74.00	-12.38	30.55	3	Vertical	24	2.69	-	27.67	3.40	-
AV	2.4858G	49.40	54.00	-4.60	18.34	3	Vertical	24	2.69	-	27.66	3.40	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT_Y_2TX
Setting 15
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3766G	60.01	74.00	-13.99	29.24	3	Horizontal	304	2.19	-	27.43	3.34	-
AV	2.389G	48.88	54.00	-5.12	18.13	3	Horizontal	304	2.19	-	27.40	3.35	-
PK	2.4586G	115.47	Inf	-Inf	84.49	3	Horizontal	304	2.19	-	27.60	3.38	-
AV	2.4586G	106.74	Inf	-Inf	75.76	3	Horizontal	304	2.19	-	27.60	3.38	-
PK	2.4846G	67.91	74.00	-6.09	36.86	3	Horizontal	304	2.19	-	27.65	3.40	-
AV	2.4842G	53.43	54.00	-0.57	22.39	3	Horizontal	304	2.19	-	27.64	3.40	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
 Setting 13.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3716G	59.68	74.00	-14.32	28.86	3	Vertical	15	2.68	-	27.48	3.34	-
AV	2.3744G	47.42	54.00	-6.58	16.62	3	Vertical	15	2.68	-	27.46	3.34	-
PK	2.4632G	111.63	Inf	-Inf	80.65	3	Vertical	15	2.68	-	27.60	3.38	-
AV	2.4628G	102.95	Inf	-Inf	71.97	3	Vertical	15	2.68	-	27.60	3.38	-
PK	2.4835G	65.27	74.00	-8.73	34.23	3	Vertical	15	2.68	-	27.64	3.40	-
AV	2.4835G	52.02	54.00	-1.98	20.98	3	Vertical	15	2.68	-	27.64	3.40	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUTY_2TX
 Setting 13.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3828G	60.14	74.00	-13.86	29.40	3	Horizontal	304	2.21	-	27.40	3.34	-
AV	2.3708G	47.91	54.00	-6.09	17.08	3	Horizontal	304	2.21	-	27.49	3.34	-
PK	2.4604G	114.13	Inf	-Inf	83.15	3	Horizontal	304	2.21	-	27.60	3.38	-
AV	2.4612G	106.21	Inf	-Inf	75.23	3	Horizontal	304	2.21	-	27.60	3.38	-
PK	2.4872G	66.65	74.00	-7.35	35.58	3	Horizontal	304	2.21	-	27.67	3.40	-
AV	2.486G	53.06	54.00	-0.94	22.00	3	Horizontal	304	2.21	-	27.66	3.40	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
 Setting 13.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93144G	46.28	74.00	-27.72	41.08	3	Vertical	228	1.41	-	32.66	5.77	33.23
AV	4.93104G	33.45	54.00	-20.55	28.25	3	Vertical	228	1.41	-	32.66	5.77	33.23
PK	7.38116G	50.74	74.00	-23.26	40.50	3	Vertical	318	2.07	-	37.20	7.16	34.12
AV	7.39484G	37.90	54.00	-16.10	27.66	3	Vertical	318	2.07	-	37.20	7.17	34.13

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
 Setting 13.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93052G	46.55	74.00	-27.45	41.36	3	Horizontal	142	1.40	-	32.66	5.77	33.24
AV	4.934G	34.49	54.00	-19.51	29.28	3	Horizontal	142	1.40	-	32.67	5.77	33.23
PK	7.3884G	49.96	74.00	-24.04	39.73	3	Horizontal	219	1.63	-	37.20	7.16	34.13
AV	7.39536G	38.33	54.00	-15.67	28.09	3	Horizontal	219	1.63	-	37.20	7.17	34.13

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2467MHz_TX




EUT_Y_2TX
Setting 12
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.377G	60.06	74.00	-13.94	29.29	3	Vertical	17	2.69	-	27.43	3.34	-
AV	2.3722G	47.20	54.00	-6.80	16.38	3	Vertical	17	2.69	-	27.48	3.34	-
PK	2.4678G	110.34	Inf	-Inf	79.35	3	Vertical	17	2.69	-	27.60	3.39	-
AV	2.4678G	101.68	Inf	-Inf	70.69	3	Vertical	17	2.69	-	27.60	3.39	-
PK	2.4835G	67.24	74.00	-6.76	36.20	3	Vertical	17	2.69	-	27.64	3.40	-
AV	2.4835G	52.02	54.00	-1.98	20.98	3	Vertical	17	2.69	-	27.64	3.40	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2467MHz_TX




EUT_Y_2TX
Setting 12
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3798G	60.51	74.00	-13.49	29.77	3	Horizontal	304	1.80	-	27.40	3.34	-
AV	2.3898G	48.06	54.00	-5.94	17.31	3	Horizontal	304	1.80	-	27.40	3.35	-
PK	2.4658G	114.01	Inf	-Inf	83.02	3	Horizontal	304	1.80	-	27.60	3.39	-
AV	2.4662G	105.48	Inf	-Inf	74.49	3	Horizontal	304	1.80	-	27.60	3.39	-
PK	2.485G	68.66	74.00	-5.34	37.61	3	Horizontal	304	1.80	-	27.65	3.40	-
AV	2.4862G	53.96	54.00	-0.04	22.90	3	Horizontal	304	1.80	-	27.66	3.40	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2467MHz_TX




EUT_Y_2TX
 Setting 12
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9396G	45.78	74.00	-28.22	40.55	3	Vertical	314	2.22	-	32.68	5.78	33.23
AV	4.936G	33.37	54.00	-20.63	28.16	3	Vertical	314	2.22	-	32.67	5.77	33.23
PK	7.40736G	50.21	74.00	-23.79	39.96	3	Vertical	265	2.15	-	37.20	7.18	34.13
AV	7.39316G	37.89	54.00	-16.11	27.65	3	Vertical	265	2.15	-	37.20	7.17	34.13

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2467MHz_TX




EUT_Y_2TX
Setting 12
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93328G	46.56	74.00	-27.44	41.35	3	Horizontal	138	1.80	-	32.67	5.77	33.23
AV	4.93544G	34.57	54.00	-19.43	29.36	3	Horizontal	138	1.80	-	32.67	5.77	33.23
PK	7.40504G	50.12	74.00	-23.88	39.87	3	Horizontal	117	2.79	-	37.20	7.18	34.13
AV	7.40648G	38.08	54.00	-15.92	27.83	3	Horizontal	117	2.79	-	37.20	7.18	34.13

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2472MHz_TX




EUT_Y_2TX
Setting 7
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4725G	104.11	Inf	-Inf	73.12	3	Vertical	14	2.69	BP 1MHz	27.60	3.39	-
AV	2.4725G	98.93	Inf	-Inf	67.94	3	Vertical	14	2.69	BP 1MHz	27.60	3.39	-
PK	2.484G	58.09	74.00	-15.91	27.05	3	Vertical	14	2.69	BP 1MHz	27.64	3.40	-
AV	2.484G	51.50	54.00	-2.50	20.46	3	Vertical	14	2.69	BP 1MHz	27.64	3.40	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2472MHz_TX




EUT_Y_2TX
Setting 7
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4715G	107.65	Inf	-Inf	76.66	3	Horizontal	303	1.80	BP 1MHz	27.60	3.39	-
AV	2.4715G	102.78	Inf	-Inf	71.79	3	Horizontal	303	1.80	BP 1MHz	27.60	3.39	-
PK	2.485G	60.60	74.00	-13.40	29.55	3	Horizontal	303	1.80	BP 1MHz	27.65	3.40	-
AV	2.485G	53.78	54.00	-0.22	22.73	3	Horizontal	303	1.80	BP 1MHz	27.65	3.40	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2472MHz_TX




EUT_Y_2TX
 Setting 7
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93704G	44.85	74.00	-29.15	39.64	3	Vertical	143	1.60	-	32.67	5.77	33.23
AV	4.9376G	33.19	54.00	-20.81	27.97	3	Vertical	143	1.60	-	32.68	5.77	33.23
PK	7.41084G	49.39	74.00	-24.61	39.14	3	Vertical	103	2.97	-	37.20	7.18	34.13
AV	7.40632G	37.86	54.00	-16.14	27.61	3	Vertical	103	2.97	-	37.20	7.18	34.13

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2472MHz_TX




EUT_Y_2TX
Setting 7
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94248G	48.01	74.00	-25.99	42.78	3	Horizontal	350	1.08	-	32.68	5.78	33.23
AV	4.94228G	35.37	54.00	-18.63	30.14	3	Horizontal	350	1.08	-	32.68	5.78	33.23
PK	7.42124G	50.22	74.00	-23.78	39.97	3	Horizontal	358	2.77	-	37.20	7.19	34.14
AV	7.41616G	37.99	54.00	-16.01	27.74	3	Horizontal	358	2.77	-	37.20	7.19	34.14

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 12.5
04-K-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	68.91	74.00	-5.09	38.16	3	Vertical	27	1.54	-	27.40	3.35	-
AV	2.3892G	52.66	54.00	-1.34	21.91	3	Vertical	27	1.54	-	27.40	3.35	-
PK	2.414G	112.54	Inf	-Inf	81.68	3	Vertical	27	1.54	-	27.50	3.36	-
AV	2.4112G	101.37	Inf	-Inf	70.51	3	Vertical	27	1.54	-	27.50	3.36	-
PK	2.4844G	59.61	74.00	-14.39	28.57	3	Vertical	27	1.54	-	27.64	3.40	-
AV	2.4888G	47.73	54.00	-6.27	16.64	3	Vertical	27	1.54	-	27.69	3.40	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
 Setting 12.5
 04-K-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	70.70	74.00	-3.30	39.95	3	Horizontal	338	2.13	-	27.40	3.35	-
AV	2.3896G	53.98	54.00	-0.02	23.23	3	Horizontal	338	2.13	-	27.40	3.35	-
PK	2.4124G	116.14	Inf	-Inf	85.28	3	Horizontal	338	2.13	-	27.50	3.36	-
AV	2.4128G	105.09	Inf	-Inf	74.23	3	Horizontal	338	2.13	-	27.50	3.36	-
PK	2.4924G	59.75	74.00	-14.25	28.65	3	Horizontal	338	2.13	-	27.70	3.40	-
AV	2.4912G	48.00	54.00	-6.00	16.90	3	Horizontal	338	2.13	-	27.70	3.40	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 12
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81524G	45.28	74.00	-28.72	40.57	3	Vertical	4	3.00	-	32.33	5.66	33.28
AV	4.82076G	32.74	54.00	-21.26	28.00	3	Vertical	4	3.00	-	32.34	5.67	33.27

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 12
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82664G	45.37	74.00	-28.63	40.62	3	Horizontal	293	1.98	-	32.35	5.67	33.27
AV	4.82012G	33.20	54.00	-20.80	28.46	3	Horizontal	293	1.98	-	32.34	5.67	33.27

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_Y_2TX
Setting 13
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3882G	64.24	74.00	-9.76	33.49	3	Vertical	13	2.27	-	27.40	3.35	-
AV	2.3886G	51.43	54.00	-2.57	20.68	3	Vertical	13	2.27	-	27.40	3.35	-
PK	2.4182G	112.70	Inf	-Inf	81.84	3	Vertical	13	2.27	-	27.50	3.36	-
AV	2.4162G	103.29	Inf	-Inf	72.43	3	Vertical	13	2.27	-	27.50	3.36	-
PK	2.4934G	59.63	74.00	-14.37	28.53	3	Vertical	13	2.27	-	27.70	3.40	-
AV	2.4866G	47.58	54.00	-6.42	16.51	3	Vertical	13	2.27	-	27.67	3.40	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_Y_2TX
Setting 13
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	67.78	74.00	-6.22	37.03	3	Horizontal	339	1.95	-	27.40	3.35	-
AV	2.3898G	53.97	54.00	-0.03	23.22	3	Horizontal	339	1.95	-	27.40	3.35	-
PK	2.417G	114.91	Inf	-Inf	84.05	3	Horizontal	339	1.95	-	27.50	3.36	-
AV	2.4194G	106.05	Inf	-Inf	75.19	3	Horizontal	339	1.95	-	27.50	3.36	-
PK	2.491G	59.09	74.00	-14.91	27.99	3	Horizontal	339	1.95	-	27.70	3.40	-
AV	2.4898G	48.11	54.00	-5.89	17.01	3	Horizontal	339	1.95	-	27.70	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 20
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3858G	65.64	74.00	-8.36	34.90	3	Vertical	16	2.21	-	27.40	3.34	-
AV	2.3898G	52.54	54.00	-1.46	21.79	3	Vertical	16	2.21	-	27.40	3.35	-
PK	2.4366G	116.40	Inf	-Inf	85.46	3	Vertical	16	2.21	-	27.57	3.37	-
AV	2.4362G	106.15	Inf	-Inf	75.22	3	Vertical	16	2.21	-	27.56	3.37	-
PK	2.4858G	62.61	74.00	-11.39	31.55	3	Vertical	16	2.21	-	27.66	3.40	-
AV	2.4842G	50.89	54.00	-3.11	19.85	3	Vertical	16	2.21	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 20
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	66.88	74.00	-7.12	36.13	3	Horizontal	304	2.51	-	27.40	3.35	-
AV	2.3894G	53.85	54.00	-0.15	23.10	3	Horizontal	304	2.51	-	27.40	3.35	-
PK	2.435G	122.33	Inf	-Inf	91.41	3	Horizontal	304	2.51	-	27.55	3.37	-
AV	2.4378G	110.33	Inf	-Inf	79.38	3	Horizontal	304	2.51	-	27.58	3.37	-
PK	2.4882G	67.37	74.00	-6.63	36.29	3	Horizontal	304	2.51	-	27.68	3.40	-
AV	2.4835G	53.81	54.00	-0.19	22.77	3	Horizontal	304	2.51	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 20
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87776G	47.01	74.00	-26.99	42.03	3	Vertical	356	1.74	-	32.51	5.72	33.25
AV	4.87232G	34.68	54.00	-19.32	29.73	3	Vertical	356	1.74	-	32.49	5.72	33.26
PK	7.31892G	51.30	74.00	-22.70	41.07	3	Vertical	120	1.67	-	37.20	7.13	34.10
AV	7.3114G	38.54	54.00	-15.46	28.31	3	Vertical	120	1.67	-	37.20	7.12	34.09

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 20
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8732G	52.72	74.00	-21.28	47.77	3	Horizontal	356	1.09	-	32.49	5.72	33.26
AV	4.8726G	39.24	54.00	-14.76	34.29	3	Horizontal	356	1.09	-	32.49	5.72	33.26
PK	7.30964G	55.82	74.00	-18.18	45.59	3	Horizontal	322	1.57	-	37.20	7.12	34.09
AV	7.312G	43.58	54.00	-10.42	33.35	3	Horizontal	322	1.57	-	37.20	7.12	34.09

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_Y_2TX
 Setting 15.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	58.52	74.00	-15.48	27.77	3	Vertical	15	3.00	-	27.40	3.35	-
AV	2.365G	47.42	54.00	-6.58	16.63	3	Vertical	15	3.00	-	27.45	3.34	-
PK	2.4538G	112.05	Inf	-Inf	81.07	3	Vertical	15	3.00	-	27.60	3.38	-
AV	2.4562G	101.73	Inf	-Inf	70.75	3	Vertical	15	3.00	-	27.60	3.38	-
PK	2.4914G	63.23	74.00	-10.77	32.13	3	Vertical	15	3.00	-	27.70	3.40	-
AV	2.4838G	50.53	54.00	-3.47	19.49	3	Vertical	15	3.00	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2457MHz_TX




EUTY_2TX
 Setting 15.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.375G	59.92	74.00	-14.08	29.13	3	Horizontal	306	1.80	-	27.45	3.34	-
AV	2.3894G	49.27	54.00	-4.73	18.52	3	Horizontal	306	1.80	-	27.40	3.35	-
PK	2.4586G	115.13	Inf	-Inf	84.15	3	Horizontal	306	1.80	-	27.60	3.38	-
AV	2.4578G	105.71	Inf	-Inf	74.73	3	Horizontal	306	1.80	-	27.60	3.38	-
PK	2.4878G	68.79	74.00	-5.21	37.71	3	Horizontal	306	1.80	-	27.68	3.40	-
AV	2.4835G	53.81	54.00	-0.19	22.77	3	Horizontal	306	1.80	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 14
04-K-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3752G	59.88	74.00	-14.12	29.09	3	Vertical	94	1.05	-	27.45	3.34	-
AV	2.39G	47.51	54.00	-6.49	16.76	3	Vertical	94	1.05	-	27.40	3.35	-
PK	2.4612G	110.68	Inf	-Inf	79.70	3	Vertical	94	1.05	-	27.60	3.38	-
AV	2.4612G	100.63	Inf	-Inf	69.65	3	Vertical	94	1.05	-	27.60	3.38	-
PK	2.484G	63.81	74.00	-10.19	32.77	3	Vertical	94	1.05	-	27.64	3.40	-
AV	2.484G	51.02	54.00	-2.98	19.98	3	Vertical	94	1.05	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 14
04-K-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3876G	61.39	74.00	-12.61	30.64	3	Horizontal	344	2.11	-	27.40	3.35	-
AV	2.39G	49.21	54.00	-4.79	18.46	3	Horizontal	344	2.11	-	27.40	3.35	-
PK	2.46G	115.06	Inf	-Inf	84.08	3	Horizontal	344	2.11	-	27.60	3.38	-
AV	2.4628G	104.08	Inf	-Inf	73.10	3	Horizontal	344	2.11	-	27.60	3.38	-
PK	2.4848G	66.32	74.00	-7.68	35.27	3	Horizontal	344	2.11	-	27.65	3.40	-
AV	2.4852G	53.04	54.00	-0.96	21.99	3	Horizontal	344	2.11	-	27.65	3.40	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
 Setting 12
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92688G	45.53	74.00	-28.47	40.36	3	Vertical	215	1.24	-	32.65	5.76	33.24
AV	4.9234G	33.31	54.00	-20.69	28.14	3	Vertical	215	1.24	-	32.65	5.76	33.24
PK	7.39184G	50.59	74.00	-23.41	40.35	3	Vertical	63	1.02	-	37.20	7.17	34.13
AV	7.395G	37.75	54.00	-16.25	27.51	3	Vertical	63	1.02	-	37.20	7.17	34.13

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
 Setting 12
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91864G	47.07	74.00	-26.93	41.91	3	Horizontal	7	1.80	-	32.64	5.76	33.24
AV	4.92168G	33.58	54.00	-20.42	28.42	3	Horizontal	7	1.80	-	32.64	5.76	33.24
PK	7.39468G	51.11	74.00	-22.89	40.87	3	Horizontal	324	1.80	-	37.20	7.17	34.13
AV	7.38688G	38.49	54.00	-15.51	28.25	3	Horizontal	324	1.80	-	37.20	7.16	34.12

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 14
04-K-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3752G	59.88	74.00	-14.12	29.09	3	Vertical	94	1.05	-	27.45	3.34	-
AV	2.39G	47.51	54.00	-6.49	16.76	3	Vertical	94	1.05	-	27.40	3.35	-
PK	2.4612G	110.68	Inf	-Inf	79.70	3	Vertical	94	1.05	-	27.60	3.38	-
AV	2.4612G	100.63	Inf	-Inf	69.65	3	Vertical	94	1.05	-	27.60	3.38	-
PK	2.484G	63.81	74.00	-10.19	32.77	3	Vertical	94	1.05	-	27.64	3.40	-
AV	2.484G	51.02	54.00	-2.98	19.98	3	Vertical	94	1.05	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 14
04-K-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3876G	61.39	74.00	-12.61	30.64	3	Horizontal	344	2.11	-	27.40	3.35	-
AV	2.39G	49.21	54.00	-4.79	18.46	3	Horizontal	344	2.11	-	27.40	3.35	-
PK	2.46G	115.06	Inf	-Inf	84.08	3	Horizontal	344	2.11	-	27.60	3.38	-
AV	2.4628G	104.08	Inf	-Inf	73.10	3	Horizontal	344	2.11	-	27.60	3.38	-
PK	2.4848G	66.32	74.00	-7.68	35.27	3	Horizontal	344	2.11	-	27.65	3.40	-
AV	2.4852G	53.04	54.00	-0.96	21.99	3	Horizontal	344	2.11	-	27.65	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_Y_2TX
 Setting 11.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3826G	58.42	74.00	-15.58	27.68	3	Vertical	14	2.70	-	27.40	3.34	-
AV	2.3746G	46.92	54.00	-7.08	16.13	3	Vertical	14	2.70	-	27.45	3.34	-
PK	2.4686G	110.50	Inf	-Inf	79.51	3	Vertical	14	2.70	-	27.60	3.39	-
AV	2.4662G	99.91	Inf	-Inf	68.92	3	Vertical	14	2.70	-	27.60	3.39	-
PK	2.4835G	65.40	74.00	-8.60	34.36	3	Vertical	14	2.70	-	27.64	3.40	-
AV	2.4835G	50.35	54.00	-3.65	19.31	3	Vertical	14	2.70	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_Y_2TX
Setting 11.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3802G	58.81	74.00	-15.19	28.07	3	Horizontal	302	1.79	-	27.40	3.34	-
AV	2.389G	47.61	54.00	-6.39	16.86	3	Horizontal	302	1.79	-	27.40	3.35	-
PK	2.4702G	114.92	Inf	-Inf	83.93	3	Horizontal	302	1.79	-	27.60	3.39	-
AV	2.4678G	103.55	Inf	-Inf	72.56	3	Horizontal	302	1.79	-	27.60	3.39	-
PK	2.4835G	68.30	74.00	-5.70	37.26	3	Horizontal	302	1.79	-	27.64	3.40	-
AV	2.4835G	53.16	54.00	-0.84	22.12	3	Horizontal	302	1.79	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_Y_2TX
 Setting 11.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9298G	45.77	74.00	-28.23	40.58	3	Vertical	288	2.49	-	32.66	5.77	33.24
AV	4.93368G	33.37	54.00	-20.63	28.16	3	Vertical	288	2.49	-	32.67	5.77	33.23
PK	7.40508G	50.14	74.00	-23.86	39.89	3	Vertical	228	1.58	-	37.20	7.18	34.13
AV	7.40008G	38.22	54.00	-15.78	27.98	3	Vertical	228	1.58	-	37.20	7.17	34.13

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_Y_2TX
 Setting 11.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93656G	45.80	74.00	-28.20	40.59	3	Horizontal	153	1.80	-	32.67	5.77	33.23
AV	4.93632G	33.37	54.00	-20.63	28.16	3	Horizontal	153	1.80	-	32.67	5.77	33.23
PK	7.40212G	51.30	74.00	-22.70	41.06	3	Horizontal	74	2.45	-	37.20	7.17	34.13
AV	7.40252G	38.15	54.00	-15.85	27.91	3	Horizontal	74	2.45	-	37.20	7.17	34.13

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_Y_2TX
Setting 7
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4735G	103.14	Inf	-Inf	72.15	3	Vertical	12	2.70	BP 1MHz	27.60	3.39	-
AV	2.4735G	97.69	Inf	-Inf	66.70	3	Vertical	12	2.70	BP 1MHz	27.60	3.39	-
PK	2.484G	58.75	74.00	-15.25	27.71	3	Vertical	12	2.70	BP 1MHz	27.64	3.40	-
AV	2.484G	52.12	54.00	-1.88	21.08	3	Vertical	12	2.70	BP 1MHz	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_Y_2TX
Setting 7
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4705G	106.76	Inf	-Inf	75.77	3	Horizontal	303	1.80	BP 1MHz	27.60	3.39	-
AV	2.4705G	101.80	Inf	-Inf	70.81	3	Horizontal	303	1.80	BP 1MHz	27.60	3.39	-
PK	2.485G	60.52	74.00	-13.48	29.47	3	Horizontal	303	1.80	BP 1MHz	27.65	3.40	-
AV	2.485G	53.96	54.00	-0.04	22.91	3	Horizontal	303	1.80	BP 1MHz	27.65	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_Y_2TX
Setting 7
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93684G	44.70	74.00	-29.30	39.49	3	Vertical	221	1.26	-	32.67	5.77	33.23
AV	4.9382G	33.19	54.00	-20.81	27.97	3	Vertical	221	1.26	-	32.68	5.77	33.23
PK	7.41252G	49.90	74.00	-24.10	39.66	3	Vertical	13	2.99	-	37.20	7.18	34.14
AV	7.41544G	37.84	54.00	-16.16	27.59	3	Vertical	13	2.99	-	37.20	7.19	34.14

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_Y_2TX
Setting 7
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94724G	46.73	74.00	-27.27	41.49	3	Horizontal	347	1.83	-	32.69	5.78	33.23
AV	4.94484G	34.45	54.00	-19.55	29.21	3	Horizontal	347	1.83	-	32.69	5.78	33.23
PK	7.41784G	50.08	74.00	-23.92	39.83	3	Horizontal	171	1.22	-	37.20	7.19	34.14
AV	7.40952G	37.92	54.00	-16.08	27.67	3	Horizontal	171	1.22	-	37.20	7.18	34.13

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUTY_2TX
Setting 13.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3848G	70.21	74.00	-3.79	39.47	3	Vertical	17	2.54	-	27.40	3.34	-
AV	2.388G	51.27	54.00	-2.73	20.52	3	Vertical	17	2.54	-	27.40	3.35	-
PK	2.4216G	108.80	Inf	-Inf	77.94	3	Vertical	17	2.54	-	27.50	3.36	-
AV	2.4212G	98.03	Inf	-Inf	67.17	3	Vertical	17	2.54	-	27.50	3.36	-
PK	2.4884G	58.65	74.00	-15.35	27.57	3	Vertical	17	2.54	-	27.68	3.40	-
AV	2.4908G	47.62	54.00	-6.38	16.52	3	Vertical	17	2.54	-	27.70	3.40	-

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_Y_2TX
 Setting 13.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.382G	67.81	74.00	-6.19	37.07	3	Horizontal	346	1.80	-	27.40	3.34	-
AV	2.3892G	53.63	54.00	-0.37	22.88	3	Horizontal	346	1.80	-	27.40	3.35	-
PK	2.42G	110.47	Inf	-Inf	79.61	3	Horizontal	346	1.80	-	27.50	3.36	-
AV	2.4196G	100.54	Inf	-Inf	69.68	3	Horizontal	346	1.80	-	27.50	3.36	-
PK	2.484G	58.95	74.00	-15.05	27.91	3	Horizontal	346	1.80	-	27.64	3.40	-
AV	2.4868G	48.07	54.00	-5.93	17.00	3	Horizontal	346	1.80	-	27.67	3.40	-

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_Y_2TX
 Setting 13.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84744G	44.71	74.00	-29.29	39.89	3	Vertical	77	2.76	-	32.39	5.69	33.26
AV	4.85204G	33.12	54.00	-20.88	28.27	3	Vertical	77	2.76	-	32.41	5.70	33.26
PK	7.25912G	49.51	74.00	-24.49	39.45	3	Vertical	345	2.44	-	37.04	7.09	34.07
AV	7.27128G	37.73	54.00	-16.27	27.62	3	Vertical	345	2.44	-	37.09	7.10	34.08

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_Y_2TX
 Setting 13.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.85136G	45.15	74.00	-28.85	40.30	3	Horizontal	156	1.80	-	32.41	5.70	33.26
AV	4.852G	33.12	54.00	-20.88	28.27	3	Horizontal	156	1.80	-	32.41	5.70	33.26
PK	7.26372G	50.25	74.00	-23.75	40.18	3	Horizontal	138	2.44	-	37.05	7.10	34.08
AV	7.27388G	37.82	54.00	-16.18	27.70	3	Horizontal	138	2.44	-	37.10	7.10	34.08

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUTY_2TX
Setting 15
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	63.61	74.00	-10.39	32.86	3	Vertical	9	1.88	-	27.40	3.35	-
AV	2.3886G	50.82	54.00	-3.18	20.07	3	Vertical	9	1.88	-	27.40	3.35	-
PK	2.4382G	109.40	Inf	-Inf	78.45	3	Vertical	9	1.88	-	27.58	3.37	-
AV	2.4358G	98.79	Inf	-Inf	67.86	3	Vertical	9	1.88	-	27.56	3.37	-
PK	2.4846G	62.41	74.00	-11.59	31.36	3	Vertical	9	1.88	-	27.65	3.40	-
AV	2.4838G	49.58	54.00	-4.42	18.54	3	Vertical	9	1.88	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUTY_2TX
Setting 15
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3798G	66.21	74.00	-7.79	35.47	3	Horizontal	306	2.51	-	27.40	3.34	-
AV	2.3898G	53.28	54.00	-0.72	22.53	3	Horizontal	306	2.51	-	27.40	3.35	-
PK	2.4374G	113.36	Inf	-Inf	82.42	3	Horizontal	306	2.51	-	27.57	3.37	-
AV	2.4378G	102.83	Inf	-Inf	71.88	3	Horizontal	306	2.51	-	27.58	3.37	-
PK	2.485G	68.46	74.00	-5.54	37.41	3	Horizontal	306	2.51	-	27.65	3.40	-
AV	2.4835G	53.56	54.00	-0.44	22.52	3	Horizontal	306	2.51	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 15
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87904G	45.11	74.00	-28.89	40.12	3	Vertical	354	1.84	-	32.52	5.72	33.25
AV	4.86948G	33.51	54.00	-20.49	28.58	3	Vertical	354	1.84	-	32.48	5.71	33.26
PK	7.30768G	50.92	74.00	-23.08	40.69	3	Vertical	100	1.92	-	37.20	7.12	34.09
AV	7.31852G	38.15	54.00	-15.85	27.92	3	Vertical	100	1.92	-	37.20	7.13	34.10

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 15
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86916G	46.57	74.00	-27.43	41.64	3	Horizontal	292	1.95	-	32.48	5.71	33.26
AV	4.86856G	33.76	54.00	-20.24	28.84	3	Horizontal	292	1.95	-	32.47	5.71	33.26
PK	7.30656G	50.28	74.00	-23.72	40.05	3	Horizontal	68	2.22	-	37.20	7.12	34.09
AV	7.31944G	38.56	54.00	-15.44	28.33	3	Horizontal	68	2.22	-	37.20	7.13	34.10

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUTY_2TX
Setting 13.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3784G	57.98	74.00	-16.02	27.22	3	Vertical	9	3.00	-	27.42	3.34	-
AV	2.3896G	46.89	54.00	-7.11	16.14	3	Vertical	9	3.00	-	27.40	3.35	-
PK	2.4496G	105.68	Inf	-Inf	74.70	3	Vertical	9	3.00	-	27.60	3.38	-
AV	2.4496G	96.62	Inf	-Inf	65.64	3	Vertical	9	3.00	-	27.60	3.38	-
PK	2.4835G	61.48	74.00	-12.52	30.44	3	Vertical	9	3.00	-	27.64	3.40	-
AV	2.4848G	49.79	54.00	-4.21	18.74	3	Vertical	9	3.00	-	27.65	3.40	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUTY_2TX
Setting 13.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.386G	59.87	74.00	-14.13	29.13	3	Horizontal	337	2.14	-	27.40	3.34	-
AV	2.39G	48.06	54.00	-5.94	17.31	3	Horizontal	337	2.14	-	27.40	3.35	-
PK	2.4508G	111.03	Inf	-Inf	80.05	3	Horizontal	337	2.14	-	27.60	3.38	-
AV	2.4508G	100.95	Inf	-Inf	69.97	3	Horizontal	337	2.14	-	27.60	3.38	-
PK	2.4848G	68.71	74.00	-5.29	37.66	3	Horizontal	337	2.14	-	27.65	3.40	-
AV	2.484G	52.76	54.00	-1.24	21.72	3	Horizontal	337	2.14	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_Y_2TX
 Setting 13.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.904G	44.72	74.00	-29.28	39.61	3	Vertical	287	2.30	-	32.61	5.74	33.24
AV	4.91064G	33.26	54.00	-20.74	28.13	3	Vertical	287	2.30	-	32.62	5.75	33.24
PK	7.362G	49.44	74.00	-24.56	39.20	3	Vertical	49	1.36	-	37.20	7.15	34.11
AV	7.34664G	37.69	54.00	-16.31	27.46	3	Vertical	49	1.36	-	37.20	7.14	34.11

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_Y_2TX
 Setting 13.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90308G	45.80	74.00	-28.20	40.69	3	Horizontal	294	1.69	-	32.61	5.74	33.24
AV	4.89712G	33.29	54.00	-20.71	28.21	3	Horizontal	294	1.69	-	32.59	5.74	33.25
PK	7.35276G	50.79	74.00	-23.21	40.56	3	Horizontal	129	2.57	-	37.20	7.14	34.11
AV	7.35424G	37.98	54.00	-16.02	27.75	3	Horizontal	129	2.57	-	37.20	7.14	34.11

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2457MHz_TX




EUTY_2TX
 Setting 13.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	58.25	74.00	-15.75	27.50	3	Vertical	14	3.00	-	27.40	3.35	-
AV	2.3698G	46.73	54.00	-7.27	15.89	3	Vertical	14	3.00	-	27.50	3.34	-
PK	2.4554G	105.78	Inf	-Inf	74.80	3	Vertical	14	3.00	-	27.60	3.38	-
AV	2.4546G	96.45	Inf	-Inf	65.47	3	Vertical	14	3.00	-	27.60	3.38	-
PK	2.4838G	60.73	74.00	-13.27	29.69	3	Vertical	14	3.00	-	27.64	3.40	-
AV	2.487G	50.01	54.00	-3.99	18.94	3	Vertical	14	3.00	-	27.67	3.40	-

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2457MHz_TX




EUTY_2TX
Setting 13.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3602G	58.70	74.00	-15.30	27.97	3	Horizontal	305	2.30	-	27.40	3.33	-
AV	2.389G	47.61	54.00	-6.39	16.86	3	Horizontal	305	2.30	-	27.40	3.35	-
PK	2.4546G	109.69	Inf	-Inf	78.71	3	Horizontal	305	2.30	-	27.60	3.38	-
AV	2.4542G	100.26	Inf	-Inf	69.28	3	Horizontal	305	2.30	-	27.60	3.38	-
PK	2.4922G	65.08	74.00	-8.92	33.98	3	Horizontal	305	2.30	-	27.70	3.40	-
AV	2.487G	53.34	54.00	-0.66	22.27	3	Horizontal	305	2.30	-	27.67	3.40	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_Y_2TX
 Setting 13.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91576G	45.77	74.00	-28.23	40.63	3	Vertical	357	2.64	-	32.63	5.75	33.24
AV	4.92284G	33.50	54.00	-20.50	28.33	3	Vertical	357	2.64	-	32.65	5.76	33.24
PK	7.37792G	49.88	74.00	-24.12	39.64	3	Vertical	254	1.31	-	37.20	7.16	34.12
AV	7.37888G	37.79	54.00	-16.21	27.55	3	Vertical	254	1.31	-	37.20	7.16	34.12

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_Y_2TX
 Setting 13.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90556G	46.23	74.00	-27.77	41.11	3	Horizontal	302	1.80	-	32.61	5.75	33.24
AV	4.92184G	33.49	54.00	-20.51	28.33	3	Horizontal	302	1.80	-	32.64	5.76	33.24
PK	7.37676G	49.54	74.00	-24.46	39.30	3	Horizontal	224	2.79	-	37.20	7.16	34.12
AV	7.38084G	37.88	54.00	-16.12	27.64	3	Horizontal	224	2.79	-	37.20	7.16	34.12

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 9.5
04-K-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3708G	58.65	74.00	-15.35	27.82	3	Vertical	96	1.01	-	27.49	3.34	-
AV	2.39G	46.77	54.00	-7.23	16.02	3	Vertical	96	1.01	-	27.40	3.35	-
PK	2.4612G	103.44	Inf	-Inf	72.46	3	Vertical	96	1.01	-	27.60	3.38	-
AV	2.4612G	92.49	Inf	-Inf	61.51	3	Vertical	96	1.01	-	27.60	3.38	-
PK	2.4835G	60.97	74.00	-13.03	29.93	3	Vertical	96	1.01	-	27.64	3.40	-
AV	2.4835G	51.84	54.00	-2.16	20.80	3	Vertical	96	1.01	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 9.5
04-K-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3876G	58.51	74.00	-15.49	27.76	3	Horizontal	343	2.10	-	27.40	3.35	-
AV	2.3896G	47.27	54.00	-6.73	16.52	3	Horizontal	343	2.10	-	27.40	3.35	-
PK	2.4652G	106.66	Inf	-Inf	75.67	3	Horizontal	343	2.10	-	27.60	3.39	-
AV	2.46G	96.05	Inf	-Inf	65.07	3	Horizontal	343	2.10	-	27.60	3.38	-
PK	2.4884G	63.24	74.00	-10.76	32.16	3	Horizontal	343	2.10	-	27.68	3.40	-
AV	2.4848G	52.47	54.00	-1.53	21.42	3	Horizontal	343	2.10	-	27.65	3.40	-

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 8.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92616G	45.44	74.00	-28.56	40.27	3	Vertical	223	1.04	-	32.65	5.76	33.24
AV	4.92396G	33.59	54.00	-20.41	28.42	3	Vertical	223	1.04	-	32.65	5.76	33.24
PK	7.39476G	50.21	74.00	-23.79	39.97	3	Vertical	121	1.41	-	37.20	7.17	34.13
AV	7.39572G	38.05	54.00	-15.95	27.81	3	Vertical	121	1.41	-	37.20	7.17	34.13

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 8.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92396G	46.69	74.00	-27.31	41.52	3	Horizontal	360	1.02	-	32.65	5.76	33.24
AV	4.92392G	34.02	54.00	-19.98	28.85	3	Horizontal	360	1.02	-	32.65	5.76	33.24
PK	7.39492G	50.34	74.00	-23.66	40.10	3	Horizontal	114	1.80	-	37.20	7.17	34.13
AV	7.39128G	38.09	54.00	-15.91	27.85	3	Horizontal	114	1.80	-	37.20	7.17	34.13

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2462MHz_TX




EUT Y_2TX
Setting 9.5
04-K-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3708G	58.65	74.00	-15.35	27.82	3	Vertical	96	1.01	-	27.49	3.34	-
AV	2.39G	46.77	54.00	-7.23	16.02	3	Vertical	96	1.01	-	27.40	3.35	-
PK	2.4612G	103.44	Inf	-Inf	72.46	3	Vertical	96	1.01	-	27.60	3.38	-
AV	2.4612G	92.49	Inf	-Inf	61.51	3	Vertical	96	1.01	-	27.60	3.38	-
PK	2.4835G	60.97	74.00	-13.03	29.93	3	Vertical	96	1.01	-	27.64	3.40	-
AV	2.4835G	51.84	54.00	-2.16	20.80	3	Vertical	96	1.01	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2462MHz_TX



EUT_Y_2TX
Setting 9.5
04-K-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3876G	58.51	74.00	-15.49	27.76	3	Horizontal	343	2.10	-	27.40	3.35	-
AV	2.3896G	47.27	54.00	-6.73	16.52	3	Horizontal	343	2.10	-	27.40	3.35	-
PK	2.4652G	106.66	Inf	-Inf	75.67	3	Horizontal	343	2.10	-	27.60	3.39	-
AV	2.46G	96.05	Inf	-Inf	65.07	3	Horizontal	343	2.10	-	27.60	3.38	-
PK	2.4884G	63.24	74.00	-10.76	32.16	3	Horizontal	343	2.10	-	27.68	3.40	-
AV	2.4848G	52.47	54.00	-1.53	21.42	3	Horizontal	343	2.10	-	27.65	3.40	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax.HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	Pass	AV	2.484G	53.90	54.00	-0.10	3	Horizontal	346	1.92	BP 1MHz

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

2412MHz_TX




EUT_Y_2TX
Setting 14
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3686G	73.83	74.00	-0.17	43.01	3	Vertical	25	1.91	-	27.48	3.34	-
AV	2.3686G	51.65	54.00	-2.35	20.82	3	Vertical	25	1.91	-	27.49	3.34	-
PK	2.4036G	120.96	Inf	-Inf	90.11	3	Vertical	25	1.91	-	27.50	3.35	-
AV	2.404G	110.70	Inf	-Inf	79.85	3	Vertical	25	1.91	-	27.50	3.35	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

2412MHz_TX




EUT_Y_2TX
Setting 14
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3674G	73.26	74.00	-0.74	42.45	3	Horizontal	338	1.76	-	27.47	3.34	-
AV	2.3688G	53.35	54.00	-0.65	22.52	3	Horizontal	338	1.76	-	27.49	3.34	-
PK	2.4042G	124.49	Inf	-Inf	93.64	3	Horizontal	338	1.76	-	27.50	3.35	-
AV	2.404G	114.16	Inf	-Inf	83.31	3	Horizontal	338	1.76	-	27.50	3.35	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

2412MHz_TX




EUT_Y_2TX
Setting 14
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.80711G	50.53	74.00	-23.47	45.84	3	Vertical	358	1.80	-	32.31	5.66	33.28
AV	4.80759G	35.49	54.00	-18.51	30.79	3	Vertical	358	1.80	-	32.32	5.66	33.28

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

2412MHz_TX




EUT_Y_2TX
Setting 14
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.80765G	52.67	74.00	-21.33	47.97	3	Horizontal	290	1.44	-	32.32	5.66	33.28
AV	4.80759G	38.67	54.00	-15.33	33.97	3	Horizontal	290	1.44	-	32.32	5.66	33.28

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

2412MHz_TX




EUT_Y_2TX
Setting 15.5
04-K-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3874G	68.79	74.00	-5.21	38.05	3	Vertical	19	2.54	-	27.40	3.34	-
AV	2.374G	52.04	54.00	-1.96	21.24	3	Vertical	19	2.54	-	27.46	3.34	-
PK	2.4046G	120.63	Inf	-Inf	89.78	3	Vertical	19	2.54	-	27.50	3.35	-
AV	2.405G	110.14	Inf	-Inf	79.29	3	Vertical	19	2.54	-	27.50	3.35	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

2412MHz_TX




EUT_Y_2TX
Setting 15.5
04-K-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	71.29	74.00	-2.71	40.54	3	Horizontal	338	2.39	-	27.40	3.35	-
AV	2.3752G	53.54	54.00	-0.46	22.75	3	Horizontal	338	2.39	-	27.45	3.34	-
PK	2.403G	122.24	Inf	-Inf	91.39	3	Horizontal	338	2.39	-	27.50	3.35	-
AV	2.4056G	112.90	Inf	-Inf	82.05	3	Horizontal	338	2.39	-	27.50	3.35	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

2412MHz_TX




EUT_Y_2TX
Setting 15.5
04-K-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.8095G	48.36	74.00	-25.64	43.66	3	Vertical	322.3	1.24	-	32.32	5.66	33.28			
AV	4.8099G	35.15	54.00	-18.85	30.45	3	Vertical	322.3	1.24	-	32.32	5.66	33.28			

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

2412MHz_TX




EUT_Y_2TX
Setting 15.5
04-K-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81G	56.68	74.00	-17.32	51.98	3	Horizontal	355	1.00	-	32.32	5.66	33.28
AV	4.8094G	38.08	54.00	-15.92	33.38	3	Horizontal	355	1.00	-	32.32	5.66	33.28

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

2412MHz_TX




EUT_Y_2TX
Setting 14.5
04-K-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	70.26	74.00	-3.74	39.51	3	Vertical	18	2.53	-	27.40	3.35	-
AV	2.3898G	51.72	54.00	-2.28	20.97	3	Vertical	18	2.53	-	27.40	3.35	-
PK	2.4038G	116.82	Inf	-Inf	85.97	3	Vertical	18	2.53	-	27.50	3.35	-
AV	2.406G	106.78	Inf	-Inf	75.93	3	Vertical	18	2.53	-	27.50	3.35	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

2412MHz_TX




EUT_Y_2TX
Setting 14.5
04-K-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3884G	72.24	74.00	-1.76	41.49	3	Horizontal	339	1.94	-	27.40	3.35	-
AV	2.3898G	53.63	54.00	-0.37	22.88	3	Horizontal	339	1.94	-	27.40	3.35	-
PK	2.407G	120.81	Inf	-Inf	89.96	3	Horizontal	339	1.94	-	27.50	3.35	-
AV	2.4094G	109.56	Inf	-Inf	78.70	3	Horizontal	339	1.94	-	27.50	3.36	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

2412MHz_TX




EUT_Y_2TX
Setting 14.5
04-K-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8169G	45.83	74.00	-28.17	41.11	3	Vertical	-0	2.11	-	32.33	5.67	33.28
AV	4.8156G	34.41	54.00	-19.59	29.70	3	Vertical	-0	2.11	-	32.33	5.66	33.28

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

2412MHz_TX




EUT_Y_2TX
Setting 14.5
04-K-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8076G	46.91	74.00	-27.09	42.21	3	Horizontal	298	1.80	-	32.32	5.66	33.28
AV	4.813G	35.30	54.00	-18.70	30.59	3	Horizontal	298	1.80	-	32.33	5.66	33.28

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

2437MHz_TX




EUT_Y_2TX
Setting 20
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3838G	68.37	74.00	-5.63	37.63	3	Vertical	13	2.78	-	27.40	3.34	-
AV	2.3898G	50.66	54.00	-3.34	19.91	3	Vertical	13	2.78	-	27.40	3.35	-
PK	2.4286G	124.00	Inf	-Inf	93.13	3	Vertical	13	2.78	-	27.50	3.37	-
AV	2.4282G	115.29	Inf	-Inf	84.42	3	Vertical	13	2.78	-	27.50	3.37	-
PK	2.4962G	62.49	74.00	-11.51	31.39	3	Vertical	13	2.78	-	27.70	3.40	-
AV	2.4958G	48.59	54.00	-5.41	17.49	3	Vertical	13	2.78	-	27.70	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

2437MHz_TX




EUT_Y_2TX
Setting 20
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	72.54	74.00	-1.46	41.79	3	Horizontal	342	1.95	-	27.40	3.35	-
AV	2.3898G	53.04	54.00	-0.96	22.29	3	Horizontal	342	1.95	-	27.40	3.35	-
PK	2.429G	125.39	Inf	-Inf	94.52	3	Horizontal	342	1.95	-	27.50	3.37	-
AV	2.429G	117.32	Inf	-Inf	86.45	3	Horizontal	342	1.95	-	27.50	3.37	-
PK	2.4974G	67.99	74.00	-6.01	36.89	3	Horizontal	342	1.95	-	27.70	3.40	-
AV	2.4958G	50.25	54.00	-3.75	19.15	3	Horizontal	342	1.95	-	27.70	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

2437MHz_TX




EUT_Y_2TX
Setting 20
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.85712G	58.26	74.00	-15.74	53.39	3	Vertical	126	1.51	-	32.43	5.70	33.26
AV	4.8568G	43.11	54.00	-10.89	38.24	3	Vertical	126	1.51	-	32.43	5.70	33.26
PK	7.2838G	55.84	74.00	-18.16	45.67	3	Vertical	146	1.80	-	37.14	7.11	34.08
AV	7.28604G	44.68	54.00	-9.32	34.51	3	Vertical	146	1.80	-	37.14	7.11	34.08

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

2437MHz_TX




EUT_Y_2TX
Setting 20
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.85724G	63.70	74.00	-10.30	58.83	3	Horizontal	355	1.05	-	32.43	5.70	33.26
AV	4.85724G	49.47	54.00	-4.53	44.60	3	Horizontal	355	1.05	-	32.43	5.70	33.26
PK	7.2857G	63.51	74.00	-10.49	53.34	3	Horizontal	321	1.61	-	37.14	7.11	34.08
AV	7.2854G	52.63	54.00	-1.37	42.46	3	Horizontal	321	1.61	-	37.14	7.11	34.08

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

2437MHz_TX




EUT_Y_2TX
Setting 22
04-K-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3656G	73.61	74.00	-0.39	42.81	3	Vertical	15	2.81	-	27.46	3.34	-
AV	2.39G	52.92	54.00	-1.08	22.17	3	Vertical	15	2.81	-	27.40	3.35	-
PK	2.4286G	121.28	Inf	-Inf	90.41	3	Vertical	15	2.81	-	27.50	3.37	-
AV	2.431G	112.75	Inf	-Inf	81.87	3	Vertical	15	2.81	-	27.51	3.37	-
PK	2.4892G	62.37	74.00	-11.63	31.28	3	Vertical	15	2.81	-	27.69	3.40	-
AV	2.488G	49.63	54.00	-4.37	18.55	3	Vertical	15	2.81	-	27.68	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

2437MHz_TX




EUT_Y_2TX
Setting 22
04-K-5-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.368G	72.73	74.00	-1.27	41.91	3	Horizontal	306	1.80	-	27.48	3.34	-
AV	2.39G	53.16	54.00	-0.84	22.41	3	Horizontal	306	1.80	-	27.40	3.35	-
PK	2.4292G	124.71	Inf	-Inf	93.84	3	Horizontal	306	1.80	-	27.50	3.37	-
AV	2.4292G	115.90	Inf	-Inf	85.03	3	Horizontal	306	1.80	-	27.50	3.37	-
PK	2.4868G	65.98	74.00	-8.02	34.91	3	Horizontal	306	1.80	-	27.67	3.40	-
AV	2.4898G	51.30	54.00	-2.70	20.20	3	Horizontal	306	1.80	-	27.70	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

2437MHz_TX




EUT_Y_2TX
 Setting 22
 04-K-5-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.857G	55.64	74.00	-18.36	50.77	3	Vertical	128	1.40	-	32.43	5.70	33.26
AV	4.8593G	44.65	54.00	-9.35	39.77	3	Vertical	128	1.40	-	32.44	5.70	33.26
PK	7.2907G	54.21	74.00	-19.79	44.03	3	Vertical	56	1.00	-	37.16	7.11	34.09
AV	7.28832G	43.95	54.00	-10.05	33.78	3	Vertical	56	1.00	-	37.15	7.11	34.09

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

2437MHz_TX




EUT_Y_2TX
Setting 22
04-K-5-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.85986G	59.61	74.00	-14.39	54.73	3	Horizontal	291	1.80	-	32.44	5.70	33.26
AV	4.85986G	46.71	54.00	-7.29	41.83	3	Horizontal	291	1.80	-	32.44	5.70	33.26
PK	7.29098G	60.12	74.00	-13.88	49.94	3	Horizontal	324	1.66	-	37.16	7.11	34.09
AV	7.28846G	50.19	54.00	-3.81	40.02	3	Horizontal	324	1.66	-	37.15	7.11	34.09

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

2437MHz_TX




EUT_Y_2TX
Setting 22
04-K-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3834G	67.31	74.00	-6.69	36.57	3	Vertical	13	2.22	-	27.40	3.34	-
AV	2.3894G	52.27	54.00	-1.73	21.52	3	Vertical	13	2.22	-	27.40	3.35	-
PK	2.435G	120.05	Inf	-Inf	89.13	3	Vertical	13	2.22	-	27.55	3.37	-
AV	2.4346G	110.90	Inf	-Inf	79.98	3	Vertical	13	2.22	-	27.55	3.37	-
PK	2.4835G	62.67	74.00	-11.33	31.63	3	Vertical	13	2.22	-	27.64	3.40	-
AV	2.485G	49.39	54.00	-4.61	18.34	3	Vertical	13	2.22	-	27.65	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

2437MHz_TX




EUT_Y_2TX
Setting 22
04-K-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	71.04	74.00	-2.96	40.29	3	Horizontal	303	1.83	-	27.40	3.35	-
AV	2.389G	53.63	54.00	-0.37	22.88	3	Horizontal	303	1.83	-	27.40	3.35	-
PK	2.4342G	123.04	Inf	-Inf	92.13	3	Horizontal	303	1.83	-	27.54	3.37	-
AV	2.4338G	113.46	Inf	-Inf	82.55	3	Horizontal	303	1.83	-	27.54	3.37	-
PK	2.4914G	68.45	74.00	-5.55	37.35	3	Horizontal	303	1.83	-	27.70	3.40	-
AV	2.4835G	51.23	54.00	-2.77	20.19	3	Horizontal	303	1.83	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

2437MHz_TX




EUT_Y_2TX
Setting 22
04-K-5-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8577G	52.90	74.00	-21.10	48.03	3	Vertical	-0	1.80	-	32.43	5.70	33.26
AV	4.863G	40.39	54.00	-13.61	35.49	3	Vertical	-0	1.80	-	32.45	5.71	33.26
PK	7.2944G	55.11	74.00	-18.89	44.91	3	Vertical	289	1.89	-	37.18	7.11	34.09
AV	7.2942G	43.31	54.00	-10.69	33.11	3	Vertical	289	1.89	-	37.18	7.11	34.09

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

2437MHz_TX




EUT_Y_2TX
Setting 22
04-K-5-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86G	57.93	74.00	-16.07	53.05	3	Horizontal	356	1.01	-	32.44	5.70	33.26
AV	4.8627G	46.43	54.00	-7.57	41.53	3	Horizontal	356	1.01	-	32.45	5.71	33.26
PK	7.2995G	60.87	74.00	-13.13	50.65	3	Horizontal	322	1.27	-	37.20	7.11	34.09
AV	7.2971G	48.70	54.00	-5.30	38.49	3	Horizontal	322	1.27	-	37.19	7.11	34.09

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2462MHz_TX




EUT_Y_2TX
Setting 16
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4702G	121.97	Inf	-Inf	90.98	3	Vertical	-0	1.00	-	27.60	3.39	-
AV	2.4704G	111.56	Inf	-Inf	80.57	3	Vertical	-0	1.00	-	27.60	3.39	-
PK	2.4982G	69.51	74.00	-4.49	38.41	3	Vertical	-0	1.00	-	27.70	3.40	-
AV	2.4878G	50.21	54.00	-3.79	19.13	3	Vertical	-0	1.00	-	27.68	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2462MHz_TX




EUT_Y_2TX
Setting 16
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4698G	124.54	Inf	-Inf	93.55	3	Horizontal	336	2.33	-	27.60	3.39	-
AV	2.4698G	113.84	Inf	-Inf	82.85	3	Horizontal	336	2.33	-	27.60	3.39	-
PK	2.4872G	73.65	74.00	-0.35	42.58	3	Horizontal	336	2.33	-	27.67	3.40	-
AV	2.4874G	52.51	54.00	-1.49	21.44	3	Horizontal	336	2.33	-	27.67	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2462MHz_TX




EUT_Y_2TX
Setting 16
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9406G	49.20	74.00	-24.80	43.97	3	Vertical	360	1.83	-	32.68	5.78	33.23
AV	4.9408G	37.45	54.00	-16.55	32.22	3	Vertical	360	1.83	-	32.68	5.78	33.23
PK	7.4129G	58.53	74.00	-15.47	48.29	3	Vertical	152	1.63	-	37.20	7.18	34.14
AV	7.4108G	43.76	54.00	-10.24	33.51	3	Vertical	152	1.63	-	37.20	7.18	34.13

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2462MHz_TX




EUT_Y_2TX
Setting 16
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94096G	54.85	74.00	-19.15	49.62	3	Horizontal	33	1.80	-	32.68	5.78	33.23
AV	4.94104G	40.78	54.00	-13.22	35.55	3	Horizontal	33	1.80	-	32.68	5.78	33.23
PK	7.4104G	64.61	74.00	-9.39	54.36	3	Horizontal	319	1.11	-	37.20	7.18	34.13
AV	7.4107G	50.42	54.00	-3.58	40.17	3	Horizontal	319	1.11	-	37.20	7.18	34.13

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2462MHz_TX




EUT_Y_2TX
Setting 14
04-K-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.468G	118.18	Inf	-Inf	87.19	3	Vertical	68	1.10	-	27.60	3.39	-
AV	2.4682G	107.23	Inf	-Inf	76.24	3	Vertical	68	1.10	-	27.60	3.39	-
PK	2.4978G	70.55	74.00	-3.45	39.45	3	Vertical	68	1.10	-	27.70	3.40	-
AV	2.4984G	49.87	54.00	-4.13	18.77	3	Vertical	68	1.10	-	27.70	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2462MHz_TX




EUT_Y_2TX
Setting 14
04-K-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4704G	121.06	Inf	-Inf	90.07	3	Horizontal	303	1.80	-	27.60	3.39	-
AV	2.4702G	110.44	Inf	-Inf	79.45	3	Horizontal	303	1.80	-	27.60	3.39	-
PK	2.4974G	73.60	74.00	-0.40	42.50	3	Horizontal	303	1.80	-	27.70	3.40	-
AV	2.4998G	51.33	54.00	-2.67	20.23	3	Horizontal	303	1.80	-	27.70	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2462MHz_TX




EUT_Y_2TX
Setting 14
04-K-5-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9391G	46.56	74.00	-27.44	41.33	3	Vertical	101	1.80	-	32.68	5.78	33.23
AV	4.9395G	35.65	54.00	-18.35	30.42	3	Vertical	101	1.80	-	32.68	5.78	33.23
PK	7.4053G	53.17	74.00	-20.83	42.92	3	Vertical	86	1.94	-	37.20	7.18	34.13
AV	7.4076G	40.75	54.00	-13.25	30.50	3	Vertical	86	1.94	-	37.20	7.18	34.13

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2462MHz_TX




EUT_Y_2TX
Setting 14
04-K-5-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.938G	48.64	74.00	-25.36	43.42	3	Horizontal	139	1.74	-	32.68	5.77	33.23
AV	4.9391G	38.17	54.00	-15.83	32.94	3	Horizontal	139	1.74	-	32.68	5.78	33.23
PK	7.408G	61.56	74.00	-12.44	51.31	3	Horizontal	321	1.24	-	37.20	7.18	34.13
AV	7.4076G	46.47	54.00	-7.53	36.22	3	Horizontal	321	1.24	-	37.20	7.18	34.13

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2462MHz_TX




EUTY_2TX
Setting 14.5
04-K-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3834G	58.29	74.00	-15.71	27.55	3	Vertical	66	1.08	-	27.40	3.34	-
AV	2.3684G	47.44	54.00	-6.56	16.62	3	Vertical	66	1.08	-	27.48	3.34	-
PK	2.4662G	114.34	Inf	-Inf	83.35	3	Vertical	66	1.08	-	27.60	3.39	-
AV	2.4656G	104.83	Inf	-Inf	73.84	3	Vertical	66	1.08	-	27.60	3.39	-
PK	2.4866G	71.26	74.00	-2.74	40.19	3	Vertical	66	1.08	-	27.67	3.40	-
AV	2.4835G	52.47	54.00	-1.53	21.43	3	Vertical	66	1.08	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2462MHz_TX




EUT_Y_2TX
Setting 14.5
04-K-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3504G	59.22	74.00	-14.78	28.49	3	Horizontal	303	2.22	-	27.40	3.33	-
AV	2.39G	48.48	54.00	-5.52	17.73	3	Horizontal	303	2.22	-	27.40	3.35	-
PK	2.468G	116.75	Inf	-Inf	85.76	3	Horizontal	303	2.22	-	27.60	3.39	-
AV	2.4656G	108.24	Inf	-Inf	77.25	3	Horizontal	303	2.22	-	27.60	3.39	-
PK	2.4908G	72.34	74.00	-1.66	41.24	3	Horizontal	303	2.22	-	27.70	3.40	-
AV	2.4854G	53.70	54.00	-0.30	22.65	3	Horizontal	303	2.22	-	27.65	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2462MHz_TX




EUT_Y_2TX
 Setting 14.5
 04-K-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93462G	46.68	74.00	-27.32	41.47	3	Vertical	357	2.02	-	32.67	5.77	33.23
AV	4.93342G	34.89	54.00	-19.11	29.68	3	Vertical	357	2.02	-	32.67	5.77	33.23
PK	7.40088G	53.32	74.00	-20.68	43.08	3	Vertical	303	1.02	-	37.20	7.17	34.13
AV	7.40082G	40.86	54.00	-13.14	30.62	3	Vertical	303	1.02	-	37.20	7.17	34.13

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2462MHz_TX




EUT_Y_2TX
Setting 14.5
04-K-5-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.937G	47.69	74.00	-26.31	42.48	3	Horizontal	139	1.80	-	32.67	5.77	33.23
AV	4.9345G	36.18	54.00	-17.82	30.97	3	Horizontal	139	1.80	-	32.67	5.77	33.23
PK	7.3981G	58.14	74.00	-15.86	47.90	3	Horizontal	323	1.32	-	37.20	7.17	34.13
AV	7.403G	45.03	54.00	-8.97	34.79	3	Horizontal	323	1.32	-	37.20	7.17	34.13

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2467MHz_TX




EUT_Y_2TX
Setting 10.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4752G	118.13	Inf	-Inf	87.14	3	Vertical	353	1.00	-	27.60	3.39	-
AV	2.4752G	106.65	Inf	-Inf	75.66	3	Vertical	353	1.00	-	27.60	3.39	-
PK	2.4836G	67.47	74.00	-6.53	36.43	3	Vertical	353	1.00	-	27.64	3.40	-
AV	2.4836G	50.71	54.00	-3.29	19.67	3	Vertical	353	1.00	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2467MHz_TX




EUT_Y_2TX
Setting 10.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4748G	119.68	Inf	-Inf	88.69	3	Horizontal	336	1.89	-	27.60	3.39	-
AV	2.4748G	109.41	Inf	-Inf	78.42	3	Horizontal	336	1.89	-	27.60	3.39	-
PK	2.4836G	68.30	74.00	-5.70	37.26	3	Horizontal	336	1.89	-	27.64	3.40	-
AV	2.4836G	53.43	54.00	-0.57	22.39	3	Horizontal	336	1.89	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2467MHz_TX




EUT_Y_2TX
Setting 10.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9412G	46.10	74.00	-27.90	40.87	3	Vertical	359	1.93	-	32.68	5.78	33.23
AV	4.9506G	35.26	54.00	-18.74	30.00	3	Vertical	359	1.93	-	32.70	5.79	33.23
PK	7.382G	50.72	74.00	-23.28	40.48	3	Vertical	162	2.64	-	37.20	7.16	34.12
AV	7.399G	39.10	54.00	-14.90	28.86	3	Vertical	162	2.64	-	37.20	7.17	34.13

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2467MHz_TX




EUT_Y_2TX
Setting 10.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.95104G	50.26	74.00	-23.74	45.00	3	Horizontal	32	1.94	-	32.70	5.79	33.23
AV	4.95096G	38.48	54.00	-15.52	33.22	3	Horizontal	32	1.94	-	32.70	5.79	33.23
PK	7.42584G	59.30	74.00	-14.70	49.04	3	Horizontal	322	1.15	-	37.20	7.20	34.14
AV	7.42596G	43.97	54.00	-10.03	33.71	3	Horizontal	322	1.15	-	37.20	7.20	34.14

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2467MHz_TX




EUT_Y_2TX
Setting 14
04-K-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4734G	118.33	Inf	-Inf	87.34	3	Vertical	62	1.42	-	27.60	3.39	-
AV	2.4732G	107.74	Inf	-Inf	76.75	3	Vertical	62	1.42	-	27.60	3.39	-
PK	2.484G	66.70	74.00	-7.30	35.66	3	Vertical	62	1.42	-	27.64	3.40	-
AV	2.4835G	51.06	54.00	-2.94	20.02	3	Vertical	62	1.42	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2467MHz_TX




23/03/2024

EUT_Y_2TX
Setting 14
04-K-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.473G	122.00	Inf	-Inf	91.01	3	Horizontal	306	2.64	-	27.60	3.39	-
AV	2.473G	110.77	Inf	-Inf	79.78	3	Horizontal	306	2.64	-	27.60	3.39	-
PK	2.4842G	69.40	74.00	-4.60	38.36	3	Horizontal	306	2.64	-	27.64	3.40	-
AV	2.4835G	53.30	54.00	-0.70	22.26	3	Horizontal	306	2.64	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2467MHz_TX




EUT_Y_2TX
Setting 14
04-K-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9218G	45.26	74.00	-28.74	40.10	3	Vertical	20	2.62	-	32.64	5.76	33.24
AV	4.9186G	33.48	54.00	-20.52	28.32	3	Vertical	20	2.62	-	32.64	5.76	33.24
PK	7.3859G	51.45	74.00	-22.55	41.21	3	Vertical	117	1.80	-	37.20	7.16	34.12
AV	7.3951G	39.20	54.00	-14.80	28.96	3	Vertical	117	1.80	-	37.20	7.17	34.13

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2467MHz_TX




EUT_Y_2TX
Setting 14
04-K-5-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9161G	45.21	74.00	-28.79	40.07	3	Horizontal	132	1.80	-	32.63	5.75	33.24
AV	4.9247G	33.41	54.00	-20.59	28.24	3	Horizontal	132	1.80	-	32.65	5.76	33.24
PK	7.4255G	52.33	74.00	-21.67	42.07	3	Horizontal	320	1.14	-	37.20	7.20	34.14
AV	7.4229G	40.99	54.00	-13.01	30.74	3	Horizontal	320	1.14	-	37.20	7.19	34.14

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2467MHz_TX




EUT_Y_2TX
Setting 12
04-K-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	58.77	74.00	-15.23	28.02	3	Vertical	307	2.63	-	27.40	3.35	-
AV	2.3746G	47.64	54.00	-6.36	16.85	3	Vertical	307	2.63	-	27.45	3.34	-
PK	2.4742G	115.90	Inf	-Inf	84.91	3	Vertical	307	2.63	-	27.60	3.39	-
AV	2.4742G	105.85	Inf	-Inf	74.86	3	Vertical	307	2.63	-	27.60	3.39	-
PK	2.4844G	67.73	74.00	-6.27	36.69	3	Vertical	307	2.63	-	27.64	3.40	-
AV	2.4844G	52.62	54.00	-1.38	21.58	3	Vertical	307	2.63	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2467MHz_TX




EUT_Y_2TX
Setting 12
04-K-5-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.368G	58.52	74.00	-15.48	27.70	3	Horizontal	303	2.63	-	27.48	3.34	-
AV	2.3752G	47.64	54.00	-6.36	16.85	3	Horizontal	303	2.63	-	27.45	3.34	-
PK	2.4742G	116.45	Inf	-Inf	85.46	3	Horizontal	303	2.63	-	27.60	3.39	-
AV	2.4742G	105.97	Inf	-Inf	74.98	3	Horizontal	303	2.63	-	27.60	3.39	-
PK	2.4844G	67.32	74.00	-6.68	36.28	3	Horizontal	303	2.63	-	27.64	3.40	-
AV	2.4838G	53.17	54.00	-0.83	22.13	3	Horizontal	303	2.63	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2467MHz_TX




EUT_Y_2TX
Setting 12
04-K-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9275G	46.74	74.00	-27.26	41.56	3	Vertical	18	1.80	-	32.66	5.76	33.24
AV	4.9424G	34.35	54.00	-19.65	29.12	3	Vertical	18	1.80	-	32.68	5.78	33.23
PK	7.3775G	51.67	74.00	-22.33	41.43	3	Vertical	69	1.80	-	37.20	7.16	34.12
AV	7.419G	39.83	54.00	-14.17	29.58	3	Vertical	69	1.80	-	37.20	7.19	34.14

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2467MHz_TX




EUT_Y_2TX
Setting 12
04-K-5-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.942G	47.24	74.00	-26.76	42.01	3	Horizontal	135	1.80	-	32.68	5.78	33.23
AV	4.9449G	35.60	54.00	-18.40	30.36	3	Horizontal	135	1.80	-	32.69	5.78	33.23
PK	7.4173G	56.76	74.00	-17.24	46.51	3	Horizontal	322	1.17	-	37.20	7.19	34.14
AV	7.4171G	43.12	54.00	-10.88	32.87	3	Horizontal	322	1.17	-	37.20	7.19	34.14

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2472MHz_TX




EUT_Y_2TX
Setting 3
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4805G	99.31	Inf	-Inf	68.31	3	Vertical	39	1.73	BP 1MHz	27.61	3.39	-
AV	2.4805G	93.64	Inf	-Inf	62.64	3	Vertical	39	1.73	BP 1MHz	27.61	3.39	-
PK	2.484G	58.08	74.00	-15.92	27.04	3	Vertical	39	1.73	BP 1MHz	27.64	3.40	-
AV	2.484G	51.28	54.00	-2.72	20.24	3	Vertical	39	1.73	BP 1MHz	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2472MHz_TX




EUT_Y_2TX
Setting 3
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4805G	106.77	Inf	-Inf	75.77	3	Horizontal	349	1.92	BP 1MHz	27.61	3.39	-
AV	2.4805G	100.96	Inf	-Inf	69.96	3	Horizontal	349	1.92	BP 1MHz	27.61	3.39	-
PK	2.484G	62.83	74.00	-11.17	31.79	3	Horizontal	349	1.92	BP 1MHz	27.64	3.40	-
AV	2.484G	53.83	54.00	-0.17	22.79	3	Horizontal	349	1.92	BP 1MHz	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2472MHz_TX




EUT_Y_2TX
Setting 3
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9407G	46.40	74.00	-27.60	41.17	3	Vertical	198	1.45	-	32.68	5.78	33.23
AV	4.94736G	34.16	54.00	-19.84	28.92	3	Vertical	198	1.45	-	32.69	5.78	33.23
PK	7.41976G	51.17	74.00	-22.83	40.92	3	Vertical	342	1.03	-	37.20	7.19	34.14
AV	7.41144G	39.28	54.00	-14.72	29.03	3	Vertical	342	1.03	-	37.20	7.18	34.13

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

2472MHz_TX




EUT_Y_2TX
Setting 3
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94284G	45.82	74.00	-28.18	40.58	3	Horizontal	303	2.88	-	32.69	5.78	33.23
AV	4.9466G	34.16	54.00	-19.84	28.92	3	Horizontal	303	2.88	-	32.69	5.78	33.23
PK	7.41172G	51.63	74.00	-22.37	41.38	3	Horizontal	32	2.03	-	37.20	7.18	34.13
AV	7.41644G	39.33	54.00	-14.67	29.08	3	Horizontal	32	2.03	-	37.20	7.19	34.14

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2472MHz_TX




EUT_Y_2TX
Setting 5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4785G	97.63	Inf	-Inf	66.64	3	Vertical	70	1.73	BP 1MHz	27.60	3.39	-
AV	2.4805G	92.01	Inf	-Inf	61.01	3	Vertical	70	1.73	BP 1MHz	27.61	3.39	-
PK	2.484G	57.74	74.00	-16.26	26.70	3	Vertical	70	1.73	BP 1MHz	27.64	3.40	-
AV	2.484G	51.06	54.00	-2.94	20.02	3	Vertical	70	1.73	BP 1MHz	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2472MHz_TX




EUT_Y_2TX
Setting 5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4785G	105.65	Inf	-Inf	74.66	3	Horizontal	348	1.94	BP 1MHz	27.60	3.39	-
AV	2.4785G	99.83	Inf	-Inf	68.84	3	Horizontal	348	1.94	BP 1MHz	27.60	3.39	-
PK	2.484G	61.96	74.00	-12.04	30.92	3	Horizontal	348	1.94	BP 1MHz	27.64	3.40	-
AV	2.484G	53.79	54.00	-0.21	22.75	3	Horizontal	348	1.94	BP 1MHz	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2472MHz_TX




EUT_Y_2TX
Setting 5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94338G	45.57	74.00	-28.43	40.33	3	Vertical	251	2.24	-	32.69	5.78	33.23
AV	4.9468G	34.25	54.00	-19.75	29.01	3	Vertical	251	2.24	-	32.69	5.78	33.23
PK	7.41674G	51.01	74.00	-22.99	40.76	3	Vertical	344	1.11	-	37.20	7.19	34.14
AV	7.4131G	39.52	54.00	-14.48	29.28	3	Vertical	344	1.11	-	37.20	7.18	34.14

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

2472MHz_TX




EUT_Y_2TX
Setting 5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94732G	45.73	74.00	-28.27	40.49	3	Horizontal	246	2.68	-	32.69	5.78	33.23
AV	4.9396G	34.23	54.00	-19.77	29.00	3	Horizontal	246	2.68	-	32.68	5.78	33.23
PK	7.41194G	50.65	74.00	-23.35	40.40	3	Horizontal	317	2.81	-	37.20	7.18	34.13
AV	7.41722G	39.46	54.00	-14.54	29.21	3	Horizontal	317	2.81	-	37.20	7.19	34.14

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2472MHz_TX




EUT_Y_2TX
Setting 6
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4745G	96.02	Inf	-Inf	65.03	3	Vertical	64	1.56	BP 1MHz	27.60	3.39	-
AV	2.4765G	90.17	Inf	-Inf	59.18	3	Vertical	64	1.56	BP 1MHz	27.60	3.39	-
PK	2.484G	57.44	74.00	-16.56	26.40	3	Vertical	64	1.56	BP 1MHz	27.64	3.40	-
AV	2.499G	50.97	54.00	-3.03	19.87	3	Vertical	64	1.56	BP 1MHz	27.70	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2472MHz_TX




EUT_Y_2TX
Setting 6
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4755G	104.22	Inf	-Inf	73.23	3	Horizontal	346	1.92	BP 1MHz	27.60	3.39	-
AV	2.4755G	98.29	Inf	-Inf	67.30	3	Horizontal	346	1.92	BP 1MHz	27.60	3.39	-
PK	2.484G	61.76	74.00	-12.24	30.72	3	Horizontal	346	1.92	BP 1MHz	27.64	3.40	-
AV	2.484G	53.90	54.00	-0.10	22.86	3	Horizontal	346	1.92	BP 1MHz	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2472MHz_TX




EUT_Y_2TX
Setting 6
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9458G	46.12	74.00	-27.88	40.88	3	Vertical	179	1.94	-	32.69	5.78	33.23
AV	4.93904G	34.23	54.00	-19.77	29.00	3	Vertical	179	1.94	-	32.68	5.78	33.23
PK	7.41582G	50.56	74.00	-23.44	40.31	3	Vertical	276	1.24	-	37.20	7.19	34.14
AV	7.4151G	39.21	54.00	-14.79	28.96	3	Vertical	276	1.24	-	37.20	7.19	34.14

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

2472MHz_TX



EUT_Y_2TX
Setting 6
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94406G	46.54	74.00	-27.46	41.30	3	Horizontal	170	1.93	-	32.69	5.78	33.23
AV	4.94014G	34.23	54.00	-19.77	29.00	3	Horizontal	170	1.93	-	32.68	5.78	33.23
PK	7.41604G	51.92	74.00	-22.08	41.67	3	Horizontal	124	1.38	-	37.20	7.19	34.14
AV	7.42044G	39.26	54.00	-14.74	29.01	3	Horizontal	124	1.38	-	37.20	7.19	34.14




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.3892G	53.98	54.00	-0.02	3	Vertical	50	1.13	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_X_2TX
Setting 18
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	63.87	74.00	-10.13	31.52	3	Vertical	50	1.13	-	27.70	4.65	-
AV	2.3892G	53.98	54.00	-0.02	21.63	3	Vertical	50	1.13	-	27.70	4.65	-
PK	2.4128G	116.22	Inf	-Inf	83.93	3	Vertical	50	1.13	-	27.63	4.66	-
AV	2.4128G	113.68	Inf	-Inf	81.39	3	Vertical	50	1.13	-	27.63	4.66	-
PK	2.4996G	61.65	74.00	-12.35	29.56	3	Vertical	50	1.13	-	27.50	4.59	-
AV	2.4844G	48.75	54.00	-5.25	16.65	3	Vertical	50	1.13	-	27.50	4.60	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_X_2TX
Setting 18
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3868G	64.39	74.00	-9.61	32.04	3	Horizontal	100	1.26	-	27.70	4.65	-
AV	2.3852G	52.54	54.00	-1.46	20.19	3	Horizontal	100	1.26	-	27.70	4.65	-
PK	2.4112G	112.88	Inf	-Inf	80.61	3	Horizontal	100	1.26	-	27.61	4.66	-
AV	2.4112G	110.22	Inf	-Inf	77.95	3	Horizontal	100	1.26	-	27.61	4.66	-
PK	2.4908G	60.94	74.00	-13.06	28.85	3	Horizontal	100	1.26	-	27.50	4.59	-
AV	2.4852G	47.72	54.00	-6.28	15.62	3	Horizontal	100	1.26	-	27.50	4.60	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_X_2TX
Setting 18
04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82388G	54.94	74.00	-19.06	50.19	3	Vertical	297	2.33	-	32.35	5.67	33.27
AV	4.82398G	51.95	54.00	-2.05	47.20	3	Vertical	297	2.33	-	32.35	5.67	33.27

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_X_2TX
Setting 18
04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82398G	48.08	74.00	-25.92	43.33	3	Horizontal	176	2.54	-	32.35	5.67	33.27
AV	4.82392G	40.18	54.00	-13.82	35.43	3	Horizontal	176	2.54	-	32.35	5.67	33.27

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_X_2TX
 Setting 19.5
 04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.377G	62.84	74.00	-11.16	31.47	3	Vertical	48	2.54	-	27.43	3.94	-
AV	2.3778G	51.48	54.00	-2.52	20.12	3	Vertical	48	2.54	-	27.42	3.94	-
PK	2.4362G	116.45	Inf	-Inf	84.92	3	Vertical	48	2.54	-	27.56	3.97	-
AV	2.4362G	113.93	Inf	-Inf	82.40	3	Vertical	48	2.54	-	27.56	3.97	-
PK	2.4954G	64.75	74.00	-9.25	33.04	3	Vertical	48	2.54	-	27.70	4.01	-
AV	2.4946G	52.63	54.00	-1.37	20.92	3	Vertical	48	2.54	-	27.70	4.01	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_X_2TX
 Setting 19.5
 04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3874G	61.91	74.00	-12.09	30.57	3	Horizontal	115	1.00	-	27.40	3.94	-
AV	2.3898G	50.30	54.00	-3.70	18.95	3	Horizontal	115	1.00	-	27.40	3.95	-
PK	2.4362G	113.67	Inf	-Inf	82.14	3	Horizontal	115	1.00	-	27.56	3.97	-
AV	2.4362G	111.32	Inf	-Inf	79.79	3	Horizontal	115	1.00	-	27.56	3.97	-
PK	2.4954G	62.69	74.00	-11.31	30.98	3	Horizontal	115	1.00	-	27.70	4.01	-
AV	2.4962G	50.93	54.00	-3.07	19.22	3	Horizontal	115	1.00	-	27.70	4.01	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_X_2TX
Setting 19.5
04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87394G	56.59	74.00	-17.41	51.63	3	Vertical	301	2.58	-	32.50	5.72	33.26
AV	4.87388G	53.94	54.00	-0.06	48.98	3	Vertical	301	2.58	-	32.50	5.72	33.26
PK	7.31256G	56.96	74.00	-17.04	46.74	3	Vertical	301	2.43	-	37.20	7.12	34.10
AV	7.31172G	50.80	54.00	-3.20	40.57	3	Vertical	301	2.43	-	37.20	7.12	34.09

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_X_2TX
Setting 19.5
04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87418G	48.41	74.00	-25.59	43.45	3	Horizontal	291	2.53	-	32.50	5.72	33.26
AV	4.87394G	40.65	54.00	-13.35	35.69	3	Horizontal	291	2.53	-	32.50	5.72	33.26
PK	7.31178G	53.04	74.00	-20.96	42.81	3	Horizontal	172	2.28	-	37.20	7.12	34.09
AV	7.31178G	43.57	54.00	-10.43	33.34	3	Horizontal	172	2.28	-	37.20	7.12	34.09

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_X_2TX
Setting 17
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3848G	62.84	74.00	-11.16	30.49	3	Vertical	290	1.02	-	27.70	4.65	-
AV	2.39G	48.97	54.00	-5.03	16.61	3	Vertical	290	1.02	-	27.70	4.66	-
PK	2.4628G	115.77	Inf	-Inf	83.75	3	Vertical	290	1.02	-	27.40	4.62	-
AV	2.4628G	113.20	Inf	-Inf	81.18	3	Vertical	290	1.02	-	27.40	4.62	-
PK	2.4872G	64.22	74.00	-9.78	32.12	3	Vertical	290	1.02	-	27.50	4.60	-
AV	2.4888G	52.89	54.00	-1.11	20.80	3	Vertical	290	1.02	-	27.50	4.59	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_X_2TX
Setting 17
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	61.27	74.00	-12.73	28.92	3	Horizontal	269	1.00	-	27.70	4.65	-
AV	2.3624G	48.09	54.00	-5.91	15.59	3	Horizontal	269	1.00	-	27.88	4.62	-
PK	2.4628G	112.60	Inf	-Inf	80.58	3	Horizontal	269	1.00	-	27.40	4.62	-
AV	2.4628G	110.00	Inf	-Inf	77.98	3	Horizontal	269	1.00	-	27.40	4.62	-
PK	2.4884G	63.87	74.00	-10.13	31.78	3	Horizontal	269	1.00	-	27.50	4.59	-
AV	2.4835G	50.34	54.00	-3.66	18.24	3	Horizontal	269	1.00	-	27.50	4.60	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_X_2TX
Setting 17
04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.924G	53.78	74.00	-20.22	48.61	3	Vertical	303	2.84	-	32.65	5.76	33.24
AV	4.92394G	50.13	54.00	-3.87	44.96	3	Vertical	303	2.84	-	32.65	5.76	33.24
PK	7.3851G	54.32	74.00	-19.68	44.08	3	Vertical	167	1.80	-	37.20	7.16	34.12
AV	7.38672G	44.15	54.00	-9.85	33.91	3	Vertical	167	1.80	-	37.20	7.16	34.12

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_X_2TX
Setting 17
04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92382G	48.95	74.00	-25.05	43.78	3	Horizontal	144	2.45	-	32.65	5.76	33.24
AV	4.924G	41.48	54.00	-12.52	36.31	3	Horizontal	144	2.45	-	32.65	5.76	33.24
PK	7.38804G	52.83	74.00	-21.17	42.60	3	Horizontal	171	2.32	-	37.20	7.16	34.13
AV	7.38678G	42.48	54.00	-11.52	32.24	3	Horizontal	171	2.32	-	37.20	7.16	34.12

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2467MHz_TX




EUT_X_2TX
Setting 12.5
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.375G	61.35	74.00	-12.65	28.97	3	Vertical	290	1.02	-	27.75	4.63	-
AV	2.3686G	48.15	54.00	-5.85	15.72	3	Vertical	290	1.02	-	27.81	4.62	-
PK	2.4642G	108.48	Inf	-Inf	76.46	3	Vertical	290	1.02	-	27.40	4.62	-
AV	2.4654G	105.84	Inf	-Inf	73.83	3	Vertical	290	1.02	-	27.40	4.61	-
PK	2.4838G	64.92	74.00	-9.08	32.82	3	Vertical	290	1.02	-	27.50	4.60	-
AV	2.4835G	53.87	54.00	-0.13	21.77	3	Vertical	290	1.02	-	27.50	4.60	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2467MHz_TX




EUT_X_2TX
 Setting 12.5
 01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.367G	60.47	74.00	-13.53	28.02	3	Horizontal	98	2.16	-	27.83	4.62	-
AV	2.367G	47.34	54.00	-6.66	14.89	3	Horizontal	98	2.16	-	27.83	4.62	-
PK	2.4662G	107.66	Inf	-Inf	75.65	3	Horizontal	98	2.16	-	27.40	4.61	-
AV	2.4662G	104.97	Inf	-Inf	72.96	3	Horizontal	98	2.16	-	27.40	4.61	-
PK	2.4838G	63.13	74.00	-10.87	31.03	3	Horizontal	98	2.16	-	27.50	4.60	-
AV	2.4835G	51.32	54.00	-2.68	19.22	3	Horizontal	98	2.16	-	27.50	4.60	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2467MHz_TX




EUT_X_2TX
 Setting 12.5
 04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.934G	49.64	74.00	-24.36	44.43	3	Vertical	156	2.70	-	32.67	5.77	33.23
AV	4.93394G	43.51	54.00	-10.49	38.30	3	Vertical	156	2.70	-	32.67	5.77	33.23
PK	7.40142G	52.67	74.00	-21.33	42.43	3	Vertical	176	1.08	-	37.20	7.17	34.13
AV	7.40196G	40.43	54.00	-13.57	30.19	3	Vertical	176	1.08	-	37.20	7.17	34.13

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2467MHz_TX




EUT_X_2TX
 Setting 12.5
 04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93388G	47.17	74.00	-26.83	41.96	3	Horizontal	149	1.41	-	32.67	5.77	33.23
AV	4.93382G	36.44	54.00	-17.56	31.23	3	Horizontal	149	1.41	-	32.67	5.77	33.23
PK	7.407G	52.14	74.00	-21.86	41.89	3	Horizontal	360	1.80	-	37.20	7.18	34.13
AV	7.3938G	39.39	54.00	-14.61	29.15	3	Horizontal	360	1.80	-	37.20	7.17	34.13

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2472MHz_TX




EUT_X_2TX
 Setting 11.5
 01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3848G	60.10	74.00	-13.90	27.75	3	Vertical	52	1.00	-	27.70	4.65	-
AV	2.3872G	47.49	54.00	-6.51	15.14	3	Vertical	52	1.00	-	27.70	4.65	-
PK	2.4712G	110.83	Inf	-Inf	78.81	3	Vertical	52	1.00	-	27.41	4.61	-
AV	2.4712G	108.24	Inf	-Inf	76.22	3	Vertical	52	1.00	-	27.41	4.61	-
PK	2.4856G	63.40	74.00	-10.60	31.30	3	Vertical	52	1.00	-	27.50	4.60	-
AV	2.4856G	53.90	54.00	-0.10	21.80	3	Vertical	52	1.00	-	27.50	4.60	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2472MHz_TX




EUT_X_2TX
 Setting 11.5
 01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3848G	59.70	74.00	-14.30	27.35	3	Horizontal	103	1.62	-	27.70	4.65	-
AV	2.3868G	47.46	54.00	-6.54	15.11	3	Horizontal	103	1.62	-	27.70	4.65	-
PK	2.4712G	105.73	Inf	-Inf	73.71	3	Horizontal	103	1.62	-	27.41	4.61	-
AV	2.4712G	103.04	Inf	-Inf	71.02	3	Horizontal	103	1.62	-	27.41	4.61	-
PK	2.4868G	62.74	74.00	-11.26	30.64	3	Horizontal	103	1.62	-	27.50	4.60	-
AV	2.4856G	53.83	54.00	-0.17	21.73	3	Horizontal	103	1.62	-	27.50	4.60	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2472MHz_TX




EUT_X_2TX
 Setting 11.5
 04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94406G	50.21	74.00	-23.79	44.97	3	Vertical	149	2.41	-	32.69	5.78	33.23
AV	4.944G	44.71	54.00	-9.29	39.47	3	Vertical	149	2.41	-	32.69	5.78	33.23
PK	7.41702G	52.25	74.00	-21.75	42.00	3	Vertical	179	1.00	-	37.20	7.19	34.14
AV	7.41762G	40.07	54.00	-13.93	29.82	3	Vertical	179	1.00	-	37.20	7.19	34.14

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2472MHz_TX




EUT_X_2TX
Setting 11.5
04-K-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94412G	47.91	74.00	-26.09	42.67	3	Horizontal	131	2.16	-	32.69	5.78	33.23
AV	4.94394G	38.19	54.00	-15.81	32.95	3	Horizontal	131	2.16	-	32.69	5.78	33.23
PK	7.40124G	51.84	74.00	-22.16	41.60	3	Horizontal	191	1.62	-	37.20	7.17	34.13
AV	7.40106G	39.10	54.00	-14.90	28.86	3	Horizontal	191	1.62	-	37.20	7.17	34.13

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_X_2TX
Setting 13
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	72.22	74.00	-1.78	39.86	3	Vertical	294	1.00	-	27.70	4.66	-
AV	2.39G	53.85	54.00	-0.15	21.49	3	Vertical	294	1.00	-	27.70	4.66	-
PK	2.4112G	114.34	Inf	-Inf	82.07	3	Vertical	294	1.00	-	27.61	4.66	-
AV	2.4112G	97.84	Inf	-Inf	65.57	3	Vertical	294	1.00	-	27.61	4.66	-
PK	2.4868G	61.29	74.00	-12.71	29.19	3	Vertical	294	1.00	-	27.50	4.60	-
AV	2.484G	49.18	54.00	-4.82	17.08	3	Vertical	294	1.00	-	27.50	4.60	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_X_2TX
Setting 13
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	71.62	74.00	-2.38	39.26	3	Horizontal	254	1.04	-	27.70	4.66	-
AV	2.3876G	50.94	54.00	-3.06	18.59	3	Horizontal	254	1.04	-	27.70	4.65	-
PK	2.4116G	112.07	Inf	-Inf	79.79	3	Horizontal	254	1.04	-	27.62	4.66	-
AV	2.4112G	95.34	Inf	-Inf	63.07	3	Horizontal	254	1.04	-	27.61	4.66	-
PK	2.4848G	61.42	74.00	-12.58	29.32	3	Horizontal	254	1.04	-	27.50	4.60	-
AV	2.4844G	48.25	54.00	-5.75	16.15	3	Horizontal	254	1.04	-	27.50	4.60	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_X_2TX
Setting 13
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82616G	50.85	74.00	-23.15	46.10	3	Vertical	319	2.51	-	32.35	5.67	33.27
AV	4.82104G	38.70	54.00	-15.30	33.96	3	Vertical	319	2.51	-	32.34	5.67	33.27

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_X_2TX
Setting 13
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82176G	46.78	74.00	-27.22	42.04	3	Horizontal	262	2.54	-	32.34	5.67	33.27
AV	4.82296G	34.22	54.00	-19.78	29.47	3	Horizontal	262	2.54	-	32.35	5.67	33.27

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT_X_2TX
Setting 13
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.387G	66.69	74.00	-7.31	34.34	3	Vertical	280	1.03	-	27.70	4.65	-
AV	2.387G	53.57	54.00	-0.43	21.22	3	Vertical	280	1.03	-	27.70	4.65	-
PK	2.4162G	114.92	Inf	-Inf	82.60	3	Vertical	280	1.03	-	27.66	4.66	-
AV	2.4162G	107.00	Inf	-Inf	74.68	3	Vertical	280	1.03	-	27.66	4.66	-
PK	2.4882G	62.39	74.00	-11.61	30.29	3	Vertical	280	1.03	-	27.50	4.60	-
AV	2.4858G	50.38	54.00	-3.62	18.28	3	Vertical	280	1.03	-	27.50	4.60	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT_X_2TX
Setting 13
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3874G	61.91	74.00	-12.09	29.56	3	Horizontal	92	1.80	-	27.70	4.65	-
AV	2.3898G	50.93	54.00	-3.07	18.57	3	Horizontal	92	1.80	-	27.70	4.66	-
PK	2.415G	110.44	Inf	-Inf	78.13	3	Horizontal	92	1.80	-	27.65	4.66	-
AV	2.4158G	101.74	Inf	-Inf	69.42	3	Horizontal	92	1.80	-	27.66	4.66	-
PK	2.489G	61.08	74.00	-12.92	28.99	3	Horizontal	92	1.80	-	27.50	4.59	-
AV	2.4835G	48.79	54.00	-5.21	16.69	3	Horizontal	92	1.80	-	27.50	4.60	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_X_2TX
Setting 18.5
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	64.68	74.00	-9.32	32.33	3	Vertical	47	1.09	-	27.70	4.65	-
AV	2.3898G	53.60	54.00	-0.40	21.24	3	Vertical	47	1.09	-	27.70	4.66	-
PK	2.4342G	119.01	Inf	-Inf	86.81	3	Vertical	47	1.09	-	27.56	4.64	-
AV	2.4342G	109.92	Inf	-Inf	77.72	3	Vertical	47	1.09	-	27.56	4.64	-
PK	2.4898G	65.90	74.00	-8.10	33.81	3	Vertical	47	1.09	-	27.50	4.59	-
AV	2.4846G	53.05	54.00	-0.95	20.95	3	Vertical	47	1.09	-	27.50	4.60	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_X_2TX
 Setting 18.5
 01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3806G	63.08	74.00	-10.92	30.74	3	Horizontal	262	1.80	-	27.70	4.64	-
AV	2.3878G	51.13	54.00	-2.87	18.78	3	Horizontal	262	1.80	-	27.70	4.65	-
PK	2.4362G	113.80	Inf	-Inf	81.62	3	Horizontal	262	1.80	-	27.54	4.64	-
AV	2.4362G	105.62	Inf	-Inf	73.44	3	Horizontal	262	1.80	-	27.54	4.64	-
PK	2.487G	62.85	74.00	-11.15	30.75	3	Horizontal	262	1.80	-	27.50	4.60	-
AV	2.4838G	51.07	54.00	-2.93	18.97	3	Horizontal	262	1.80	-	27.50	4.60	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_X_2TX
 Setting 18.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8736G	54.55	74.00	-19.45	49.60	3	Vertical	300	2.36	-	32.49	5.72	33.26
AV	4.87396G	40.42	54.00	-13.58	35.46	3	Vertical	300	2.36	-	32.50	5.72	33.26
PK	7.30656G	57.47	74.00	-16.53	47.24	3	Vertical	300	2.28	-	37.20	7.12	34.09
AV	7.31172G	44.42	54.00	-9.58	34.19	3	Vertical	300	2.28	-	37.20	7.12	34.09

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_X_2TX
Setting 18.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87648G	47.65	74.00	-26.35	42.67	3	Horizontal	140	3.00	-	32.51	5.72	33.25
AV	4.87132G	35.47	54.00	-18.53	30.53	3	Horizontal	140	3.00	-	32.49	5.71	33.26
PK	7.30188G	52.78	74.00	-21.22	42.55	3	Horizontal	173	2.43	-	37.20	7.12	34.09
AV	7.31172G	40.61	54.00	-13.39	30.38	3	Horizontal	173	2.43	-	37.20	7.12	34.09

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT_X_2TX
Setting 15
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3762G	59.66	74.00	-14.34	28.88	3	Vertical	59	2.46	-	27.44	3.34	-
AV	2.3898G	48.16	54.00	-5.84	17.41	3	Vertical	59	2.46	-	27.40	3.35	-
PK	2.455G	114.36	Inf	-Inf	83.38	3	Vertical	59	2.46	-	27.60	3.38	-
AV	2.455G	106.01	Inf	-Inf	75.03	3	Vertical	59	2.46	-	27.60	3.38	-
PK	2.4854G	69.21	74.00	-4.79	38.16	3	Vertical	59	2.46	-	27.65	3.40	-
AV	2.485G	53.23	54.00	-0.77	22.18	3	Vertical	59	2.46	-	27.65	3.40	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT_X_2TX
Setting 15
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3702G	58.86	74.00	-15.14	28.02	3	Horizontal	231	1.16	-	27.50	3.34	-
AV	2.3734G	47.26	54.00	-6.74	16.45	3	Horizontal	231	1.16	-	27.47	3.34	-
PK	2.4562G	109.45	Inf	-Inf	78.47	3	Horizontal	231	1.16	-	27.60	3.38	-
AV	2.4558G	100.91	Inf	-Inf	69.93	3	Horizontal	231	1.16	-	27.60	3.38	-
PK	2.4854G	62.60	74.00	-11.40	31.55	3	Horizontal	231	1.16	-	27.65	3.40	-
AV	2.4858G	49.51	54.00	-4.49	18.45	3	Horizontal	231	1.16	-	27.66	3.40	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_X_2TX
Setting 14
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.386G	60.00	74.00	-14.00	29.26	3	Vertical	296	1.31	-	27.40	3.34	-
AV	2.39G	48.73	54.00	-5.27	17.98	3	Vertical	296	1.31	-	27.40	3.35	-
PK	2.4612G	114.22	Inf	-Inf	83.24	3	Vertical	296	1.31	-	27.60	3.38	-
AV	2.4612G	106.57	Inf	-Inf	75.59	3	Vertical	296	1.31	-	27.60	3.38	-
PK	2.4835G	68.48	74.00	-5.52	37.44	3	Vertical	296	1.31	-	27.64	3.40	-
AV	2.4835G	53.80	54.00	-0.20	22.76	3	Vertical	296	1.31	-	27.64	3.40	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_X_2TX
Setting 14
04-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3816G	59.48	74.00	-14.52	28.74	3	Horizontal	276	1.18	-	27.40	3.34	-
AV	2.3892G	48.51	54.00	-5.49	17.76	3	Horizontal	276	1.18	-	27.40	3.35	-
PK	2.4612G	113.12	Inf	-Inf	82.14	3	Horizontal	276	1.18	-	27.60	3.38	-
AV	2.4612G	104.84	Inf	-Inf	73.86	3	Horizontal	276	1.18	-	27.60	3.38	-
PK	2.486G	64.75	74.00	-9.25	33.69	3	Horizontal	276	1.18	-	27.66	3.40	-
AV	2.4868G	52.46	54.00	-1.54	21.39	3	Horizontal	276	1.18	-	27.67	3.40	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_X_2TX
Setting 14
04-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92836G	47.65	74.00	-26.35	42.46	3	Vertical	154	2.37	-	32.66	5.77	33.24
AV	4.92388G	35.50	54.00	-18.50	30.33	3	Vertical	154	2.37	-	32.65	5.76	33.24
PK	7.3926G	52.24	74.00	-21.76	42.00	3	Vertical	290	2.52	-	37.20	7.17	34.13
AV	7.39092G	39.74	54.00	-14.26	29.50	3	Vertical	290	2.52	-	37.20	7.17	34.13

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_X_2TX
Setting 14
04-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93276G	46.68	74.00	-27.32	41.47	3	Horizontal	170	1.00	-	32.67	5.77	33.23
AV	4.9224G	34.24	54.00	-19.76	29.08	3	Horizontal	170	1.00	-	32.64	5.76	33.24
PK	7.38608G	52.40	74.00	-21.60	42.16	3	Horizontal	-0	2.83	-	37.20	7.16	34.12
AV	7.39044G	39.42	54.00	-14.58	29.19	3	Horizontal	-0	2.83	-	37.20	7.16	34.13

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2467MHz_TX




EUT_X_2TX
 Setting 11.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	60.52	74.00	-13.48	29.77	3	Vertical	295	1.33	-	27.40	3.35	-
AV	2.3886G	48.08	54.00	-5.92	17.33	3	Vertical	295	1.33	-	27.40	3.35	-
PK	2.4634G	113.38	Inf	-Inf	82.40	3	Vertical	295	1.33	-	27.60	3.38	-
AV	2.4642G	104.70	Inf	-Inf	73.71	3	Vertical	295	1.33	-	27.60	3.39	-
PK	2.4878G	68.76	74.00	-5.24	37.68	3	Vertical	295	1.33	-	27.68	3.40	-
AV	2.4835G	53.93	54.00	-0.07	22.89	3	Vertical	295	1.33	-	27.64	3.40	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2467MHz_TX




EUT_X_2TX
 Setting 11.5
 04-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.381G	59.48	74.00	-14.52	28.74	3	Horizontal	284	1.52	-	27.40	3.34	-
AV	2.3746G	47.65	54.00	-6.35	16.86	3	Horizontal	284	1.52	-	27.45	3.34	-
PK	2.469G	110.62	Inf	-Inf	79.63	3	Horizontal	284	1.52	-	27.60	3.39	-
AV	2.4638G	102.49	Inf	-Inf	71.50	3	Horizontal	284	1.52	-	27.60	3.39	-
PK	2.4835G	70.41	74.00	-3.59	39.37	3	Horizontal	284	1.52	-	27.64	3.40	-
AV	2.4838G	53.93	54.00	-0.07	22.89	3	Horizontal	284	1.52	-	27.64	3.40	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2467MHz_TX




EUT_X_2TX
 Setting 11.5
 04-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94068G	46.44	74.00	-27.56	41.21	3	Vertical	182	1.70	-	32.68	5.78	33.23
AV	4.92428G	34.00	54.00	-20.00	28.83	3	Vertical	182	1.70	-	32.65	5.76	33.24
PK	7.39116G	51.28	74.00	-22.72	41.04	3	Vertical	161	1.43	-	37.20	7.17	34.13
AV	7.39876G	39.42	54.00	-14.58	29.18	3	Vertical	161	1.43	-	37.20	7.17	34.13

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2467MHz_TX




EUT_X_2TX
Setting 11.5
04-K-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93356G	46.50	74.00	-27.50	41.29	3	Horizontal	317	1.02	-	32.67	5.77	33.23
AV	4.9332G	34.14	54.00	-19.86	28.93	3	Horizontal	317	1.02	-	32.67	5.77	33.23
PK	7.403G	51.58	74.00	-22.42	41.34	3	Horizontal	245	1.40	-	37.20	7.17	34.13
AV	7.39388G	39.26	54.00	-14.74	29.02	3	Horizontal	245	1.40	-	37.20	7.17	34.13

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2472MHz_TX




EUT_X_2TX
Setting 7
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4725G	107.09	Inf	-Inf	76.10	3	Vertical	58	2.65	BP 1MHz	27.60	3.39	-
AV	2.4725G	101.71	Inf	-Inf	70.72	3	Vertical	58	2.65	BP 1MHz	27.60	3.39	-
PK	2.487G	62.43	74.00	-11.57	31.36	3	Vertical	58	2.65	BP 1MHz	27.67	3.40	-
AV	2.487G	53.64	54.00	-0.36	22.57	3	Vertical	58	2.65	BP 1MHz	27.67	3.40	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2472MHz_TX




EUT_X_2TX
Setting 7
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4735G	101.53	Inf	-Inf	70.54	3	Horizontal	234	1.31	BP 1MHz	27.60	3.39	-
AV	2.4735G	94.87	Inf	-Inf	63.88	3	Horizontal	234	1.31	BP 1MHz	27.60	3.39	-
PK	2.484G	58.83	74.00	-15.17	27.79	3	Horizontal	234	1.31	BP 1MHz	27.64	3.40	-
AV	2.484G	51.18	54.00	-2.82	20.14	3	Horizontal	234	1.31	BP 1MHz	27.64	3.40	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2472MHz_TX




EUT_X_2TX
Setting 7
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94058G	48.04	74.00	-25.96	42.81	3	Vertical	70	2.43	-	32.68	5.78	33.23
AV	4.9452G	35.93	54.00	-18.07	30.69	3	Vertical	70	2.43	-	32.69	5.78	33.23
PK	7.41128G	51.46	74.00	-22.54	41.21	3	Vertical	110	1.85	-	37.20	7.18	34.13
AV	7.41372G	39.52	54.00	-14.48	29.28	3	Vertical	110	1.85	-	37.20	7.18	34.14

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2472MHz_TX




EUT_X_2TX
Setting 7
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93918G	46.46	74.00	-27.54	41.23	3	Horizontal	301	2.43	-	32.68	5.78	33.23
AV	4.94112G	34.48	54.00	-19.52	29.25	3	Horizontal	301	2.43	-	32.68	5.78	33.23
PK	7.42096G	51.50	74.00	-22.50	41.25	3	Horizontal	260	2.90	-	37.20	7.19	34.14
AV	7.41338G	39.45	54.00	-14.55	29.21	3	Horizontal	260	2.90	-	37.20	7.18	34.14

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_X_2TX
 Setting 12.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	72.07	74.00	-1.93	41.32	3	Vertical	299	1.38	-	27.40	3.35	-
AV	2.3884G	53.16	54.00	-0.84	22.41	3	Vertical	299	1.38	-	27.40	3.35	-
PK	2.4132G	116.13	Inf	-Inf	85.27	3	Vertical	299	1.38	-	27.50	3.36	-
AV	2.4108G	105.32	Inf	-Inf	74.46	3	Vertical	299	1.38	-	27.50	3.36	-
PK	2.4956G	60.61	74.00	-13.39	29.51	3	Vertical	299	1.38	-	27.70	3.40	-
AV	2.4944G	48.84	54.00	-5.16	17.74	3	Vertical	299	1.38	-	27.70	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_X_2TX
 Setting 12.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3888G	72.58	74.00	-1.42	41.83	3	Horizontal	282	1.17	-	27.40	3.35	-
AV	2.3884G	51.82	54.00	-2.18	21.07	3	Horizontal	282	1.17	-	27.40	3.35	-
PK	2.4132G	114.17	Inf	-Inf	83.31	3	Horizontal	282	1.17	-	27.50	3.36	-
AV	2.4132G	102.63	Inf	-Inf	71.77	3	Horizontal	282	1.17	-	27.50	3.36	-
PK	2.4924G	60.24	74.00	-13.76	29.14	3	Horizontal	282	1.17	-	27.70	3.40	-
AV	2.4904G	48.36	54.00	-5.64	17.26	3	Horizontal	282	1.17	-	27.70	3.40	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_X_2TX
 Setting 12.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82504G	49.40	74.00	-24.60	44.65	3	Vertical	322	2.54	-	32.35	5.67	33.27
AV	4.82516G	36.94	54.00	-17.06	32.19	3	Vertical	322	2.54	-	32.35	5.67	33.27

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_X_2TX
 Setting 12.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82036G	47.08	74.00	-26.92	42.34	3	Horizontal	144	3.00	-	32.34	5.67	33.27
AV	4.8276G	34.45	54.00	-19.55	29.69	3	Horizontal	144	3.00	-	32.36	5.67	33.27

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_X_2TX
Setting 13
04-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	66.31	74.00	-7.69	35.56	3	Vertical	360	1.07	-	27.40	3.35	-
AV	2.3898G	52.51	54.00	-1.49	21.76	3	Vertical	360	1.07	-	27.40	3.35	-
PK	2.4154G	117.01	Inf	-Inf	86.15	3	Vertical	360	1.07	-	27.50	3.36	-
AV	2.4178G	104.64	Inf	-Inf	73.78	3	Vertical	360	1.07	-	27.50	3.36	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_X_2TX
Setting 13
04-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3884G	64.51	74.00	-9.49	33.76	3	Horizontal	280	1.21	-	27.40	3.35	-
AV	2.3882G	50.64	54.00	-3.36	19.89	3	Horizontal	280	1.21	-	27.40	3.35	-
PK	2.4156G	113.05	Inf	-Inf	82.19	3	Horizontal	280	1.21	-	27.50	3.36	-
AV	2.4156G	101.59	Inf	-Inf	70.73	3	Horizontal	280	1.21	-	27.50	3.36	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
 Setting 19.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	66.53	74.00	-7.47	35.78	3	Vertical	118	1.04	-	27.40	3.35	-
AV	2.3898G	53.84	54.00	-0.16	23.09	3	Vertical	118	1.04	-	27.40	3.35	-
PK	2.4374G	119.14	Inf	-Inf	88.20	3	Vertical	118	1.04	-	27.57	3.37	-
AV	2.435G	107.72	Inf	-Inf	76.80	3	Vertical	118	1.04	-	27.55	3.37	-
PK	2.4878G	68.49	74.00	-5.51	37.41	3	Vertical	118	1.04	-	27.68	3.40	-
AV	2.4835G	53.88	54.00	-0.12	22.84	3	Vertical	118	1.04	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
 Setting 19.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3882G	66.58	74.00	-7.42	35.83	3	Horizontal	273	1.00	-	27.40	3.35	-
AV	2.3882G	51.60	54.00	-2.40	20.85	3	Horizontal	273	1.00	-	27.40	3.35	-
PK	2.439G	113.70	Inf	-Inf	82.74	3	Horizontal	273	1.00	-	27.59	3.37	-
AV	2.4386G	103.54	Inf	-Inf	72.58	3	Horizontal	273	1.00	-	27.59	3.37	-
PK	2.4914G	63.55	74.00	-10.45	32.45	3	Horizontal	273	1.00	-	27.70	3.40	-
AV	2.4835G	50.48	54.00	-3.52	19.44	3	Horizontal	273	1.00	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
 Setting 19.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8694G	47.43	74.00	-26.57	42.50	3	Vertical	215	1.51	-	32.48	5.71	33.26
AV	4.86902G	34.79	54.00	-19.21	29.86	3	Vertical	215	1.51	-	32.48	5.71	33.26
PK	7.31018G	52.16	74.00	-21.84	41.93	3	Vertical	257	1.38	-	37.20	7.12	34.09
AV	7.31506G	40.12	54.00	-13.88	29.90	3	Vertical	257	1.38	-	37.20	7.12	34.10

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 19.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87604G	47.39	74.00	-26.61	42.42	3	Horizontal	107	1.01	-	32.50	5.72	33.25
AV	4.869G	34.63	54.00	-19.37	29.70	3	Horizontal	107	1.01	-	32.48	5.71	33.26
PK	7.30778G	51.84	74.00	-22.16	41.61	3	Horizontal	164	2.10	-	37.20	7.12	34.09
AV	7.312G	40.03	54.00	-13.97	29.80	3	Horizontal	164	2.10	-	37.20	7.12	34.09

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_X_2TX
Setting 15
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3882G	60.05	74.00	-13.95	29.30	3	Vertical	251	1.00	-	27.40	3.35	-
AV	2.3898G	48.53	54.00	-5.47	17.78	3	Vertical	251	1.00	-	27.40	3.35	-
PK	2.4606G	117.03	Inf	-Inf	86.05	3	Vertical	251	1.00	-	27.60	3.38	-
AV	2.4578G	105.86	Inf	-Inf	74.88	3	Vertical	251	1.00	-	27.60	3.38	-
PK	2.4835G	68.87	74.00	-5.13	37.83	3	Vertical	251	1.00	-	27.64	3.40	-
AV	2.4835G	53.98	54.00	-0.02	22.94	3	Vertical	251	1.00	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_X_2TX
Setting 15
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3818G	58.79	74.00	-15.21	28.05	3	Horizontal	119	1.80	-	27.40	3.34	-
AV	2.3894G	46.94	54.00	-7.06	16.19	3	Horizontal	119	1.80	-	27.40	3.35	-
PK	2.4622G	110.19	Inf	-Inf	79.21	3	Horizontal	119	1.80	-	27.60	3.38	-
AV	2.4574G	99.64	Inf	-Inf	68.66	3	Horizontal	119	1.80	-	27.60	3.38	-
PK	2.4838G	62.12	74.00	-11.88	31.08	3	Horizontal	119	1.80	-	27.64	3.40	-
AV	2.4846G	49.64	54.00	-4.36	18.59	3	Horizontal	119	1.80	-	27.65	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_X_2TX
 Setting 13.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4656G	114.11	Inf	-Inf	83.12	3	Vertical	250	1.00	-	27.60	3.39	-
AV	2.4628G	104.09	Inf	-Inf	73.11	3	Vertical	250	1.00	-	27.60	3.38	-
PK	2.4835G	67.82	74.00	-6.18	36.78	3	Vertical	250	1.00	-	27.64	3.40	-
AV	2.4835G	53.88	54.00	-0.12	22.84	3	Vertical	250	1.00	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_X_2TX
 Setting 13.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4634G	107.76	Inf	-Inf	76.78	3	Horizontal	236	1.11	-	27.60	3.38	-
AV	2.463G	97.02	Inf	-Inf	66.04	3	Horizontal	236	1.11	-	27.60	3.38	-
PK	2.4836G	60.65	74.00	-13.35	29.61	3	Horizontal	236	1.11	-	27.64	3.40	-
AV	2.4835G	49.27	54.00	-4.73	18.23	3	Horizontal	236	1.11	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_X_2TX
 Setting 13.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92144G	47.16	74.00	-26.84	42.00	3	Vertical	276	2.21	-	32.64	5.76	33.24
AV	4.92134G	34.48	54.00	-19.52	29.32	3	Vertical	276	2.21	-	32.64	5.76	33.24
PK	7.38572G	52.09	74.00	-21.91	41.85	3	Vertical	270	1.32	-	37.20	7.16	34.12
AV	7.38116G	39.54	54.00	-14.46	29.30	3	Vertical	270	1.32	-	37.20	7.16	34.12

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_X_2TX
Setting 13.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92616G	46.06	74.00	-27.94	40.89	3	Horizontal	186	1.43	-	32.65	5.76	33.24
AV	4.92018G	34.47	54.00	-19.53	29.31	3	Horizontal	186	1.43	-	32.64	5.76	33.24
PK	7.3849G	51.72	74.00	-22.28	41.48	3	Horizontal	188	1.82	-	37.20	7.16	34.12
AV	7.38204G	39.60	54.00	-14.40	29.36	3	Horizontal	188	1.82	-	37.20	7.16	34.12

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_X_2TX
 Setting 11.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4646G	114.06	Inf	-Inf	83.07	3	Vertical	57	2.61	-	27.60	3.39	-
AV	2.4646G	103.02	Inf	-Inf	72.03	3	Vertical	57	2.61	-	27.60	3.39	-
PK	2.4844G	68.88	74.00	-5.12	37.84	3	Vertical	57	2.61	-	27.64	3.40	-
AV	2.484G	53.08	54.00	-0.92	22.04	3	Vertical	57	2.61	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_X_2TX
Setting 11.5
04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4656G	107.64	Inf	-Inf	76.65	3	Horizontal	232	1.11	-	27.60	3.39	-
AV	2.4654G	97.11	Inf	-Inf	66.12	3	Horizontal	232	1.11	-	27.60	3.39	-
PK	2.4872G	68.90	74.00	-5.10	37.83	3	Horizontal	232	1.11	-	27.67	3.40	-
AV	2.4836G	50.67	54.00	-3.33	19.63	3	Horizontal	232	1.11	-	27.64	3.40	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_X_2TX
 Setting 11.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93868G	47.20	74.00	-26.80	41.98	3	Vertical	10	2.89	-	32.68	5.77	33.23
AV	4.9389G	34.48	54.00	-19.52	29.25	3	Vertical	10	2.89	-	32.68	5.78	33.23
PK	7.40264G	52.94	74.00	-21.06	42.70	3	Vertical	255	1.56	-	37.20	7.17	34.13
AV	7.396G	39.32	54.00	-14.68	29.08	3	Vertical	255	1.56	-	37.20	7.17	34.13

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2467MHz_TX



EUT_X_2TX
 Setting 11.5
 04-K-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93328G	46.00	74.00	-28.00	40.79	3	Horizontal	123	2.80	-	32.67	5.77	33.23
AV	4.93854G	34.39	54.00	-19.61	29.17	3	Horizontal	123	2.80	-	32.68	5.77	33.23
PK	7.4014G	52.37	74.00	-21.63	42.13	3	Horizontal	256	1.21	-	37.20	7.17	34.13
AV	7.39624G	39.39	54.00	-14.61	29.15	3	Horizontal	256	1.21	-	37.20	7.17	34.13