









Chain 1



20 MHz Preamble 802.11ax (RU26) - Channel 105

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11907.81	44.22 PK	74	-29.78	-57.83	-60.08	4.76	-51.04
2	11910.93	33.27 AV	54	-20.73	-69.58	-69.95	4.76	-61.99
3	17874.31	45.56 PK	74	-28.44	-57.34	-57.61	4.76	-49.70
4	17861.37	34.02 AV	54	-19.98	-69	-69.03	4.76	-61.24

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





Chain 1



20 MHz Preamble 802.11ax (RU26) - Channel 113

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13029.68	44.65 PK	88.2	-43.55	-57.56	-59.38	4.76	-50.61
2	#13035.93	34.6 AV	68.2	-33.6	-68.66	-68.22	4.76	-60.66
3	19547.56	47.66 PK	74	-26.34	-55.61	-55.15	4.76	-47.60
4	19546.12	38.38 AV	54	-15.62	-64.87	-64.44	4.76	-56.88

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



20 MHz Preamble 802.11ax (RU26) - Channel 117

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13073.43	44.5 PK	88.2	-43.7	-59.17	-57.97	4.76	-50.76
2	#13075	34.68 AV	68.2	-33.52	-68.27	-68.43	4.76	-60.58
3	19613.68	47.13 PK	74	-26.87	-56.52	-55.36	4.76	-48.13
4	19597.87	38.05 AV	54	-15.95	-65.11	-64.86	4.76	-57.21

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



20 MHz Preamble 802.11ax (RU26) - Channel 149

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	13390.62	45.22 PK	74	-28.78	-56.98	-58.84	4.76	-50.04
2	13393.75	35.07 AV	54	-18.93	-67.9	-68.03	4.76	-60.19
3	20075.12	47.92 PK	74	-26.08	-54.6	-55.68	4.76	-47.34
4	20082.31	38.34 AV	54	-15.66	-64.82	-64.56	4.76	-56.92

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





Chain 1



20 MHz Preamble 802.11ax (RU26) - Channel 181

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13719.93	46.15 PK	88.2	-42.05	-55.78	-58.37	4.76	-49.11
2	#13715.62	36.63 AV	68.2	-31.57	-66.29	-66.51	4.76	-58.63
3	20569.62	47.28 PK	74	-26.72	-55.34	-56.2	4.76	-47.98
4	20569.62	38.43 AV	54	-15.57	-64.59	-64.61	4.76	-56.83


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









BUREAU
VERITAS

Chain 0





Chain 1



20 MHz Preamble 802.11ax (RU26) - Channel 185

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13750.12	45.5 PK	88.2	-42.7	-57.04	-58.09	4.76	-49.76
2	#13748.68	36.71 AV	68.2	-31.49	-66.47	-66.18	4.76	-58.55
3	20625.68	48.16 PK	74	-25.84	-55.18	-54.58	4.76	-47.10
4	20624.25	38.22 AV	54	-15.78	-64.74	-64.88	4.76	-57.04

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





BUREAU
VERITAS

Chain 1



20 MHz Preamble 802.11ax (RU26) - Channel 209

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13997.37	46.16 PK	88.2	-42.04	-58.27	-55.82	4.76	-49.10
2	#13994.5	36.7 AV	68.2	-31.5	-66.09	-66.58	4.76	-58.56
3	20992.25	48.94 PK	74	-25.06	-56.18	-52.69	4.76	-46.32
4	20992.25	38.33 AV	54	-15.67	-64.75	-64.66	4.76	-56.93

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



20 MHz Preamble 802.11ax (RU26) - Channel 233

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14225.93	46.52 PK	88.2	-41.68	-57.38	-55.79	4.76	-48.74
2	#14210.12	37.1 AV	68.2	-31.1	-65.57	-66.32	4.76	-58.16
3	21341.56	48.4 PK	74	-25.6	-56.32	-53.42	4.76	-46.86
4	21355.93	38.47 AV	54	-15.53	-64.4	-64.73	4.76	-56.79

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1





Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7125	58.3 PK	88.2	-29.9	-44.89	-43.37	4.09	-36.96
2	#7125	47.33 AV	68.2	-20.87	-54.92	-55.14	4.09	-47.93



Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



20 MHz Preamble 802.11ax (RU52) - Channel 1

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11914.06	45.65 PK	74	-28.35	-58.17	-56.71	4.76	-49.61
2	11915.62	36 AV	54	-18	-66.71	-67.38	4.76	-59.26
3	17862.81	46.19 PK	74	-27.81	-56.14	-57.67	4.76	-49.07
4	17861.37	37.17 AV	54	-16.83	-66.22	-65.53	4.76	-58.09

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





Chain 1





Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5884.42	56.11 PK	88.2	-32.09	-47	-46.84	4.76	-39.15
2	#5864.37	46.62 AV	68.2	-21.58	-56.23	-56.59	4.76	-48.64



Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



20 MHz Preamble 802.11ax (RU52) - Channel 45

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12359.37	46.04 PK	74	-27.96	-56.85	-57.13	4.76	-49.22
2	12357.81	36.18 AV	54	-17.82	-66.83	-66.87	4.76	-59.08
3	18528.37	46.67 PK	74	-27.33	-55.13	-58.08	4.76	-48.59
4	18526.93	38.28 AV	54	-15.72	-64.81	-64.69	4.76	-56.98

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





Chain 1



20 MHz Preamble 802.11ax (RU52) - Channel 93

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12823.43	45.2 PK	88.2	-43	-58.67	-57.13	4.76	-50.06
2	#12832.81	35.57 AV	68.2	-32.63	-67.24	-67.7	4.76	-59.69
3	19239.93	47.78 PK	74	-26.22	-55.55	-54.97	4.76	-47.48
4	19235.62	38.72 AV	54	-15.28	-64.35	-64.27	4.76	-56.54

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



20 MHz Preamble 802.11ax (RU52) - Channel 97

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12862.5	44.59 PK	88.2	-43.61	-57.72	-59.3	4.76	-50.67
2	#12876.56	35.27 AV	68.2	-32.93	-67.88	-67.65	4.76	-59.99
3	19301.75	47.81 PK	74	-26.19	-54.68	-55.84	4.76	-47.45
4	19301.75	38.89 AV	54	-15.11	-64.42	-63.87	4.76	-56.37

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



20 MHz Preamble 802.11ax (RU52) - Channel 105

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12957.81	45.17 PK	88.2	-43.03	-56.65	-59.53	4.76	-50.09
2	#12959.37	34.82 AV	68.2	-33.38	-68.12	-68.3	4.76	-60.44
3	19419.62	48.44 PK	74	-25.56	-53.57	-55.94	4.76	-46.82
4	19431.12	38.72 AV	54	-15.28	-64.29	-64.34	4.76	-56.54

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





BUREAU
VERITAS

Chain 1



20 MHz Preamble 802.11ax (RU52) - Channel 113

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13028.12	44.15 PK	88.2	-44.05	-58.26	-59.6	4.76	-51.11
2	#13037.5	35.12 AV	68.2	-33.08	-68.25	-67.6	4.76	-60.14
3	19551.87	47.77 PK	74	-26.23	-54.78	-55.79	4.76	-47.49
4	19540.37	38.63 AV	54	-15.37	-64.46	-64.34	4.76	-56.63

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



20 MHz Preamble 802.11ax (RU52) - Channel 117

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13075	44.55 PK	88.2	-43.65	-57.93	-59.11	4.76	-50.71
2	#13065.62	35.18 AV	68.2	-33.02	-67.3	-68.48	4.76	-60.08
3	19609.37	47.15 PK	74	-26.85	-54.71	-57.49	4.76	-48.11
4	19597.87	38.56 AV	54	-15.44	-65.15	-63.88	4.76	-56.70

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





BUREAU
VERITAS

Chain 1



20 MHz Preamble 802.11ax (RU52) - Channel 149

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	13389.06	44.56 PK	74	-29.44	-60.33	-57.17	4.76	-50.70
2	13384.37	35.52 AV	54	-18.48	-67.34	-67.68	4.76	-59.74
3	20079.43	47.84 PK	74	-26.16	-56.34	-54.29	4.76	-47.42
4	20088.06	38.58 AV	54	-15.42	-64.65	-64.26	4.76	-56.68

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





Chain 1



20 MHz Preamble 802.11ax (RU52) - Channel 181

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13707	45.83 PK	88.2	-42.37	-56.76	-57.69	4.76	-49.43
2	#13705.56	37.04 AV	68.2	-31.16	-66.12	-65.87	4.76	-58.22
3	20573.93	48.35 PK	74	-25.65	-54.43	-54.94	4.76	-46.91
4	20556.68	38.61 AV	54	-15.39	-64.85	-64.03	4.76	-56.65

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



20 MHz Preamble 802.11ax (RU52) - Channel 185

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13751.56	46.38 PK	88.2	-41.82	-57.03	-56.31	4.76	-48.88
2	#13740.06	37.08 AV	68.2	-31.12	-65.81	-66.09	4.76	-58.18
3	20618.5	46.74 PK	74	-27.26	-56.07	-56.52	4.76	-48.52
4	20621.37	38.78 AV	54	-15.22	-64.49	-64.03	4.76	-56.48

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



20 MHz Preamble 802.11ax (RU52) - Channel 209

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13990.18	45.97 PK	88.2	-42.23	-56.41	-57.82	4.76	-49.29
2	#13997.37	37.12 AV	68.2	-31.08	-65.97	-65.85	4.76	-58.14
3	20985.06	47.98 PK	74	-26.02	-55.44	-54.69	4.76	-47.28
4	20975	38.79 AV	54	-15.21	-64.36	-64.12	4.76	-56.47

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



20 MHz Preamble 802.11ax (RU52) - Channel 233

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14217.31	46.61 PK	88.2	-41.59	-56.74	-56.13	4.76	-48.65
2	#14237.43	37.71 AV	68.2	-30.49	-65.36	-65.29	4.76	-57.55
3	21335.81	48.74 PK	74	-25.26	-54.12	-54.46	4.76	-46.52
4	21327.18	38.76 AV	54	-15.24	-63.98	-64.59	4.76	-56.50

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7125	58.02 PK	88.2	-30.18	-42.57	-47.39	4.09	-37.24
2	#7125	47.69 AV	68.2	-20.51	-54.5	-54.84	4.09	-47.57


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



20 MHz Preamble 802.11ax (RU106) - Channel 1

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11910.93	45.12 PK	74	-28.88	-56.76	-59.48	4.76	-50.14
2	11906.25	36.06 AV	54	-17.94	-66.9	-67.05	4.76	-59.20
3	17868.56	46.04 PK	74	-27.96	-56.28	-57.84	4.76	-49.22
4	17872.87	36.91 AV	54	-17.09	-66.51	-65.76	4.76	-58.35

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





Chain 1





Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5903.85	56.23 PK	88.2	-31.97	-47.37	-46.3	4.76	-39.03
2	#5895.12	46.5 AV	68.2	-21.7	-56.33	-56.73	4.76	-48.76



Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



20 MHz Preamble 802.11ax (RU106) - Channel 45

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12351.56	45.93 PK	74	-28.07	-58.26	-56.18	4.76	-49.33
2	12354.68	36.33 AV	54	-17.67	-67.05	-66.37	4.76	-58.93
3	18525.5	47.32 PK	74	-26.68	-55.58	-55.85	4.76	-47.94
4	18515.43	38.3 AV	54	-15.7	-65.16	-64.34	4.76	-56.96


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









BUREAU
VERITAS

Chain 0





Chain 1



20 MHz Preamble 802.11ax (RU106) - Channel 93

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12820.31	44.53 PK	88.2	-43.67	-58.42	-58.58	4.76	-50.73
2	#12823.43	35.48 AV	68.2	-32.72	-67.74	-67.37	4.76	-59.78
3	19251.43	47.33 PK	74	-26.67	-57.42	-54.47	4.76	-47.93
4	19238.5	38.67 AV	54	-15.33	-64.43	-64.29	4.76	-56.59

Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



Chain 0



Chain 1



20 MHz Preamble 802.11ax (RU106) - Channel 97

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12878.12	44.41 PK	88.2	-43.79	-58.69	-58.56	4.76	-50.85
2	#12871.87	35.21 AV	68.2	-32.99	-67.69	-67.96	4.76	-60.05
3	19307.5	48.03 PK	74	-25.97	-56.36	-53.96	4.76	-47.23
4	19307.5	38.74 AV	54	-15.26	-63.91	-64.7	4.76	-56.52

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





BUREAU
VERITAS

Chain 1



20 MHz Preamble 802.11ax (RU106) - Channel 105

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12940.62	44.09 PK	88.2	-44.11	-58.6	-59.32	4.76	-51.17
2	#12948.43	35.03 AV	68.2	-33.17	-67.63	-68.41	4.76	-60.23
3	19431.12	48.04 PK	74	-25.96	-56.78	-53.72	4.76	-47.22
4	19425.37	38.79 AV	54	-15.21	-63.9	-64.61	4.76	-56.47

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



20 MHz Preamble 802.11ax (RU106) - Channel 113

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13037.5	44.21 PK	88.2	-43.99	-58.73	-58.91	4.76	-51.05
2	#13020.31	34.96 AV	68.2	-33.24	-68.09	-68.05	4.76	-60.30
3	19538.93	47.8 PK	74	-26.2	-54.26	-56.48	4.76	-47.46
4	19550.43	38.38 AV	54	-15.62	-64.3	-65.04	4.76	-56.88

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



20 MHz Preamble 802.11ax (RU106) - Channel 117

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13065.62	44.47 PK	88.2	-43.73	-58.76	-58.36	4.76	-50.79
2	#13065.62	35.16 AV	68.2	-33.04	-67.94	-67.81	4.76	-60.10
3	19595	47.82 PK	74	-26.18	-54.78	-55.68	4.76	-47.44
4	19596.43	38.27 AV	54	-15.73	-65.27	-64.3	4.76	-56.99

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



20 MHz Preamble 802.11ax (RU106) - Channel 149

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	13392.18	44.92 PK	74	-29.08	-58.67	-57.62	4.76	-50.34
2	13390.62	35.68 AV	54	-18.32	-67.08	-67.63	4.76	-59.58
3	20075.12	47.83 PK	74	-26.17	-56.43	-54.25	4.76	-47.43
4	20082.31	38.67 AV	54	-15.33	-64.98	-63.82	4.76	-56.59







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




BUREAU VERITAS

Chain 0





Chain 1



20 MHz Preamble 802.11ax (RU106) - Channel 181

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13718.5	46.57 PK	88.2	-41.63	-56.39	-56.54	4.76	-48.69
2	#13709.87	37.1 AV	68.2	-31.1	-65.81	-66.05	4.76	-58.16
3	20561	48.46 PK	74	-25.54	-54.29	-54.88	4.76	-46.80
4	20565.31	38.65 AV	54	-15.35	-64.62	-64.15	4.76	-56.61

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



20 MHz Preamble 802.11ax (RU106) - Channel 185

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13748.68	46.98 PK	88.2	-41.22	-54.49	-58.5	4.76	-48.28
2	#13740.06	36.94 AV	68.2	-31.26	-65.76	-66.45	4.76	-58.32
3	20632.87	47.25 PK	74	-26.75	-55.51	-56.06	4.76	-48.01
4	20618.5	38.35 AV	54	-15.65	-64.87	-64.49	4.76	-56.91


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









BUREAU
VERITAS

Chain 0





Chain 1



20 MHz Preamble 802.11ax (RU106) - Channel 209

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13991.62	46.32 PK	88.2	-41.88	-56.7	-56.72	4.76	-48.94
2	#13990.18	37.08 AV	68.2	-31.12	-65.78	-66.12	4.76	-58.18
3	20976.43	48.51 PK	74	-25.49	-55.01	-54.08	4.76	-46.75
4	20975	38.52 AV	54	-15.48	-64.32	-64.7	4.76	-56.74

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



20 MHz Preamble 802.11ax (RU106) - Channel 233

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14225.93	47.51 PK	88.2	-40.69	-55.81	-55.24	4.76	-47.75
2	#14234.56	37.82 AV	68.2	-30.38	-65.01	-65.43	4.76	-57.44
3	21331.5	48.22 PK	74	-25.78	-55.28	-54.38	4.76	-47.04
4	21360.25	38.97 AV	54	-15.03	-63.76	-64.38	4.76	-56.29

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1





Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7125	59 PK	88.2	-29.2	-42.36	-44.65	4.09	-36.26
2	#7125	48.91 AV	68.2	-19.29	-53.65	-53.25	4.09	-46.35



Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



20 MHz Preamble 802.11be (RU52+26) - Channel 1

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11909.37	56.23 PK	74	-17.77	-46.79	-46.81	4.76	-39.03
2	11901.56	46.05 AV	54	-7.95	-56.61	-57.39	4.76	-49.21
3	17871.43	46.2 PK	74	-27.8	-56.64	-57.03	4.76	-49.06
4	17857.06	37.2 AV	54	-16.8	-65.84	-65.83	4.76	-58.06

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5918.5	56.78 PK	88.2	-31.42	-46.6	-45.93	4.76	-38.48
2	#5922.82	46.8 AV	68.2	-21.4	-56.21	-56.25	4.76	-48.46


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



20 MHz Preamble 802.11be (RU52+26) - Channel 93

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12831.25	55.5 PK	88.2	-32.7	-46.49	-48.89	4.76	-39.76
2	#12835.93	45.39 AV	68.2	-22.81	-57.59	-57.7	4.76	-49.87
3	19250	48.54 PK	74	-25.46	-56.29	-53.22	4.76	-46.72
4	19239.93	38.84 AV	54	-15.16	-64.18	-64.21	4.76	-56.42

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



20 MHz Preamble 802.11be (RU52+26) - Channel 97

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12868.75	54.91 PK	88.2	-33.29	-48.65	-47.65	4.76	-40.35
2	#12862.5	45.26 AV	68.2	-22.94	-57.87	-57.67	4.76	-50.00
3	19303.18	48.65 PK	74	-25.35	-55.4	-53.55	4.76	-46.61
4	19308.93	39.02 AV	54	-14.98	-64.27	-63.77	4.76	-56.24

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



20 MHz Preamble 802.11be (RU52+26) - Channel 117

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13068.75	55.1 PK	88.2	-33.1	-48.55	-47.38	4.76	-40.16
2	#13071.87	45.39 AV	68.2	-22.81	-57.41	-57.88	4.76	-49.87
3	19600.75	47.45 PK	74	-26.55	-57.02	-54.5	4.76	-47.81
4	19606.5	38.73 AV	54	-15.27	-64.14	-64.46	4.76	-56.53

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



20 MHz Preamble 802.11be (RU52+26) - Channel 181

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13711.31	45.96 PK	88.2	-42.24	-57.44	-56.73	4.76	-49.30
2	#13712.75	37.2 AV	68.2	-31	-65.41	-66.29	4.76	-58.06
3	20568.18	47.91 PK	74	-26.09	-57.63	-53.54	4.76	-47.35
4	20566.75	38.72 AV	54	-15.28	-63.92	-64.75	4.76	-56.54

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





BUREAU
VERITAS

Chain 1



20 MHz Preamble 802.11be (RU26+106) - Channel 1

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11914.06	55.39 PK	74	-18.61	-47.74	-47.54	4.76	-39.87
2	11904.68	45.86 AV	54	-8.14	-57.47	-56.89	4.76	-49.40
3	17870	46.17 PK	74	-27.83	-56.65	-57.09	4.76	-49.09
4	17867.12	37.06 AV	54	-16.94	-65.93	-66.01	4.76	-58.20

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5870.3	56.74 PK	88.2	-31.46	-47.21	-45.53	4.76	-38.52
2	#5882.77	46.81 AV	68.2	-21.39	-56.55	-55.92	4.76	-48.45


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



20 MHz Preamble 802.11be (RU26+106) - Channel 93

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12826.56	55.33 PK	88.2	-32.87	-48.91	-46.76	4.76	-39.93
2	#12832.81	45.66 AV	68.2	-22.54	-57.3	-57.44	4.76	-49.60
3	19252.87	47.96 PK	74	-26.04	-55.17	-54.97	4.76	-47.30
4	19248.56	38.93 AV	54	-15.07	-64.41	-63.81	4.76	-56.33

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





Chain 1



20 MHz Preamble 802.11be (RU26+106) - Channel 97

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12860.93	55.02 PK	88.2	-33.18	-48.63	-47.46	4.76	-40.24
2	#12867.18	45.49 AV	68.2	-22.71	-57.72	-57.37	4.76	-49.77
3	19300.31	49.43 PK	74	-24.57	-53	-54.29	4.76	-45.83
4	19308.93	38.81 AV	54	-15.19	-64.44	-64.01	4.76	-56.45

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



20 MHz Preamble 802.11be (RU26+106) - Channel 117

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13064.06	54.79 PK	88.2	-33.41	-47.8	-48.72	4.76	-40.47
2	#13075	45.38 AV	68.2	-22.82	-57.72	-57.58	4.76	-49.88
3	19606.5	46.85 PK	74	-27.15	-55.57	-56.89	4.76	-48.41
4	19609.37	38.48 AV	54	-15.52	-64.64	-64.46	4.76	-56.78

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



20 MHz Preamble 802.11be (RU26+106) - Channel 181

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13702.68	47.15 PK	88.2	-41.05	-55.43	-56.38	4.76	-48.11
2	#13712.75	37.25 AV	68.2	-30.95	-66.16	-65.43	4.76	-58.01
3	20572.5	48.47 PK	74	-25.53	-53.17	-56.63	4.76	-46.79
4	20558.12	38.76 AV	54	-15.24	-63.76	-64.84	4.76	-56.50

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



20 MHz Preamble 802.11be (RU26+106) - Channel 233

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14233.12	46.96 PK	88.2	-41.24	-57.43	-55.03	4.76	-48.30
2	#14240.31	37.76 AV	68.2	-30.44	-64.63	-66.03	4.76	-57.50
3	21337.25	48.61 PK	74	-25.39	-54.81	-54.06	4.76	-46.65
4	21363.12	39.05 AV	54	-14.95	-64.45	-63.55	4.76	-56.21

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7125	59.81 PK	88.2	-28.39	-41.19	-44.55	4.09	-35.45
2	#7125	49.24 AV	68.2	-18.96	-53.51	-52.77	4.09	-46.02


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



80 MHz Preamble 802.11be (RU484+242) - Channel 7

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11975	55.95 PK	74	-18.05	-48.75	-45.87	4.76	-39.31
2	11960.93	45.73 AV	54	-8.27	-57.56	-57.06	4.76	-49.53
3	17962	46.75 PK	74	-27.25	-56.02	-56.56	4.76	-48.51
4	17951.93	37.3 AV	54	-16.7	-66.18	-65.33	4.76	-57.96

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





Chain 1



Bandedge table



No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5924.17	57.66 PK	88.2	-30.54	-46.03	-44.8	4.76	-37.60
2	#5923.6	47.31 AV	68.2	-20.89	-56.07	-55.4	4.76	-47.95

Remarks:



1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.



Chain 0



Chain 1



80 MHz Preamble 802.11be (RU484+242) - Channel 87

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12762.5	55.57 PK	88.2	-32.63	-48.1	-46.91	4.76	-39.69
2	#12760.93	45.73 AV	68.2	-22.47	-57.14	-57.46	4.76	-49.53
3	19145.06	47.96 PK	74	-26.04	-57.78	-53.41	4.76	-47.30
4	19162.31	38.77 AV	54	-15.23	-64.11	-64.41	4.76	-56.49

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



80 MHz Preamble 802.11be (RU484+242) - Channel 103

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12932.81	54.65 PK	88.2	-33.55	-48.69	-48.09	4.76	-40.61
2	#12935.93	45 AV	68.2	-23.2	-57.71	-58.38	4.76	-50.26
3	19399.5	50.14 PK	74	-23.86	-55.19	-51.4	4.76	-45.12
4	19399.5	38.77 AV	54	-15.23	-64.56	-63.98	4.76	-56.49

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



80 MHz Preamble 802.11be (RU484+242) - Channel 135

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13245.31	54.87 PK	88.2	-33.33	-47.23	-49.35	4.76	-40.39
2	#13246.87	45.67 AV	68.2	-22.53	-57.62	-57.12	4.76	-49.59
3	19871	49.11 PK	74	-24.89	-57.13	-52.1	4.76	-46.15
4	19883.93	38.53 AV	54	-15.47	-64.57	-64.44	4.76	-56.73

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0





Chain 1



80 MHz Preamble 802.11be (RU484+242) - Channel 215

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14052	46.18 PK	88.2	-42.02	-57.91	-56	4.76	-49.08
2	#14044.81	37.43 AV	68.2	-30.77	-65.52	-65.68	4.76	-57.83
3	21079.93	48.37 PK	74	-25.63	-54.15	-55.25	4.76	-46.89
4	21068.43	39.22 AV	54	-14.78	-63.97	-63.66	4.76	-56.04


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




BUREAU
VERITAS

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7127.35	55.86 PK	88.2	-32.34	-45.55	-47.73	4.09	-39.40
2	#7197.72	46.17 AV	68.2	-22.03	-55.8	-56.61	4.09	-49.09


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



160 MHz Preamble 802.11be (RU996+484) - Channel 15

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12059.37	54.87 PK	74	-19.13	-48.74	-47.65	4.76	-40.39
2	12042.18	45.47 AV	54	-8.53	-57.98	-57.17	4.76	-49.79
3	18069.81	46.42 PK	74	-27.58	-56.86	-56.37	4.76	-48.84
4	18072.68	37.59 AV	54	-16.41	-65.77	-65.14	4.76	-57.67

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5876.37	63.47 PK	88.2	-24.73	-38.83	-40.45	4.76	-31.79
2	#5924.17	50.39 AV	68.2	-17.81	-52.83	-52.45	4.76	-44.87


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. "#": The frequency is out of the restricted band.

Chain 0



Chain 1



160 MHz Preamble 802.11be (RU996+484) - Channel 79

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12698.43	55.7 PK	74	-18.3	-46.5	-48.36	4.76	-39.56
2	12689.06	45.94 AV	54	-8.06	-56.93	-57.26	4.76	-49.32
3	19032.93	49.03 PK	74	-24.97	-56.48	-52.43	4.76	-46.23
4	19040.12	38.86 AV	54	-15.14	-64.31	-64.03	4.76	-56.40

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Chain 0





Chain 1



160 MHz Preamble 802.11be (RU996+484) - Channel 143

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	13328.12	55.72 PK	74	-18.28	-47.77	-46.9	4.76	-39.54
2	13326.56	45.52 AV	54	-8.48	-57.05	-58.03	4.76	-49.74
3	19997.5	48.13 PK	74	-25.87	-55.71	-54.21	4.76	-47.13
4	20004.68	38.66 AV	54	-15.34	-64.46	-64.28	4.76	-56.60

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.









Chain 0





Chain 1



160 MHz Preamble 802.11be (RU996+484) - Channel 207

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13974.37	46.11 PK	88.2	-42.09	-56.77	-57.07	4.76	-49.15
2	#13972.93	37.53 AV	68.2	-30.67	-65.3	-65.72	4.76	-57.73
3	20959.18	47.67 PK	74	-26.33	-56.77	-54.29	4.76	-47.59
4	20947.68	38.99 AV	54	-15.01	-63.85	-64.23	4.76	-56.27

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.