


802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT_V_2TX
Setting 15.5
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.97	74.00	-12.03	56.54	3	Horizontal	317	1.60	-	32.90	5.05	32.52
AV	5.146G	49.60	54.00	-4.40	44.15	3	Horizontal	317	1.60	-	32.92	5.05	32.52
PK	5.2594G	114.37	Inf	-Inf	108.74	3	Horizontal	317	1.60	-	33.02	5.10	32.49
AV	5.2606G	104.73	Inf	-Inf	99.10	3	Horizontal	317	1.60	-	33.02	5.10	32.49
PK	5.3542G	64.99	74.00	-9.01	59.23	3	Horizontal	317	1.60	-	33.13	5.10	32.47
AV	5.3506G	51.14	54.00	-2.86	45.41	3	Horizontal	317	1.60	-	33.10	5.10	32.47

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUTY_2TX
Setting 15.5
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51994G	60.44	68.20	-7.76	46.34	3	Vertical	51	1.65	-	39.20	7.96	33.06
PK	15.7851G	59.21	74.00	-14.79	45.41	3	Vertical	288	1.42	-	38.64	9.05	33.89
AV	15.79236G	44.42	54.00	-9.58	30.60	3	Vertical	288	1.42	-	38.67	9.05	33.90

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUTY_2TX
Setting 15.5
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5257G	64.85	68.20	-3.35	50.74	3	Horizontal	18	2.09	-	39.20	7.97	33.06
PK	15.7818G	57.91	74.00	-16.09	44.12	3	Horizontal	285	1.80	-	38.63	9.05	33.89
AV	15.79398G	44.45	54.00	-9.55	30.62	3	Horizontal	285	1.80	-	38.68	9.05	33.90

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 12.5
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2992G	110.99	Inf	-Inf	105.27	3	Vertical	355	2.14	-	33.10	5.10	32.48
AV	5.2992G	101.15	Inf	-Inf	95.43	3	Vertical	355	2.14	-	33.10	5.10	32.48
PK	5.364G	61.53	74.00	-12.47	55.72	3	Vertical	355	2.14	-	33.18	5.10	32.47
AV	5.3508G	48.80	54.00	-5.20	43.07	3	Vertical	355	2.14	-	33.10	5.10	32.47

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 12.5
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2992G	114.49	Inf	-Inf	108.77	3	Horizontal	319	1.50	-	33.10	5.10	32.48
AV	5.2996G	104.74	Inf	-Inf	99.02	3	Horizontal	319	1.50	-	33.10	5.10	32.48
PK	5.3524G	65.09	74.00	-8.91	59.35	3	Horizontal	319	1.50	-	33.11	5.10	32.47
AV	5.35G	52.54	54.00	-1.46	46.81	3	Horizontal	319	1.50	-	33.10	5.10	32.47

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 12.5
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6057G	60.20	74.00	-13.80	46.09	3	Vertical	343	1.21	-	39.22	8.02	33.13
AV	10.60024G	46.13	54.00	-7.87	32.03	3	Vertical	343	1.21	-	39.20	8.02	33.12
PK	15.89634G	59.17	74.00	-14.83	45.17	3	Vertical	360	1.22	-	38.89	9.07	33.96
AV	15.88614G	45.69	54.00	-8.31	31.71	3	Vertical	360	1.22	-	38.87	9.07	33.96

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 12.5
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60564G	63.54	74.00	-10.46	49.43	3	Horizontal	16	2.21	-	39.22	8.02	33.13
AV	10.60018G	49.10	54.00	-4.90	35.00	3	Horizontal	16	2.21	-	39.20	8.02	33.12
PK	15.90666G	59.73	74.00	-14.27	45.73	3	Horizontal	83	1.80	-	38.89	9.08	33.97
AV	15.91458G	45.77	54.00	-8.23	31.80	3	Horizontal	83	1.80	-	38.87	9.08	33.98

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT V_2TX
Setting 11.5
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3192G	110.27	Inf	-Inf	104.55	3	Vertical	353	2.32	-	33.10	5.10	32.48
AV	5.319G	100.43	Inf	-Inf	94.71	3	Vertical	353	2.32	-	33.10	5.10	32.48
PK	5.3546G	66.06	74.00	-7.94	60.30	3	Vertical	353	2.32	-	33.13	5.10	32.47
AV	5.35G	50.19	54.00	-3.81	44.46	3	Vertical	353	2.32	-	33.10	5.10	32.47

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT V_2TX
Setting 11.5
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3206G	113.65	Inf	-Inf	107.93	3	Horizontal	317	1.64	-	33.10	5.10	32.48
AV	5.3204G	104.18	Inf	-Inf	98.46	3	Horizontal	317	1.64	-	33.10	5.10	32.48
PK	5.3502G	70.08	74.00	-3.92	64.35	3	Horizontal	317	1.64	-	33.10	5.10	32.47
AV	5.35G	52.88	54.00	-1.12	47.15	3	Horizontal	317	1.64	-	33.10	5.10	32.47

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT V_2TX
Setting 11.5
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64564G	60.94	74.00	-13.06	46.71	3	Vertical	339	2.11	-	39.34	8.05	33.16
AV	10.64012G	46.57	54.00	-7.43	32.36	3	Vertical	339	2.11	-	39.32	8.05	33.16
PK	15.9519G	60.08	74.00	-13.92	46.19	3	Vertical	292	1.80	-	38.80	9.09	34.00
AV	15.94512G	45.73	54.00	-8.27	31.82	3	Vertical	292	1.80	-	38.81	9.09	33.99

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT V_2TX
Setting 11.5
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63652G	61.98	74.00	-12.02	47.77	3	Horizontal	12	2.01	-	39.31	8.05	33.15
AV	10.63994G	47.60	54.00	-6.40	33.39	3	Horizontal	12	2.01	-	39.32	8.05	33.16
PK	15.96858G	59.17	74.00	-14.83	45.33	3	Horizontal	329	1.80	-	38.76	9.09	34.01
AV	15.94584G	45.92	54.00	-8.08	32.02	3	Horizontal	329	1.80	-	38.81	9.09	34.00

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_V_2TX
Setting 10.5
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4566G	64.58	74.00	-9.42	58.05	3	Vertical	17	2.23	-	33.81	5.16	32.44
AV	5.4572G	51.81	54.00	-2.19	45.28	3	Vertical	17	2.23	-	33.81	5.16	32.44
PK	5.4678G	65.60	68.20	-2.60	59.03	3	Vertical	17	2.23	-	33.84	5.17	32.44
PK	5.502G	112.24	Inf	-Inf	105.56	3	Vertical	17	2.23	-	33.91	5.20	32.43
AV	5.5018G	102.50	Inf	-Inf	95.82	3	Vertical	17	2.23	-	33.91	5.20	32.43

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_V_2TX
Setting 10.5
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	65.84	74.00	-8.16	59.30	3	Horizontal	319	1.53	-	33.82	5.16	32.44
AV	5.4572G	52.34	54.00	-1.66	45.81	3	Horizontal	319	1.53	-	33.81	5.16	32.44
PK	5.4694G	65.08	68.20	-3.12	58.51	3	Horizontal	319	1.53	-	33.84	5.17	32.44
PK	5.5018G	114.14	Inf	-Inf	107.46	3	Horizontal	319	1.53	-	33.91	5.20	32.43
AV	5.502G	104.18	Inf	-Inf	97.50	3	Horizontal	319	1.53	-	33.91	5.20	32.43

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT Y_2TX
Setting 10.5
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99994G	60.11	74.00	-13.89	45.77	3	Vertical	333	2.06	-	39.50	8.30	33.46
AV	10.9982G	45.81	54.00	-8.19	31.47	3	Vertical	333	2.06	-	39.50	8.30	33.46

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT V_2TX
Setting 10.5
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9982G	58.27	74.00	-15.73	43.93	3	Horizontal	322	1.89	-	39.50	8.30	33.46
AV	10.99838G	45.31	54.00	-8.69	30.97	3	Horizontal	322	1.89	-	39.50	8.30	33.46

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT V_2TX
Setting 22.5
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	59.51	74.00	-14.49	52.98	3	Vertical	6	2.36	-	33.81	5.16	32.44
AV	5.4568G	47.04	54.00	-6.96	40.51	3	Vertical	6	2.36	-	33.81	5.16	32.44
PK	5.4672G	59.55	68.20	-8.65	52.99	3	Vertical	6	2.36	-	33.83	5.17	32.44
PK	5.5816G	121.25	Inf	-Inf	114.38	3	Vertical	6	2.36	-	34.04	5.28	32.45
AV	5.5816G	110.70	Inf	-Inf	103.83	3	Vertical	6	2.36	-	34.04	5.28	32.45
PK	5.7368G	60.97	68.20	-7.23	53.82	3	Vertical	6	2.36	-	34.35	5.30	32.50

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUTY_2TX
Setting 22.5
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44G	60.15	74.00	-13.85	53.74	3	Horizontal	348	1.38	-	33.72	5.14	32.45
AV	5.4216G	47.32	54.00	-6.68	41.08	3	Horizontal	348	1.38	-	33.57	5.12	32.45
PK	5.4688G	62.67	68.20	-5.53	56.10	3	Horizontal	348	1.38	-	33.84	5.17	32.44
PK	5.5808G	121.35	Inf	-Inf	114.48	3	Horizontal	348	1.38	-	34.04	5.28	32.45
AV	5.5816G	110.49	Inf	-Inf	103.62	3	Horizontal	348	1.38	-	34.04	5.28	32.45
PK	5.7472G	60.40	68.20	-7.80	53.21	3	Horizontal	348	1.38	-	34.39	5.30	32.50

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUTY_2TX
Setting 22.5
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16108G	63.89	74.00	-10.11	49.84	3	Vertical	9	1.59	-	39.30	8.41	33.66
AV	11.16348G	50.24	54.00	-3.76	36.20	3	Vertical	9	1.59	-	39.30	8.41	33.67
PK	16.73364G	61.74	68.20	-6.46	45.95	3	Vertical	51	1.80	-	40.03	9.36	33.60

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUTY_2TX
Setting 22.5
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1609G	62.56	74.00	-11.44	48.51	3	Horizontal	34	2.54	-	39.30	8.41	33.66
AV	11.16108G	48.94	54.00	-5.06	34.89	3	Horizontal	34	2.54	-	39.30	8.41	33.66
PK	16.73334G	65.40	68.20	-2.80	49.61	3	Horizontal	39	2.07	-	40.03	9.36	33.60

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUTY_2TX
Setting 12
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7012G	112.62	Inf	-Inf	105.61	3	Vertical	8	2.20	-	34.20	5.30	32.49
AV	5.7014G	102.73	Inf	-Inf	95.71	3	Vertical	8	2.20	-	34.21	5.30	32.49
PK	5.7316G	65.13	68.20	-3.07	58.00	3	Vertical	8	2.20	-	34.33	5.30	32.50

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUTY_2TX
Setting 12
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7016G	111.43	Inf	-Inf	104.41	3	Horizontal	322	1.54	-	34.21	5.30	32.49
AV	5.7018G	101.68	Inf	-Inf	94.66	3	Horizontal	322	1.54	-	34.21	5.30	32.49
PK	5.727G	63.49	68.20	-4.71	56.38	3	Horizontal	322	1.54	-	34.31	5.30	32.50

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUTY_2TX
Setting 12
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40012G	58.73	74.00	-15.27	44.71	3	Vertical	8	2.20	-	39.40	8.58	33.96
AV	11.39994G	45.27	54.00	-8.73	31.25	3	Vertical	8	2.20	-	39.40	8.58	33.96
PK	17.10216G	63.56	68.20	-4.64	46.64	3	Vertical	360	1.79	-	41.00	9.49	33.57

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT V_2TX
Setting 12
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39958G	62.81	74.00	-11.19	48.79	3	Horizontal	360	2.06	-	39.40	8.58	33.96
AV	11.39976G	49.03	54.00	-4.97	35.01	3	Horizontal	360	2.06	-	39.40	8.58	33.96
PK	17.10012G	62.98	68.20	-5.22	46.06	3	Horizontal	0	1.80	-	41.00	9.49	33.57

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUTY_2TX
Setting 18.5
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4488G	58.34	74.00	-15.66	51.84	3	Vertical	11	2.60	-	33.79	5.15	32.44
AV	5.456G	45.95	54.00	-8.05	39.42	3	Vertical	11	2.60	-	33.81	5.16	32.44
PK	5.4692G	58.23	68.20	-9.97	51.66	3	Vertical	11	2.60	-	33.84	5.17	32.44
PK	5.7212G	117.03	Inf	-Inf	109.95	3	Vertical	11	2.60	-	34.28	5.30	32.50
AV	5.7212G	107.16	Inf	-Inf	100.08	3	Vertical	11	2.60	-	34.28	5.30	32.50
PK	5.9624G	60.72	68.20	-7.48	52.66	3	Vertical	11	2.60	-	35.25	5.38	32.57

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_V_2TX
Setting 18.5
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4476G	57.94	74.00	-16.06	51.45	3	Horizontal	350	1.39	-	33.78	5.15	32.44
PK	5.4644G	58.38	68.20	-9.82	51.83	3	Horizontal	350	1.39	-	33.83	5.16	32.44
AV	5.4596G	45.92	54.00	-8.08	39.38	3	Horizontal	350	1.39	-	33.82	5.16	32.44
PK	5.7212G	116.84	Inf	-Inf	109.76	3	Horizontal	350	1.39	-	34.28	5.30	32.50
AV	5.7212G	106.89	Inf	-Inf	99.81	3	Horizontal	350	1.39	-	34.28	5.30	32.50
PK	5.9564G	61.32	68.20	-6.88	53.28	3	Horizontal	350	1.39	-	35.23	5.38	32.57

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUTY_2TX
Setting 18.5
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43832G	64.07	74.00	-9.93	50.11	3	Vertical	36	1.80	-	39.36	8.61	34.01
AV	11.43814G	51.58	54.00	-2.42	37.62	3	Vertical	36	1.80	-	39.36	8.61	34.01
PK	17.15472G	63.75	68.20	-4.45	46.72	3	Vertical	355	1.75	-	41.11	9.50	33.58

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUTY_2TX
Setting 18.5
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43952G	65.77	74.00	-8.23	51.81	3	Horizontal	0	2.35	-	39.36	8.61	34.01
AV	11.43922G	52.76	54.00	-1.24	38.80	3	Horizontal	0	2.35	-	39.36	8.61	34.01
PK	17.16078G	65.87	68.20	-2.33	48.82	3	Horizontal	28	1.70	-	41.12	9.51	33.58

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUTY_2TX
Setting 15.5
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	61.13	68.20	-7.07	54.01	3	Vertical	12	2.47	-	34.29	5.30	32.47
PK	5.746G	113.92	Inf	-Inf	106.74	3	Vertical	12	2.47	-	34.38	5.30	32.50
AV	5.746G	104.36	Inf	-Inf	97.18	3	Vertical	12	2.47	-	34.38	5.30	32.50
PK	5.987G	60.15	68.20	-8.05	51.99	3	Vertical	12	2.47	-	35.35	5.39	32.58

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUTY_2TX
Setting 15.5
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	60.35	68.20	-7.85	53.31	3	Horizontal	347	1.29	-	34.21	5.30	32.47
PK	5.746G	114.10	Inf	-Inf	106.92	3	Horizontal	347	1.29	-	34.38	5.30	32.50
AV	5.746G	103.68	Inf	-Inf	96.50	3	Horizontal	347	1.29	-	34.38	5.30	32.50
PK	5.986G	60.17	68.20	-8.03	52.02	3	Horizontal	347	1.29	-	35.34	5.39	32.58

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUTY_2TX
Setting 15.5
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4885G	66.26	74.00	-7.74	52.39	3	Vertical	352	2.00	-	39.31	8.64	34.08
AV	11.4888G	52.71	54.00	-1.29	38.84	3	Vertical	352	2.00	-	39.31	8.64	34.08
PK	17.22738G	61.04	68.20	-7.16	43.76	3	Vertical	281	2.07	-	41.34	9.53	33.59

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUTY_2TX
Setting 15.5
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48952G	63.88	74.00	-10.12	50.01	3	Horizontal	360	2.00	-	39.31	8.64	34.08
AV	11.48964G	50.66	54.00	-3.34	36.79	3	Horizontal	360	2.00	-	39.31	8.64	34.08
PK	17.24832G	61.62	68.20	-6.58	44.23	3	Horizontal	276	2.34	-	41.44	9.54	33.59

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUTY_2TX
Setting 16
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	59.72	68.20	-8.48	52.61	3	Vertical	5	2.45	-	34.28	5.30	32.47
PK	5.784G	113.24	Inf	-Inf	105.99	3	Vertical	5	2.45	-	34.47	5.30	32.52
AV	5.784G	103.83	Inf	-Inf	96.58	3	Vertical	5	2.45	-	34.47	5.30	32.52
PK	5.926G	61.01	68.20	-7.19	53.15	3	Vertical	5	2.45	-	35.06	5.36	32.56

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUTY_2TX
Setting 16
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.566G	59.97	68.20	-8.23	53.08	3	Horizontal	346	1.44	-	34.07	5.27	32.45
PK	5.783G	112.13	Inf	-Inf	104.87	3	Horizontal	346	1.44	-	34.47	5.30	32.51
AV	5.784G	102.52	Inf	-Inf	95.27	3	Horizontal	346	1.44	-	34.47	5.30	32.52
PK	5.956G	60.92	68.20	-7.28	52.89	3	Horizontal	346	1.44	-	35.22	5.38	32.57

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUTY_2TX
Setting 16
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56832G	65.56	74.00	-8.44	51.69	3	Vertical	21	2.09	-	39.30	8.70	34.13
AV	11.56874G	52.31	54.00	-1.69	38.44	3	Vertical	21	2.09	-	39.30	8.70	34.13
PK	17.34492G	62.58	68.20	-5.62	44.79	3	Vertical	280	1.21	-	41.83	9.57	33.61

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUTY_2TX
Setting 16
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5742G	66.45	74.00	-7.55	52.58	3	Horizontal	360	2.04	-	39.30	8.70	34.13
AV	11.56952G	52.64	54.00	-1.36	38.77	3	Horizontal	360	2.04	-	39.30	8.70	34.13
PK	17.36568G	62.76	68.20	-5.44	44.89	3	Horizontal	287	1.09	-	41.90	9.58	33.61

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUTY_2TX
Setting 16
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	59.63	68.20	-8.57	52.64	3	Vertical	6	2.38	-	34.16	5.30	32.47
PK	5.824G	113.73	Inf	-Inf	106.31	3	Vertical	6	2.38	-	34.64	5.31	32.53
AV	5.824G	104.17	Inf	-Inf	96.75	3	Vertical	6	2.38	-	34.64	5.31	32.53
PK	6.071G	61.10	68.20	-7.10	52.80	3	Vertical	6	2.38	-	35.44	5.47	32.61

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUTY_2TX
Setting 16
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.601G	59.27	68.20	-8.93	52.42	3	Horizontal	339	2.07	-	34.01	5.30	32.46
PK	5.826G	111.06	Inf	-Inf	103.62	3	Horizontal	339	2.07	-	34.66	5.31	32.53
AV	5.827G	101.11	Inf	-Inf	93.67	3	Horizontal	339	2.07	-	34.66	5.31	32.53
PK	5.962G	61.23	68.20	-6.97	53.17	3	Horizontal	339	2.07	-	35.25	5.38	32.57

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUTY_2TX
Setting 16
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6485G	65.42	74.00	-8.58	51.60	3	Vertical	30	1.77	-	39.25	8.75	34.18
AV	11.64814G	51.26	54.00	-2.74	37.44	3	Vertical	30	1.77	-	39.25	8.75	34.18
PK	17.47452G	61.40	68.20	-6.80	43.34	3	Vertical	77	2.29	-	42.07	9.62	33.63

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUTY_2TX
Setting 16
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64868G	66.07	74.00	-7.93	52.25	3	Horizontal	360	2.01	-	39.25	8.75	34.18
AV	11.64928G	52.50	54.00	-1.50	38.68	3	Horizontal	360	2.01	-	39.25	8.75	34.18
PK	17.4825G	61.78	68.20	-6.42	43.71	3	Horizontal	208	2.67	-	42.08	9.62	33.63

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT Y_2TX
Setting 13
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	68.80	74.00	-5.20	63.37	3	Vertical	353	2.35	-	32.90	5.05	32.52
AV	5.1486G	50.22	54.00	-3.78	44.78	3	Vertical	353	2.35	-	32.91	5.05	32.52
PK	5.181G	112.53	Inf	-Inf	107.00	3	Vertical	353	2.35	-	32.96	5.08	32.51
AV	5.1808G	99.91	Inf	-Inf	94.38	3	Vertical	353	2.35	-	32.96	5.08	32.51

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT Y_2TX
Setting 13
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	72.09	74.00	-1.91	66.65	3	Horizontal	312	1.59	-	32.91	5.05	32.52
AV	5.1486G	52.96	54.00	-1.04	47.52	3	Horizontal	312	1.59	-	32.91	5.05	32.52
PK	5.1786G	115.47	Inf	-Inf	109.94	3	Horizontal	312	1.59	-	32.96	5.08	32.51
AV	5.1788G	103.35	Inf	-Inf	97.82	3	Horizontal	312	1.59	-	32.96	5.08	32.51

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT Y_2TX
Setting 13
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35696G	63.78	68.20	-4.42	49.95	3	Vertical	357	2.65	-	38.96	7.85	32.98
PK	15.5308G	59.33	74.00	-14.67	45.20	3	Vertical	44	1.80	-	38.88	8.98	33.73
AV	15.53024G	46.52	54.00	-7.48	32.39	3	Vertical	44	1.80	-	38.88	8.98	33.73

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT V_2TX
Setting 13
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35696G	62.05	68.20	-6.15	48.22	3	Horizontal	10	1.46	-	38.96	7.85	32.98
PK	15.54504G	59.47	74.00	-14.53	45.40	3	Horizontal	240	1.80	-	38.82	8.99	33.74
AV	15.53228G	46.18	54.00	-7.82	32.06	3	Horizontal	240	1.80	-	38.87	8.98	33.73

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 14.5
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	64.80	74.00	-9.20	59.35	3	Vertical	30	2.28	-	32.93	5.04	32.52
AV	5.1496G	50.30	54.00	-3.70	44.87	3	Vertical	30	2.28	-	32.90	5.05	32.52
PK	5.2024G	114.53	Inf	-Inf	108.94	3	Vertical	30	2.28	-	33.00	5.10	32.51
AV	5.202G	102.07	Inf	-Inf	96.48	3	Vertical	30	2.28	-	33.00	5.10	32.51

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 14.5
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	68.48	74.00	-5.52	63.04	3	Horizontal	316	1.74	-	32.91	5.05	32.52
AV	5.1496G	52.98	54.00	-1.02	47.55	3	Horizontal	316	1.74	-	32.90	5.05	32.52
PK	5.198G	117.38	Inf	-Inf	111.79	3	Horizontal	316	1.74	-	33.00	5.10	32.51
AV	5.1976G	105.12	Inf	-Inf	99.53	3	Horizontal	316	1.74	-	33.00	5.10	32.51

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT Y_2TX
Setting 14.5
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40696G	61.77	68.20	-6.43	47.88	3	Vertical	47	1.79	-	39.01	7.88	33.00
PK	15.59176G	58.23	74.00	-15.77	44.37	3	Vertical	289	1.80	-	38.63	9.00	33.77
AV	15.59308G	45.21	54.00	-8.79	31.35	3	Vertical	289	1.80	-	38.63	9.00	33.77

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT Y_2TX
Setting 14.5
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40308G	64.85	68.20	-3.35	50.96	3	Horizontal	12	1.98	-	39.01	7.88	33.00
PK	15.59192G	58.72	74.00	-15.28	44.86	3	Horizontal	47	1.80	-	38.63	9.00	33.77
AV	15.59252G	45.47	54.00	-8.53	31.61	3	Horizontal	47	1.80	-	38.63	9.00	33.77

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	62.17	74.00	-11.83	56.71	3	Vertical	31	2.02	-	32.94	5.04	32.52
AV	5.1494G	48.71	54.00	-5.29	43.28	3	Vertical	31	2.02	-	32.90	5.05	32.52
PK	5.2424G	114.21	Inf	-Inf	108.61	3	Vertical	31	2.02	-	33.00	5.10	32.50
AV	5.2376G	101.64	Inf	-Inf	96.04	3	Vertical	31	2.02	-	33.00	5.10	32.50
PK	5.3618G	60.88	74.00	-13.12	55.08	3	Vertical	31	2.02	-	33.17	5.10	32.47
AV	5.35G	48.24	54.00	-5.76	42.51	3	Vertical	31	2.02	-	33.10	5.10	32.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUTV_2TX
Setting 17
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1434G	62.83	74.00	-11.17	57.38	3	Horizontal	316	1.66	-	32.93	5.04	32.52
AV	5.15G	50.46	54.00	-3.54	45.03	3	Horizontal	316	1.66	-	32.90	5.05	32.52
PK	5.243G	115.76	Inf	-Inf	110.16	3	Horizontal	316	1.66	-	33.00	5.10	32.50
AV	5.2376G	105.34	Inf	-Inf	99.74	3	Horizontal	316	1.66	-	33.00	5.10	32.50
PK	5.3642G	62.03	74.00	-11.97	56.21	3	Horizontal	316	1.66	-	33.19	5.10	32.47
AV	5.3564G	49.78	54.00	-4.22	44.01	3	Horizontal	316	1.66	-	33.14	5.10	32.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUTY_2TX
Setting 17
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48288G	60.95	68.20	-7.25	46.87	3	Vertical	48	1.48	-	39.17	7.94	33.03
PK	15.71772G	58.85	74.00	-15.15	45.30	3	Vertical	134	1.80	-	38.37	9.03	33.85
AV	15.72152G	44.97	54.00	-9.03	31.40	3	Vertical	134	1.80	-	38.39	9.03	33.85

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT Y_2TX
Setting 17
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47984G	64.32	68.20	-3.88	50.25	3	Horizontal	13	2.14	-	39.16	7.94	33.03
PK	15.72348G	58.55	74.00	-15.45	44.98	3	Horizontal	0	1.10	-	38.39	9.03	33.85
AV	15.71996G	44.94	54.00	-9.06	31.38	3	Horizontal	0	1.10	-	38.38	9.03	33.85

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUTY_2TX
Setting 16.5
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1316G	60.36	74.00	-13.64	54.89	3	Vertical	31	2.49	-	32.97	5.03	32.53
AV	5.1496G	47.98	54.00	-6.02	42.55	3	Vertical	31	2.49	-	32.90	5.05	32.52
PK	5.2624G	113.49	Inf	-Inf	107.86	3	Vertical	31	2.49	-	33.02	5.10	32.49
AV	5.257G	101.95	Inf	-Inf	96.33	3	Vertical	31	2.49	-	33.01	5.10	32.49
PK	5.3506G	61.51	74.00	-12.49	55.78	3	Vertical	31	2.49	-	33.10	5.10	32.47
AV	5.3524G	49.34	54.00	-4.66	43.60	3	Vertical	31	2.49	-	33.11	5.10	32.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUTY_2TX
Setting 16.5
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	62.76	74.00	-11.24	57.30	3	Horizontal	312	1.64	-	32.94	5.04	32.52
AV	5.1412G	49.53	54.00	-4.47	44.07	3	Horizontal	312	1.64	-	32.94	5.04	32.52
PK	5.26G	116.74	Inf	-Inf	111.11	3	Horizontal	312	1.64	-	33.02	5.10	32.49
AV	5.2576G	105.41	Inf	-Inf	99.78	3	Horizontal	312	1.64	-	33.02	5.10	32.49
PK	5.35G	64.14	74.00	-9.86	58.41	3	Horizontal	312	1.64	-	33.10	5.10	32.47
AV	5.353G	51.52	54.00	-2.48	45.77	3	Horizontal	312	1.64	-	33.12	5.10	32.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUTY_2TX
Setting 16.5
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5148G	60.25	68.20	-7.95	46.14	3	Vertical	51	1.79	-	39.20	7.96	33.05
PK	15.78792G	58.08	74.00	-15.92	44.27	3	Vertical	90	1.80	-	38.65	9.05	33.89
AV	15.78968G	45.13	54.00	-8.87	31.32	3	Vertical	90	1.80	-	38.66	9.05	33.90

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUTY_2TX
Setting 16.5
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51716G	65.09	68.20	-3.11	50.98	3	Horizontal	11	2.02	-	39.20	7.96	33.05
PK	15.78448G	58.39	74.00	-15.61	44.59	3	Horizontal	43	1.80	-	38.64	9.05	33.89
AV	15.7854G	45.05	54.00	-8.95	31.25	3	Horizontal	43	1.80	-	38.64	9.05	33.89

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 12.5
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3048G	113.86	Inf	-Inf	108.14	3	Vertical	27	2.32	-	33.10	5.10	32.48
AV	5.3024G	101.80	Inf	-Inf	96.08	3	Vertical	27	2.32	-	33.10	5.10	32.48
PK	5.3508G	63.87	74.00	-10.13	58.14	3	Vertical	27	2.32	-	33.10	5.10	32.47
AV	5.3508G	50.44	54.00	-3.56	44.71	3	Vertical	27	2.32	-	33.10	5.10	32.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 12.5
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2976G	116.05	Inf	-Inf	110.33	3	Horizontal	316	1.58	-	33.10	5.10	32.48
AV	5.2976G	104.79	Inf	-Inf	99.07	3	Horizontal	316	1.58	-	33.10	5.10	32.48
PK	5.3552G	65.57	74.00	-8.43	59.81	3	Horizontal	316	1.58	-	33.13	5.10	32.47
AV	5.3504G	52.83	54.00	-1.17	47.10	3	Horizontal	316	1.58	-	33.10	5.10	32.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 12.5
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60264G	59.71	74.00	-14.29	45.61	3	Vertical	337	2.08	-	39.21	8.02	33.13
AV	10.60004G	46.04	54.00	-7.96	31.94	3	Vertical	337	2.08	-	39.20	8.02	33.12
PK	15.89684G	59.86	74.00	-14.14	45.86	3	Vertical	39	1.12	-	38.89	9.07	33.96
AV	15.902G	46.23	54.00	-7.77	32.22	3	Vertical	39	1.12	-	38.90	9.08	33.97

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 12.5
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60248G	62.79	74.00	-11.21	48.69	3	Horizontal	13	2.77	-	39.21	8.02	33.13
AV	10.60012G	47.63	54.00	-6.37	33.53	3	Horizontal	13	2.77	-	39.20	8.02	33.12
PK	15.89892G	59.41	74.00	-14.59	45.41	3	Horizontal	0	2.11	-	38.90	9.07	33.97
AV	15.8934G	46.22	54.00	-7.78	32.22	3	Horizontal	0	2.11	-	38.89	9.07	33.96

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_V_2TX
Setting 11.5
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.322G	112.21	Inf	-Inf	106.49	3	Vertical	25	2.40	-	33.10	5.10	32.48
AV	5.3224G	100.16	Inf	-Inf	94.44	3	Vertical	25	2.40	-	33.10	5.10	32.48
PK	5.3548G	65.43	74.00	-8.57	59.67	3	Vertical	25	2.40	-	33.13	5.10	32.47
AV	5.3552G	51.10	54.00	-2.90	45.34	3	Vertical	25	2.40	-	33.13	5.10	32.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT V_2TX
Setting 11.5
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3174G	115.82	Inf	-Inf	110.10	3	Horizontal	316	1.56	-	33.10	5.10	32.48
AV	5.3176G	103.69	Inf	-Inf	97.97	3	Horizontal	316	1.56	-	33.10	5.10	32.48
PK	5.3502G	70.25	74.00	-3.75	64.52	3	Horizontal	316	1.56	-	33.10	5.10	32.47
AV	5.35G	52.97	54.00	-1.03	47.24	3	Horizontal	316	1.56	-	33.10	5.10	32.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 11.5
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64268G	59.20	74.00	-14.80	44.98	3	Vertical	338	1.14	-	39.33	8.05	33.16
AV	10.64004G	45.12	54.00	-8.88	30.91	3	Vertical	338	1.14	-	39.32	8.05	33.16
PK	15.95444G	59.46	74.00	-14.54	45.58	3	Vertical	240	1.80	-	38.79	9.09	34.00
AV	15.96428G	46.98	54.00	-7.02	33.13	3	Vertical	240	1.80	-	38.77	9.09	34.01

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 11.5
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6356G	62.12	74.00	-11.88	47.92	3	Horizontal	14	2.76	-	39.31	8.04	33.15
AV	10.63972G	46.17	54.00	-7.83	31.96	3	Horizontal	14	2.76	-	39.32	8.05	33.16
PK	15.96428G	60.22	74.00	-13.78	46.37	3	Horizontal	0	1.99	-	38.77	9.09	34.01
AV	15.95432G	46.81	54.00	-7.19	32.93	3	Horizontal	0	1.99	-	38.79	9.09	34.00

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_V_2TX
Setting 10
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4574G	64.42	74.00	-9.58	57.89	3	Vertical	19	2.33	-	33.81	5.16	32.44
AV	5.4586G	51.77	54.00	-2.23	45.23	3	Vertical	19	2.33	-	33.82	5.16	32.44
PK	5.4696G	65.84	68.20	-2.36	59.27	3	Vertical	19	2.33	-	33.84	5.17	32.44
PK	5.5024G	112.84	Inf	-Inf	106.16	3	Vertical	19	2.33	-	33.91	5.20	32.43
AV	5.502G	100.86	Inf	-Inf	94.18	3	Vertical	19	2.33	-	33.91	5.20	32.43

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_V_2TX
Setting 10
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	64.56	74.00	-9.44	58.02	3	Horizontal	321	1.53	-	33.82	5.16	32.44
AV	5.4596G	52.64	54.00	-1.36	46.10	3	Horizontal	321	1.53	-	33.82	5.16	32.44
PK	5.4672G	66.77	68.20	-1.43	60.21	3	Horizontal	321	1.53	-	33.83	5.17	32.44
PK	5.5022G	115.80	Inf	-Inf	109.12	3	Horizontal	321	1.53	-	33.91	5.20	32.43
AV	5.4972G	102.74	Inf	-Inf	96.08	3	Horizontal	321	1.53	-	33.89	5.20	32.43

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT Y_2TX
Setting 10
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9988G	58.99	74.00	-15.01	44.65	3	Vertical	336	2.15	-	39.50	8.30	33.46
AV	10.99904G	45.54	54.00	-8.46	31.20	3	Vertical	336	2.15	-	39.50	8.30	33.46
PK	16.50192G	61.83	68.20	-6.37	46.39	3	Vertical	120	1.80	-	39.80	9.28	33.64

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT V_2TX
Setting 10
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99876G	59.81	74.00	-14.19	45.47	3	Horizontal	38	2.20	-	39.50	8.30	33.46
AV	10.99692G	45.91	54.00	-8.09	31.57	3	Horizontal	38	2.20	-	39.50	8.30	33.46
PK	16.5054G	61.70	68.20	-6.50	46.25	3	Horizontal	1	1.80	-	39.81	9.28	33.64

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUTY_2TX
Setting 22
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4552G	61.18	74.00	-12.82	54.65	3	Vertical	15	2.28	-	33.81	5.16	32.44
AV	5.4528G	48.95	54.00	-5.05	42.43	3	Vertical	15	2.28	-	33.81	5.15	32.44
PK	5.4664G	61.96	68.20	-6.24	55.40	3	Vertical	15	2.28	-	33.83	5.17	32.44
PK	5.5792G	122.96	Inf	-Inf	116.09	3	Vertical	15	2.28	-	34.04	5.28	32.45
AV	5.5824G	112.15	Inf	-Inf	105.28	3	Vertical	15	2.28	-	34.04	5.28	32.45
PK	5.7392G	62.05	68.20	-6.15	54.89	3	Vertical	15	2.28	-	34.36	5.30	32.50

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUTY_2TX
Setting 22
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	63.40	74.00	-10.60	56.86	3	Horizontal	323	1.51	-	33.82	5.16	32.44
AV	5.4584G	50.11	54.00	-3.89	43.57	3	Horizontal	323	1.51	-	33.82	5.16	32.44
PK	5.4696G	66.34	68.20	-1.86	59.77	3	Horizontal	323	1.51	-	33.84	5.17	32.44
PK	5.5824G	123.59	Inf	-Inf	116.72	3	Horizontal	323	1.51	-	34.04	5.28	32.45
AV	5.58G	112.44	Inf	-Inf	105.57	3	Horizontal	323	1.51	-	34.04	5.28	32.45
PK	5.7424G	61.63	68.20	-6.57	54.46	3	Horizontal	323	1.51	-	34.37	5.30	32.50

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUTY_2TX
Setting 22
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16204G	64.10	74.00	-9.90	50.05	3	Vertical	5	1.61	-	39.30	8.41	33.66
AV	11.15924G	50.41	54.00	-3.59	36.36	3	Vertical	5	1.61	-	39.30	8.41	33.66
PK	16.74648G	62.18	68.20	-6.02	46.37	3	Vertical	319	1.89	-	40.05	9.36	33.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUTY_2TX
Setting 22
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16392G	61.78	74.00	-12.22	47.74	3	Horizontal	319	2.16	-	39.30	8.41	33.67
AV	11.16128G	48.54	54.00	-5.46	34.49	3	Horizontal	319	2.16	-	39.30	8.41	33.66
PK	16.73624G	64.53	68.20	-3.67	48.73	3	Horizontal	37	1.88	-	40.04	9.36	33.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUTY_2TX
Setting 11.5
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6982G	113.60	Inf	-Inf	106.59	3	Vertical	9	2.21	-	34.20	5.30	32.49
AV	5.7008G	101.77	Inf	-Inf	94.76	3	Vertical	9	2.21	-	34.20	5.30	32.49
PK	5.7308G	65.86	68.20	-2.34	58.74	3	Vertical	9	2.21	-	34.32	5.30	32.50

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUTY_2TX
Setting 11.5
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6982G	112.20	Inf	-Inf	105.19	3	Horizontal	321	1.52	-	34.20	5.30	32.49
AV	5.701G	100.81	Inf	-Inf	93.80	3	Horizontal	321	1.52	-	34.20	5.30	32.49
PK	5.726G	66.83	68.20	-1.37	59.73	3	Horizontal	321	1.52	-	34.30	5.30	32.50

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUTY_2TX
Setting 11.5
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39404G	61.33	74.00	-12.67	47.31	3	Vertical	33	1.66	-	39.40	8.58	33.96
AV	11.39952G	48.65	54.00	-5.35	34.63	3	Vertical	33	1.66	-	39.40	8.58	33.96
PK	17.09616G	62.16	68.20	-6.04	45.27	3	Vertical	21	1.80	-	40.98	9.48	33.57

802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TnomVnom



EUT Y_2TX
Setting 11.5
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.397G	61.37	74.00	-12.63	47.35	3	Horizontal	0	2.06	-	39.40	8.58	33.96
AV	11.3996G	48.27	54.00	-5.73	34.25	3	Horizontal	0	2.06	-	39.40	8.58	33.96
PK	17.10528G	62.72	68.20	-5.48	45.79	3	Horizontal	176	1.80	-	41.01	9.49	33.57


802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUTY_2TX
 Setting 15.5
 04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7184G	116.14	Inf	-Inf	109.07	3	Vertical	7	2.37	-	34.27	5.30	32.50
AV	5.7208G	104.75	Inf	-Inf	97.67	3	Vertical	7	2.37	-	34.28	5.30	32.50
PK	5.9128G	60.48	68.20	-7.72	52.69	3	Vertical	7	2.37	-	34.98	5.36	32.55


802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUTY_2TX
 Setting 15.5
 04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7184G	114.88	Inf	-Inf	107.81	3	Horizontal	345	1.39	-	34.27	5.30	32.50
AV	5.7208G	103.87	Inf	-Inf	96.79	3	Horizontal	345	1.39	-	34.28	5.30	32.50
PK	5.9192G	59.97	68.20	-8.23	52.15	3	Horizontal	345	1.39	-	35.02	5.36	32.56

802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUTY_2TX
 Setting 15.5
 04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44456G	66.13	74.00	-7.87	52.18	3	Vertical	351	2.08	-	39.36	8.61	34.02
AV	11.43928G	52.67	54.00	-1.33	38.71	3	Vertical	351	2.08	-	39.36	8.61	34.01
PK	17.15838G	61.12	68.20	-7.08	44.07	3	Vertical	238	2.77	-	41.12	9.51	33.58

802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUTY_2TX
 Setting 15.5
 04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44216G	64.06	74.00	-9.94	50.11	3	Horizontal	0	2.08	-	39.36	8.61	34.02
AV	11.4397G	50.68	54.00	-3.32	36.72	3	Horizontal	0	2.08	-	39.36	8.61	34.01
PK	17.15058G	61.35	68.20	-6.85	44.33	3	Horizontal	193	2.76	-		9.50	33.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUTY_2TX
Setting 17.5
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	60.41	68.20	-7.79	53.35	3	Vertical	6	2.46	-	34.23	5.30	32.47
PK	5.743G	116.86	Inf	-Inf	109.69	3	Vertical	6	2.46	-	34.37	5.30	32.50
AV	5.746G	106.09	Inf	-Inf	98.91	3	Vertical	6	2.46	-	34.38	5.30	32.50
PK	5.968G	60.34	68.20	-7.86	52.26	3	Vertical	6	2.46	-	35.27	5.38	32.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUTY_2TX
Setting 17.5
04-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.59G	60.34	68.20	-7.86	53.49	3	Horizontal	347	1.31	-	34.02	5.29	32.46
PK	5.746G	117.79	Inf	-Inf	110.61	3	Horizontal	347	1.31	-	34.38	5.30	32.50
AV	5.746G	104.82	Inf	-Inf	97.64	3	Horizontal	347	1.31	-	34.38	5.30	32.50
PK	5.988G	60.94	68.20	-7.26	52.78	3	Horizontal	347	1.31	-	35.35	5.39	32.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUTY_2TX
Setting 17.5
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49174G	65.68	74.00	-8.32	51.81	3	Vertical	32	1.73	-	39.31	8.64	34.08
AV	11.49168G	52.54	54.00	-1.46	38.67	3	Vertical	32	1.73	-	39.31	8.64	34.08
PK	17.23578G	61.24	68.20	-6.96	43.92	3	Vertical	59	2.13	-	41.38	9.53	33.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUTY_2TX
Setting 17.5
04-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48958G	65.70	74.00	-8.30	51.83	3	Horizontal	360	2.04	-	39.31	8.64	34.08
AV	11.48946G	52.94	54.00	-1.06	39.07	3	Horizontal	360	2.04	-	39.31	8.64	34.08
PK	17.2443G	61.34	68.20	-6.86	43.97	3	Horizontal	267	2.26	-	41.42	9.54	33.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT Y_2TX
Setting 17
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.58G	59.48	68.20	-8.72	50.74	3	Vertical	9	2.21	-	33.94	5.58	30.78
PK	5.782G	112.11	Inf	-Inf	103.64	3	Vertical	9	2.21	-	33.80	5.60	30.93
AV	5.787G	101.28	Inf	-Inf	92.82	3	Vertical	9	2.21	-	33.80	5.60	30.94
PK	5.942G	59.11	68.20	-9.09	50.25	3	Vertical	9	2.21	-	34.18	5.74	31.06

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT Y_2TX
Setting 17
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.607G	58.80	68.20	-9.40	50.11	3	Horizontal	49	1.37	-	33.89	5.60	30.80
PK	5.783G	115.89	Inf	-Inf	107.43	3	Horizontal	49	1.37	-	33.80	5.60	30.94
AV	5.788G	102.45	Inf	-Inf	93.99	3	Horizontal	49	1.37	-	33.80	5.60	30.94
PK	5.937G	59.12	68.20	-9.08	50.26	3	Horizontal	49	1.37	-	34.17	5.74	31.05

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT Y_2TX
Setting 17
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57168G	64.68	74.00	-9.32	49.69	3	Vertical	344	2.00	-	39.22	7.93	32.16
AV	11.5694G	52.18	54.00	-1.82	37.20	3	Vertical	344	2.00	-	39.21	7.93	32.16
PK	17.3463G	64.52	68.20	-3.68	41.30	3	Vertical	109	2.07	-	42.78	10.67	30.23

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT Y_2TX
Setting 17
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5739G	60.25	74.00	-13.75	45.26	3	Horizontal	19	1.80	-	39.22	7.93	32.16
AV	11.5694G	46.86	54.00	-7.14	31.88	3	Horizontal	19	1.80	-	39.21	7.93	32.16
PK	17.34666G	64.90	68.20	-3.30	41.68	3	Horizontal	281	1.76	-	42.78	10.67	30.23

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT Y_2TX
Setting 18
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.617G	59.10	68.20	-9.10	50.44	3	Vertical	12	2.19	-	33.87	5.60	30.81
PK	5.824G	114.96	Inf	-Inf	106.51	3	Vertical	12	2.19	-	33.80	5.62	30.97
AV	5.824G	103.39	Inf	-Inf	94.94	3	Vertical	12	2.19	-	33.80	5.62	30.97
PK	5.98G	59.85	68.20	-8.35	50.95	3	Vertical	12	2.19	-	34.20	5.78	31.08

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT V_2TX
Setting 18
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.609G	58.22	68.20	-9.98	49.54	3	Horizontal	48	1.19	-	33.88	5.60	30.80
PK	5.821G	114.62	Inf	-Inf	106.16	3	Horizontal	48	1.19	-	33.80	5.62	30.96
AV	5.824G	104.57	Inf	-Inf	96.12	3	Horizontal	48	1.19	-	33.80	5.62	30.97
PK	6.017G	59.23	68.20	-8.97	50.31	3	Horizontal	48	1.19	-	34.23	5.80	31.11

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT Y_2TX
Setting 18
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64472G	66.98	74.00	-7.02	51.83	3	Vertical	356	1.97	-	39.39	7.96	32.20
AV	11.64952G	52.80	54.00	-1.20	37.65	3	Vertical	356	1.97	-	39.40	7.96	32.21
PK	17.48226G	65.86	68.20	-2.34	41.57	3	Vertical	353	1.05	-	43.76	10.74	30.21

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT Y_2TX
Setting 18
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64472G	65.73	74.00	-8.27	50.58	3	Horizontal	360	2.04	-	39.39	7.96	32.20
AV	11.64994G	51.85	54.00	-2.15	36.70	3	Horizontal	360	2.04	-	39.40	7.96	32.21
PK	17.47824G	65.68	68.20	-2.52	41.42	3	Horizontal	174	2.18	-	43.73	10.74	30.21

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUTY_2TX
Setting 12
04-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1432G	64.67	74.00	-9.33	59.22	3	Vertical	33	2.39	-	32.93	5.04	32.52
AV	5.1486G	49.90	54.00	-4.10	44.46	3	Vertical	33	2.39	-	32.91	5.05	32.52
PK	5.1912G	107.45	Inf	-Inf	101.89	3	Vertical	33	2.39	-	32.98	5.09	32.51
AV	5.1912G	95.47	Inf	-Inf	89.91	3	Vertical	33	2.39	-	32.98	5.09	32.51

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUTY_2TX
Setting 12
04-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1486G	69.06	74.00	-4.94	63.62	3	Horizontal	315	1.66	-	32.91	5.05	32.52
AV	5.1492G	52.63	54.00	-1.57	47.00	3	Horizontal	315	1.66	-	32.90	5.05	32.52
PK	5.1888G	110.75	Inf	-Inf	105.19	3	Horizontal	315	1.66	-	32.98	5.09	32.51
AV	5.1912G	98.46	Inf	-Inf	92.90	3	Horizontal	315	1.66	-	32.98	5.09	32.51

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT V_2TX
Setting 12
03-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.37214G	55.99	68.20	-12.21	40.86	3	Vertical	48	1.77	-	38.17	10.56	33.60

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT Y_2TX
Setting 12
03-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.38714G	58.83	68.20	-9.37	43.62	3	Horizontal	13	1.91	-	38.19	10.56	33.54

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_V_2TX
Setting 17
04-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	63.81	74.00	-10.19	58.37	3	Vertical	33	2.37	-	32.91	5.05	32.52
AV	5.146G	49.24	54.00	-4.76	43.79	3	Vertical	33	2.37	-	32.92	5.05	32.52
PK	5.2306G	109.87	Inf	-Inf	104.27	3	Vertical	33	2.37	-	33.00	5.10	32.50
AV	5.2312G	97.98	Inf	-Inf	92.38	3	Vertical	33	2.37	-	33.00	5.10	32.50
PK	5.3554G	59.79	74.00	-14.21	54.03	3	Vertical	33	2.37	-	33.13	5.10	32.47
AV	5.3578G	47.39	54.00	-6.61	41.61	3	Vertical	33	2.37	-	33.15	5.10	32.47

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT V_2TX
Setting 17
04-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	65.81	74.00	-8.19	60.37	3	Horizontal	315	1.72	-	32.91	5.05	32.52
AV	5.1484G	52.66	54.00	-1.34	47.22	3	Horizontal	315	1.72	-	32.91	5.05	32.52
PK	5.2312G	114.08	Inf	-Inf	108.48	3	Horizontal	315	1.72	-	33.00	5.10	32.50
AV	5.2312G	101.38	Inf	-Inf	95.78	3	Horizontal	315	1.72	-	33.00	5.10	32.50
PK	5.356G	61.25	74.00	-12.75	55.48	3	Horizontal	315	1.72	-	33.14	5.10	32.47
AV	5.353G	48.71	54.00	-5.29	42.96	3	Horizontal	315	1.72	-	33.12	5.10	32.47

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT Y_2TX
Setting 17
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45178G	58.82	68.20	-9.38	44.82	3	Vertical	51	1.80	-	39.10	7.92	33.02
PK	15.70356G	58.00	74.00	-16.00	44.50	3	Vertical	316	2.05	-	38.31	9.03	33.84
AV	15.70224G	45.72	54.00	-8.28	32.22	3	Vertical	316	2.05	-	38.31	9.03	33.84

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT Y_2TX
Setting 17
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46468G	60.17	68.20	-8.03	46.14	3	Horizontal	13	2.17	-	39.13	7.93	33.03
PK	15.6963G	58.06	74.00	-15.94	44.57	3	Horizontal	307	1.42	-	38.31	9.02	33.84
AV	15.69126G	45.46	54.00	-8.54	31.94	3	Horizontal	307	1.42	-	38.33	9.02	33.83

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_V_2TX
Setting 15
04-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	60.61	74.00	-13.39	55.17	3	Vertical	29	2.33	-	32.91	5.05	32.52
AV	5.1482G	48.33	54.00	-5.67	42.89	3	Vertical	29	2.33	-	32.91	5.05	32.52
PK	5.2706G	111.59	Inf	-Inf	105.94	3	Vertical	29	2.33	-	33.04	5.10	32.49
AV	5.2688G	99.69	Inf	-Inf	94.04	3	Vertical	29	2.33	-	33.04	5.10	32.49
PK	5.3558G	63.07	74.00	-10.93	57.31	3	Vertical	29	2.33	-	33.13	5.10	32.47
AV	5.351G	50.80	54.00	-3.20	45.06	3	Vertical	29	2.33	-	33.11	5.10	32.47

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_V_2TX
Setting 15
04-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1374G	64.17	74.00	-9.83	58.70	3	Horizontal	315	1.59	-	32.95	5.04	32.52
AV	5.1488G	49.99	54.00	-4.01	44.56	3	Horizontal	315	1.59	-	32.90	5.05	32.52
PK	5.2766G	114.50	Inf	-Inf	108.84	3	Horizontal	315	1.59	-	33.05	5.10	32.49
AV	5.2712G	102.68	Inf	-Inf	97.03	3	Horizontal	315	1.59	-	33.04	5.10	32.49
PK	5.3552G	65.90	74.00	-8.10	60.14	3	Horizontal	315	1.59	-	33.13	5.10	32.47
AV	5.351G	52.85	54.00	-1.15	47.11	3	Horizontal	315	1.59	-	33.11	5.10	32.47

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT Y_2TX
Setting 15
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53484G	62.53	68.20	-5.67	48.43	3	Vertical	13	2.16	-	39.20	7.97	33.07
PK	15.82296G	58.80	74.00	-15.20	44.91	3	Vertical	153	2.12	-	38.75	9.06	33.92
AV	15.80208G	45.80	54.00	-8.20	31.95	3	Vertical	153	2.12	-	38.70	9.05	33.90

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT Y_2TX
Setting 15
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53748G	62.66	68.20	-5.54	48.55	3	Horizontal	15	2.10	-	39.20	7.98	33.07
PK	15.79674G	58.39	74.00	-15.61	44.55	3	Horizontal	209	2.30	-	38.69	9.05	33.90
AV	15.80316G	45.77	54.00	-8.23	31.91	3	Horizontal	209	2.30	-	38.71	9.05	33.90

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT V_2TX
Setting 12
04-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3082G	107.68	Inf	-Inf	101.96	3	Vertical	26	2.44	-	33.10	5.10	32.48
AV	5.3112G	96.27	Inf	-Inf	90.55	3	Vertical	26	2.44	-	33.10	5.10	32.48
PK	5.3514G	67.96	74.00	-6.04	62.22	3	Vertical	26	2.44	-	33.11	5.10	32.47
AV	5.3508G	50.26	54.00	-3.74	44.53	3	Vertical	26	2.44	-	33.10	5.10	32.47

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
Setting 12
04-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3136G	111.00	Inf	-Inf	105.28	3	Horizontal	315	1.53	-	33.10	5.10	32.48
AV	5.3088G	99.57	Inf	-Inf	93.85	3	Horizontal	315	1.53	-	33.10	5.10	32.48
PK	5.3526G	71.98	74.00	-2.02	66.23	3	Horizontal	315	1.53	-	33.12	5.10	32.47
AV	5.3514G	52.60	54.00	-1.40	46.86	3	Horizontal	315	1.53	-	33.11	5.10	32.47

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
Setting 12
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60884G	55.44	74.00	-18.56	41.31	3	Vertical	277	1.90	-	39.23	8.03	33.13
AV	10.6155G	42.30	54.00	-11.70	28.16	3	Vertical	277	1.90	-	39.25	8.03	33.14
PK	15.93522G	58.06	74.00	-15.94	44.14	3	Vertical	263	1.48	-	38.83	9.08	33.99
AV	15.9156G	45.70	54.00	-8.30	31.73	3	Vertical	263	1.48	-	38.87	9.08	33.98

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
Setting 12
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61082G	56.43	74.00	-17.57	42.30	3	Horizontal	303	2.00	-	39.23	8.03	33.13
AV	10.61964G	43.56	54.00	-10.44	29.41	3	Horizontal	303	2.00	-	39.26	8.03	33.14
PK	15.9171G	58.39	74.00	-15.61	44.42	3	Horizontal	150	1.52	-	38.87	9.08	33.98
AV	15.9273G	45.66	54.00	-8.34	31.71	3	Horizontal	150	1.52	-	38.85	9.08	33.98

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_V_2TX
Setting 10.5
04-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.99	74.00	-12.01	55.45	3	Vertical	20	2.34	-	33.82	5.16	32.44
AV	5.4596G	50.35	54.00	-3.65	43.81	3	Vertical	20	2.34	-	33.82	5.16	32.44
PK	5.4698G	64.95	68.20	-3.25	58.38	3	Vertical	20	2.34	-	33.84	5.17	32.44
PK	5.507G	110.52	Inf	-Inf	103.81	3	Vertical	20	2.34	-	33.93	5.21	32.43
AV	5.5124G	98.51	Inf	-Inf	91.78	3	Vertical	20	2.34	-	33.95	5.21	32.43

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_V_2TX
Setting 10.5
04-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.45	74.00	-10.55	56.91	3	Horizontal	320	1.64	-	33.82	5.16	32.44
AV	5.4596G	51.63	54.00	-2.37	45.09	3	Horizontal	320	1.64	-	33.82	5.16	32.44
PK	5.4668G	67.00	68.20	-1.20	60.44	3	Horizontal	320	1.64	-	33.83	5.17	32.44
PK	5.5124G	112.38	Inf	-Inf	105.65	3	Horizontal	320	1.64	-	33.95	5.21	32.43
AV	5.5124G	100.10	Inf	-Inf	93.37	3	Horizontal	320	1.64	-	33.95	5.21	32.43

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT Y_2TX
Setting 10.5
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02324G	55.40	74.00	-18.60	41.12	3	Vertical	78	2.12	-	39.45	8.32	33.49
AV	11.02366G	42.62	54.00	-11.38	28.34	3	Vertical	78	2.12	-	39.45	8.32	33.49

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT V_2TX
Setting 10.5
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01928G	55.27	74.00	-18.73	40.98	3	Horizontal	180	1.72	-	39.46	8.31	33.48
AV	11.00884G	42.58	54.00	-11.42	28.26	3	Horizontal	180	1.72	-	39.48	8.31	33.47

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_V_2TX
Setting 15
04-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	63.92	74.00	-10.08	57.40	3	Vertical	18	2.40	-	33.81	5.15	32.44
PK	5.4642G	64.53	68.20	-3.67	57.98	3	Vertical	18	2.40	-	33.83	5.16	32.44
AV	5.46G	50.18	54.00	-3.82	43.64	3	Vertical	18	2.40	-	33.82	5.16	32.44
PK	5.547G	115.23	Inf	-Inf	108.33	3	Vertical	18	2.40	-	34.09	5.25	32.44
AV	5.5518G	104.06	Inf	-Inf	97.16	3	Vertical	18	2.40	-	34.10	5.25	32.45

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_V_2TX
Setting 15
04-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	63.75	74.00	-10.25	57.22	3	Horizontal	323	1.58	-	33.81	5.16	32.44
AV	5.46G	51.21	54.00	-2.79	44.67	3	Horizontal	323	1.58	-	33.82	5.16	32.44
PK	5.4648G	66.82	68.20	-1.38	60.27	3	Horizontal	323	1.58	-	33.83	5.16	32.44
PK	5.5494G	116.00	Inf	-Inf	109.09	3	Horizontal	323	1.58	-	34.10	5.25	32.44
AV	5.5524G	105.21	Inf	-Inf	98.31	3	Horizontal	323	1.58	-	34.10	5.25	32.45

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT Y_2TX
Setting 15
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09466G	56.87	74.00	-17.13	42.77	3	Vertical	338	2.10	-	39.31	8.37	33.58
AV	11.09424G	43.96	54.00	-10.04	29.86	3	Vertical	338	2.10	-	39.31	8.37	33.58
PK	16.64886G	60.64	68.20	-7.56	44.93	3	Vertical	6	1.80	-	40.00	9.33	33.62

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT Y_2TX
Setting 15
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0904G	56.61	74.00	-17.39	42.50	3	Horizontal	322	2.12	-	39.32	8.36	33.57
AV	11.09676G	43.84	54.00	-10.16	29.74	3	Horizontal	322	2.12	-	39.31	8.37	33.58
PK	16.65462G	60.36	68.20	-7.84	44.65	3	Horizontal	2	2.66	-	40.00	9.33	33.62

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT_V_2TX
Setting 15.5
03-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.672G	111.84	Inf	-Inf	104.93	3	Vertical	16	2.35	-	34.41	7.40	34.90
AV	5.672G	100.92	Inf	-Inf	94.01	3	Vertical	16	2.35	-	34.41	7.40	34.90
PK	5.7272G	65.60	68.20	-2.60	58.86	3	Vertical	16	2.35	-	34.25	7.40	34.91

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT_V_2TX
Setting 15.5
03-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6748G	112.10	Inf	-Inf	105.20	3	Horizontal	324	1.40	-	34.40	7.40	34.90
AV	5.672G	100.59	Inf	-Inf	93.68	3	Horizontal	324	1.40	-	34.41	7.40	34.90
PK	5.7252G	67.05	68.20	-1.15	60.31	3	Horizontal	324	1.40	-	34.25	7.40	34.91

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT Y_2TX
Setting 15.5
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3292G	60.33	74.00	-13.67	45.73	3	Vertical	356	2.05	-	38.73	10.70	34.83
AV	11.33964G	47.37	54.00	-6.63	32.76	3	Vertical	356	2.05	-	38.74	10.70	34.83

802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TnomVnom



EUT V_2TX
Setting 15.5
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34186G	57.21	74.00	-16.79	42.60	3	Horizontal	282	1.75	-	38.74	10.70	34.83
AV	11.33676G	44.72	54.00	-9.28	30.11	3	Horizontal	282	1.75	-	38.74	10.70	34.83

802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
 Setting 20.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7108G	114.59	Inf	-Inf	105.99	3	Vertical	10	2.67	-	33.88	5.60	30.88
AV	5.7108G	103.60	Inf	-Inf	95.00	3	Vertical	10	2.67	-	33.88	5.60	30.88
PK	5.862G	66.12	68.20	-2.08	57.59	3	Vertical	10	2.67	-	33.87	5.66	31.00

802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_V_2TX
Setting 20.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7148G	111.35	Inf	-Inf	102.76	3	Horizontal	46	1.26	-	33.87	5.60	30.88
AV	5.7092G	100.91	Inf	-Inf	92.31	3	Horizontal	46	1.26	-	33.88	5.60	30.88
PK	5.8596G	63.49	68.20	-4.71	54.96	3	Horizontal	46	1.26	-	33.86	5.66	30.99

802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
 Setting 20.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41874G	65.90	74.00	-8.10	51.28	3	Vertical	38	1.80	-	38.84	7.87	32.09
AV	11.42702G	52.66	54.00	-1.34	38.03	3	Vertical	38	1.80	-	38.85	7.87	32.09
PK	17.14272G	63.38	68.20	-4.82	41.40	3	Vertical	44	1.70	-	41.66	10.57	30.25

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_2TX
Setting 20.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42474G	63.53	74.00	-10.47	48.90	3	Horizontal	4	2.00	-	38.85	7.87	32.09
AV	11.42486G	51.15	54.00	-2.85	36.52	3	Horizontal	4	2.00	-	38.85	7.87	32.09
PK	17.12916G	64.10	68.20	-4.10	42.22	3	Horizontal	119	2.15	-	41.57	10.56	30.25

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT V_2TX
Setting 20
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	65.42	68.20	-2.78	56.84	3	Vertical	11	2.42	-	33.81	5.60	30.83
PK	5.75G	114.87	Inf	-Inf	106.38	3	Vertical	11	2.42	-	33.80	5.60	30.91
AV	5.752G	102.97	Inf	-Inf	94.48	3	Vertical	11	2.42	-	33.80	5.60	30.91
PK	5.964G	59.52	68.20	-8.68	50.63	3	Vertical	11	2.42	-	34.20	5.76	31.07

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_V_2TX
Setting 20
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	65.45	68.20	-2.75	56.87	3	Horizontal	49	1.28	-	33.81	5.60	30.83
PK	5.76G	114.47	Inf	-Inf	105.99	3	Horizontal	49	1.28	-	33.80	5.60	30.92
AV	5.753G	103.55	Inf	-Inf	95.06	3	Horizontal	49	1.28	-	33.80	5.60	30.91
PK	5.926G	59.93	68.20	-8.27	51.09	3	Horizontal	49	1.28	-	34.15	5.73	31.04

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT Y_2TX
Setting 20
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50864G	65.61	74.00	-8.39	50.81	3	Vertical	37	1.84	-	39.03	7.90	32.13
AV	11.5096G	52.50	54.00	-1.50	37.70	3	Vertical	37	1.84	-	39.03	7.90	32.13
PK	17.25412G	64.56	68.20	-3.64	41.89	3	Vertical	93	2.18	-	42.27	10.63	30.23

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT Y_2TX
Setting 20
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50208G	64.42	74.00	-9.58	49.63	3	Horizontal	0	2.33	-	39.01	7.90	32.12
AV	11.5148G	51.41	54.00	-2.59	36.59	3	Horizontal	0	2.33	-	39.04	7.91	32.13
PK	17.27108G	65.26	68.20	-2.94	42.49	3	Horizontal	71	1.45	-	42.36	10.64	30.23

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT Y_2TX
Setting 19.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	59.35	68.20	-8.85	50.78	3	Vertical	15	2.04	-	33.80	5.60	30.83
PK	5.796G	112.69	Inf	-Inf	104.23	3	Vertical	15	2.04	-	33.80	5.60	30.94
AV	5.794G	101.67	Inf	-Inf	93.21	3	Vertical	15	2.04	-	33.80	5.60	30.94
PK	5.932G	60.80	68.20	-7.40	51.96	3	Vertical	15	2.04	-	34.16	5.73	31.05

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_V_2TX
Setting 19.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	59.88	68.20	-8.32	51.30	3	Horizontal	49	1.31	-	33.81	5.60	30.83
PK	5.797G	114.14	Inf	-Inf	105.69	3	Horizontal	49	1.31	-	33.80	5.60	30.95
AV	5.794G	102.68	Inf	-Inf	94.22	3	Horizontal	49	1.31	-	33.80	5.60	30.94
PK	5.925G	62.60	68.20	-5.60	53.76	3	Horizontal	49	1.31	-	34.15	5.73	31.04

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT Y_2TX
Setting 19.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5872G	64.92	74.00	-9.08	49.90	3	Vertical	32	1.95	-	39.26	7.93	32.17
AV	11.5896G	52.80	54.00	-1.20	37.76	3	Vertical	32	1.95	-	39.27	7.94	32.17

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT Y_2TX
Setting 19.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58504G	64.78	74.00	-9.22	49.76	3	Horizontal	0	2.02	-	39.26	7.93	32.17
AV	11.59G	51.65	54.00	-2.35	36.61	3	Horizontal	0	2.02	-	39.27	7.94	32.17

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT V_2TX
Setting 9.5
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	59.71	74.00	-14.29	53.42	3	Vertical	34	2.49	-	34.00	7.17	34.88
AV	5.15G	49.56	54.00	-4.44	43.27	3	Vertical	34	2.49	-	34.00	7.17	34.88
PK	5.217G	101.21	Inf	-Inf	94.62	3	Vertical	34	2.49	-	34.27	7.20	34.88
AV	5.212G	90.05	Inf	-Inf	83.48	3	Vertical	34	2.49	-	34.25	7.20	34.88
PK	5.426G	59.16	74.00	-14.84	52.24	3	Vertical	34	2.49	-	34.55	7.23	34.86
AV	5.372G	47.63	54.00	-6.37	40.76	3	Vertical	34	2.49	-	34.54	7.20	34.87

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_V_2TX
Setting 9.5
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.60	74.00	-10.40	57.31	3	Horizontal	316	1.75	-	34.00	7.17	34.88
AV	5.15G	52.54	54.00	-1.46	46.25	3	Horizontal	316	1.75	-	34.00	7.17	34.88
PK	5.2124G	105.26	Inf	-Inf	98.69	3	Horizontal	316	1.75	-	34.25	7.20	34.88
AV	5.2124G	93.54	Inf	-Inf	86.97	3	Horizontal	316	1.75	-	34.25	7.20	34.88
PK	5.3964G	59.25	74.00	-14.75	52.33	3	Horizontal	316	1.75	-	34.59	7.20	34.87
AV	5.358G	48.32	54.00	-5.68	41.47	3	Horizontal	316	1.75	-	34.52	7.20	34.87

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT V_2TX
Setting 9.5
03-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.42486G	56.34	68.20	-11.86	40.96	3	Vertical	126	1.10	-	38.20	10.56	33.38

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT V_2TX
Setting 9.5
03-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.42798G	56.21	68.20	-11.99	40.81	3	Horizontal	71	1.19	-	38.20	10.56	33.36

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT V_2TX
Setting 9.5
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.121G	58.85	74.00	-15.15	52.63	3	Vertical	31	2.56	-	33.94	7.16	34.88
AV	5.137G	47.19	54.00	-6.81	40.93	3	Vertical	31	2.56	-	33.97	7.17	34.88
PK	5.287G	102.20	Inf	-Inf	95.40	3	Vertical	31	2.56	-	34.47	7.20	34.87
AV	5.288G	91.37	Inf	-Inf	84.56	3	Vertical	31	2.56	-	34.48	7.20	34.87
PK	5.352G	62.46	74.00	-11.54	55.63	3	Vertical	31	2.56	-	34.50	7.20	34.87
AV	5.355G	50.82	54.00	-3.18	43.98	3	Vertical	31	2.56	-	34.51	7.20	34.87
PK	5.531G	59.23	68.20	-8.97	52.17	3	Vertical	31	2.56	-	34.60	7.33	34.87

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT V_2TX
Setting 9.5
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.128G	59.00	74.00	-15.00	52.76	3	Horizontal	319	1.62	-	33.96	7.16	34.88
AV	5.147G	47.69	54.00	-6.31	41.41	3	Horizontal	319	1.62	-	33.99	7.17	34.88
PK	5.285G	106.29	Inf	-Inf	99.49	3	Horizontal	319	1.62	-	34.47	7.20	34.87
AV	5.288G	94.92	Inf	-Inf	88.11	3	Horizontal	319	1.62	-	34.48	7.20	34.87
PK	5.356G	66.16	74.00	-7.84	59.32	3	Horizontal	319	1.62	-	34.51	7.20	34.87
AV	5.35G	52.99	54.00	-1.01	46.16	3	Horizontal	319	1.62	-	34.50	7.20	34.87
PK	5.503G	59.49	68.20	-8.71	52.45	3	Horizontal	319	1.62	-	34.60	7.30	34.86

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT V_2TX
Setting 9.5
03-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.5764G	57.76	68.20	-10.44	42.28	3	Vertical	251	1.81	-	38.20	10.59	33.31

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_V_2TX
Setting 9.5
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.56518G	56.62	68.20	-11.58	41.11	3	Horizontal	240	2.39	-	38.20	10.58	33.27

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_V_2TX
Setting 8.5
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.282G	59.30	68.20	-8.90	52.51	3	Vertical	18	2.31	-	34.46	7.20	34.87
PK	5.455G	61.96	74.00	-12.04	55.06	3	Vertical	18	2.31	-	34.51	7.25	34.86
PK	5.464G	63.21	68.20	-4.99	56.28	3	Vertical	18	2.31	-	34.53	7.26	34.86
AV	5.46G	50.94	54.00	-3.06	44.02	3	Vertical	18	2.31	-	34.52	7.26	34.86
PK	5.532G	104.32	Inf	-Inf	97.26	3	Vertical	18	2.31	-	34.60	7.33	34.87
AV	5.533G	92.76	Inf	-Inf	85.70	3	Vertical	18	2.31	-	34.60	7.33	34.87
PK	5.775G	60.09	68.20	-8.11	53.41	3	Vertical	18	2.31	-	34.20	7.40	34.92

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_V_2TX
Setting 8.5
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.285G	59.30	68.20	-8.90	52.50	3	Horizontal	325	1.49	-	34.47	7.20	34.87
PK	5.46G	64.36	74.00	-9.64	57.44	3	Horizontal	325	1.49	-	34.52	7.26	34.86
AV	5.46G	52.85	54.00	-1.15	45.93	3	Horizontal	325	1.49	-	34.52	7.26	34.86
PK	5.465G	65.70	68.20	-2.50	58.77	3	Horizontal	325	1.49	-	34.53	7.26	34.86
PK	5.532G	106.56	Inf	-Inf	99.50	3	Horizontal	325	1.49	-	34.60	7.33	34.87
AV	5.532G	94.52	Inf	-Inf	87.46	3	Horizontal	325	1.49	-	34.60	7.33	34.87
PK	5.726G	59.50	68.20	-8.70	52.76	3	Horizontal	325	1.49	-	34.25	7.40	34.91

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT V_2TX
Setting 8.5
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06378G	55.92	74.00	-18.08	41.58	3	Vertical	85	2.86	-	38.46	10.66	34.78
AV	11.0627G	43.40	54.00	-10.60	29.06	3	Vertical	85	2.86	-	38.46	10.66	34.78

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT V_2TX
Setting 8.5
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0579G	55.89	74.00	-18.11	41.55	3	Horizontal	126	2.75	-	38.46	10.66	34.78
AV	11.05724G	43.11	54.00	-10.89	28.77	3	Horizontal	126	2.75	-	38.46	10.66	34.78

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_V_2TX
Setting 15.5
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	61.25	74.00	-12.75	54.34	3	Vertical	19	2.46	-	34.51	7.26	34.86
AV	5.458G	49.85	54.00	-4.15	42.93	3	Vertical	19	2.46	-	34.52	7.26	34.86
PK	5.463G	61.48	68.20	-6.72	54.55	3	Vertical	19	2.46	-	34.53	7.26	34.86
PK	5.618G	110.78	Inf	-Inf	103.71	3	Vertical	19	2.46	-	34.56	7.40	34.89
AV	5.608G	100.12	Inf	-Inf	93.02	3	Vertical	19	2.46	-	34.58	7.40	34.88
PK	5.726G	66.78	68.20	-1.42	60.04	3	Vertical	19	2.46	-	34.25	7.40	34.91

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_V_2TX
Setting 15.5
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	62.51	74.00	-11.49	55.59	3	Horizontal	324	1.51	-	34.52	7.26	34.86
AV	5.456G	51.45	54.00	-2.55	44.54	3	Horizontal	324	1.51	-	34.51	7.26	34.86
PK	5.461G	63.26	68.20	-4.94	56.34	3	Horizontal	324	1.51	-	34.52	7.26	34.86
PK	5.606G	112.58	Inf	-Inf	105.47	3	Horizontal	324	1.51	-	34.59	7.40	34.88
AV	5.606G	101.33	Inf	-Inf	94.22	3	Horizontal	324	1.51	-	34.59	7.40	34.88
PK	5.727G	67.01	68.20	-1.19	60.27	3	Horizontal	324	1.51	-	34.25	7.40	34.91

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT V_2TX
Setting 15.5
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21214G	57.28	74.00	-16.72	42.80	3	Vertical	5	1.73	-	38.61	10.68	34.81
AV	11.21202G	45.06	54.00	-8.94	30.58	3	Vertical	5	1.73	-	38.61	10.68	34.81

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TnomVnom



EUT V_2TX
Setting 15.5
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21412G	56.66	74.00	-17.34	42.18	3	Horizontal	301	1.77	-	38.61	10.68	34.81
AV	11.20944G	43.85	54.00	-10.15	29.37	3	Horizontal	301	1.77	-	38.61	10.68	34.81


802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_V_2TX
 Setting 20
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.441G	59.48	74.00	-14.52	50.76	3	Vertical	15	2.10	-	34.00	5.44	30.72
PK	5.466G	59.17	68.20	-9.03	50.42	3	Vertical	15	2.10	-	34.00	5.47	30.72
AV	5.459G	48.32	54.00	-5.68	39.58	3	Vertical	15	2.10	-	34.00	5.46	30.72
PK	5.675G	109.13	Inf	-Inf	100.53	3	Vertical	15	2.10	-	33.85	5.60	30.85
AV	5.693G	98.79	Inf	-Inf	90.17	3	Vertical	15	2.10	-	33.89	5.60	30.87
PK	5.851G	65.92	68.20	-2.28	57.45	3	Vertical	15	2.10	-	33.81	5.65	30.99

802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
 Setting 20
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.442G	58.34	74.00	-15.66	49.62	3	Horizontal	49	1.35	-	34.00	5.44	30.72
PK	5.462G	58.67	68.20	-9.53	49.93	3	Horizontal	49	1.35	-	34.00	5.46	30.72
AV	5.457G	47.97	54.00	-6.03	39.23	3	Horizontal	49	1.35	-	34.00	5.46	30.72
PK	5.693G	106.81	Inf	-Inf	98.19	3	Horizontal	49	1.35	-	33.89	5.60	30.87
AV	5.693G	97.42	Inf	-Inf	88.80	3	Horizontal	49	1.35	-	33.89	5.60	30.87
PK	5.851G	66.20	68.20	-2.00	57.73	3	Horizontal	49	1.35	-	33.81	5.65	30.99

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 20
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37394G	58.66	74.00	-15.34	44.08	3	Vertical	40	1.83	-	38.80	7.85	32.07
AV	11.37958G	46.79	54.00	-7.21	32.21	3	Vertical	40	1.83	-	38.80	7.85	32.07
PK	17.07172G	62.77	68.20	-5.43	41.19	3	Vertical	328	2.46	-	41.29	10.54	30.25

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 20
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39864G	57.16	74.00	-16.84	42.58	3	Horizontal	286	1.80	-	38.80	7.86	32.08
AV	11.38936G	44.55	54.00	-9.45	29.97	3	Horizontal	286	1.80	-	38.80	7.86	32.08
PK	17.07064G	62.63	68.20	-5.57	41.06	3	Horizontal	159	1.86	-	41.28	10.54	30.25

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT_V_2TX
Setting 17
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	66.15	68.20	-2.05	59.14	3	Vertical	9	2.24	-	34.50	7.40	34.89
PK	5.767G	111.15	Inf	-Inf	104.47	3	Vertical	9	2.24	-	34.20	7.40	34.92
AV	5.772G	100.35	Inf	-Inf	93.67	3	Vertical	9	2.24	-	34.20	7.40	34.92
PK	5.925G	65.96	68.20	-2.24	58.68	3	Vertical	9	2.24	-	34.70	7.53	34.95

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT_V_2TX
Setting 17
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	67.05	68.20	-1.15	60.03	3	Horizontal	352	1.15	-	34.51	7.40	34.89
PK	5.762G	110.90	Inf	-Inf	104.22	3	Horizontal	352	1.15	-	34.20	7.40	34.92
AV	5.772G	99.19	Inf	-Inf	92.51	3	Horizontal	352	1.15	-	34.20	7.40	34.92
PK	5.926G	64.93	68.20	-3.27	57.65	3	Horizontal	352	1.15	-	34.70	7.53	34.95

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT Y_2TX
Setting 17
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54904G	62.42	74.00	-11.58	47.37	3	Vertical	33	1.80	-	39.20	10.73	34.88
AV	11.55162G	50.00	54.00	-4.00	34.95	3	Vertical	33	1.80	-	39.21	10.73	34.89

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom



EUT Y_2TX
Setting 17
03-D-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54958G	60.01	74.00	-13.99	44.96	3	Horizontal	-0	1.97	-	39.20	10.73	34.88
AV	11.5596G	48.31	54.00	-5.69	33.23	3	Horizontal	-0	1.97	-	39.24	10.73	34.89



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	AV	1.04209G	41.32	54.00	-12.68	Horizontal

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.0395G	45.66	74.00	-28.34	-8.37	3	Vertical	309	1.69	-	54.03	25.17	2.86	36.40
AV	1.03979G	35.11	54.00	-18.89	-8.36	3	Vertical	309	1.69	"Worst"	43.47	25.18	2.86	36.40

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.03937G	50.49	74.00	-23.51	-8.37	3	Horizontal	327	1.73	-	58.86	25.17	2.86	36.40
AV	1.04209G	41.32	54.00	-12.68	-8.33	3	Horizontal	327	1.73	"Worst"	49.65	25.21	2.86	36.40