


5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT X_2TX
 Setting 15
 01-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33514G	56.87	74.00	-17.13	41.14	3	Vertical	157	2.23	-	38.74	8.83	31.84
AV	11.3401G	43.58	54.00	-10.42	27.84	3	Vertical	157	2.23	-	38.74	8.84	31.84

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT X_2TX
 Setting 15
 01-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34148G	56.85	74.00	-17.15	41.11	3	Horizontal	86	1.83	-	38.74	8.84	31.84
AV	11.3388G	43.55	54.00	-10.45	27.81	3	Horizontal	86	1.83	-	38.74	8.84	31.84

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
 Setting 15
 01-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.422G	59.68	74.00	-14.32	52.45	3	Vertical	46	1.00	-	33.79	6.11	32.67
PK	5.4676G	58.09	68.20	-10.11	50.64	3	Vertical	46	1.00	-	33.97	6.13	32.65
AV	5.4508G	46.71	54.00	-7.29	39.34	3	Vertical	46	1.00	-	33.90	6.13	32.66
PK	5.7076G	108.48	Inf	-Inf	100.45	3	Vertical	46	1.00	-	34.50	6.25	32.72
AV	5.7124G	97.65	Inf	-Inf	89.61	3	Vertical	46	1.00	-	34.50	6.26	32.72
PK	5.9128G	62.02	68.20	-6.18	53.12	3	Vertical	46	1.00	-	35.35	6.36	32.81

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
 Setting 15
 01-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4112G	59.45	74.00	-14.55	52.28	3	Horizontal	330	2.03	-	33.74	6.11	32.68
AV	5.4364G	46.65	54.00	-7.35	39.35	3	Horizontal	330	2.03	-	33.85	6.12	32.67
PK	5.4676G	58.33	68.20	-9.87	50.88	3	Horizontal	330	2.03	-	33.97	6.13	32.65
PK	5.7184G	109.64	Inf	-Inf	101.61	3	Horizontal	330	2.03	-	34.50	6.26	32.73
AV	5.7112G	99.51	Inf	-Inf	91.47	3	Horizontal	330	2.03	-	34.50	6.26	32.72
PK	5.956G	61.61	68.20	-6.59	52.55	3	Horizontal	330	2.03	-	35.50	6.38	32.82

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
 Setting 15
 01-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41762G	57.25	74.00	-16.75	41.37	3	Vertical	143	2.87	-	38.80	8.87	31.79
AV	11.42444G	44.11	54.00	-9.89	28.23	3	Vertical	143	2.87	-	38.80	8.87	31.79

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
 Setting 15
 01-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42168G	57.65	74.00	-16.35	41.77	3	Horizontal	248	1.57	-	38.80	8.87	31.79
AV	11.42398G	44.05	54.00	-9.95	28.17	3	Horizontal	248	1.57	-	38.80	8.87	31.79

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT X_2TX
 Setting 15
 01-B-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.624G	60.50	68.20	-7.70	52.68	3	Vertical	48	1.02	-	34.30	6.21	32.69
PK	5.756G	109.00	Inf	-Inf	100.95	3	Vertical	48	1.02	-	34.51	6.28	32.74
AV	5.753G	97.38	Inf	-Inf	89.33	3	Vertical	48	1.02	-	34.51	6.28	32.74
PK	5.966G	62.22	68.20	-5.98	53.17	3	Vertical	48	1.02	-	35.50	6.38	32.83

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT X_2TX
 Setting 15
 01-B-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.538G	60.17	68.20	-8.03	52.56	3	Horizontal	328	2.00	-	34.10	6.17	32.66
PK	5.752G	109.74	Inf	-Inf	101.70	3	Horizontal	328	2.00	-	34.50	6.28	32.74
AV	5.752G	99.29	Inf	-Inf	91.25	3	Horizontal	328	2.00	-	34.50	6.28	32.74
PK	5.932G	61.81	68.20	-6.39	52.82	3	Horizontal	328	2.00	-	35.43	6.37	32.81

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT X_2TX
 Setting 15
 01-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50806G	57.36	74.00	-16.64	41.40	3	Vertical	219	2.22	-	38.80	8.90	31.74
AV	11.51316G	43.98	54.00	-10.02	28.00	3	Vertical	219	2.22	-	38.80	8.91	31.73

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT X_2TX
 Setting 15
 01-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50536G	57.02	74.00	-16.98	41.06	3	Horizontal	239	1.09	-	38.80	8.90	31.74
AV	11.513G	43.84	54.00	-10.16	27.86	3	Horizontal	239	1.09	-	38.80	8.91	31.73

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT X_2TX
 Setting 15
 01-B-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	59.66	68.20	-8.54	51.83	3	Vertical	84	1.84	-	34.30	6.22	32.69
PK	5.794G	107.20	Inf	-Inf	99.07	3	Vertical	84	1.84	-	34.59	6.30	32.76
AV	5.794G	96.35	Inf	-Inf	88.22	3	Vertical	84	1.84	-	34.59	6.30	32.76
PK	6.031G	62.09	68.20	-6.11	52.95	3	Vertical	84	1.84	-	35.56	6.42	32.84

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT X_2TX
 Setting 15
 01-B-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	60.40	68.20	-7.80	52.57	3	Horizontal	356	2.00	-	34.30	6.22	32.69
PK	5.796G	111.16	Inf	-Inf	103.03	3	Horizontal	356	2.00	-	34.59	6.30	32.76
AV	5.796G	100.48	Inf	-Inf	92.35	3	Horizontal	356	2.00	-	34.59	6.30	32.76
PK	5.958G	62.48	68.20	-5.72	53.42	3	Horizontal	356	2.00	-	35.50	6.38	32.82

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT X_2TX
 Setting 15
 01-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58646G	57.87	74.00	-16.13	41.85	3	Vertical	330	2.69	-	38.80	8.93	31.71
AV	11.58686G	44.07	54.00	-9.93	28.05	3	Vertical	330	2.69	-	38.80	8.93	31.71

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



EUT X_2TX
 Setting 15
 01-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58982G	57.20	74.00	-16.80	41.16	3	Horizontal	141	1.62	-	38.80	8.94	31.70
AV	11.58652G	44.05	54.00	-9.95	28.03	3	Horizontal	141	1.62	-	38.80	8.93	31.71

**5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5210MHz_TX**




EUT X_2TX
Setting 15
01-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.96	74.00	-12.04	55.68	3	Vertical	56	2.38	-	33.10	5.97	32.79
AV	5.146G	49.65	54.00	-4.35	43.37	3	Vertical	56	2.38	-	33.10	5.97	32.79
PK	5.206G	105.26	Inf	-Inf	98.81	3	Vertical	56	2.38	-	33.21	6.00	32.76
AV	5.209G	94.03	Inf	-Inf	87.57	3	Vertical	56	2.38	-	33.22	6.00	32.76
PK	5.45G	60.31	74.00	-13.69	52.95	3	Vertical	56	2.38	-	33.90	6.12	32.66
AV	5.372G	47.65	54.00	-6.35	40.66	3	Vertical	56	2.38	-	33.59	6.09	32.69

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



EUT X_2TX
 Setting 15
 01-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.82	74.00	-10.18	57.54	3	Horizontal	352	2.26	-	33.10	5.97	32.79
AV	5.15G	52.14	54.00	-1.86	45.86	3	Horizontal	352	2.26	-	33.10	5.97	32.79
PK	5.213G	107.87	Inf	-Inf	101.39	3	Horizontal	352	2.26	-	33.23	6.01	32.76
AV	5.213G	96.45	Inf	-Inf	89.97	3	Horizontal	352	2.26	-	33.23	6.01	32.76
PK	5.46G	59.26	74.00	-14.74	51.85	3	Horizontal	352	2.26	-	33.94	6.13	32.66
AV	5.35G	47.74	54.00	-6.26	40.86	3	Horizontal	352	2.26	-	33.50	6.08	32.70

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5210MHz_TX




EUT X_2TX
Setting 15
01-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63424G	60.30	74.00	-13.70	42.07	3	Vertical	54	2.48	-	38.37	10.55	30.69
AV	15.62972G	47.90	54.00	-6.10	29.67	3	Vertical	54	2.48	-	38.37	10.55	30.69

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT X_2TX
 Setting 15
 01-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62758G	60.24	74.00	-13.76	42.01	3	Horizontal	17	2.86	-	38.37	10.55	30.69
AV	15.63232G	48.16	54.00	-5.84	29.93	3	Horizontal	17	2.86	-	38.37	10.55	30.69

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT X_2TX
 Setting 13
 01-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.131G	58.23	74.00	-15.77	51.95	3	Vertical	52	2.59	-	33.10	5.97	32.79
AV	5.147G	46.66	54.00	-7.34	40.38	3	Vertical	52	2.59	-	33.10	5.97	32.79
PK	5.294G	103.30	Inf	-Inf	96.59	3	Vertical	52	2.59	-	33.39	6.05	32.73
AV	5.291G	91.84	Inf	-Inf	85.14	3	Vertical	52	2.59	-	33.38	6.05	32.73
PK	5.35G	59.94	74.00	-14.06	53.06	3	Vertical	52	2.59	-	33.50	6.08	32.70
AV	5.351G	48.88	54.00	-5.12	42.00	3	Vertical	52	2.59	-	33.50	6.08	32.70
PK	5.509G	59.74	68.20	-8.46	52.13	3	Vertical	52	2.59	-	34.10	6.15	32.64

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT X_2TX
 Setting 13
 01-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.092G	58.84	74.00	-15.16	52.58	3	Horizontal	353	2.59	-	33.12	5.95	32.81
AV	5.119G	47.26	54.00	-6.74	41.00	3	Horizontal	353	2.59	-	33.10	5.96	32.80
PK	5.287G	107.74	Inf	-Inf	101.06	3	Horizontal	353	2.59	-	33.37	6.04	32.73
AV	5.292G	96.34	Inf	-Inf	89.64	3	Horizontal	353	2.59	-	33.38	6.05	32.73
PK	5.35G	63.77	74.00	-10.23	56.89	3	Horizontal	353	2.59	-	33.50	6.08	32.70
AV	5.35G	52.95	54.00	-1.05	46.07	3	Horizontal	353	2.59	-	33.50	6.08	32.70
PK	5.524G	59.77	68.20	-8.43	52.16	3	Horizontal	353	2.59	-	34.10	6.16	32.65

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT X_2TX
 Setting 13
 01-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87304G	61.49	74.00	-12.51	42.71	3	Vertical	244	2.38	-	38.75	10.65	30.62
AV	15.87024G	49.38	54.00	-4.62	30.61	3	Vertical	244	2.38	-	38.74	10.65	30.62

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT X_2TX
 Setting 13
 01-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87436G	62.29	74.00	-11.71	43.51	3	Horizontal	25	1.69	-	38.75	10.65	30.62
AV	15.86904G	49.62	54.00	-4.38	30.85	3	Horizontal	25	1.69	-	38.74	10.65	30.62

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT X_2TX
Setting 15
01-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.28G	58.94	68.20	-9.26	52.27	3	Vertical	69	2.14	-	33.36	6.04	32.73
PK	5.455G	62.13	74.00	-11.87	54.74	3	Vertical	69	2.14	-	33.92	6.13	32.66
AV	5.459G	49.09	54.00	-4.91	41.68	3	Vertical	69	2.14	-	33.94	6.13	32.66
PK	5.47G	61.07	68.20	-7.13	53.61	3	Vertical	69	2.14	-	33.98	6.13	32.65
PK	5.544G	105.42	Inf	-Inf	97.81	3	Vertical	69	2.14	-	34.10	6.17	32.66
AV	5.531G	93.61	Inf	-Inf	85.99	3	Vertical	69	2.14	-	34.10	6.17	32.65
PK	5.753G	60.02	68.20	-8.18	51.97	3	Vertical	69	2.14	-	34.51	6.28	32.74

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT X_2TX
 Setting 15
 01-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29G	58.92	68.20	-9.28	52.23	3	Horizontal	136	2.03	-	33.38	6.04	32.73
PK	5.447G	60.14	74.00	-13.86	52.79	3	Horizontal	136	2.03	-	33.89	6.12	32.66
AV	5.454G	49.11	54.00	-4.89	41.72	3	Horizontal	136	2.03	-	33.92	6.13	32.66
PK	5.465G	59.93	68.20	-8.27	52.49	3	Horizontal	136	2.03	-	33.96	6.13	32.65
PK	5.524G	104.23	Inf	-Inf	96.62	3	Horizontal	136	2.03	-	34.10	6.16	32.65
AV	5.529G	93.19	Inf	-Inf	85.58	3	Horizontal	136	2.03	-	34.10	6.16	32.65
PK	5.734G	59.95	68.20	-8.25	51.91	3	Horizontal	136	2.03	-	34.50	6.27	32.73

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT X_2TX
 Setting 15
 01-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.059G	57.12	74.00	-16.88	41.70	3	Vertical	34	2.81	-	38.70	8.72	32.00
AV	11.0605G	44.27	54.00	-9.73	28.85	3	Vertical	34	2.81	-	38.70	8.72	32.00

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT X_2TX
 Setting 15
 01-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0566G	57.58	74.00	-16.42	42.17	3	Horizontal	185	1.47	-	38.70	8.72	32.01
AV	11.0587G	44.29	54.00	-9.71	28.87	3	Horizontal	185	1.47	-	38.70	8.72	32.00

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT X_2TX
 Setting 15
 01-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.39G	59.94	74.00	-14.06	52.88	3	Vertical	67	2.21	-	33.66	6.09	32.69
PK	5.47G	59.46	68.20	-8.74	52.00	3	Vertical	67	2.21	-	33.98	6.13	32.65
AV	5.448G	47.67	54.00	-6.33	40.32	3	Vertical	67	2.21	-	33.89	6.12	32.66
PK	5.62G	103.45	Inf	-Inf	95.63	3	Vertical	67	2.21	-	34.30	6.21	32.69
AV	5.607G	92.61	Inf	-Inf	84.79	3	Vertical	67	2.21	-	34.30	6.20	32.68
PK	5.831G	61.38	68.20	-6.82	53.04	3	Vertical	67	2.21	-	34.79	6.32	32.77

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT X_2TX
 Setting 15
 01-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.439G	59.44	74.00	-14.56	52.13	3	Horizontal	328	1.99	-	33.86	6.12	32.67
AV	5.369G	47.60	54.00	-6.40	40.64	3	Horizontal	328	1.99	-	33.58	6.08	32.70
PK	5.464G	58.77	68.20	-9.43	51.34	3	Horizontal	328	1.99	-	33.96	6.13	32.66
PK	5.617G	105.66	Inf	-Inf	97.84	3	Horizontal	328	1.99	-	34.30	6.21	32.69
AV	5.607G	94.69	Inf	-Inf	86.87	3	Horizontal	328	1.99	-	34.30	6.20	32.68
PK	5.726G	61.00	68.20	-7.20	52.97	3	Horizontal	328	1.99	-	34.50	6.26	32.73

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT X_2TX
 Setting 15
 01-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22252G	57.51	74.00	-16.49	42.01	3	Vertical	210	1.12	-	38.62	8.79	31.91
AV	11.2186G	44.76	54.00	-9.24	29.26	3	Vertical	210	1.12	-	38.62	8.79	31.91

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT X_2TX
 Setting 15
 01-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22232G	56.93	74.00	-17.07	41.43	3	Horizontal	179	1.05	-	38.62	8.79	31.91
AV	11.2156G	44.62	54.00	-9.38	29.12	3	Horizontal	179	1.05	-	38.62	8.79	31.91

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
 Setting 15
 01-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4032G	59.62	74.00	-14.38	52.49	3	Vertical	49	1.03	-	33.71	6.10	32.68
AV	5.396G	47.51	54.00	-6.49	40.41	3	Vertical	49	1.03	-	33.68	6.10	32.68
PK	5.4668G	58.93	68.20	-9.27	51.48	3	Vertical	49	1.03	-	33.97	6.13	32.65
PK	5.6912G	105.54	Inf	-Inf	97.55	3	Vertical	49	1.03	-	34.46	6.25	32.72
AV	5.6888G	95.15	Inf	-Inf	87.17	3	Vertical	49	1.03	-	34.46	6.24	32.72
PK	5.984G	61.67	68.20	-6.53	52.61	3	Vertical	49	1.03	-	35.50	6.39	32.83

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
 Setting 15
 01-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4368G	59.24	74.00	-14.76	51.94	3	Horizontal	330	2.12	-	33.85	6.12	32.67
AV	5.414G	47.44	54.00	-6.56	40.25	3	Horizontal	330	2.12	-	33.76	6.11	32.68
PK	5.4692G	59.20	68.20	-9.00	51.74	3	Horizontal	330	2.12	-	33.98	6.13	32.65
PK	5.6924G	108.03	Inf	-Inf	100.03	3	Horizontal	330	2.12	-	34.47	6.25	32.72
AV	5.6924G	97.38	Inf	-Inf	89.38	3	Horizontal	330	2.12	-	34.47	6.25	32.72
PK	5.9816G	61.94	68.20	-6.26	52.88	3	Horizontal	330	2.12	-	35.50	6.39	32.83

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
 Setting 15
 01-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3807G	56.93	74.00	-17.07	41.11	3	Vertical	50	1.96	-	38.78	8.85	31.81
AV	11.37648G	45.08	54.00	-8.92	29.26	3	Vertical	50	1.96	-	38.78	8.85	31.81

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
 Setting 15
 01-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37842G	57.85	74.00	-16.15	42.03	3	Horizontal	82	2.82	-	38.78	8.85	31.81
AV	11.38342G	45.13	54.00	-8.87	29.31	3	Horizontal	82	2.82	-	38.78	8.85	31.81

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_X_2TX
 Setting 15
 01-B-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	60.65	68.20	-7.55	52.83	3	Vertical	46	1.01	-	34.30	6.22	32.70
PK	5.77G	105.45	Inf	-Inf	97.37	3	Vertical	46	1.01	-	34.54	6.29	32.75
AV	5.777G	94.73	Inf	-Inf	86.64	3	Vertical	46	1.01	-	34.55	6.29	32.75
PK	5.952G	62.09	68.20	-6.11	53.03	3	Vertical	46	1.01	-	35.50	6.38	32.82

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_X_2TX
 Setting 15
 01-B-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	60.63	68.20	-7.57	52.81	3	Horizontal	358	2.03	-	34.30	6.22	32.70
PK	5.772G	108.67	Inf	-Inf	100.59	3	Horizontal	358	2.03	-	34.54	6.29	32.75
AV	5.777G	96.69	Inf	-Inf	88.60	3	Horizontal	358	2.03	-	34.55	6.29	32.75
PK	5.933G	62.71	68.20	-5.49	53.72	3	Horizontal	358	2.03	-	35.43	6.37	32.81

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT X_2TX
 Setting 15
 01-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5511G	57.95	74.00	-16.05	41.95	3	Vertical	201	2.04	-	38.80	8.92	31.72
AV	11.5479G	44.85	54.00	-9.15	28.85	3	Vertical	201	2.04	-	38.80	8.92	31.72

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX



EUT X_2TX
 Setting 15
 01-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5456G	57.69	74.00	-16.31	41.69	3	Horizontal	131	2.80	-	38.80	8.92	31.72
AV	11.55188G	45.20	54.00	-8.80	29.20	3	Horizontal	131	2.80	-	38.80	8.92	31.72