


802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5510MHz_TX




EUT_Y_4TX
Setting 72
02-N-2-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.4576G | 63.84 | 74.00 | -10.16 | 8.54 | 3 | Vertical | 186 | 1.96 | - |
| AV | 5.4572G | 50.49 | 54.00 | -3.51 | 8.54 | 3 | Vertical | 186 | 1.96 | - |
| PK | 5.4672G | 68.07 | 68.20 | -0.13 | 8.56 | 3 | Vertical | 186 | 1.96 | - |
| PK | 5.5024G | 115.42 | Inf | -Inf | 8.62 | 3 | Vertical | 186 | 1.96 | - |
| AV | 5.5172G | 104.12 | Inf | -Inf | 8.62 | 3 | Vertical | 186 | 1.96 | - |

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5510MHz_TX




EUT_Y_4TX
Setting 72
02-N-2-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.46 G | 62.66 | 74.00 | -11.34 | 8.55 | 3 | Horizontal | 147 | 1.79 | - |
| AV | 5.4568G | 49.35 | 54.00 | -4.65 | 8.54 | 3 | Horizontal | 147 | 1.79 | - |
| PK | 5.4664G | 66.32 | 68.20 | -1.88 | 8.56 | 3 | Horizontal | 147 | 1.79 | - |
| PK | 5.502G | 113.59 | Inf | -Inf | 8.62 | 3 | Horizontal | 147 | 1.79 | - |
| AV | 5.502G | 101.68 | Inf | -Inf | 8.62 | 3 | Horizontal | 147 | 1.79 | - |

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5510MHz_TX




EUT Y_4TX
Setting 72
02-N-2
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 11.0108G | 53.75 | 74.00 | -20.25 | 14.28 | 3 | Vertical | 67 | 2.64 | - |
| AV | 11.01428G | 40.90 | 54.00 | -13.10 | 14.28 | 3 | Vertical | 67 | 2.64 | - |

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5510MHz_TX




EUT Y_4TX
Setting 72
02-N-2
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 11.02612G | 53.54 | 74.00 | -20.46 | 14.29 | 3 | Horizontal | 324 | 2.82 | - |
| AV | 11.01512G | 40.75 | 54.00 | -13.25 | 14.28 | 3 | Horizontal | 324 | 2.82 | - |

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5550MHz_TX




EUT_Y_4TX
Setting 96
02-N-2-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 5.4564G | 65.62 | 74.00 | -8.38 | 8.54 | 3 | Vertical | 136 | 2.73 | - |
| AV | 5.4564G | 53.27 | 54.00 | -0.73 | 8.54 | 3 | Vertical | 136 | 2.73 | - |
| PK | 5.4618G | 67.70 | 68.20 | -0.50 | 8.55 | 3 | Vertical | 136 | 2.73 | - |
| PK | 5.5422G | 121.67 | Inf | -Inf | 8.63 | 3 | Vertical | 136 | 2.73 | - |
| AV | 5.5572G | 110.59 | Inf | -Inf | 8.63 | 3 | Vertical | 136 | 2.73 | - |

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5550MHz_TX




EUT_Y_4TX
Setting 96
02-N-2-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.4576G | 64.66 | 74.00 | -9.34 | 8.54 | 3 | Horizontal | 255 | 2.13 | - |
| AV | 5.4576G | 51.92 | 54.00 | -2.08 | 8.54 | 3 | Horizontal | 255 | 2.13 | - |
| PK | 5.4678G | 66.68 | 68.20 | -1.52 | 8.56 | 3 | Horizontal | 255 | 2.13 | - |
| PK | 5.5638G | 117.89 | Inf | -Inf | 8.63 | 3 | Horizontal | 255 | 2.13 | - |
| AV | 5.5536G | 107.69 | Inf | -Inf | 8.63 | 3 | Horizontal | 255 | 2.13 | - |

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5550MHz_TX




EUT_Y_4TX
Setting 96
02-N-2
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 11.09866G | 55.11 | 74.00 | -18.89 | 14.40 | 3 | Vertical | 92 | 2.53 | - |
| AV | 11.10456G | 42.77 | 54.00 | -11.23 | 14.41 | 3 | Vertical | 92 | 2.53 | - |
| PK | 16.65066G | 64.96 | 68.20 | -3.24 | 17.79 | 3 | Vertical | 5 | 1.99 | - |

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5550MHz_TX




EUT_Y_4TX
Setting 96
02-N-2
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 11.10732G | 55.68 | 74.00 | -18.32 | 14.42 | 3 | Horizontal | 128 | 2.26 | - |
| AV | 11.09372G | 46.16 | 54.00 | -7.84 | 14.39 | 3 | Horizontal | 128 | 2.26 | - |
| PK | 16.65624G | 62.64 | 68.20 | -5.56 | 17.82 | 3 | Horizontal | 290 | 1.94 | - |

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5670MHz_TX




EUT_Y_4TX
Setting 76
02-N-2-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 5.6844G | 118.61 | Inf | -Inf | 8.75 | 3 | Vertical | 165 | 2.25 | - |
| AV | 5.6744G | 107.18 | Inf | -Inf | 8.73 | 3 | Vertical | 165 | 2.25 | - |
| PK | 5.7256G | 68.07 | 68.20 | -0.13 | 8.80 | 3 | Vertical | 165 | 2.25 | - |

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5670MHz_TX




EUT_Y_4TX
Setting 76
02-N-2-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.662G | 113.83 | Inf | -Inf | 8.72 | 3 | Horizontal | 277 | 2.11 | - |
| AV | 5.6772G | 101.36 | Inf | -Inf | 8.75 | 3 | Horizontal | 277 | 2.11 | - |
| PK | 5.726G | 68.12 | 68.20 | -0.08 | 8.80 | 3 | Horizontal | 277 | 2.11 | - |

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5670MHz_TX




EUT Y_4TX
Setting 76
02-N-2
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 11.33196G | 53.48 | 74.00 | -20.52 | 14.73 | 3 | Vertical | 122 | 2.18 | - |
| AV | 11.34012G | 40.88 | 54.00 | -13.12 | 14.74 | 3 | Vertical | 122 | 2.18 | - |

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5670MHz_TX




EUT Y_4TX
Setting 76
02-N-2
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 11.34728G | 54.36 | 74.00 | -19.64 | 14.74 | 3 | Horizontal | 99 | 2.86 | - |
| AV | 11.33272G | 41.21 | 54.00 | -12.79 | 14.73 | 3 | Horizontal | 99 | 2.86 | - |

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5710MHz_TX




EUT Y_4TX
Setting 99
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.7092G | 122.91 | Inf | -Inf | 8.78 | 3 | Vertical | 280 | 2.41 | - |
| AV | 5.714G | 111.81 | Inf | -Inf | 8.78 | 3 | Vertical | 280 | 2.41 | - |
| PK | 5.8596G | 61.69 | 68.20 | -6.51 | 8.86 | 3 | Vertical | 280 | 2.41 | - |

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5710MHz_TX




EUT Y_4TX
Setting 99
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.7044G | 117.98 | Inf | -Inf | 8.78 | 3 | Horizontal | 7 | 1.47 | - |
| AV | 5.7036G | 107.44 | Inf | -Inf | 8.77 | 3 | Horizontal | 7 | 1.47 | - |
| PK | 5.8516G | 60.84 | 68.20 | -7.36 | 8.86 | 3 | Horizontal | 7 | 1.47 | - |

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5710MHz_TX




EUT Y_4TX
Setting 99
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 11.42696G | 57.92 | 74.00 | -16.08 | 14.85 | 3 | Vertical | 265 | 1.95 | - |
| AV | 11.42234G | 45.69 | 54.00 | -8.31 | 14.84 | 3 | Vertical | 265 | 1.95 | - |
| PK | 17.1288G | 65.11 | 68.20 | -3.09 | 20.09 | 3 | Vertical | 67 | 2.68 | - |

802.11ax HEW40_Nss1,(MCS0)_4TX

27/05/2019

5710MHz_TX




EUT Y_4TX
Setting 99
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 11.40626G | 57.59 | 74.00 | -16.41 | 14.83 | 3 | Horizontal | 220 | 1.70 | - |
| AV | 11.40614G | 48.26 | 54.00 | -5.74 | 14.83 | 3 | Horizontal | 220 | 1.70 | - |
| PK | 17.13246G | 62.21 | 68.20 | -5.99 | 20.11 | 3 | Horizontal | 137 | 1.79 | - |

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5290MHz_TX




EUT_Y_4TX
Setting 67
02-N-2-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.14G | 60.89 | 74.00 | -13.11 | 8.03 | 3 | Vertical | 94 | 1.48 | - |
| AV | 5.14G | 48.12 | 54.00 | -5.88 | 8.03 | 3 | Vertical | 94 | 1.48 | - |
| PK | 5.287G | 110.93 | Inf | -Inf | 8.29 | 3 | Vertical | 94 | 1.48 | - |
| AV | 5.282G | 101.17 | Inf | -Inf | 8.28 | 3 | Vertical | 94 | 1.48 | - |
| PK | 5.357G | 70.20 | 74.00 | -3.80 | 8.38 | 3 | Vertical | 94 | 1.48 | - |
| AV | 5.352G | 53.88 | 54.00 | -0.12 | 8.38 | 3 | Vertical | 94 | 1.48 | - |
| PK | 5.515G | 58.05 | 68.20 | -10.15 | 8.62 | 3 | Vertical | 94 | 1.48 | - |

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5290MHz_TX




EUT Y_4TX
Setting 67
02-N-2-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.144G | 60.25 | 74.00 | -13.75 | 8.04 | 3 | Horizontal | 285 | 2.98 | - |
| AV | 5.145G | 47.59 | 54.00 | -6.41 | 8.04 | 3 | Horizontal | 285 | 2.98 | - |
| PK | 5.28G | 109.44 | Inf | -Inf | 8.28 | 3 | Horizontal | 285 | 2.98 | - |
| AV | 5.28G | 97.58 | Inf | -Inf | 8.28 | 3 | Horizontal | 285 | 2.98 | - |
| PK | 5.351G | 61.91 | 74.00 | -12.09 | 8.38 | 3 | Horizontal | 285 | 2.98 | - |
| AV | 5.351G | 48.40 | 54.00 | -5.60 | 8.38 | 3 | Horizontal | 285 | 2.98 | - |
| PK | 5.512G | 57.88 | 68.20 | -10.32 | 8.62 | 3 | Horizontal | 285 | 2.98 | - |

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5290MHz_TX




EUT Y_4TX
Setting 67
02-N-2
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 15.86604G | 54.46 | 74.00 | -19.54 | 15.31 | 3 | Vertical | 212 | 1.06 | - |
| AV | 15.87144G | 41.75 | 54.00 | -12.25 | 15.29 | 3 | Vertical | 212 | 1.06 | - |

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5290MHz_TX




EUT Y_4TX
Setting 67
02-N-2
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 15.86096G | 54.11 | 74.00 | -19.89 | 15.31 | 3 | Horizontal | 144 | 1.83 | - |
| AV | 15.87896G | 41.57 | 54.00 | -12.43 | 15.27 | 3 | Horizontal | 144 | 1.83 | - |

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5530MHz_TX




EUT_Y_4TX
Setting 71
02-N-2-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.3364G | 57.52 | 68.20 | -10.68 | 8.36 | 3 | Vertical | 196 | 2.99 | - |
| PK | 5.4572G | 65.56 | 74.00 | -8.44 | 8.54 | 3 | Vertical | 196 | 2.99 | - |
| AV | 5.4572G | 53.58 | 54.00 | -0.42 | 8.54 | 3 | Vertical | 196 | 2.99 | - |
| PK | 5.4676G | 68.19 | 68.20 | -0.01 | 8.56 | 3 | Vertical | 196 | 2.99 | - |
| PK | 5.5228G | 112.81 | Inf | -Inf | 8.62 | 3 | Vertical | 196 | 2.99 | - |
| AV | 5.542G | 102.85 | Inf | -Inf | 8.63 | 3 | Vertical | 196 | 2.99 | - |
| PK | 5.7252G | 58.79 | 68.20 | -9.41 | 8.80 | 3 | Vertical | 196 | 2.99 | - |

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5530MHz_TX




EUT_Y_4TX
Setting 71
02-N-2-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 5.33G | 57.21 | 68.20 | -10.99 | 8.35 | 3 | Horizontal | 321 | 2.22 | - |
| PK | 5.4588G | 65.01 | 74.00 | -8.99 | 8.55 | 3 | Horizontal | 321 | 2.22 | - |
| AV | 5.4588G | 53.52 | 54.00 | -0.48 | 8.55 | 3 | Horizontal | 321 | 2.22 | - |
| PK | 5.4684G | 66.21 | 68.20 | -1.99 | 8.56 | 3 | Horizontal | 321 | 2.22 | - |
| PK | 5.5436G | 110.78 | Inf | -Inf | 8.63 | 3 | Horizontal | 321 | 2.22 | - |
| AV | 5.5436G | 98.99 | Inf | -Inf | 8.63 | 3 | Horizontal | 321 | 2.22 | - |
| PK | 5.7292G | 58.89 | 68.20 | -9.31 | 8.81 | 3 | Horizontal | 321 | 2.22 | - |

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5530MHz_TX




EUT Y_4TX
Setting 71
02-N-2
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 11.05904G | 53.39 | 74.00 | -20.61 | 14.34 | 3 | Vertical | 229 | 2.79 | - |
| AV | 11.06G | 40.71 | 54.00 | -13.29 | 14.34 | 3 | Vertical | 229 | 2.79 | - |

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5530MHz_TX




EUT Y_4TX
Setting 71
02-N-2
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 11.05644G | 53.40 | 74.00 | -20.60 | 14.34 | 3 | Horizontal | 78 | 2.66 | - |
| AV | 11.06872G | 40.86 | 54.00 | -13.14 | 14.36 | 3 | Horizontal | 78 | 2.66 | - |

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5610MHz_TX




EUT_Y_4TX
Setting 84
02-N-2-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 5.459G | 61.62 | 74.00 | -12.38 | 8.55 | 3 | Vertical | 238 | 2.66 | - |
| AV | 5.46G | 49.33 | 54.00 | -4.67 | 8.55 | 3 | Vertical | 238 | 2.66 | - |
| PK | 5.469G | 64.04 | 68.20 | -4.16 | 8.56 | 3 | Vertical | 238 | 2.66 | - |
| PK | 5.589G | 116.38 | Inf | -Inf | 8.64 | 3 | Vertical | 238 | 2.66 | - |
| AV | 5.599G | 105.28 | Inf | -Inf | 8.64 | 3 | Vertical | 238 | 2.66 | - |
| PK | 5.729G | 68.14 | 68.20 | -0.06 | 8.81 | 3 | Vertical | 238 | 2.66 | - |

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5610MHz_TX




EUT_Y_4TX
Setting 84
02-N-2-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.459G | 61.43 | 74.00 | -12.57 | 8.55 | 3 | Horizontal | 331 | 1.51 | - |
| AV | 5.458G | 48.34 | 54.00 | -5.66 | 8.55 | 3 | Horizontal | 331 | 1.51 | - |
| PK | 5.467G | 63.40 | 68.20 | -4.80 | 8.56 | 3 | Horizontal | 331 | 1.51 | - |
| PK | 5.623G | 113.83 | Inf | -Inf | 8.66 | 3 | Horizontal | 331 | 1.51 | - |
| AV | 5.624G | 102.25 | Inf | -Inf | 8.66 | 3 | Horizontal | 331 | 1.51 | - |
| PK | 5.736G | 68.02 | 68.20 | -0.18 | 8.82 | 3 | Horizontal | 331 | 1.51 | - |

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5610MHz_TX




EUT Y_4TX
Setting 84
02-N-2
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 11.22252G | 54.71 | 74.00 | -19.29 | 14.57 | 3 | Vertical | 202 | 1.82 | - |
| AV | 11.22768G | 41.80 | 54.00 | -12.20 | 14.57 | 3 | Vertical | 202 | 1.82 | - |

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5610MHz_TX




EUT Y_4TX
Setting 84
02-N-2
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 11.21668G | 56.73 | 74.00 | -17.27 | 14.56 | 3 | Horizontal | 86 | 2.88 | - |
| AV | 11.22148G | 42.67 | 54.00 | -11.33 | 14.57 | 3 | Horizontal | 86 | 2.88 | - |

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5690MHz_TX




EUT Y_4TX
Setting 95
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.6844G | 117.79 | Inf | -Inf | 8.75 | 3 | Vertical | 279 | 2.53 | - |
| AV | 5.6788G | 107.51 | Inf | -Inf | 8.75 | 3 | Vertical | 279 | 2.53 | - |
| PK | 5.854G | 68.16 | 68.20 | -0.04 | 8.86 | 3 | Vertical | 279 | 2.53 | - |

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5690MHz_TX




EUT_Y_4TX
Setting 95
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.6884G | 115.81 | Inf | -Inf | 8.75 | 3 | Horizontal | 12 | 1.50 | - |
| AV | 5.7036G | 104.01 | Inf | -Inf | 8.77 | 3 | Horizontal | 12 | 1.50 | - |
| PK | 5.854G | 64.98 | 68.20 | -3.22 | 8.86 | 3 | Horizontal | 12 | 1.50 | - |

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5690MHz_TX




EUT Y_4TX
Setting 95
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 11.3975G | 56.14 | 74.00 | -17.86 | 14.81 | 3 | Vertical | 267 | 1.97 | - |
| AV | 11.38266G | 43.77 | 54.00 | -10.23 | 14.78 | 3 | Vertical | 267 | 1.97 | - |
| PK | 17.09176G | 59.66 | 68.20 | -8.54 | 19.87 | 3 | Vertical | 80 | 2.65 | - |

802.11ax HEW80_Nss1,(MCS0)_4TX

27/05/2019

5690MHz_TX




EUT Y_4TX
Setting 95
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 11.40624G | 56.15 | 74.00 | -17.85 | 14.83 | 3 | Horizontal | 219 | 1.70 | - |
| AV | 11.40624G | 47.89 | 54.00 | -6.11 | 14.83 | 3 | Horizontal | 219 | 1.70 | - |
| PK | 17.06728G | 60.19 | 68.20 | -8.01 | 19.71 | 3 | Horizontal | 4 | 1.48 | - |

802.11ax HEW160_Nss1,(MCS0)_4TX

27/05/2019

5250MHz_TX




EUT Y_4TX
Setting 57
01-J-5-10
FSP(100056)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.1364G | 65.06 | 74.00 | -8.94 | 4.25 | 3 | Vertical | 320 | 1.50 | - |
| AV | 5.1476G | 53.72 | 54.00 | -0.28 | 4.25 | 3 | Vertical | 320 | 1.50 | - |
| PK | 5.2324G | 108.72 | Inf | -Inf | 4.39 | 3 | Vertical | 320 | 1.50 | - |
| AV | 5.2324G | 97.11 | Inf | -Inf | 4.39 | 3 | Vertical | 320 | 1.50 | - |
| PK | 5.5764G | 58.88 | 68.20 | -9.32 | 5.57 | 3 | Vertical | 320 | 1.50 | - |
| AV | 5.354G | 48.78 | 54.00 | -5.22 | 4.82 | 3 | Vertical | 320 | 1.50 | - |
| PK | 5.3524G | 59.04 | 74.00 | -14.96 | 4.82 | 3 | Vertical | 320 | 1.50 | - |

802.11ax HEW160_Nss1,(MCS0)_4TX

27/05/2019

5250MHz_TX




EUT Y_4TX
Setting 57
01-N-2-10
FSP(100056)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.1396G | 61.79 | 74.00 | -12.21 | 4.24 | 3 | Horizontal | 312 | 2.77 | - |
| AV | 5.1316G | 51.84 | 54.00 | -2.16 | 4.24 | 3 | Horizontal | 312 | 2.77 | - |
| PK | 5.2356G | 103.53 | Inf | -Inf | 4.40 | 3 | Horizontal | 312 | 2.77 | - |
| AV | 5.2596G | 94.08 | Inf | -Inf | 4.49 | 3 | Horizontal | 312 | 2.77 | - |
| PK | 5.4292G | 59.14 | 74.00 | -14.86 | 5.11 | 3 | Horizontal | 312 | 2.77 | - |
| AV | 5.35G | 48.92 | 54.00 | -5.08 | 4.81 | 3 | Horizontal | 312 | 2.77 | - |
| PK | 5.4708G | 60.17 | 68.20 | -8.03 | 5.26 | 3 | Horizontal | 312 | 2.77 | - |

802.11ax HEW160_Nss1,(MCS0)_4TX

27/05/2019

5250MHz_TX




EUT Y_4TX
 Setting 57
 01-N-2
 FSP(100056)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 15.7542G | 55.38 | 74.00 | -18.62 | 14.20 | 3 | Vertical | 312 | 2.77 | - |
| AV | 15.74624G | 44.24 | 54.00 | -9.76 | 14.21 | 3 | Vertical | 312 | 2.77 | - |

802.11ax HEW160_Nss1,(MCS0)_4TX

27/05/2019

5250MHz_TX




EUT Y_4TX
 Setting 57
 01-N-2
 FSP(100056)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 15.75468G | 55.99 | 74.00 | -18.01 | 14.20 | 3 | Horizontal | 312 | 2.77 | - |
| AV | 15.74974G | 44.13 | 54.00 | -9.87 | 14.21 | 3 | Horizontal | 312 | 2.77 | - |

802.11ax HEW160_Nss1,(MCS0)_4TX

27/05/2019

5570MHz_TX




EUT_Y_4TX
Setting 64
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.4552G | 63.66 | 74.00 | -10.34 | 8.54 | 3 | Vertical | 312 | 1.60 | - |
| AV | 5.4594G | 53.97 | 54.00 | -0.03 | 8.55 | 3 | Vertical | 312 | 1.60 | - |
| PK | 5.4608G | 63.81 | 68.20 | -4.39 | 8.55 | 3 | Vertical | 312 | 1.60 | - |
| PK | 5.556G | 107.33 | Inf | -Inf | 8.63 | 3 | Vertical | 312 | 1.60 | - |
| AV | 5.5756G | 97.84 | Inf | -Inf | 8.64 | 3 | Vertical | 312 | 1.60 | - |
| PK | 5.7786G | 63.00 | 68.20 | -5.20 | 8.86 | 3 | Vertical | 312 | 1.60 | - |

802.11ax HEW160_Nss1,(MCS0)_4TX

27/05/2019

5570MHz_TX




EUT_Y_4TX
Setting 64
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.458G | 63.10 | 74.00 | -10.90 | 8.55 | 3 | Horizontal | 13 | 2.02 | - |
| AV | 5.458G | 53.31 | 54.00 | -0.69 | 8.55 | 3 | Horizontal | 13 | 2.02 | - |
| PK | 5.4692G | 63.94 | 68.20 | -4.26 | 8.56 | 3 | Horizontal | 13 | 2.02 | - |
| PK | 5.5742G | 106.04 | Inf | -Inf | 8.63 | 3 | Horizontal | 13 | 2.02 | - |
| AV | 5.5882G | 95.14 | Inf | -Inf | 8.64 | 3 | Horizontal | 13 | 2.02 | - |
| PK | 5.7758G | 64.38 | 68.20 | -3.82 | 8.86 | 3 | Horizontal | 13 | 2.02 | - |

802.11ax HEW160_Nss1,(MCS0)_4TX

27/05/2019

5570MHz_TX




EUT Y_4TX
Setting 64
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 11.0902G | 53.13 | 74.00 | -20.87 | 14.39 | 3 | Vertical | 50 | 2.46 | - |
| AV | 11.1346G | 42.33 | 54.00 | -11.67 | 14.44 | 3 | Vertical | 50 | 2.46 | - |

802.11ax HEW160_Nss1,(MCS0)_4TX

27/05/2019

5570MHz_TX




EUT Y_4TX
Setting 64
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 11.1106G | 52.75 | 74.00 | -21.25 | 14.42 | 3 | Horizontal | 179 | 2.08 | - |
| AV | 11.1596G | 42.01 | 54.00 | -11.99 | 14.47 | 3 | Horizontal | 179 | 2.08 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5260MHz_TX




EUT Y_4TX
Setting 96
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 5.131G | 60.03 | 74.00 | -13.97 | 8.01 | 3 | Vertical | 175 | 1.53 | - |
| AV | 5.15G | 46.69 | 54.00 | -7.31 | 8.04 | 3 | Vertical | 175 | 1.53 | - |
| PK | 5.269G | 124.80 | Inf | -Inf | 8.26 | 3 | Vertical | 175 | 1.53 | - |
| AV | 5.2684G | 113.35 | Inf | -Inf | 8.26 | 3 | Vertical | 175 | 1.53 | - |
| PK | 5.35G | 59.00 | 74.00 | -15.00 | 8.38 | 3 | Vertical | 175 | 1.53 | - |
| AV | 5.35G | 46.15 | 54.00 | -7.85 | 8.38 | 3 | Vertical | 175 | 1.53 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5260MHz_TX




EUT_Y_4TX
Setting 96
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.1466G | 59.79 | 74.00 | -14.21 | 8.04 | 3 | Horizontal | 160 | 1.59 | - |
| AV | 5.15G | 46.69 | 54.00 | -7.31 | 8.04 | 3 | Horizontal | 160 | 1.59 | - |
| PK | 5.2684G | 124.70 | Inf | -Inf | 8.26 | 3 | Horizontal | 160 | 1.59 | - |
| AV | 5.269G | 112.52 | Inf | -Inf | 8.26 | 3 | Horizontal | 160 | 1.59 | - |
| PK | 5.3512G | 58.57 | 74.00 | -15.43 | 8.38 | 3 | Horizontal | 160 | 1.59 | - |
| AV | 5.35G | 45.90 | 54.00 | -8.10 | 8.38 | 3 | Horizontal | 160 | 1.59 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5260MHz_TX




EUT Y_4TX
Setting 96
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 15.77G | 65.02 | 74.00 | -8.98 | 15.53 | 3 | Vertical | 202 | 2.95 | - |
| AV | 15.77144G | 48.72 | 54.00 | -5.28 | 15.53 | 3 | Vertical | 202 | 2.95 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5260MHz_TX




EUT_Y_4TX
Setting 96
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 15.77552G | 65.96 | 74.00 | -8.04 | 15.53 | 3 | Horizontal | 327 | 2.97 | - |
| AV | 15.77864G | 50.81 | 54.00 | -3.19 | 15.52 | 3 | Horizontal | 327 | 2.97 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5300MHz_TX




EUT_Y_4TX
Setting 104
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.3024G | 125.86 | Inf | -Inf | 8.31 | 3 | Vertical | 312 | 2.16 | - |
| AV | 5.302G | 112.87 | Inf | -Inf | 8.31 | 3 | Vertical | 312 | 2.16 | - |
| PK | 5.351G | 71.76 | 74.00 | -2.24 | 8.38 | 3 | Vertical | 312 | 2.16 | - |
| AV | 5.351G | 53.98 | 54.00 | -0.02 | 8.38 | 3 | Vertical | 312 | 2.16 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5300MHz_TX




EUT_Y_4TX
Setting 104
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.3024G | 122.62 | Inf | -Inf | 8.31 | 3 | Horizontal | 230 | 1.53 | - |
| AV | 5.3008G | 109.44 | Inf | -Inf | 8.31 | 3 | Horizontal | 230 | 1.53 | - |
| PK | 5.3516G | 65.45 | 74.00 | -8.55 | 8.38 | 3 | Horizontal | 230 | 1.53 | - |
| AV | 5.3504G | 49.01 | 54.00 | -4.99 | 8.38 | 3 | Horizontal | 230 | 1.53 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5300MHz_TX




EUT_Y_4TX
Setting 104
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 10.60298G | 53.86 | 74.00 | -20.14 | 14.48 | 3 | Vertical | 62 | 1.19 | - |
| AV | 10.60138G | 39.44 | 54.00 | -14.56 | 14.47 | 3 | Vertical | 62 | 1.19 | - |
| PK | 15.90488G | 62.66 | 74.00 | -11.34 | 15.21 | 3 | Vertical | 248 | 1.57 | - |
| AV | 15.90504G | 47.95 | 54.00 | -6.05 | 15.21 | 3 | Vertical | 248 | 1.57 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5300MHz_TX




EUT_Y_4TX
Setting 104
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 10.6067G | 53.40 | 74.00 | -20.60 | 14.47 | 3 | Horizontal | 108 | 2.05 | - |
| AV | 10.60308G | 39.19 | 54.00 | -14.81 | 14.48 | 3 | Horizontal | 108 | 2.05 | - |
| PK | 15.90228G | 63.90 | 74.00 | -10.10 | 15.21 | 3 | Horizontal | 22 | 1.47 | - |
| AV | 15.89676G | 49.30 | 54.00 | -4.70 | 15.23 | 3 | Horizontal | 22 | 1.47 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5320MHz_TX




EUT_Y_4TX
Setting 85
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.3174G | 121.62 | Inf | -Inf | 8.33 | 3 | Vertical | 305 | 1.47 | - |
| AV | 5.3168G | 109.72 | Inf | -Inf | 8.33 | 3 | Vertical | 305 | 1.47 | - |
| PK | 5.352G | 69.78 | 74.00 | -4.22 | 8.38 | 3 | Vertical | 305 | 1.47 | - |
| AV | 5.3502G | 53.97 | 54.00 | -0.03 | 8.38 | 3 | Vertical | 305 | 1.47 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5320MHz_TX




EUT Y_4TX
Setting 85
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.3122G | 119.74 | Inf | -Inf | 8.32 | 3 | Horizontal | 292 | 2.95 | - |
| AV | 5.3224G | 106.67 | Inf | -Inf | 8.33 | 3 | Horizontal | 292 | 2.95 | - |
| PK | 5.3508G | 67.86 | 74.00 | -6.14 | 8.38 | 3 | Horizontal | 292 | 2.95 | - |
| AV | 5.35G | 53.77 | 54.00 | -0.23 | 8.38 | 3 | Horizontal | 292 | 2.95 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5320MHz_TX




EUT_Y_4TX
Setting 85
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 10.63484G | 53.54 | 74.00 | -20.46 | 14.45 | 3 | Vertical | 81 | 2.22 | - |
| AV | 10.64018G | 39.26 | 54.00 | -14.74 | 14.46 | 3 | Vertical | 81 | 2.22 | - |
| PK | 15.9666G | 55.68 | 74.00 | -18.32 | 15.04 | 3 | Vertical | 244 | 1.28 | - |
| AV | 15.96468G | 41.09 | 54.00 | -12.91 | 15.05 | 3 | Vertical | 244 | 1.28 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5320MHz_TX




EUT_Y_4TX
Setting 85
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 10.63982G | 53.24 | 74.00 | -20.76 | 14.46 | 3 | Horizontal | 51 | 2.43 | - |
| AV | 10.63994G | 39.25 | 54.00 | -14.75 | 14.46 | 3 | Horizontal | 51 | 2.43 | - |
| PK | 15.96216G | 56.86 | 74.00 | -17.14 | 15.06 | 3 | Horizontal | 13 | 1.61 | - |
| AV | 15.96084G | 42.01 | 54.00 | -11.99 | 15.06 | 3 | Horizontal | 13 | 1.61 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5500MHz_TX




EUT_Y_4TX
Setting 80
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.46G | 62.87 | 74.00 | -11.13 | 8.55 | 3 | Vertical | 18 | 1.52 | - |
| AV | 5.46G | 47.44 | 54.00 | -6.56 | 8.55 | 3 | Vertical | 18 | 1.52 | - |
| PK | 5.468G | 67.45 | 68.20 | -0.75 | 8.56 | 3 | Vertical | 18 | 1.52 | - |
| PK | 5.5036G | 123.10 | Inf | -Inf | 8.62 | 3 | Vertical | 18 | 1.52 | - |
| AV | 5.5048G | 110.76 | Inf | -Inf | 8.62 | 3 | Vertical | 18 | 1.52 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5500MHz_TX




EUT_Y_4TX
Setting 80
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.4576G | 61.85 | 74.00 | -12.15 | 8.54 | 3 | Horizontal | 194 | 1.69 | - |
| AV | 5.46G | 47.33 | 54.00 | -6.67 | 8.55 | 3 | Horizontal | 194 | 1.69 | - |
| PK | 5.469G | 68.15 | 68.20 | -0.05 | 8.56 | 3 | Horizontal | 194 | 1.69 | - |
| PK | 5.5008G | 119.20 | Inf | -Inf | 8.62 | 3 | Horizontal | 194 | 1.69 | - |
| AV | 5.5028G | 105.71 | Inf | -Inf | 8.62 | 3 | Horizontal | 194 | 1.69 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5500MHz_TX




EUT Y_4TX
Setting 80
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 11.00176G | 54.96 | 74.00 | -19.04 | 14.26 | 3 | Vertical | 56 | 2.56 | - |
| AV | 10.99832G | 40.43 | 54.00 | -13.57 | 14.26 | 3 | Vertical | 56 | 2.56 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5500MHz_TX




EUT Y_4TX
Setting 80
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 10.9988G | 55.35 | 74.00 | -18.65 | 14.26 | 3 | Horizontal | 117 | 2.26 | - |
| AV | 10.99976G | 42.11 | 54.00 | -11.89 | 14.26 | 3 | Horizontal | 117 | 2.26 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5580MHz_TX




EUT_Y_4TX
Setting 90
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.42G | 58.45 | 74.00 | -15.55 | 8.48 | 3 | Vertical | 329 | 1.47 | - |
| AV | 5.4544G | 46.03 | 54.00 | -7.97 | 8.54 | 3 | Vertical | 329 | 1.47 | - |
| PK | 5.4624G | 58.58 | 68.20 | -9.62 | 8.55 | 3 | Vertical | 329 | 1.47 | - |
| PK | 5.5784G | 123.18 | Inf | -Inf | 8.64 | 3 | Vertical | 329 | 1.47 | - |
| AV | 5.5768G | 111.89 | Inf | -Inf | 8.64 | 3 | Vertical | 329 | 1.47 | - |
| PK | 5.736G | 60.78 | 68.20 | -7.42 | 8.82 | 3 | Vertical | 329 | 1.47 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5580MHz_TX




EUT_Y_4TX
Setting 90
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.428G | 58.66 | 74.00 | -15.34 | 8.50 | 3 | Horizontal | 200 | 1.68 | - |
| AV | 5.4584G | 45.78 | 54.00 | -8.22 | 8.55 | 3 | Horizontal | 200 | 1.68 | - |
| PK | 5.4648G | 58.92 | 68.20 | -9.28 | 8.55 | 3 | Horizontal | 200 | 1.68 | - |
| PK | 5.5864G | 119.54 | Inf | -Inf | 8.64 | 3 | Horizontal | 200 | 1.68 | - |
| AV | 5.5856G | 107.10 | Inf | -Inf | 8.64 | 3 | Horizontal | 200 | 1.68 | - |
| PK | 5.736G | 59.33 | 68.20 | -8.87 | 8.82 | 3 | Horizontal | 200 | 1.68 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5580MHz_TX




EUT Y_4TX
Setting 90
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 11.16048G | 54.92 | 74.00 | -19.08 | 14.48 | 3 | Vertical | 245 | 2.04 | - |
| AV | 11.15874G | 41.05 | 54.00 | -12.95 | 14.47 | 3 | Vertical | 245 | 2.04 | - |
| PK | 16.73082G | 65.08 | 68.20 | -3.12 | 18.14 | 3 | Vertical | 77 | 2.59 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5580MHz_TX




EUT Y_4TX
Setting 90
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 11.17326G | 58.29 | 74.00 | -15.71 | 14.50 | 3 | Horizontal | 152 | 1.68 | - |
| AV | 11.1711G | 44.86 | 54.00 | -9.14 | 14.49 | 3 | Horizontal | 152 | 1.68 | - |
| PK | 16.73976G | 62.98 | 68.20 | -5.22 | 18.18 | 3 | Horizontal | 183 | 2.75 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5700MHz_TX




EUT_Y_4TX
Setting 69
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 5.6922G | 119.43 | Inf | -Inf | 8.76 | 3 | Vertical | 20 | 1.56 | - |
| AV | 5.691G | 106.82 | Inf | -Inf | 8.76 | 3 | Vertical | 20 | 1.56 | - |
| PK | 5.7302G | 63.90 | 68.20 | -4.30 | 8.81 | 3 | Vertical | 20 | 1.56 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5700MHz_TX




EUT Y_4TX
Setting 69
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 5.7006G | 116.64 | Inf | -Inf | 8.77 | 3 | Horizontal | 14 | 1.40 | - |
| AV | 5.701G | 103.35 | Inf | -Inf | 8.77 | 3 | Horizontal | 14 | 1.40 | - |
| PK | 5.726G | 68.14 | 68.20 | -0.06 | 8.80 | 3 | Horizontal | 14 | 1.40 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5700MHz_TX




EUT_Y_4TX
Setting 69
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 11.41368G | 54.37 | 74.00 | -19.63 | 14.83 | 3 | Vertical | 260 | 2.32 | - |
| AV | 11.40624G | 41.85 | 54.00 | -12.15 | 14.83 | 3 | Vertical | 260 | 2.32 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5700MHz_TX




EUT_Y_4TX
Setting 69
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 11.40624G | 55.31 | 74.00 | -18.69 | 14.83 | 3 | Horizontal | 220 | 2.22 | - |
| AV | 11.40632G | 45.74 | 54.00 | -8.26 | 14.83 | 3 | Horizontal | 220 | 2.22 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5720MHz_TX




EUT Y_4TX
Setting 92
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.7264G | 123.36 | Inf | -Inf | 8.80 | 3 | Vertical | 326 | 1.54 | - |
| AV | 5.728G | 111.31 | Inf | -Inf | 8.81 | 3 | Vertical | 326 | 1.54 | - |
| PK | 5.8664G | 60.24 | 68.20 | -7.96 | 8.86 | 3 | Vertical | 326 | 1.54 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5720MHz_TX




EUT Y_4TX
Setting 92
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.712G | 120.77 | Inf | -Inf | 8.79 | 3 | Horizontal | 138 | 1.62 | - |
| AV | 5.7152G | 107.64 | Inf | -Inf | 8.78 | 3 | Horizontal | 138 | 1.62 | - |
| PK | 5.868G | 58.90 | 68.20 | -9.30 | 8.86 | 3 | Horizontal | 138 | 1.62 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5720MHz_TX




EUT Y_4TX
Setting 92
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 11.42368G | 60.34 | 74.00 | -13.66 | 14.84 | 3 | Vertical | 252 | 1.66 | - |
| AV | 11.438G | 44.77 | 54.00 | -9.23 | 14.86 | 3 | Vertical | 252 | 1.66 | - |
| PK | 17.16744G | 65.09 | 68.20 | -3.11 | 20.32 | 3 | Vertical | 81 | 2.68 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

27/05/2019

5720MHz_TX




EUT Y_4TX
Setting 92
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 11.43584G | 57.82 | 74.00 | -16.18 | 14.86 | 3 | Horizontal | 189 | 1.58 | - |
| AV | 11.43448G | 44.59 | 54.00 | -9.41 | 14.86 | 3 | Horizontal | 189 | 1.58 | - |
| PK | 17.15992G | 61.34 | 68.20 | -6.86 | 20.27 | 3 | Horizontal | 109 | 2.70 | - |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5270MHz_TX




EUT Y_4TX
Setting 100
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.1482G | 68.68 | 74.00 | -5.32 | 8.04 | 3 | Vertical | 307 | 1.53 | - |
| AV | 5.1494G | 51.41 | 54.00 | -2.59 | 8.04 | 3 | Vertical | 307 | 1.53 | - |
| PK | 5.2592G | 123.74 | Inf | -Inf | 8.25 | 3 | Vertical | 307 | 1.53 | - |
| AV | 5.258G | 111.68 | Inf | -Inf | 8.25 | 3 | Vertical | 307 | 1.53 | - |
| PK | 5.351G | 73.87 | 74.00 | -0.13 | 8.38 | 3 | Vertical | 307 | 1.53 | - |
| AV | 5.351G | 53.35 | 54.00 | -0.65 | 8.38 | 3 | Vertical | 307 | 1.53 | - |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5270MHz_TX




EUT Y_4TX
Setting 100
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.1494G | 64.78 | 74.00 | -9.22 | 8.04 | 3 | Horizontal | 233 | 2.41 | - |
| AV | 5.1494G | 49.46 | 54.00 | -4.54 | 8.04 | 3 | Horizontal | 233 | 2.41 | - |
| PK | 5.2652G | 120.73 | Inf | -Inf | 8.26 | 3 | Horizontal | 233 | 2.41 | - |
| AV | 5.2634G | 108.15 | Inf | -Inf | 8.26 | 3 | Horizontal | 233 | 2.41 | - |
| PK | 5.3516G | 64.80 | 74.00 | -9.20 | 8.38 | 3 | Horizontal | 233 | 2.41 | - |
| AV | 5.35G | 50.68 | 54.00 | -3.32 | 8.38 | 3 | Horizontal | 233 | 2.41 | - |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5270MHz_TX




EUT Y_4TX
Setting 100
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 15.7883G | 62.90 | 74.00 | -11.10 | 15.49 | 3 | Vertical | 225 | 1.33 | - |
| AV | 15.8181G | 47.00 | 54.00 | -7.00 | 15.42 | 3 | Vertical | 225 | 1.33 | - |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5270MHz_TX




EUT Y_4TX
Setting 100
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 15.8066G | 63.32 | 74.00 | -10.68 | 15.45 | 3 | Horizontal | 297 | 1.31 | - |
| AV | 15.8198G | 48.73 | 54.00 | -5.27 | 15.41 | 3 | Horizontal | 297 | 1.31 | - |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5310MHz_TX




EUT_Y_4TX
Setting 75
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.292G | 118.43 | Inf | -Inf | 8.30 | 3 | Vertical | 172 | 1.45 | - |
| AV | 5.292G | 105.80 | Inf | -Inf | 8.30 | 3 | Vertical | 172 | 1.45 | - |
| PK | 5.3516G | 69.87 | 74.00 | -4.13 | 8.38 | 3 | Vertical | 172 | 1.45 | - |
| AV | 5.35G | 51.00 | 54.00 | -3.00 | 8.38 | 3 | Vertical | 172 | 1.45 | - |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5310MHz_TX




EUT_Y_4TX
Setting 75
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.3216G | 115.00 | Inf | -Inf | 8.33 | 3 | Horizontal | 317 | 2.94 | - |
| AV | 5.3236G | 102.87 | Inf | -Inf | 8.34 | 3 | Horizontal | 317 | 2.94 | - |
| PK | 5.35G | 70.78 | 74.00 | -3.22 | 8.38 | 3 | Horizontal | 317 | 2.94 | - |
| AV | 5.35G | 53.91 | 54.00 | -0.09 | 8.38 | 3 | Horizontal | 317 | 2.94 | - |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5310MHz_TX




EUT Y_4TX
 Setting 75
 02-W-3
 FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 15.94G | 54.58 | 74.00 | -19.42 | 15.11 | 3 | Vertical | 229 | 2.99 | - |
| AV | 15.9254G | 40.50 | 54.00 | -13.50 | 15.15 | 3 | Vertical | 229 | 2.99 | - |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5310MHz_TX




EUT Y_4TX
Setting 75
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 15.9265G | 54.43 | 74.00 | -19.57 | 15.15 | 3 | Horizontal | 257 | 1.48 | - |
| AV | 15.9274G | 40.46 | 54.00 | -13.54 | 15.14 | 3 | Horizontal | 257 | 1.48 | - |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5510MHz_TX




EUT Y_4TX
Setting 70
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 5.4588G | 64.06 | 74.00 | -9.94 | 8.55 | 3 | Vertical | 311 | 1.54 | - |
| AV | 5.458G | 46.63 | 54.00 | -7.37 | 8.55 | 3 | Vertical | 311 | 1.54 | - |
| PK | 5.4612G | 68.11 | 68.20 | -0.09 | 8.55 | 3 | Vertical | 311 | 1.54 | - |
| PK | 5.5132G | 117.36 | Inf | -Inf | 8.62 | 3 | Vertical | 311 | 1.54 | - |
| AV | 5.5232G | 103.75 | Inf | -Inf | 8.62 | 3 | Vertical | 311 | 1.54 | - |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5510MHz_TX




EUT_Y_4TX
Setting 70
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.4592G | 61.19 | 74.00 | -12.81 | 8.55 | 3 | Horizontal | 200 | 1.57 | - |
| AV | 5.4588G | 47.24 | 54.00 | -6.76 | 8.55 | 3 | Horizontal | 200 | 1.57 | - |
| PK | 5.4696G | 65.28 | 68.20 | -2.92 | 8.56 | 3 | Horizontal | 200 | 1.57 | - |
| PK | 5.5132G | 113.33 | Inf | -Inf | 8.62 | 3 | Horizontal | 200 | 1.57 | - |
| AV | 5.5268G | 101.20 | Inf | -Inf | 8.63 | 3 | Horizontal | 200 | 1.57 | - |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5510MHz_TX




EUT Y_4TX
Setting 70
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 10.9976G | 53.29 | 74.00 | -20.71 | 14.26 | 3 | Vertical | 127 | 2.42 | - |
| AV | 11.0292G | 39.44 | 54.00 | -14.56 | 14.31 | 3 | Vertical | 127 | 2.42 | - |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5510MHz_TX




EUT Y_4TX
Setting 70
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 11.0116G | 54.08 | 74.00 | -19.92 | 14.28 | 3 | Horizontal | 118 | 2.26 | - |
| AV | 10.9969G | 40.57 | 54.00 | -13.43 | 14.26 | 3 | Horizontal | 118 | 2.26 | - |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5550MHz_TX




EUT_Y_4TX
Setting 98
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.46G | 65.12 | 74.00 | -8.88 | 8.55 | 3 | Vertical | 225 | 2.50 | - |
| AV | 5.46G | 48.35 | 54.00 | -5.65 | 8.55 | 3 | Vertical | 225 | 2.50 | - |
| PK | 5.4696G | 68.17 | 68.20 | -0.03 | 8.56 | 3 | Vertical | 225 | 2.50 | - |
| PK | 5.568G | 124.45 | Inf | -Inf | 8.63 | 3 | Vertical | 225 | 2.50 | - |
| AV | 5.5674G | 113.35 | Inf | -Inf | 8.63 | 3 | Vertical | 225 | 2.50 | - |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5550MHz_TX




EUT_Y_4TX
Setting 98
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.46G | 67.08 | 74.00 | -6.92 | 8.55 | 3 | Horizontal | 203 | 1.69 | - |
| AV | 5.4594G | 51.54 | 54.00 | -2.46 | 8.55 | 3 | Horizontal | 203 | 1.69 | - |
| PK | 5.47G | 68.12 | 68.20 | -0.08 | 8.56 | 3 | Horizontal | 203 | 1.69 | - |
| PK | 5.5446G | 119.79 | Inf | -Inf | 8.63 | 3 | Horizontal | 203 | 1.69 | - |
| AV | 5.5428G | 107.00 | Inf | -Inf | 8.63 | 3 | Horizontal | 203 | 1.69 | - |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5550MHz_TX




EUT Y_4TX
Setting 98
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 11.0938G | 53.53 | 74.00 | -20.47 | 14.39 | 3 | Vertical | 300 | 1.76 | - |
| AV | 11.0937G | 41.31 | 54.00 | -12.69 | 14.39 | 3 | Vertical | 300 | 1.76 | - |
| PK | 16.6735G | 65.17 | 68.20 | -3.03 | 17.89 | 3 | Vertical | 81 | 2.59 | - |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5550MHz_TX




EUT Y_4TX
Setting 98
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 11.0937G | 56.29 | 74.00 | -17.71 | 14.39 | 3 | Horizontal | 215 | 2.23 | - |
| AV | 11.0937G | 45.58 | 54.00 | -8.42 | 14.39 | 3 | Horizontal | 215 | 2.23 | - |
| PK | 16.632G | 61.68 | 68.20 | -6.52 | 17.71 | 3 | Horizontal | 146 | 2.61 | - |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5670MHz_TX




EUT Y_4TX
Setting 70
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 5.6808G | 117.76 | Inf | -Inf | 8.75 | 3 | Vertical | 274 | 2.34 | - |
| AV | 5.6826G | 105.52 | Inf | -Inf | 8.76 | 3 | Vertical | 274 | 2.34 | - |
| PK | 5.7276G | 68.11 | 68.20 | -0.09 | 8.81 | 3 | Vertical | 274 | 2.34 | - |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5670MHz_TX




EUT Y_4TX
Setting 70
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 5.6736G | 113.77 | Inf | -Inf | 8.73 | 3 | Horizontal | 142 | 1.46 | - |
| AV | 5.6748G | 100.32 | Inf | -Inf | 8.73 | 3 | Horizontal | 142 | 1.46 | - |
| PK | 5.7252G | 61.39 | 68.20 | -6.81 | 8.80 | 3 | Horizontal | 142 | 1.46 | - |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5670MHz_TX




EUT Y_4TX
 Setting 70
 02-W-3
 FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 11.3348G | 53.36 | 74.00 | -20.64 | 14.73 | 3 | Vertical | 12 | 1.34 | - |
| AV | 11.3631G | 39.55 | 54.00 | -14.45 | 14.77 | 3 | Vertical | 12 | 1.34 | - |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5670MHz_TX




EUT_Y_4TX
Setting 70
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 11.3258G | 53.59 | 74.00 | -20.41 | 14.71 | 3 | Horizontal | 163 | 2.27 | - |
| AV | 11.364G | 40.03 | 54.00 | -13.97 | 14.77 | 3 | Horizontal | 163 | 2.27 | - |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5710MHz_TX




EUT_Y_4TX
Setting 105
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.7084G | 124.54 | Inf | -Inf | 8.78 | 3 | Vertical | 323 | 1.29 | - |
| AV | 5.7092G | 113.07 | Inf | -Inf | 8.78 | 3 | Vertical | 323 | 1.29 | - |
| PK | 5.85G | 63.53 | 68.20 | -4.67 | 8.86 | 3 | Vertical | 323 | 1.29 | - |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5710MHz_TX




EUT Y_4TX
Setting 105
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.7052G | 120.06 | Inf | -Inf | 8.78 | 3 | Horizontal | 139 | 1.60 | - |
| AV | 5.698G | 107.64 | Inf | -Inf | 8.77 | 3 | Horizontal | 139 | 1.60 | - |
| PK | 5.854G | 60.21 | 68.20 | -7.99 | 8.86 | 3 | Horizontal | 139 | 1.60 | - |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5710MHz_TX




EUT_Y_4TX
Setting 105
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 11.3969G | 57.95 | 74.00 | -16.05 | 14.81 | 3 | Vertical | 260 | 1.96 | - |
| AV | 11.4205G | 44.23 | 54.00 | -9.77 | 14.84 | 3 | Vertical | 260 | 1.96 | - |
| PK | 17.1453G | 65.15 | 68.20 | -3.05 | 20.18 | 3 | Vertical | 77 | 2.68 | - |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

27/05/2019

5710MHz_TX




EUT Y_4TX
Setting 105
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 11.4163G | 56.00 | 74.00 | -18.00 | 14.83 | 3 | Horizontal | 223 | 1.70 | - |
| AV | 11.4063G | 46.45 | 54.00 | -7.55 | 14.83 | 3 | Horizontal | 223 | 1.70 | - |
| PK | 17.1269G | 62.60 | 68.20 | -5.60 | 20.08 | 3 | Horizontal | 141 | 2.49 | - |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5290MHz_TX




EUT Y_4TX
Setting 70
02-N-2-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.146G | 64.86 | 74.00 | -9.14 | 8.04 | 3 | Vertical | 283 | 2.18 | - |
| AV | 5.148G | 50.28 | 54.00 | -3.72 | 8.04 | 3 | Vertical | 283 | 2.18 | - |
| PK | 5.254G | 115.42 | Inf | -Inf | 8.24 | 3 | Vertical | 283 | 2.18 | - |
| AV | 5.253G | 103.62 | Inf | -Inf | 8.24 | 3 | Vertical | 283 | 2.18 | - |
| PK | 5.352G | 70.98 | 74.00 | -3.02 | 8.38 | 3 | Vertical | 283 | 2.18 | - |
| AV | 5.351G | 53.98 | 54.00 | -0.02 | 8.38 | 3 | Vertical | 283 | 2.18 | - |
| PK | 5.52G | 58.05 | 68.20 | -10.15 | 8.62 | 3 | Vertical | 283 | 2.18 | - |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5290MHz_TX




EUT Y_4TX
Setting 70
02-N-2-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.136G | 59.44 | 74.00 | -14.56 | 8.02 | 3 | Horizontal | 280 | 2.75 | - |
| AV | 5.142G | 46.94 | 54.00 | -7.06 | 8.04 | 3 | Horizontal | 280 | 2.75 | - |
| PK | 5.278G | 113.55 | Inf | -Inf | 8.27 | 3 | Horizontal | 280 | 2.75 | - |
| AV | 5.278G | 99.55 | Inf | -Inf | 8.27 | 3 | Horizontal | 280 | 2.75 | - |
| PK | 5.352G | 68.68 | 74.00 | -5.32 | 8.38 | 3 | Horizontal | 280 | 2.75 | - |
| AV | 5.35G | 49.09 | 54.00 | -4.91 | 8.38 | 3 | Horizontal | 280 | 2.75 | - |
| PK | 5.523G | 57.86 | 68.20 | -10.34 | 8.62 | 3 | Horizontal | 280 | 2.75 | - |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5290MHz_TX




EUT Y_4TX
Setting 70
02-N-2
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 15.8862G | 54.96 | 74.00 | -19.04 | 15.25 | 3 | Vertical | 127 | 2.26 | - |
| AV | 15.8314G | 40.58 | 54.00 | -13.42 | 15.38 | 3 | Vertical | 127 | 2.26 | - |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5290MHz_TX




EUT Y_4TX
Setting 70
02-N-2
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 15.9144G | 54.37 | 74.00 | -19.63 | 15.18 | 3 | Horizontal | 81 | 1.40 | - |
| AV | 15.9144G | 40.57 | 54.00 | -13.43 | 15.18 | 3 | Horizontal | 81 | 1.40 | - |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5530MHz_TX




EUT_Y_4TX
Setting 68
02-N-2-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 5.3364G | 57.98 | 68.20 | -10.22 | 8.36 | 3 | Vertical | 304 | 2.57 | - |
| PK | 5.454G | 66.40 | 74.00 | -7.60 | 8.54 | 3 | Vertical | 304 | 2.57 | - |
| AV | 5.434G | 48.83 | 54.00 | -5.17 | 8.50 | 3 | Vertical | 304 | 2.57 | - |
| PK | 5.4636G | 67.99 | 68.20 | -0.21 | 8.55 | 3 | Vertical | 304 | 2.57 | - |
| PK | 5.5428G | 114.92 | Inf | -Inf | 8.63 | 3 | Vertical | 304 | 2.57 | - |
| AV | 5.542G | 102.35 | Inf | -Inf | 8.63 | 3 | Vertical | 304 | 2.57 | - |
| PK | 5.73G | 58.96 | 68.20 | -9.24 | 8.81 | 3 | Vertical | 304 | 2.57 | - |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5530MHz_TX




EUT_Y_4TX
Setting 68
02-N-2-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 5.338G | 57.31 | 68.20 | -10.89 | 8.36 | 3 | Horizontal | 131 | 1.60 | - |
| PK | 5.4532G | 64.13 | 74.00 | -9.87 | 8.54 | 3 | Horizontal | 131 | 1.60 | - |
| AV | 5.4596G | 49.80 | 54.00 | -4.20 | 8.55 | 3 | Horizontal | 131 | 1.60 | - |
| PK | 5.4676G | 67.92 | 68.20 | -0.28 | 8.56 | 3 | Horizontal | 131 | 1.60 | - |
| PK | 5.5388G | 113.31 | Inf | -Inf | 8.63 | 3 | Horizontal | 131 | 1.60 | - |
| AV | 5.5372G | 99.58 | Inf | -Inf | 8.63 | 3 | Horizontal | 131 | 1.60 | - |
| PK | 5.7252G | 58.60 | 68.20 | -9.60 | 8.80 | 3 | Horizontal | 131 | 1.60 | - |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5530MHz_TX




EUT_Y_4TX
Setting 68
02-N-2
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 11.052G | 55.38 | 74.00 | -18.62 | 14.34 | 3 | Vertical | 127 | 2.12 | - |
| AV | 11.0342G | 42.57 | 54.00 | -11.43 | 14.31 | 3 | Vertical | 127 | 2.12 | - |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5530MHz_TX




EUT_Y_4TX
Setting 68
02-N-2
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 11.0536G | 52.16 | 74.00 | -21.84 | 14.34 | 3 | Horizontal | 254 | 1.56 | - |
| AV | 11.033G | 38.99 | 54.00 | -15.01 | 14.31 | 3 | Horizontal | 254 | 1.56 | - |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5610MHz_TX




EUT_Y_4TX
Setting 83
02-N-2-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.4588G | 60.40 | 74.00 | -13.60 | 8.55 | 3 | Vertical | 283 | 1.91 | - |
| AV | 5.4588G | 47.39 | 54.00 | -6.61 | 8.55 | 3 | Vertical | 283 | 1.91 | - |
| PK | 5.4612G | 61.54 | 68.20 | -6.66 | 8.55 | 3 | Vertical | 283 | 1.91 | - |
| PK | 5.6252G | 115.63 | Inf | -Inf | 8.68 | 3 | Vertical | 283 | 1.91 | - |
| AV | 5.6268G | 101.98 | Inf | -Inf | 8.68 | 3 | Vertical | 283 | 1.91 | - |
| PK | 5.7348G | 68.15 | 68.20 | -0.05 | 8.82 | 3 | Vertical | 283 | 1.91 | - |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5610MHz_TX




EUT_Y_4TX
Setting 83
02-N-2-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.4596G | 59.61 | 74.00 | -14.39 | 8.55 | 3 | Horizontal | 185 | 2.36 | - |
| AV | 5.4588G | 47.22 | 54.00 | -6.78 | 8.55 | 3 | Horizontal | 185 | 2.36 | - |
| PK | 5.4684G | 61.31 | 68.20 | -6.89 | 8.56 | 3 | Horizontal | 185 | 2.36 | - |
| PK | 5.602G | 119.13 | Inf | -Inf | 8.64 | 3 | Horizontal | 185 | 2.36 | - |
| AV | 5.6004G | 104.98 | Inf | -Inf | 8.64 | 3 | Horizontal | 185 | 2.36 | - |
| PK | 5.7252G | 67.93 | 68.20 | -0.27 | 8.80 | 3 | Horizontal | 185 | 2.36 | - |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5610MHz_TX




EUT_Y_4TX
Setting 83
02-N-2
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 11.1906G | 54.13 | 74.00 | -19.87 | 14.52 | 3 | Vertical | 138 | 1.61 | - |
| AV | 11.2692G | 39.59 | 54.00 | -14.41 | 14.63 | 3 | Vertical | 138 | 1.61 | - |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5610MHz_TX




EUT_Y_4TX
Setting 83
02-N-2
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 11.2366G | 53.17 | 74.00 | -20.83 | 14.59 | 3 | Horizontal | 91 | 2.36 | - |
| AV | 11.2412G | 39.53 | 54.00 | -14.47 | 14.60 | 3 | Horizontal | 91 | 2.36 | - |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5690MHz_TX




EUT Y_4TX
Setting 99
02-N-2-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.46G | 59.96 | 74.00 | -14.04 | 8.55 | 3 | Vertical | 171 | 2.43 | - |
| AV | 5.46G | 47.00 | 54.00 | -7.00 | 8.55 | 3 | Vertical | 171 | 2.43 | - |
| PK | 5.465G | 61.18 | 68.20 | -7.02 | 8.55 | 3 | Vertical | 171 | 2.43 | - |
| AV | 5.46G | 47.00 | 54.00 | -7.00 | 8.55 | 3 | Vertical | 171 | 2.43 | - |
| PK | 5.707G | 122.00 | Inf | -Inf | 8.78 | 3 | Vertical | 171 | 2.43 | - |
| AV | 5.661G | 108.73 | Inf | -Inf | 8.72 | 3 | Vertical | 171 | 2.43 | - |
| PK | 5.851G | 68.02 | 68.20 | -0.18 | 8.86 | 3 | Vertical | 171 | 2.43 | - |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5690MHz_TX




EUT_Y_4TX
Setting 99
02-N-2-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.456G | 58.51 | 74.00 | -15.49 | 8.54 | 3 | Horizontal | 254 | 1.80 | - |
| AV | 5.459G | 46.62 | 54.00 | -7.38 | 8.55 | 3 | Horizontal | 254 | 1.80 | - |
| PK | 5.469G | 59.82 | 68.20 | -8.38 | 8.56 | 3 | Horizontal | 254 | 1.80 | - |
| AV | 5.46G | 46.28 | 54.00 | -7.72 | 8.55 | 3 | Horizontal | 254 | 1.80 | - |
| PK | 5.674G | 118.07 | Inf | -Inf | 8.73 | 3 | Horizontal | 254 | 1.80 | - |
| AV | 5.676G | 105.11 | Inf | -Inf | 8.75 | 3 | Horizontal | 254 | 1.80 | - |
| PK | 5.851G | 65.79 | 68.20 | -2.41 | 8.86 | 3 | Horizontal | 254 | 1.80 | - |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5690MHz_TX




EUT_Y_4TX
Setting 99
02-N-2
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 11.3996G | 54.40 | 74.00 | -19.60 | 14.81 | 3 | Vertical | 360 | 2.45 | - |
| AV | 11.3864G | 40.25 | 54.00 | -13.75 | 14.79 | 3 | Vertical | 360 | 2.45 | - |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

27/05/2019

5690MHz_TX




EUT_Y_4TX
Setting 99
02-N-2
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 11.3962G | 56.56 | 74.00 | -17.44 | 14.81 | 3 | Horizontal | 25 | 2.19 | - |
| AV | 11.3718G | 42.98 | 54.00 | -11.02 | 14.78 | 3 | Horizontal | 25 | 2.19 | - |

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

27/05/2019

5250MHz_TX




EUT_Y_4TX
Setting 70
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.127G | 73.92 | 74.00 | -0.08 | 8.00 | 3 | Vertical | 312 | 2.17 | - |
| AV | 5.137G | 53.98 | 54.00 | -0.02 | 8.02 | 3 | Vertical | 312 | 2.17 | - |
| PK | 5.251G | 112.64 | Inf | -Inf | 8.24 | 3 | Vertical | 312 | 2.17 | - |
| AV | 5.252G | 100.74 | Inf | -Inf | 8.24 | 3 | Vertical | 312 | 2.17 | - |
| PK | 5.352G | 69.39 | 74.00 | -4.61 | 8.38 | 3 | Vertical | 312 | 2.17 | - |
| AV | 5.351G | 51.56 | 54.00 | -2.44 | 8.38 | 3 | Vertical | 312 | 2.17 | - |
| PK | 5.464G | 57.43 | 68.20 | -10.77 | 8.55 | 3 | Vertical | 312 | 2.17 | - |

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

27/05/2019

5250MHz_TX




EUT_Y_4TX
Setting 70
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.139G | 72.30 | 74.00 | -1.70 | 8.03 | 3 | Horizontal | 237 | 2.33 | - |
| AV | 5.139G | 53.60 | 54.00 | -0.40 | 8.03 | 3 | Horizontal | 237 | 2.33 | - |
| PK | 5.23G | 109.16 | Inf | -Inf | 8.21 | 3 | Horizontal | 237 | 2.33 | - |
| AV | 5.236G | 95.91 | Inf | -Inf | 8.21 | 3 | Horizontal | 237 | 2.33 | - |
| PK | 5.35G | 65.26 | 74.00 | -8.74 | 8.38 | 3 | Horizontal | 237 | 2.33 | - |
| AV | 5.356G | 49.85 | 54.00 | -4.15 | 8.38 | 3 | Horizontal | 237 | 2.33 | - |
| PK | 5.473G | 57.88 | 68.20 | -10.32 | 8.56 | 3 | Horizontal | 237 | 2.33 | - |

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

27/05/2019

5250MHz_TX




EUT Y_4TX
Setting 70
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 15.7396G | 54.86 | 74.00 | -19.14 | 15.62 | 3 | Vertical | 343 | 2.21 | - |
| AV | 15.7156G | 40.91 | 54.00 | -13.09 | 15.69 | 3 | Vertical | 343 | 2.21 | - |

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

27/05/2019

5250MHz_TX




EUT Y_4TX
Setting 70
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 15.7418G | 54.57 | 74.00 | -19.43 | 15.61 | 3 | Horizontal | 216 | 1.03 | - |
| AV | 15.7226G | 40.79 | 54.00 | -13.21 | 15.67 | 3 | Horizontal | 216 | 1.03 | - |

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

27/05/2019

5570MHz_TX




EUT Y_4TX
Setting 70
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 5.444G | 65.67 | 74.00 | -8.33 | 8.52 | 3 | Vertical | 197 | 1.41 | - |
| AV | 5.456G | 51.05 | 54.00 | -2.95 | 8.54 | 3 | Vertical | 197 | 1.41 | - |
| PK | 5.461G | 68.15 | 68.20 | -0.05 | 8.55 | 3 | Vertical | 197 | 1.41 | - |
| PK | 5.583G | 109.50 | Inf | -Inf | 8.64 | 3 | Vertical | 197 | 1.41 | - |
| AV | 5.583G | 97.24 | Inf | -Inf | 8.64 | 3 | Vertical | 197 | 1.41 | - |
| PK | 5.728G | 68.03 | 68.20 | -0.17 | 8.81 | 3 | Vertical | 197 | 1.41 | - |

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

27/05/2019

5570MHz_TX




EUT_Y_4TX
Setting 70
02-W-3-10
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.442G | 65.85 | 74.00 | -8.15 | 8.51 | 3 | Horizontal | 193 | 1.38 | - |
| PK | 5.461G | 68.07 | 68.20 | -0.13 | 8.55 | 3 | Horizontal | 193 | 1.38 | - |
| AV | 5.46G | 51.65 | 54.00 | -2.35 | 8.55 | 3 | Horizontal | 193 | 1.38 | - |
| PK | 5.578G | 108.80 | Inf | -Inf | 8.64 | 3 | Horizontal | 193 | 1.38 | - |
| AV | 5.58G | 96.28 | Inf | -Inf | 8.64 | 3 | Horizontal | 193 | 1.38 | - |
| PK | 5.777G | 65.51 | 68.20 | -2.69 | 8.86 | 3 | Horizontal | 193 | 1.38 | - |

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

27/05/2019

5570MHz_TX




EUT Y_4TX
Setting 70
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 11.09404G | 53.76 | 74.00 | -20.24 | 14.39 | 3 | Vertical | 294 | 1.80 | - |
| AV | 11.09364G | 40.68 | 54.00 | -13.32 | 14.39 | 3 | Vertical | 294 | 1.80 | - |

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

27/05/2019

5570MHz_TX



EUT_Y_4TX
Setting 70
02-W-3
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 11.0936G | 54.86 | 74.00 | -19.14 | 14.39 | 3 | Horizontal | 211 | 2.21 | - |
| AV | 11.0936G | 44.17 | 54.00 | -9.83 | 14.39 | 3 | Horizontal | 211 | 2.21 | - |