


802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TX




20170722
 EUT X_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.7209G	44.59	54.00	-9.41	13.58	3	V	310	2.53	-
PK	15.72768G	58.95	74.00	-15.05	13.57	3	V	310	2.53	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TX




20170722
EUT X_1TX
Setting 80
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.73182G	43.78	54.00	-10.22	13.56	3	H	80	1.50	-
PK	15.72378G	57.93	74.00	-16.07	13.57	3	H	80	1.50	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5260MHz_TX




20170705
EUT X_1TX
Setting 80
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.0672G	46.57	54.00	-7.43	5.26	3	V	11	1.62	-
AV	5.2584G	103.07	Inf	-Inf	5.66	3	V	11	1.62	-
AV	5.3504G	48.48	54.00	-5.52	5.83	3	V	11	1.62	-
PK	5.1472G	59.01	74.00	-14.99	5.44	3	V	11	1.62	-
PK	5.2592G	112.90	Inf	-Inf	5.66	3	V	11	1.62	-
PK	5.3512G	64.57	74.00	-9.43	5.83	3	V	11	1.62	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5260MHz_TX




20170722
 EUT_X_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.78066G	45.51	54.00	-8.49	13.50	3	V	31	1.93	-
PK	15.77352G	59.69	74.00	-14.31	13.51	3	V	31	1.93	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5260MHz_TX




20170722
 EUT X_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.78576G	44.04	54.00	-9.96	13.50	3	H	358	1.89	-
PK	15.7872G	58.26	74.00	-15.74	13.49	3	H	358	1.89	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TX




20170705
 EUT X_1TX
 Setting 80
 03-M-01-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3012G	100.04	Inf	-Inf	5.74	3	V	0	2.99	-
AV	5.350005G	50.35	54.00	-3.65	5.83	3	V	0	2.99	-
PK	5.3006G	110.00	Inf	-Inf	5.74	3	V	0	2.99	-
PK	5.3504G	63.07	74.00	-10.93	5.83	3	V	0	2.99	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TX




20170722
EUT X_1TX
Setting 80
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.89778G	45.56	54.00	-8.44	13.36	3	V	360	1.02	-
PK	15.89418G	59.37	74.00	-14.63	13.36	3	V	360	1.02	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TX




20170722
 EUT X_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.89736G	45.12	54.00	-8.88	13.36	3	H	323	1.45	-
PK	15.90354G	59.09	74.00	-14.91	13.35	3	H	323	1.45	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TX




20170705
EUT_X_1TX
Setting 70
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3206G	99.02	Inf	-Inf	5.78	3	V	20	1.76	-
AV	5.350005G	52.91	54.00	-1.09	5.83	3	V	20	1.76	-
PK	5.32G	109.07	Inf	-Inf	5.77	3	V	20	1.76	-
PK	5.350005G	69.29	74.00	-4.71	5.83	3	V	20	1.76	-
PK	5.4676G	59.15	68.20	-9.05	6.08	3	V	20	1.76	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TX




20170722
 EUT X_1TX
 Setting 70
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.9579G	45.33	54.00	-8.67	13.28	3	V	173	1.31	-
PK	15.9567G	58.94	74.00	-15.06	13.28	3	V	173	1.31	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TX




20170722
 EUT X_1TX
 Setting 70
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.9525G	45.30	54.00	-8.70	13.29	3	H	48	1.87	-
PK	15.9573G	59.59	74.00	-14.41	13.28	3	H	48	1.87	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TX




20170705
EUT_X_1TX
Setting 71
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	49.46	54.00	-4.54	6.06	3	V	30	1.73	-
AV	5.4694G	52.53	54.00	-1.47	6.08	3	V	30	1.73	-
AV	5.5006G	99.16	Inf	-Inf	6.16	3	V	30	1.73	-
PK	5.459995G	64.63	74.00	-9.37	6.06	3	V	30	1.73	-
PK	5.4688G	69.98	74.00	-4.02	6.08	3	V	30	1.73	-
PK	5.5024G	109.46	Inf	-Inf	6.16	3	V	30	1.73	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TX




20170722
 EUT X_1TX
 Setting 71
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.01344G	38.45	54.00	-15.55	11.81	3	V	307	2.32	-
PK	10.99304G	52.18	74.00	-21.82	11.79	3	V	307	2.32	-
PK	16.49988G	63.28	68.20	-4.92	15.38	3	V	343	1.39	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TX




20170722
 EUT X_1TX
 Setting 71
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0105G	38.57	54.00	-15.43	11.81	3	H	130	1.06	-
PK	11.0075G	52.77	74.00	-21.23	11.80	3	H	130	1.06	-
PK	16.50222G	63.00	68.20	-5.20	15.39	3	H	348	1.14	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TX




20170705
EUT_X_1TX
Setting 58
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4296G	45.96	54.00	-8.04	5.98	3	V	11	2.60	-
AV	5.4672G	45.97	54.00	-8.03	6.08	3	V	11	2.60	-
AV	5.5792G	88.15	Inf	-Inf	6.22	3	V	11	2.60	-
AV	5.7448G	45.34	54.00	-8.66	6.25	3	V	11	2.60	-
PK	5.4512G	59.39	74.00	-14.61	6.04	3	V	11	2.60	-
PK	5.4664G	58.66	74.00	-15.34	6.08	3	V	11	2.60	-
PK	5.58G	98.40	Inf	-Inf	6.22	3	V	11	2.60	-
PK	5.7432G	59.19	74.00	-14.81	6.25	3	V	11	2.60	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TX




20170722
 EUT X_1TX
 Setting 58
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16324G	38.85	54.00	-15.15	11.88	3	V	274	1.04	-
PK	11.1726G	52.00	74.00	-22.00	11.88	3	V	274	1.04	-
PK	16.74252G	65.16	68.20	-3.04	16.42	3	V	19	1.82	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TX




20170722
EUT X_1TX
Setting 58
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16876G	38.95	54.00	-15.05	11.88	3	H	94	1.46	-
PK	11.1705G	52.19	74.00	-21.81	11.88	3	H	94	1.46	-
PK	16.72788G	61.09	68.20	-7.11	16.36	3	H	320	1.81	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TX




20170705
 EUT X_1TX
 Setting 77
 03-M-01-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6994G	100.84	Inf	-Inf	6.25	3	V	19	2.99	-
AV	5.7252G	52.98	54.00	-1.02	6.25	3	V	19	2.99	-
PK	5.6988G	109.96	Inf	-Inf	6.25	3	V	19	2.99	-
PK	5.727G	67.31	74.00	-6.69	6.25	3	V	19	2.99	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TX




20170722
 EUT X_1TX
 Setting 77
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.394G	39.00	54.00	-15.00	11.99	3	V	85	2.04	-
PK	11.39082G	52.80	74.00	-21.20	11.99	3	V	85	2.04	-
PK	17.10984G	63.16	68.20	-5.04	17.73	3	V	231	1.50	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TX




20170722
 EUT X_1TX
 Setting 77
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.39388G	38.70	54.00	-15.30	11.99	3	H	126	1.93	-
PK	11.39574G	52.86	74.00	-21.14	11.99	3	H	126	1.93	-
PK	17.11044G	63.09	68.20	-5.11	17.73	3	H	188	2.07	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




20170705
 EUT X_1TX
 Setting 80
 03-M-01-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.721G	103.85	Inf	-Inf	6.25	3	V	0	2.35	-
AV	5.869G	47.72	54.00	-6.28	6.22	3	V	0	2.35	-
PK	5.721G	113.83	Inf	-Inf	6.25	3	V	0	2.35	-
PK	5.872G	59.89	74.00	-14.11	6.21	3	V	0	2.35	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




20170722
 EUT X_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.44084G	39.02	54.00	-14.98	12.02	3	V	208	1.58	-
PK	11.45152G	53.12	74.00	-20.88	12.02	3	V	208	1.58	-
PK	17.16276G	65.16	68.20	-3.04	17.83	3	V	18	1.45	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




20170722
EUT X_1TX
Setting 80
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.44324G	40.28	54.00	-13.72	13.37	3	H	5	1.04	-
PK	11.44096G	54.20	74.00	-19.80	13.37	3	H	5	1.04	-
PK	17.1573G	65.02	68.20	-3.18	19.57	3	H	125	1.91	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TX




20170705
 EUT X_1TX
 Setting 80
 03-M-01-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7436G	104.67	Inf	-Inf	6.25	3	V	17	2.86	-
PK	5.6484G	61.79	68.20	-6.41	6.24	3	V	17	2.86	-
PK	5.7422G	114.51	Inf	-Inf	6.25	3	V	17	2.86	-
PK	5.9312G	58.60	68.20	-9.60	6.18	3	V	17	2.86	-
PK	5.437G	59.43	74.00	-14.57	6.00	3	V	17	2.86	-
AV	5.4412G	46.50	54.00	-7.50	6.01	3	V	17	2.86	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TX




20170722
 EUT X_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.50182G	39.04	54.00	-14.96	12.05	3	V	116	1.53	-
PK	11.50494G	52.78	74.00	-21.22	12.05	3	V	116	1.53	-
PK	17.22906G	64.13	68.20	-4.07	17.95	3	V	310	1.01	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TX




20170722
 EUT X_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5044G	39.13	54.00	-14.87	12.05	3	H	217	1.91	-
PK	11.49114G	53.14	74.00	-20.86	12.04	3	H	217	1.91	-
PK	17.23314G	63.86	68.20	-4.34	17.96	3	H	221	2.42	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TX




20170705
EUT_X_1TX
Setting 80
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7864G	105.90	Inf	-Inf	6.25	3	V	13	2.79	-
PK	5.5624G	60.07	68.20	-8.13	6.21	3	V	13	2.79	-
PK	5.7864G	115.37	Inf	-Inf	6.25	3	V	13	2.79	-
PK	5.9376G	59.83	68.20	-8.37	6.18	3	V	13	2.79	-
PK	5.4406G	59.19	74.00	-14.81	6.01	3	V	13	2.79	-
AV	5.4462G	46.74	54.00	-7.26	6.03	3	V	13	2.79	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TX




20170722
 EUT X_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57156G	39.76	54.00	-14.24	12.08	3	V	301	1.87	-
PK	11.55692G	52.74	74.00	-21.26	12.07	3	V	301	1.87	-
PK	17.36574G	62.44	68.20	-5.76	18.20	3	V	71	2.04	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TX




20170722
 EUT X_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55758G	39.68	54.00	-14.32	12.07	3	H	97	1.44	-
PK	11.58128G	52.59	74.00	-21.41	12.08	3	H	97	1.44	-
PK	17.34738G	62.09	68.20	-6.11	18.17	3	H	169	1.93	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TX




20170705
EUT X_1TX
Setting 80
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.8264G	105.35	Inf	-Inf	6.24	3	V	19	2.78	-
PK	5.5926G	59.50	68.20	-8.70	6.23	3	V	19	2.78	-
PK	5.8236G	114.61	Inf	-Inf	6.24	3	V	19	2.78	-
PK	5.9426G	59.99	68.20	-8.21	6.18	3	V	19	2.78	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TX




20170722
EUT X_1TX
Setting 80
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.6503G	39.65	54.00	-14.35	12.12	3	V	351	1.23	-
PK	11.64748G	52.39	74.00	-21.61	12.12	3	V	351	1.23	-
PK	17.46606G	62.26	68.20	-5.94	18.39	3	V	231	2.42	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TX




20170722
 EUT X_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.66368G	39.59	54.00	-14.41	12.13	3	H	28	1.42	-
PK	11.65108G	53.11	74.00	-20.89	12.12	3	H	28	1.42	-
PK	17.46078G	62.23	68.20	-5.97	18.38	3	H	215	2.11	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TX




20170705
EUT_X_1TX
Setting 58
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	52.68	54.00	-1.32	5.44	3	V	6	1.65	-
AV	5.1918G	92.07	Inf	-Inf	5.53	3	V	6	1.65	-
PK	5.149995G	70.84	74.00	-3.16	5.44	3	V	6	1.65	-
PK	5.1936G	101.33	Inf	-Inf	5.54	3	V	6	1.65	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TX




20170722
 EUT_X_1TX
 Setting 58
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.56874G	46.48	54.00	-7.52	13.76	3	V	202	1.38	-
PK	15.56886G	59.07	74.00	-14.93	13.76	3	V	202	1.38	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TX




20170722
EUT_X_1TX
Setting 58
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.56226G	46.25	54.00	-7.75	13.77	3	H	266	2.32	-
PK	15.5595G	58.99	74.00	-15.01	13.78	3	H	266	2.32	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TX




20170705
EUT_X_1TX
Setting 80
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	50.38	54.00	-3.62	5.44	3	V	314	1.50	-
AV	5.2316G	96.03	Inf	-Inf	5.61	3	V	314	1.50	-
AV	5.4116G	47.12	54.00	-6.88	5.94	3	V	314	1.50	-
PK	5.1492G	61.62	74.00	-12.38	5.44	3	V	314	1.50	-
PK	5.2316G	104.92	Inf	-Inf	5.61	3	V	314	1.50	-
PK	5.4212G	58.60	74.00	-15.40	5.96	3	V	314	1.50	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TX




20170722
 EUT X_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.69486G	45.19	54.00	-8.81	13.61	3	V	46	1.94	-
PK	15.70368G	57.78	74.00	-16.22	13.60	3	V	46	1.94	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TX




20170722
 EUT X_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.67854G	45.40	54.00	-8.60	13.63	3	H	19	2.40	-
PK	15.68016G	58.02	74.00	-15.98	13.63	3	H	19	2.40	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TX




20170705
EUT X_1TX
Setting 74
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	47.25	54.00	-6.75	5.44	3	V	12	1.72	-
AV	5.2708G	96.72	Inf	-Inf	5.68	3	V	12	1.72	-
AV	5.3508G	52.67	54.00	-1.33	5.83	3	V	12	1.72	-
PK	5.149995G	59.78	74.00	-14.22	5.44	3	V	12	1.72	-
PK	5.2716G	105.91	Inf	-Inf	5.69	3	V	12	1.72	-
PK	5.4676G	58.91	68.20	-9.29	6.08	3	V	12	1.72	-
PK	5.3604G	64.60	74.00	-9.40	5.84	3	V	12	1.72	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TX




20170722
 EUT_X_1TX
 Setting 74
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.82488G	45.74	54.00	-8.26	13.45	3	V	74	1.19	-
PK	15.82362G	58.47	74.00	-15.53	13.45	3	V	74	1.19	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TX




20170722
EUT X_1TX
Setting 74
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.82452G	45.87	54.00	-8.13	13.45	3	H	311	1.32	-
PK	15.82134G	58.37	74.00	-15.63	13.45	3	H	311	1.32	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TX




20170705
EUT X_1TX
Setting 60
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.313G	93.83	Inf	-Inf	5.76	3	V	16	1.74	-
AV	5.3502G	52.43	54.00	-1.57	5.83	3	V	16	1.74	-
PK	5.313G	102.95	Inf	-Inf	5.76	3	V	16	1.74	-
PK	5.3514G	67.00	74.00	-7.00	5.83	3	V	16	1.74	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TX




20170722
 EUT X_1TX
 Setting 60
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.93768G	46.58	54.00	-7.42	13.31	3	V	74	2.44	-
PK	15.9288G	58.95	74.00	-15.05	13.32	3	V	74	2.44	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TX




20170722
EUT X_1TX
Setting 60
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.9315G	46.35	54.00	-7.65	13.31	3	H	71	2.02	-
PK	15.94134G	59.17	74.00	-14.83	13.30	3	H	71	2.02	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TX




20170705
 EUT_X_1TX
 Setting 66
 03-M-01-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	49.93	54.00	-4.07	6.06	3	V	14	2.91	-
AV	5.4686G	52.97	54.00	-1.03	6.08	3	V	14	2.91	-
AV	5.513G	96.79	Inf	-Inf	6.17	3	V	14	2.91	-
PK	5.459995G	65.57	74.00	-8.43	6.06	3	V	14	2.91	-
PK	5.4698G	67.88	74.00	-6.12	6.08	3	V	14	2.91	-
PK	5.5136G	105.83	Inf	-Inf	6.17	3	V	14	2.91	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TX




20170722
 EUT X_1TX
 Setting 66
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.00782G	39.57	54.00	-14.43	11.80	3	V	72	1.50	-
PK	11.03284G	51.74	74.00	-22.26	11.82	3	V	72	1.50	-
PK	16.52016G	65.01	68.20	-3.19	15.47	3	V	12	1.47	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TX




20170722
 EUT X_1TX
 Setting 66
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.03344G	39.60	54.00	-14.40	11.82	3	H	168	2.36	-
PK	11.01586G	51.92	74.00	-22.08	11.81	3	H	168	2.36	-
PK	16.51986G	64.21	68.20	-3.99	15.47	3	H	311	1.69	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TX




20170722
 EUT_X_1TX
 Setting 71
 01-J-5-10
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	46.19	54.00	-7.81	4.92	3	V	293	2.66	-
AV	5.4684G	46.10	54.00	-7.90	4.95	3	V	293	2.66	-
AV	5.5516G	86.73	Inf	-Inf	5.21	3	V	293	2.66	-
AV	5.7284G	46.04	54.00	-7.96	5.76	3	V	293	2.66	-
PK	5.4228G	58.36	74.00	-15.64	4.83	3	V	293	2.66	-
PK	5.466G	58.21	74.00	-15.79	4.94	3	V	293	2.66	-
PK	5.5524G	95.56	Inf	-Inf	5.21	3	V	293	2.66	-
PK	5.746G	58.23	74.00	-15.77	5.81	3	V	293	2.66	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TX




20170722
 EUT X_1TX
 Setting 71
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0994G	39.61	54.00	-14.39	11.85	3	V	61	1.14	-
PK	11.11092G	51.77	74.00	-22.23	11.85	3	V	61	1.14	-
PK	16.65984G	65.12	68.20	-3.08	16.07	3	V	79	2.30	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TX




20170722
 EUT X_1TX
 Setting 71
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.11356G	39.47	54.00	-14.53	11.86	3	H	297	2.45	-
PK	11.08842G	51.61	74.00	-22.39	11.84	3	H	297	2.45	-
PK	16.65756G	60.29	68.20	-7.91	16.06	3	H	38	1.03	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TX




20170705
 EUT X_1TX
 Setting 80
 03-M-01-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.673G	98.34	Inf	-Inf	6.25	3	V	11	2.73	-
AV	5.7264G	49.44	54.00	-4.56	6.25	3	V	11	2.73	-
PK	5.6712G	107.45	Inf	-Inf	6.25	3	V	11	2.73	-
PK	5.7276G	71.00	74.00	-3.00	6.25	3	V	11	2.73	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TX




20170722
 EUT X_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3511G	40.14	54.00	-13.86	11.97	3	V	170	2.27	-
PK	11.3259G	52.15	74.00	-21.85	11.96	3	V	170	2.27	-
PK	16.9998G	65.19	68.20	-3.01	17.53	3	V	32	1.08	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TX




20170722
 EUT X_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.35092G	40.21	54.00	-13.79	11.97	3	H	307	1.61	-
PK	11.32938G	52.42	74.00	-21.58	11.96	3	H	307	1.61	-
PK	16.99854G	62.06	68.20	-6.14	17.52	3	H	169	2.21	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




20170705
EUT X_1TX
Setting 80
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.448G	47.53	54.00	-6.47	6.03	3	V	49	1.72	-
AV	5.712G	102.37	Inf	-Inf	6.25	3	V	49	1.72	-
PK	5.41G	59.46	74.00	-14.54	5.94	3	V	49	1.72	-
PK	5.464G	59.00	68.20	-9.20	6.07	3	V	49	1.72	-
PK	5.712G	112.01	Inf	-Inf	6.25	3	V	49	1.72	-
PK	5.93G	59.10	68.20	-9.10	6.19	3	V	49	1.72	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




20170722
 EUT X_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.43452G	40.19	54.00	-13.81	12.01	3	V	228	1.00	-
PK	11.40758G	52.44	74.00	-21.56	12.00	3	V	228	1.00	-
PK	17.1198G	65.17	68.20	-3.03	17.75	3	V	40	1.84	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




20170722
EUT X_1TX
Setting 80
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.41448G	40.40	54.00	-13.60	12.00	3	H	51	1.81	-
PK	11.4347G	52.64	74.00	-21.36	12.01	3	H	51	1.81	-
PK	17.12622G	63.37	68.20	-4.83	17.76	3	H	19	1.08	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TX




20170705
EUT X_1TX
Setting 80
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7578G	101.73	Inf	-Inf	6.25	3	V	9	2.52	-
PK	5.6472G	65.43	68.20	-2.77	6.24	3	V	9	2.52	-
PK	5.7578G	111.35	Inf	-Inf	6.25	3	V	9	2.52	-
PK	5.93G	59.35	68.20	-8.85	6.19	3	V	9	2.52	-
PK	5.4246G	58.47	74.00	-15.53	5.97	3	V	9	2.52	-
AV	5.454G	47.05	54.00	-6.95	6.05	3	V	9	2.52	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TX




20170722
EUT X_1TX
Setting 80
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.50964G	40.60	54.00	-13.40	12.05	3	V	298	2.17	-
PK	11.52158G	53.13	74.00	-20.87	12.06	3	V	298	2.17	-
PK	17.25456G	62.83	68.20	-5.37	18.00	3	V	1	2.34	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TX




20170722
 EUT X_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.52308G	40.33	54.00	-13.67	12.06	3	H	291	1.06	-
PK	11.51492G	52.20	74.00	-21.80	12.05	3	H	291	1.06	-
PK	17.26392G	62.67	68.20	-5.53	18.02	3	H	330	1.42	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TX




20170705
EUT_X_1TX
Setting 80
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7978G	102.37	Inf	-Inf	6.25	3	V	21	2.83	-
PK	5.6522G	65.24	69.83	-4.59	6.25	3	V	21	2.83	-
PK	5.7978G	111.91	Inf	-Inf	6.25	3	V	21	2.83	-
PK	5.928G	63.51	68.20	-4.69	6.19	3	V	21	2.83	-
PK	5.4548G	59.39	74.00	-14.61	6.05	3	V	21	2.83	-
AV	5.4492G	47.08	54.00	-6.92	6.03	3	V	21	2.83	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TX




20170722
 EUT X_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57758G	40.15	54.00	-13.85	12.08	3	V	111	2.28	-
PK	11.58364G	53.57	74.00	-20.43	12.09	3	V	111	2.28	-
PK	17.3901G	62.16	68.20	-6.04	18.25	3	V	311	1.13	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TX




20170722
 EUT X_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.58328G	40.21	54.00	-13.79	12.09	3	H	151	1.95	-
PK	11.58274G	52.42	74.00	-21.58	12.09	3	H	151	1.95	-
PK	17.38452G	61.94	68.20	-6.26	18.24	3	H	325	1.58	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TX




20170705
EUT_X_1TX
Setting 63
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	52.80	54.00	-1.20	5.44	3	V	11	1.64	-
AV	5.214G	90.43	Inf	-Inf	5.58	3	V	11	1.64	-
AV	5.356G	47.53	54.00	-6.47	5.84	3	V	11	1.64	-
PK	5.148G	64.58	74.00	-9.42	5.44	3	V	11	1.64	-
PK	5.214G	100.01	Inf	-Inf	5.58	3	V	11	1.64	-
PK	5.361G	59.18	74.00	-14.82	5.84	3	V	11	1.64	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TX




20170722
EUT X_1TX
Setting 63
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.62538G	45.64	54.00	-8.36	13.69	3	V	142	1.47	-
PK	15.62376G	58.85	74.00	-15.15	13.70	3	V	142	1.47	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TX




20170722
EUT X_1TX
Setting 63
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.62982G	45.59	54.00	-8.41	13.69	3	H	167	1.32	-
PK	15.64326G	58.88	74.00	-15.12	13.67	3	H	167	1.32	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TX




20170705
EUT_X_1TX
Setting 58
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.069G	46.60	54.00	-7.40	5.26	3	V	17	1.68	-
AV	5.287G	89.50	Inf	-Inf	5.72	3	V	17	1.68	-
AV	5.352G	52.64	54.00	-1.36	5.83	3	V	17	1.68	-
PK	5.146G	58.11	74.00	-15.89	5.44	3	V	17	1.68	-
PK	5.301G	98.79	Inf	-Inf	5.74	3	V	17	1.68	-
PK	5.350005G	67.62	74.00	-6.38	5.83	3	V	17	1.68	-
PK	5.471G	58.70	68.20	-9.50	6.09	3	V	17	1.68	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TX




20170722
EUT_X_1TX
Setting 58
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.88326G	46.34	54.00	-7.66	13.37	3	V	90	1.54	-
PK	15.87372G	59.07	74.00	-14.93	13.39	3	V	90	1.54	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TX




20170722
 EUT_X_1TX
 Setting 58
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.87396G	46.34	54.00	-7.66	13.39	3	H	349	2.18	-
PK	15.87288G	59.16	74.00	-14.84	13.39	3	H	349	2.18	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TX




20170705
 EUT_X_1TX
 Setting 63
 03-M-01-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.457G	52.13	54.00	-1.87	6.05	3	V	18	2.99	-
AV	5.524G	93.07	Inf	-Inf	6.18	3	V	18	2.99	-
PK	5.457G	66.27	74.00	-7.73	6.05	3	V	18	2.99	-
PK	5.461G	66.96	68.20	-1.24	6.06	3	V	18	2.99	-
PK	5.528G	102.98	Inf	-Inf	6.18	3	V	18	2.99	-
PK	5.764G	59.69	68.20	-8.51	6.25	3	V	18	2.99	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TX




20170722
EUT X_1TX
Setting 63
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.05022G	39.91	54.00	-14.09	11.82	3	V	75	2.38	-
PK	11.05154G	52.11	74.00	-21.89	11.83	3	V	75	2.38	-
PK	16.57728G	61.55	68.20	-6.65	15.71	3	V	167	1.17	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TX




20170722
 EUT X_1TX
 Setting 63
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.04536G	39.84	54.00	-14.16	11.82	3	H	340	2.08	-
PK	11.06942G	52.84	74.00	-21.16	11.83	3	H	340	2.08	-
PK	16.5957G	61.48	68.20	-6.72	15.79	3	H	130	2.38	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TX




20170705
EUT X_1TX
Setting 80
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4672G	50.87	54.00	-3.13	6.08	3	V	46	1.83	-
AV	5.6124G	96.55	Inf	-Inf	6.24	3	V	46	1.83	-
AV	5.7264G	49.58	54.00	-4.42	6.25	3	V	46	1.83	-
PK	5.3388G	58.25	68.20	-9.95	5.81	3	V	46	1.83	-
PK	5.4696G	62.37	74.00	-11.63	6.08	3	V	46	1.83	-
PK	5.6136G	106.87	Inf	-Inf	6.24	3	V	46	1.83	-
PK	5.7312G	61.84	74.00	-12.16	6.25	3	V	46	1.83	-
PK	5.4492G	61.69	74.00	-12.31	6.03	3	V	46	1.83	-
AV	5.46G	50.01	54.00	-3.99	6.06	3	V	46	1.83	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TX




20170722
EUT X_1TX
Setting 80
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.20872G	40.25	54.00	-13.75	11.90	3	V	348	2.20	-
PK	11.23314G	52.70	74.00	-21.30	11.91	3	V	348	2.20	-
PK	16.81782G	62.51	68.20	-5.69	16.75	3	V	87	1.12	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TX




20170722
EUT X_1TX
Setting 80
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22612G	39.82	54.00	-14.18	11.91	3	H	4	1.90	-
PK	11.23494G	52.51	74.00	-21.49	11.92	3	H	4	1.90	-
PK	16.82448G	60.92	68.20	-7.28	16.78	3	H	211	1.17	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




20170705
EUT_X_1TX
Setting 80
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	52.62	54.00	-1.38	6.06	3	V	44	1.73	-
AV	5.688G	99.39	Inf	-Inf	6.25	3	V	44	1.73	-
PK	5.458G	65.88	74.00	-8.12	6.05	3	V	184	2.10	-
PK	5.46G	67.14	74.00	-6.86	6.06	3	V	44	1.73	-
PK	5.460005G	67.14	68.20	-1.06	6.06	3	V	44	1.73	-
PK	5.688G	108.77	Inf	-Inf	6.25	3	V	44	1.73	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




20170722
 EUT X_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3884G	39.81	54.00	-14.19	11.99	3	V	188	1.86	-
PK	11.36794G	52.11	74.00	-21.89	11.98	3	V	188	1.86	-
PK	17.05752G	63.24	68.20	-4.96	17.64	3	V	140	1.96	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




20170722
 EUT X_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.37718G	39.71	54.00	-14.29	11.98	3	H	113	1.50	-
PK	11.38444G	52.70	74.00	-21.30	11.99	3	H	113	1.50	-
PK	17.06886G	62.34	68.20	-5.86	17.66	3	H	106	1.12	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TX




20170705
EUT X_1TX
Setting 80
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7736G	96.50	Inf	-Inf	6.25	3	V	15	2.73	-
PK	5.6476G	65.38	68.20	-2.82	6.24	3	V	15	2.73	-
PK	5.7722G	105.79	Inf	-Inf	6.25	3	V	15	2.73	-
PK	5.9318G	62.22	68.20	-5.98	6.18	3	V	15	2.73	-
PK	5.4348G	58.15	74.00	-15.85	6.00	3	V	15	2.73	-
AV	5.4586G	47.19	54.00	-6.81	6.06	3	V	15	2.73	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TX




20170722
 EUT X_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.53824G	40.36	54.00	-13.64	12.06	3	V	306	1.81	-
PK	11.53542G	52.77	74.00	-21.23	12.06	3	V	306	1.81	-
PK	17.31924G	63.05	68.20	-5.15	18.12	3	V	172	2.12	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TX



20170722
 EUT X_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.53548G	40.03	54.00	-13.97	12.06	3	H	79	1.28	-
PK	11.55126G	52.26	74.00	-21.74	12.07	3	H	79	1.28	-
PK	17.32416G	62.83	68.20	-5.37	18.13	3	H	236	2.27	-




For Radio 2:
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-
5.47-5.725GHz	Pass	AV	5.469G	53.00	54.00	-1.00	6.08	3	V	9	2.06	-

802.11a_(6Mbps)_1TX

5180MHz_TX




20170705
 EUT Y_1TX
 Setting 64
 03-M-01-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	52.77	54.00	-1.23	5.44	3	V	360	2.05	-
AV	5.1812G	99.68	Inf	-Inf	5.51	3	V	360	2.05	-
PK	5.149995G	71.61	74.00	-2.39	5.44	3	V	360	2.05	-
PK	5.18G	110.58	Inf	-Inf	5.51	3	V	360	2.05	-

802.11a_(6Mbps)_1TX

5180MHz_TX




20170722
 EUT_Y_1TX
 Setting 64
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.54144G	45.45	54.00	-8.55	13.80	3	V	294	2.05	-
PK	15.528G	59.80	74.00	-14.20	13.82	3	V	294	2.05	-



802.11a_(6Mbps)_1TX

5180MHz_TX




20170722
EUT Y_1TX
Setting 64
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.54768G	44.92	54.00	-9.08	13.79	3	H	15	2.46	-
PK	15.55188G	59.34	74.00	-14.66	13.79	3	H	15	2.46	-

802.11a_(6Mbps)_1TX

5200MHz_TX




20170705
EUT_Y_1TX
Setting 80
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	49.74	54.00	-4.26	5.44	3	V	360	2.16	-
AV	5.1994G	104.07	Inf	-Inf	5.55	3	V	360	2.16	-
AV	5.35G	45.95	Inf	-Inf	5.82	3	V	360	2.16	-
PK	5.1496G	63.59	74.00	-10.41	5.44	3	V	360	2.16	-
PK	5.1982G	113.53	Inf	-Inf	5.55	3	V	360	2.16	-
PK	5.35G	57.20	Inf	-Inf	5.82	3	V	360	2.16	-



802.11a_(6Mbps)_1TX

5200MHz_TX




20170722
 EUT_Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.60168G	45.85	54.00	-8.15	13.72	3	V	305	2.31	-
PK	15.60036G	59.67	74.00	-14.33	13.73	3	V	305	2.31	-

802.11a_(6Mbps)_1TX

5200MHz_TX




20170722
EUT Y_1TX
Setting 80
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.59604G	45.34	54.00	-8.66	13.73	3	H	316	1.24	-
PK	15.60978G	58.25	74.00	-15.75	13.71	3	H	316	1.24	-

802.11a_(6Mbps)_1TX

5240MHz_TX




20170705
EUT_Y_1TX
Setting 80
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.0912G	46.73	54.00	-7.27	5.32	3	V	359	2.03	-
AV	5.2394G	106.00	Inf	-Inf	5.62	3	V	359	2.03	-
AV	5.3876G	47.25	54.00	-6.75	5.89	3	V	359	2.03	-
PK	5.138G	59.87	74.00	-14.13	5.42	3	V	359	2.03	-
PK	5.2412G	115.57	Inf	-Inf	5.63	3	V	359	2.03	-
PK	5.3504G	59.52	74.00	-14.48	5.83	3	V	359	2.03	-

802.11a_(6Mbps)_1TX

5240MHz_TX




20170705
EUT_Y_1TX
Setting 80
03-M-01
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.7202G	48.95	54.00	-5.05	15.72	3	V	258	1.50	-
PK	10.48064G	55.54	68.20	-12.66	12.43	3	V	356	1.10	-
PK	15.7208G	61.93	74.00	-12.07	15.72	3	V	258	1.50	-

802.11a_(6Mbps)_1TX

5240MHz_TX




20170705
 EUT_Y_1TX
 Setting 80
 03-M-01
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.71764G	48.52	54.00	-5.48	15.73	3	H	63	1.60	-
PK	10.48336G	55.30	68.20	-12.90	12.43	3	H	54	1.83	-
PK	15.71512G	61.80	74.00	-12.20	15.74	3	H	63	1.60	-

802.11a_(6Mbps)_1TX

5260MHz_TX




20170705
EUT_Y_1TX
Setting 80
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1112G	46.19	54.00	-7.81	5.36	3	V	138	1.80	-
AV	5.2594G	104.83	Inf	-Inf	5.66	3	V	138	1.80	-
AV	5.3512G	47.76	54.00	-6.24	5.83	3	V	138	1.80	-
PK	5.1364G	58.17	74.00	-15.83	5.42	3	V	138	1.80	-
PK	5.26G	114.33	Inf	-Inf	5.66	3	V	138	1.80	-
PK	5.350005G	60.70	74.00	-13.30	5.83	3	V	138	1.80	-

802.11a_(6Mbps)_1TX

5260MHz_TX




20170722
 EUT_Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.78264G	44.54	54.00	-9.46	13.50	3	V	235	1.47	-
PK	15.78138G	58.71	74.00	-15.29	13.50	3	V	235	1.47	-

802.11a_(6Mbps)_1TX

5260MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.78042G	44.47	54.00	-9.53	13.50	3	H	118	1.37	-
PK	15.77046G	59.29	74.00	-14.71	13.51	3	H	118	1.37	-

802.11a_(6Mbps)_1TX

5300MHz_TX




20170705
EUT_Y_1TX
Setting 80
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.108G	45.67	54.00	-8.33	5.36	3	V	138	1.88	-
AV	5.2992G	101.81	Inf	-Inf	5.74	3	V	138	1.88	-
AV	5.350005G	49.22	54.00	-4.78	5.83	3	V	138	1.88	-
PK	5.1168G	58.38	74.00	-15.62	5.38	3	V	138	1.88	-
PK	5.2984G	111.42	Inf	-Inf	5.74	3	V	138	1.88	-
PK	5.4736G	59.00	68.20	-9.20	6.09	3	V	138	1.88	-
PK	5.3504G	63.02	74.00	-10.98	5.83	3	V	138	1.88	-

802.11a_(6Mbps)_1TX

5300MHz_TX




20170722
 EUT_Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.90042G	47.05	54.00	-6.95	13.35	3	V	26	1.38	-
PK	15.89994G	61.55	74.00	-12.45	13.35	3	V	26	1.38	-

802.11a_(6Mbps)_1TX

5300MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.90336G	45.57	54.00	-8.43	13.35	3	H	37	1.38	-
PK	15.89718G	59.99	74.00	-14.01	13.36	3	H	37	1.38	-

802.11a_(6Mbps)_1TX

5320MHz_TX




20170705
EUT_Y_1TX
Setting 70
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3192G	99.63	Inf	-Inf	5.77	3	V	360	2.06	-
AV	5.3508G	52.41	54.00	-1.59	5.83	3	V	360	2.06	-
PK	5.3188G	109.87	Inf	-Inf	5.77	3	V	360	2.06	-
PK	5.3524G	69.54	74.00	-4.46	5.83	3	V	360	2.06	-

802.11a_(6Mbps)_1TX

5320MHz_TX




20170722
 EUT Y_1TX
 Setting 70
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.96012G	45.95	54.00	-8.05	13.28	3	V	27	1.34	-
PK	15.96294G	59.92	74.00	-14.08	13.28	3	V	27	1.34	-

802.11a_(6Mbps)_1TX

5320MHz_TX




20170722
 EUT Y_1TX
 Setting 70
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.96102G	45.34	54.00	-8.66	13.28	3	H	270	1.02	-
PK	15.97122G	59.61	74.00	-14.39	13.27	3	H	270	1.02	-

802.11a_(6Mbps)_1TX

5500MHz_TX




20170705
EUT Y_1TX
Setting 66
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4596G	49.64	54.00	-4.36	6.06	3	V	4	1.94	-
AV	5.4692G	52.65	54.00	-1.35	6.08	3	V	4	1.94	-
AV	5.4992G	101.06	Inf	-Inf	6.16	3	V	4	1.94	-
PK	5.456G	64.33	74.00	-9.67	6.05	3	V	4	1.94	-
PK	5.4692G	72.80	74.00	-1.20	6.08	3	V	4	1.94	-
PK	5.5G	110.62	Inf	-Inf	6.16	3	V	4	1.94	-



802.11a_(6Mbps)_1TX

5500MHz_TX




20170722
 EUT Y_1TX
 Setting 66
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0078G	38.46	54.00	-15.54	11.80	3	V	35	1.50	-
PK	10.99418G	52.87	74.00	-21.13	11.79	3	V	35	1.50	-

802.11a_(6Mbps)_1TX

5500MHz_TX




20170722
 EUT Y_1TX
 Setting 66
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.00252G	38.19	54.00	-15.81	11.80	3	H	257	1.21	-
PK	10.99736G	52.31	74.00	-21.69	11.80	3	H	257	1.21	-

802.11a_(6Mbps)_1TX

5580MHz_TX




20170705
 EUT_Y_1TX
 Setting 80
 03-M-01-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4296G	48.36	54.00	-5.64	5.98	3	V	53	2.09	-
AV	5.4696G	47.89	54.00	-6.11	6.08	3	V	53	2.09	-
AV	5.5792G	107.82	Inf	-Inf	6.22	3	V	53	2.09	-
AV	5.7312G	48.13	54.00	-5.87	6.25	3	V	53	2.09	-
PK	5.428G	59.99	74.00	-14.01	5.98	3	V	53	2.09	-
PK	5.4688G	61.34	74.00	-12.66	6.08	3	V	53	2.09	-
PK	5.5784G	117.84	Inf	-Inf	6.22	3	V	53	2.09	-
PK	5.732G	59.75	74.00	-14.25	6.25	3	V	53	2.09	-

802.11a_(6Mbps)_1TX

5580MHz_TX




20170722
 EUT_Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.17068G	38.17	54.00	-15.83	11.88	3	V	343	2.43	-
PK	11.15226G	52.64	74.00	-21.36	11.87	3	V	343	2.43	-
PK	16.73028G	60.81	68.20	-7.39	16.37	3	V	265	2.11	-

802.11a_(6Mbps)_1TX

5580MHz_TX




20170722
EUT Y_1TX
Setting 80
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.17332G	38.28	54.00	-15.72	11.88	3	H	124	1.41	-
PK	11.1474G	52.19	74.00	-21.81	11.87	3	H	124	1.41	-
PK	16.7517G	60.93	68.20	-7.27	16.46	3	H	26	1.75	-

802.11a_(6Mbps)_1TX

5700MHz_TX




20170705
EUT Y_1TX
Setting 69
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6994G	101.29	Inf	-Inf	6.25	3	V	60	2.09	-
AV	5.7252G	52.86	54.00	-1.14	6.25	3	V	60	2.09	-
PK	5.7G	110.68	Inf	-Inf	6.25	3	V	60	2.09	-
PK	5.7252G	69.20	74.00	-4.80	6.25	3	V	60	2.09	-

802.11a_(6Mbps)_1TX

5700MHz_TX




20170722
 EUT_Y_1TX
 Setting 69
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40006G	39.02	54.00	-14.98	12.00	3	V	339	1.80	-
PK	11.3859G	52.39	74.00	-21.61	11.99	3	V	339	1.80	-
PK	17.11182G	63.64	68.20	-4.56	17.74	3	V	96	1.19	-

802.11a_(6Mbps)_1TX

5700MHz_TX




20170722
 EUT Y_1TX
 Setting 69
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40792G	39.00	54.00	-15.00	12.00	3	H	303	1.57	-
PK	11.38938G	52.95	74.00	-21.05	11.99	3	H	303	1.57	-
PK	17.1123G	63.11	68.20	-5.09	17.74	3	H	296	1.01	-

802.11a_(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




20170705
 EUT_Y_1TX
 Setting 80
 03-M-01-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	46.77	54.00	-7.23	6.06	3	V	159	1.96	-
AV	5.72G	107.29	Inf	-Inf	6.25	3	V	159	1.96	-
PK	5.45G	58.62	74.00	-15.38	6.03	3	V	159	1.96	-
PK	5.460005G	58.48	68.20	-9.72	6.06	3	V	159	1.96	-
PK	5.724G	116.98	Inf	-Inf	6.25	3	V	159	1.96	-
PK	5.946G	59.20	68.20	-9.00	6.18	3	V	159	1.96	-

802.11a_(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.44666G	38.54	54.00	-15.46	12.02	3	V	331	2.32	-
PK	11.42938G	53.13	74.00	-20.87	12.01	3	V	331	2.32	-
PK	17.16708G	63.88	68.20	-4.32	17.84	3	V	184	2.12	-

802.11a_(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.43784G	38.34	54.00	-15.66	12.01	3	H	130	1.14	-
PK	11.44384G	52.65	74.00	-21.35	12.02	3	H	130	1.14	-
PK	17.14848G	64.04	68.20	-4.16	17.80	3	H	248	1.66	-

802.11a_(6Mbps)_1TX

5745MHz_TX




20170705
EUT_Y_1TX
Setting 80
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7436G	105.57	Inf	-Inf	6.25	3	V	61	1.80	-
PK	5.6414G	63.56	68.20	-4.64	6.24	3	V	61	1.80	-
PK	5.745G	115.48	Inf	-Inf	6.25	3	V	61	1.80	-
PK	5.9746G	59.80	68.20	-8.40	6.16	3	V	61	1.80	-
PK	5.4566G	58.79	74.00	-15.21	6.05	3	V	61	1.80	-
AV	5.4454G	46.56	54.00	-7.44	6.02	3	V	61	1.80	-

802.11a_(6Mbps)_1TX

5745MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.50446G	39.52	54.00	-14.48	12.05	3	V	202	2.03	-
PK	11.49342G	53.05	74.00	-20.95	12.04	3	V	202	2.03	-

802.11a_(6Mbps)_1TX

5745MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49924G	39.61	54.00	-14.39	12.04	3	H	283	1.06	-
PK	11.4972G	52.88	74.00	-21.12	12.04	3	H	283	1.06	-

802.11a_(6Mbps)_1TX

5785MHz_TX




20170705
 EUT Y_1TX
 Setting 80
 03-M-01-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7836G	103.51	Inf	-Inf	6.25	3	V	275	1.96	-
PK	5.631G	59.47	68.20	-8.73	6.24	3	V	275	1.96	-
PK	5.785G	113.28	Inf	-Inf	6.25	3	V	275	1.96	-
PK	5.9334G	59.75	68.20	-8.45	6.18	3	V	275	1.96	-
PK	5.4588G	58.66	74.00	-15.34	6.06	3	V	275	1.96	-
AV	5.4448G	46.61	54.00	-7.39	6.02	3	V	275	1.96	-

802.11a_(6Mbps)_1TX

5785MHz_TX




20170705
EUT_Y_1TX
Setting 80
03-M-01
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57852G	43.21	54.00	-10.79	13.51	3	V	330	1.47	-
PK	11.57764G	56.67	74.00	-17.33	13.51	3	V	330	1.47	-
PK	17.34816G	64.54	68.20	-3.66	20.64	3	V	96	1.50	-

802.11a_(6Mbps)_1TX

5785MHz_TX




20170705
 EUT_Y_1TX
 Setting 80
 03-M-01
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5728G	43.16	54.00	-10.84	13.50	3	H	334	1.50	-
PK	11.57324G	55.93	74.00	-18.07	13.50	3	H	334	1.50	-
PK	17.3608G	64.96	68.20	-3.24	20.71	3	H	3	1.50	-

802.11a_(6Mbps)_1TX

5825MHz_TX




20170705
 EUT_Y_1TX
 Setting 80
 03-M-01-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.8236G	103.74	Inf	-Inf	6.24	3	V	285	1.94	-
PK	5.601G	59.23	68.20	-8.97	6.24	3	V	285	1.94	-
PK	5.8236G	113.42	Inf	-Inf	6.24	3	V	285	1.94	-
PK	5.9762G	59.40	68.20	-8.80	6.16	3	V	285	1.94	-

802.11a_(6Mbps)_1TX

5825MHz_TX




20170722
 EUT_Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.66068G	39.53	54.00	-14.47	12.12	3	V	113	1.56	-
PK	11.65486G	52.91	74.00	-21.09	12.12	3	V	113	1.56	-

802.11a_(6Mbps)_1TX

5825MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.64856G	39.84	54.00	-14.16	12.12	3	H	222	1.69	-
PK	11.66092G	53.09	74.00	-20.91	12.12	3	H	222	1.69	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TX




20170705
EUT_Y_1TX
Setting 60
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	52.47	54.00	-1.53	5.44	3	V	0	2.09	-
AV	5.1808G	99.86	Inf	-Inf	5.51	3	V	0	2.09	-
PK	5.149995G	72.66	74.00	-1.34	5.44	3	V	0	2.09	-
PK	5.18G	109.64	Inf	-Inf	5.51	3	V	0	2.09	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TX




20170722
 EUT Y_1TX
 Setting 60
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.55272G	45.57	54.00	-8.43	13.78	3	V	17	1.27	-
PK	15.55266G	59.15	74.00	-14.85	13.78	3	V	17	1.27	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TX




20170722
 EUT Y_1TX
 Setting 60
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.53298G	45.81	54.00	-8.19	13.81	3	H	349	2.09	-
PK	15.54462G	59.43	74.00	-14.57	13.79	3	H	349	2.09	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TX




20170705
 EUT_Y_1TX
 Setting 80
 03-M-01-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	50.32	54.00	-3.68	5.44	3	V	161	2.25	-
AV	5.1988G	103.81	Inf	-Inf	5.55	3	V	161	2.25	-
PK	5.1492G	69.58	74.00	-4.42	5.44	3	V	161	2.25	-
PK	5.1992G	113.87	Inf	-Inf	5.55	3	V	161	2.25	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.5955G	45.79	54.00	-8.21	13.73	3	V	22	2.46	-
PK	15.58842G	58.98	74.00	-15.02	13.74	3	V	22	2.46	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.59448G	45.62	54.00	-8.38	13.73	3	H	27	2.14	-
PK	15.60228G	59.51	74.00	-14.49	13.72	3	H	27	2.14	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TX




20170705
EUT_Y_1TX
Setting 80
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.086G	46.84	54.00	-7.16	5.30	3	V	154	2.02	-
AV	5.241G	105.40	Inf	-Inf	5.63	3	V	154	2.02	-
AV	5.426G	47.97	54.00	-6.03	5.98	3	V	154	2.02	-
PK	5.149995G	61.32	74.00	-12.68	5.44	3	V	154	2.02	-
PK	5.241G	115.14	Inf	-Inf	5.63	3	V	154	2.02	-
PK	5.473G	59.21	68.20	-8.99	6.09	3	V	154	2.02	-
PK	5.426G	59.90	74.00	-14.10	5.98	3	V	154	2.02	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.72468G	44.88	54.00	-9.12	13.57	3	V	186	1.61	-
PK	15.71652G	58.03	74.00	-15.97	13.58	3	V	186	1.61	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.72702G	44.80	54.00	-9.20	13.57	3	H	192	2.44	-
PK	15.71898G	58.66	74.00	-15.34	13.58	3	H	192	2.44	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5260MHz_TX




20170705
 EUT_Y_1TX
 Setting 84
 03-M-01-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.111G	46.78	54.00	-7.22	5.36	3	V	159	2.31	-
AV	5.259G	105.12	Inf	-Inf	5.66	3	V	159	2.31	-
AV	5.351G	48.22	54.00	-5.78	5.83	3	V	159	2.31	-
PK	5.146G	59.66	74.00	-14.34	5.44	3	V	159	2.31	-
PK	5.262G	114.36	Inf	-Inf	5.67	3	V	159	2.31	-
PK	5.489G	59.00	68.20	-9.20	6.13	3	V	159	2.31	-
PK	5.356G	62.10	74.00	-11.90	5.84	3	V	159	2.31	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5260MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.78204G	45.04	54.00	-8.96	13.50	3	V	2	2.15	-
PK	15.77304G	58.36	74.00	-15.64	13.51	3	V	2	2.15	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5260MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.78846G	44.89	54.00	-9.11	13.49	3	H	125	1.68	-
PK	15.76776G	58.46	74.00	-15.54	13.52	3	H	125	1.68	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TX




20170705
EUT_Y_1TX
Setting 80
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2988G	102.44	Inf	-Inf	5.74	3	V	158	2.09	-
AV	5.3504G	49.70	54.00	-4.30	5.83	3	V	158	2.09	-
PK	5.3006G	111.95	Inf	-Inf	5.74	3	V	158	2.09	-
PK	5.3534G	65.01	74.00	-8.99	5.83	3	V	158	2.09	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.90102G	45.99	54.00	-8.01	13.35	3	V	296	1.76	-
PK	15.89436G	59.78	74.00	-14.22	13.36	3	V	296	1.76	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.90072G	45.92	54.00	-8.08	13.35	3	H	85	1.78	-
PK	15.89472G	59.29	74.00	-14.71	13.36	3	H	85	1.78	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TX




20170705
EUT Y_1TX
Setting 70
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3196G	98.84	Inf	-Inf	5.77	3	V	0	2.07	-
AV	5.350005G	52.56	54.00	-1.44	5.83	3	V	0	2.07	-
PK	5.3208G	109.95	Inf	-Inf	5.78	3	V	0	2.07	-
PK	5.350005G	70.90	74.00	-3.10	5.83	3	V	0	2.07	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TX




20170722
 EUT Y_1TX
 Setting 70
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.9609G	44.83	54.00	-9.17	13.28	3	V	40	1.73	-
PK	15.9714G	59.37	74.00	-14.63	13.27	3	V	40	1.73	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TX




20170722
EUT_Y_1TX
Setting 70
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.96372G	46.53	54.00	-7.47	14.93	3	H	336	2.19	-
PK	15.9582G	60.88	74.00	-13.12	14.95	3	H	336	2.19	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TX




20170705
EUT Y_1TX
Setting 64
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4596G	49.53	54.00	-4.47	6.06	3	V	4	1.97	-
AV	5.4688G	52.97	54.00	-1.03	6.08	3	V	4	1.97	-
AV	5.5008G	100.89	Inf	-Inf	6.16	3	V	4	1.97	-
PK	5.4548G	64.66	74.00	-9.34	6.05	3	V	4	1.97	-
PK	5.4684G	71.06	74.00	-2.94	6.08	3	V	4	1.97	-
PK	5.5008G	110.47	Inf	-Inf	6.16	3	V	4	1.97	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TX




20170722
 EUT Y_1TX
 Setting 64
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.00168G	38.86	54.00	-15.14	11.80	3	V	96	1.54	-
PK	10.99508G	52.13	74.00	-21.87	11.79	3	V	96	1.54	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TX




20170722
EUT Y_1TX
Setting 64
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.99712G	38.95	54.00	-15.05	11.80	3	H	162	1.69	-
PK	11.00246G	52.84	74.00	-21.16	11.80	3	H	162	1.69	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TX




20170705
EUT_Y_1TX
Setting 80
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4296G	48.57	54.00	-5.43	5.98	3	V	55	2.09	-
AV	5.468G	48.39	54.00	-5.61	6.08	3	V	55	2.09	-
AV	5.5792G	107.81	Inf	-Inf	6.22	3	V	55	2.09	-
AV	5.7312G	48.38	54.00	-5.62	6.25	3	V	55	2.09	-
PK	5.4568G	61.41	74.00	-12.59	6.05	3	V	55	2.09	-
PK	5.4696G	63.87	74.00	-10.13	6.08	3	V	55	2.09	-
PK	5.5776G	117.95	Inf	-Inf	6.22	3	V	55	2.09	-
PK	5.7304G	60.89	74.00	-13.11	6.25	3	V	55	2.09	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.14626G	39.04	54.00	-14.96	11.87	3	V	202	1.54	-
PK	11.1585G	52.49	74.00	-21.51	11.88	3	V	202	1.54	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.169G	39.10	54.00	-14.90	11.88	3	H	11	2.03	-
PK	11.17248G	53.50	74.00	-20.50	11.88	3	H	11	2.03	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TX




20170705
EUT_Y_1TX
Setting 68
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6984G	100.80	Inf	-Inf	6.25	3	V	59	2.08	-
AV	5.7252G	52.72	54.00	-1.28	6.25	3	V	59	2.08	-
PK	5.6992G	110.26	Inf	-Inf	6.25	3	V	59	2.08	-
PK	5.7252G	71.62	74.00	-2.38	6.25	3	V	59	2.08	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TX




20170722
 EUT Y_1TX
 Setting 68
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.39136G	39.12	54.00	-14.88	11.99	3	V	316	1.41	-
PK	11.4048G	52.90	74.00	-21.10	12.00	3	V	316	1.41	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TX




20170722
 EUT Y_1TX
 Setting 68
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38866G	39.31	54.00	-14.69	11.99	3	H	224	1.86	-
PK	11.41146G	52.93	74.00	-21.07	12.00	3	H	224	1.86	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




20170705
EUT_Y_1TX
Setting 80
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.45G	46.97	54.00	-7.03	6.03	3	V	161	1.90	-
AV	5.72G	106.97	Inf	-Inf	6.25	3	V	161	1.90	-
PK	5.45G	59.09	74.00	-14.91	6.03	3	V	161	1.90	-
PK	5.464G	59.54	68.20	-8.66	6.07	3	V	161	1.90	-
PK	5.72G	116.84	Inf	-Inf	6.25	3	V	161	1.90	-
PK	5.938G	59.30	68.20	-8.90	6.18	3	V	161	1.90	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.43304G	38.85	54.00	-15.15	12.01	3	V	106	1.57	-
PK	11.43484G	52.69	74.00	-21.31	12.01	3	V	106	1.57	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.45338G	38.79	54.00	-15.21	12.02	3	H	208	2.08	-
PK	11.43994G	52.60	74.00	-21.40	12.02	3	H	208	2.08	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TX




20170705
EUT_Y_1TX
Setting 80
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.745G	104.82	Inf	-Inf	6.25	3	V	63	1.78	-
PK	5.6512G	65.79	69.09	-3.30	6.25	3	V	63	1.78	-
PK	5.7464G	115.01	Inf	-Inf	6.25	3	V	63	1.78	-
PK	5.934G	59.47	68.20	-8.73	6.18	3	V	63	1.78	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49684G	39.10	54.00	-14.90	12.04	3	V	290	1.40	-
PK	11.49534G	51.90	74.00	-22.10	12.04	3	V	290	1.40	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.50332G	39.18	54.00	-14.82	12.05	3	H	315	1.41	-
PK	11.5017G	52.74	74.00	-21.26	12.05	3	H	315	1.41	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TX




20170722
EUT Y_1TX
Setting 80
01-J-5-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.784G	100.55	Inf	-Inf	5.92	3	V	330	2.90	-
PK	5.636G	58.83	68.20	-9.37	5.49	3	V	330	2.90	-
PK	5.786G	110.57	Inf	-Inf	5.92	3	V	330	2.90	-
PK	5.943G	59.74	68.20	-8.46	6.50	3	V	330	2.90	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TX




20170722
EUT Y_1TX
Setting 80
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5595G	39.24	54.00	-14.76	12.07	3	V	143	1.21	-
PK	11.5706G	52.68	74.00	-21.32	12.08	3	V	143	1.21	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.56448G	39.28	54.00	-14.72	12.08	3	H	235	1.76	-
PK	11.58206G	53.19	74.00	-20.81	12.09	3	H	235	1.76	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TX




20170705
EUT_Y_1TX
Setting 80
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.8236G	103.30	Inf	-Inf	6.24	3	V	291	1.83	-
PK	5.531G	59.77	68.20	-8.43	6.18	3	V	291	1.83	-
PK	5.8264G	113.71	Inf	-Inf	6.24	3	V	291	1.83	-
PK	5.9622G	58.84	68.20	-9.36	6.17	3	V	291	1.83	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.65834G	39.48	54.00	-14.52	12.12	3	V	156	1.22	-
PK	11.6638G	53.30	74.00	-20.70	12.13	3	V	156	1.22	-

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TX




20170722
EUT Y_1TX
Setting 80
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.66182G	39.50	54.00	-14.50	12.12	3	H	309	1.36	-
PK	11.66272G	52.90	74.00	-21.10	12.12	3	H	309	1.36	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TX




20170705
 EUT Y_1TX
 Setting 46
 03-M-01-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1496G	52.50	54.00	-1.50	5.44	3	V	357	2.16	-
AV	5.1912G	93.43	Inf	-Inf	5.53	3	V	357	2.16	-
PK	5.1412G	65.45	74.00	-8.55	5.43	3	V	357	2.16	-
PK	5.1932G	102.76	Inf	-Inf	5.54	3	V	357	2.16	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TX




20170722
 EUT Y_1TX
 Setting 46
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.55764G	46.32	54.00	-7.68	13.78	3	V	110	1.42	-
PK	15.5667G	59.12	74.00	-14.88	13.77	3	V	110	1.42	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TX




20170722
EUT Y_1TX
Setting 46
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.56052G	46.36	54.00	-7.64	13.77	3	H	60	1.26	-
PK	15.57348G	58.71	74.00	-15.29	13.76	3	H	60	1.26	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TX




20170705
EUT_Y_1TX
Setting 80
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1484G	50.74	54.00	-3.26	5.44	3	V	2	2.13	-
AV	5.2316G	100.58	Inf	-Inf	5.61	3	V	2	2.13	-
AV	5.3836G	47.63	54.00	-6.37	5.88	3	V	2	2.13	-
PK	5.1428G	65.38	74.00	-8.62	5.43	3	V	2	2.13	-
PK	5.2316G	109.67	Inf	-Inf	5.61	3	V	2	2.13	-
PK	5.3812G	59.33	74.00	-14.67	5.88	3	V	2	2.13	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TX




20170722
EUT Y_1TX
Setting 80
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.70206G	45.43	54.00	-8.57	13.60	3	V	154	1.81	-
PK	15.70068G	58.34	74.00	-15.66	13.60	3	V	154	1.81	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.7008G	45.13	54.00	-8.87	13.60	3	H	87	1.74	-
PK	15.69708G	58.06	74.00	-15.94	13.61	3	H	87	1.74	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TX




20170705
EUT_Y_1TX
Setting 80
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1468G	47.02	54.00	-6.98	5.44	3	V	160	2.16	-
AV	5.2716G	99.30	Inf	-Inf	5.69	3	V	160	2.16	-
AV	5.350005G	51.57	54.00	-2.43	5.83	3	V	160	2.16	-
PK	5.0932G	58.65	74.00	-15.35	5.32	3	V	160	2.16	-
PK	5.2716G	108.42	Inf	-Inf	5.69	3	V	160	2.16	-
PK	5.3524G	65.02	74.00	-8.98	5.83	3	V	160	2.16	-
PK	5.4652G	59.20	68.20	-9.00	6.07	3	V	160	2.16	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.80784G	45.29	54.00	-8.71	13.47	3	V	294	2.31	-
PK	15.82122G	57.89	74.00	-16.11	13.45	3	V	294	2.31	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.82314G	45.18	54.00	-8.82	13.45	3	H	308	2.43	-
PK	15.8133G	57.88	74.00	-16.12	13.46	3	H	308	2.43	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TX




20170705
EUT_Y_1TX
Setting 64
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3116G	95.71	Inf	-Inf	5.76	3	V	1	1.98	-
AV	5.350005G	52.85	54.00	-1.15	5.83	3	V	1	1.98	-
PK	5.3132G	105.04	Inf	-Inf	5.76	3	V	1	1.98	-
PK	5.350005G	70.76	74.00	-3.24	5.83	3	V	1	1.98	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TX




20170722
EUT Y_1TX
Setting 64
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.91794G	46.07	54.00	-7.93	13.33	3	V	50	1.86	-
PK	15.9174G	58.62	74.00	-15.38	13.33	3	V	50	1.86	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TX




20170722
EUT_Y_1TX
Setting 64
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.94362G	46.05	54.00	-7.95	13.30	3	H	221	1.50	-
PK	15.93954G	58.57	74.00	-15.43	13.30	3	H	221	1.50	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TX




20170705
 EUT_Y_1TX
 Setting 58
 03-M-01-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4588G	49.37	54.00	-4.63	6.06	3	V	5	1.97	-
AV	5.4692G	52.93	54.00	-1.07	6.08	3	V	5	1.97	-
AV	5.5132G	96.10	Inf	-Inf	6.17	3	V	5	1.97	-
PK	5.46G	66.62	74.00	-7.38	6.06	3	V	5	1.97	-
PK	5.4688G	67.51	74.00	-6.49	6.08	3	V	5	1.97	-
PK	5.5132G	105.20	Inf	-Inf	6.17	3	V	5	1.97	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TX




20170722
 EUT Y_1TX
 Setting 58
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.02552G	39.84	54.00	-14.16	11.81	3	V	281	1.69	-
PK	11.0218G	52.48	74.00	-21.52	11.81	3	V	281	1.69	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TX




20170722
 EUT Y_1TX
 Setting 58
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.02642G	39.69	54.00	-14.31	11.81	3	H	118	2.18	-
PK	11.03224G	53.07	74.00	-20.93	11.82	3	H	118	2.18	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TX




20170705
EUT_Y_1TX
Setting 80
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	51.03	54.00	-2.97	6.05	3	V	52	2.13	-
AV	5.4692G	52.49	54.00	-1.51	6.08	3	V	52	2.13	-
AV	5.5532G	100.89	Inf	-Inf	6.20	3	V	52	2.13	-
AV	5.7388G	47.61	54.00	-6.39	6.25	3	V	52	2.13	-
PK	5.4588G	62.82	74.00	-11.18	6.06	3	V	52	2.13	-
PK	5.4652G	64.95	74.00	-9.05	6.07	3	V	52	2.13	-
PK	5.5516G	110.23	Inf	-Inf	6.20	3	V	52	2.13	-
PK	5.7308G	60.00	74.00	-14.00	6.25	3	V	52	2.13	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.10756G	39.91	54.00	-14.09	11.85	3	V	330	1.32	-
PK	11.09286G	53.46	74.00	-20.54	11.85	3	V	330	1.32	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.09034G	39.54	54.00	-14.46	11.84	3	H	327	1.32	-
PK	11.09196G	52.30	74.00	-21.70	11.85	3	H	327	1.32	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TX




20170705
EUT_Y_1TX
Setting 76
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6712G	99.46	Inf	-Inf	6.25	3	V	58	1.94	-
AV	5.7252G	52.70	54.00	-1.30	6.25	3	V	58	1.94	-
PK	5.673G	108.56	Inf	-Inf	6.25	3	V	58	1.94	-
PK	5.7276G	71.45	74.00	-2.55	6.25	3	V	58	1.94	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TX




20170722
 EUT Y_1TX
 Setting 76
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.35494G	40.21	54.00	-13.79	11.97	3	V	134	2.25	-
PK	11.34444G	52.97	74.00	-21.03	11.97	3	V	134	2.25	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TX




20170722
 EUT Y_1TX
 Setting 76
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.34798G	40.31	54.00	-13.69	11.97	3	H	27	1.56	-
PK	11.34936G	53.02	74.00	-20.98	11.97	3	H	27	1.56	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




20170705
EUT_Y_1TX
Setting 80
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.442G	47.95	54.00	-6.05	6.02	3	V	55	2.12	-
AV	5.712G	104.39	Inf	-Inf	6.25	3	V	55	2.12	-
PK	5.456G	60.64	74.00	-13.36	6.05	3	V	55	2.12	-
PK	5.464G	60.22	68.20	-7.98	6.07	3	V	55	2.12	-
PK	5.714G	113.95	Inf	-Inf	6.25	3	V	55	2.12	-
PK	5.936G	58.57	68.20	-9.63	6.18	3	V	55	2.12	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.42984G	40.24	54.00	-13.76	12.01	3	V	253	1.31	-
PK	11.40506G	53.06	74.00	-20.94	12.00	3	V	253	1.31	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40962G	40.02	54.00	-13.98	12.00	3	H	2	1.30	-
PK	11.41484G	53.08	74.00	-20.92	12.00	3	H	2	1.30	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TX




20170705
EUT_Y_1TX
Setting 80
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7564G	100.16	Inf	-Inf	6.25	3	V	60	1.90	-
PK	5.608G	61.47	68.20	-6.73	6.24	3	V	60	1.90	-
PK	5.7564G	109.30	Inf	-Inf	6.25	3	V	60	1.90	-
PK	5.944G	58.86	68.20	-9.34	6.18	3	V	60	1.90	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.52326G	40.24	54.00	-13.76	12.06	3	V	252	1.07	-
PK	11.5166G	52.87	74.00	-21.13	12.05	3	V	252	1.07	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5196G	40.06	54.00	-13.94	12.05	3	H	218	1.77	-
PK	11.49728G	52.89	74.00	-21.11	12.04	3	H	218	1.77	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TX




20170705
EUT Y_1TX
Setting 80
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7978G	101.44	Inf	-Inf	6.25	3	V	269	1.66	-
PK	5.6368G	63.96	68.20	-4.24	6.24	3	V	269	1.66	-
PK	5.7978G	111.08	Inf	-Inf	6.25	3	V	269	1.66	-
PK	5.9336G	64.51	68.20	-3.69	6.18	3	V	269	1.66	-
PK	5.4492G	58.38	74.00	-15.62	6.03	3	V	269	1.66	-
AV	5.4492G	47.21	54.00	-6.79	6.03	3	V	269	1.66	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.60146G	40.72	54.00	-13.28	12.09	3	V	283	1.72	-
PK	11.57548G	53.74	74.00	-20.26	12.08	3	V	283	1.72	-

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.60152G	40.76	54.00	-13.24	12.09	3	H	211	1.72	-
PK	11.59684G	53.88	74.00	-20.12	12.09	3	H	211	1.72	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TX




20170705
EUT_Y_1TX
Setting 44
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	52.96	54.00	-1.04	5.44	3	V	360	2.19	-
AV	5.212G	89.96	Inf	-Inf	5.57	3	V	360	2.19	-
AV	5.457G	47.53	54.00	-6.47	6.05	3	V	360	2.19	-
PK	5.149G	65.76	74.00	-8.24	5.44	3	V	360	2.19	-
PK	5.214G	99.07	Inf	-Inf	5.58	3	V	360	2.19	-
PK	5.427G	59.96	74.00	-14.04	5.98	3	V	360	2.19	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TX




20170722
EUT Y_1TX
Setting 44
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.61812G	45.49	54.00	-8.51	13.70	3	V	135	1.45	-
PK	15.64206G	58.42	74.00	-15.58	13.67	3	V	135	1.45	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TX




20170722
EUT Y_1TX
Setting 44
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.61806G	45.91	54.00	-8.09	13.70	3	H	60	2.16	-
PK	15.62364G	58.37	74.00	-15.63	13.70	3	H	60	2.16	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TX




20170705
EUT_Y_1TX
Setting 60
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.146G	47.26	54.00	-6.74	5.44	3	V	360	2.00	-
AV	5.288G	92.29	Inf	-Inf	5.72	3	V	360	2.00	-
AV	5.351G	52.82	54.00	-1.18	5.83	3	V	360	2.00	-
PK	5.117G	58.83	74.00	-15.17	5.38	3	V	360	2.00	-
PK	5.287G	101.90	Inf	-Inf	5.72	3	V	360	2.00	-
PK	5.350005G	69.78	74.00	-4.22	5.83	3	V	360	2.00	-
PK	5.478G	59.40	68.20	-8.80	6.11	3	V	360	2.00	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TX




20170722
 EUT Y_1TX
 Setting 60
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.87678G	46.00	54.00	-8.00	13.38	3	V	190	1.61	-
PK	15.87984G	58.50	74.00	-15.50	13.38	3	V	190	1.61	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TX




20170722
EUT_Y_1TX
Setting 60
01-J-5
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.86892G	45.79	54.00	-8.21	13.39	3	H	64	1.78	-
PK	15.85998G	58.46	74.00	-15.54	13.40	3	H	64	1.78	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TX




20170705
EUT_Y_1TX
Setting 62
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	51.76	54.00	-2.24	6.06	3	V	9	2.06	-
AV	5.469G	53.00	54.00	-1.00	6.08	3	V	9	2.06	-
AV	5.528G	93.15	Inf	-Inf	6.18	3	V	9	2.06	-
AV	5.73G	47.16	54.00	-6.84	6.25	3	V	9	2.06	-
PK	5.457G	66.52	74.00	-7.48	6.05	3	V	9	2.06	-
PK	5.469G	69.51	74.00	-4.49	6.08	3	V	9	2.06	-
PK	5.533G	103.16	Inf	-Inf	6.19	3	V	9	2.06	-
PK	5.729G	58.69	74.00	-15.31	6.25	3	V	9	2.06	-
PK	5.333G	58.09	68.20	-10.11	5.80	3	V	9	2.06	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TX




20170722
 EUT Y_1TX
 Setting 62
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0699G	40.52	54.00	-13.48	11.83	3	V	230	2.03	-
PK	11.05772G	53.17	74.00	-20.83	11.83	3	V	230	2.03	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TX




20170722
 EUT Y_1TX
 Setting 62
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0687G	40.66	54.00	-13.34	11.83	3	H	269	1.03	-
PK	11.05928G	53.98	74.00	-20.02	11.83	3	H	269	1.03	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TX




20170705
 EUT_Y_1TX
 Setting 80
 03-M-01-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4572G	50.82	54.00	-3.18	6.05	3	V	54	2.18	-
AV	5.4684G	51.92	54.00	-2.08	6.08	3	V	54	2.18	-
AV	5.6124G	97.42	Inf	-Inf	6.24	3	V	54	2.18	-
AV	5.7316G	51.01	54.00	-2.99	6.25	3	V	54	2.18	-
PK	5.4388G	62.10	74.00	-11.90	6.01	3	V	54	2.18	-
PK	5.4628G	63.68	74.00	-10.32	6.07	3	V	54	2.18	-
PK	5.6148G	107.05	Inf	-Inf	6.24	3	V	54	2.18	-
PK	5.738G	63.05	74.00	-10.95	6.25	3	V	54	2.18	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22552G	40.64	54.00	-13.36	11.91	3	V	180	1.85	-
PK	11.20812G	53.52	74.00	-20.48	11.90	3	V	180	1.85	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.23272G	40.52	54.00	-13.48	11.91	3	H	227	2.36	-
PK	11.2059G	53.55	74.00	-20.45	11.90	3	H	227	2.36	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz_TX




20170705
EUT_Y_1TX
Setting 80
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	48.17	54.00	-5.83	6.05	3	V	56	2.25	-
AV	5.692G	97.28	Inf	-Inf	6.25	3	V	56	2.25	-
PK	5.456G	59.67	74.00	-14.33	6.05	3	V	56	2.25	-
PK	5.466G	59.28	68.20	-8.92	6.08	3	V	56	2.25	-
PK	5.692G	107.20	Inf	-Inf	6.25	3	V	56	2.25	-
PK	5.938G	58.59	68.20	-9.61	6.18	3	V	56	2.25	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3848G	40.35	54.00	-13.65	11.99	3	V	318	2.08	-
PK	11.38102G	54.66	74.00	-19.34	11.99	3	V	318	2.08	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




20170722
 EUT Y_1TX
 Setting 80
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.39158G	40.06	54.00	-13.94	11.99	3	H	286	1.68	-
PK	11.37448G	53.19	74.00	-20.81	11.98	3	H	286	1.68	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TX




20170705
EUT_Y_1TX
Setting 79
03-M-01-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7722G	96.25	Inf	-Inf	6.25	3	V	60	2.06	-
PK	5.649G	66.35	68.20	-1.85	6.24	3	V	60	2.06	-
PK	5.7736G	105.50	Inf	-Inf	6.25	3	V	60	2.06	-
PK	5.9332G	61.64	68.20	-6.56	6.18	3	V	60	2.06	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TX




20170722
 EUT Y_1TX
 Setting 79
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.53602G	40.12	54.00	-13.88	12.06	3	V	97	1.50	-
PK	11.55864G	52.94	74.00	-21.06	12.07	3	V	97	1.50	-

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TX



20170722
 EUT Y_1TX
 Setting 79
 01-J-5
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.54418G	40.19	54.00	-13.81	12.07	3	H	316	1.74	-
PK	11.55588G	52.76	74.00	-21.24	12.07	3	H	316	1.74	-



For Radio 1:
 Mode: 20 MHz / Port 1
 Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5200 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5199.9942	5199.9933	5199.9925	5199.9922
110.00	5199.9934	5199.9928	5199.9920	5199.9913
93.50	5199.9933	5199.9932	5199.9928	5199.9925
Max. Deviation (MHz)	0.0067	0.0072	0.0080	0.0087
Max. Deviation (ppm)	1.29	1.38	1.54	1.67
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5200 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5199.9943	5199.9942	5199.9937	5199.9933
10	5199.9937	5199.9928	5199.9918	5199.9917
20	5199.9934	5199.9927	5199.9925	5199.9923
30	5199.9891	5199.9883	5199.9875	5199.9873
40	5199.9872	5199.9869	5199.9868	5199.9863
50	5199.9868	5199.9867	5199.9858	5199.9850
60	5199.9865	5199.9862	5199.9859	5199.9852
70	5199.9870	5199.9864	5199.9856	5199.9855
Max. Deviation (MHz)	0.0135	0.0138	0.0144	0.0150
Max. Deviation (ppm)	2.60	2.65	2.77	2.88
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5300 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5299.9943	5299.9935	5299.9927	5299.9918
110.00	5299.9934	5299.9927	5299.9921	5299.9914
93.50	5299.9928	5299.9921	5299.9913	5299.9906
Max. Deviation (MHz)	0.0072	0.0079	0.0087	0.0094
Max. Deviation (ppm)	1.36	1.49	1.64	1.77
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5300 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5299.9946	5299.9942	5299.9941	5299.9937
10	5299.9939	5299.9937	5299.9929	5299.9924
20	5299.9934	5299.9932	5299.9927	5299.9924
30	5299.9891	5299.9881	5299.9878	5299.9869
40	5299.9876	5299.9870	5299.9863	5299.9861
50	5299.9874	5299.9872	5299.9867	5299.9859
60	5299.9871	5299.9868	5299.9867	5299.9858
70	5299.9867	5299.9861	5299.9855	5299.9851
Max. Deviation (MHz)	0.0133	0.0139	0.0145	0.0149
Max. Deviation (ppm)	2.51	2.62	2.74	2.81
Result	Pass			



Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5580 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5579.9936	5579.9928	5579.9918	5579.9917
110.00	5579.9934	5579.9929	5579.9923	5579.9919
93.50	5579.9924	5579.9916	5579.9915	5579.9908
Max. Deviation (MHz)	0.0076	0.0084	0.0085	0.0092
Max. Deviation (ppm)	1.36	1.51	1.52	1.65
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5580 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5579.9969	5579.9963	5579.9956	5579.9947
10	5579.9949	5579.9940	5579.9938	5579.9936
20	5579.9934	5579.9925	5579.9921	5579.9918
30	5579.9891	5579.9889	5579.9880	5579.9874
40	5579.9878	5579.9877	5579.9874	5579.9868
50	5579.9867	5579.9862	5579.9855	5579.9849
60	5579.9847	5579.9846	5579.9836	5579.9831
70	5579.9838	5579.9828	5579.9823	5579.9816
Max. Deviation (MHz)	0.0162	0.0172	0.0177	0.0184
Max. Deviation (ppm)	2.90	3.08	3.17	3.30
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5785 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5784.9939	5784.9938	5784.9931	5784.9926
110.00	5784.9934	5784.9932	5784.9928	5784.9919
93.50	5784.9927	5784.9925	5784.9919	5784.9916
Max. Deviation (MHz)	0.0073	0.0075	0.0081	0.0084
Max. Deviation (ppm)	1.26	1.30	1.40	1.45
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5785 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5784.9950	5784.9944	5784.9939	5784.9929
10	5784.9944	5784.9939	5784.9934	5784.9932
20	5784.9934	5784.9932	5784.9923	5784.9917
30	5784.9891	5784.9889	5784.9883	5784.9881
40	5784.9878	5784.9869	5784.9862	5784.9858
50	5784.9859	5784.9852	5784.9846	5784.9837
60	5784.9851	5784.9842	5784.9834	5784.9831
70	5784.9836	5784.9833	5784.9831	5784.9822
Max. Deviation (MHz)	0.0164	0.0167	0.0169	0.0178
Max. Deviation (ppm)	2.83	2.89	2.92	3.08
Result	Pass			



Mode: 40 MHz / Port 1
Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5190 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5189.9936	5189.9926	5189.9921	5189.9915
110.00	5189.9934	5189.9931	5189.9927	5189.9924
93.50	5189.9926	5189.9923	5189.9917	5189.9908
Max. Deviation (MHz)	0.0074	0.0077	0.0083	0.0092
Max. Deviation (ppm)	1.43	1.48	1.60	1.77
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5190 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5189.9965	5189.9963	5189.9958	5189.9950
10	5189.9953	5189.9949	5189.9944	5189.9934
20	5189.9934	5189.9932	5189.9926	5189.9921
30	5189.9891	5189.9885	5189.9884	5189.9876
40	5189.9875	5189.9869	5189.9861	5189.9859
50	5189.9868	5189.9863	5189.9857	5189.9854
60	5189.9867	5189.9865	5189.9863	5189.9857
70	5189.9850	5189.9842	5189.9837	5189.9833
Max. Deviation (MHz)	0.0150	0.0158	0.0163	0.0167
Max. Deviation (ppm)	2.89	3.04	3.14	3.22
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5310 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5309.9943	5309.9937	5309.9927	5309.9919
110.00	5309.9934	5309.9929	5309.9928	5309.9925
93.50	5309.9925	5309.9924	5309.9916	5309.9914
Max. Deviation (MHz)	0.0075	0.0076	0.0084	0.0086
Max. Deviation (ppm)	1.41	1.43	1.58	1.62
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5310 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5309.9938	5309.9932	5309.9922	5309.9916
10	5309.9937	5309.9933	5309.9924	5309.9916
20	5309.9934	5309.9926	5309.9917	5309.9910
30	5309.9891	5309.9890	5309.9885	5309.9882
40	5309.9873	5309.9865	5309.9858	5309.9853
50	5309.9854	5309.9852	5309.9850	5309.9845
60	5309.9844	5309.9834	5309.9829	5309.9827
70	5309.9829	5309.9825	5309.9818	5309.9814
Max. Deviation (MHz)	0.0171	0.0175	0.0182	0.0186
Max. Deviation (ppm)	3.22	3.30	3.43	3.50
Result	Pass			



Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5550 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5549.9944	5549.9935	5549.9932	5549.9926
110.00	5549.9934	5549.9930	5549.9920	5549.9911
93.50	5549.9932	5549.9923	5549.9917	5549.9911
Max. Deviation (MHz)	0.0068	0.0077	0.0083	0.0089
Max. Deviation (ppm)	1.23	1.39	1.50	1.60
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5550 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5549.9961	5549.9957	5549.9950	5549.9940
10	5549.9947	5549.9943	5549.9936	5549.9929
20	5549.9934	5549.9929	5549.9923	5549.9920
30	5549.9891	5549.9884	5549.9879	5549.9872
40	5549.9890	5549.9881	5549.9871	5549.9863
50	5549.9876	5549.9872	5549.9867	5549.9864
60	5549.9857	5549.9852	5549.9842	5549.9833
70	5549.9846	5549.9839	5549.9837	5549.9832
Max. Deviation (MHz)	0.0154	0.0161	0.0163	0.0168
Max. Deviation (ppm)	2.77	2.90	2.94	3.03
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5755 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5754.9937	5754.9933	5754.9926	5754.9918
110.00	5754.9934	5754.9931	5754.9922	5754.9921
93.50	5754.9929	5754.9927	5754.9918	5754.9912
Max. Deviation (MHz)	0.0071	0.0073	0.0082	0.0088
Max. Deviation (ppm)	1.23	1.27	1.42	1.53
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5755 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5754.9949	5754.9941	5754.9938	5754.9935
10	5754.9936	5754.9932	5754.9931	5754.9927
20	5754.9934	5754.9932	5754.9923	5754.9913
30	5754.9891	5754.9883	5754.9880	5754.9870
40	5754.9875	5754.9865	5754.9860	5754.9852
50	5754.9861	5754.9856	5754.9848	5754.9845
60	5754.9858	5754.9855	5754.9853	5754.9852
70	5754.9844	5754.9840	5754.9838	5754.9837
Max. Deviation (MHz)	0.0156	0.0160	0.0162	0.0163
Max. Deviation (ppm)	2.71	2.78	2.81	2.83
Result	Pass			



Mode: 80 MHz / Port 1
Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5210 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5209.9942	5209.9938	5209.9937	5209.9927
110.00	5209.9934	5209.9928	5209.9920	5209.9911
93.50	5209.9928	5209.9926	5209.9924	5209.9920
Max. Deviation (MHz)	0.0072	0.0074	0.0080	0.0089
Max. Deviation (ppm)	1.38	1.42	1.54	1.71
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5210 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5209.9964	5209.9962	5209.9956	5209.9946
10	5209.9949	5209.9947	5209.9945	5209.9935
20	5209.9934	5209.9933	5209.9928	5209.9922
30	5209.9891	5209.9884	5209.9878	5209.9871
40	5209.9879	5209.9869	5209.9865	5209.9862
50	5209.9869	5209.9861	5209.9853	5209.9843
60	5209.9856	5209.9852	5209.9850	5209.9840
70	5209.9845	5209.9836	5209.9835	5209.9828
Max. Deviation (MHz)	0.0155	0.0164	0.0165	0.0172
Max. Deviation (ppm)	2.98	3.15	3.17	3.30
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5290 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5289.9935	5289.9931	5289.9928	5289.9926
110.00	5289.9934	5289.9924	5289.9918	5289.9912
93.50	5289.9930	5289.9925	5289.9924	5289.9915
Max. Deviation (MHz)	0.0070	0.0076	0.0082	0.0088
Max. Deviation (ppm)	1.32	1.44	1.55	1.66
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5290 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5289.9957	5289.9950	5289.9944	5289.9936
10	5289.9947	5289.9940	5289.9938	5289.9937
20	5289.9934	5289.9933	5289.9925	5289.9919
30	5289.9891	5289.9882	5289.9877	5289.9875
40	5289.9872	5289.9871	5289.9862	5289.9858
50	5289.9869	5289.9859	5289.9853	5289.9843
60	5289.9854	5289.9844	5289.9838	5289.9832
70	5289.9841	5289.9836	5289.9835	5289.9834
Max. Deviation (MHz)	0.0159	0.0164	0.0165	0.0168
Max. Deviation (ppm)	3.01	3.10	3.12	3.18
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5530 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5529.9941	5529.9940	5529.9935	5529.9934
110.00	5529.9934	5529.9928	5529.9926	5529.9923
93.50	5529.9925	5529.9922	5529.9918	5529.9916
Max. Deviation (MHz)	0.0075	0.0078	0.0082	0.0084
Max. Deviation (ppm)	1.36	1.41	1.48	1.52
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5530 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5529.9964	5529.9963	5529.9956	5529.9948
10	5529.9944	5529.9939	5529.9934	5529.9932
20	5529.9934	5529.9930	5529.9929	5529.9920
30	5529.9891	5529.9890	5529.9885	5529.9875
40	5529.9871	5529.9861	5529.9856	5529.9853
50	5529.9863	5529.9861	5529.9853	5529.9849
60	5529.9849	5529.9846	5529.9841	5529.9836
70	5529.9835	5529.9826	5529.9819	5529.9817
Max. Deviation (MHz)	0.0165	0.0174	0.0181	0.0183
Max. Deviation (ppm)	2.98	3.15	3.27	3.31
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5775 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5774.9938	5774.9928	5774.9920	5774.9918
110.00	5774.9934	5774.9927	5774.9925	5774.9918
93.50	5774.9930	5774.9921	5774.9918	5774.9909
Max. Deviation (MHz)	0.0070	0.0079	0.0082	0.0091
Max. Deviation (ppm)	1.21	1.37	1.42	1.58
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5775 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5774.9952	5774.9949	5774.9942	5774.9941
10	5774.9938	5774.9935	5774.9931	5774.9927
20	5774.9934	5774.9925	5774.9921	5774.9911
30	5774.9891	5774.9883	5774.9877	5774.9875
40	5774.9888	5774.9882	5774.9872	5774.9865
50	5774.9879	5774.9874	5774.9872	5774.9862
60	5774.9867	5774.9860	5774.9855	5774.9852
70	5774.9847	5774.9843	5774.9838	5774.9830
Max. Deviation (MHz)	0.0153	0.0157	0.0162	0.0170
Max. Deviation (ppm)	2.65	2.72	2.81	2.94
Result	Pass			



For Radio 2:
 Mode: 20 MHz / Port 1
 Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5200 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5199.9934	5199.9924	5199.9921	5199.9918
110.00	5199.9931	5199.9923	5199.9916	5199.9908
93.50	5199.9930	5199.9926	5199.9920	5199.9914
Max. Deviation (MHz)	0.0070	0.0077	0.0084	0.0092
Max. Deviation (ppm)	1.35	1.48	1.62	1.77
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5200 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5199.9950	5199.9946	5199.9943	5199.9941
10	5199.9937	5199.9936	5199.9927	5199.9926
20	5199.9931	5199.9930	5199.9929	5199.9919
30	5199.9865	5199.9863	5199.9858	5199.9848
40	5199.9854	5199.9849	5199.9845	5199.9838
50	5199.9834	5199.9827	5199.9819	5199.9814
60	5199.9853	5199.9843	5199.9833	5199.9826
70	5199.9837	5199.9835	5199.9834	5199.9827
Max. Deviation (MHz)	0.0166	0.0173	0.0181	0.0186
Max. Deviation (ppm)	3.19	3.33	3.48	3.58
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5300 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5299.9934	5299.9931	5299.9925	5299.9920
110.00	5299.9931	5299.9928	5299.9922	5299.9917
93.50	5299.9930	5299.9920	5299.9917	5299.9916
Max. Deviation (MHz)	0.0070	0.0080	0.0083	0.0084
Max. Deviation (ppm)	1.32	1.51	1.57	1.58
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5300 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5299.9944	5299.9937	5299.9927	5299.9918
10	5299.9937	5299.9927	5299.9925	5299.9922
20	5299.9931	5299.9930	5299.9925	5299.9916
30	5299.9865	5299.9856	5299.9851	5299.9842
40	5299.9862	5299.9856	5299.9851	5299.9842
50	5299.9844	5299.9840	5299.9831	5299.9828
60	5299.9836	5299.9832	5299.9831	5299.9823
70	5299.9819	5299.9813	5299.9807	5299.9799
Max. Deviation (MHz)	0.0181	0.0187	0.0193	0.0201
Max. Deviation (ppm)	3.42	3.53	3.64	3.79
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5580 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5579.9937	5579.9930	5579.9929	5579.9923
110.00	5579.9931	5579.9928	5579.9927	5579.9919
93.50	5579.9930	5579.9923	5579.9915	5579.9906
Max. Deviation (MHz)	0.0070	0.0077	0.0085	0.0094
Max. Deviation (ppm)	1.25	1.38	1.52	1.68
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5580 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5579.9962	5579.9952	5579.9943	5579.9937
10	5579.9950	5579.9941	5579.9936	5579.9931
20	5579.9931	5579.9922	5579.9914	5579.9911
30	5579.9865	5579.9855	5579.9848	5579.9843
40	5579.9850	5579.9846	5579.9840	5579.9839
50	5579.9846	5579.9843	5579.9842	5579.9839
60	5579.9831	5579.9823	5579.9820	5579.9819
70	5579.9822	5579.9818	5579.9811	5579.9804
Max. Deviation (MHz)	0.0178	0.0182	0.0189	0.0196
Max. Deviation (ppm)	3.19	3.26	3.39	3.51
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5785 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5784.9933	5784.9923	5784.9916	5784.9910
110.00	5784.9931	5784.9927	5784.9923	5784.9918
93.50	5784.9928	5784.9919	5784.9910	5784.9906
Max. Deviation (MHz)	0.0072	0.0081	0.0090	0.0094
Max. Deviation (ppm)	1.24	1.40	1.56	1.62
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5785 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5784.9953	5784.9945	5784.9944	5784.9938
10	5784.9934	5784.9929	5784.9927	5784.9922
20	5784.9931	5784.9928	5784.9923	5784.9915
30	5784.9865	5784.9856	5784.9848	5784.9847
40	5784.9861	5784.9852	5784.9850	5784.9844
50	5784.9854	5784.9848	5784.9841	5784.9839
60	5784.9853	5784.9847	5784.9845	5784.9841
70	5784.9842	5784.9839	5784.9835	5784.9832
Max. Deviation (MHz)	0.0158	0.0161	0.0165	0.0168
Max. Deviation (ppm)	2.73	2.78	2.85	2.90
Result	Pass			



Mode: 40 MHz / Port 1
Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5190 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5189.9933	5189.9930	5189.9929	5189.9922
110.00	5189.9931	5189.9929	5189.9923	5189.9915
93.50	5189.9927	5189.9925	5189.9920	5189.9914
Max. Deviation (MHz)	0.0073	0.0075	0.0080	0.0086
Max. Deviation (ppm)	1.41	1.45	1.54	1.66
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5190 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5189.9951	5189.9941	5189.9939	5189.9938
10	5189.9940	5189.9937	5189.9933	5189.9931
20	5189.9931	5189.9929	5189.9919	5189.9912
30	5189.9865	5189.9860	5189.9854	5189.9845
40	5189.9849	5189.9844	5189.9838	5189.9828
50	5189.9840	5189.9835	5189.9830	5189.9825
60	5189.9822	5189.9818	5189.9813	5189.9811
70	5189.9814	5189.9812	5189.9811	5189.9809
Max. Deviation (MHz)	0.0186	0.0188	0.0189	0.0191
Max. Deviation (ppm)	3.58	3.62	3.64	3.68
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5310 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5309.9932	5309.9923	5309.9913	5309.9910
110.00	5309.9931	5309.9923	5309.9913	5309.9906
93.50	5309.9926	5309.9922	5309.9918	5309.9908
Max. Deviation (MHz)	0.0074	0.0078	0.0087	0.0094
Max. Deviation (ppm)	1.39	1.47	1.64	1.77
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5310 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5309.9946	5309.9941	5309.9940	5309.9935
10	5309.9945	5309.9942	5309.9939	5309.9932
20	5309.9931	5309.9921	5309.9912	5309.9908
30	5309.9865	5309.9861	5309.9854	5309.9846
40	5309.9861	5309.9853	5309.9845	5309.9840
50	5309.9854	5309.9846	5309.9842	5309.9836
60	5309.9839	5309.9837	5309.9828	5309.9827
70	5309.9832	5309.9826	5309.9819	5309.9815
Max. Deviation (MHz)	0.0168	0.0174	0.0181	0.0185
Max. Deviation (ppm)	3.16	3.28	3.41	3.48
Result	Pass			



Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5550 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5549.9933	5549.9928	5549.9922	5549.9920
110.00	5549.9931	5549.9929	5549.9922	5549.9916
93.50	5549.9926	5549.9917	5549.9916	5549.9912
Max. Deviation (MHz)	0.0074	0.0083	0.0084	0.0088
Max. Deviation (ppm)	1.33	1.50	1.51	1.59
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5550 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5549.9951	5549.9944	5549.9935	5549.9932
10	5549.9947	5549.9942	5549.9938	5549.9929
20	5549.9931	5549.9928	5549.9926	5549.9919
30	5549.9865	5549.9857	5549.9847	5549.9844
40	5549.9857	5549.9855	5549.9853	5549.9846
50	5549.9842	5549.9840	5549.9837	5549.9833
60	5549.9840	5549.9833	5549.9830	5549.9829
70	5549.9825	5549.9819	5549.9818	5549.9817
Max. Deviation (MHz)	0.0175	0.0181	0.0182	0.0183
Max. Deviation (ppm)	3.15	3.26	3.28	3.30
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5755 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5754.9936	5754.9935	5754.9930	5754.9927
110.00	5754.9931	5754.9924	5754.9921	5754.9915
93.50	5754.9921	5754.9916	5754.9911	5754.9908
Max. Deviation (MHz)	0.0079	0.0084	0.0089	0.0092
Max. Deviation (ppm)	1.37	1.46	1.55	1.60
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5755 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5754.9948	5754.9938	5754.9934	5754.9926
10	5754.9942	5754.9936	5754.9934	5754.9930
20	5754.9931	5754.9928	5754.9918	5754.9912
30	5754.9865	5754.9860	5754.9858	5754.9857
40	5754.9859	5754.9853	5754.9848	5754.9847
50	5754.9853	5754.9850	5754.9846	5754.9842
60	5754.9841	5754.9831	5754.9827	5754.9818
70	5754.9821	5754.9815	5754.9807	5754.9800
Max. Deviation (MHz)	0.0179	0.0185	0.0193	0.0200
Max. Deviation (ppm)	3.11	3.21	3.35	3.48
Result	Pass			



Mode: 80 MHz / Port 1
Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5210 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5209.9936	5209.9932	5209.9928	5209.9919
110.00	5209.9931	5209.9925	5209.9924	5209.9918
93.50	5209.9930	5209.9922	5209.9913	5209.9907
Max. Deviation (MHz)	0.0070	0.0078	0.0087	0.0093
Max. Deviation (ppm)	1.34	1.50	1.67	1.79
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5210 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5209.9955	5209.9946	5209.9941	5209.9937
10	5209.9942	5209.9933	5209.9928	5209.9919
20	5209.9931	5209.9929	5209.9926	5209.9919
30	5209.9865	5209.9858	5209.9855	5209.9854
40	5209.9864	5209.9860	5209.9856	5209.9853
50	5209.9854	5209.9849	5209.9848	5209.9838
60	5209.9837	5209.9833	5209.9827	5209.9821
70	5209.9821	5209.9811	5209.9803	5209.9797
Max. Deviation (MHz)	0.0179	0.0189	0.0197	0.0203
Max. Deviation (ppm)	3.44	3.63	3.78	3.90
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5290 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5289.9941	5289.9932	5289.9926	5289.9923
110.00	5289.9931	5289.9929	5289.9926	5289.9920
93.50	5289.9925	5289.9917	5289.9915	5289.9907
Max. Deviation (MHz)	0.0075	0.0083	0.0085	0.0093
Max. Deviation (ppm)	1.42	1.57	1.61	1.76
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5290 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5289.9952	5289.9951	5289.9950	5289.9940
10	5289.9936	5289.9931	5289.9921	5289.9917
20	5289.9931	5289.9928	5289.9924	5289.9922
30	5289.9865	5289.9856	5289.9849	5289.9839
40	5289.9852	5289.9847	5289.9844	5289.9840
50	5289.9832	5289.9826	5289.9817	5289.9812
60	5289.9822	5289.9816	5289.9815	5289.9811
70	5289.9815	5289.9814	5289.9804	5289.9801
Max. Deviation (MHz)	0.0185	0.0186	0.0196	0.0199
Max. Deviation (ppm)	3.50	3.52	3.71	3.76
Result	Pass			



Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5530 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5529.9935	5529.9931	5529.9923	5529.9919
110.00	5529.9931	5529.9922	5529.9918	5529.9913
93.50	5529.9923	5529.9919	5529.9915	5529.9907
Max. Deviation (MHz)	0.0077	0.0081	0.0085	0.0093
Max. Deviation (ppm)	1.39	1.46	1.54	1.68
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5530 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5529.9957	5529.9948	5529.9939	5529.9936
10	5529.9941	5529.9934	5529.9925	5529.9922
20	5529.9931	5529.9921	5529.9919	5529.9911
30	5529.9865	5529.9863	5529.9853	5529.9846
40	5529.9857	5529.9848	5529.9844	5529.9842
50	5529.9845	5529.9841	5529.9839	5529.9831
60	5529.9843	5529.9836	5529.9832	5529.9822
70	5529.9834	5529.9824	5529.9814	5529.9808
Max. Deviation (MHz)	0.0166	0.0176	0.0186	0.0192
Max. Deviation (ppm)	3.00	3.18	3.36	3.47
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5775 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5774.9938	5774.9934	5774.9926	5774.9922
110.00	5774.9931	5774.9924	5774.9919	5774.9914
93.50	5774.9927	5774.9918	5774.9913	5774.9907
Max. Deviation (MHz)	0.0073	0.0082	0.0087	0.0093
Max. Deviation (ppm)	1.26	1.42	1.51	1.61
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5775 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5774.9958	5774.9955	5774.9950	5774.9946
10	5774.9939	5774.9929	5774.9927	5774.9924
20	5774.9931	5774.9925	5774.9915	5774.9905
30	5774.9865	5774.9862	5774.9852	5774.9843
40	5774.9851	5774.9848	5774.9842	5774.9839
50	5774.9835	5774.9834	5774.9828	5774.9825
60	5774.9832	5774.9831	5774.9821	5774.9817
70	5774.9816	5774.9807	5774.9806	5774.9797
Max. Deviation (MHz)	0.0184	0.0193	0.0194	0.0203
Max. Deviation (ppm)	3.19	3.34	3.36	3.52
Result	Pass			

