




### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5290MHz\_TX

16/03/2018



EUT X\_1TX (ANT C)  
 Setting 58  
 04-C-4-10  
 FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.1204G	58.10	74.00	-15.90	6.69	3	Vertical	45	1.79
AV	5.1324G	45.91	54.00	-8.09	6.72	3	Vertical	45	1.79
PK	5.2956G	94.71	Inf	-Inf	7.07	3	Vertical	45	1.79
AV	5.2916G	85.56	Inf	-Inf	7.06	3	Vertical	45	1.79
PK	5.350005G	62.01	74.00	-11.99	7.16	3	Vertical	45	1.79
AV	5.350005G	48.98	54.00	-5.02	7.16	3	Vertical	45	1.79



### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5290MHz\_TX

16/03/2018




EUT X\_1TX (ANT C)  
 Setting 58  
 04-C-4-10  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.1308G	57.66	74.00	-16.34	6.71	3	Horizontal	311	1.62
AV	5.1124G	46.17	54.00	-7.83	6.67	3	Horizontal	311	1.62
PK	5.2868G	100.39	Inf	-Inf	7.05	3	Horizontal	311	1.62
AV	5.2916G	90.91	Inf	-Inf	7.06	3	Horizontal	311	1.62
PK	5.354G	66.13	74.00	-7.87	7.17	3	Horizontal	311	1.62
AV	5.350005G	52.63	54.00	-1.37	7.16	3	Horizontal	311	1.62

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5290MHz\_TX

16/03/2018




EUT X\_1TX (ANT C)  
Setting 58  
04-C-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	15.86316G	57.28	74.00	-16.72	14.56	3	Vertical	232	1.49
AV	15.86004G	44.83	54.00	-9.17	14.56	3	Vertical	232	1.49

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5290MHz\_TX

16/03/2018



EUT X\_1TX (ANT C)  
 Setting 58  
 04-C-4  
 FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	15.87924G	57.16	74.00	-16.84	14.54	3	Horizontal	120	1.63
AV	15.86028G	44.98	54.00	-9.02	14.56	3	Horizontal	120	1.63



### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5530MHz\_TX

16/03/2018




EUT X\_1TX (ANT C)  
 Setting 60  
 04-C-4-10  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.455G	60.66	74.00	-13.34	7.28	3	Vertical	357	1.50
AV	5.459995G	49.17	54.00	-4.83	7.28	3	Vertical	357	1.50
PK	5.464G	63.24	68.20	-4.96	7.29	3	Vertical	357	1.50
PK	5.542G	97.46	Inf	-Inf	7.42	3	Vertical	357	1.50
AV	5.531G	88.11	Inf	-Inf	7.40	3	Vertical	357	1.50
PK	5.771G	59.52	68.20	-8.68	8.08	3	Vertical	357	1.50

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5530MHz\_TX

16/03/2018



EUT X\_1TX (ANT C)  
 Setting 60  
 04-C-4-10  
 FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.459G	63.95	74.00	-10.05	7.28	3	Horizontal	308	1.62
AV	5.459995G	52.08	54.00	-1.92	7.28	3	Horizontal	308	1.62
PK	5.466G	65.56	68.20	-2.64	7.30	3	Horizontal	308	1.62
PK	5.533G	100.33	Inf	-Inf	7.40	3	Horizontal	308	1.62
AV	5.531G	91.01	Inf	-Inf	7.40	3	Horizontal	308	1.62
PK	5.77G	58.96	68.20	-9.24	8.08	3	Horizontal	308	1.62



### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5530MHz\_TX

16/03/2018



EUT X\_1TX (ANT C)  
 Setting 60  
 04-C-4  
 FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.05346G	54.08	74.00	-19.92	13.58	3	Vertical	277	1.63
AV	11.05052G	40.90	54.00	-13.10	13.58	3	Vertical	227	1.63
PK	16.58148G	57.74	68.20	-10.46	16.04	3	Vertical	19	2.13



### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5530MHz\_TX

16/03/2018



EUT X\_1TX (ANT C)  
 Setting 60  
 04-C-4  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.05556G	53.44	74.00	-20.56	13.58	3	Horizontal	89	1.72
AV	11.05016G	40.83	54.00	-13.17	13.58	3	Horizontal	89	1.72
PK	16.57956G	58.06	68.20	-10.14	16.04	3	Horizontal	221	1.49






### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5610MHz\_TX

16/03/2018




EUT X\_1TX (ANT C)  
 Setting 77  
 04-C-4-10  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.3172G	58.30	68.20	-9.90	7.11	3	Vertical	353	1.50
PK	5.4432G	58.78	74.00	-15.22	7.27	3	Vertical	353	1.50
AV	5.4336G	47.60	54.00	-6.40	7.26	3	Vertical	353	1.50
PK	5.4672G	59.34	74.00	-14.66	7.30	3	Vertical	353	1.50
AV	5.4648G	47.73	54.00	-6.27	7.29	3	Vertical	353	1.50
PK	5.6124G	99.29	Inf	-Inf	7.59	3	Vertical	353	1.50
AV	5.6112G	89.95	Inf	-Inf	7.59	3	Vertical	353	1.50
PK	5.8512G	59.78	74.00	-14.22	8.32	3	Vertical	353	1.50
AV	5.8812G	47.90	54.00	-6.10	8.42	3	Vertical	353	1.50

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5610MHz\_TX

16/03/2018



EUT X\_1TX (ANT C)  
Setting 77  
04-C-4-10  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.3436G	58.43	68.20	-9.77	7.14	3	Horizontal	305	1.52
PK	5.4576G	60.01	74.00	-13.99	7.29	3	Horizontal	305	1.52
AV	5.459995G	48.83	54.00	-5.17	7.28	3	Horizontal	305	1.52
PK	5.4648G	60.64	74.00	-13.36	7.29	3	Horizontal	305	1.52
AV	5.4684G	49.44	54.00	-4.56	7.30	3	Horizontal	305	1.52
PK	5.6136G	100.33	Inf	-Inf	7.59	3	Horizontal	305	1.52
AV	5.6076G	91.33	Inf	-Inf	7.57	3	Horizontal	305	1.52
PK	5.8548G	59.87	74.00	-14.13	8.33	3	Horizontal	305	1.52
AV	5.8032G	47.94	54.00	-6.06	8.18	3	Horizontal	305	1.52



### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5610MHz\_TX

16/03/2018




EUT X\_1TX (ANT C)  
 Setting 77  
 04-C-4  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.21328G	53.62	74.00	-20.38	13.53	3	Vertical	302	1.34
AV	11.23146G	40.85	54.00	-13.15	13.53	3	Vertical	302	1.34
PK	16.84284G	59.83	68.20	-8.37	16.77	3	Vertical	189	1.67

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5610MHz\_TX

16/03/2018



EUT X\_1TX (ANT C)  
Setting 77  
04-C-4  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.22534G	53.40	74.00	-20.60	13.53	3	Horizontal	205	1.69
AV	11.21976G	41.28	54.00	-12.72	13.53	3	Horizontal	205	1.69
PK	16.842G	58.91	68.20	-9.29	16.76	3	Horizontal	244	1.76



### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5690MHz Straddle 5.47-5.725GHz\_TX

16/03/2018



EUT X\_1TX (ANT C)  
 Setting 78  
 04-C-4-10  
 FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.454G	58.52	74.00	-15.48	7.28	3	Vertical	357	1.50
AV	5.454G	47.39	54.00	-6.61	7.28	3	Vertical	357	1.50
PK	5.464G	57.69	68.20	-10.51	7.29	3	Vertical	357	1.50
AV	5.46G	46.45	54.00	-7.55	7.28	3	Vertical	357	1.50
PK	5.698G	99.32	Inf	-Inf	7.86	3	Vertical	357	1.50
AV	5.682G	89.24	Inf	-Inf	7.81	3	Vertical	357	1.50
PK	5.966G	59.74	68.20	-8.46	8.68	3	Vertical	357	1.50



### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5690MHz Straddle 5.47-5.725GHz\_TX

16/03/2018



EUT X\_1TX (ANT C)  
 Setting 78  
 04-C-4-10  
 FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.454G	59.35	74.00	-14.65	7.28	3	Horizontal	162	1.50
AV	5.442G	47.02	54.00	-6.98	7.27	3	Horizontal	162	1.50
PK	5.464G	58.00	68.20	-10.20	7.29	3	Horizontal	162	1.50
AV	5.46G	46.79	54.00	-7.21	7.28	3	Horizontal	162	1.50
PK	5.696G	100.06	Inf	-Inf	7.86	3	Horizontal	162	1.50
AV	5.696G	90.52	Inf	-Inf	7.86	3	Horizontal	162	1.50
PK	5.9G	59.91	68.20	-8.29	8.48	3	Horizontal	162	1.50



### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5690MHz Straddle 5.47-5.725GHz\_TX

16/03/2018



EUT X\_1TX (ANT C)  
 Setting 78  
 04-C-4  
 FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.38G	53.65	74.00	-20.35	13.49	3	Vertical	114	2.10
AV	11.404G	41.53	54.00	-12.47	13.48	3	Vertical	114	2.10
PK	17.464G	60.34	68.20	-7.86	17.73	3	Vertical	301	1.98



### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5690MHz Straddle 5.47-5.725GHz\_TX

16/03/2018



EUT X\_1TX (ANT C)  
 Setting 78  
 04-C-4  
 FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.698G	52.93	74.00	-21.07	13.41	3	Horizontal	145	1.86
AV	11.68G	41.66	54.00	-12.34	13.41	3	Horizontal	145	1.86
PK	17.488G	59.91	68.20	-8.29	17.76	3	Horizontal	68	1.93



### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5775MHz\_TX

16/03/2018




EUT X\_1TX (ANT C)  
 Setting 80  
 04-C-4-10  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.61G	64.20	68.20	-4.00	7.58	3	Vertical	359	1.41
PK	5.782G	100.99	Inf	-Inf	8.12	3	Vertical	359	1.41
AV	5.777G	91.03	Inf	-Inf	8.10	3	Vertical	359	1.41
PK	5.939G	60.03	68.20	-8.17	8.60	3	Vertical	359	1.41

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5775MHz\_TX

16/03/2018




EUT X\_1TX (ANT C)  
 Setting 80  
 04-C-4-10  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.625G	63.57	68.20	-4.63	7.63	3	Horizontal	299	1.49
PK	5.781G	100.79	Inf	-Inf	8.11	3	Horizontal	299	1.49
AV	5.777G	91.95	Inf	-Inf	8.10	3	Horizontal	299	1.49
PK	5.932G	62.91	68.20	-5.29	8.58	3	Horizontal	299	1.49

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5775MHz\_TX

16/03/2018



EUT X\_1TX (ANT C)  
Setting 80  
04-C-4  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.55G	54.60	74.00	-19.40	13.45	3	Vertical	292	1.75
AV	11.55G	42.13	54.00	-11.87	13.45	3	Vertical	292	1.75
PK	17.325G	59.84	68.20	-8.36	17.57	3	Vertical	88	1.91



### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5775MHz\_TX

16/03/2018



EUT X\_1TX (ANT C)  
 Setting 80  
 04-C-4  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.55G	54.12	74.00	-19.88	13.45	3	Horizontal	199	1.57
AV	11.55G	41.66	54.00	-12.34	13.45	3	Horizontal	199	1.57
PK	17.325G	59.11	68.20	-9.09	17.57	3	Horizontal	114	1.74




**For Radio 2  
Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss1,(MCS0)_1TX	Pass	PK	5.469G	67.97	68.20	-0.23	7.30	3	Vertical	27	1.28	-

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5180MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 64  
04-B-1-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.149995G	66.85	74.00	-7.15	9.17	3	Vertical	14	1.98
AV	5.149995G	51.60	54.00	-2.40	9.17	3	Vertical	14	1.98
PK	5.1784G	109.85	Inf	-Inf	9.26	3	Vertical	14	1.98
AV	5.1792G	100.39	Inf	-Inf	9.26	3	Vertical	14	1.98

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5180MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 64  
04-B-1-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.1496G	63.90	74.00	-10.10	9.17	3	Horizontal	311	1.59
AV	5.1496G	49.48	54.00	-4.52	9.17	3	Horizontal	311	1.59
PK	5.1782G	106.75	Inf	-Inf	9.26	3	Horizontal	311	1.59
AV	5.1792G	97.30	Inf	-Inf	9.26	3	Horizontal	311	1.59

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5180MHz\_TX

14/04/2018



EUT X\_1TX  
Setting 64  
04-B-1-10  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	15.54264G	59.08	74.00	-14.92	15.86	3	Vertical	332	1.96
AV	15.53746G	45.31	54.00	-8.69	15.87	3	Vertical	332	1.96



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5180MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 64  
04-B-1-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	15.53584G	58.33	74.00	-15.67	15.87	3	Horizontal	313	1.65
AV	15.54254G	44.90	54.00	-9.10	15.86	3	Horizontal	313	1.65

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5200MHz\_TX

16/04/2018




EUT X\_1TX  
 Setting 80  
 04-L-2-10  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.1488G	66.84	74.00	-7.16	6.76	3	Vertical	247	2.08
AV	5.149995G	51.81	54.00	-2.19	6.76	3	Vertical	247	2.08
PK	5.2G	114.46	Inf	-Inf	6.89	3	Vertical	247	2.08
AV	5.1992G	104.98	Inf	-Inf	6.89	3	Vertical	247	2.08

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5200MHz\_TX

16/04/2018




EUT X\_1TX  
Setting 80  
04-L-2-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.1336G	62.38	74.00	-11.62	6.72	3	Horizontal	235	1.50
AV	5.149995G	48.77	54.00	-5.23	6.76	3	Horizontal	235	1.50
PK	5.1984G	110.12	Inf	-Inf	6.89	3	Horizontal	235	1.50
AV	5.1992G	100.64	Inf	-Inf	6.89	3	Horizontal	235	1.50

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5200MHz\_TX

16/04/2018




EUT X\_1TX  
Setting 80  
04-L-2  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	15.60333G	63.25	74.00	-10.75	14.78	3	Vertical	13	1.47
AV	15.60024G	48.68	54.00	-5.32	14.78	3	Vertical	13	1.47

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5200MHz\_TX

16/04/2018




EUT X\_1TX  
Setting 80  
04-L-2  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	15.60294G	63.37	74.00	-10.63	14.78	3	Horizontal	319	1.50
AV	15.59634G	49.14	54.00	-4.86	14.79	3	Horizontal	319	1.50

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5240MHz\_TX

16/04/2018




EUT X\_1TX  
 Setting 80  
 04-L-2-10  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.0942G	62.82	74.00	-11.18	6.62	3	Vertical	21	2.08
AV	5.0918G	50.42	54.00	-3.58	6.62	3	Vertical	21	2.08
PK	5.2382G	116.92	Inf	-Inf	6.96	3	Vertical	21	2.08
AV	5.2406G	107.49	Inf	-Inf	6.97	3	Vertical	21	2.08
PK	5.3558G	62.30	74.00	-11.70	7.16	3	Vertical	21	2.08
AV	5.3894G	51.22	54.00	-2.78	7.21	3	Vertical	21	2.08

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5240MHz\_TX

16/04/2018




EUT X\_1TX  
Setting 80  
04-L-2-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.0936G	62.58	74.00	-11.42	6.62	3	Horizontal	247	2.08
AV	5.0912G	49.84	54.00	-4.16	6.61	3	Horizontal	247	2.08
PK	5.24G	115.59	Inf	-Inf	6.97	3	Horizontal	247	2.08
AV	5.2394G	106.03	Inf	-Inf	6.96	3	Horizontal	247	2.08
PK	5.3876G	61.89	74.00	-12.11	7.21	3	Horizontal	247	2.08
AV	5.3888G	50.30	54.00	-3.70	7.21	3	Horizontal	247	2.08

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5240MHz\_TX

16/04/2018



EUT X\_1TX  
Setting 80  
04-L-2  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	15.71392G	64.67	74.00	-9.33	14.69	3	Vertical	6	1.64
AV	15.71704G	50.06	54.00	-3.94	14.68	3	Vertical	6	1.64



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5240MHz\_TX

16/04/2018



Legend:

- Lim.PK (Red stepped line)
- PK (Blue line)
- Lim.AV (Pink stepped line)
- AV (Pink line)


EUT X\_1TX  
Setting 80  
04-L-2  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	15.72308G	64.93	74.00	-9.07	14.68	3	Horizontal	321	1.49
AV	15.71612G	50.10	54.00	-3.90	14.68	3	Horizontal	321	1.49

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5260MHz\_TX

16/04/2018




EUT X\_1TX  
Setting 80  
04-L-2-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.1124G	61.85	74.00	-12.15	6.67	3	Vertical	18	1.84
AV	5.1106G	50.17	54.00	-3.83	6.67	3	Vertical	18	1.84
PK	5.2582G	116.99	Inf	-Inf	7.00	3	Vertical	18	1.84
AV	5.2594G	107.60	Inf	-Inf	7.00	3	Vertical	18	1.84
PK	5.4028G	64.36	74.00	-9.64	7.24	3	Vertical	18	1.84
AV	5.4094G	51.12	54.00	-2.88	7.24	3	Vertical	18	1.84

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5260MHz\_TX

16/04/2018




EUT X\_1TX  
Setting 80  
04-L-2-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.1196G	61.92	74.00	-12.08	6.69	3	Horizontal	247	2.03
AV	5.1136G	49.85	54.00	-4.15	6.67	3	Horizontal	247	2.03
PK	5.2582G	114.93	Inf	-Inf	7.00	3	Horizontal	247	2.03
AV	5.2594G	105.50	Inf	-Inf	7.00	3	Horizontal	247	2.03
PK	5.4064G	62.75	74.00	-11.25	7.24	3	Horizontal	247	2.03
AV	5.41G	50.47	54.00	-3.53	7.24	3	Horizontal	247	2.03

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5260MHz\_TX

16/04/2018




EUT X\_1TX  
Setting 80  
04-L-2  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	15.77372G	63.18	74.00	-10.82	14.63	3	Vertical	9	1.48
AV	15.77708G	48.90	54.00	-5.10	14.63	3	Vertical	9	1.48

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5260MHz\_TX

16/04/2018




EUT X\_1TX  
Setting 80  
04-L-2  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	15.77668G	49.36	54.00	-4.64	14.63	3	Horizontal	325	1.41
PK	15.77712G	63.90	74.00	-10.10	14.63	3	Horizontal	325	1.41

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5300MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.3G	115.47	Inf	-Inf	10.64	3	Vertical	199	2.65
AV	5.3008G	105.52	Inf	-Inf	10.64	3	Vertical	199	2.65
PK	5.3504G	65.80	74.00	-8.20	10.96	3	Vertical	199	2.65
AV	5.350005G	50.37	54.00	-3.63	10.96	3	Vertical	199	2.65

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5300MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.3008G	108.51	Inf	-Inf	10.64	3	Horizontal	120	1.50
AV	5.2992G	99.48	Inf	-Inf	10.64	3	Horizontal	120	1.50
PK	5.350005G	60.73	74.00	-13.27	10.96	3	Horizontal	120	1.50
AV	5.350005G	48.48	54.00	-5.52	10.96	3	Horizontal	120	1.50

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5300MHz\_TX

14/04/2018



EUT X\_1TX  
Setting 80  
02-N-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	15.90316G	63.84	74.00	-10.16	18.07	3	Vertical	169	2.55
AV	15.89656G	49.79	54.00	-4.21	18.08	3	Vertical	169	2.55



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5300MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	15.899G	60.62	74.00	-13.38	18.08	3	Horizontal	166	1.35
AV	15.90256G	47.65	54.00	-6.35	18.07	3	Horizontal	166	1.35

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TX

17/04/2018




EUT X\_1TX  
Setting 70  
04-L-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.32G	111.56	Inf	-Inf	7.11	3	Vertical	26	1.27
AV	5.3192G	102.20	Inf	-Inf	7.11	3	Vertical	26	1.27
PK	5.3524G	70.75	74.00	-3.25	7.16	3	Vertical	26	1.27
AV	5.350005G	53.95	54.00	-0.05	7.16	3	Vertical	26	1.27

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TX

17/04/2018




EUT X\_1TX  
Setting 70  
04-L-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.32G	106.93	Inf	-Inf	7.11	3	Horizontal	56	1.44
AV	5.3192G	97.58	Inf	-Inf	7.11	3	Horizontal	56	1.44
PK	5.3524G	67.34	74.00	-6.66	7.16	3	Horizontal	56	1.44
AV	5.350005G	50.25	54.00	-3.75	7.16	3	Horizontal	56	1.44

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TX

17/04/2018



Legend:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink dashed line)
- AV (Green line)


EUT X\_1TX  
 Setting 70  
 04-L-3  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	10.6463G	52.18	74.00	-21.82	13.24	3	Vertical	115	1.94
AV	10.6421G	40.27	54.00	-13.73	13.24	3	Vertical	115	1.94





### 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TX

17/04/2018



Legend:

- Lim.PK 
- PK 
- Lim.AV 
- AV 


EUT X\_1TX  
 Setting 70  
 04-L-3  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	10.62992G	53.92	74.00	-20.08	13.22	3	Horizontal	280	2.14
AV	10.63964G	41.07	54.00	-12.93	13.23	3	Horizontal	280	2.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TX

17/04/2018



Legend for plot:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Green line)
- AV (Black line)


EUT X\_1TX  
 Setting 66  
 04-L-2-10  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.4592G	62.01	74.00	-11.99	7.28	3	Vertical	25	1.47
AV	5.4588G	49.46	54.00	-4.54	7.28	3	Vertical	25	1.47
PK	5.4664G	68.14	74.00	-5.86	7.30	3	Vertical	25	1.47
AV	5.469995G	52.69	54.00	-1.31	7.30	3	Vertical	25	1.47
PK	5.5G	110.11	Inf	-Inf	7.33	3	Vertical	25	1.47
AV	5.4992G	100.63	Inf	-Inf	7.33	3	Vertical	25	1.47

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TX

17/04/2018




EUT X\_1TX  
Setting 66  
04-L-2-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.459995G	63.99	74.00	-10.01	7.89	3	Horizontal	246	1.73
AV	5.4596G	48.77	54.00	-5.23	7.88	3	Horizontal	246	1.73
PK	5.4696G	66.61	74.00	-7.39	7.93	3	Horizontal	246	1.73
AV	5.4692G	50.59	54.00	-3.41	7.93	3	Horizontal	246	1.73
PK	5.5G	109.23	Inf	-Inf	8.06	3	Horizontal	246	1.73
AV	5.4992G	98.86	Inf	-Inf	8.06	3	Horizontal	246	1.73

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TX

17/04/2018



EUT X\_1TX  
Setting 66  
04-L-2  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.00282G	52.25	74.00	-21.75	13.59	3	Vertical	97	2.12
AV	10.98524G	39.35	54.00	-14.65	13.58	3	Vertical	97	2.12



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TX

17/04/2018




EUT X\_1TX  
Setting 66  
04-L-2  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	10.99772G	52.58	74.00	-21.42	13.59	3	Horizontal	165	1.88
AV	10.98962G	39.14	54.00	-14.86	13.58	3	Horizontal	165	1.88

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.43G	47.44	54.00	-6.56	11.18	3	Vertical	199	2.22
AV	5.4618G	46.93	54.00	-7.07	11.07	3	Vertical	199	2.22
AV	5.5794G	104.08	Inf	-Inf	10.59	3	Vertical	199	2.22
AV	5.73G	45.68	54.00	-8.32	10.64	3	Vertical	199	2.22
PK	5.4354G	59.83	74.00	-14.17	11.15	3	Vertical	199	2.22
PK	5.466G	59.04	74.00	-14.96	11.06	3	Vertical	199	2.22
PK	5.5788G	113.62	Inf	-Inf	10.60	3	Vertical	199	2.22
PK	5.727G	58.19	74.00	-15.81	10.64	3	Vertical	199	2.22

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.4318G	46.78	54.00	-7.22	11.16	3	Horizontal	102	1.53
AV	5.4636G	46.50	54.00	-7.50	11.07	3	Horizontal	102	1.53
AV	5.5794G	99.35	Inf	-Inf	10.59	3	Horizontal	102	1.53
AV	5.7294G	44.57	54.00	-9.43	10.64	3	Horizontal	102	1.53
PK	5.4342G	58.75	74.00	-15.25	11.16	3	Horizontal	102	1.53
PK	5.4648G	59.05	74.00	-14.95	11.07	3	Horizontal	102	1.53
PK	5.58G	108.37	Inf	-Inf	10.59	3	Horizontal	102	1.53
PK	5.73G	56.65	74.00	-17.35	10.64	3	Horizontal	102	1.53

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	11.15004G	39.75	54.00	-14.25	14.98	3	Vertical	235	1.27
PK	11.15876G	52.45	74.00	-21.55	14.99	3	Vertical	235	1.27

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	11.15768G	39.75	54.00	-14.25	14.99	3	Horizontal	279	1.64
PK	11.1546G	53.08	74.00	-20.92	14.98	3	Horizontal	279	1.64

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 69  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.6992G	101.05	Inf	-Inf	10.60	3	Vertical	199	1.67
AV	5.7254G	52.33	54.00	-1.67	10.63	3	Vertical	199	1.67
PK	5.7022G	110.38	Inf	-Inf	10.60	3	Vertical	199	1.67
PK	5.726G	69.40	74.00	-4.60	10.63	3	Vertical	199	1.67

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 69  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.6992G	95.04	Inf	-Inf	10.60	3	Horizontal	102	1.56
AV	5.7254G	48.41	54.00	-5.59	10.63	3	Horizontal	102	1.56
PK	5.6982G	104.41	Inf	-Inf	10.60	3	Horizontal	102	1.56
PK	5.726G	63.98	74.00	-10.02	10.63	3	Horizontal	102	1.56

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TX

14/04/2018



EUT X\_1TX  
Setting 69  
02-N-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.40044G	53.13	74.00	-20.87	15.32	3	Vertical	307	1.22
AV	11.39532G	39.98	54.00	-14.02	15.31	3	Vertical	307	1.22



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 69  
02-N-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.39708G	53.74	74.00	-20.26	15.31	3	Horizontal	43	2.09
AV	11.40466G	40.09	54.00	-13.91	15.32	3	Horizontal	43	2.09

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.4344G	46.51	54.00	-7.49	11.16	3	Vertical	188	1.84
AV	5.7188G	101.81	Inf	-Inf	10.63	3	Vertical	188	1.84
PK	5.4512G	59.32	74.00	-14.68	11.11	3	Vertical	188	1.84
PK	5.4692G	58.71	68.20	-9.49	11.05	3	Vertical	188	1.84
PK	5.72G	111.67	Inf	-Inf	10.63	3	Vertical	188	1.84
PK	5.9468G	58.45	68.20	-9.75	11.13	3	Vertical	188	1.84

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.4404G	46.46	54.00	-7.54	11.14	3	Horizontal	108	1.52
AV	5.72G	95.18	Inf	-Inf	10.63	3	Horizontal	108	1.52
PK	5.426G	58.76	74.00	-15.24	11.18	3	Horizontal	108	1.52
PK	5.4692G	57.77	68.20	-10.43	11.05	3	Horizontal	108	1.52
PK	5.72G	104.69	Inf	-Inf	10.63	3	Horizontal	108	1.52
PK	5.8952G	58.50	68.20	-9.70	11.00	3	Horizontal	108	1.52

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.44072G	53.70	74.00	-20.30	15.37	3	Vertical	271	2.06
AV	11.43028G	40.11	54.00	-13.89	15.36	3	Vertical	271	2.06

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.44316G	53.89	74.00	-20.11	15.38	3	Horizontal	208	2.31
AV	11.43016G	40.08	54.00	-13.92	15.36	3	Horizontal	208	2.31

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5745MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.744G	102.23	Inf	-Inf	10.66	3	Vertical	195	2.16
PK	5.588G	58.87	68.20	-9.33	10.56	3	Vertical	195	2.16
PK	5.743G	111.58	Inf	-Inf	10.66	3	Vertical	195	2.16
PK	5.969G	58.61	68.20	-9.59	11.19	3	Vertical	195	2.16

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5745MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.744G	97.45	Inf	-Inf	10.66	3	Horizontal	55	1.58
PK	5.576G	58.69	68.20	-9.51	10.61	3	Horizontal	55	1.58
PK	5.743G	106.81	Inf	-Inf	10.66	3	Horizontal	55	1.58
PK	5.982G	58.79	68.20	-9.41	11.22	3	Horizontal	55	1.58

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5745MHz\_TX

14/04/2018



EUT X\_1TX  
Setting 80  
02-N-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	11.49388G	39.75	54.00	-14.25	15.45	3	Vertical	350	2.71
PK	11.48988G	53.15	74.00	-20.85	15.44	3	Vertical	350	2.71



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5745MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	11.48744G	39.81	54.00	-14.19	15.44	3	Horizontal	41	1.50
PK	11.49808G	53.81	74.00	-20.19	15.45	3	Horizontal	41	1.50

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5785MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.786G	101.22	Inf	-Inf	10.72	3	Vertical	193	2.11
PK	5.638G	58.16	68.20	-10.04	10.54	3	Vertical	193	2.11
PK	5.786G	110.65	Inf	-Inf	10.72	3	Vertical	193	2.11
PK	5.953G	59.17	68.20	-9.03	11.15	3	Vertical	193	2.11

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5785MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2-10  
FSP





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.784G	96.86	Inf	-Inf	10.72	3	Horizontal	58	2.11
PK	5.572G	58.41	68.20	-9.79	10.63	3	Horizontal	58	2.11
PK	5.785G	106.27	Inf	-Inf	10.72	3	Horizontal	58	2.11
PK	5.976G	58.78	68.20	-9.42	11.21	3	Horizontal	58	2.11

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5785MHz\_TX

14/04/2018



- Lim.PK 
- PK 
- Lim.AV 
- AV 


EUT X\_1TX  
Setting 80  
02-N-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	11.56968G	40.31	54.00	-13.69	15.55	3	Vertical	79	1.50
PK	11.5738G	53.55	74.00	-20.45	15.56	3	Vertical	79	1.50

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5785MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	11.565G	40.27	54.00	-13.73	15.54	3	Horizontal	22	1.69
PK	11.5604G	53.69	74.00	-20.31	15.54	3	Horizontal	22	1.69

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5825MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.826G	102.40	Inf	-Inf	10.81	3	Vertical	180	2.20
PK	5.631G	58.08	68.20	-10.12	10.53	3	Vertical	180	2.20
PK	5.823G	111.88	Inf	-Inf	10.80	3	Vertical	180	2.20
PK	5.982G	58.96	68.20	-9.24	11.22	3	Vertical	180	2.20

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5825MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.826G	96.59	Inf	-Inf	10.81	3	Horizontal	118	1.55
PK	5.587G	57.41	68.20	-10.79	10.56	3	Horizontal	118	1.55
PK	5.825G	104.35	Inf	-Inf	10.81	3	Horizontal	118	1.55
PK	5.958G	58.99	68.20	-9.21	11.16	3	Horizontal	118	1.55

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5825MHz\_TX

14/04/2018



EUT X\_1TX  
Setting 80  
02-N-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	11.65784G	40.39	54.00	-13.61	15.67	3	Vertical	124	1.69
PK	11.65132G	53.60	74.00	-20.40	15.66	3	Vertical	124	1.69



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5825MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	11.65652G	40.27	54.00	-13.73	15.67	3	Horizontal	280	2.11
PK	11.64516G	54.06	74.00	-19.94	15.65	3	Horizontal	280	2.11

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5180MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 60  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.149995G	50.06	54.00	-3.94	9.89	3	Vertical	169	2.64
AV	5.1808G	99.02	Inf	-Inf	9.97	3	Vertical	169	2.64
PK	5.149995G	71.84	74.00	-2.16	9.89	3	Vertical	169	2.64
PK	5.182G	110.70	Inf	-Inf	9.98	3	Vertical	169	2.64

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5180MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 60  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.149995G	46.75	54.00	-7.25	9.89	3	Horizontal	116	1.68
AV	5.179G	93.35	Inf	-Inf	9.97	3	Horizontal	116	1.68
PK	5.149995G	65.25	74.00	-8.75	9.89	3	Horizontal	116	1.68
PK	5.182G	104.52	Inf	-Inf	9.98	3	Horizontal	116	1.68

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5180MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 60  
02-N-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	15.54328G	46.17	54.00	-7.83	18.67	3	Vertical	130	2.20
PK	15.5444G	60.84	74.00	-13.16	18.67	3	Vertical	130	2.20

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5180MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 60  
02-N-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	15.549G	45.96	54.00	-8.04	18.66	3	Horizontal	269	1.60
PK	15.54612G	60.39	74.00	-13.61	18.67	3	Horizontal	269	1.60

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5200MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.148G	68.72	74.00	-5.28	9.89	3	Vertical	196	2.47
AV	5.149995G	51.67	54.00	-2.33	9.89	3	Vertical	196	2.47
PK	5.2016G	113.26	Inf	-Inf	10.03	3	Vertical	196	2.47
AV	5.2004G	105.19	Inf	-Inf	10.02	3	Vertical	196	2.47

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5200MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.148G	63.06	74.00	-10.94	9.89	3	Horizontal	98	1.69
AV	5.149995G	47.22	54.00	-6.78	9.89	3	Horizontal	98	1.69
PK	5.2G	108.40	Inf	-Inf	10.02	3	Horizontal	98	1.69
AV	5.2008G	98.46	Inf	-Inf	10.02	3	Horizontal	98	1.69

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5200MHz\_TX

14/04/2018



EUT X\_1TX  
Setting 80  
02-E-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	15.6039G	61.36	74.00	-12.64	18.57	3	Vertical	220	1.48
AV	15.5988G	48.06	54.00	-5.94	18.58	3	Vertical	220	1.48



### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5200MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	15.5981G	62.50	74.00	-11.50	18.58	3	Horizontal	123	1.38
AV	15.59848G	48.51	54.00	-5.49	18.58	3	Horizontal	123	1.38

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5240MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.0948G	59.04	74.00	-14.96	9.76	3	Vertical	190	2.59
AV	5.0912G	46.70	54.00	-7.30	9.76	3	Vertical	190	2.59
PK	5.24G	115.23	Inf	-Inf	10.27	3	Vertical	190	2.59
AV	5.2406G	104.92	Inf	-Inf	10.27	3	Vertical	190	2.59
PK	5.3816G	59.80	74.00	-14.20	11.15	3	Vertical	190	2.59
AV	5.3888G	48.38	54.00	-5.62	11.20	3	Vertical	190	2.59

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5240MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.1008G	58.10	74.00	-15.90	9.78	3	Horizontal	114	1.63
AV	5.09G	45.55	54.00	-8.45	9.75	3	Horizontal	114	1.63
PK	5.2424G	108.18	Inf	-Inf	10.28	3	Horizontal	114	1.63
AV	5.2412G	98.89	Inf	-Inf	10.28	3	Horizontal	114	1.63
PK	5.378G	59.41	74.00	-14.59	11.12	3	Horizontal	114	1.63
AV	5.3876G	47.27	54.00	-6.73	11.18	3	Horizontal	114	1.63

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5240MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	15.72166G	60.93	74.00	-13.07	18.37	3	Vertical	181	1.52
AV	15.71998G	46.76	54.00	-7.24	18.38	3	Vertical	181	1.52

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5240MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	15.71886G	61.57	74.00	-12.43	18.38	3	Horizontal	116	1.61
AV	15.718G	48.11	54.00	-5.89	18.38	3	Horizontal	116	1.61

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5260MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.1154G	59.21	74.00	-14.79	9.82	3	Vertical	195	2.34
AV	5.1118G	46.31	54.00	-7.69	9.81	3	Vertical	195	2.34
PK	5.26G	116.41	Inf	-Inf	10.39	3	Vertical	195	2.34
AV	5.2612G	105.45	Inf	-Inf	10.40	3	Vertical	195	2.34
PK	5.404G	60.75	74.00	-13.25	11.25	3	Vertical	195	2.34
AV	5.4088G	48.68	54.00	-5.32	11.23	3	Vertical	195	2.34

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5260MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.1118G	57.90	74.00	-16.10	9.81	3	Horizontal	118	1.61
AV	5.1106G	44.91	54.00	-9.09	9.80	3	Horizontal	118	1.61
PK	5.2594G	108.87	Inf	-Inf	10.39	3	Horizontal	118	1.61
AV	5.2606G	99.43	Inf	-Inf	10.40	3	Horizontal	118	1.61
PK	5.392G	59.90	74.00	-14.10	11.21	3	Horizontal	118	1.61
AV	5.4094G	47.07	54.00	-6.93	11.23	3	Horizontal	118	1.61

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5260MHz\_TX

14/04/2018



EUT X\_1TX  
Setting 80  
02-E-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	15.77734G	61.53	74.00	-12.47	18.28	3	Vertical	186	1.47
AV	15.78162G	47.90	54.00	-6.10	18.27	3	Vertical	186	1.47



### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5260MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	15.77728G	60.53	74.00	-13.47	18.28	3	Horizontal	110	2.22
AV	15.7763G	47.46	54.00	-6.54	18.28	3	Horizontal	110	2.22

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5300MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.3008G	112.93	Inf	-Inf	10.64	3	Vertical	195	2.32
AV	5.3008G	102.87	Inf	-Inf	10.64	3	Vertical	195	2.32
PK	5.354G	64.11	74.00	-9.89	10.98	3	Vertical	195	2.32
AV	5.3504G	49.87	54.00	-4.13	10.96	3	Vertical	195	2.32

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5300MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.302G	106.31	Inf	-Inf	10.65	3	Horizontal	122	1.69
AV	5.2992G	96.72	Inf	-Inf	10.64	3	Horizontal	122	1.69
PK	5.3856G	59.82	74.00	-14.18	11.17	3	Horizontal	122	1.69
AV	5.3512G	47.00	54.00	-7.00	10.97	3	Horizontal	122	1.69

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5300MHz\_TX

17/04/2018




EUT X\_1TX  
Setting 80  
02-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	10.60598G	52.78	74.00	-21.22	13.20	3	Vertical	286	2.15
AV	10.60336G	39.01	54.00	-14.99	13.20	3	Vertical	286	2.15

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5300MHz\_TX

17/04/2018




EUT X\_1TX  
Setting 80  
02-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	10.61068G	52.29	74.00	-21.71	13.20	3	Horizontal	112	2.07
AV	10.6144G	39.26	54.00	-14.74	13.21	3	Horizontal	112	2.07

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5320MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 70  
04-J-4-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.3216G	110.93	Inf	-Inf	7.11	3	Vertical	18	2.22
AV	5.3192G	100.33	Inf	-Inf	7.11	3	Vertical	18	2.22
PK	5.350005G	72.72	74.00	-1.28	7.16	3	Vertical	18	2.22
AV	5.3504G	52.72	54.00	-1.28	7.16	3	Vertical	18	2.22

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5320MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 70  
04-J-4-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.322G	107.53	Inf	-Inf	7.11	3	Horizontal	251	2.40
AV	5.3208G	97.14	Inf	-Inf	7.11	3	Horizontal	251	2.40
PK	5.3508G	67.41	74.00	-6.59	7.16	3	Horizontal	251	2.40
AV	5.350005G	49.98	54.00	-4.02	7.16	3	Horizontal	251	2.40

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5320MHz\_TX

14/04/2018



EUT X\_1TX  
Setting 70  
04-J-4  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	10.64348G	53.09	74.00	-20.91	13.24	3	Vertical	32	1.68
AV	10.64198G	38.98	54.00	-15.02	13.24	3	Vertical	32	1.68



### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5320MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 70  
04-J-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	10.65224G	52.10	74.00	-21.90	13.25	3	Horizontal	129	1.31
AV	10.63946G	38.65	54.00	-15.35	13.23	3	Horizontal	129	1.31

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5500MHz\_TX

17/04/2018




EUT X\_1TX  
Setting 64  
04-L-2-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.4596G	65.82	74.00	-8.18	7.28	3	Vertical	22	2.09
AV	5.459995G	50.11	54.00	-3.89	7.28	3	Vertical	22	2.09
PK	5.4676G	70.73	74.00	-3.27	7.30	3	Vertical	22	2.09
AV	5.469995G	52.92	54.00	-1.08	7.30	3	Vertical	22	2.09
PK	5.4988G	110.93	Inf	-Inf	7.33	3	Vertical	22	2.09
AV	5.4992G	100.05	Inf	-Inf	7.33	3	Vertical	22	2.09

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5500MHz\_TX

17/04/2018




EUT X\_1TX  
Setting 64  
04-L-2-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.4592G	64.36	74.00	-9.64	7.28	3	Horizontal	234	1.50
AV	5.459995G	49.07	54.00	-4.93	7.28	3	Horizontal	234	1.50
PK	5.4688G	69.87	74.00	-4.13	7.30	3	Horizontal	234	1.50
AV	5.469995G	50.93	54.00	-3.07	7.30	3	Horizontal	234	1.50
PK	5.5028G	108.03	Inf	-Inf	7.34	3	Horizontal	234	1.50
AV	5.4992G	97.30	Inf	-Inf	7.33	3	Horizontal	234	1.50

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5500MHz\_TX

17/04/2018




EUT X\_1TX  
Setting 64  
04-L-2  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	10.98632G	52.59	74.00	-21.41	13.58	3	Vertical	86	1.13
AV	10.98632G	38.59	54.00	-15.41	13.58	3	Vertical	86	1.13

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5500MHz\_TX

17/04/2018




EUT X\_1TX  
 Setting 64  
 04-L-2  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.00726G	52.03	74.00	-21.97	13.59	3	Horizontal	331	1.03
AV	10.98626G	38.42	54.00	-15.58	13.58	3	Horizontal	331	1.03

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5580MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.4544G	59.07	74.00	-14.93	11.10	3	Vertical	195	2.23
AV	5.4288G	46.24	54.00	-7.76	11.17	3	Vertical	195	2.23
PK	5.4616G	58.88	68.20	-9.32	11.07	3	Vertical	195	2.23
PK	5.5832G	112.93	Inf	-Inf	10.58	3	Vertical	195	2.23
AV	5.5808G	102.49	Inf	-Inf	10.59	3	Vertical	195	2.23
PK	5.744G	57.35	68.20	-10.85	10.67	3	Vertical	195	2.23

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5580MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.4448G	59.17	74.00	-14.83	11.13	3	Horizontal	157	1.68
AV	5.4584G	45.62	54.00	-8.38	11.09	3	Horizontal	157	1.68
PK	5.4632G	57.90	68.20	-10.30	11.07	3	Horizontal	157	1.68
PK	5.5808G	105.48	Inf	-Inf	10.59	3	Horizontal	157	1.68
AV	5.5808G	94.74	Inf	-Inf	10.59	3	Horizontal	157	1.68
PK	5.7768G	62.36	68.20	-5.84	10.71	3	Horizontal	157	1.68

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5580MHz\_TX

14/04/2018



EUT X\_1TX  
Setting 80  
02-E-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.16196G	53.42	74.00	-20.58	14.99	3	Vertical	198	1.50
AV	11.15516G	39.07	54.00	-14.93	14.98	3	Vertical	198	1.50



### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5580MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.15792G	53.90	74.00	-20.10	14.99	3	Horizontal	24	1.33
AV	11.15572G	39.03	54.00	-14.97	14.98	3	Horizontal	24	1.33

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5700MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 68  
02-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.6996G	108.85	Inf	-Inf	10.60	3	Vertical	216	2.36
AV	5.6984G	99.13	Inf	-Inf	10.60	3	Vertical	216	2.36
PK	5.7256G	69.64	74.00	-4.36	10.64	3	Vertical	216	2.36
AV	5.7252G	52.89	54.00	-1.11	10.64	3	Vertical	216	2.36

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5700MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 68  
02-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.7028G	103.99	Inf	-Inf	10.60	3	Horizontal	73	1.75
AV	5.6992G	93.95	Inf	-Inf	10.60	3	Horizontal	73	1.75
PK	5.7252G	64.49	74.00	-9.51	10.64	3	Horizontal	73	1.75
AV	5.7252G	48.82	54.00	-5.18	10.65	3	Horizontal	73	1.75

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5700MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 68  
02-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.39576G	53.32	74.00	-20.68	15.31	3	Vertical	119	1.50
AV	11.40472G	38.81	54.00	-15.19	15.32	3	Vertical	119	1.50

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5700MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 68  
02-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.39712G	53.43	74.00	-20.57	15.31	3	Horizontal	174	2.24
AV	11.40314G	38.81	54.00	-15.19	15.32	3	Horizontal	174	2.24

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.444G	58.89	74.00	-15.11	11.13	3	Vertical	152	2.17
AV	5.45G	46.34	54.00	-7.66	11.12	3	Vertical	152	2.17
PK	5.460005G	58.04	68.20	-10.16	11.08	3	Vertical	152	2.17
PK	5.72G	109.91	Inf	-Inf	10.63	3	Vertical	152	2.17
AV	5.7212G	99.84	Inf	-Inf	10.63	3	Vertical	152	2.17
PK	5.8868G	58.17	68.20	-10.03	10.97	3	Vertical	152	2.17

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.4596G	59.54	74.00	-14.46	11.08	3	Horizontal	63	1.97
AV	5.438G	46.15	54.00	-7.85	11.15	3	Horizontal	63	1.97
PK	5.460005G	59.54	68.20	-8.66	11.08	3	Horizontal	63	1.97
PK	5.7212G	105.16	Inf	-Inf	10.63	3	Horizontal	63	1.97
AV	5.7188G	95.40	Inf	-Inf	10.63	3	Horizontal	63	1.97
PK	5.9216G	58.58	68.20	-9.62	11.07	3	Horizontal	63	1.97

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TX

14/04/2018



EUT X\_1TX  
Setting 80  
02-E-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.43808G	53.86	74.00	-20.14	15.37	3	Vertical	186	1.38
AV	11.44156G	40.41	54.00	-13.59	15.37	3	Vertical	186	1.38



### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.44112G	53.67	74.00	-20.33	15.37	3	Horizontal	38	1.50
AV	11.43996G	40.30	54.00	-13.70	15.37	3	Horizontal	38	1.50

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5745MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.588G	59.04	68.20	-9.16	10.56	3	Vertical	203	2.16
PK	5.743G	111.41	Inf	-Inf	10.66	3	Vertical	203	2.16
AV	5.744G	102.16	Inf	-Inf	10.66	3	Vertical	203	2.16
PK	5.974G	59.04	68.20	-9.16	11.20	3	Vertical	203	2.16

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5745MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.531G	59.42	68.20	-8.78	10.82	3	Horizontal	204	2.76
PK	5.747G	109.36	Inf	-Inf	10.67	3	Horizontal	204	2.76
AV	5.746G	100.04	Inf	-Inf	10.66	3	Horizontal	204	2.76
PK	5.925G	58.47	68.20	-9.73	11.07	3	Horizontal	204	2.76

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5745MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.48916G	53.08	74.00	-20.92	15.44	3	Vertical	71	1.80
AV	11.49372G	40.04	54.00	-13.96	15.45	3	Vertical	71	1.80

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5745MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.49414G	53.41	74.00	-20.59	15.45	3	Horizontal	343	1.64
AV	11.48954G	39.09	54.00	-14.91	15.44	3	Horizontal	343	1.64

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5785MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.638G	58.24	68.20	-9.96	10.54	3	Vertical	144	2.61
PK	5.788G	110.79	Inf	-Inf	10.72	3	Vertical	144	2.61
AV	5.785G	101.15	Inf	-Inf	10.72	3	Vertical	144	2.61
PK	5.932G	59.05	68.20	-9.15	11.09	3	Vertical	144	2.61

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5785MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.559G	58.38	68.20	-9.82	10.69	3	Horizontal	82	2.17
PK	5.783G	104.77	Inf	-Inf	10.72	3	Horizontal	82	2.17
AV	5.784G	95.75	Inf	-Inf	10.72	3	Horizontal	82	2.17
PK	5.947G	58.71	68.20	-9.49	11.13	3	Horizontal	82	2.17

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5785MHz\_TX

14/04/2018



EUT X\_1TX  
Setting 80  
02-E-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.57152G	53.63	74.00	-20.37	15.55	3	Vertical	64	1.32
AV	11.56684G	40.14	54.00	-13.86	15.55	3	Vertical	64	1.32



### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5785MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.56576G	53.76	74.00	-20.24	15.55	3	Horizontal	251	1.02
AV	11.56816G	40.07	54.00	-13.93	15.55	3	Horizontal	251	1.02

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5825MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.599G	58.34	68.20	-9.86	10.50	3	Vertical	208	1.81
PK	5.827G	111.60	Inf	-Inf	10.81	3	Vertical	208	1.81
AV	5.824G	101.74	Inf	-Inf	10.80	3	Vertical	208	1.81
PK	5.969G	58.78	68.20	-9.42	11.19	3	Vertical	208	1.81

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5825MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.575G	58.41	68.20	-9.79	10.62	3	Horizontal	72	1.77
PK	5.824G	105.65	Inf	-Inf	10.80	3	Horizontal	72	1.77
AV	5.824G	96.42	Inf	-Inf	10.80	3	Horizontal	72	1.77
PK	5.979G	58.69	68.20	-9.51	11.22	3	Horizontal	72	1.77

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5825MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.64974G	54.46	74.00	-19.54	15.66	3	Vertical	110	1.50
AV	11.64588G	40.79	54.00	-13.21	15.65	3	Vertical	110	1.50

### 802.11ac VHT20\_Nss1,(MCS0)\_1TX

### 5825MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.65412G	53.91	74.00	-20.09	15.67	3	Horizontal	17	1.49
AV	11.6521G	40.48	54.00	-13.52	15.66	3	Horizontal	17	1.49

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5190MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 46  
02-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.1456G	62.45	74.00	-11.55	9.89	3	Vertical	178	2.61
AV	5.149995G	49.51	54.00	-4.49	9.89	3	Vertical	178	2.61
PK	5.1932G	102.60	Inf	-Inf	10.00	3	Vertical	178	2.61
AV	5.1932G	93.34	Inf	-Inf	10.00	3	Vertical	178	2.61

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5190MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 46  
02-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.1492G	60.93	74.00	-13.07	9.89	3	Horizontal	124	1.72
AV	5.149995G	48.13	54.00	-5.87	9.89	3	Horizontal	124	1.72
PK	5.1932G	98.36	Inf	-Inf	10.00	3	Horizontal	124	1.72
AV	5.1916G	89.05	Inf	-Inf	10.00	3	Horizontal	124	1.72

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5190MHz\_TX

14/04/2018



EUT X\_1TX  
Setting 46  
02-E-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	15.57156G	60.74	74.00	-13.26	18.63	3	Vertical	66	1.50
AV	15.57216G	47.85	54.00	-6.15	18.62	3	Vertical	66	1.50



### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5190MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 46  
02-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	15.56864G	60.34	74.00	-13.66	18.63	3	Horizontal	246	1.62
AV	15.56538G	47.94	54.00	-6.06	18.64	3	Horizontal	246	1.62

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5230MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.1496G	65.53	74.00	-8.47	9.89	3	Vertical	196	2.57
AV	5.149995G	51.43	54.00	-2.57	9.89	3	Vertical	196	2.57
PK	5.2332G	111.07	Inf	-Inf	10.23	3	Vertical	196	2.57
AV	5.2332G	101.82	Inf	-Inf	10.23	3	Vertical	196	2.57

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5230MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.1492G	61.64	74.00	-12.36	9.89	3	Horizontal	125	1.71
AV	5.1496G	49.00	54.00	-5.00	9.89	3	Horizontal	125	1.71
PK	5.2312G	104.86	Inf	-Inf	10.21	3	Horizontal	125	1.71
AV	5.2316G	95.71	Inf	-Inf	10.22	3	Horizontal	125	1.71

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5230MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	15.69276G	60.77	74.00	-13.23	18.42	3	Vertical	173	1.57
AV	15.6865G	48.18	54.00	-5.82	18.43	3	Vertical	173	1.57

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5230MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	15.68584G	61.27	74.00	-12.73	18.43	3	Horizontal	196	1.23
AV	15.69038G	46.04	54.00	-7.96	18.43	3	Horizontal	196	1.23

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5270MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.2712G	110.15	Inf	-Inf	10.46	3	Vertical	199	2.79
AV	5.2716G	101.07	Inf	-Inf	10.46	3	Vertical	199	2.79
PK	5.3524G	62.48	74.00	-11.52	10.97	3	Vertical	199	2.79
AV	5.3532G	50.15	54.00	-3.85	10.98	3	Vertical	199	2.79

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5270MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.2712G	104.87	Inf	-Inf	10.46	3	Horizontal	101	1.71
AV	5.2716G	95.62	Inf	-Inf	10.46	3	Horizontal	101	1.71
PK	5.3572G	60.14	74.00	-13.86	10.99	3	Horizontal	101	1.71
AV	5.3512G	48.32	54.00	-5.68	10.97	3	Horizontal	101	1.71

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5270MHz\_TX

14/04/2018



EUT X\_1TX  
Setting 80  
02-E-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	15.81036G	60.47	74.00	-13.53	18.23	3	Vertical	281	2.48
AV	15.80546G	48.03	54.00	-5.97	18.23	3	Vertical	281	2.48



### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5270MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	15.81192G	60.93	74.00	-13.07	18.22	3	Horizontal	317	2.01
AV	15.81106G	47.93	54.00	-6.07	18.23	3	Horizontal	317	2.01

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5310MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 64  
04-J-4-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.3132G	105.52	Inf	-Inf	7.10	3	Vertical	13	2.19
AV	5.3116G	95.83	Inf	-Inf	7.10	3	Vertical	13	2.19
PK	5.3504G	72.95	74.00	-1.05	7.16	3	Vertical	13	2.19
AV	5.350005G	52.66	54.00	-1.34	7.16	3	Vertical	13	2.19

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5310MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 64  
04-J-4-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.3132G	102.38	Inf	-Inf	7.10	3	Horizontal	233	2.10
AV	5.3112G	92.72	Inf	-Inf	7.10	3	Horizontal	233	2.10
PK	5.3532G	68.29	74.00	-5.71	7.17	3	Horizontal	233	2.10
AV	5.3512G	49.98	54.00	-4.02	7.16	3	Horizontal	233	2.10




### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5310MHz\_TX

14/04/2018



Legend:

- Lim.PK 
- PK 
- Lim.AV 
- AV 


EUT X\_1TX  
Setting 64  
04-J-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	10.61604G	52.43	74.00	-21.57	13.21	3	Vertical	31	2.40
AV	10.61412G	39.35	54.00	-14.65	13.21	3	Vertical	31	2.40

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5310MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 64  
04-J-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	10.63224G	52.77	74.00	-21.23	13.23	3	Horizontal	273	2.28
AV	10.62954G	39.13	54.00	-14.87	13.22	3	Horizontal	273	2.28

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5510MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 58  
04-J-4-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.459995G	65.95	74.00	-8.05	7.28	3	Vertical	26	1.77
AV	5.459995G	49.16	54.00	-4.84	7.28	3	Vertical	26	1.77
PK	5.4636G	67.10	68.20	-1.10	7.29	3	Vertical	26	1.77
PK	5.5132G	104.37	Inf	-Inf	7.36	3	Vertical	26	1.77
AV	5.5116G	95.20	Inf	-Inf	7.36	3	Vertical	26	1.77

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5510MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 58  
04-J-4-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.4588G	63.55	74.00	-10.45	7.28	3	Horizontal	249	1.93
AV	5.459995G	47.88	54.00	-6.12	7.28	3	Horizontal	249	1.93
PK	5.4684G	64.07	68.20	-4.13	7.30	3	Horizontal	249	1.93
PK	5.5132G	101.35	Inf	-Inf	7.36	3	Horizontal	249	1.93
AV	5.5116G	92.47	Inf	-Inf	7.36	3	Horizontal	249	1.93

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5510MHz\_TX

14/04/2018



EUT X\_1TX  
Setting 58  
04-J-4  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.005G	51.94	74.00	-22.06	13.59	3	Vertical	349	1.48
AV	11.0059G	39.69	54.00	-14.31	13.59	3	Vertical	349	1.48



### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5510MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 58  
04-J-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.01292G	52.96	74.00	-21.04	13.59	3	Horizontal	195	2.49
AV	11.00518G	39.69	54.00	-14.31	13.59	3	Horizontal	195	2.49

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5550MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.4594G	50.32	54.00	-3.68	11.08	3	Vertical	194	2.47
AV	5.469G	51.69	54.00	-2.31	11.05	3	Vertical	194	2.47
AV	5.5518G	100.27	Inf	-Inf	10.72	3	Vertical	194	2.47
PK	5.4534G	62.56	74.00	-11.44	11.10	3	Vertical	194	2.47
PK	5.4612G	64.14	74.00	-9.86	11.07	3	Vertical	194	2.47
PK	5.5512G	109.23	Inf	-Inf	10.72	3	Vertical	194	2.47

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5550MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.4528G	47.77	54.00	-6.23	11.10	3	Horizontal	55	1.56
AV	5.469G	48.31	54.00	-5.69	11.05	3	Horizontal	55	1.56
AV	5.5518G	93.44	Inf	-Inf	10.72	3	Horizontal	55	1.56
PK	5.4522G	60.28	74.00	-13.72	11.11	3	Horizontal	55	1.56
PK	5.469G	60.33	74.00	-13.67	11.05	3	Horizontal	55	1.56
PK	5.5512G	102.57	Inf	-Inf	10.72	3	Horizontal	55	1.56

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5550MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	11.09024G	40.99	54.00	-13.01	14.89	3	Vertical	123	1.47
PK	11.09G	53.25	74.00	-20.75	14.89	3	Vertical	123	1.47

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5550MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	11.09196G	40.88	54.00	-13.12	14.90	3	Horizontal	260	1.50
PK	11.10292G	53.92	74.00	-20.08	14.91	3	Horizontal	260	1.50

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5670MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 76  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.6716G	97.94	Inf	-Inf	10.57	3	Vertical	189	2.48
AV	5.726G	50.22	54.00	-3.78	10.63	3	Vertical	189	2.48
PK	5.6732G	107.12	Inf	-Inf	10.57	3	Vertical	189	2.48
PK	5.7276G	70.14	74.00	-3.86	10.64	3	Vertical	189	2.48

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5670MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 76  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.6716G	92.04	Inf	-Inf	10.57	3	Horizontal	58	1.59
AV	5.7268G	46.99	54.00	-7.01	10.63	3	Horizontal	58	1.59
PK	5.6736G	101.74	Inf	-Inf	10.57	3	Horizontal	58	1.59
PK	5.7276G	65.98	74.00	-8.02	10.64	3	Horizontal	58	1.59

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5670MHz\_TX

14/04/2018



EUT X\_1TX  
Setting 76  
02-N-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	11.3414G	41.23	54.00	-12.77	15.24	3	Vertical	154	1.98
PK	11.34688G	53.87	74.00	-20.13	15.25	3	Vertical	154	1.98



### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5670MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 76  
02-N-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	11.33988G	40.94	54.00	-13.06	15.24	3	Horizontal	302	2.12
PK	11.33672G	53.42	74.00	-20.58	15.23	3	Horizontal	302	2.12

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5710MHz Straddle 5.47-5.725GHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.4292G	46.56	54.00	-7.44	11.17	3	Vertical	183	2.51
AV	5.7136G	97.57	Inf	-Inf	10.62	3	Vertical	183	2.51
PK	5.4256G	58.35	74.00	-15.65	11.18	3	Vertical	183	2.51
PK	5.4664G	58.25	68.20	-9.95	11.06	3	Vertical	183	2.51
PK	5.7136G	106.64	Inf	-Inf	10.62	3	Vertical	183	2.51
PK	5.9044G	57.59	68.20	-10.61	11.02	3	Vertical	183	2.51

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5710MHz Straddle 5.47-5.725GHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.4148G	46.21	54.00	-7.79	11.21	3	Horizontal	41	2.16
AV	5.7112G	92.30	Inf	-Inf	10.62	3	Horizontal	41	2.16
PK	5.4424G	58.24	74.00	-15.76	11.13	3	Horizontal	41	2.16
PK	5.460005G	57.34	68.20	-10.86	11.08	3	Horizontal	41	2.16
PK	5.7136G	101.35	Inf	-Inf	10.62	3	Horizontal	41	2.16
PK	5.8972G	57.48	68.20	-10.72	11.00	3	Horizontal	41	2.16

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5710MHz Straddle 5.47-5.725GHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	11.41774G	41.52	54.00	-12.48	15.34	3	Vertical	229	2.21
PK	11.42438G	53.76	74.00	-20.24	15.35	3	Vertical	229	2.21

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5710MHz Straddle 5.47-5.725GHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	11.41862G	41.65	54.00	-12.35	15.34	3	Horizontal	168	1.47
PK	11.4151G	53.87	74.00	-20.13	15.34	3	Horizontal	168	1.47

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5755MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.756G	99.13	Inf	-Inf	10.68	3	Vertical	180	2.24
PK	5.649G	59.27	68.20	-8.93	10.55	3	Vertical	180	2.24
PK	5.756G	108.26	Inf	-Inf	10.68	3	Vertical	180	2.24
PK	5.951G	57.21	68.20	-10.99	11.14	3	Vertical	180	2.24

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5755MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.758G	93.95	Inf	-Inf	10.68	3	Horizontal	41	2.16
PK	5.524G	57.56	68.20	-10.64	10.85	3	Horizontal	41	2.16
PK	5.758G	102.99	Inf	-Inf	10.68	3	Horizontal	41	2.16
PK	5.96G	57.32	68.20	-10.88	11.17	3	Horizontal	41	2.16

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5755MHz\_TX

14/04/2018



EUT X\_1TX  
Setting 80  
02-N-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.51488G	54.06	74.00	-19.94	15.48	3	Vertical	103	1.50
AV	11.50076G	41.25	54.00	-12.75	15.46	3	Vertical	103	1.50



### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5755MHz\_TX

14/04/2018




EUT X\_1TX  
 Setting 80  
 02-N-2  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.50828G	53.89	74.00	-20.11	15.47	3	Horizontal	313	1.09
AV	11.5084G	41.37	54.00	-12.63	15.47	3	Horizontal	313	1.09

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5795MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.797G	98.54	Inf	-Inf	10.74	3	Vertical	169	2.09
PK	5.571G	57.69	68.20	-10.51	10.63	3	Vertical	169	2.09
PK	5.798G	107.55	Inf	-Inf	10.74	3	Vertical	169	2.09
PK	5.948G	58.32	68.20	-9.88	11.13	3	Vertical	169	2.09

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5795MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.798G	92.90	Inf	-Inf	10.74	3	Horizontal	63	2.13
PK	5.564G	57.64	68.20	-10.56	10.67	3	Horizontal	63	2.13
PK	5.797G	101.79	Inf	-Inf	10.74	3	Horizontal	63	2.13
PK	5.959G	58.05	68.20	-10.15	11.16	3	Horizontal	63	2.13

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5795MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.59416G	54.14	74.00	-19.86	15.58	3	Vertical	306	1.36
AV	11.58212G	41.42	54.00	-12.58	15.57	3	Vertical	306	1.36

### 802.11ac VHT40\_Nss1,(MCS0)\_1TX

### 5795MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.58316G	54.74	74.00	-19.26	15.57	3	Horizontal	287	1.56
AV	11.59768G	41.49	54.00	-12.51	15.59	3	Horizontal	287	1.56

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5210MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 44  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.148G	52.96	54.00	-1.04	9.89	3	Vertical	214	2.47
AV	5.208G	90.99	Inf	-Inf	10.07	3	Vertical	214	2.47
AV	5.382G	47.03	54.00	-6.97	11.15	3	Vertical	214	2.47
PK	5.148G	65.98	74.00	-8.02	9.89	3	Vertical	214	2.47
PK	5.214G	100.58	Inf	-Inf	10.11	3	Vertical	214	2.47
PK	5.383G	58.84	74.00	-15.16	11.16	3	Vertical	214	2.47

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5210MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 44  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.149995G	49.27	54.00	-4.73	9.89	3	Horizontal	90	1.73
AV	5.212G	85.12	Inf	-Inf	10.09	3	Horizontal	90	1.73
AV	5.424G	46.50	54.00	-7.50	11.19	3	Horizontal	90	1.73
PK	5.143G	61.36	74.00	-12.64	9.88	3	Horizontal	90	1.73
PK	5.212G	94.75	Inf	-Inf	10.09	3	Horizontal	90	1.73
PK	5.41G	58.57	74.00	-15.43	11.24	3	Horizontal	90	1.73

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5210MHz\_TX

14/04/2018



EUT X\_1TX  
Setting 44  
02-N-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	15.63064G	47.12	54.00	-6.88	18.53	3	Vertical	341	2.74
PK	15.62796G	60.36	74.00	-13.64	18.53	3	Vertical	341	2.74



### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5210MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 44  
02-N-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	15.62072G	47.44	54.00	-6.56	18.54	3	Horizontal	282	1.51
PK	15.62368G	60.08	74.00	-13.92	18.54	3	Horizontal	282	1.51

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5290MHz\_TX

17/04/2018




EUT X\_1TX  
Setting 60  
04-L-2-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.135G	63.10	74.00	-10.90	6.73	3	Vertical	13	2.13
AV	5.134G	50.18	54.00	-3.82	6.73	3	Vertical	13	2.13
PK	5.281G	105.62	Inf	-Inf	7.04	3	Vertical	13	2.13
AV	5.289G	95.19	Inf	-Inf	7.06	3	Vertical	13	2.13
PK	5.352G	70.20	74.00	-3.80	7.16	3	Vertical	13	2.13
AV	5.350005G	52.61	54.00	-1.39	7.16	3	Vertical	13	2.13

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5290MHz\_TX

17/04/2018




EUT X\_1TX  
Setting 60  
04-L-2-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.116G	59.38	74.00	-14.62	6.69	3	Horizontal	233	1.50
AV	5.138G	47.99	54.00	-6.01	6.73	3	Horizontal	233	1.50
PK	5.292G	100.35	Inf	-Inf	7.06	3	Horizontal	233	1.50
AV	5.292G	90.54	Inf	-Inf	7.06	3	Horizontal	233	1.50
PK	5.350005G	65.47	74.00	-8.53	7.16	3	Horizontal	233	1.50
AV	5.350005G	49.79	54.00	-4.21	7.16	3	Horizontal	233	1.50

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5290MHz\_TX

17/04/2018




EUT X\_1TX  
Setting 60  
04-L-2  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	15.87654G	55.86	74.00	-18.14	14.55	3	Vertical	98	1.80
AV	15.8619G	43.02	54.00	-10.98	14.56	3	Vertical	98	1.80

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5290MHz\_TX

17/04/2018




EUT X\_1TX  
Setting 60  
04-L-2  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	15.86952G	55.84	74.00	-18.16	14.55	3	Horizontal	230	1.54
AV	15.87342G	43.03	54.00	-10.97	14.55	3	Horizontal	230	1.54

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5530MHz\_TX

17/04/2018




EUT X\_1TX  
Setting 62  
04-L-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.303G	58.42	68.20	-9.78	7.08	3	Vertical	27	1.28
PK	5.454G	65.91	74.00	-8.09	7.28	3	Vertical	27	1.28
AV	5.459G	53.57	54.00	-0.43	7.28	3	Vertical	27	1.28
PK	5.469G	67.97	68.20	-0.23	7.30	3	Vertical	27	1.28
PK	5.532G	103.62	Inf	-Inf	7.40	3	Vertical	27	1.28
AV	5.534G	93.87	Inf	-Inf	7.40	3	Vertical	27	1.28
PK	5.762G	59.30	68.20	-8.90	8.06	3	Vertical	27	1.28

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5530MHz\_TX

17/04/2018




EUT X\_1TX  
Setting 62  
04-L-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	5.348G	58.62	68.20	-9.58	7.15	3	Horizontal	322	1.90
PK	5.459G	66.94	74.00	-7.06	7.28	3	Horizontal	322	1.90
AV	5.459995G	51.59	54.00	-2.41	7.28	3	Horizontal	322	1.90
PK	5.468G	67.44	68.20	-0.76	7.30	3	Horizontal	322	1.90
PK	5.535G	102.92	Inf	-Inf	7.41	3	Horizontal	322	1.90
AV	5.532G	92.04	Inf	-Inf	7.40	3	Horizontal	322	1.90
PK	5.78G	59.49	68.20	-8.71	8.11	3	Horizontal	322	1.90

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5530MHz\_TX

17/04/2018



EUT X\_1TX  
Setting 62  
04-L-3  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.05484G	54.41	74.00	-19.59	14.87	3	Vertical	218	1.63
AV	11.0603G	42.01	54.00	-11.99	14.88	3	Vertical	218	1.63



### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5530MHz\_TX

17/04/2018




EUT X\_1TX  
Setting 62  
04-L-3  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.0714G	56.15	74.00	-17.85	14.90	3	Horizontal	125	2.23
AV	11.05958G	41.24	54.00	-12.76	14.88	3	Horizontal	125	2.23

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5610MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.459G	50.78	54.00	-3.22	11.08	3	Vertical	192	2.32
AV	5.466G	52.16	54.00	-1.84	11.06	3	Vertical	192	2.32
AV	5.612G	95.63	Inf	-Inf	10.51	3	Vertical	192	2.32
AV	5.726G	49.12	54.00	-4.88	10.63	3	Vertical	192	2.32
PK	5.459995G	64.17	74.00	-9.83	11.08	3	Vertical	192	2.32
PK	5.461G	63.73	74.00	-10.27	11.08	3	Vertical	192	2.32
PK	5.602G	105.01	Inf	-Inf	10.50	3	Vertical	192	2.32
PK	5.727G	62.49	74.00	-11.51	10.64	3	Vertical	192	2.32

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5610MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.458G	47.69	54.00	-6.31	11.09	3	Horizontal	106	1.69
AV	5.461G	47.74	54.00	-6.26	11.08	3	Horizontal	106	1.69
AV	5.606G	87.87	Inf	-Inf	10.51	3	Horizontal	106	1.69
AV	5.734G	45.85	54.00	-8.15	10.64	3	Horizontal	106	1.69
PK	5.458G	59.19	74.00	-14.81	11.09	3	Horizontal	106	1.69
PK	5.461G	59.57	74.00	-14.43	11.08	3	Horizontal	106	1.69
PK	5.612G	98.19	Inf	-Inf	10.51	3	Horizontal	106	1.69
PK	5.747G	57.98	74.00	-16.02	10.67	3	Horizontal	106	1.69

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5610MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	11.22352G	40.51	54.00	-13.49	15.08	3	Vertical	309	1.61
PK	11.2222G	53.25	74.00	-20.75	15.07	3	Vertical	309	1.61

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5610MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	11.2228G	40.47	54.00	-13.53	15.08	3	Horizontal	39	1.21
PK	11.21536G	53.18	74.00	-20.82	15.07	3	Horizontal	39	1.21

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5690MHz Straddle 5.47-5.725GHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.452G	46.63	54.00	-7.37	11.11	3	Vertical	185	1.94
AV	5.461G	46.66	54.00	-7.34	11.08	3	Vertical	185	1.94
AV	5.692G	94.23	Inf	-Inf	10.59	3	Vertical	185	1.94
AV	5.861G	46.54	54.00	-7.46	10.90	3	Vertical	185	1.94
PK	5.443G	57.72	74.00	-16.28	11.13	3	Vertical	185	1.94
PK	5.466G	58.02	74.00	-15.98	11.06	3	Vertical	185	1.94
PK	5.696G	103.80	Inf	-Inf	10.60	3	Vertical	185	1.94
PK	5.868G	58.70	74.00	-15.30	10.92	3	Vertical	185	1.94

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5690MHz Straddle 5.47-5.725GHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.444G	46.13	54.00	-7.87	11.13	3	Horizontal	60	1.69
AV	5.464G	46.10	54.00	-7.90	11.07	3	Horizontal	60	1.69
AV	5.692G	88.60	Inf	-Inf	10.59	3	Horizontal	60	1.69
AV	5.898G	45.74	54.00	-8.26	11.00	3	Horizontal	60	1.69
PK	5.442G	58.12	74.00	-15.88	11.13	3	Horizontal	60	1.69
PK	5.46G	57.83	74.00	-16.17	11.08	3	Horizontal	60	1.69
PK	5.692G	98.51	Inf	-Inf	10.59	3	Horizontal	60	1.69
PK	5.88G	57.93	74.00	-16.07	10.96	3	Horizontal	60	1.69

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5690MHz Straddle 5.47-5.725GHz\_TX

14/04/2018



EUT X\_1TX  
Setting 80  
02-N-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.55508G	54.27	74.00	-19.73	15.53	3	Vertical	208	1.12
AV	11.55452G	41.34	54.00	-12.66	15.53	3	Vertical	208	1.12



### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5690MHz Straddle 5.47-5.725GHz\_TX

14/04/2018




EUT X\_1TX  
Setting 80  
02-N-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.54304G	54.08	74.00	-19.92	15.51	3	Horizontal	49	1.08
AV	11.55168G	41.26	54.00	-12.74	15.53	3	Horizontal	49	1.08

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5775MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 79  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.777G	95.67	Inf	-Inf	10.71	3	Vertical	186	2.02
PK	5.644G	65.01	68.20	-3.19	10.54	3	Vertical	186	2.02
PK	5.773G	104.70	Inf	-Inf	10.70	3	Vertical	186	2.02
PK	5.932G	60.94	68.20	-7.26	11.09	3	Vertical	186	2.02

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5775MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 79  
02-N-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
AV	5.777G	90.00	Inf	-Inf	10.71	3	Horizontal	143	1.67
PK	5.626G	59.73	68.20	-8.47	10.53	3	Horizontal	143	1.67
PK	5.771G	100.75	Inf	-Inf	10.70	3	Horizontal	143	1.67
PK	5.95G	57.75	68.20	-10.45	11.14	3	Horizontal	143	1.67

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5775MHz\_TX

14/04/2018




EUT X\_1TX  
Setting 79  
02-N-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.55088G	53.90	74.00	-20.10	15.52	3	Vertical	157	1.07
AV	11.55284G	41.44	54.00	-12.56	15.53	3	Vertical	157	1.07

### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

### 5775MHz\_TX

14/04/2018



EUT X\_1TX  
Setting 79  
02-N-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)
PK	11.54408G	54.83	74.00	-19.17	15.52	3	Horizontal	198	1.01
AV	11.54716G	41.33	54.00	-12.67	15.52	3	Horizontal	198	1.01