


### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5240MHz\_TnomVnom




EUT Y\_4TX  
Setting 25  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71568G	64.90	74.00	-9.10	51.03	3	Horizontal	236	1.88	-	37.40	9.87	33.40
AV	15.72054G	50.85	54.00	-3.15	36.99	3	Horizontal	236	1.88	-	37.40	9.87	33.41

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5260MHz\_TnomVnom




EUT\_V\_4TX  
Setting 28.5  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1106G	57.74	74.00	-16.26	51.18	3	Vertical	77	1.65	-	33.50	5.21	32.15
AV	5.1256G	46.70	54.00	-7.30	40.12	3	Vertical	77	1.65	-	33.50	5.23	32.15
PK	5.2594G	120.31	Inf	-Inf	113.50	3	Vertical	77	1.65	-	33.62	5.33	32.14
AV	5.2588G	109.74	Inf	-Inf	102.93	3	Vertical	77	1.65	-	33.62	5.33	32.14
PK	5.3542G	58.96	74.00	-15.04	52.01	3	Vertical	77	1.65	-	33.71	5.38	32.14
AV	5.3536G	47.38	54.00	-6.62	40.43	3	Vertical	77	1.65	-	33.71	5.38	32.14

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5260MHz\_TnomVnom




EUT\_V\_4TX  
Setting 28.5  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	58.64	74.00	-15.36	52.04	3	Horizontal	184	1.99	-	33.50	5.25	32.15
AV	5.1478G	47.68	54.00	-6.32	41.08	3	Horizontal	184	1.99	-	33.50	5.25	32.15
PK	5.2588G	123.16	Inf	-Inf	116.35	3	Horizontal	184	1.99	-	33.62	5.33	32.14
AV	5.2588G	111.85	Inf	-Inf	105.04	3	Horizontal	184	1.99	-	33.62	5.33	32.14
PK	5.3524G	59.54	74.00	-14.46	52.60	3	Horizontal	184	1.99	-	33.70	5.38	32.14
AV	5.3536G	47.91	54.00	-6.09	40.96	3	Horizontal	184	1.99	-	33.71	5.38	32.14

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5260MHz\_TnomVnom




EUT Y\_4TX  
Setting 28.5  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77322G	55.81	74.00	-18.19	41.98	3	Vertical	18	1.85	-	37.40	9.90	33.47
AV	15.7731G	43.61	54.00	-10.39	29.78	3	Vertical	18	1.85	-	37.40	9.90	33.47

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5260MHz\_TnomVnom




EUT Y\_4TX  
Setting 28.5  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78552G	62.49	74.00	-11.51	48.68	3	Horizontal	126	1.88	-	37.40	9.90	33.49
AV	15.78054G	49.40	54.00	-4.60	35.58	3	Horizontal	126	1.88	-	37.40	9.90	33.48

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5300MHz\_TnomVnom




EUT Y\_4TX  
Setting 26.5  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2988G	120.54	Inf	-Inf	113.63	3	Vertical	83	1.63	-	33.70	5.35	32.14
AV	5.2984G	109.47	Inf	-Inf	102.56	3	Vertical	83	1.63	-	33.70	5.35	32.14
PK	5.3528G	66.65	74.00	-7.35	59.70	3	Vertical	83	1.63	-	33.71	5.38	32.14
AV	5.3528G	52.76	54.00	-1.24	45.81	3	Vertical	83	1.63	-	33.71	5.38	32.14

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5300MHz\_TnomVnom




EUT Y\_4TX  
Setting 26.5  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2984G	121.97	Inf	-Inf	115.06	3	Horizontal	179	1.80	-	33.70	5.35	32.14
AV	5.2984G	111.09	Inf	-Inf	104.18	3	Horizontal	179	1.80	-	33.70	5.35	32.14
PK	5.3528G	67.50	74.00	-6.50	60.55	3	Horizontal	179	1.80	-	33.71	5.38	32.14
AV	5.3536G	52.01	54.00	-1.99	45.06	3	Horizontal	179	1.80	-	33.71	5.38	32.14

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5300MHz\_TnomVnom




EUT Y\_4TX  
Setting 26.5  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89592G	60.36	74.00	-13.64	46.53	3	Vertical	183	2.74	-	37.50	9.95	33.62
AV	15.89592G	47.56	54.00	-6.44	33.73	3	Vertical	183	2.74	-	37.50	9.95	33.62



802.11ax HEW20\_Nss1,(MCS0)\_4TX

5300MHz\_TnomVnom




EUT Y\_4TX  
Setting 26.5  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90108G	59.76	74.00	-14.24	45.92	3	Horizontal	126	1.79	-	37.50	9.96	33.62
AV	15.89604G	47.46	54.00	-6.54	33.63	3	Horizontal	126	1.79	-	37.50	9.95	33.62

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5320MHz\_TnomVnom




EUT Y\_4TX  
Setting 22  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3236G	116.17	Inf	-Inf	109.25	3	Vertical	79	1.77	-	33.70	5.36	32.14
AV	5.3188G	105.30	Inf	-Inf	98.38	3	Vertical	79	1.77	-	33.70	5.36	32.14
PK	5.3536G	70.84	74.00	-3.16	63.89	3	Vertical	79	1.77	-	33.71	5.38	32.14
AV	5.3532G	52.61	54.00	-1.39	45.66	3	Vertical	79	1.77	-	33.71	5.38	32.14

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5320MHz\_TnomVnom




EUT Y\_4TX  
Setting 22  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3212G	118.06	Inf	-Inf	111.14	3	Horizontal	167	2.11	-	33.70	5.36	32.14
AV	5.3208G	106.88	Inf	-Inf	99.96	3	Horizontal	167	2.11	-	33.70	5.36	32.14
PK	5.3506G	70.30	74.00	-3.70	63.36	3	Horizontal	167	2.11	-	33.70	5.38	32.14
AV	5.3504G	52.85	54.00	-1.15	45.91	3	Horizontal	167	2.11	-	33.70	5.38	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
Setting 22  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95692G	55.03	74.00	-18.97	41.30	3	Vertical	321	1.93	-	37.44	9.98	33.69
AV	15.96258G	42.86	54.00	-11.14	29.14	3	Vertical	321	1.93	-	37.44	9.98	33.70

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5320MHz\_TnomVnom




EUT Y\_4TX  
Setting 22  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96086G	54.94	74.00	-19.06	41.21	3	Horizontal	25	2.95	-	37.44	9.98	33.69
AV	15.96334G	42.72	54.00	-11.28	29.00	3	Horizontal	25	2.95	-	37.44	9.98	33.70

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
Setting 19.5  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4574G	60.08	74.00	-13.92	52.85	3	Vertical	345	1.92	-	33.90	5.46	32.13
AV	5.4582G	47.31	54.00	-6.69	40.08	3	Vertical	345	1.92	-	33.90	5.46	32.13
PK	5.498G	116.64	Inf	-Inf	109.37	3	Vertical	345	1.92	-	33.90	5.50	32.13
AV	5.4978G	104.68	Inf	-Inf	97.41	3	Vertical	345	1.92	-	33.90	5.50	32.13
PK	5.4668G	66.78	68.20	-1.42	59.54	3	Vertical	345	1.92	-	33.90	5.47	32.13

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5500MHz\_TnomVnom




EUT\_V\_4TX  
Setting 19.5  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	58.93	74.00	-15.07	51.70	3	Horizontal	160	1.80	-	33.90	5.46	32.13
AV	5.4574G	47.41	54.00	-6.59	40.18	3	Horizontal	160	1.80	-	33.90	5.46	32.13
PK	5.4666G	67.05	68.20	-1.15	59.81	3	Horizontal	160	1.80	-	33.90	5.47	32.13
PK	5.5014G	116.75	Inf	-Inf	109.48	3	Horizontal	160	1.80	-	33.90	5.50	32.13
AV	5.5012G	105.29	Inf	-Inf	98.02	3	Horizontal	160	1.80	-	33.90	5.50	32.13

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5500MHz\_TnomVnom




EUT Y\_4TX  
Setting 19.5  
02-C-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.4976G	58.22	68.20	-9.98	42.35	3	Vertical	180	2.43	-	38.69	10.25	33.07



802.11ax HEW20\_Nss1,(MCS0)\_4TX

5500MHz\_TnomVnom




EUT Y\_4TX  
Setting 19.5  
02-C-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.50278G	58.09	68.20	-10.11	42.18	3	Horizontal	187	2.93	-	38.73	10.25	33.07

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5580MHz\_TnomVnom




EUT\_V\_4TX  
Setting 28.5  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	59.55	74.00	-14.45	52.32	3	Vertical	347	2.05	-	33.90	5.46	32.13
AV	5.4584G	47.44	54.00	-6.56	40.21	3	Vertical	347	2.05	-	33.90	5.46	32.13
PK	5.4688G	58.42	68.20	-9.78	51.18	3	Vertical	347	2.05	-	33.90	5.47	32.13
PK	5.5784G	123.73	Inf	-Inf	116.38	3	Vertical	347	2.05	-	33.90	5.58	32.13
AV	5.5784G	111.75	Inf	-Inf	104.40	3	Vertical	347	2.05	-	33.90	5.58	32.13
PK	5.7448G	58.81	68.20	-9.39	51.56	3	Vertical	347	2.05	-	33.79	5.60	32.14

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5580MHz\_TnomVnom




EUT\_V\_4TX  
Setting 28.5  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4128G	58.69	74.00	-15.31	51.59	3	Horizontal	109	2.16	-	33.83	5.41	32.14
PK	5.464G	57.79	68.20	-10.41	50.56	3	Horizontal	109	2.16	-	33.90	5.46	32.13
AV	5.4464G	47.22	54.00	-6.78	40.01	3	Horizontal	109	2.16	-	33.89	5.45	32.13
PK	5.5832G	123.79	Inf	-Inf	116.44	3	Horizontal	109	2.16	-	33.90	5.58	32.13
AV	5.5784G	113.41	Inf	-Inf	106.06	3	Horizontal	109	2.16	-	33.90	5.58	32.13
PK	5.7368G	59.47	68.20	-8.73	52.24	3	Horizontal	109	2.16	-	33.77	5.60	32.14

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5580MHz\_TnomVnom




EUT Y\_4TX  
Setting 28.5  
02-C-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.7406G	63.26	68.20	-4.94	46.25	3	Vertical	177	2.47	-	39.94	10.37	33.30

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5580MHz\_TnomVnom




EUT Y\_4TX  
Setting 28.5  
02-C-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.74012G	63.71	68.20	-4.49	46.70	3	Horizontal	127	1.88	-	39.94	10.37	33.30

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5700MHz\_TnomVnom




EUT Y\_4TX  
Setting 18  
02-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7044G	115.61	Inf	-Inf	108.44	3	Vertical	360	1.88	-	33.71	5.60	32.14
AV	5.6994G	104.38	Inf	-Inf	97.22	3	Vertical	360	1.88	-	33.70	5.60	32.14
PK	5.7294G	66.81	68.20	-1.39	59.59	3	Vertical	360	1.88	-	33.76	5.60	32.14

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5700MHz\_TnomVnom




EUT Y\_4TX  
Setting 18  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7012G	116.64	Inf	-Inf	109.48	3	Horizontal	156	2.13	-	33.70	5.60	32.14
AV	5.7012G	104.54	Inf	-Inf	97.38	3	Horizontal	156	2.13	-	33.70	5.60	32.14

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5700MHz\_TnomVnom




EUT Y\_4TX  
Setting 18  
02-C-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.09978G	60.53	68.20	-7.67	42.11	3	Vertical	267	1.37	-	41.30	10.55	33.43



802.11ax HEW20\_Nss1,(MCS0)\_4TX


5700MHz\_TnomVnom



EUT Y\_4TX  
Setting 18  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.10386G	60.49	68.20	-7.71	42.03	3	Horizontal	357	1.42	-	41.33	10.55	33.42


**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_4TX  
 Setting 28.5  
 02-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.72G	122.78	Inf	-Inf	115.58	3	Vertical	0	1.97	-	33.74	5.60	32.14
AV	5.7192G	110.96	Inf	-Inf	103.76	3	Vertical	0	1.97	-	33.74	5.60	32.14
PK	5.8552G	58.45	68.20	-9.75	51.12	3	Vertical	0	1.97	-	33.82	5.66	32.15


**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_4TX  
 Setting 28.5  
 02-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7216G	123.63	Inf	-Inf	116.43	3	Horizontal	154	1.80	-	33.74	5.60	32.14
AV	5.7216G	113.04	Inf	-Inf	105.84	3	Horizontal	154	1.80	-	33.74	5.60	32.14


**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_4TX  
 Setting 28.5  
 02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.15766G	61.40	68.20	-6.80	42.48	3	Vertical	20	1.80	-	41.70	10.58	33.36

**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_4TX  
 Setting 28.5  
 02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.16024G	63.89	68.20	-4.31	44.95	3	Horizontal	231	2.27	-	41.72	10.58	33.36

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5745MHz\_TnomVnom




EUT Y\_4TX  
Setting 28.5  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.591G	59.91	68.20	-8.29	52.56	3	Vertical	357	1.80	-	33.90	5.59	32.14
PK	5.744G	121.60	Inf	-Inf	114.35	3	Vertical	357	1.80	-	33.79	5.60	32.14
AV	5.744G	111.22	Inf	-Inf	103.97	3	Vertical	357	1.80	-	33.79	5.60	32.14
PK	5.955G	59.42	68.20	-8.78	51.73	3	Vertical	357	1.80	-	34.10	5.75	32.16

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5745MHz\_TnomVnom




EUT Y\_4TX  
Setting 28.5  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6G	60.21	68.20	-7.99	52.85	3	Horizontal	160	1.80	-	33.90	5.60	32.14
PK	5.745G	123.64	Inf	-Inf	116.39	3	Horizontal	160	1.80	-	33.79	5.60	32.14
AV	5.746G	112.75	Inf	-Inf	105.50	3	Horizontal	160	1.80	-	33.79	5.60	32.14
PK	5.929G	58.96	68.20	-9.24	51.33	3	Horizontal	160	1.80	-	34.06	5.73	32.16

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5745MHz\_TnomVnom




EUT Y\_4TX  
Setting 28.5  
02-C-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.23578G	63.37	68.20	-4.83	43.91	3	Vertical	237	1.05	-	42.11	10.62	33.27



802.11ax HEW20\_Nss1,(MCS0)\_4TX

5745MHz\_TnomVnom




EUT Y\_4TX  
Setting 28.5  
02-C-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.2299G	63.27	68.20	-4.93	43.85	3	Horizontal	238	1.89	-	42.09	10.61	33.28

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5785MHz\_TnomVnom




EUT Y\_4TX  
Setting 28.5  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.561G	58.88	68.20	-9.32	51.55	3	Vertical	19	2.10	-	33.90	5.56	32.13
PK	5.786G	122.91	Inf	-Inf	115.73	3	Vertical	19	2.10	-	33.73	5.60	32.15
AV	5.786G	110.94	Inf	-Inf	103.76	3	Vertical	19	2.10	-	33.73	5.60	32.15
PK	6.017G	58.81	68.20	-9.39	51.00	3	Vertical	19	2.10	-	34.17	5.80	32.16

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5785MHz\_TnomVnom




EUT Y\_4TX  
Setting 28.5  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	59.52	68.20	-8.68	52.21	3	Horizontal	171	1.74	-	33.85	5.60	32.14
PK	5.782G	123.09	Inf	-Inf	115.90	3	Horizontal	171	1.74	-	33.74	5.60	32.15
AV	5.783G	112.24	Inf	-Inf	105.06	3	Horizontal	171	1.74	-	33.73	5.60	32.15
PK	5.928G	59.08	68.20	-9.12	51.45	3	Horizontal	171	1.74	-	34.06	5.73	32.16

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5785MHz\_TnomVnom




EUT Y\_4TX  
Setting 28.5  
02-C-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.35574G	62.34	68.20	-5.86	42.04	3	Vertical	87	2.23	-	42.75	10.68	33.13

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5785MHz\_TnomVnom




EUT Y\_4TX  
Setting 28.5  
02-C-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.3547G	61.53	68.20	-6.67	41.25	3	Horizontal	29	2.09	-	42.74	10.68	33.14

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5825MHz\_TnomVnom




02/11/2021

EUT Y\_4TX  
Setting 28.5  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.607G	59.09	68.20	-9.11	51.74	3	Vertical	24	1.80	-	33.89	5.60	32.14
PK	5.826G	120.31	Inf	-Inf	113.08	3	Vertical	24	1.80	-	33.75	5.63	32.15
AV	5.826G	109.96	Inf	-Inf	102.73	3	Vertical	24	1.80	-	33.75	5.63	32.15
PK	6.055G	59.22	68.20	-8.98	51.27	3	Vertical	24	1.80	-	34.31	5.80	32.16

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5825MHz\_TnomVnom




EUT Y\_4TX  
Setting 28.5  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.612G	59.21	68.20	-8.99	51.87	3	Horizontal	171	1.85	-	33.88	5.60	32.14
PK	5.823G	122.80	Inf	-Inf	115.58	3	Horizontal	171	1.85	-	33.75	5.62	32.15
AV	5.823G	111.97	Inf	-Inf	104.75	3	Horizontal	171	1.85	-	33.75	5.62	32.15
PK	6.048G	59.72	68.20	-8.48	51.79	3	Horizontal	171	1.85	-	34.29	5.80	32.16

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5825MHz\_TnomVnom




EUT Y\_4TX  
Setting 28.5  
02-C-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.47454G	62.90	68.20	-5.30	41.54	3	Vertical	270	2.64	-	43.62	10.74	33.00



802.11ax HEW20\_Nss1,(MCS0)\_4TX

5825MHz\_TnomVnom




EUT Y\_4TX  
Setting 28.5  
02-C-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.4719G	63.15	68.20	-5.05	41.81	3	Horizontal	43	2.30	-	43.60	10.74	33.00

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5190MHz\_TnomVnom




EUT Y\_4TX  
Setting 20  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	69.11	74.00	-4.89	62.51	3	Vertical	115	1.97	-	33.50	5.25	32.15
AV	5.146G	52.44	54.00	-1.56	45.84	3	Vertical	115	1.97	-	33.50	5.25	32.15
PK	5.1916G	112.73	Inf	-Inf	106.09	3	Vertical	115	1.97	-	33.50	5.29	32.15
AV	5.1912G	101.65	Inf	-Inf	95.01	3	Vertical	115	1.97	-	33.50	5.29	32.15

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5190MHz\_TnomVnom




EUT Y\_4TX  
Setting 20  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	70.65	74.00	-3.35	64.05	3	Horizontal	176	2.00	-	33.50	5.25	32.15
AV	5.1496G	52.94	54.00	-1.06	46.34	3	Horizontal	176	2.00	-	33.50	5.25	32.15
PK	5.1892G	113.54	Inf	-Inf	106.90	3	Horizontal	176	2.00	-	33.50	5.29	32.15
AV	5.1892G	102.41	Inf	-Inf	95.77	3	Horizontal	176	2.00	-	33.50	5.29	32.15

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5190MHz\_TnomVnom




EUT Y\_4TX  
Setting 20  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56892G	57.72	74.00	-16.28	43.45	3	Vertical	82	1.96	-	37.69	9.81	33.23
AV	15.57298G	45.08	54.00	-8.92	30.83	3	Vertical	82	1.96	-	37.68	9.81	33.24

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

#### 5190MHz\_TnomVnom




EUT Y\_4TX  
Setting 20  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57118G	57.10	74.00	-16.90	42.83	3	Horizontal	312	1.19	-	37.69	9.81	33.23
AV	15.56762G	45.02	54.00	-8.98	30.74	3	Horizontal	312	1.19	-	37.70	9.81	33.23

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5230MHz\_TnomVnom




EUT V\_4TX  
Setting 25.5  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	66.14	74.00	-7.86	59.55	3	Vertical	326	2.08	-	33.50	5.24	32.15
AV	5.1466G	52.52	54.00	-1.48	45.92	3	Vertical	326	2.08	-	33.50	5.25	32.15
PK	5.2366G	117.59	Inf	-Inf	110.85	3	Vertical	326	2.08	-	33.57	5.32	32.15
AV	5.2318G	106.25	Inf	-Inf	99.52	3	Vertical	326	2.08	-	33.56	5.32	32.15
PK	5.3644G	60.93	74.00	-13.07	53.96	3	Vertical	326	2.08	-	33.73	5.38	32.14
AV	5.3776G	46.97	54.00	-7.03	39.96	3	Vertical	326	2.08	-	33.76	5.39	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5230MHz\_TnomVnom




EUT\_V\_4TX  
Setting 25.5  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	70.88	74.00	-3.12	64.28	3	Horizontal	184	1.78	-	33.50	5.25	32.15
AV	5.15G	52.50	54.00	-1.50	45.90	3	Horizontal	184	1.78	-	33.50	5.25	32.15
PK	5.2312G	118.82	Inf	-Inf	112.09	3	Horizontal	184	1.78	-	33.56	5.32	32.15
AV	5.2312G	107.69	Inf	-Inf	100.96	3	Horizontal	184	1.78	-	33.56	5.32	32.15
PK	5.3506G	59.92	74.00	-14.08	52.98	3	Horizontal	184	1.78	-	33.70	5.38	32.14
AV	5.3512G	47.06	54.00	-6.94	40.12	3	Horizontal	184	1.78	-	33.70	5.38	32.14

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5230MHz\_TnomVnom




EUT Y\_4TX  
Setting 25.5  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69314G	58.20	74.00	-15.80	44.31	3	Vertical	237	2.85	-	37.41	9.86	33.38
AV	15.69308G	45.89	54.00	-8.11	32.00	3	Vertical	237	2.85	-	37.41	9.86	33.38



802.11ax HEW40\_Nss1,(MCS0)\_4TX

5230MHz\_TnomVnom




EUT Y\_4TX  
Setting 25.5  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69348G	58.58	74.00	-15.42	44.69	3	Horizontal	165	2.25	-	37.41	9.86	33.38
AV	15.68824G	45.91	54.00	-8.09	32.00	3	Horizontal	165	2.25	-	37.42	9.86	33.37

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT V\_4TX  
Setting 25.5  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.129G	59.21	74.00	-14.79	52.63	3	Vertical	69	3.00	-	33.50	5.23	32.15
AV	5.1476G	46.57	54.00	-7.43	39.97	3	Vertical	69	3.00	-	33.50	5.25	32.15
PK	5.2694G	117.24	Inf	-Inf	110.41	3	Vertical	69	3.00	-	33.64	5.33	32.14
AV	5.2694G	106.70	Inf	-Inf	99.87	3	Vertical	69	3.00	-	33.64	5.33	32.14
PK	5.3594G	64.60	74.00	-9.40	57.64	3	Vertical	69	3.00	-	33.72	5.38	32.14
AV	5.35G	50.45	54.00	-3.55	43.51	3	Vertical	69	3.00	-	33.70	5.38	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

#### 5270MHz\_TnomVnom




EUT\_V\_4TX  
Setting 25.5  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1416G	59.47	74.00	-14.53	52.88	3	Horizontal	191	1.76	-	33.50	5.24	32.15
AV	5.1422G	46.98	54.00	-7.02	40.39	3	Horizontal	191	1.76	-	33.50	5.24	32.15
PK	5.2718G	117.52	Inf	-Inf	110.68	3	Horizontal	191	1.76	-	33.64	5.34	32.14
AV	5.2724G	106.78	Inf	-Inf	99.94	3	Horizontal	191	1.76	-	33.64	5.34	32.14
PK	5.351G	67.24	74.00	-6.76	60.30	3	Horizontal	191	1.76	-	33.70	5.38	32.14
AV	5.3522G	52.88	54.00	-1.12	45.94	3	Horizontal	191	1.76	-	33.70	5.38	32.14

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5270MHz\_TnomVnom




EUT Y\_4TX  
Setting 25.5  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81464G	58.98	74.00	-15.02	45.17	3	Vertical	162	1.75	-	37.41	9.92	33.52
AV	15.8148G	46.05	54.00	-7.95	32.24	3	Vertical	162	1.75	-	37.41	9.92	33.52

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5270MHz\_TnomVnom




EUT Y\_4TX  
Setting 25.5  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8143G	58.81	74.00	-15.19	45.00	3	Horizontal	120	1.27	-	37.41	9.92	33.52
AV	15.8147G	46.22	54.00	-7.78	32.41	3	Horizontal	120	1.27	-	37.41	9.92	33.52

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5310MHz\_TnomVnom




EUT Y\_4TX  
Setting 20  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.304G	110.31	Inf	-Inf	103.40	3	Vertical	88	1.80	-	33.70	5.35	32.14
AV	5.3092G	99.75	Inf	-Inf	92.84	3	Vertical	88	1.80	-	33.70	5.35	32.14
PK	5.354G	68.21	74.00	-5.79	61.26	3	Vertical	88	1.80	-	33.71	5.38	32.14
AV	5.35G	50.55	54.00	-3.45	43.61	3	Vertical	88	1.80	-	33.70	5.38	32.14

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5310MHz\_TnomVnom




EUT Y\_4TX  
Setting 20  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3092G	114.09	Inf	-Inf	107.18	3	Horizontal	190	1.54	-	33.70	5.35	32.14
AV	5.3092G	102.51	Inf	-Inf	95.60	3	Horizontal	190	1.54	-	33.70	5.35	32.14
PK	5.35G	72.59	74.00	-1.41	65.65	3	Horizontal	190	1.54	-	33.70	5.38	32.14
AV	5.3504G	52.12	54.00	-1.88	45.18	3	Horizontal	190	1.54	-	33.70	5.38	32.14

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5310MHz\_TnomVnom




EUT Y\_4TX  
Setting 20  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93474G	54.70	74.00	-19.30	40.92	3	Vertical	181	1.34	-	37.47	9.97	33.66
AV	15.93264G	42.77	54.00	-11.23	28.99	3	Vertical	181	1.34	-	37.47	9.97	33.66



802.11ax HEW40\_Nss1,(MCS0)\_4TX

5310MHz\_TnomVnom




EUT Y\_4TX  
Setting 20  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92792G	55.32	74.00	-18.68	41.53	3	Horizontal	110	1.52	-	37.47	9.97	33.65
AV	15.9349G	43.14	54.00	-10.86	29.36	3	Horizontal	110	1.52	-	37.47	9.97	33.66

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5510MHz\_TnomVnom




EUT Y\_4TX  
Setting 17  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	60.04	74.00	-13.96	52.81	3	Vertical	345	1.95	-	33.90	5.46	32.13
AV	5.458G	46.91	54.00	-7.09	39.68	3	Vertical	345	1.95	-	33.90	5.46	32.13
PK	5.4656G	63.59	68.20	-4.61	56.35	3	Vertical	345	1.95	-	33.90	5.47	32.13
PK	5.5136G	110.81	Inf	-Inf	103.53	3	Vertical	345	1.95	-	33.90	5.51	32.13
AV	5.5092G	99.16	Inf	-Inf	91.88	3	Vertical	345	1.95	-	33.90	5.51	32.13

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5510MHz\_TnomVnom




EUT Y\_4TX  
Setting 17  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4556G	61.79	74.00	-12.21	54.56	3	Horizontal	169	1.80	-	33.90	5.46	32.13
AV	5.4576G	47.47	54.00	-6.53	40.24	3	Horizontal	169	1.80	-	33.90	5.46	32.13
PK	5.4668G	66.90	68.20	-1.30	59.66	3	Horizontal	169	1.80	-	33.90	5.47	32.13
PK	5.512G	112.87	Inf	-Inf	105.59	3	Horizontal	169	1.80	-	33.90	5.51	32.13
AV	5.5124G	100.22	Inf	-Inf	92.94	3	Horizontal	169	1.80	-	33.90	5.51	32.13

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5510MHz\_TnomVnom




EUT Y\_4TX  
Setting 17  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.5307G	58.79	68.20	-9.41	42.64	3	Vertical	5	2.40	-	38.98	10.27	33.10

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5510MHz\_TnomVnom




EUT Y\_4TX  
Setting 17  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.52652G	59.59	68.20	-8.61	43.48	3	Horizontal	312	1.71	-	38.94	10.26	33.09

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5550MHz\_TnomVnom




EUT\_Y\_4TX  
Setting 25  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	57.11	74.00	-16.89	50.18	3	Vertical	342	1.85	-	33.70	5.37	32.14
AV	5.35G	45.46	54.00	-8.54	38.53	3	Vertical	342	1.85	-	33.70	5.37	32.14
PK	5.4588G	61.49	74.00	-12.51	54.26	3	Vertical	342	1.85	-	33.90	5.46	32.13
AV	5.4532G	47.63	54.00	-6.37	40.41	3	Vertical	342	1.85	-	33.90	5.45	32.13
PK	5.4668G	63.04	68.20	-5.16	55.80	3	Vertical	342	1.85	-	33.90	5.47	32.13
PK	5.5492G	117.69	Inf	-Inf	110.37	3	Vertical	342	1.85	-	33.90	5.55	32.13
AV	5.5492G	106.82	Inf	-Inf	99.50	3	Vertical	342	1.85	-	33.90	5.55	32.13
PK	5.7484G	57.62	68.20	-10.58	50.36	3	Vertical	342	1.85	-	33.80	5.60	32.14

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5550MHz\_TnomVnom




EUT\_V\_4TX  
Setting 25  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	62.68	74.00	-11.32	55.45	3	Horizontal	116	1.93	-	33.90	5.46	32.13
AV	5.4596G	48.51	54.00	-5.49	41.28	3	Horizontal	116	1.93	-	33.90	5.46	32.13
PK	5.4692G	66.89	68.20	-1.31	59.65	3	Horizontal	116	1.93	-	33.90	5.47	32.13
PK	5.5492G	118.74	Inf	-Inf	111.42	3	Horizontal	116	1.93	-	33.90	5.55	32.13
AV	5.5492G	108.19	Inf	-Inf	100.87	3	Horizontal	116	1.93	-	33.90	5.55	32.13
PK	5.7484G	58.21	68.20	-9.99	50.95	3	Horizontal	116	1.93	-	33.80	5.60	32.14

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5550MHz\_TnomVnom




EUT Y\_4TX  
Setting 25  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.6473G	60.01	68.20	-8.19	43.25	3	Vertical	180	1.44	-	39.65	10.32	33.21



802.11ax HEW40\_Nss1,(MCS0)\_4TX

5550MHz\_TnomVnom




EUT Y\_4TX  
Setting 25  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.64562G	59.49	68.20	-8.71	42.73	3	Horizontal	214	2.09	-	39.65	10.32	33.21

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT Y\_4TX  
Setting 21  
02-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6684G	112.47	Inf	-Inf	105.25	3	Vertical	8	1.80	-	33.76	5.60	32.14
AV	5.6688G	101.58	Inf	-Inf	94.36	3	Vertical	8	1.80	-	33.76	5.60	32.14
PK	5.7364G	62.86	68.20	-5.34	55.63	3	Vertical	8	1.80	-	33.77	5.60	32.14

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5670MHz\_TnomVnom




EUT Y\_4TX  
Setting 21  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6676G	114.89	Inf	-Inf	107.67	3	Horizontal	165	1.89	-	33.76	5.60	32.14
AV	5.672G	103.92	Inf	-Inf	96.70	3	Horizontal	165	1.89	-	33.76	5.60	32.14
PK	5.7252G	66.43	68.20	-1.77	59.22	3	Horizontal	165	1.89	-	33.75	5.60	32.14

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5670MHz\_TnomVnom




EUT Y\_4TX  
Setting 21  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.01254G	61.03	68.20	-7.17	42.84	3	Vertical	252	2.97	-	41.21	10.51	33.53

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5670MHz\_TnomVnom




EUT Y\_4TX  
Setting 21  
02-C-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.0064G	60.74	68.20	-7.46	42.56	3	Horizontal	64	1.89	-	41.21	10.50	33.53

802.11ax HEW40\_Nss1,(MCS0)\_4TX


5710MHz Straddle 5.47-5.725GHz\_TnomVnom



EUT\_V\_4TX  
Setting 28.5  
02-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7108G	118.60	Inf	-Inf	111.42	3	Vertical	24	1.80	-	33.72	5.60	32.14
AV	5.7108G	107.75	Inf	-Inf	100.57	3	Vertical	24	1.80	-	33.72	5.60	32.14


**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_4TX  
 Setting 28.5  
 02-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7116G	121.49	Inf	-Inf	114.31	3	Horizontal	167	1.80	-	33.72	5.60	32.14
AV	5.7124G	110.26	Inf	-Inf	103.08	3	Horizontal	167	1.80	-	33.72	5.60	32.14
PK	5.8644G	62.62	68.20	-5.58	55.25	3	Horizontal	167	1.80	-	33.86	5.66	32.15

**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_4TX  
 Setting 28.5  
 02-C-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.14712G	61.97	68.20	-6.23	43.14	3	Vertical	196	1.45	-	41.63	10.57	33.37



**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_4TX  
 Setting 28.5  
 02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.12848G	62.20	68.20	-6.00	43.53	3	Horizontal	182	1.94	-	41.50	10.56	33.39

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5755MHz\_TnomVnom




EUT Y\_4TX  
Setting 28  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	63.11	68.20	-5.09	55.82	3	Vertical	24	1.80	-	33.83	5.60	32.14
PK	5.756G	118.49	Inf	-Inf	111.25	3	Vertical	24	1.80	-	33.79	5.60	32.15
AV	5.756G	108.21	Inf	-Inf	100.97	3	Vertical	24	1.80	-	33.79	5.60	32.15
PK	6.002G	58.72	68.20	-9.48	50.97	3	Vertical	24	1.80	-	34.11	5.80	32.16

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5755MHz\_TnomVnom




EUT Y\_4TX  
Setting 28  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	66.68	68.20	-1.52	59.42	3	Horizontal	165	1.79	-	33.80	5.60	32.14
PK	5.757G	121.90	Inf	-Inf	114.66	3	Horizontal	165	1.79	-	33.79	5.60	32.15
AV	5.757G	109.72	Inf	-Inf	102.48	3	Horizontal	165	1.79	-	33.79	5.60	32.15
PK	5.926G	58.85	68.20	-9.35	51.23	3	Horizontal	165	1.79	-	34.05	5.73	32.16

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5755MHz\_TnomVnom




EUT Y\_4TX  
Setting 28  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.26894G	61.26	68.20	-6.94	41.65	3	Vertical	297	2.11	-	42.21	10.63	33.23

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5755MHz\_TnomVnom




EUT Y\_4TX  
Setting 28  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.26526G	61.74	68.20	-6.46	42.15	3	Horizontal	251	2.69	-	42.20	10.63	33.24

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5795MHz\_TnomVnom




EUT Y\_4TX  
Setting 28.5  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.594G	58.97	68.20	-9.23	51.62	3	Vertical	19	1.78	-	33.90	5.59	32.14
PK	5.796G	118.85	Inf	-Inf	111.69	3	Vertical	19	1.78	-	33.71	5.60	32.15
AV	5.796G	108.83	Inf	-Inf	101.67	3	Vertical	19	1.78	-	33.71	5.60	32.15
PK	5.932G	59.57	68.20	-8.63	51.94	3	Vertical	19	1.78	-	34.06	5.73	32.16

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5795MHz\_TnomVnom




EUT Y\_4TX  
Setting 28.5  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	59.88	68.20	-8.32	52.62	3	Horizontal	165	1.79	-	33.80	5.60	32.14
PK	5.797G	120.73	Inf	-Inf	113.57	3	Horizontal	165	1.79	-	33.71	5.60	32.15
AV	5.797G	109.09	Inf	-Inf	101.93	3	Horizontal	165	1.79	-	33.71	5.60	32.15
PK	5.928G	60.01	68.20	-8.19	52.38	3	Horizontal	165	1.79	-	34.06	5.73	32.16

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5795MHz\_TnomVnom




EUT Y\_4TX  
Setting 28.5  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.38338G	62.31	68.20	-5.89	41.75	3	Vertical	31	2.04	-	42.97	10.69	33.10



802.11ax HEW40\_Nss1,(MCS0)\_4TX

5795MHz\_TnomVnom




EUT Y\_4TX  
Setting 28.5  
02-C-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.38726G	61.82	68.20	-6.38	41.23	3	Horizontal	300	1.77	-	43.00	10.69	33.10

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5210MHz\_TnomVnom




EUT\_V\_4TX  
Setting 19.5  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1444G	68.40	74.00	-5.60	61.81	3	Vertical	348	2.58	-	33.50	5.24	32.15
AV	5.1492G	50.56	54.00	-3.44	43.96	3	Vertical	348	2.58	-	33.50	5.25	32.15
PK	5.2116G	109.69	Inf	-Inf	103.01	3	Vertical	348	2.58	-	33.52	5.31	32.15
AV	5.2116G	97.64	Inf	-Inf	90.96	3	Vertical	348	2.58	-	33.52	5.31	32.15
PK	5.4012G	58.66	74.00	-15.34	51.60	3	Vertical	348	2.58	-	33.80	5.40	32.14
AV	5.406G	46.51	54.00	-7.49	39.43	3	Vertical	348	2.58	-	33.81	5.41	32.14

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5210MHz\_TnomVnom




EUT V\_4TX  
Setting 19.5  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1444G	70.92	74.00	-3.08	64.33	3	Horizontal	174	2.28	-	33.50	5.24	32.15
AV	5.1468G	52.64	54.00	-1.36	46.04	3	Horizontal	174	2.28	-	33.50	5.25	32.15
PK	5.2068G	110.26	Inf	-Inf	103.60	3	Horizontal	174	2.28	-	33.51	5.30	32.15
AV	5.2076G	98.16	Inf	-Inf	91.49	3	Horizontal	174	2.28	-	33.52	5.30	32.15
PK	5.3748G	58.00	74.00	-16.00	51.00	3	Horizontal	174	2.28	-	33.75	5.39	32.14
AV	5.3948G	46.91	54.00	-7.09	39.86	3	Horizontal	174	2.28	-	33.79	5.40	32.14

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5210MHz\_TnomVnom




EUT Y\_4TX  
Setting 19.5  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6306G	57.58	74.00	-16.42	43.51	3	Vertical	205	2.14	-	37.54	9.83	33.30
AV	15.6346G	45.15	54.00	-8.85	31.09	3	Vertical	205	2.14	-	37.53	9.84	33.31

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5210MHz\_TnomVnom




EUT Y\_4TX  
Setting 19.5  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6327G	57.33	74.00	-16.67	43.28	3	Horizontal	18	1.27	-	37.53	9.83	33.31
AV	15.63086G	45.18	54.00	-8.82	31.11	3	Horizontal	18	1.27	-	37.54	9.83	33.30

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5290MHz\_TnomVnom




EUT\_V\_4TX  
Setting 20  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1196G	58.61	74.00	-15.39	52.04	3	Vertical	88	1.80	-	33.50	5.22	32.15
AV	5.1004G	46.27	54.00	-7.73	39.72	3	Vertical	88	1.80	-	33.50	5.20	32.15
PK	5.2796G	107.30	Inf	-Inf	100.44	3	Vertical	88	1.80	-	33.66	5.34	32.14
AV	5.2892G	96.39	Inf	-Inf	89.51	3	Vertical	88	1.80	-	33.68	5.34	32.14
PK	5.3668G	69.79	74.00	-4.21	62.82	3	Vertical	88	1.80	-	33.73	5.38	32.14
AV	5.35G	51.96	54.00	-2.04	45.02	3	Vertical	88	1.80	-	33.70	5.38	32.14
PK	5.4644G	58.18	68.20	-10.02	50.95	3	Vertical	88	1.80	-	33.90	5.46	32.13

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT\_V\_4TX  
Setting 20  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	58.89	74.00	-15.11	52.30	3	Horizontal	177	1.80	-	33.50	5.24	32.15
AV	5.1052G	46.58	54.00	-7.42	40.02	3	Horizontal	177	1.80	-	33.50	5.21	32.15
PK	5.2828G	110.27	Inf	-Inf	103.40	3	Horizontal	177	1.80	-	33.67	5.34	32.14
AV	5.2876G	99.44	Inf	-Inf	92.56	3	Horizontal	177	1.80	-	33.68	5.34	32.14
PK	5.3652G	72.26	74.00	-1.74	65.29	3	Horizontal	177	1.80	-	33.73	5.38	32.14
AV	5.3516G	52.77	54.00	-1.23	45.83	3	Horizontal	177	1.80	-	33.70	5.38	32.14
PK	5.466G	58.59	68.20	-9.61	51.35	3	Horizontal	177	1.80	-	33.90	5.47	32.13

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5290MHz\_TnomVnom




EUT Y\_4TX  
Setting 20  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86606G	54.62	74.00	-19.38	40.79	3	Vertical	72	2.32	-	37.47	9.94	33.58
AV	15.87342G	43.10	54.00	-10.90	29.28	3	Vertical	72	2.32	-	37.47	9.94	33.59



802.11ax HEW80\_Nss1,(MCS0)\_4TX

5290MHz\_TnomVnom




EUT Y\_4TX  
Setting 20  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8683G	56.26	74.00	-17.74	42.43	3	Horizontal	144	1.63	-	37.47	9.94	33.58
AV	15.86666G	42.98	54.00	-11.02	29.15	3	Horizontal	144	1.63	-	37.47	9.94	33.58

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5530MHz\_TnomVnom




EUT\_Y\_4TX  
Setting 17  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	57.36	68.20	-10.84	50.43	3	Vertical	341	1.92	-	33.70	5.37	32.14
AV	5.35G	45.74	54.00	-8.26	38.81	3	Vertical	341	1.92	-	33.70	5.37	32.14
PK	5.4564G	62.73	74.00	-11.27	55.50	3	Vertical	341	1.92	-	33.90	5.46	32.13
AV	5.4588G	50.42	54.00	-3.58	43.19	3	Vertical	341	1.92	-	33.90	5.46	32.13
PK	5.4692G	63.70	68.20	-4.50	56.46	3	Vertical	341	1.92	-	33.90	5.47	32.13
PK	5.5236G	107.13	Inf	-Inf	99.84	3	Vertical	341	1.92	-	33.90	5.52	32.13
AV	5.5292G	96.32	Inf	-Inf	89.02	3	Vertical	341	1.92	-	33.90	5.53	32.13
PK	5.7252G	58.11	68.20	-10.09	50.90	3	Vertical	341	1.92	-	33.75	5.60	32.14

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT\_V\_4TX  
Setting 17  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3444G	57.88	68.20	-10.32	50.95	3	Horizontal	170	1.88	-	33.70	5.37	32.14
AV	5.35G	46.04	54.00	-7.96	39.11	3	Horizontal	170	1.88	-	33.70	5.37	32.14
PK	5.458G	64.57	74.00	-9.43	57.34	3	Horizontal	170	1.88	-	33.90	5.46	32.13
AV	5.4572G	52.35	54.00	-1.65	45.12	3	Horizontal	170	1.88	-	33.90	5.46	32.13
PK	5.4676G	65.05	68.20	-3.15	57.81	3	Horizontal	170	1.88	-	33.90	5.47	32.13
PK	5.5372G	109.65	Inf	-Inf	102.34	3	Horizontal	170	1.88	-	33.90	5.54	32.13
AV	5.5324G	97.95	Inf	-Inf	90.65	3	Horizontal	170	1.88	-	33.90	5.53	32.13
PK	5.7268G	58.77	68.20	-9.43	51.56	3	Horizontal	170	1.88	-	33.75	5.60	32.14

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT Y\_4TX  
Setting 17  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.59042G	59.31	68.20	-8.89	42.65	3	Vertical	45	2.26	-	39.51	10.30	33.15

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5530MHz\_TnomVnom




EUT Y\_4TX  
Setting 17  
02-C-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.59262G	58.95	68.20	-9.25	42.28	3	Horizontal	354	2.04	-	39.53	10.30	33.16

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT V\_4TX  
Setting 22.5  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4276G	58.25	74.00	-15.75	51.09	3	Vertical	342	1.80	-	33.86	5.43	32.13
AV	5.4236G	47.00	54.00	-7.00	39.86	3	Vertical	342	1.80	-	33.85	5.42	32.13
PK	5.4652G	58.78	68.20	-9.42	51.54	3	Vertical	342	1.80	-	33.90	5.47	32.13
PK	5.6092G	113.03	Inf	-Inf	105.69	3	Vertical	342	1.80	-	33.88	5.60	32.14
AV	5.6092G	101.22	Inf	-Inf	93.88	3	Vertical	342	1.80	-	33.88	5.60	32.14
PK	5.734G	62.61	68.20	-5.59	55.38	3	Vertical	342	1.80	-	33.77	5.60	32.14

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT V\_4TX  
Setting 22.5  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4452G	59.85	74.00	-14.15	52.64	3	Horizontal	166	1.80	-	33.89	5.45	32.13
PK	5.462G	61.15	68.20	-7.05	53.92	3	Horizontal	166	1.80	-	33.90	5.46	32.13
AV	5.4572G	47.78	54.00	-6.22	40.55	3	Horizontal	166	1.80	-	33.90	5.46	32.13
PK	5.6068G	114.89	Inf	-Inf	107.54	3	Horizontal	166	1.80	-	33.89	5.60	32.14
AV	5.6076G	102.75	Inf	-Inf	95.41	3	Horizontal	166	1.80	-	33.88	5.60	32.14
PK	5.7276G	66.79	68.20	-1.41	59.57	3	Horizontal	166	1.80	-	33.76	5.60	32.14

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5610MHz\_TnomVnom




EUT Y\_4TX  
Setting 22.5  
02-C-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.83486G	59.77	68.20	-8.43	42.29	3	Vertical	47	1.21	-	40.44	10.42	33.38



802.11ax HEW80\_Nss1,(MCS0)\_4TX


5610MHz\_TnomVnom



EUT Y\_4TX  
Setting 22.5  
02-C-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.82608G	59.28	68.20	-8.92	41.85	3	Horizontal	87	1.45	-	40.40	10.41	33.38

**802.11ax HEW80\_Nss1,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_4TX  
 Setting 27  
 02-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6956G	114.10	Inf	-Inf	106.93	3	Vertical	22	1.80	-	33.71	5.60	32.14
AV	5.6956G	104.14	Inf	-Inf	96.97	3	Vertical	22	1.80	-	33.71	5.60	32.14

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT V\_4TX  
Setting 27  
02-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6972G	118.01	Inf	-Inf	110.84	3	Horizontal	166	1.80	-	33.71	5.60	32.14
AV	5.6868G	107.02	Inf	-Inf	99.83	3	Horizontal	166	1.80	-	33.73	5.60	32.14
PK	5.8516G	66.51	68.20	-1.69	59.20	3	Horizontal	166	1.80	-	33.81	5.65	32.15

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_4TX  
Setting 27  
02-C-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.07038G	60.63	68.20	-7.57	42.28	3	Vertical	214	1.04	-	41.27	10.54	33.46

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_4TX  
Setting 27  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.06956G	61.06	68.20	-7.14	42.72	3	Horizontal	186	1.55	-	41.27	10.53	33.46

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5775MHz\_TnomVnom




EUT Y\_4TX  
Setting 23.5  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6446G	63.46	68.20	-4.74	56.19	3	Vertical	18	1.68	-	33.81	5.60	32.14
PK	5.7702G	114.20	Inf	-Inf	106.99	3	Vertical	18	1.68	-	33.76	5.60	32.15
AV	5.7702G	102.20	Inf	-Inf	94.99	3	Vertical	18	1.68	-	33.76	5.60	32.15
PK	5.9262G	59.13	68.20	-9.07	51.51	3	Vertical	18	1.68	-	34.05	5.73	32.16

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5775MHz\_TnomVnom




EUT Y\_4TX  
Setting 23.5  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	66.58	68.20	-1.62	59.31	3	Horizontal	166	1.78	-	33.81	5.60	32.14
PK	5.7718G	115.15	Inf	-Inf	107.94	3	Horizontal	166	1.78	-	33.76	5.60	32.15
AV	5.7766G	103.42	Inf	-Inf	96.22	3	Horizontal	166	1.78	-	33.75	5.60	32.15
PK	5.9278G	60.31	68.20	-7.89	52.68	3	Horizontal	166	1.78	-	34.06	5.73	32.16

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5775MHz\_TnomVnom




EUT Y\_4TX  
Setting 23.5  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.32078G	61.61	68.20	-6.59	41.65	3	Vertical	310	2.83	-	42.47	10.66	33.17



802.11ax HEW80\_Nss1,(MCS0)\_4TX

5775MHz\_TnomVnom



EUT Y\_4TX  
Setting 23.5  
02-C-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.3296G	61.27	68.20	-6.93	41.23	3	Horizontal	293	1.50	-	42.54	10.66	33.16




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.4688G	67.16	68.20	-1.04	3	Vertical	349	1.91	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5180MHz\_TnomVnom




EUT Y\_4TX  
Setting 40  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	71.24	74.00	-2.76	65.74	3	Vertical	123	1.82	-	31.72	5.75	31.97
AV	5.15G	52.07	54.00	-1.93	46.60	3	Vertical	123	1.82	-	31.70	5.75	31.98
PK	5.1812G	118.33	Inf	-Inf	113.03	3	Vertical	123	1.82	-	31.51	5.78	31.99
AV	5.1812G	106.12	Inf	-Inf	100.82	3	Vertical	123	1.82	-	31.51	5.78	31.99

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5180MHz\_TnomVnom




EUT Y\_4TX  
Setting 40  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.44	74.00	-5.56	62.97	3	Horizontal	164	2.07	-	31.70	5.75	31.98
AV	5.15G	51.35	54.00	-2.65	45.88	3	Horizontal	164	2.07	-	31.70	5.75	31.98
PK	5.1852G	120.74	Inf	-Inf	115.45	3	Horizontal	164	2.07	-	31.49	5.79	31.99
AV	5.184G	108.20	Inf	-Inf	102.91	3	Horizontal	164	2.07	-	31.50	5.78	31.99

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5180MHz\_TnomVnom




EUT Y\_4TX  
Setting 40  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53424G	61.12	74.00	-12.88	44.52	3	Vertical	78	2.20	-	38.53	12.30	34.23
AV	15.52902G	47.49	54.00	-6.51	30.88	3	Vertical	78	2.20	-	38.55	12.29	34.23

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5180MHz\_TnomVnom




EUT Y\_4TX  
Setting 40  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53004G	61.10	74.00	-12.90	44.49	3	Horizontal	313	2.98	-	38.55	12.29	34.23
AV	15.52698G	47.58	54.00	-6.42	30.95	3	Horizontal	313	2.98	-	38.57	12.29	34.23

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5200MHz\_TnomVnom




EUT Y\_4TX  
Setting 51  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	70.66	74.00	-3.34	65.19	3	Vertical	126	2.01	-	31.70	5.75	31.98
AV	5.15G	49.94	54.00	-4.06	44.47	3	Vertical	126	2.01	-	31.70	5.75	31.98
PK	5.2012G	122.43	Inf	-Inf	117.24	3	Vertical	126	2.01	-	31.39	5.80	32.00
AV	5.2008G	109.39	Inf	-Inf	104.19	3	Vertical	126	2.01	-	31.40	5.80	32.00

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5200MHz\_TnomVnom




EUT Y\_4TX  
Setting 51  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	72.74	74.00	-1.26	67.27	3	Horizontal	186	1.72	-	31.70	5.75	31.98
AV	5.1496G	52.56	54.00	-1.44	47.09	3	Horizontal	186	1.72	-	31.70	5.75	31.98
PK	5.202G	124.12	Inf	-Inf	118.93	3	Horizontal	186	1.72	-	31.39	5.80	32.00
AV	5.2012G	112.46	Inf	-Inf	107.27	3	Horizontal	186	1.72	-	31.39	5.80	32.00



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5200MHz\_TnomVnom




EUT Y\_4TX  
Setting 51  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59916G	61.14	74.00	-12.86	44.86	3	Vertical	149	1.02	-	38.20	12.34	34.26
AV	15.60384G	47.62	54.00	-6.38	31.36	3	Vertical	149	1.02	-	38.18	12.34	34.26

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5200MHz\_TnomVnom




EUT Y\_4TX  
Setting 51  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60402G	61.49	74.00	-12.51	45.23	3	Horizontal	200	1.80	-	38.18	12.34	34.26
AV	15.59658G	47.23	54.00	-6.77	30.93	3	Horizontal	200	1.80	-	38.22	12.34	34.26

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5240MHz\_TnomVnom




EUT\_V\_4TX  
Setting 57  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	60.56	74.00	-13.44	55.08	3	Vertical	88	1.80	-	31.71	5.75	31.98
AV	5.129G	46.69	54.00	-7.31	41.10	3	Vertical	88	1.80	-	31.83	5.73	31.97
PK	5.2382G	122.32	Inf	-Inf	117.36	3	Vertical	88	1.80	-	31.17	5.80	32.01
AV	5.2406G	110.16	Inf	-Inf	105.22	3	Vertical	88	1.80	-	31.16	5.80	32.02
PK	5.3516G	58.68	74.00	-15.32	53.83	3	Vertical	88	1.80	-	31.11	5.80	32.06
AV	5.351G	46.01	54.00	-7.99	41.16	3	Vertical	88	1.80	-	31.11	5.80	32.06

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5240MHz\_TnomVnom




EUT\_V\_4TX  
Setting 57  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	66.60	74.00	-7.40	61.12	3	Horizontal	169	1.80	-	31.71	5.75	31.98
AV	5.129G	48.10	54.00	-5.90	42.51	3	Horizontal	169	1.80	-	31.83	5.73	31.97
PK	5.2388G	123.94	Inf	-Inf	118.99	3	Horizontal	169	1.80	-	31.17	5.80	32.02
AV	5.2394G	112.93	Inf	-Inf	107.99	3	Horizontal	169	1.80	-	31.16	5.80	32.02
PK	5.351G	61.18	74.00	-12.82	56.33	3	Horizontal	169	1.80	-	31.11	5.80	32.06
AV	5.3516G	47.74	54.00	-6.26	42.89	3	Horizontal	169	1.80	-	31.11	5.80	32.06

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5240MHz\_TnomVnom




EUT Y\_4TX  
Setting 57  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72756G	59.99	74.00	-14.01	44.08	3	Vertical	167	1.80	-	37.80	12.42	34.31
AV	15.71136G	46.60	54.00	-7.40	30.69	3	Vertical	167	1.80	-	37.80	12.41	34.30

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5240MHz\_TnomVnom




EUT Y\_4TX  
Setting 57  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.70848G	62.45	74.00	-11.55	46.54	3	Horizontal	219	1.80	-	37.80	12.41	34.30
AV	15.72816G	48.35	54.00	-5.65	32.44	3	Horizontal	219	1.80	-	37.80	12.42	34.31

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5260MHz\_TnomVnom




EUT\_V\_4TX  
Setting 57  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1292G	57.86	74.00	-16.14	52.28	3	Vertical	88	1.80	-	31.82	5.73	31.97
AV	5.14G	45.52	54.00	-8.48	39.99	3	Vertical	88	1.80	-	31.76	5.74	31.97
PK	5.2618G	121.87	Inf	-Inf	117.00	3	Vertical	88	1.80	-	31.10	5.80	32.03
AV	5.2624G	109.67	Inf	-Inf	104.80	3	Vertical	88	1.80	-	31.10	5.80	32.03
PK	5.35G	61.71	74.00	-12.29	56.87	3	Vertical	88	1.80	-	31.10	5.80	32.06
AV	5.3506G	46.01	54.00	-7.99	41.17	3	Vertical	88	1.80	-	31.10	5.80	32.06

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5260MHz\_TnomVnom




EUT\_V\_4TX  
Setting 57  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	59.34	74.00	-14.66	53.82	3	Horizontal	183	1.80	-	31.75	5.74	31.97
AV	5.149G	47.04	54.00	-6.96	41.56	3	Horizontal	183	1.80	-	31.71	5.75	31.98
PK	5.2576G	124.49	Inf	-Inf	119.61	3	Horizontal	183	1.80	-	31.10	5.80	32.02
AV	5.2588G	112.78	Inf	-Inf	107.90	3	Horizontal	183	1.80	-	31.10	5.80	32.02
PK	5.3506G	63.99	74.00	-10.01	59.15	3	Horizontal	183	1.80	-	31.10	5.80	32.06
AV	5.35G	47.61	54.00	-6.39	42.77	3	Horizontal	183	1.80	-	31.10	5.80	32.06



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5260MHz\_TnomVnom




EUT Y\_4TX  
Setting 57  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77574G	59.30	74.00	-14.70	43.38	3	Vertical	190	1.80	-	37.80	12.45	34.33
AV	15.77232G	45.81	54.00	-8.19	29.89	3	Vertical	190	1.80	-	37.80	12.45	34.33

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5260MHz\_TnomVnom




EUT Y\_4TX  
Setting 57  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78114G	65.52	74.00	-8.48	49.59	3	Horizontal	239	1.76	-	37.80	12.46	34.33
AV	15.78504G	50.41	54.00	-3.59	34.48	3	Horizontal	239	1.76	-	37.80	12.46	34.33

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
Setting 51  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3032G	120.90	Inf	-Inf	116.04	3	Vertical	89	1.74	-	31.10	5.80	32.04
AV	5.302G	108.94	Inf	-Inf	104.08	3	Vertical	89	1.74	-	31.10	5.80	32.04
PK	5.3536G	70.54	74.00	-3.46	65.69	3	Vertical	89	1.74	-	31.12	5.80	32.07
AV	5.35G	52.52	54.00	-1.48	47.68	3	Vertical	89	1.74	-	31.10	5.80	32.06

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5300MHz\_TnomVnom




EUT Y\_4TX  
Setting 51  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3048G	122.18	Inf	-Inf	117.32	3	Horizontal	172	1.77	-	31.10	5.80	32.04
AV	5.3028G	109.72	Inf	-Inf	104.86	3	Horizontal	172	1.77	-	31.10	5.80	32.04
PK	5.3508G	70.22	74.00	-3.78	65.38	3	Horizontal	172	1.77	-	31.10	5.80	32.06
AV	5.35G	52.30	54.00	-1.70	47.46	3	Horizontal	172	1.77	-	31.10	5.80	32.06

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5300MHz\_TnomVnom




EUT Y\_4TX  
Setting 51  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61491G	55.48	74.00	-18.52	40.98	3	Vertical	59	2.16	-	39.69	8.97	34.16
AV	10.60132G	42.15	54.00	-11.85	27.65	3	Vertical	59	2.16	-	39.70	8.96	34.16
PK	15.91152G	58.60	74.00	-15.40	42.86	3	Vertical	93	1.02	-	37.58	12.54	34.38
AV	15.90588G	45.47	54.00	-8.53	29.72	3	Vertical	93	1.02	-	37.59	12.54	34.38

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5300MHz\_TnomVnom




EUT Y\_4TX  
Setting 51  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6069G	55.73	74.00	-18.27	41.24	3	Horizontal	173	1.98	-	39.69	8.96	34.16
AV	10.60288G	42.17	54.00	-11.83	27.67	3	Horizontal	173	1.98	-	39.70	8.96	34.16
PK	15.89232G	58.61	74.00	-15.39	42.84	3	Horizontal	281	2.33	-	37.62	12.53	34.38
AV	15.89124G	45.62	54.00	-8.38	29.85	3	Horizontal	281	2.33	-	37.62	12.53	34.38

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5320MHz\_TnomVnom




EUT Y\_4TX  
Setting 37  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3208G	116.09	Inf	-Inf	111.24	3	Vertical	89	1.74	-	31.10	5.80	32.05
AV	5.3192G	104.07	Inf	-Inf	99.22	3	Vertical	89	1.74	-	31.10	5.80	32.05
PK	5.352G	71.23	74.00	-2.77	66.38	3	Vertical	89	1.74	-	31.11	5.80	32.06
AV	5.35G	48.24	54.00	-5.76	43.40	3	Vertical	89	1.74	-	31.10	5.80	32.06

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5320MHz\_TnomVnom




EUT Y\_4TX  
Setting 37  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3184G	117.67	Inf	-Inf	112.82	3	Horizontal	166	1.80	-	31.10	5.80	32.05
AV	5.3216G	105.26	Inf	-Inf	100.41	3	Horizontal	166	1.80	-	31.10	5.80	32.05
PK	5.352G	72.86	74.00	-1.14	68.01	3	Horizontal	166	1.80	-	31.11	5.80	32.06
AV	5.35G	47.79	54.00	-6.21	42.95	3	Horizontal	166	1.80	-	31.10	5.80	32.06



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5320MHz\_TnomVnom




EUT Y\_4TX  
Setting 37  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64948G	55.64	74.00	-18.36	41.17	3	Vertical	262	1.90	-	39.65	8.99	34.17
AV	10.64906G	42.48	54.00	-11.52	28.01	3	Vertical	262	1.90	-	39.65	8.99	34.17
PK	15.97374G	58.25	74.00	-15.75	42.63	3	Vertical	72	1.59	-	37.45	12.58	34.41
AV	15.97212G	45.43	54.00	-8.57	29.80	3	Vertical	72	1.59	-	37.46	12.58	34.41

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5320MHz\_TnomVnom




EUT Y\_4TX  
Setting 37  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65098G	55.26	74.00	-18.74	40.79	3	Horizontal	125	1.17	-	39.65	8.99	34.17
AV	10.64294G	42.48	54.00	-11.52	28.00	3	Horizontal	125	1.17	-	39.66	8.99	34.17
PK	15.95988G	60.01	74.00	-13.99	44.36	3	Horizontal	59	1.10	-	37.48	12.57	34.40
AV	15.9462G	45.48	54.00	-8.52	29.80	3	Horizontal	59	1.10	-	37.51	12.57	34.40

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5500MHz\_TnomVnom




EUT V\_4TX  
Setting 37  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	57.87	74.00	-16.13	52.62	3	Vertical	353	1.80	-	31.50	5.86	32.11
AV	5.4576G	45.10	54.00	-8.90	39.85	3	Vertical	353	1.80	-	31.50	5.86	32.11
PK	5.47G	66.01	68.20	-2.19	60.76	3	Vertical	353	1.80	-	31.50	5.87	32.12
PK	5.5012G	117.23	Inf	-Inf	111.96	3	Vertical	353	1.80	-	31.50	5.90	32.13
AV	5.5008G	105.00	Inf	-Inf	99.73	3	Vertical	353	1.80	-	31.50	5.90	32.13

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
Setting 37  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	58.04	74.00	-15.96	52.80	3	Horizontal	117	2.02	-	31.50	5.85	32.11
AV	5.46G	45.52	54.00	-8.48	40.27	3	Horizontal	117	2.02	-	31.50	5.86	32.11
PK	5.4692G	66.95	68.20	-1.25	61.70	3	Horizontal	117	2.02	-	31.50	5.87	32.12
PK	5.5068G	120.42	Inf	-Inf	115.14	3	Horizontal	117	2.02	-	31.50	5.91	32.13
AV	5.5072G	106.89	Inf	-Inf	101.61	3	Horizontal	117	2.02	-	31.50	5.91	32.13

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
Setting 37  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99172G	56.90	74.00	-17.10	41.74	3	Vertical	360	2.96	-	40.19	9.20	34.23
AV	10.99562G	43.45	54.00	-10.55	28.28	3	Vertical	360	2.96	-	40.20	9.20	34.23

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
Setting 37  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99226G	57.38	74.00	-16.62	42.22	3	Horizontal	244	2.01	-	40.19	9.20	34.23
AV	10.99202G	43.38	54.00	-10.62	28.22	3	Horizontal	244	2.01	-	40.19	9.20	34.23

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT\_V\_4TX  
Setting 57  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4304G	57.91	74.00	-16.09	52.72	3	Vertical	350	1.80	-	31.46	5.83	32.10
PK	5.4616G	58.76	68.20	-9.44	53.51	3	Vertical	350	1.80	-	31.50	5.86	32.11
AV	5.4568G	45.47	54.00	-8.53	40.22	3	Vertical	350	1.80	-	31.50	5.86	32.11
PK	5.5784G	124.12	Inf	-Inf	118.76	3	Vertical	350	1.80	-	31.56	5.98	32.18
AV	5.5784G	112.15	Inf	-Inf	106.79	3	Vertical	350	1.80	-	31.56	5.98	32.18
PK	5.7696G	58.36	68.20	-9.84	52.65	3	Vertical	350	1.80	-	32.00	6.00	32.29

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT V\_4TX  
Setting 57  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4136G	58.54	74.00	-15.46	53.39	3	Horizontal	150	1.80	-	31.43	5.81	32.09
PK	5.468G	58.14	68.20	-10.06	52.89	3	Horizontal	150	1.80	-	31.50	5.87	32.12
AV	5.46G	46.19	54.00	-7.81	40.94	3	Horizontal	150	1.80	-	31.50	5.86	32.11
PK	5.5768G	124.51	Inf	-Inf	119.16	3	Horizontal	150	1.80	-	31.55	5.98	32.18
AV	5.5784G	111.59	Inf	-Inf	106.23	3	Horizontal	150	1.80	-	31.56	5.98	32.18
PK	5.7776G	58.57	68.20	-9.63	52.87	3	Horizontal	150	1.80	-	32.00	6.00	32.30



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5580MHz\_TnomVnom




EUT Y\_4TX  
Setting 57  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16786G	56.27	74.00	-17.73	41.57	3	Vertical	48	1.80	-	39.66	9.30	34.26
AV	11.16264G	42.77	54.00	-11.23	28.06	3	Vertical	48	1.80	-	39.67	9.30	34.26

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5580MHz\_TnomVnom




EUT Y\_4TX  
Setting 57  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14848G	56.55	74.00	-17.45	41.81	3	Horizontal	74	2.11	-	39.70	9.29	34.25
AV	11.16078G	42.88	54.00	-11.12	28.16	3	Horizontal	74	2.11	-	39.68	9.30	34.26

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5700MHz\_TnomVnom




EUT Y\_4TX  
Setting 32  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7014G	115.59	Inf	-Inf	110.03	3	Vertical	345	1.80	-	31.81	6.00	32.25
AV	5.701G	102.37	Inf	-Inf	96.82	3	Vertical	345	1.80	-	31.80	6.00	32.25
PK	5.7274G	66.85	68.20	-1.35	61.21	3	Vertical	345	1.80	-	31.91	6.00	32.27

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
Setting 32  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7052G	117.99	Inf	-Inf	112.42	3	Horizontal	120	1.96	-	31.82	6.00	32.25
AV	5.702G	104.42	Inf	-Inf	98.86	3	Horizontal	120	1.96	-	31.81	6.00	32.25
PK	5.7258G	63.48	68.20	-4.72	57.85	3	Horizontal	120	1.96	-	31.90	6.00	32.27

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
Setting 32  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4021G	56.39	74.00	-17.61	41.44	3	Vertical	178	1.41	-	39.80	9.44	34.29
AV	11.41146G	42.93	54.00	-11.07	28.00	3	Vertical	178	1.41	-	39.78	9.45	34.30

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5700MHz\_TnomVnom



EUT Y\_4TX  
Setting 32  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41134G	56.19	74.00	-17.81	41.26	3	Horizontal	278	2.66	-	39.78	9.45	34.30
AV	11.3862G	43.00	54.00	-11.00	28.09	3	Horizontal	278	2.66	-	39.77	9.43	34.29


**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_4TX  
 Setting 57  
 06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4316G	57.31	74.00	-16.69	52.12	3	Vertical	347	1.80	-	31.46	5.83	32.10
AV	5.4456G	44.68	54.00	-9.32	39.45	3	Vertical	347	1.80	-	31.49	5.85	32.11
PK	5.4694G	57.33	68.20	-10.87	52.08	3	Vertical	347	1.80	-	31.50	5.87	32.12
PK	5.7214G	123.62	Inf	-Inf	117.99	3	Vertical	347	1.80	-	31.89	6.00	32.26
AV	5.7214G	111.19	Inf	-Inf	105.56	3	Vertical	347	1.80	-	31.89	6.00	32.26
PK	5.8754G	58.34	68.20	-9.86	52.61	3	Vertical	347	1.80	-	32.05	6.04	32.36

**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_4TX  
 Setting 57  
 06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.447G	57.55	74.00	-16.45	52.32	3	Horizontal	170	1.80	-	31.49	5.85	32.11
AV	5.4456G	45.16	54.00	-8.84	39.93	3	Horizontal	170	1.80	-	31.49	5.85	32.11
PK	5.4652G	56.87	68.20	-11.33	51.61	3	Horizontal	170	1.80	-	31.50	5.87	32.11
PK	5.7116G	125.22	Inf	-Inf	119.63	3	Horizontal	170	1.80	-	31.85	6.00	32.26
AV	5.7116G	112.80	Inf	-Inf	107.21	3	Horizontal	170	1.80	-	31.85	6.00	32.26
PK	5.8684G	59.36	68.20	-8.84	53.64	3	Horizontal	170	1.80	-	32.04	6.03	32.35




**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_4TX  
 Setting 57  
 06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44084G	56.98	74.00	-17.02	42.10	3	Vertical	144	1.69	-	39.72	9.46	34.30
AV	11.44036G	43.00	54.00	-11.00	28.12	3	Vertical	144	1.69	-	39.72	9.46	34.30

**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_4TX  
 Setting 57  
 06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42926G	56.91	74.00	-17.09	42.01	3	Horizontal	146	1.97	-	39.74	9.46	34.30
AV	11.45176G	43.08	54.00	-10.92	28.21	3	Horizontal	146	1.97	-	39.70	9.47	34.30

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5745MHz\_TnomVnom




EUT Y\_4TX  
Setting 57  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.632G	58.47	68.20	-9.73	53.08	3	Vertical	14	1.80	-	31.60	6.00	32.21
PK	5.747G	122.75	Inf	-Inf	117.04	3	Vertical	14	1.80	-	31.99	6.00	32.28
AV	5.744G	111.03	Inf	-Inf	105.33	3	Vertical	14	1.80	-	31.98	6.00	32.28
PK	5.931G	57.49	68.20	-10.71	51.65	3	Vertical	14	1.80	-	32.16	6.07	32.39

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5745MHz\_TnomVnom




EUT Y\_4TX  
Setting 57  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.611G	60.69	68.20	-7.51	55.29	3	Horizontal	168	1.80	-	31.60	6.00	32.20
PK	5.746G	124.47	Inf	-Inf	118.77	3	Horizontal	168	1.80	-	31.98	6.00	32.28
AV	5.746G	112.17	Inf	-Inf	106.47	3	Horizontal	168	1.80	-	31.98	6.00	32.28
PK	5.941G	58.04	68.20	-10.16	52.18	3	Horizontal	168	1.80	-	32.18	6.07	32.39

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5745MHz\_TnomVnom




EUT Y\_4TX  
Setting 57  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50236G	56.67	74.00	-17.33	41.88	3	Vertical	114	3.00	-	39.60	9.50	34.31
AV	11.48262G	43.27	54.00	-10.73	28.46	3	Vertical	114	3.00	-	39.63	9.49	34.31

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5745MHz\_TnomVnom




EUT Y\_4TX  
Setting 57  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5002G	56.49	74.00	-17.51	41.70	3	Horizontal	115	2.99	-	39.60	9.50	34.31
AV	11.4795G	43.16	54.00	-10.84	28.34	3	Horizontal	115	2.99	-	39.64	9.49	34.31

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5785MHz\_TnomVnom




EUT Y\_4TX  
Setting 57  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	58.82	68.20	-9.38	53.43	3	Vertical	20	1.80	-	31.60	6.00	32.21
PK	5.783G	122.05	Inf	-Inf	116.35	3	Vertical	20	1.80	-	32.00	6.00	32.30
AV	5.784G	109.62	Inf	-Inf	103.92	3	Vertical	20	1.80	-	32.00	6.00	32.30
PK	5.983G	57.28	68.20	-10.92	51.41	3	Vertical	20	1.80	-	32.20	6.09	32.42

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5785MHz\_TnomVnom




EUT Y\_4TX  
Setting 57  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.623G	59.52	68.20	-8.68	54.12	3	Horizontal	164	1.74	-	31.60	6.00	32.20
PK	5.787G	123.84	Inf	-Inf	118.14	3	Horizontal	164	1.74	-	32.00	6.00	32.30
AV	5.786G	112.32	Inf	-Inf	106.62	3	Horizontal	164	1.74	-	32.00	6.00	32.30
PK	5.928G	58.94	68.20	-9.26	53.11	3	Horizontal	164	1.74	-	32.16	6.06	32.39



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 5785MHz\_TnomVnom




EUT Y\_4TX  
Setting 57  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55758G	56.63	74.00	-17.37	41.86	3	Vertical	100	1.80	-	39.54	9.53	34.30
AV	11.5676G	42.89	54.00	-11.11	28.12	3	Vertical	100	1.80	-	39.53	9.54	34.30

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5785MHz\_TnomVnom




EUT Y\_4TX  
Setting 57  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57006G	56.90	74.00	-17.10	42.13	3	Horizontal	132	1.79	-	39.53	9.54	34.30
AV	11.5628G	42.98	54.00	-11.02	28.20	3	Horizontal	132	1.79	-	39.54	9.54	34.30

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5825MHz\_TnomVnom




EUT Y\_4TX  
Setting 57  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.615G	57.48	68.20	-10.72	52.08	3	Vertical	23	1.80	-	31.60	6.00	32.20
PK	5.829G	121.96	Inf	-Inf	116.28	3	Vertical	23	1.80	-	32.00	6.01	32.33
AV	5.827G	109.71	Inf	-Inf	104.03	3	Vertical	23	1.80	-	32.00	6.01	32.33
PK	5.926G	59.01	68.20	-9.19	53.19	3	Vertical	23	1.80	-	32.15	6.06	32.39

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5825MHz\_TnomVnom




EUT Y\_4TX  
Setting 57  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.612G	57.71	68.20	-10.49	52.31	3	Horizontal	142	1.72	-	31.60	6.00	32.20
PK	5.818G	123.08	Inf	-Inf	117.39	3	Horizontal	142	1.72	-	32.00	6.01	32.32
AV	5.819G	111.89	Inf	-Inf	106.20	3	Horizontal	142	1.72	-	32.00	6.01	32.32
PK	5.939G	58.56	68.20	-9.64	52.70	3	Horizontal	142	1.72	-	32.18	6.07	32.39

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5825MHz\_TnomVnom




EUT Y\_4TX  
Setting 57  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65036G	57.22	74.00	-16.78	42.56	3	Vertical	2	1.80	-	39.35	9.59	34.28
AV	11.63764G	42.85	54.00	-11.15	28.17	3	Vertical	2	1.80	-	39.39	9.58	34.29

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5825MHz\_TnomVnom




EUT Y\_4TX  
Setting 57  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66308G	56.00	74.00	-18.00	41.37	3	Horizontal	78	2.09	-	39.31	9.60	34.28
AV	11.66008G	42.78	54.00	-11.22	28.14	3	Horizontal	78	2.09	-	39.32	9.60	34.28

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5190MHz\_TnomVnom




EUT Y\_4TX  
Setting 36  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	71.97	74.00	-2.03	66.47	3	Vertical	126	1.80	-	31.72	5.75	31.97
AV	5.15G	52.51	54.00	-1.49	47.04	3	Vertical	126	1.80	-	31.70	5.75	31.98
PK	5.1872G	113.66	Inf	-Inf	108.38	3	Vertical	126	1.80	-	31.48	5.79	31.99
AV	5.188G	101.02	Inf	-Inf	95.75	3	Vertical	126	1.80	-	31.47	5.79	31.99

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5190MHz\_TnomVnom




EUT Y\_4TX  
Setting 36  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	70.71	74.00	-3.29	65.24	3	Horizontal	163	1.80	-	31.70	5.75	31.98
AV	5.1492G	51.25	54.00	-2.75	45.78	3	Horizontal	163	1.80	-	31.70	5.75	31.98
PK	5.1888G	116.80	Inf	-Inf	111.53	3	Horizontal	163	1.80	-	31.47	5.79	31.99
AV	5.1888G	104.51	Inf	-Inf	99.24	3	Horizontal	163	1.80	-	31.47	5.79	31.99



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5190MHz\_TnomVnom




EUT Y\_4TX  
Setting 36  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56346G	60.87	74.00	-13.13	44.42	3	Vertical	65	2.58	-	38.38	12.32	34.25
AV	15.55956G	48.10	54.00	-5.90	31.63	3	Vertical	65	2.58	-	38.40	12.31	34.24

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5190MHz\_TnomVnom




EUT Y\_4TX  
Setting 36  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.58212G	60.67	74.00	-13.33	44.30	3	Horizontal	137	2.92	-	38.29	12.33	34.25
AV	15.55656G	48.04	54.00	-5.96	31.55	3	Horizontal	137	2.92	-	38.42	12.31	34.24

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5230MHz\_TnomVnom




EUT\_V\_4TX  
Setting 48  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	67.33	74.00	-6.67	61.83	3	Vertical	128	1.88	-	31.72	5.75	31.97
AV	5.15G	52.78	54.00	-1.22	47.31	3	Vertical	128	1.88	-	31.70	5.75	31.98
PK	5.2264G	118.82	Inf	-Inf	113.79	3	Vertical	128	1.88	-	31.24	5.80	32.01
AV	5.2288G	106.83	Inf	-Inf	101.81	3	Vertical	128	1.88	-	31.23	5.80	32.01
PK	5.3524G	59.95	74.00	-14.05	55.11	3	Vertical	128	1.88	-	31.11	5.80	32.07
AV	5.3512G	45.58	54.00	-8.42	40.73	3	Vertical	128	1.88	-	31.11	5.80	32.06

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5230MHz\_TnomVnom




EUT\_V\_4TX  
Setting 48  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	68.26	74.00	-5.74	62.78	3	Horizontal	169	1.80	-	31.71	5.75	31.98
AV	5.15G	52.61	54.00	-1.39	47.14	3	Horizontal	169	1.80	-	31.70	5.75	31.98
PK	5.2318G	120.81	Inf	-Inf	115.81	3	Horizontal	169	1.80	-	31.21	5.80	32.01
AV	5.2318G	108.73	Inf	-Inf	103.73	3	Horizontal	169	1.80	-	31.21	5.80	32.01
PK	5.3512G	60.75	74.00	-13.25	55.90	3	Horizontal	169	1.80	-	31.11	5.80	32.06
AV	5.3512G	46.95	54.00	-7.05	42.10	3	Horizontal	169	1.80	-	31.11	5.80	32.06

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5230MHz\_TnomVnom




EUT Y\_4TX  
Setting 48  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69672G	59.95	74.00	-14.05	44.04	3	Vertical	87	1.80	-	37.81	12.40	34.30
AV	15.67908G	46.38	54.00	-7.62	30.40	3	Vertical	87	1.80	-	37.88	12.39	34.29

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5230MHz\_TnomVnom




EUT Y\_4TX  
Setting 48  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6948G	60.49	74.00	-13.51	44.57	3	Horizontal	220	1.85	-	37.82	12.40	34.30
AV	15.68322G	47.87	54.00	-6.13	31.90	3	Horizontal	220	1.85	-	37.87	12.39	34.29

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5270MHz\_TnomVnom




EUT Y\_4TX  
Setting 47  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	57.26	74.00	-16.74	51.75	3	Vertical	88	1.80	-	31.74	5.74	31.97
AV	5.15G	45.53	54.00	-8.47	40.06	3	Vertical	88	1.80	-	31.70	5.75	31.98
PK	5.267G	116.70	Inf	-Inf	111.83	3	Vertical	88	1.80	-	31.10	5.80	32.03
AV	5.2676G	105.11	Inf	-Inf	100.24	3	Vertical	88	1.80	-	31.10	5.80	32.03
PK	5.351G	65.34	74.00	-8.66	60.49	3	Vertical	88	1.80	-	31.11	5.80	32.06
AV	5.35G	50.23	54.00	-3.77	45.39	3	Vertical	88	1.80	-	31.10	5.80	32.06

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT Y\_4TX  
Setting 47  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	59.42	74.00	-14.58	53.93	3	Horizontal	162	1.69	-	31.71	5.75	31.97
AV	5.15G	46.85	54.00	-7.15	41.38	3	Horizontal	162	1.69	-	31.70	5.75	31.98
PK	5.2742G	119.55	Inf	-Inf	114.68	3	Horizontal	162	1.69	-	31.10	5.80	32.03
AV	5.2682G	107.89	Inf	-Inf	103.02	3	Horizontal	162	1.69	-	31.10	5.80	32.03
PK	5.354G	69.00	74.00	-5.00	64.15	3	Horizontal	162	1.69	-	31.12	5.80	32.07
AV	5.3516G	52.71	54.00	-1.29	47.86	3	Horizontal	162	1.69	-	31.11	5.80	32.06



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT Y\_4TX  
Setting 47  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.79644G	59.87	74.00	-14.13	43.94	3	Vertical	7	1.80	-	37.80	12.47	34.34
AV	15.79782G	46.57	54.00	-7.43	30.64	3	Vertical	7	1.80	-	37.80	12.47	34.34

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT Y\_4TX  
Setting 47  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81078G	60.06	74.00	-13.94	44.14	3	Horizontal	236	1.80	-	37.78	12.48	34.34
AV	15.81234G	46.90	54.00	-7.10	30.98	3	Horizontal	236	1.80	-	37.78	12.48	34.34

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5310MHz\_TnomVnom




EUT Y\_4TX  
Setting 36  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3112G	114.06	Inf	-Inf	109.21	3	Vertical	88	1.73	-	31.10	5.80	32.05
AV	5.312G	101.13	Inf	-Inf	96.28	3	Vertical	88	1.73	-	31.10	5.80	32.05
PK	5.35G	72.65	74.00	-1.35	67.81	3	Vertical	88	1.73	-	31.10	5.80	32.06
AV	5.35G	51.88	54.00	-2.12	47.04	3	Vertical	88	1.73	-	31.10	5.80	32.06

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5310MHz\_TnomVnom




EUT Y\_4TX  
Setting 36  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.302G	115.30	Inf	-Inf	110.44	3	Horizontal	168	1.80	-	31.10	5.80	32.04
AV	5.3076G	102.71	Inf	-Inf	97.86	3	Horizontal	168	1.80	-	31.10	5.80	32.05
PK	5.3512G	72.15	74.00	-1.85	67.30	3	Horizontal	168	1.80	-	31.11	5.80	32.06
AV	5.3508G	52.01	54.00	-1.99	47.17	3	Horizontal	168	1.80	-	31.10	5.80	32.06

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Y\_4TX  
Setting 36  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63488G	55.65	74.00	-18.35	41.16	3	Vertical	226	1.34	-	39.67	8.98	34.16
AV	10.6266G	42.79	54.00	-11.21	28.30	3	Vertical	226	1.34	-	39.67	8.98	34.16
PK	15.94386G	58.69	74.00	-15.31	43.02	3	Vertical	287	2.06	-	37.51	12.56	34.40
AV	15.9261G	45.86	54.00	-8.14	30.15	3	Vertical	287	2.06	-	37.55	12.55	34.39

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5310MHz\_TnomVnom




EUT Y\_4TX  
Setting 36  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62912G	55.64	74.00	-18.36	41.15	3	Horizontal	20	1.25	-	39.67	8.98	34.16
AV	10.62648G	42.91	54.00	-11.09	28.42	3	Horizontal	20	1.25	-	39.67	8.98	34.16
PK	15.92772G	58.73	74.00	-15.27	43.03	3	Horizontal	200	2.05	-	37.54	12.55	34.39
AV	15.92406G	45.89	54.00	-8.11	30.18	3	Horizontal	200	2.05	-	37.55	12.55	34.39

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5510MHz\_TnomVnom




EUT Y\_4TX  
Setting 32  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.41	74.00	-12.59	56.16	3	Vertical	349	1.91	-	31.50	5.86	32.11
AV	5.4596G	45.97	54.00	-8.03	40.72	3	Vertical	349	1.91	-	31.50	5.86	32.11
PK	5.4688G	67.16	68.20	-1.04	61.91	3	Vertical	349	1.91	-	31.50	5.87	32.12
PK	5.506G	113.12	Inf	-Inf	107.84	3	Vertical	349	1.91	-	31.50	5.91	32.13
AV	5.516G	100.99	Inf	-Inf	95.71	3	Vertical	349	1.91	-	31.50	5.92	32.14

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 5510MHz\_TnomVnom




EUT Y\_4TX  
Setting 32  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	58.38	74.00	-15.62	53.14	3	Horizontal	120	1.98	-	31.50	5.85	32.11
AV	5.4328G	45.78	54.00	-8.22	40.58	3	Horizontal	120	1.98	-	31.47	5.83	32.10
PK	5.47G	59.66	68.20	-8.54	54.41	3	Horizontal	120	1.98	-	31.50	5.87	32.12
PK	5.5268G	114.11	Inf	-Inf	108.83	3	Horizontal	120	1.98	-	31.50	5.93	32.15
AV	5.5184G	102.12	Inf	-Inf	96.84	3	Horizontal	120	1.98	-	31.50	5.92	32.14



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5510MHz\_TnomVnom




EUT Y\_4TX  
Setting 32  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01484G	56.69	74.00	-17.31	41.57	3	Vertical	286	2.21	-	40.14	9.21	34.23
AV	11.02264G	43.67	54.00	-10.33	28.58	3	Vertical	286	2.21	-	40.11	9.21	34.23

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5510MHz\_TnomVnom




EUT Y\_4TX  
Setting 32  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01706G	57.00	74.00	-17.00	41.89	3	Horizontal	332	2.26	-	40.13	9.21	34.23
AV	11.0164G	43.54	54.00	-10.46	28.43	3	Horizontal	332	2.26	-	40.13	9.21	34.23

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT\_V\_4TX  
Setting 47  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	54.06	74.00	-19.94	49.22	3	Vertical	350	1.80	-	31.10	5.80	32.06
PK	5.458G	60.96	74.00	-13.04	55.71	3	Vertical	350	1.80	-	31.50	5.86	32.11
AV	5.4588G	47.35	54.00	-6.65	42.10	3	Vertical	350	1.80	-	31.50	5.86	32.11
PK	5.4636G	66.51	68.20	-1.69	61.26	3	Vertical	350	1.80	-	31.50	5.86	32.11
PK	5.5556G	118.47	Inf	-Inf	113.16	3	Vertical	350	1.80	-	31.51	5.96	32.16
AV	5.5548G	106.83	Inf	-Inf	101.53	3	Vertical	350	1.80	-	31.51	5.95	32.16
PK	5.7252G	57.91	68.20	-10.29	52.28	3	Vertical	350	1.80	-	31.90	6.00	32.27

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT\_V\_4TX  
Setting 47  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	55.89	74.00	-18.11	51.05	3	Horizontal	118	1.91	-	31.10	5.80	32.06
PK	5.458G	64.07	74.00	-9.93	58.82	3	Horizontal	118	1.91	-	31.50	5.86	32.11
AV	5.4596G	48.24	54.00	-5.76	42.99	3	Horizontal	118	1.91	-	31.50	5.86	32.11
PK	5.4692G	66.74	68.20	-1.46	61.49	3	Horizontal	118	1.91	-	31.50	5.87	32.12
PK	5.5588G	119.38	Inf	-Inf	114.07	3	Horizontal	118	1.91	-	31.52	5.96	32.17
AV	5.5524G	108.30	Inf	-Inf	103.01	3	Horizontal	118	1.91	-	31.50	5.95	32.16
PK	5.7332G	58.32	68.20	-9.88	52.66	3	Horizontal	118	1.91	-	31.93	6.00	32.27

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5550MHz\_TnomVnom




EUT Y\_4TX  
Setting 47  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10612G	55.81	74.00	-18.19	41.01	3	Vertical	258	1.06	-	39.79	9.26	34.25
AV	11.10744G	43.14	54.00	-10.86	28.34	3	Vertical	258	1.06	-	39.79	9.26	34.25

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT Y\_4TX  
Setting 47  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.11086G	55.65	74.00	-18.35	40.85	3	Horizontal	85	1.08	-	39.78	9.27	34.25
AV	11.09316G	43.09	54.00	-10.91	28.24	3	Horizontal	85	1.08	-	39.83	9.26	34.24

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5670MHz\_TnomVnom




EUT Y\_4TX  
Setting 36  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6716G	114.09	Inf	-Inf	108.63	3	Vertical	345	1.80	-	31.69	6.00	32.23
AV	5.6724G	101.98	Inf	-Inf	96.52	3	Vertical	345	1.80	-	31.69	6.00	32.23
PK	5.726G	62.94	68.20	-5.26	57.31	3	Vertical	345	1.80	-	31.90	6.00	32.27

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT Y\_4TX  
Setting 36  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6656G	114.85	Inf	-Inf	109.42	3	Horizontal	106	1.80	-	31.66	6.00	32.23
AV	5.6656G	102.28	Inf	-Inf	96.85	3	Horizontal	106	1.80	-	31.66	6.00	32.23
PK	5.7264G	66.90	68.20	-1.30	61.26	3	Horizontal	106	1.80	-	31.91	6.00	32.27



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 5670MHz\_TnomVnom




EUT Y\_4TX  
Setting 36  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.35164G	56.52	74.00	-17.48	41.70	3	Vertical	4	1.01	-	39.70	9.41	34.29
AV	11.34792G	43.40	54.00	-10.60	28.58	3	Vertical	4	1.01	-	39.70	9.41	34.29

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


#### 5670MHz\_TnomVnom



EUT Y\_4TX  
Setting 36  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.32692G	56.62	74.00	-17.38	41.85	3	Horizontal	322	2.89	-	39.65	9.40	34.28
AV	11.34372G	43.35	54.00	-10.65	28.53	3	Horizontal	322	2.89	-	39.69	9.41	34.28


**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_V\_4TX  
 Setting 57  
 06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4328G	56.63	74.00	-17.37	51.43	3	Vertical	342	1.80	-	31.47	5.83	32.10
PK	5.4676G	56.44	68.20	-11.76	51.19	3	Vertical	342	1.80	-	31.50	5.87	32.12
AV	5.4556G	45.08	54.00	-8.92	39.83	3	Vertical	342	1.80	-	31.50	5.86	32.11
PK	5.716G	119.60	Inf	-Inf	114.00	3	Vertical	342	1.80	-	31.86	6.00	32.26
AV	5.7028G	108.00	Inf	-Inf	102.44	3	Vertical	342	1.80	-	31.81	6.00	32.25
PK	5.8576G	62.41	68.20	-5.79	56.70	3	Vertical	342	1.80	-	32.02	6.03	32.34


**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_4TX  
 Setting 57  
 06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4472G	57.30	74.00	-16.70	52.07	3	Horizontal	124	1.80	-	31.49	5.85	32.11
AV	5.452G	45.34	54.00	-8.66	40.10	3	Horizontal	124	1.80	-	31.50	5.85	32.11
PK	5.47G	56.93	68.20	-11.27	51.68	3	Horizontal	124	1.80	-	31.50	5.87	32.12
PK	5.71G	122.78	Inf	-Inf	117.20	3	Horizontal	124	1.80	-	31.84	6.00	32.26
AV	5.7064G	111.10	Inf	-Inf	105.52	3	Horizontal	124	1.80	-	31.83	6.00	32.25
PK	5.8804G	62.30	68.20	-5.90	56.56	3	Horizontal	124	1.80	-	32.06	6.04	32.36


**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_4TX  
 Setting 57  
 06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42654G	57.48	74.00	-16.52	42.57	3	Vertical	332	1.80	-	39.75	9.46	34.30
AV	11.42198G	43.41	54.00	-10.59	28.50	3	Vertical	332	1.80	-	39.76	9.45	34.30

**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_4TX  
 Setting 57  
 06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40842G	57.05	74.00	-16.95	42.12	3	Horizontal	41	2.04	-	39.78	9.45	34.30
AV	11.41388G	43.42	54.00	-10.58	28.50	3	Horizontal	41	2.04	-	39.77	9.45	34.30

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5755MHz\_TnomVnom




EUT Y\_4TX  
Setting 54  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	67.30	68.94	-1.64	61.92	3	Vertical	14	1.65	-	31.60	6.00	32.22
PK	5.747G	120.93	Inf	-Inf	115.22	3	Vertical	14	1.65	-	31.99	6.00	32.28
AV	5.753G	109.33	Inf	-Inf	103.61	3	Vertical	14	1.65	-	32.00	6.00	32.28
PK	5.944G	58.33	68.20	-9.87	52.47	3	Vertical	14	1.65	-	32.19	6.07	32.40

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5755MHz\_TnomVnom




EUT Y\_4TX  
Setting 54  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.07	68.20	-1.13	61.69	3	Horizontal	168	1.68	-	31.60	6.00	32.22
PK	5.762G	122.71	Inf	-Inf	117.00	3	Horizontal	168	1.68	-	32.00	6.00	32.29
AV	5.757G	110.77	Inf	-Inf	105.05	3	Horizontal	168	1.68	-	32.00	6.00	32.28
PK	5.93G	58.17	68.20	-10.03	52.34	3	Horizontal	168	1.68	-	32.16	6.06	32.39



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 5755MHz\_TnomVnom




EUT Y\_4TX  
Setting 54  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51648G	56.52	74.00	-17.48	41.74	3	Vertical	203	2.02	-	39.58	9.51	34.31
AV	11.50712G	43.46	54.00	-10.54	28.68	3	Vertical	203	2.02	-	39.59	9.50	34.31

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5755MHz\_TnomVnom




EUT Y\_4TX  
Setting 54  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51492G	56.16	74.00	-17.84	41.37	3	Horizontal	181	1.92	-	39.59	9.51	34.31
AV	11.5049G	43.52	54.00	-10.48	28.73	3	Horizontal	181	1.92	-	39.60	9.50	34.31

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5795MHz\_TnomVnom




EUT Y\_4TX  
Setting 57  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.62G	58.60	68.20	-9.60	53.20	3	Vertical	20	1.47	-	31.60	6.00	32.20
PK	5.793G	119.21	Inf	-Inf	113.52	3	Vertical	20	1.47	-	32.00	6.00	32.31
AV	5.791G	107.98	Inf	-Inf	102.28	3	Vertical	20	1.47	-	32.00	6.00	32.30
PK	5.925G	59.75	68.20	-8.45	53.92	3	Vertical	20	1.47	-	32.15	6.06	32.38

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5795MHz\_TnomVnom




13/11/2021

EUT Y\_4TX  
Setting 57  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	63.30	68.20	-4.90	57.92	3	Horizontal	172	1.80	-	31.60	6.00	32.22
PK	5.788G	120.84	Inf	-Inf	115.14	3	Horizontal	172	1.80	-	32.00	6.00	32.30
AV	5.789G	108.78	Inf	-Inf	103.08	3	Horizontal	172	1.80	-	32.00	6.00	32.30
PK	5.932G	60.04	68.20	-8.16	54.20	3	Horizontal	172	1.80	-	32.16	6.07	32.39

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5795MHz\_TnomVnom




EUT Y\_4TX  
Setting 57  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.60026G	56.30	74.00	-17.70	41.53	3	Vertical	249	1.01	-	39.50	9.56	34.29
AV	11.59468G	43.29	54.00	-10.71	28.51	3	Vertical	249	1.01	-	39.51	9.56	34.29

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5795MHz\_TnomVnom




EUT Y\_4TX  
Setting 57  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.602G	55.94	74.00	-18.06	41.18	3	Horizontal	121	1.76	-	39.49	9.56	34.29
AV	11.57626G	43.17	54.00	-10.83	28.40	3	Horizontal	121	1.76	-	39.52	9.55	34.30

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5210MHz\_TnomVnom




EUT\_V\_4TX  
Setting 29  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.34	74.00	-10.66	57.87	3	Vertical	122	1.80	-	31.70	5.75	31.98
AV	5.15G	52.13	54.00	-1.87	46.66	3	Vertical	122	1.80	-	31.70	5.75	31.98
PK	5.215G	106.71	Inf	-Inf	101.60	3	Vertical	122	1.80	-	31.31	5.80	32.00
AV	5.204G	94.99	Inf	-Inf	89.81	3	Vertical	122	1.80	-	31.38	5.80	32.00
PK	5.363G	57.22	74.00	-16.78	52.31	3	Vertical	122	1.80	-	31.18	5.80	32.07
AV	5.436G	45.38	54.00	-8.62	40.17	3	Vertical	122	1.80	-	31.47	5.84	32.10

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5210MHz\_TnomVnom




EUT\_V\_4TX  
Setting 29  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	67.24	74.00	-6.76	61.74	3	Horizontal	182	1.87	-	31.72	5.75	31.97
AV	5.15G	52.76	54.00	-1.24	47.29	3	Horizontal	182	1.87	-	31.70	5.75	31.98
PK	5.192G	109.64	Inf	-Inf	104.39	3	Horizontal	182	1.87	-	31.45	5.79	31.99
AV	5.196G	98.17	Inf	-Inf	92.95	3	Horizontal	182	1.87	-	31.42	5.80	32.00
PK	5.415G	57.11	74.00	-16.89	51.96	3	Horizontal	182	1.87	-	31.43	5.81	32.09
AV	5.444G	46.04	54.00	-7.96	40.82	3	Horizontal	182	1.87	-	31.49	5.84	32.11



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5210MHz\_TnomVnom




EUT Y\_4TX  
Setting 29  
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63118G	60.90	74.00	-13.10	44.73	3	Vertical	103	2.53	-	38.08	12.36	34.27
AV	15.62944G	48.16	54.00	-5.84	31.99	3	Vertical	103	2.53	-	38.08	12.36	34.27

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5210MHz\_TnomVnom




EUT Y\_4TX  
Setting 29  
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62822G	60.45	74.00	-13.55	44.27	3	Horizontal	46	2.18	-	38.09	12.36	34.27
AV	15.63204G	48.33	54.00	-5.67	32.17	3	Horizontal	46	2.18	-	38.07	12.36	34.27

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 5290MHz\_TnomVnom




EUT V\_4TX  
Setting 32  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	57.25	74.00	-16.75	51.77	3	Vertical	86	1.75	-	31.71	5.75	31.98
AV	5.111G	46.57	54.00	-7.43	40.89	3	Vertical	86	1.75	-	31.93	5.71	31.96
PK	5.282G	109.12	Inf	-Inf	104.25	3	Vertical	86	1.75	-	31.10	5.80	32.03
AV	5.285G	96.96	Inf	-Inf	92.10	3	Vertical	86	1.75	-	31.10	5.80	32.04
PK	5.353G	64.81	74.00	-9.19	59.96	3	Vertical	86	1.75	-	31.12	5.80	32.07
AV	5.35G	52.25	54.00	-1.75	47.41	3	Vertical	86	1.75	-	31.10	5.80	32.06
PK	5.462G	56.76	68.20	-11.44	51.51	3	Vertical	86	1.75	-	31.50	5.86	32.11

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT\_V\_4TX  
Setting 32  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.095G	58.56	74.00	-15.44	52.86	3	Horizontal	186	1.80	-	31.95	5.70	31.95
AV	5.15G	47.53	54.00	-6.47	42.06	3	Horizontal	186	1.80	-	31.70	5.75	31.98
PK	5.291G	112.38	Inf	-Inf	107.52	3	Horizontal	186	1.80	-	31.10	5.80	32.04
AV	5.287G	100.83	Inf	-Inf	95.97	3	Horizontal	186	1.80	-	31.10	5.80	32.04
PK	5.358G	67.69	74.00	-6.31	62.81	3	Horizontal	186	1.80	-	31.15	5.80	32.07
AV	5.355G	52.09	54.00	-1.91	47.23	3	Horizontal	186	1.80	-	31.13	5.80	32.07
PK	5.508G	57.91	68.20	-10.29	52.63	3	Horizontal	186	1.80	-	31.50	5.91	32.13

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT Y\_4TX  
Setting 32  
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87106G	58.91	74.00	-15.09	43.10	3	Vertical	197	2.85	-	37.66	12.52	34.37
AV	15.87146G	46.70	54.00	-7.30	30.89	3	Vertical	197	2.85	-	37.66	12.52	34.37

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5290MHz\_TnomVnom




EUT Y\_4TX  
Setting 32  
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87158G	59.57	74.00	-14.43	43.76	3	Horizontal	83	1.28	-	37.66	12.52	34.37
AV	15.86898G	46.61	54.00	-7.39	30.81	3	Horizontal	83	1.28	-	37.66	12.51	34.37

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT\_V\_4TX  
Setting 30  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.295G	57.01	68.20	-11.19	52.15	3	Vertical	349	1.80	-	31.10	5.80	32.04
PK	5.46G	65.20	74.00	-8.80	59.95	3	Vertical	349	1.80	-	31.50	5.86	32.11
AV	5.458G	52.60	54.00	-1.40	47.35	3	Vertical	349	1.80	-	31.50	5.86	32.11
PK	5.47G	66.86	68.20	-1.34	61.61	3	Vertical	349	1.80	-	31.50	5.87	32.12
PK	5.525G	110.47	Inf	-Inf	105.20	3	Vertical	349	1.80	-	31.50	5.92	32.15
AV	5.528G	98.86	Inf	-Inf	93.58	3	Vertical	349	1.80	-	31.50	5.93	32.15
PK	5.743G	58.08	68.20	-10.12	52.39	3	Vertical	349	1.80	-	31.97	6.00	32.28

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5530MHz\_TnomVnom




EUT\_V\_4TX  
Setting 30  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.301G	56.38	68.20	-11.82	51.52	3	Horizontal	114	1.99	-	31.10	5.80	32.04
PK	5.455G	63.27	74.00	-10.73	58.03	3	Horizontal	114	1.99	-	31.50	5.85	32.11
AV	5.46G	51.91	54.00	-2.09	46.66	3	Horizontal	114	1.99	-	31.50	5.86	32.11
PK	5.47G	65.82	68.20	-2.38	60.57	3	Horizontal	114	1.99	-	31.50	5.87	32.12
PK	5.522G	111.32	Inf	-Inf	106.04	3	Horizontal	114	1.99	-	31.50	5.92	32.14
AV	5.531G	99.90	Inf	-Inf	94.62	3	Horizontal	114	1.99	-	31.50	5.93	32.15
PK	5.745G	58.49	68.20	-9.71	52.79	3	Horizontal	114	1.99	-	31.98	6.00	32.28



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5530MHz\_TnomVnom




EUT Y\_4TX  
Setting 30  
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0638G	56.74	74.00	-17.26	41.80	3	Vertical	157	2.00	-	39.94	9.24	34.24
AV	11.06166G	44.38	54.00	-9.62	29.43	3	Vertical	157	2.00	-	39.95	9.24	34.24

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5530MHz\_TnomVnom




EUT Y\_4TX  
Setting 30  
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06406G	56.71	74.00	-17.29	41.77	3	Horizontal	191	1.15	-	39.94	9.24	34.24
AV	11.05996G	44.34	54.00	-9.66	29.38	3	Horizontal	191	1.15	-	39.96	9.24	34.24

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 5610MHz\_TnomVnom




EUT\_V\_4TX  
Setting 38  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	58.42	74.00	-15.58	53.18	3	Vertical	347	1.80	-	31.50	5.85	32.11
AV	5.456G	46.68	54.00	-7.32	41.43	3	Vertical	347	1.80	-	31.50	5.86	32.11
PK	5.466G	57.96	68.20	-10.24	52.71	3	Vertical	347	1.80	-	31.50	5.87	32.12
PK	5.599G	114.27	Inf	-Inf	108.86	3	Vertical	347	1.80	-	31.60	6.00	32.19
AV	5.607G	103.03	Inf	-Inf	97.62	3	Vertical	347	1.80	-	31.60	6.00	32.19
PK	5.726G	66.90	68.20	-1.30	61.27	3	Vertical	347	1.80	-	31.90	6.00	32.27

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 5610MHz\_TnomVnom




EUT\_V\_4TX  
Setting 38  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	60.45	74.00	-13.55	55.21	3	Horizontal	165	1.61	-	31.50	5.85	32.11
AV	5.451G	47.22	54.00	-6.78	41.98	3	Horizontal	165	1.61	-	31.50	5.85	32.11
PK	5.466G	59.33	68.20	-8.87	54.08	3	Horizontal	165	1.61	-	31.50	5.87	32.12
PK	5.613G	115.34	Inf	-Inf	109.94	3	Horizontal	165	1.61	-	31.60	6.00	32.20
AV	5.611G	103.55	Inf	-Inf	98.15	3	Horizontal	165	1.61	-	31.60	6.00	32.20
PK	5.726G	65.72	68.20	-2.48	60.09	3	Horizontal	165	1.61	-	31.90	6.00	32.27

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 5610MHz\_TnomVnom




EUT Y\_4TX  
Setting 38  
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.215G	56.51	74.00	-17.49	41.84	3	Vertical	162	1.28	-	39.60	9.33	34.26
AV	11.22374G	43.92	54.00	-10.08	29.26	3	Vertical	162	1.28	-	39.60	9.33	34.27

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT Y\_4TX  
Setting 38  
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21864G	56.48	74.00	-17.52	41.81	3	Horizontal	226	1.99	-	39.60	9.33	34.26
AV	11.22032G	43.89	54.00	-10.11	29.23	3	Horizontal	226	1.99	-	39.60	9.33	34.27

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_4TX  
Setting 48  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4476G	57.20	74.00	-16.80	51.96	3	Vertical	355	1.80	-	31.50	5.85	32.11
PK	5.462G	56.96	68.20	-11.24	51.71	3	Vertical	355	1.80	-	31.50	5.86	32.11
AV	5.4572G	46.54	54.00	-7.46	41.29	3	Vertical	355	1.80	-	31.50	5.86	32.11
PK	5.672G	115.98	Inf	-Inf	110.52	3	Vertical	355	1.80	-	31.69	6.00	32.23
AV	5.6792G	104.78	Inf	-Inf	99.30	3	Vertical	355	1.80	-	31.72	6.00	32.24
PK	5.8508G	64.14	68.20	-4.06	58.45	3	Vertical	355	1.80	-	32.00	6.03	32.34

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_4TX  
Setting 48  
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	59.24	74.00	-14.76	54.00	3	Horizontal	175	1.78	-	31.50	5.85	32.11
AV	5.4476G	47.12	54.00	-6.88	41.88	3	Horizontal	175	1.78	-	31.50	5.85	32.11
PK	5.4632G	59.25	68.20	-8.95	54.00	3	Horizontal	175	1.78	-	31.50	5.86	32.11
PK	5.6852G	118.83	Inf	-Inf	113.33	3	Horizontal	175	1.78	-	31.74	6.00	32.24
AV	5.6876G	107.03	Inf	-Inf	101.52	3	Horizontal	175	1.78	-	31.75	6.00	32.24
PK	5.8508G	66.76	68.20	-1.44	61.07	3	Horizontal	175	1.78	-	32.00	6.03	32.34



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5690MHz Straddle 5.47-5.725GHz\_TnomVnom



EUT Y\_4TX  
Setting 48  
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38384G	57.41	74.00	-16.59	42.50	3	Vertical	134	1.80	-	39.77	9.43	34.29
AV	11.37556G	44.71	54.00	-9.29	29.82	3	Vertical	134	1.80	-	39.75	9.43	34.29

**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_4TX  
 Setting 48  
 06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37616G	57.42	74.00	-16.58	42.53	3	Horizontal	2	1.80	-	39.75	9.43	34.29
AV	11.37616G	44.84	54.00	-9.16	29.95	3	Horizontal	2	1.80	-	39.75	9.43	34.29

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5775MHz\_TnomVnom




EUT Y\_4TX  
Setting 44  
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55188G	57.35	74.00	-16.65	42.57	3	Vertical	60	1.25	-	39.55	9.53	34.30
AV	11.54992G	44.25	54.00	-9.75	29.47	3	Vertical	60	1.25	-	39.55	9.53	34.30

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5775MHz\_TnomVnom



EUT Y\_4TX  
Setting 44  
06-F-K-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54692G	57.42	74.00	-16.58	42.64	3	Horizontal	300	2.58	-	39.55	9.53	34.30
AV	11.54594G	44.31	54.00	-9.69	29.53	3	Horizontal	300	2.58	-	39.55	9.53	34.30



**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.4401G	27.97	54.00	-26.03	Vertical

### Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.4401G	39.87	74.00	-34.13	-6.19	3	Vertical	22	1.00	-	46.06	25.80	2.96	34.95
AV	1.4401G	27.97	54.00	-26.03	-6.19	3	Vertical	22	1.00	"Worst"	34.16	25.80	2.96	34.95

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.44057G	38.95	74.00	-35.05	-6.19	3	Horizontal	52	1.00	-	45.14	25.80	2.96	34.95
AV	1.44026G	26.77	54.00	-27.23	-6.19	3	Horizontal	52	1.00	"Worst"	32.96	25.80	2.96	34.95