

SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037709

Page: 1 of 9

RF Exposure Evaluation Report

Application No.: FYCR2209000377AT

Applicant: Navico Inc.

Address of Applicant: 4500 S. 129th East Avenue, Ste. 200, Tulsa, Oklahoma, 74134 United States

Manufacturer: Navico Auckland Ltd.

Address of Manufacturer: 44 Arrenway Drive, Rosedale, Auckland 0632, New Zealand

Factory: Shenzhen Fastrain Technology Co., Ltd.

Address of Factory: No.3 Baolong 4th Rd., Baolong Industrial Area, Longgang District, Shenzhen,

China

Equipment Under Test (EUT):

Product Name: MARINE BLACK BOX DSC/AIS VHF RADIO SYSTEM

Model No.: NRS-2
Trade mark: NAVICO

FCC ID: RAYVHFNRS2

Standards: 47 CFR Part 1.1307

47 CFR Part 1.1310

Date of Receipt: 2022-09-21

Date of Test: 2022-11-07 to 2022-11-22

Date of Issue: 2022-11-30

Test Result : PASS*

Winkey Wang EMC Technical Manager

WinkeyWang



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request for accessible at https://www.sgs.com/en/Terms-and-Conditions-ferring-en-Commons-subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.ags/. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend to the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing finspection report & certificate, please centage and such sample(s) are retained for 30 days only.

Flyorig lab. Xinlong TechnoPark, Fargiang Road, Flyorig Subdistrid, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

^{*} In the configuration tested, the EUT complied with the standards specified above.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037709

Page: 2 of 9

Revision Record								
Version	Chapter	Date	Modifier	Remark				
01		2022-11-30		Original				

Authorized for issue by:		
	(ree 2han	
	Tree Zhan/Project Engineer	-
	WinkeyWang	
	Winkey Wang/Reviewer	-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

Flyorig lab. Xinlong TechnoPark, Fanglang Road, Flyorig Subdistid, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 28710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037709

Dago

Page: 3 of 9

2 Contents

	·	aye
1	COVER PAGE	1
2	CONTENTS	3
3	GENERAL INFORMATION	4
	3.1 GENERAL DESCRIPTION OF EUT	4
	3.2 Test Location	6
	3.3 Test Facility	6
	3.4 DEVIATION FROM STANDARDS	6
	3.5 ABNORMALITIES FROM STANDARD CONDITIONS	6
	3.6 OTHER INFORMATION REQUESTED BY THE CUSTOMER	6
4		
	4.1 RF Exposure Compliance Requirement	7
	4.1.1 Limits	7
	4.1.2 Test Procedure	7
	4.1.3 EUT RF Exposure Evaluation	8
	·	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is dorawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdishict, Bar'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037709

Page: 4 of 9

3 General Information

3.1 General Description of EUT

Power supply:	12 VDC battery system
Cable:	DC cable: longer than 300cm unshielded
Sample Type:	Mobile device
Classification:	Uncontrolled Environment
Transmitter Frequency Range:	VHF:156.025MHz-157.425MHz
	802.11b/g/n HT20: 2412MHz-2462MHz
AIS Transmitter Frequency Range:	AIS Class B:161.975MHz(CH87), 162.025MHz(CH88)
DSC Transmitter Frequency Range:	156.525MHz(CH70), Meets Global DSC Class D standards.
GNSS Receiver Frequency Range:	1559MHz-1610MHz(GLONASS:G1, GPS:L1)
Modulation Type:	VHF:FM for Analog;
	DSC:FSK;
	AIS:GMSK;
	GNSS: BPSK;
	802.11b: DSSS (CCK, DQPSK, DBPSK)
	802.11g: OFDM (64QAM, 16QAM, QPSK, BPSK)
	802.11n(HT20): OFDM (BPSK, QPSK, 16QAM, 64QAM)
Frequency Spacing:	VHF: 25KHz
	802.11b/g/n HT20: 5MHz
Channel Numbers:	802.11b/g/n HT20: 11 Channels
Emission Type:	16K0G3E for VHF
	16K0G2B for DSC
Data d Outro d Davison	9K05GXW for AIS
Rated Output Power:	25W/1W for VHF/DSC;
)// IE/D00 A /	2W for AIS;
VHF/DSC Antenna Connectors:	SO-239(50 ohm, Dipole Antenna)
AIS Antenna Connectors:	SO-239(50 ohm, Dipole Antenna)
VHF/DSC Antenna Gain:	6dBi
AIS Antenna Gain:	6dBi
GNSS Antenna Connector:	SMA for External antenna
GNSS Antenna Gain:	1.5dBi



Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdishict, Bar'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037709

Page: 5 of 9

WiFi Antenna Type:	External antenna
WiFi Antenna Gain:	5.3dBi

Remark:

Model No.: NRS-2

This report is prepared for FCC class II permissive change.

The modular approval by TCB, FCC ID:RAYVHFNRS2, Granted on 12/01/2020.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Luless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037709

Page: 6 of 9

3.2 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao' an, Shenzhen, China

Tel: +86 755 8866 3988 Fax: +86 755 2671 0594

No tests were sub-contracted.

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC -Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

• Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

3.4 Deviation from Standards

None.

3.5 Abnormalities from Standard Conditions

None.

3.6 Other Information Requested by the Customer

None.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions, aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at Intb://www.ags.com/en/Terms-and-Conditions/T



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037709

Page: 7 of 9

4 RF Exposure Evaluation

4.1 RF Exposure Compliance Requirement

4.1.1 Limits

According to FCC Part1.1310: The criteria listed in the following table shall be used to evaluate the environment impact of human exposure to radio frequency (RF) radiation as specified in part1.1307(b)

Table 1—Limits for Maximum Permissible Exposure (MPE)

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm²)	Averaging time (minutes)						
(A) Limits for Occupational/Controlled Exposures										
0.3–3.0 3.0–30 30–300 300–1500 1500–100,000	614 1842/f 61.4	1.63 4.89/f 0.163	*(100) *(900/f²) 1.0 f/300 5	6 6 6 6						
(B) Limits	for General Populati	on/Uncontrolled Exp	oosure							
0.3–1.34	614 824/f 27.5	1.63 2.19/f 0.073	*(100) *(180/f²) 0.2 f/1500 1.0	30 30 30 30 30						

F= Frequency in MHz

Friis Formula

Friis transmission formula: Pd = (Pout*G)/(4* Pi * R 2)

Where

Pd = power density in mW/cm2

Pout = output power to antenna in mW

G = gain of antenna in linear scale

Pi = 3.1416

R = distance between observation point and center of the radiator in cm

For Uncontrolled Environment, the MPE limit of VHF is 0.2 mW/cm², the MPE limit of 802.11b/g/n is 1.0 mW/cm². If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.

4.1.2 Test Procedure

Software provided by client enabled the EUT to transmit and receive data at lowest, middle and highest channel individually.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are reflected for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443.

| Fuyong lab. Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrid, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037709

Page: 8 of 9

4.1.3 EUT RF Exposure Evaluation

The best case gain of the antenna is 6dBi. 6dB logarithmic terms convert to numeric result is nearly 3.98.

Test Frequency (MHz)	Maximun Antenna Gain (dBi)	Maximum Antenna Gain (Numeric)	Output Power (dBm)	Max Tune- up tolerance power (dBm)	Max Tune-up tolerance power*50% ^a (mW)	Power density (mW/cm²)	Minimum Distance to Human body (cm)
156.025	6	3.98	43.65	43.98	12501.73	0.20	140.72
156.025	6	3.98	29.23	30	500.00	0.20	28.14
156.300	6	3.98	43.79	43.98	12501.73	0.20	140.72
156.300	6	3.98	29.31	30	500.00	0.20	28.14
156.650	6	3.98	43.75	43.98	12501.73	0.20	140.72
156.650	6	3.98	29.79	30	500.00	0.20	28.14
156.800	6	3.98	43.86	43.98	12501.73	0.20	140.72
156.800	6	3.98	29.18	30	500.00	0.20	28.14
157.425	6	3.98	43.91	43.98	12501.73	0.20	140.72
157.425	6	3.98	29.07	30	500.00	0.20	28.14
156.525	6	3.98	43.84	43.98	12501.73	0.20	140.72
156.525	6	3.98	28.87	30	500.00	0.20	28.14

Note a: These channels may be operated as half-duplex frequency channels.

	The state of the s								
Test Frequency (MHz)	Maximun Antenna Gain (dBi)	Maximum Antenna Gain (Numeric)	Output Power (dBm)	Max Tune- up tolerance power (dBm)	Max Tune-up tolerance power (mW)	Power density (mW/cm²)	Minimum Distance to Human body (cm)		
162.025	6	3.98	32.82	33.0	997.63	0.20	39.75		

For VHF Transmitter:

The maximum rated power of duplex is 25W, the low rated power of duplex is 1W which declared by manufacturer.

Then the maximum rated power of half-duplex is 12.5W, the low rated power of half-duplex is 0.5W. To satisfy RF exposure requirements, a separation distance of 140.72cm or more should be maintained between this device and persons during device operation. To ensure compliance, operations at closer than this distance is not recommended.

The minimum distance between this device and persons during device operation is 210 cm which declared by manufacturer. Through the calculation, the maximum power density at 210cm is:

 $Pd = (Pout*G)/(4*Pi*R^2) = (12501.73*3.98)/(4*3.1416*210*210) = 0.0898 \text{ mW/cm}^2$



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleat, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgeny or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention, To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

Flyong lab. Xinlong TechnoPark, Fenglang Road, Flyong Subdistind, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900037709

Page: 9 of 9

For AIS Transmitter:

The rated power is 2W, which declared by manufacturer

To satisfy RF exposure requirements, a separation distance of 40.0cm or more should be maintained between this device and persons during device operation. To ensure compliance, operations at closer than this distance is not recommended.

The minimum distance between this device and persons during device operation is 210 cm which declared by manufacturer. Through the calculation, the maximum power density at 210cm is:

 $Pd = (Pout*G)/(4*Pi*R^2) = (997.63*3.98)/(4*3.1416*210*210) = 0.0072 \text{ mW/cm}^2$

For 802.11b/g/n HT20:

The best case gain of the antenna is 5.3dBi. 5.3dB logarithmic terms convert to numeric result is nearly 3.39. The max tune-up tolerance power Into Antenna & RF Exposure Evaluation Distance:

Channel	Frequency (MHz)	Max tune-up tolerance power(dBm)	Max tune-up Tolerance power to Antenna (mW)	Power Density at R = 20cm (mW/cm²)	Limit (mW/cm²)	MPE Ratio	Result
High	2462MHz	15.5	35.48	0.0239	1.0	0.0239	PASS

The simultaneous transmission result between of 2.4G WiFi, VHF and AIS:

The SAR Exclusion Threshold Level:

- =CPD1/LPD1 + CPD2/LPD2 + CPD3/LPD3 (CPD = Calculation power density, LPD = Limit of power density)
- = (0.0898/0.2) + (0.0072/0.2) + (0.0239/1) = 0.5089 < 1

Since the SAR Exclusion Threshold Level is well below the SAR low threshold level, so the EUT is considered to comply with SAR requirement without testing.

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgc.com/en/Terms-and-Conditions.aspx and Conditions for Electronic Documents at http://www.sgc.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration from company and the provided in the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443 or email: CND Roccheck@sec.com"