




Appendix B

RF Power Output




Marker 1 [T1] RBW 3 MHz RF Att 50 dB
Ref Lvl 31.46 dBm VBW 3 MHz
36 dBm 824.10981964 MHz SWT 5 ms Unit dBm



Title: Output Power Conducted Channel: 128
Comment A: AGM9230
Date: 10.OCT.2003 21:05:57




Marker 1 [T1] RBW 3 MHz RF Att 50 dB
Ref Lvl 31.51 dBm VBW 3 MHz
36 dBm 836.10981964 MHz SWT 5 ms Unit dBm



Title: Output Power Conducted Channel: 188
Comment A: AGM9230
Date: 10.OCT.2003 20:28:15




Marker 1 [T1]	RBW	3 MHz	RF Att	50 dB
Ref Lvl	31.41 dBm	VBW	3 MHz	
36 dBm	824.16993988 MHz	SWT	5 ms	Unit dBm



Title: Output Power Conducted Channel: 251
Comment A: AGM9230
Date: 10.OCT.2003 20:27:03




Marker 1 [T1] RBW 3 MHz RF Att 50 dB
Ref Lvl 30.65 dBm VBW 3 MHz
36 dBm 1.85016994 GHz SWT 5 ms Unit dBm



Title: Output Power Conducted Channel: 512
Comment A: AGM9230
Date: 9.OCT.2003 16:33:11




Marker 1 [T1] RBW 3 MHz RF Att 50 dB
Ref Lvl 30.40 dBm VBW 3 MHz
36 dBm 1.87990982 GHz SWT 5 ms Unit dBm



Title: Output Power Conducted Channel: 661
Comment A: AGM9230
Date: 9.OCT.2003 16:48:34



Marker 1 [T1] RBW 3 MHz RF Att 50 dB
Ref Lvl 29.67 dBm VBW 3 MHz
36 dBm 1.90970982 GHz SWT 5 ms Unit dBm



Title: Output Power Conducted Channel: 810
Comment A: AGM9230
Date: 10.OCT.2003 20:52:28




Appendix C

ERP, EIRP


**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 128
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Pfeufer
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 824.306MHz, Pmax: 31.03dBm, RBW: 3MHz




**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 128
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 824.222MHz, Pmax: 28.40dBm, RBW: 3MHz




**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 188
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Pfeufer
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 836.240MHz, Pmax: 31.25dBm, RBW: 3MHz




**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 188
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 836.427MHz, Pmax: 28.70dBm, RBW: 3MHz




**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 251
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Pfeufer
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 848.893MHz, Pmax: 32.36dBm, RBW: 3MHz




**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 251
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 848.973MHz, Pmax: 28.96dBm, RBW: 3MHz




**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 512
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.850GHz, Pmax: 26.68dBm, RBW: 3MHz




**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 512
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.850GHz, Pmax: 29.66dBm, RBW: 3MHz




**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 661
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.880GHz, Pmax: 24.71dBm, RBW: 3MHz




**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 661
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.880GHz, Pmax: 29.20dBm, RBW: 3MHz




**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 810
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.910GHz, Pmax: 24.26dBm, RBW: 3MHz



**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 810
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.910GHz, Pmax: 29.23dBm, RBW: 3MHz





Appendix D

Modulation Requirements



Appendix E

Audio Filter Characteristics



Appendix F

Emission Limitation




Appendix G

Occupied Bandwidth



Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 24.47 dBm VBW 3 kHz
36 dBm 824.18496994 MHz SWT 280 ms Unit dBm




A

IN1
1MA

Title: Occupied Power Bandwidth Channel: 128
Comment A: AGM9230
Date: 10.OCT.2003 20:25:57




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 21.72 dBm VBW 3 kHz
36 dBm 836.18296593 MHz SWT 280 ms Unit dBm



Title: Occupied Power Bandwidth Channel: 188
Comment A: AGM9230
Date: 10.OCT.2003 20:29:48




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
 Ref Lvl 23.57 dBm VBW 3 kHz
 36 dBm 848.78496994 MHz SWT 280 ms Unit dBm



Title: Occupied Power Bandwidth Channel: 251
 Comment A: AGM9230
 Date: 10.OCT.2003 20:17:35




Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
 Ref Lvl ndB 26.00 dB VBW 3 kHz
 36 dBm BW 308.61723447 kHz SWT 280 ms Unit dBm



Title: -26 dBc Emission Bandwidth Channel: 128
 Comment A: AGM9230
 Date: 9.OCT.2003 14:42:25




Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
 Ref Lvl ndB 26.00 dB VBW 3 kHz
 36 dBm BW 292.58517034 kHz SWT 280 ms Unit dBm



Title: -26 dBc Emission Bandwidth Channel: 188
 Comment A: AGM9230
 Date: 10.OCT.2003 20:31:05




Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
 Ref Lvl ndB 26.00 dB VBW 3 kHz
 36 dBm BW 286.57314629 kHz SWT 280 ms Unit dBm



Title: -26 dBc Emission Bandwidth Channel: 251
 Comment A: AGM9230
 Date: 10.OCT.2003 20:15:56




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 20.98 dBm VBW 3 kHz
36 dBm 1.85018497 GHz SWT 280 ms Unit dBm



Title: Occupied Power Bandwidth Channel: 512
Comment A: AGM9230
Date: 10.OCT.2003 20:38:01




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 20.81 dBm VBW 3 kHz
36 dBm 1.88002505 GHz SWT 280 ms Unit dBm



Title: Occupied Power Bandwidth Channel: 661
Comment A: AGM9230
Date: 10.OCT.2003 20:39:33




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
 Ref Lvl 21.44 dBm VBW 3 kHz
 36 dBm 1.90978697 GHz SWT 280 ms Unit dBm



Title: Occupied Power Bandwidth Channel: 810
 Comment A: AGM9230
 Date: 10.OCT.2003 20:51:28




Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
 Ref Lvl ndB 26.00 dB VBW 3 kHz
 36 dBm BW 290.58116232 kHz SWT 280 ms Unit dBm



Title: -26 dBc Emission Bandwidth Channel: 512
 Comment A: AGM9230
 Date: 10.OCT.2003 20:36:34




Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
 Ref Lvl ndB 26.00 dB VBW 3 kHz
 36 dBm BW 296.59318637 kHz SWT 280 ms Unit dBm



Title: -26 dBc Emission Bandwidth Channel: 661
 Comment A: AGM9230
 Date: 10.OCT.2003 20:50:02



Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
 Ref Lvl ndB 26.00 dB VBW 3 kHz
 36 dBm BW 286.57314629 kHz SWT 280 ms Unit dBm



Title: -26 dBc Emission Bandwidth Channel: 810
 Comment A: AGM9230
 Date: 9.OCT.2003 19:32:31




Appendix H

Emissions in Receiver Critical Band




Marker 1 [T1] REW 30 kHz RF Att 0 dB
Ref Lvl -89.88 dBm VBW 30 kHz
-10 dBm 886.13426854 MHz SWT 70 ms Unit dBm



Title: Emissions in Receiver Critical Band Channel: 128
Comment A: AGM9230
Date: 10.OCT.2003 21:00:31




Marker 1 [T1] RBW 30 kHz RF Att 0 dB
Ref Lvl -92.96 dBm VBW 30 kHz
-10 dBm 874.21042084 MHz SWT 70 ms Unit dBm



Title: Emissions in Receiver Critical Band Channel: 188
Comment A: AGM9230
Date: 10.OCT.2003 21:01:29



Marker 1 [T1] RBW 30 kHz RF Att 0 dB
Ref Lvl -89.91 dBm VBW 30 kHz
-10 dBm 892.89779559 MHz SWT 70 ms Unit dBm



Title: Emissions in Receiver Critical Band Channel: 251
Comment A: AGM9230
Date: 10.OCT.2003 21:02:29



Appendix I

Out of Band Emission at Antenna Terminals Mobile Emissions In Base Frequency Range




Appendix J

Field Strength of Spurious Radiation




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 31.57 dBm VBW 3 kHz
36 dBm 824.12224449 MHz SWT 560 ms Unit dBm



Title: Lower Band Edge
Comment A: AGM9230
Date: 9.OCT.2003 14:14:51




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 31.51 dBm VBW 3 kHz
36 dBm 848.70140281 MHz SWT 560 ms Unit dBm



Title: Higher Band Edge
Comment A: AGM9230
Date: 10.OCT.2003 20:24:40


Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 128
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 183.567MHz, Pmax: -53.24dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 128
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 36.800MHz, Pmax: -52.44dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 128
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 824.000MHz, Pmax: -20.55dBm, RBW: 1MHz




**Radiated Emissions Tx
FCC RULES PART 22 SUBPART H**

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 128
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 863.093MHz, Pmax: -28.16dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 128
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.653GHz, Pmax: -16.35dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 128
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.977GHz, Pmax: -22.70dBm, RBW: 1MHz




**Radiated Emissions Tx
FCC RULES PART 22 SUBPART H**

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 128
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.422GHz, Pmax: -39.84dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 128
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.422GHz, Pmax: -42.90dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 128
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.773GHz, Pmax: -40.04dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 128
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.773GHz, Pmax: -40.37dBm, RBW: 1MHz




**Radiated Emissions Tx
FCC RULES PART 22 SUBPART H**

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 188
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 197.167MHz, Pmax: -52.97dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 188
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 37.744MHz, Pmax: -51.89dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 188
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 991.947MHz, Pmax: -39.94dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 188
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 851.181MHz, Pmax: -28.64dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 188
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.653GHz, Pmax: -16.71dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 188
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.973GHz, Pmax: -22.67dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 188
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 6.693GHz, Pmax: -40.44dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 188
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.973GHz, Pmax: -52.01dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 188
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.200GHz, Pmax: -40.68dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 188
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.707GHz, Pmax: -40.13dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 251
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 35.289MHz, Pmax: -53.21dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 251
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 47.378MHz, Pmax: -52.30dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 251
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 849.000MHz, Pmax: -15.85dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 251
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 849.000MHz, Pmax: -20.67dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 251
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.703GHz, Pmax: -19.12dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 251
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.957GHz, Pmax: -23.51dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 251
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 6.791GHz, Pmax: -40.39dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 251
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.969GHz, Pmax: -43.33dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 251
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.782GHz, Pmax: -40.90dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 251
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.796GHz, Pmax: -39.32dBm, RBW: 1MHz






Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 30.13 dBm VBW 3 kHz
36 dBm 1.84998998 GHz SWT 560 ms Unit dBm



Title: Lower Band Edge
Comment A: AGM9230
Date: 10.OCT.2003 20:35:03




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 29.89 dBm VBW 3 kHz
36 dBm 1.90958116 GHz SWT 560 ms Unit dBm



Title: Higher Band Edge
Comment A: AGM9230
Date: 9.OCT.2003 17:14:43


Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 512
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 186.778MHz, Pmax: -52.43dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 512
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 46.056MHz, Pmax: -51.55dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 512
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 985.778MHz, Pmax: -38.87dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 512
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 849.778MHz, Pmax: -73.16dBm, RBW: 1MHz




**Radiated Emissions Tx
FCC RULES PART 24 SUBPART E**

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 512
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.850GHz, Pmax: -21.26dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 512
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.991GHz, Pmax: -21.62dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 512
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Pfeufer
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.404GHz, Pmax: -26.70dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 512
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Pfeufer
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.404GHz, Pmax: -28.79dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 512
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Pfeufer
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 9.253GHz, Pmax: -37.93dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 512
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Pfeufer
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 9.253GHz, Pmax: -35.66dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 512
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Pfeufer
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.420GHz, Pmax: -32.16dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 512
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Pfeufer
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 16.653GHz, Pmax: -30.87dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 512
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Pfeufer
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.424GHz, Pmax: -25.49dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 512
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Pfeufer
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.330GHz, Pmax: -24.94dBm, RBW: 1MHz




**Radiated Emissions Tx
FCC RULES PART 24 SUBPART E**

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 661
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 163.733MHz, Pmax: -51.98dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 661
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 47.000MHz, Pmax: -51.52dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 661
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 986.667MHz, Pmax: -38.59dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 661
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 856.889MHz, Pmax: -73.49dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 661
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.935GHz, Pmax: -21.78dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 661
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.991GHz, Pmax: -21.74dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 661
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Pfeufer
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.520GHz, Pmax: -29.31dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 661
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Pfeufer
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.520GHz, Pmax: -30.73dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 661
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Pfeufer
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.280GHz, Pmax: -39.05dBm, RBW: 1MHz




**Radiated Emissions Tx
FCC RULES PART 24 SUBPART E**

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 661
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Pfeufer
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.280GHz, Pmax: -39.33dBm, RBW: 1MHz




**Radiated Emissions Tx
FCC RULES PART 24 SUBPART E**

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 661
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Pfeufer
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.513GHz, Pmax: -31.05dBm, RBW: 1MHz




**Radiated Emissions Tx
FCC RULES PART 24 SUBPART E**

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 661
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Pfeufer
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 15.040GHz, Pmax: -30.97dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 661
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Pfeufer
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.434GHz, Pmax: -25.24dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 661
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Pfeufer
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.396GHz, Pmax: -24.60dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 810
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 189.989MHz, Pmax: -51.29dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 810
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 45.867MHz, Pmax: -51.11dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 810
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 970.667MHz, Pmax: -38.93dBm, RBW: 1MHz




**Radiated Emissions Tx
FCC RULES PART 24 SUBPART E**

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 810
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 864.889MHz, Pmax: -72.92dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 810
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.910GHz, Pmax: -21.04dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 810
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Handrik
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.479GHz, Pmax: -21.31dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 810
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Pfeufer
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.640GHz, Pmax: -25.68dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 810
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Pfeufer
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.640GHz, Pmax: -31.76dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 810
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Pfeufer
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 9.551GHz, Pmax: -38.59dBm, RBW: 1MHz




**Radiated Emissions Tx
FCC RULES PART 24 SUBPART E**

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 810
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Pfeufer
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 9.551GHz, Pmax: -40.14dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 810
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Pfeufer
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 15.280GHz, Pmax: -28.90dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 810
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Pfeufer
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.407GHz, Pmax: -31.77dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 810
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Pfeufer
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.368GHz, Pmax: -25.38dBm, RBW: 1MHz



Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT/Model: GSM 850 / PCS Mobile AGM 9230
Channel: 810
Approval Holder: Accetio
Test Site / Operator: ETS / Mr. Pfeufer
Temperature/ Voltage: 23°C / Unom : 3.7 VDC
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.481GHz, Pmax: -25.20dBm, RBW: 1MHz






Appendix K

Line Conducted Emissions

EMI voltage test in the ac-mains according to FCC part 15

EUT: DUAL-BAND GSM/GPRS CELL PHONE
Manufacturer: FRANKLIN WIRELESS, CORP
Operating Condition: Unom: 120 VAC Tnom: 23°C
Test Site: ETS
Operator: Mr. Marquardt
Test Specification: V-Network: ESH2-Z5
Comment: model: NXG9230 mode: charging



Appendix L

Frequency Stability vs. Temperature

No diagrams
Refer to point 14.2



Appendix M

Frequency Stability vs. Voltage

No diagrams
Refer to point 15.2