



3DH5_Ant1_2480_23000~25000




Appendix I: Duty Cycle

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
DH5	Ant1	2402	2.88	6.25	46.08	3.36
		2441	2.89	6.25	46.24	3.35
		2480	2.88	6.25	46.08	3.36
2DH5	Ant1	2402	2.88	6.25	46.08	3.36
		2441	2.89	6.25	46.24	3.35
		2480	2.89	6.25	46.24	3.35
3DH5	Ant1	2402	2.89	6.25	46.24	3.35
		2441	2.88	6.24	46.15	3.36
		2480	2.89	6.25	46.24	3.35


DH5_Ant1_2402




DH5_Ant1_2441




DH5_Ant1_2480




2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441




3DH5_Ant1_2480




Appendix J: Emissions in Restricted Band

Profile: 2390387R	Page No.: 19
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/11 - 13:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2402MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	47.098	58.986	-26.902	74.000	-11.888	PK
2		7206.000	48.581	54.747	-25.419	74.000	-6.166	PK
3	*	9608.000	50.702	53.925	-23.298	74.000	-3.222	PK

Profile: 2390387R	Page No.: 20
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/11 - 13:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2402MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	45.079	56.967	-28.921	74.000	-11.888	PK
2		7206.000	48.278	54.444	-25.722	74.000	-6.166	PK
3	*	9608.000	51.574	54.797	-22.426	74.000	-3.222	PK

Profile: 2390387R	Page No.: 21
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/11 - 13:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2441MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4882.000	44.653	55.345	-29.347	74.000	-10.693	PK
2		7323.000	48.197	55.055	-25.803	74.000	-6.858	PK
3	*	9764.000	51.415	54.325	-22.585	74.000	-2.910	PK

Profile: 2390387R	Page No.: 22
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/11 - 13:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2441MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4882.000	41.676	52.368	-32.324	74.000	-10.693	PK
2		7323.000	46.271	53.129	-27.729	74.000	-6.858	PK
3	*	9764.000	50.040	52.950	-23.960	74.000	-2.910	PK

Profile: 2390387R	Page No.: 23
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/11 - 13:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2480MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4960.000	42.494	53.200	-31.506	74.000	-10.707	PK
2		7440.000	45.777	52.556	-28.223	74.000	-6.779	PK
3	*	9920.000	49.560	51.382	-24.440	74.000	-1.821	PK

Profile: 2390387R	Page No.: 24
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/11 - 13:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2480MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4960.000	42.895	53.601	-31.105	74.000	-10.707	PK
2		7440.000	45.648	52.427	-28.352	74.000	-6.779	PK
3	*	9920.000	49.744	51.566	-24.256	74.000	-1.821	PK

Profile: 2390387R	Page No.: 25
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/11 - 13:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 2402MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	40.781	52.669	-33.219	74.000	-11.888	PK
2		7206.000	45.824	51.990	-28.176	74.000	-6.166	PK
3	*	9608.000	49.920	53.143	-24.080	74.000	-3.222	PK

Profile: 2390387R	Page No.: 26
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/11 - 13:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 2402MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	40.663	52.551	-33.337	74.000	-11.888	PK
2		7206.000	45.548	51.714	-28.452	74.000	-6.166	PK
3	*	9608.000	49.748	52.971	-24.252	74.000	-3.222	PK

Profile: 2390387R	Page No.: 27
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/11 - 13:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 2441MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4882.000	43.185	53.877	-30.815	74.000	-10.693	PK
2		7323.000	45.916	52.774	-28.084	74.000	-6.858	PK
3	*	9764.000	49.129	52.039	-24.871	74.000	-2.910	PK

Profile: 2390387R	Page No.: 28
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/11 - 13:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 2441MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4882.000	41.910	52.602	-32.090	74.000	-10.693	PK
2		7323.000	46.002	52.860	-27.998	74.000	-6.858	PK
3	*	9764.000	49.528	52.438	-24.472	74.000	-2.910	PK

Profile: 2390387R	Page No.: 29
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/11 - 13:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 2480MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4960.000	42.244	52.950	-31.756	74.000	-10.707	PK
2		7440.000	46.075	52.854	-27.925	74.000	-6.779	PK
3	*	9920.000	50.564	52.386	-23.436	74.000	-1.821	PK

Profile: 2390387R	Page No.: 30
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/11 - 13:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 2480MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4960.000	43.644	54.350	-30.356	74.000	-10.707	PK
2		7440.000	45.649	52.428	-28.351	74.000	-6.779	PK
3	*	9920.000	49.726	51.548	-24.274	74.000	-1.821	PK

Profile: 2390387R	Page No.: 31
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/11 - 13:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 2402MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	41.602	53.490	-32.398	74.000	-11.888	PK
2		7206.000	47.603	53.769	-26.397	74.000	-6.166	PK
3	*	9608.000	50.456	53.679	-23.544	74.000	-3.222	PK

Profile: 2390387R	Page No.: 32
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/11 - 13:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 2402MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	42.019	53.907	-31.981	74.000	-11.888	PK
2		7206.000	46.362	52.528	-27.638	74.000	-6.166	PK
3	*	9608.000	49.350	52.573	-24.650	74.000	-3.222	PK

Profile: 2390387R	Page No.: 33
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/11 - 13:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 2441MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4882.000	42.304	52.996	-31.696	74.000	-10.693	PK
2		7323.000	46.278	53.136	-27.722	74.000	-6.858	PK
3	*	9764.000	48.835	51.745	-25.165	74.000	-2.910	PK

Profile: 2390387R	Page No.: 34
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/11 - 13:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 2441MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4882.000	42.907	53.599	-31.093	74.000	-10.693	PK
2		7323.000	46.086	52.944	-27.914	74.000	-6.858	PK
3	*	9764.000	48.988	51.898	-25.012	74.000	-2.910	PK

Profile: 2390387R	Page No.: 35
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/11 - 13:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 2480MHz by 3DH5	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4960.000	43.167	53.873	-30.833	74.000	-10.707	PK
2		7440.000	46.031	52.810	-27.969	74.000	-6.779	PK
3	*	9920.000	50.165	51.987	-23.835	74.000	-1.821	PK

Profile: 2390387R	Page No.: 36
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/11 - 13:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 2480MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4960.000	43.695	54.401	-30.305	74.000	-10.707	PK
2		7440.000	45.859	52.638	-28.141	74.000	-6.779	PK
3	*	9920.000	49.825	51.647	-24.175	74.000	-1.821	PK

Note:

1. Measured Level = Reading Level + Factor.
2. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.
3. The test frequency range, 18GHz~26GHz test result on peak is lower than average limit, all is the noise base, therefore no data appear in the report.
4. If the test result on peak is lower than average limit, then average measurement needn't be performed.


The worst case of Radiated Emission below 1GHz :

Profile: 2390387R	Page No.: 69
Engineer: Pengchengyang	
Site: AC2	Time: 2024/01/17 - 08:29
Limit: FCC_Part 15.209	Margin: 0
Probe: CBL6112D_27613(30-1000MHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2402MHz by DH5	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		37.639	23.743	2.871	-16.257	40.000	20.872	QP
2		112.692	21.799	2.644	-21.701	43.500	19.155	QP
3		163.133	18.957	2.051	-24.543	43.500	16.906	QP
4		348.281	24.982	2.977	-21.018	46.000	22.005	QP
5		519.122	29.870	3.679	-16.130	46.000	26.192	QP
6	*	795.394	31.489	2.157	-14.511	46.000	29.332	QP

Profile: 2390387R	Page No.: 70
Engineer: Pengchengyang	
Site: AC2	Time: 2024/01/17 - 08:30
Limit: FCC_Part 15.209	Margin: 0
Probe: CBL6112D_27613(30-1000MHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2402MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		40.185	22.611	3.134	-17.389	40.000	19.477	QP
2		92.201	21.624	5.225	-21.876	43.500	16.399	QP
3		167.740	19.317	2.513	-24.183	43.500	16.804	QP
4		292.021	23.159	2.586	-22.841	46.000	20.573	QP
5		471.835	27.781	2.720	-18.219	46.000	25.060	QP
6	*	790.965	32.295	3.049	-13.705	46.000	29.246	QP

Note:

- " * ", means this data is the worst emission level.
- Measurement Level = Reading Level + Factor(Probe+Cable-Amp)


The worst case of Simultaneous Radiated Emission:

Profile: 2390387R	Page No.: 9
Engineer: Pengchengyang	
Site: AC5	Time: 2024/02/22 - 10:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power:120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2402MHz by DH5 & 2412MHz by 802.11b	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	41.426	54.336	-32.574	74.000	-12.910	PK
2		4824.000	41.682	54.605	-32.318	74.000	-12.924	PK
3		7206.000	45.212	52.763	-28.788	74.000	-7.552	PK
4		7236.000	43.897	52.151	-30.103	74.000	-8.254	PK
5	*	9608.000	48.550	53.356	-25.450	74.000	-4.805	PK
6		9648.000	47.471	52.556	-26.529	74.000	-5.085	PK


Profile: 2390387R	Page No.: 10
Engineer: Pengchengyang	
Site: AC5	Time: 2024/02/22 - 10:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power:120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2402MHz by DH5 & 2412MHz by 802.11b	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	41.405	54.315	-32.595	74.000	-12.910	PK
2		4824.000	42.898	55.821	-31.102	74.000	-12.924	PK
3		7206.000	44.690	52.241	-29.310	74.000	-7.552	PK
4		7236.000	44.435	52.689	-29.565	74.000	-8.254	PK
5	*	9608.000	47.396	52.202	-26.604	74.000	-4.805	PK
6		9648.000	46.767	51.852	-27.233	74.000	-5.085	PK


Appendix K: AC Power Line Conducted Emission

Profile: 2390387R	Page No.: 13
Engineer: Pengchengyang	
Site: TR1	Time: 2024/01/15 - 08:46
Limit: FCC_Part 15.207	Margin: 0
Probe: ENV216_101189(0.009-30MHz)	Polarity: Line
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2402MHz by DH5	



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1	*	0.164	43.650	34.026	-21.634	65.284	9.624	QP
2		0.164	29.060	19.436	-26.224	55.284	9.624	AV
3		0.476	30.652	21.017	-25.752	56.404	9.635	QP
4		0.476	22.842	13.207	-23.562	46.404	9.635	AV
5		2.954	24.696	14.977	-31.304	56.000	9.719	QP
6		2.954	17.237	7.518	-28.763	46.000	9.719	AV
7		5.903	31.809	22.024	-28.191	60.000	9.786	QP
8		5.903	24.971	15.186	-25.029	50.000	9.786	AV
9		13.691	33.340	23.415	-26.660	60.000	9.926	QP
10		13.691	27.703	17.777	-22.297	50.000	9.926	AV
11		24.104	19.970	9.864	-40.030	60.000	10.106	QP
12		24.104	18.015	7.910	-31.985	50.000	10.106	AV

Profile: 2390387R	Page No.: 14
Engineer: Pengchengyang	
Site: TR1	Time: 2024/01/15 - 08:46
Limit: FCC_Part 15.207	Margin: 0
Probe: ENV216_101189(0.009-30MHz)	Polarity: Neutral
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2402MHz by DH5	



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1	*	0.161	44.374	34.743	-21.026	65.399	9.630	QP
2		0.161	27.152	17.521	-28.247	55.399	9.630	AV
3		0.825	28.004	18.343	-27.996	56.000	9.662	QP
4		0.825	19.496	9.835	-26.504	46.000	9.662	AV
5		2.427	21.902	12.193	-34.098	56.000	9.709	QP
6		2.427	12.504	2.794	-33.496	46.000	9.709	AV
7		5.816	31.012	21.223	-28.988	60.000	9.789	QP
8		5.816	23.475	13.686	-26.525	50.000	9.789	AV
9		13.195	30.719	20.779	-29.281	60.000	9.940	QP
10		13.195	25.075	15.135	-24.925	50.000	9.940	AV
11		18.188	23.618	13.594	-36.382	60.000	10.024	QP
12		18.188	18.053	8.029	-31.947	50.000	10.024	AV

Note:

1. " * ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp)

The End