



Profile: 2390387R	Page No.: 73
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5220MHz by 802.11n(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	48.150	51.444	-25.850	74.000	-3.294	PK
2	*	15660.000	52.794	51.783	-21.206	74.000	1.011	PK

Profile: 2390387R	Page No.: 74
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5220MHz by 802.11n(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	48.554	51.848	-25.446	74.000	-3.294	PK
2	*	15660.000	52.113	51.102	-21.887	74.000	1.011	PK

Profile: 2390387R	Page No.: 75
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	48.420	51.699	-25.580	74.000	-3.279	PK
2	*	15720.000	52.096	50.576	-21.904	74.000	1.520	PK

Profile: 2390387R	Page No.: 76
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	48.430	51.709	-25.570	74.000	-3.279	PK
2	*	15720.000	52.611	51.091	-21.389	74.000	1.520	PK

Profile: 2390387R	Page No.: 77
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5260MHz by 802.11n(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	48.178	51.417	-25.822	74.000	-3.239	PK
2	*	15780.000	52.076	50.818	-21.924	74.000	1.257	PK

Profile: 2390387R	Page No.: 78
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5260MHz by 802.11n(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	48.019	51.258	-25.981	74.000	-3.239	PK
2	*	15780.000	51.881	50.623	-22.119	74.000	1.257	PK

Profile: 2390387R	Page No.: 79
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5300MHz by 802.11n(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	48.420	51.122	-25.580	74.000	-2.702	PK
2	*	15900.000	52.647	50.580	-21.353	74.000	2.067	PK

Profile: 2390387R	Page No.: 80
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5300MHz by 802.11n(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	48.706	51.408	-25.294	74.000	-2.702	PK
2	*	15900.000	52.000	49.933	-22.000	74.000	2.067	PK

Profile: 2390387R	Page No.: 81
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	48.021	51.385	-25.979	74.000	-3.364	PK
2	*	15960.000	50.405	49.272	-23.595	74.000	1.133	PK

Profile: 2390387R	Page No.: 82
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	47.581	50.945	-26.419	74.000	-3.364	PK
2	*	15960.000	50.440	49.307	-23.560	74.000	1.133	PK

Profile: 2390387R	Page No.: 83
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	49.204	51.987	-24.796	74.000	-2.783	PK
2	*	16500.000	52.334	50.392	-21.666	74.000	1.942	PK

Profile: 2390387R	Page No.: 84
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	49.171	51.954	-24.829	74.000	-2.783	PK
2	*	16500.000	51.648	49.706	-22.352	74.000	1.942	PK

Profile: 2390387R	Page No.: 85
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5580MHz by 802.11n(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	50.624	51.809	-23.376	74.000	-1.185	PK
2	*	16740.000	52.907	48.849	-21.093	74.000	4.058	PK

Profile: 2390387R	Page No.: 86
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5580MHz by 802.11n(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	51.320	52.505	-22.680	74.000	-1.185	PK
2	*	16740.000	52.002	47.944	-21.998	74.000	4.058	PK

Profile: 2390387R	Page No.: 87
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5700MHz by 802.11n(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	51.493	52.535	-22.507	74.000	-1.042	PK
2	*	17100.000	51.901	47.114	-22.099	74.000	4.787	PK

Profile: 2390387R	Page No.: 88
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5700MHz by 802.11n(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	50.903	51.945	-23.097	74.000	-1.042	PK
2	*	17100.000	52.890	48.103	-21.110	74.000	4.787	PK

Profile: 2390387R	Page No.: 23
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	50.841	51.365	-23.159	74.000	-0.524	PK
2	*	17235.000	52.008	46.571	-21.992	74.000	5.437	PK

Profile: 2390387R	Page No.: 24
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	50.782	51.306	-23.218	74.000	-0.524	PK
2	*	17235.000	52.975	47.538	-21.025	74.000	5.437	PK

Profile: 2390387R	Page No.: 25
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5785MHz by 802.11n(20MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	50.517	51.706	-23.483	74.000	-1.189	PK
2	*	17355.000	52.293	47.831	-21.707	74.000	4.461	PK

Profile: 2390387R	Page No.: 26
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5785MHz by 802.11n(20MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	49.710	50.899	-24.290	74.000	-1.189	PK
2	*	17355.000	52.123	47.661	-21.877	74.000	4.461	PK

Profile: 2390387R	Page No.: 27
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	49.590	51.266	-24.410	74.000	-1.676	PK
2	*	17475.000	52.438	48.244	-21.562	74.000	4.195	PK

Profile: 2390387R	Page No.: 28
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	48.833	50.509	-25.167	74.000	-1.676	PK
2	*	17475.000	52.199	48.005	-21.801	74.000	4.195	PK

Profile: 2390387R	Page No.: 89
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	51.230	54.435	-22.770	74.000	-3.205	PK
2	*	15570.000	52.097	51.803	-21.903	74.000	0.294	PK

Profile: 2390387R	Page No.: 90
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	49.368	52.573	-24.632	74.000	-3.205	PK
2	*	15570.000	51.935	51.641	-22.065	74.000	0.294	PK

Profile: 2390387R	Page No.: 91
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	50.197	53.537	-23.803	74.000	-3.341	PK
2	*	15690.000	51.756	51.480	-22.244	74.000	0.276	PK

Profile: 2390387R	Page No.: 92
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	49.761	53.101	-24.239	74.000	-3.341	PK
2	*	15690.000	52.711	52.435	-21.289	74.000	0.276	PK

Profile: 2390387R	Page No.: 93
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5270MHz by 802.11n(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	47.318	50.528	-26.682	74.000	-3.210	PK
2	*	15810.000	51.910	50.844	-22.090	74.000	1.066	PK

Profile: 2390387R	Page No.: 94
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5270MHz by 802.11n(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	48.028	51.238	-25.972	74.000	-3.210	PK
2	*	15810.000	51.602	50.536	-22.398	74.000	1.066	PK

Profile: 2390387R	Page No.: 95
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	49.933	53.149	-24.067	74.000	-3.217	PK
2	*	15930.000	51.601	50.410	-22.399	74.000	1.191	PK

Profile: 2390387R	Page No.: 96
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	48.416	51.632	-25.584	74.000	-3.217	PK
2	*	15930.000	50.592	49.401	-23.408	74.000	1.191	PK

Profile: 2390387R	Page No.: 97
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	49.819	51.921	-24.181	74.000	-2.102	PK
2	*	16530.000	52.687	48.409	-21.313	74.000	4.278	PK

Profile: 2390387R	Page No.: 98
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	50.052	52.154	-23.948	74.000	-2.102	PK
2	*	16530.000	51.475	47.197	-22.525	74.000	4.278	PK

Profile: 2390387R	Page No.: 99
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5590MHz by 802.11n(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	49.990	52.223	-24.010	74.000	-2.234	PK
2	*	16770.000	52.319	47.314	-21.681	74.000	5.005	PK

Profile: 2390387R	Page No.: 100
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5590MHz by 802.11n(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	49.639	51.872	-24.361	74.000	-2.234	PK
2	*	16770.000	51.859	46.854	-22.141	74.000	5.005	PK

Profile: 2390387R	Page No.: 101
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5670MHz by 802.11n(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	49.426	50.797	-24.574	74.000	-1.371	PK
2	*	17010.000	52.537	48.372	-21.463	74.000	4.165	PK

Profile: 2390387R	Page No.: 102
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5670MHz by 802.11n(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	50.339	51.710	-23.661	74.000	-1.371	PK
2	*	17010.000	51.678	47.513	-22.322	74.000	4.165	PK

Profile: 2390387R	Page No.: 29
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5755MHz by 802.11n(40MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	50.876	52.154	-23.124	74.000	-1.278	PK
2	*	17265.000	52.038	48.625	-21.962	74.000	3.412	PK

Profile: 2390387R	Page No.: 30
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5755MHz by 802.11n(40MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	51.310	52.588	-22.690	74.000	-1.278	PK
2	*	17265.000	52.257	48.844	-21.743	74.000	3.412	PK

Profile: 2390387R	Page No.: 31
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5795MHz by 802.11n(40MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	52.008	51.907	-21.992	74.000	0.101	PK
2	*	17385.000	52.069	48.737	-21.931	74.000	3.332	PK

Profile: 2390387R	Page No.: 32
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5795MHz by 802.11n(40MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	52.956	52.855	-21.044	74.000	0.101	PK
2	*	17385.000	52.984	49.652	-21.016	74.000	3.332	PK

Profile: 2390387R	Page No.: 103
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	49.274	52.680	-24.726	74.000	-3.406	PK
2	*	15540.000	52.455	51.412	-21.545	74.000	1.043	PK

Profile: 2390387R	Page No.: 104
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	49.708	53.114	-24.292	74.000	-3.406	PK
2	*	15540.000	52.780	51.737	-21.220	74.000	1.043	PK

Profile: 2390387R	Page No.: 105
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5220MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	49.024	52.318	-24.976	74.000	-3.294	PK
2	*	15660.000	51.496	50.485	-22.504	74.000	1.011	PK

Profile: 2390387R	Page No.: 106
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5220MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	48.755	52.049	-25.245	74.000	-3.294	PK
2	*	15660.000	52.818	51.807	-21.182	74.000	1.011	PK

Profile: 2390387R	Page No.: 107
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5240MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	48.680	51.959	-25.320	74.000	-3.279	PK
2	*	15720.000	52.313	50.793	-21.687	74.000	1.520	PK

Profile: 2390387R	Page No.: 108
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5240MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	48.132	51.411	-25.868	74.000	-3.279	PK
2	*	15720.000	52.073	50.553	-21.927	74.000	1.520	PK

Profile: 2390387R	Page No.: 109
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5260MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	47.638	50.877	-26.362	74.000	-3.239	PK
2	*	15780.000	51.737	50.479	-22.263	74.000	1.257	PK

Profile: 2390387R	Page No.: 110
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5260MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	48.383	51.622	-25.617	74.000	-3.239	PK
2	*	15780.000	52.205	50.947	-21.795	74.000	1.257	PK

Profile: 2390387R	Page No.: 111
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5300MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	48.467	51.169	-25.533	74.000	-2.702	PK
2	*	15900.000	52.925	50.858	-21.075	74.000	2.067	PK

Profile: 2390387R	Page No.: 112
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5300MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	47.914	50.616	-26.086	74.000	-2.702	PK
2	*	15900.000	52.387	50.320	-21.613	74.000	2.067	PK

Profile: 2390387R	Page No.: 113
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	48.442	51.806	-25.558	74.000	-3.364	PK
2	*	15960.000	50.637	49.504	-23.363	74.000	1.133	PK

Profile: 2390387R	Page No.: 114
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	48.037	51.401	-25.963	74.000	-3.364	PK
2	*	15960.000	51.650	50.517	-22.350	74.000	1.133	PK

Profile: 2390387R	Page No.: 115
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	49.546	51.434	-24.454	74.000	-1.888	PK
2	*	16500.000	52.089	47.156	-21.911	74.000	4.933	PK

Profile: 2390387R	Page No.: 116
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	50.097	51.985	-23.903	74.000	-1.888	PK
2	*	16500.000	52.269	47.336	-21.731	74.000	4.933	PK

Profile: 2390387R	Page No.: 117
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5580MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	50.033	51.218	-23.967	74.000	-1.185	PK
2	*	16740.000	52.440	48.382	-21.560	74.000	4.058	PK

Profile: 2390387R	Page No.: 118
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5580MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	49.670	50.855	-24.330	74.000	-1.185	PK
2	*	16740.000	51.891	47.833	-22.109	74.000	4.058	PK

Profile: 2390387R	Page No.: 119
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5700MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	11400.000	52.512	53.554	-21.488	74.000	-1.042	PK
2		17100.000	52.205	47.418	-21.795	74.000	4.787	PK

Profile: 2390387R	Page No.: 120
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5700MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	51.354	52.396	-22.646	74.000	-1.042	PK
2	*	17100.000	51.782	46.995	-22.218	74.000	4.787	PK

Profile: 2390387R	Page No.: 33
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5745MHz by 802.11ac(20MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	51.109	51.633	-22.891	74.000	-0.524	PK
2	*	17235.000	52.567	47.130	-21.433	74.000	5.437	PK

Profile: 2390387R	Page No.: 34
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5745MHz by 802.11ac(20MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	51.235	51.759	-22.765	74.000	-0.524	PK
2	*	17235.000	52.391	46.954	-21.609	74.000	5.437	PK

Profile: 2390387R	Page No.: 35
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5785MHz by 802.11ac(20MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	11570.000	51.686	52.875	-22.314	74.000	-1.189	PK
2		17355.000	51.383	46.921	-22.617	74.000	4.461	PK

Profile: 2390387R	Page No.: 36
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5785MHz by 802.11ac(20MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	50.525	51.714	-23.475	74.000	-1.189	PK
2	*	17355.000	51.955	47.493	-22.045	74.000	4.461	PK

Profile: 2390387R	Page No.: 37
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5825MHz by 802.11ac(20MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	48.337	50.013	-25.663	74.000	-1.676	PK
2	*	17475.000	52.508	48.314	-21.492	74.000	4.195	PK

Profile: 2390387R	Page No.: 38
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5825MHz by 802.11ac(20MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	49.121	50.797	-24.879	74.000	-1.676	PK
2	*	17475.000	52.491	48.297	-21.509	74.000	4.195	PK

Profile: 2390387R	Page No.: 121
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	49.872	53.077	-24.128	74.000	-3.205	PK
2	*	15570.000	52.168	51.874	-21.832	74.000	0.294	PK

Profile: 2390387R	Page No.: 122
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	48.941	52.146	-25.059	74.000	-3.205	PK
2	*	15570.000	51.208	50.914	-22.792	74.000	0.294	PK

Profile: 2390387R	Page No.: 123
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5230MHz by 802.11ac(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	48.414	51.754	-25.586	74.000	-3.341	PK
2	*	15690.000	51.612	51.336	-22.388	74.000	0.276	PK

Profile: 2390387R	Page No.: 124
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5230MHz by 802.11ac(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	48.982	52.322	-25.018	74.000	-3.341	PK
2	*	15690.000	51.068	50.792	-22.932	74.000	0.276	PK

Profile: 2390387R	Page No.: 125
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5270MHz by 802.11ac(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	48.915	52.125	-25.085	74.000	-3.210	PK
2	*	15810.000	52.156	51.090	-21.844	74.000	1.066	PK

Profile: 2390387R	Page No.: 126
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5270MHz by 802.11ac(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	47.583	50.793	-26.417	74.000	-3.210	PK
2	*	15810.000	52.822	51.756	-21.178	74.000	1.066	PK

Profile: 2390387R	Page No.: 127
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	48.934	52.150	-25.066	74.000	-3.217	PK
2	*	15930.000	50.561	49.370	-23.439	74.000	1.191	PK

Profile: 2390387R	Page No.: 128
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	47.920	51.136	-26.080	74.000	-3.217	PK
2	*	15930.000	51.204	50.013	-22.796	74.000	1.191	PK

Profile: 2390387R	Page No.: 129
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	49.824	51.926	-24.176	74.000	-2.102	PK
2	*	16530.000	52.702	48.424	-21.298	74.000	4.278	PK

Profile: 2390387R	Page No.: 130
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	49.786	51.888	-24.214	74.000	-2.102	PK
2	*	16530.000	52.740	48.462	-21.260	74.000	4.278	PK

Profile: 2390387R	Page No.: 131
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5590MHz by 802.11ac(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	49.463	51.696	-24.537	74.000	-2.234	PK
2	*	16770.000	52.453	47.448	-21.547	74.000	5.005	PK

Profile: 2390387R	Page No.: 132
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5590MHz by 802.11ac(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	49.108	51.341	-24.892	74.000	-2.234	PK
2	*	16770.000	51.407	46.402	-22.593	74.000	5.005	PK

Profile: 2390387R	Page No.: 133
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5670MHz by 802.11ac(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	50.881	52.252	-23.119	74.000	-1.371	PK
2	*	17010.000	52.370	48.205	-21.630	74.000	4.165	PK

Profile: 2390387R	Page No.: 134
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5670MHz by 802.11ac(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	49.429	50.800	-24.571	74.000	-1.371	PK
2	*	17010.000	51.839	47.674	-22.161	74.000	4.165	PK

Profile: 2390387R	Page No.: 39
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5755MHz by 802.11ac(40MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	50.881	52.159	-23.119	74.000	-1.278	PK
2	*	17265.000	51.631	48.218	-22.369	74.000	3.412	PK

Profile: 2390387R	Page No.: 40
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5755MHz by 802.11ac(40MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	50.848	52.126	-23.152	74.000	-1.278	PK
2	*	17265.000	51.118	47.705	-22.882	74.000	3.412	PK

Profile: 2390387R	Page No.: 41
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5795MHz by 802.11ac(40MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	50.245	50.144	-23.755	74.000	0.101	PK
2	*	17385.000	52.094	48.762	-21.906	74.000	3.332	PK

Profile: 2390387R	Page No.: 42
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5795MHz by 802.11ac(40MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	11590.000	52.723	52.622	-21.277	74.000	0.101	PK
2		17385.000	51.410	48.078	-22.590	74.000	3.332	PK

Profile: 2390387R	Page No.: 135
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	51.169	54.165	-22.831	74.000	-2.996	PK
2	*	15630.000	52.819	51.587	-21.181	74.000	1.232	PK

Profile: 2390387R	Page No.: 136
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	49.901	52.897	-24.099	74.000	-2.996	PK
2	*	15630.000	52.980	51.748	-21.020	74.000	1.232	PK

Profile: 2390387R	Page No.: 137
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	48.033	51.049	-25.967	74.000	-3.015	PK
2	*	15870.000	52.077	50.222	-21.923	74.000	1.855	PK

Profile: 2390387R	Page No.: 138
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	48.319	51.335	-25.681	74.000	-3.015	PK
2	*	15870.000	52.642	50.787	-21.358	74.000	1.855	PK

Profile: 2390387R	Page No.: 139
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	49.392	51.537	-24.608	74.000	-2.145	PK
2	*	16590.000	52.037	47.849	-21.963	74.000	4.189	PK

Profile: 2390387R	Page No.: 140
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	48.371	50.516	-25.629	74.000	-2.145	PK
2	*	16590.000	51.922	47.734	-22.078	74.000	4.189	PK

Profile: 2390387R	Page No.: 43
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz) with ANT1+ANT2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	50.270	51.830	-23.730	74.000	-1.560	PK
2	*	17325.000	52.941	49.391	-21.059	74.000	3.549	PK

Profile: 2390387R	Page No.: 44
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/27 - 11:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	50.281	51.841	-23.719	74.000	-1.560	PK
2	*	17325.000	52.088	48.538	-21.912	74.000	3.549	PK

Note:

1. Measured Level = Reading Level + Factor.
2. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.
3. The test frequency range, 18GHz~40GHz test result on peak is lower than average limit, all is the noise base, therefore no data appear in the report.
4. If the test result on peak is lower than average limit, then average measurement needn't be performed.
5. We have evaluated SISO, MIMO mode, shown in the report is the worst data.


The worst case of Simultaneous Radiated Emission:

Profile: 2390387R	Page No.: 13
Engineer: Pengchengyang	
Site: AC5	Time: 2024/02/22 - 10:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power:120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2402MHz by DH5 & 5180MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	40.636	53.546	-33.364	74.000	-12.910	PK
2		7206.000	44.124	51.675	-29.876	74.000	-7.552	PK
3		9608.000	46.944	51.750	-27.056	74.000	-4.805	PK
4		10360.000	49.100	51.971	-24.900	74.000	-2.871	PK
5	*	15540.000	51.280	49.069	-22.720	74.000	2.212	PK


Profile: 2390387R	Page No.: 14
Engineer: Pengchengyang	
Site: AC5	Time: 2024/02/22 - 10:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power:120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2402MHz by DH5 & 5180MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	40.765	53.675	-33.235	74.000	-12.910	PK
2		7206.000	45.224	52.775	-28.776	74.000	-7.552	PK
3		9608.000	46.820	51.626	-27.180	74.000	-4.805	PK
4		10360.000	48.685	51.556	-25.315	74.000	-2.871	PK
5	*	15540.000	51.621	49.410	-22.379	74.000	2.212	PK


The worst case of Radiated Emission below 1GHz:

Profile: 2390387R	Page No.: 67
Engineer: Pengchengyang	
Site: AC2	Time: 2024/01/17 - 08:29
Limit: FCC_Part 15.209	Margin: 0
Probe: CBL6112D_27613(30-1000MHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 5180MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		43.216	21.823	3.937	-18.177	40.000	17.885	QP
2		112.692	21.264	2.109	-22.236	43.500	19.155	QP
3		163.739	20.844	3.952	-22.656	43.500	16.892	QP
4		270.924	24.711	4.393	-21.289	46.000	20.318	QP
5		441.644	27.853	3.384	-18.147	46.000	24.469	QP
6	*	927.008	34.350	4.172	-11.650	46.000	30.178	QP

Profile: 2390387R	Page No.: 68
Engineer: Pengchengyang	
Site: AC2	Time: 2024/01/17 - 08:29
Limit: FCC_Part 15.209	Margin: 0
Probe: CBL6112D_27613(30-1000MHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 5180MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		57.766	16.877	3.579	-23.123	40.000	13.297	QP
2		104.326	21.321	2.732	-22.179	43.500	18.588	QP
3		175.742	19.600	3.027	-23.900	43.500	16.573	QP
4		263.043	24.540	3.832	-21.460	46.000	20.708	QP
5		486.628	28.821	3.472	-17.179	46.000	25.349	QP
6	*	776.536	31.854	2.884	-14.146	46.000	28.970	QP

Note:

1. " * ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp).

Appendix C: Emission bandwidth and occupied bandwidth

Emission Bandwidth :

TestMode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	22.680	5168.600	5191.280	N/A	Pass
		5220	21.480	5209.600	5231.080	N/A	Pass
		5240	21.280	5229.520	5250.800	N/A	Pass
		5260	21.360	5249.640	5271.000	N/A	Pass
		5300	21.640	5289.440	5311.080	N/A	Pass
		5320	22.480	5309.040	5331.520	N/A	Pass
		5500	21.160	5489.520	5510.680	N/A	Pass
		5580	22.120	5568.960	5591.080	N/A	Pass
		5700	22.440	5688.800	5711.240	N/A	Pass
		5745	22.400	5734.160	5756.560	N/A	Pass
		5785	21.080	5774.640	5795.720	N/A	Pass
11N20SISO	Ant1	5180	22.000	5168.920	5190.920	N/A	Pass
		5220	22.800	5208.680	5231.480	N/A	Pass
		5240	23.120	5228.520	5251.640	N/A	Pass
		5260	22.120	5248.880	5271.000	N/A	Pass
		5300	22.160	5289.160	5311.320	N/A	Pass
		5320	23.040	5308.680	5331.720	N/A	Pass
		5500	22.160	5488.960	5511.120	N/A	Pass
		5580	21.720	5569.120	5590.840	N/A	Pass
		5700	22.240	5688.920	5711.160	N/A	Pass
		5745	22.480	5733.600	5756.080	N/A	Pass
		5785	23.320	5773.400	5796.720	N/A	Pass
11N40SISO	Ant1	5190	41.200	5169.520	5210.720	N/A	Pass
		5230	41.120	5209.440	5250.560	N/A	Pass
		5270	41.200	5249.840	5291.040	N/A	Pass
		5310	42.000	5289.280	5331.280	N/A	Pass
		5510	41.360	5489.440	5530.800	N/A	Pass
		5590	41.840	5568.880	5610.720	N/A	Pass
		5670	41.440	5649.440	5690.880	N/A	Pass
		5755	41.360	5734.520	5775.880	N/A	Pass
		5795	41.440	5774.280	5815.720	N/A	Pass
11AC20SISO	Ant1	5180	22.920	5168.600	5191.520	N/A	Pass
		5220	21.640	5209.520	5231.160	N/A	Pass
		5240	22.240	5228.680	5250.920	N/A	Pass
		5260	23.440	5248.320	5271.760	N/A	Pass
		5300	22.320	5288.680	5311.000	N/A	Pass
		5320	22.120	5308.680	5330.800	N/A	Pass
		5500	22.840	5488.640	5511.480	N/A	Pass
		5580	23.880	5568.440	5592.320	N/A	Pass
		5700	23.040	5688.680	5711.720	N/A	Pass
		5745	21.960	5733.920	5755.880	N/A	Pass
		5785	21.760	5774.040	5795.800	N/A	Pass
5825	22.960	5813.880	5836.840	N/A	Pass		

11AC40SISO	Ant1	5190	41.600	5169.280	5210.880	N/A	Pass
		5230	41.680	5209.360	5251.040	N/A	Pass
		5270	41.760	5249.040	5290.800	N/A	Pass
		5310	41.760	5289.440	5331.200	N/A	Pass
		5510	41.440	5489.440	5530.880	N/A	Pass
		5590	41.200	5569.760	5610.960	N/A	Pass
		5670	41.360	5649.680	5691.040	N/A	Pass
		5755	40.960	5734.840	5775.800	N/A	Pass
11AC80SISO	Ant1	5210	83.840	5168.720	5252.560	N/A	Pass
		5290	83.200	5249.040	5332.240	N/A	Pass
		5530	83.040	5488.880	5571.920	N/A </td <td>Pass</td>	Pass
		5610	83.840	5568.720	5652.560	N/A	Pass
		5775	81.280	5734.680	5815.960	N/A	Pass

Note: We have evaluated SISO, MIMO mode, shown in the report is the worst data.

11A_Ant1_5180




11A_Ant1_5220



11A_Ant1_5240



11A_Ant1_5260



11A_Ant1_5300



11A_Ant1_5320



11A_Ant1_5500




11A_Ant1_5580



11A_Ant1_5700



11A_Ant1_5745



11A_Ant1_5785



11A_Ant1_5825




11N20SISO_Ant1_5180



11N20SISO_Ant1_5220



11N20SISO_Ant1_5240



11N20SISO_Ant1_5260



11N20SISO_Ant1_5300



11N20SISO_Ant1_5320