



Profile: 2390387R	Page No.: 13
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	51.810	14.120	-22.190	74.000	37.691	PK

Profile: 2390387R	Page No.: 14
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	42.065	4.375	-11.935	54.000	37.691	AV

Profile: 2390387R	Page No.: 15
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	49.915	12.225	-24.085	74.000	37.691	PK

Profile: 2390387R	Page No.: 16
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	39.389	1.699	-14.611	54.000	37.691	AV

Profile: 2390387R	Page No.: 17
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	52.817	14.794	-21.183	74.000	38.023	PK

Profile: 2390387R	Page No.: 18
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	41.095	3.072	-12.905	54.000	38.023	AV

Profile: 2390387R	Page No.: 19
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	50.723	12.700	-23.277	74.000	38.023	PK

Profile: 2390387R	Page No.: 20
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	37.954	-0.069	-16.046	54.000	38.023	AV

Profile: 2390387R	Page No.: 21
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	53.835	15.162	-20.165	74.000	38.673	PK

Profile: 2390387R	Page No.: 22
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	41.622	2.949	-12.378	54.000	38.673	AV

Profile: 2390387R	Page No.: 23
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.582	12.909	-22.418	74.000	38.673	PK

Profile: 2390387R	Page No.: 24
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	38.845	0.172	-15.155	54.000	38.673	AV

Profile: 2390387R	Page No.: 7
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 23:42
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5745MHz by 802.11n (20MHz) with ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.480	52.076	13.082	-47.580	99.656	38.995	PK
2		5708.870	54.805	15.633	-52.881	107.686	39.172	PK
3		5722.730	60.938	21.997	-56.087	117.026	38.942	PK

Profile: 2390387R	Page No.: 8
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 23:45
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5745MHz by 802.11n (20MHz) with ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5693.690	50.640	11.633	-49.908	100.549	39.007	PK
2		5706.450	51.361	12.216	-55.647	107.008	39.145	PK
3		5722.730	53.498	14.557	-63.527	117.026	38.942	PK

Profile: 2390387R	Page No.: 9
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 23:48
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5785MHz by 802.11n (20MHz) with ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5692.790	51.190	12.192	-48.695	99.885	38.997	PK
2		5708.985	51.565	12.392	-56.153	107.718	39.173	PK
3		5723.130	50.913	11.979	-67.024	117.938	38.934	PK
4		5852.280	52.150	12.668	-64.850	117.000	39.482	PK
5		5867.245	53.351	14.049	-54.018	107.369	39.302	PK
6	*	5884.055	51.979	12.473	-46.497	98.476	39.506	PK

Profile: 2390387R	Page No.: 10
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 23:52
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5785MHz by 802.11n (20MHz) with ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5694.430	50.717	11.702	-50.377	101.094	39.015	PK
2		5707.755	51.066	11.906	-56.308	107.374	39.159	PK
3		5722.310	50.262	11.314	-65.806	116.068	38.948	PK
4		5852.485	51.389	11.911	-65.144	116.533	39.479	PK
5		5863.965	52.000	12.695	-56.287	108.287	39.305	PK
6	*	5880.570	51.970	12.612	-49.093	101.063	39.358	PK

Profile: 2390387R	Page No.: 11
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 23:54
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5825MHz by 802.11n (20MHz) with ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.080	54.356	14.870	-63.101	117.456	39.486	PK
2		5864.160	54.066	14.761	-54.167	108.233	39.305	PK
3	*	5883.280	53.792	14.319	-45.259	99.051	39.473	PK

Profile: 2390387R	Page No.: 12
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 23:57
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5825MHz by 802.11n (20MHz) with ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5853.040	51.623	12.155	-63.644	115.268	39.468	PK
2		5865.040	51.161	11.857	-56.825	107.986	39.304	PK
3	*	5882.640	51.439	11.993	-48.087	99.526	39.446	PK

Profile: 2390387R	Page No.: 25
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	56.145	18.455	-17.855	74.000	37.691	PK

Profile: 2390387R	Page No.: 26
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	43.715	6.025	-10.285	54.000	37.691	AV

Profile: 2390387R	Page No.: 27
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	50.825	13.135	-23.175	74.000	37.691	PK

Profile: 2390387R	Page No.: 28
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	38.618	0.928	-15.382	54.000	37.691	AV

Profile: 2390387R	Page No.: 29
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	55.589	17.566	-18.411	74.000	38.023	PK

Profile: 2390387R	Page No.: 30
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	43.676	5.653	-10.324	54.000	38.023	AV

Profile: 2390387R	Page No.: 31
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	50.699	12.676	-23.301	74.000	38.023	PK

Profile: 2390387R	Page No.: 32
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	38.633	0.610	-15.367	54.000	38.023	AV

Profile: 2390387R	Page No.: 33
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	59.578	20.905	-14.422	74.000	38.673	PK

Profile: 2390387R	Page No.: 34
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	43.940	5.267	-10.060	54.000	38.673	AV

Profile: 2390387R	Page No.: 35
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	52.352	13.679	-21.648	74.000	38.673	PK

Profile: 2390387R	Page No.: 36
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	39.625	0.952	-14.375	54.000	38.673	AV

Profile: 2390387R	Page No.: 13
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/16 - 00:05
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5755MHz by 802.11n (40MHz) with ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5693.970	53.238	14.228	-47.517	100.755	39.011	PK
2		5707.750	56.481	17.322	-50.891	107.372	39.159	PK
3		5721.920	61.092	22.137	-54.087	115.179	38.954	PK

Profile: 2390387R	Page No.: 14
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/16 - 00:07
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5755MHz by 802.11n (40MHz) with ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5688.640	51.749	12.781	-45.073	96.822	38.968	PK
2		5713.210	57.660	18.558	-51.241	108.901	39.102	PK
3		5723.870	54.645	15.723	-64.980	119.624	38.922	PK

Profile: 2390387R	Page No.: 15
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/16 - 00:09
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5795MHz by 802.11n (40MHz) with ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.065	54.887	15.401	-62.604	117.491	39.486	PK
2		5864.620	54.828	15.523	-53.276	108.104	39.305	PK
3	*	5882.035	53.787	14.367	-46.188	99.975	39.420	PK

Profile: 2390387R	Page No.: 16
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/16 - 00:10
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5795MHz by 802.11n (40MHz) with ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.470	52.674	13.195	-63.894	116.567	39.479	PK
2		5863.270	51.088	11.782	-57.394	108.482	39.306	PK
3	*	5881.900	51.293	11.879	-48.782	100.075	39.414	PK

Profile: 2390387R	Page No.: 37
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	51.177	13.487	-22.823	74.000	37.691	PK

Profile: 2390387R	Page No.: 38
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	41.989	4.299	-12.011	54.000	37.691	AV

Profile: 2390387R	Page No.: 39
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	49.872	12.182	-24.128	74.000	37.691	PK

Profile: 2390387R	Page No.: 40
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	39.391	1.701	-14.609	54.000	37.691	AV

Profile: 2390387R	Page No.: 41
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	53.740	15.717	-20.260	74.000	38.023	PK
2	*	5353.350	55.880	17.869	-18.120	74.000	38.011	PK

Profile: 2390387R	Page No.: 42
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	41.035	3.012	-12.965	54.000	38.023	AV

Profile: 2390387R	Page No.: 43
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.112	13.089	-22.888	74.000	38.023	PK

Profile: 2390387R	Page No.: 44
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	37.846	-0.177	-16.154	54.000	38.023	AV

Profile: 2390387R	Page No.: 45
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5443.440	56.238	17.794	-17.762	74.000	38.445	PK
2		5460.000	54.098	15.425	-19.902	74.000	38.673	PK

Profile: 2390387R	Page No.: 46
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	41.932	3.259	-12.068	54.000	38.673	AV

Profile: 2390387R	Page No.: 47
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	52.125	13.452	-21.875	74.000	38.673	PK

Profile: 2390387R	Page No.: 48
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 20:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	38.672	-0.001	-15.328	54.000	38.673	AV

Profile: 2390387R	Page No.: 17
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/16 - 00:17
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5745MHz by 802.11ac (20MHz) with ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5694.680	55.096	16.078	-46.183	101.279	39.018	PK
2		5708.430	56.545	17.378	-51.018	107.563	39.167	PK
3		5722.950	60.596	21.659	-56.931	117.527	38.938	PK

Profile: 2390387R	Page No.: 18
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/16 - 00:19
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5745MHz by 802.11ac (20MHz) with ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5689.950	51.187	12.211	-46.602	97.789	38.976	PK
2		5709.970	51.776	12.619	-56.218	107.994	39.156	PK
3		5722.290	51.947	12.998	-64.076	116.022	38.949	PK

Profile: 2390387R	Page No.: 19
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/16 - 00:20
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5785MHz by 802.11ac (20MHz) with ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5693.200	50.590	11.588	-49.597	100.187	39.002	PK
2		5709.190	51.054	11.884	-56.722	107.776	39.170	PK
3		5722.515	51.555	12.610	-64.981	116.535	38.945	PK
4		5853.100	53.488	14.021	-61.643	115.131	39.467	PK
5		5866.220	51.909	12.606	-55.747	107.656	39.303	PK
6	*	5881.390	52.408	13.015	-48.046	100.454	39.392	PK

Profile: 2390387R	Page No.: 20
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/16 - 00:22
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5785MHz by 802.11ac (20MHz) with ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.585	50.729	11.734	-49.004	99.733	38.996	PK
2		5712.675	50.407	11.296	-58.344	108.751	39.111	PK
3		5721.900	51.039	12.084	-64.094	115.133	38.955	PK
4		5852.485	51.995	12.517	-64.538	116.533	39.479	PK
5		5866.425	51.784	12.481	-55.815	107.599	39.303	PK
6		5880.775	51.353	11.987	-49.557	100.910	39.366	PK

Profile: 2390387R	Page No.: 21
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/16 - 00:23
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5825MHz by 802.11ac (20MHz) with ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.240	56.130	16.647	-60.962	117.092	39.482	PK
2		5865.040	54.216	14.912	-53.770	107.986	39.304	PK
3	*	5885.040	54.943	15.395	-42.802	97.745	39.548	PK

Profile: 2390387R	Page No.: 22
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/16 - 00:27
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5825MHz by 802.11ac (20MHz) with ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.400	51.582	12.102	-65.145	116.727	39.479	PK
2		5865.600	51.443	12.139	-56.387	107.830	39.304	PK
3	*	5883.200	51.644	12.174	-47.467	99.110	39.470	PK

Profile: 2390387R	Page No.: 49
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 21:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	55.509	17.819	-18.491	74.000	37.691	PK

Profile: 2390387R	Page No.: 50
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 21:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	44.386	6.696	-9.614	54.000	37.691	AV

Profile: 2390387R	Page No.: 51
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 21:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	50.019	12.329	-23.981	74.000	37.691	PK

Profile: 2390387R	Page No.: 52
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 21:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	38.633	0.943	-15.367	54.000	37.691	AV

Profile: 2390387R	Page No.: 53
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	54.882	16.859	-19.118	74.000	38.023	PK

Profile: 2390387R	Page No.: 54
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	43.565	5.542	-10.435	54.000	38.023	AV

Profile: 2390387R	Page No.: 55
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.552	13.529	-22.448	74.000	38.023	PK

Profile: 2390387R	Page No.: 56
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 21:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	38.756	0.733	-15.244	54.000	38.023	AV

Profile: 2390387R	Page No.: 57
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 21:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	58.697	20.024	-15.303	74.000	38.673	PK

Profile: 2390387R	Page No.: 58
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 21:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	44.036	5.363	-9.964	54.000	38.673	AV

Profile: 2390387R	Page No.: 59
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 21:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.976	13.303	-22.024	74.000	38.673	PK

Profile: 2390387R	Page No.: 60
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 21:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	39.373	0.700	-14.627	54.000	38.673	AV

Profile: 2390387R	Page No.: 23
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/16 - 00:28
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5755MHz by 802.11ac (40MHz) with ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5694.230	52.006	12.993	-48.941	100.947	39.013	PK
2	*	5710.870	59.469	20.328	-48.777	108.246	39.142	PK
3		5723.480	61.130	22.201	-57.606	118.735	38.929	PK

Profile: 2390387R	Page No.: 24
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/16 - 00:30
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5755MHz by 802.11ac (40MHz) with ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5693.060	50.544	11.544	-49.539	100.084	39.000	PK
2		5710.220	52.273	13.121	-55.791	108.064	39.153	PK
3		5722.050	54.741	15.788	-60.735	115.475	38.953	PK

Profile: 2390387R	Page No.: 25
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/16 - 00:32
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5795MHz by 802.11ac (40MHz) with ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.740	53.793	14.319	-62.159	115.952	39.474	PK
2		5862.460	53.736	14.429	-54.973	108.709	39.307	PK
3	*	5882.845	52.184	12.729	-47.190	99.374	39.454	PK

Profile: 2390387R	Page No.: 26
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/16 - 00:33
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5795MHz by 802.11ac (40MHz) with ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.065	51.777	12.291	-65.714	117.491	39.486	PK
2		5867.995	51.930	12.629	-55.229	107.159	39.301	PK
3	*	5883.115	51.818	12.352	-47.356	99.174	39.466	PK

Profile: 2390387R	Page No.: 61
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	57.485	19.795	-16.515	74.000	37.691	PK

Profile: 2390387R	Page No.: 62
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	46.803	9.113	-7.197	54.000	37.691	AV

Profile: 2390387R	Page No.: 63
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 21:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5128.500	53.497	15.542	-20.503	74.000	37.955	PK
2		5150.000	51.446	13.756	-22.554	74.000	37.691	PK

Profile: 2390387R	Page No.: 64
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 21:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	40.399	2.709	-13.601	54.000	37.691	AV

Profile: 2390387R	Page No.: 65
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 22:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	55.844	17.821	-18.156	74.000	38.023	PK

Profile: 2390387R	Page No.: 66
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 22:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	45.403	7.380	-8.597	54.000	38.023	AV

Profile: 2390387R	Page No.: 67
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 22:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.242	13.219	-22.758	74.000	38.023	PK

Profile: 2390387R	Page No.: 68
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 22:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	40.785	2.762	-13.215	54.000	38.023	AV

Profile: 2390387R	Page No.: 69
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 22:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	65.035	26.362	-8.965	74.000	38.673	PK

Profile: 2390387R	Page No.: 70
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 22:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	53.228	14.555	-0.772	54.000	38.673	AV

Profile: 2390387R	Page No.: 71
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 22:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	56.309	17.636	-17.691	74.000	38.673	PK

Profile: 2390387R	Page No.: 72
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/15 - 22:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	45.811	7.138	-8.189	54.000	38.673	AV

Profile: 2390387R	Page No.: 27
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/16 - 00:35
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5775MHz by 802.11ac (80MHz) with ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5685.000	56.844	17.898	-37.290	94.134	38.946	PK
2		5709.750	60.015	20.855	-47.917	107.932	39.160	PK
3		5723.500	58.425	19.497	-60.356	118.781	38.929	PK
4		5853.000	53.514	14.045	-61.845	115.359	39.469	PK
5		5862.250	54.851	15.544	-53.917	108.768	39.306	PK
6		5886.250	53.497	13.898	-43.350	96.848	39.600	PK

Profile: 2390387R	Page No.: 28
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/16 - 00:37
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5775MHz by 802.11ac (80MHz) with ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5677.500	51.203	12.303	-37.387	88.590	38.901	PK
2		5708.000	52.635	13.473	-54.807	107.442	39.163	PK
3		5723.250	53.087	14.155	-65.124	118.211	38.932	PK
4		5851.750	52.142	12.650	-66.067	118.209	39.492	PK
5		5871.500	53.634	14.336	-52.545	106.179	39.298	PK
6		5891.500	53.366	13.543	-39.590	92.955	39.823	PK

Profile: 2390387R	Page No.: 1
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 09:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	47.571	98.881	-26.429	74.000	37.691	PK

Profile: 2390387R	Page No.: 2
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 09:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	37.730	0.040	-16.270	54.000	37.691	AV

Profile: 2390387R	Page No.: 3
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 09:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	46.276	8.586	-27.724	74.000	37.691	PK

Profile: 2390387R	Page No.: 4
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 09:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	35.491	-2.199	-18.509	54.000	37.691	AV

Profile: 2390387R	Page No.: 5
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 09:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	47.980	9.957	-26.020	74.000	38.023	PK
2	*	5353.800	49.085	11.067	-24.915	74.000	38.018	PK

Profile: 2390387R	Page No.: 6
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 09:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	35.025	-2.998	-18.975	54.000	38.023	AV
2	*	5452.800	37.919	-0.882	-16.081	54.000	38.802	AV

Profile: 2390387R	Page No.: 7
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 09:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	46.426	8.403	-27.574	74.000	38.023	PK

Profile: 2390387R	Page No.: 8
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 09:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	33.166	-4.857	-20.834	54.000	38.023	AV

Profile: 2390387R	Page No.: 9
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 09:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	47.043	8.370	-26.957	74.000	38.673	PK

Profile: 2390387R	Page No.: 10
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 09:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5452.720	36.835	-1.963	-17.165	54.000	38.799	AV
2		5460.000	34.677	-3.996	-19.323	54.000	38.673	AV

Profile: 2390387R	Page No.: 11
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 09:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	46.598	7.925	-27.402	74.000	38.673	PK

Profile: 2390387R	Page No.: 12
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 09:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	33.475	-5.198	-20.525	54.000	38.673	AV

Profile: 2390387R	Page No.: 1
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 08:12
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5745MHz by 802.11n (20MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5691.820	51.074	12.086	-48.095	99.169	38.988	PK
2		5707.440	49.430	10.274	-57.855	107.285	39.156	PK
3		5721.960	51.897	12.943	-63.373	115.270	38.955	PK

Profile: 2390387R	Page No.: 2
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 08:14
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5745MHz by 802.11n (20MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5693.140	48.215	9.214	-51.928	100.143	39.002	PK
2		5706.560	48.486	9.339	-58.553	107.039	39.147	PK
3		5723.280	48.251	9.319	-70.029	118.280	38.932	PK

Profile: 2390387R	Page No.: 3
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 08:16
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5785MHz by 802.11n (20MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5689.715	48.024	9.049	-49.592	97.616	38.975	PK
2		5705.705	48.504	9.367	-58.295	106.799	39.137	PK
3		5721.900	47.197	8.242	-67.936	115.133	38.955	PK
4		5853.100	47.207	7.740	-67.924	115.131	39.467	PK
5		5869.295	48.524	9.224	-58.271	106.795	39.300	PK
6		5884.055	47.029	7.523	-51.447	98.476	39.506	PK

Profile: 2390387R	Page No.: 4
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 08:19
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5785MHz by 802.11n (20MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5692.585	47.038	8.043	-52.695	99.733	38.996	PK
2		5707.960	48.331	9.169	-59.100	107.431	39.162	PK
3		5722.515	47.031	8.086	-69.505	116.535	38.945	PK
4		5852.280	47.506	8.024	-69.494	117.000	39.482	PK
5		5868.885	47.885	8.584	-59.026	106.910	39.301	PK
6	*	5882.005	49.115	9.696	-50.883	99.997	39.419	PK

Profile: 2390387R	Page No.: 5
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 08:22
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5825MHz by 802.11n (20MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.280	51.799	12.299	-67.482	119.281	39.500	PK
2		5868.640	48.915	9.614	-58.064	106.979	39.300	PK
3	*	5881.280	49.722	10.334	-50.814	100.536	39.388	PK

Profile: 2390387R	Page No.: 6
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 08:25
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5825MHz by 802.11n (20MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.000	48.649	9.162	-68.990	117.639	39.487	PK
2		5865.360	48.727	9.423	-59.170	107.897	39.304	PK
3	*	5882.800	48.563	9.110	-50.845	99.407	39.452	PK

Profile: 2390387R	Page No.: 13
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 09:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	50.265	12.575	-23.735	74.000	37.691	PK

Profile: 2390387R	Page No.: 14
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 09:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	38.787	1.097	-15.213	54.000	37.691	AV

Profile: 2390387R	Page No.: 15
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 09:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	46.173	8.483	-27.827	74.000	37.691	PK

Profile: 2390387R	Page No.: 16
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 09:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	35.260	-2.430	-18.740	54.000	37.691	AV

Profile: 2390387R	Page No.: 17
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 09:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	48.791	10.768	-25.209	74.000	38.023	PK

Profile: 2390387R	Page No.: 18
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 09:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	37.950	-0.073	-16.050	54.000	38.023	AV
2		5452.690	37.858	-0.939	-16.142	54.000	38.797	AV

Profile: 2390387R	Page No.: 19
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 09:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	46.284	8.261	-27.716	74.000	38.023	PK
2	*	5354.770	52.008	13.974	-21.992	74.000	38.034	PK

Profile: 2390387R	Page No.: 20
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 09:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	34.860	-3.163	-19.140	54.000	38.023	AV

Profile: 2390387R	Page No.: 21
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 09:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	50.105	114.32	-23.895	74.000	38.673	PK

Profile: 2390387R	Page No.: 22
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 09:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5452.780	37.404	-1.396	-16.596	54.000	38.801	AV
2		5460.000	35.982	-2.691	-18.018	54.000	38.673	AV

Profile: 2390387R	Page No.: 23
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	47.080	8.407	-26.920	74.000	38.673	PK

Profile: 2390387R	Page No.: 24
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	33.669	-5.004	-20.331	54.000	38.673	AV

Profile: 2390387R	Page No.: 7
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 08:27
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5755MHz by 802.11n (40MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5693.710	48.751	9.743	-51.813	100.563	39.007	PK
2		5709.050	50.248	11.076	-57.488	107.736	39.172	PK
3		5722.440	52.905	13.959	-63.459	116.364	38.946	PK

Profile: 2390387R	Page No.: 8
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 08:29
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5755MHz by 802.11n (40MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5689.810	47.714	8.738	-49.972	97.686	38.976	PK
2		5705.020	48.344	9.214	-58.264	106.607	39.130	PK
3		5721.270	49.076	10.110	-64.621	113.697	38.966	PK

Profile: 2390387R	Page No.: 9
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 08:33
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5795MHz by 802.11n (40MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.795	48.757	9.266	-69.350	118.106	39.491	PK
2		5864.620	49.527	10.222	-58.577	108.104	39.305	PK
3	*	5885.545	48.870	9.301	-48.500	97.371	39.569	PK

Profile: 2390387R	Page No.: 10
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 08:35
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5795MHz by 802.11n (40MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5853.145	48.406	8.940	-66.622	115.028	39.466	PK
2		5861.785	48.605	9.294	-60.293	108.898	39.311	PK
3	*	5882.440	48.279	8.842	-51.395	99.675	39.438	PK

Profile: 2390387R	Page No.: 25
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	47.504	9.814	-26.496	74.000	37.691	PK

Profile: 2390387R	Page No.: 26
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	37.445	-0.245	-16.555	54.000	37.691	AV

Profile: 2390387R	Page No.: 27
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	45.549	7.859	-28.451	74.000	37.691	PK

Profile: 2390387R	Page No.: 28
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	35.218	-2.472	-18.782	54.000	37.691	AV

Profile: 2390387R	Page No.: 29
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	47.746	9.723	-26.254	74.000	38.023	PK
2	*	5351.850	51.159	13.167	-22.841	74.000	37.993	PK

Profile: 2390387R	Page No.: 30
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	35.947	-2.076	-18.053	54.000	38.023	AV
2	*	5452.650	37.634	-1.162	-16.366	54.000	38.796	AV

Profile: 2390387R	Page No.: 31
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	46.469	8.446	-27.531	74.000	38.023	PK

Profile: 2390387R	Page No.: 32
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	33.396	-4.627	-20.604	54.000	38.023	AV

Profile: 2390387R	Page No.: 33
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5452.720	48.732	9.934	-25.268	74.000	38.799	PK
2		5460.000	46.826	8.153	-27.174	74.000	38.673	PK

Profile: 2390387R	Page No.: 34
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5452.880	36.756	-2.048	-17.244	54.000	38.804	AV
2		5460.000	34.777	-3.896	-19.223	54.000	38.673	AV

Profile: 2390387R	Page No.: 35
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	46.202	7.529	-27.798	74.000	38.673	PK

Profile: 2390387R	Page No.: 36
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	33.420	-5.253	-20.580	54.000	38.673	AV

Profile: 2390387R	Page No.: 11
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 08:38
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5745MHz by 802.11ac (20MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5689.290	48.236	9.264	-49.066	97.302	38.972	PK
2		5716.460	52.645	13.598	-57.165	109.810	39.047	PK
3		5723.390	53.186	14.256	-65.344	118.530	38.930	PK

Profile: 2390387R	Page No.: 12
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 08:42
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5745MHz by 802.11ac (20MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5689.730	48.305	9.330	-49.322	97.627	38.975	PK
2		5710.300	48.494	9.343	-59.592	108.086	39.151	PK
3		5723.170	48.349	9.415	-69.680	118.029	38.934	PK

Profile: 2390387R	Page No.: 13
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 08:44
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5785MHz by 802.11ac (20MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5692.380	47.985	8.992	-51.597	99.582	38.994	PK
2		5707.345	48.170	9.015	-59.089	107.259	39.155	PK
3		5723.130	47.876	8.942	-70.061	117.938	38.934	PK
4		5851.460	49.383	9.886	-69.487	118.870	39.497	PK
5		5867.245	48.979	9.677	-58.390	107.369	39.302	PK
6	*	5882.005	49.391	9.972	-50.607	99.997	39.419	PK

Profile: 2390387R	Page No.: 14
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 08:46
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5785MHz by 802.11ac (20MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5693.815	48.085	9.076	-52.556	100.641	39.009	PK
2		5708.780	47.878	8.707	-59.783	107.661	39.171	PK
3		5722.515	47.178	8.233	-69.358	116.535	38.945	PK
4		5853.305	48.909	9.445	-65.755	114.664	39.464	PK
5		5866.630	48.526	9.223	-59.016	107.541	39.303	PK
6	*	5882.210	48.395	8.967	-51.451	99.845	39.427	PK

Profile: 2390387R	Page No.: 15
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 08:48
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5825MHz by 802.11ac (20MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.080	49.754	10.268	-67.703	117.456	39.486	PK
2		5865.120	49.648	10.344	-58.316	107.964	39.304	PK
3	*	5882.240	49.659	10.230	-50.164	99.823	39.428	PK

Profile: 2390387R	Page No.: 16
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 08:52
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5825MHz by 802.11ac (20MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5853.280	48.917	9.453	-65.804	114.721	39.464	PK
2		5863.600	48.509	9.204	-59.880	108.390	39.305	PK
3	*	5886.160	48.570	8.974	-48.345	96.914	39.596	PK

Profile: 2390387R	Page No.: 37
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	49.039	11.349	-24.961	74.000	37.691	PK

Profile: 2390387R	Page No.: 38
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	38.058	0.368	-15.942	54.000	37.691	AV

Profile: 2390387R	Page No.: 39
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	46.479	8.789	-27.521	74.000	37.691	PK

Profile: 2390387R	Page No.: 40
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	34.958	-2.732	-19.042	54.000	37.691	AV

Profile: 2390387R	Page No.: 41
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	49.140	11.117	-24.860	74.000	38.023	PK

Profile: 2390387R	Page No.: 42
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	37.808	-0.215	-16.192	54.000	38.023	AV
2	*	5452.690	38.022	-0.775	-15.978	54.000	38.797	AV

Profile: 2390387R	Page No.: 43
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	46.173	8.150	-27.827	74.000	38.023	PK

Profile: 2390387R	Page No.: 44
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	34.387	-3.636	-19.613	54.000	38.023	AV

Profile: 2390387R	Page No.: 45
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	47.561	8.888	-26.439	74.000	38.673	PK

Profile: 2390387R	Page No.: 46
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5452.600	37.257	-1.537	-16.743	54.000	38.794	AV
2		5460.000	35.640	-3.033	-18.360	54.000	38.673	AV

Profile: 2390387R	Page No.: 47
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	46.269	7.596	-27.731	74.000	38.673	PK

Profile: 2390387R	Page No.: 48
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	33.915	-4.758	-20.085	54.000	38.673	AV

Profile: 2390387R	Page No.: 17
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 08:55
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5755MHz by 802.11ac (40MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5694.880	48.788	9.768	-52.638	101.426	39.020	PK
2		5712.950	51.316	12.210	-57.512	108.828	39.106	PK
3		5724.130	52.612	13.694	-67.606	120.217	38.917	PK

Profile: 2390387R	Page No.: 18
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 08:56
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5755MHz by 802.11ac (40MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.410	47.860	8.867	-51.744	99.604	38.994	PK
2		5710.610	48.623	9.477	-59.550	108.173	39.146	PK
3		5723.350	49.218	10.287	-69.221	118.439	38.930	PK

Profile: 2390387R	Page No.: 19
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 08:58
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5795MHz by 802.11ac (40MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.390	48.300	8.802	-70.730	119.030	39.498	PK
2		5863.540	49.341	10.035	-59.066	108.406	39.305	PK
3	*	5883.250	49.469	9.997	-49.605	99.073	39.472	PK

Profile: 2390387R	Page No.: 20
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 08:59
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5795MHz by 802.11ac (40MHz) with ANT1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.875	48.202	8.731	-67.442	115.644	39.471	PK
2		5864.080	48.643	9.338	-59.612	108.255	39.305	PK
3	*	5885.950	48.407	8.820	-48.664	97.070	39.586	PK

Profile: 2390387R	Page No.: 49
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	49.974	12.284	-24.026	74.000	37.691	PK

Profile: 2390387R	Page No.: 50
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	39.454	1.764	-14.546	54.000	37.691	AV

Profile: 2390387R	Page No.: 51
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	46.854	9.164	-27.146	74.000	37.691	PK

Profile: 2390387R	Page No.: 52
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 10:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	36.821	-0.869	-17.179	54.000	37.691	AV

Profile: 2390387R	Page No.: 53
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 11:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	49.966	11.943	-24.034	74.000	38.023	PK
2	*	5353.740	52.324	14.307	-21.676	74.000	38.018	PK

Profile: 2390387R	Page No.: 54
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 11:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	39.876	1.853	-14.124	54.000	38.023	AV
2		5452.440	38.593	-0.195	-15.407	54.000	38.787	AV

Profile: 2390387R	Page No.: 55
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 11:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+ANT2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	46.576	8.553	-27.424	74.000	38.023	PK

Profile: 2390387R	Page No.: 56
Engineer: Pengchengyang	
Site: AC5	Time: 2024/01/29 - 11:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) with Ant1+ANT2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	37.003	-1.020	-16.997	54.000	38.023	AV