

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.300	40.07	-16.73	74.0	33.93	Peak	188.00	400	Horizontal	Pass
1**	1438.300	35.53	-16.73	54.0	18.47	AV	188.00	400	Horizontal	Pass
2	4321.750	48.63	-4.10	74.0	25.37	Peak	4.00	200	Horizontal	Pass
2**	4321.750	38.86	-4.10	54.0	15.14	AV	4.00	200	Horizontal	Pass
3	5584.500	102.44	-1.16	--	--	Peak	257.00	150	Horizontal	N/A
3**	5584.500	94.27	-1.16	--	--	AV	257.00	150	Horizontal	N/A
4	7473.750	53.68	1.86	74.0	20.32	Peak	319.00	100	Horizontal	Pass
4**	7473.750	44.34	1.86	54.0	9.66	AV	319.00	100	Horizontal	Pass
5	11132.387	52.10	-0.97	74.0	21.90	Peak	60.00	150	Horizontal	Pass
5**	11132.387	42.80	-0.97	54.0	11.20	AV	60.00	150	Horizontal	Pass
6	15748.013	52.08	0.35	74.0	21.92	Peak	157.00	300	Horizontal	Pass
6**	15748.013	42.65	0.35	54.0	11.35	AV	157.00	300	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.400	40.96	-16.55	74.0	33.04	Peak	244.00	100	Vertical	Pass
1**	1537.400	35.80	-16.55	54.0	18.20	AV	244.00	100	Vertical	Pass
2	4384.500	47.86	-4.18	74.0	26.14	Peak	360.00	100	Vertical	Pass
2**	4384.500	38.84	-4.18	54.0	15.16	AV	360.00	100	Vertical	Pass
3	5578.500	102.75	-1.19	--	--	Peak	15.00	100	Vertical	N/A
3**	5578.500	94.77	-1.19	--	--	AV	15.00	100	Vertical	N/A
4	7500.250	54.03	0.99	74.0	19.97	Peak	360.00	400	Vertical	Pass
4**	7500.250	43.91	0.99	54.0	10.09	AV	360.00	400	Vertical	Pass
5	11352.313	51.88	-1.84	74.0	22.12	Peak	322.00	100	Vertical	Pass
5**	11352.313	41.94	-1.84	54.0	12.06	AV	322.00	100	Vertical	Pass
6	15750.375	51.80	0.36	74.0	22.20	Peak	130.00	400	Vertical	Pass
6**	15750.375	42.84	0.36	54.0	11.16	AV	130.00	400	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.600	40.31	-16.75	74.0	33.69	Peak	191.00	300	Horizontal	Pass
1**	1437.600	35.96	-16.75	54.0	18.04	AV	191.00	300	Horizontal	Pass
2	4258.750	48.34	-4.13	74.0	25.66	Peak	33.00	300	Horizontal	Pass
2**	4258.750	39.35	-4.13	54.0	14.65	AV	33.00	300	Horizontal	Pass
3	5658.500	99.93	-1.86	--	--	Peak	257.00	100	Horizontal	N/A
3**	5658.500	92.19	-1.86	--	--	AV	257.00	100	Horizontal	N/A
4	7382.000	53.13	0.53	74.0	20.87	Peak	203.00	400	Horizontal	Pass
4**	7382.000	43.96	0.53	54.0	10.04	AV	203.00	400	Horizontal	Pass
5	11140.700	51.37	-0.96	74.0	22.63	Peak	198.00	150	Horizontal	Pass
5**	11140.700	43.09	-0.96	54.0	10.91	AV	198.00	150	Horizontal	Pass
6	15782.925	51.38	-0.53	74.0	22.62	Peak	103.00	100	Horizontal	Pass
6**	15782.925	41.81	-0.53	54.0	12.19	AV	103.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.400	42.23	-16.87	74.0	31.77	Peak	214.00	300	Vertical	Pass
1**	1494.400	34.20	-16.87	54.0	19.80	AV	214.00	300	Vertical	Pass
2	4380.750	48.01	-4.14	74.0	25.99	Peak	348.00	300	Vertical	Pass
2**	4380.750	39.39	-4.14	54.0	14.61	AV	348.00	300	Vertical	Pass
3	5657.750	100.60	-1.77	--	--	Peak	259.00	200	Vertical	N/A
3**	5657.750	92.47	-1.77	--	--	AV	259.00	200	Vertical	N/A
4	7546.750	53.37	1.60	74.0	20.63	Peak	52.00	100	Vertical	Pass
4**	7546.750	44.48	1.60	54.0	9.52	AV	52.00	100	Vertical	Pass
5	11072.775	51.85	-1.52	74.0	22.15	Peak	19.00	200	Vertical	Pass
5**	11072.775	41.97	-1.52	54.0	12.03	AV	19.00	200	Vertical	Pass
6	15748.537	51.62	0.35	74.0	22.38	Peak	159.00	200	Vertical	Pass
6**	15748.537	43.09	0.35	54.0	10.91	AV	159.00	200	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.000	40.51	-16.74	74.0	33.49	Peak	294.00	400	Horizontal	Pass
1**	1438.000	34.78	-16.74	54.0	19.22	AV	294.00	400	Horizontal	Pass
2	4356.250	48.28	-3.96	74.0	25.72	Peak	56.00	300	Horizontal	Pass
2**	4356.250	38.68	-3.96	54.0	15.32	AV	56.00	300	Horizontal	Pass
3	5502.000	102.38	-1.81	--	--	Peak	243.00	150	Horizontal	N/A
3**	5502.000	94.41	-1.81	--	--	AV	243.00	150	Horizontal	N/A
4	7482.250	53.12	1.49	74.0	20.88	Peak	147.00	200	Horizontal	Pass
4**	7482.250	44.69	1.49	54.0	9.31	AV	147.00	200	Horizontal	Pass
5	11401.950	52.14	-1.68	74.0	21.86	Peak	334.00	100	Horizontal	Pass
5**	11401.950	41.35	-1.68	54.0	12.65	AV	334.00	100	Horizontal	Pass
6	15728.062	51.82	0.07	74.0	22.18	Peak	236.00	400	Horizontal	Pass
6**	15728.062	42.88	0.07	54.0	11.12	AV	236.00	400	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.700	41.75	-16.61	74.0	32.25	Peak	213.00	300	Vertical	Pass
1**	1499.700	30.86	-16.61	54.0	23.14	AV	213.00	300	Vertical	Pass
2	4267.250	48.10	-3.57	74.0	25.90	Peak	201.00	400	Vertical	Pass
2**	4267.250	38.73	-3.57	54.0	15.27	AV	201.00	400	Vertical	Pass
3	5493.000	103.88	-1.31	--	--	Peak	35.00	150	Vertical	N/A
3**	5493.000	95.77	-1.31	--	--	AV	35.00	150	Vertical	N/A
4	7526.500	52.93	2.01	74.0	21.07	Peak	6.00	300	Vertical	Pass
4**	7526.500	43.94	2.01	54.0	10.06	AV	6.00	300	Vertical	Pass
5	11189.151	51.25	-1.61	74.0	22.75	Peak	308.00	150	Vertical	Pass
5**	11189.151	42.34	-1.61	54.0	11.66	AV	308.00	150	Vertical	Pass
6	15748.275	51.93	0.35	74.0	22.07	Peak	287.00	100	Vertical	Pass
6**	15748.275	42.91	0.35	54.0	11.09	AV	287.00	100	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.600	40.79	-16.75	74.0	33.21	Peak	188.00	300	Horizontal	Pass
1**	1437.600	33.24	-16.75	54.0	20.76	AV	188.00	300	Horizontal	Pass
2	4355.250	47.65	-3.99	74.0	26.35	Peak	60.00	400	Horizontal	Pass
2**	4355.250	39.07	-3.99	54.0	14.93	AV	60.00	400	Horizontal	Pass
3	5583.000	102.57	-1.17	--	--	Peak	260.00	200	Horizontal	N/A
3**	5583.000	95.33	-1.17	--	--	AV	260.00	200	Horizontal	N/A
4	7450.750	53.09	1.16	74.0	20.91	Peak	360.00	200	Horizontal	Pass
4**	7450.750	44.00	1.16	54.0	10.00	AV	360.00	200	Horizontal	Pass
5	11127.400	51.62	-0.98	74.0	22.38	Peak	62.00	200	Horizontal	Pass
5**	11127.400	41.77	-0.98	54.0	12.23	AV	62.00	200	Horizontal	Pass
6	15748.537	51.44	0.35	74.0	22.56	Peak	113.00	200	Horizontal	Pass
6**	15748.537	42.99	0.35	54.0	11.01	AV	113.00	200	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.700	42.61	-16.86	74.0	31.39	Peak	215.00	400	Vertical	Pass
1**	1494.700	29.54	-16.86	54.0	24.46	AV	215.00	400	Vertical	Pass
2	4329.500	48.69	-4.34	74.0	25.31	Peak	245.00	100	Vertical	Pass
2**	4329.500	38.99	-4.34	54.0	15.01	AV	245.00	100	Vertical	Pass
3	5586.000	103.30	-1.27	--	--	Peak	23.00	150	Vertical	N/A
3**	5586.000	95.46	-1.27	--	--	AV	23.00	150	Vertical	N/A
4	7515.500	53.49	2.01	74.0	20.51	Peak	182.00	100	Vertical	Pass
4**	7515.500	43.79	2.01	54.0	10.21	AV	182.00	100	Vertical	Pass
5	11166.113	51.77	-1.22	74.0	22.23	Peak	264.00	150	Vertical	Pass
5**	11166.113	42.12	-1.22	54.0	11.88	AV	264.00	150	Vertical	Pass
6	15749.588	52.59	0.37	74.0	21.41	Peak	240.00	400	Vertical	Pass
6**	15749.588	42.65	0.37	54.0	11.35	AV	240.00	400	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.800	40.62	-16.75	74.0	33.38	Peak	186.00	300	Horizontal	Pass
1**	1437.800	37.72	-16.75	54.0	16.28	AV	186.00	300	Horizontal	Pass
2	4388.500	48.36	-4.09	74.0	25.64	Peak	235.00	400	Horizontal	Pass
2**	4388.500	39.43	-4.09	54.0	14.57	AV	235.00	400	Horizontal	Pass
3	5695.750	98.93	-1.68	--	--	Peak	254.00	200	Horizontal	N/A
3**	5695.750	91.04	-1.68	--	--	AV	254.00	200	Horizontal	N/A
4	7350.000	53.36	0.94	74.0	20.64	Peak	55.00	100	Horizontal	Pass
4**	7350.000	43.86	0.94	54.0	10.14	AV	55.00	100	Horizontal	Pass
5	11139.750	51.60	-0.96	74.0	22.40	Peak	28.00	100	Horizontal	Pass
5**	11139.750	42.87	-0.96	54.0	11.13	AV	28.00	100	Horizontal	Pass
6	15758.250	51.74	0.15	74.0	22.26	Peak	315.00	200	Horizontal	Pass
6**	15758.250	42.43	0.15	54.0	11.57	AV	315.00	200	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.900	42.87	-16.60	74.0	31.13	Peak	222.00	200	Vertical	Pass
1**	1498.900	33.84	-16.60	54.0	20.16	AV	222.00	200	Vertical	Pass
2	4309.750	47.99	-4.18	74.0	26.01	Peak	335.00	300	Vertical	Pass
2**	4309.750	38.47	-4.18	54.0	15.53	AV	335.00	300	Vertical	Pass
3	5704.000	101.07	-1.54	--	--	Peak	272.00	100	Vertical	N/A
3**	5704.000	93.60	-1.54	--	--	AV	272.00	100	Vertical	N/A
4	7743.000	53.18	1.24	74.0	20.82	Peak	58.00	100	Vertical	Pass
4**	7743.000	43.70	1.24	54.0	10.30	AV	58.00	100	Vertical	Pass
5	11077.763	51.46	-1.42	74.0	22.54	Peak	327.00	100	Vertical	Pass
5**	11077.763	42.47	-1.42	54.0	11.53	AV	327.00	100	Vertical	Pass
6	15757.200	51.78	0.18	74.0	22.22	Peak	203.00	400	Vertical	Pass
6**	15757.200	43.08	0.18	54.0	10.92	AV	203.00	400	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.500	40.93	-16.73	74.0	33.07	Peak	185.00	400	Horizontal	Pass
1**	1438.500	34.49	-16.73	54.0	19.51	AV	185.00	400	Horizontal	Pass
2	4332.250	49.05	-4.29	74.0	24.95	Peak	280.00	400	Horizontal	Pass
2**	4332.250	39.82	-4.29	54.0	14.18	AV	280.00	400	Horizontal	Pass
3	5515.250	99.31	-1.97	--	--	Peak	261.00	100	Horizontal	N/A
3**	5515.250	91.42	-1.97	--	--	AV	261.00	100	Horizontal	N/A
4	7496.500	53.76	1.22	74.0	20.24	Peak	0.00	300	Horizontal	Pass
4**	7496.500	44.72	1.22	54.0	9.28	AV	0.00	300	Horizontal	Pass
5	10720.326	52.09	-2.12	74.0	21.91	Peak	0.00	150	Horizontal	Pass
5**	10720.326	41.77	-2.12	54.0	12.23	AV	0.00	150	Horizontal	Pass
6	15737.775	52.01	0.21	74.0	21.99	Peak	360.00	100	Horizontal	Pass
6**	15737.775	42.47	0.21	54.0	11.53	AV	360.00	100	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.400	41.61	-16.82	74.0	32.39	Peak	218.00	100	Vertical	Pass
1**	1495.400	33.87	-16.82	54.0	20.13	AV	218.00	100	Vertical	Pass
2	4318.250	49.24	-3.97	74.0	24.76	Peak	138.00	400	Vertical	Pass
2**	4318.250	38.86	-3.97	54.0	15.14	AV	138.00	400	Vertical	Pass
3	5507.250	100.33	-2.01	--	--	Peak	272.00	200	Vertical	N/A
3**	5507.250	92.88	-2.01	--	--	AV	272.00	200	Vertical	N/A
4	7537.750	52.79	2.13	74.0	21.21	Peak	327.00	100	Vertical	Pass
4**	7537.750	44.05	2.13	54.0	9.95	AV	327.00	100	Vertical	Pass
5	11138.326	51.31	-0.96	74.0	22.69	Peak	164.00	100	Vertical	Pass
5**	11138.326	43.42	-0.96	54.0	10.58	AV	164.00	100	Vertical	Pass
6	15733.313	52.20	0.14	74.0	21.80	Peak	135.00	400	Vertical	Pass
6**	15733.313	42.15	0.14	54.0	11.85	AV	135.00	400	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.500	40.80	-16.75	74.0	33.20	Peak	188.00	300	Horizontal	Pass
1**	1437.500	34.12	-16.75	54.0	19.88	AV	188.00	300	Horizontal	Pass
2	4381.750	47.69	-4.12	74.0	26.31	Peak	233.00	100	Horizontal	Pass
2**	4381.750	38.33	-4.12	54.0	15.67	AV	233.00	100	Horizontal	Pass
3	5594.000	100.07	-1.59	--	--	Peak	261.00	200	Horizontal	N/A
3**	5594.000	92.92	-1.59	--	--	AV	261.00	200	Horizontal	N/A
4	7742.000	53.28	1.43	74.0	20.72	Peak	171.00	100	Horizontal	Pass
4**	7742.000	43.53	1.43	54.0	10.47	AV	171.00	100	Horizontal	Pass
5	11134.050	51.39	-0.97	74.0	22.61	Peak	302.00	200	Horizontal	Pass
5**	11134.050	42.86	-0.97	54.0	11.14	AV	302.00	200	Horizontal	Pass
6	15771.375	51.55	-0.21	74.0	22.45	Peak	60.00	100	Horizontal	Pass
6**	15771.375	42.53	-0.21	54.0	11.47	AV	60.00	100	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.100	42.45	-16.89	74.0	31.55	Peak	215.00	300	Vertical	Pass
1**	1494.100	29.03	-16.89	54.0	24.97	AV	215.00	300	Vertical	Pass
2	4360.750	48.13	-4.03	74.0	25.87	Peak	138.00	100	Vertical	Pass
2**	4360.750	38.83	-4.03	54.0	15.17	AV	138.00	100	Vertical	Pass
3	5581.500	100.70	-1.13	--	--	Peak	272.00	150	Vertical	N/A
3**	5581.500	93.07	-1.13	--	--	AV	272.00	150	Vertical	N/A
4	7537.000	53.27	2.17	74.0	20.73	Peak	103.00	400	Vertical	Pass
4**	7537.000	44.10	2.17	54.0	9.90	AV	103.00	400	Vertical	Pass
5	11094.388	51.77	-1.11	74.0	22.23	Peak	135.00	150	Vertical	Pass
5**	11094.388	41.18	-1.11	54.0	12.82	AV	135.00	150	Vertical	Pass
6	15728.850	51.83	0.08	74.0	22.17	Peak	352.00	300	Vertical	Pass
6**	15728.850	42.52	0.08	54.0	11.48	AV	352.00	300	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.800	39.23	-16.75	74.0	34.77	Peak	186.00	300	Horizontal	Pass
1**	1437.800	32.55	-16.75	54.0	21.45	AV	186.00	300	Horizontal	Pass
2	4315.000	48.25	-3.98	74.0	25.75	Peak	194.00	300	Horizontal	Pass
2**	4315.000	38.47	-3.98	54.0	15.53	AV	194.00	300	Horizontal	Pass
3	5665.250	96.75	-1.67	--	--	Peak	266.00	100	Horizontal	N/A
3**	5665.250	88.92	-1.67	--	--	AV	266.00	100	Horizontal	N/A
4	7521.250	53.40	2.20	74.0	20.60	Peak	230.00	300	Horizontal	Pass
4**	7521.250	44.25	2.20	54.0	9.75	AV	230.00	300	Horizontal	Pass
5	11156.612	51.99	-1.06	74.0	22.01	Peak	0.00	100	Horizontal	Pass
5**	11156.612	43.24	-1.06	54.0	10.76	AV	0.00	100	Horizontal	Pass
6	15751.687	51.44	0.33	74.0	22.56	Peak	267.00	300	Horizontal	Pass
6**	15751.687	43.07	0.33	54.0	10.93	AV	267.00	300	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.600	41.40	-16.86	74.0	32.60	Peak	215.00	300	Vertical	Pass
1**	1494.600	30.25	-16.86	54.0	23.75	AV	215.00	300	Vertical	Pass
2	4296.250	48.34	-3.98	74.0	25.66	Peak	165.00	100	Vertical	Pass
2**	4296.250	38.92	-3.98	54.0	15.08	AV	165.00	100	Vertical	Pass
3	5661.250	98.51	-1.84	--	--	Peak	23.00	150	Vertical	N/A
3**	5661.250	91.01	-1.84	--	--	AV	23.00	150	Vertical	N/A
4	7500.500	53.39	0.99	74.0	20.61	Peak	69.00	100	Vertical	Pass
4**	7500.500	44.40	0.99	54.0	9.60	AV	69.00	100	Vertical	Pass
5	10737.424	51.34	-1.84	74.0	22.66	Peak	291.00	100	Vertical	Pass
5**	10737.424	41.73	-1.84	54.0	12.27	AV	291.00	100	Vertical	Pass
6	15746.175	51.78	0.32	74.0	22.22	Peak	228.00	300	Vertical	Pass
6**	15746.175	44.02	0.32	54.0	9.98	AV	228.00	300	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.000	40.52	-16.74	74.0	33.48	Peak	191.00	200	Horizontal	Pass
1**	1438.000	34.91	-16.74	54.0	19.09	AV	191.00	200	Horizontal	Pass
2	4267.500	48.40	-3.60	74.0	25.60	Peak	298.00	400	Horizontal	Pass
2**	4267.500	39.15	-3.60	54.0	14.85	AV	298.00	400	Horizontal	Pass
3	5543.000	97.13	-1.42	--	--	Peak	262.00	100	Horizontal	N/A
3**	5543.000	89.65	-1.42	--	--	AV	262.00	100	Horizontal	N/A
4	7528.750	53.28	2.21	74.0	20.72	Peak	101.00	400	Horizontal	Pass
4**	7528.750	44.45	2.21	54.0	9.55	AV	101.00	400	Horizontal	Pass
5	11067.312	53.03	-1.62	74.0	20.97	Peak	227.00	150	Horizontal	Pass
5**	11067.312	42.28	-1.62	54.0	11.72	AV	227.00	150	Horizontal	Pass
6	15760.088	51.23	0.10	74.0	22.77	Peak	139.00	200	Horizontal	Pass
6**	15760.088	42.78	0.10	54.0	11.22	AV	139.00	200	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.200	41.13	-16.68	74.0	32.87	Peak	229.00	300	Vertical	Pass
1**	1497.200	32.57	-16.68	54.0	21.43	AV	229.00	300	Vertical	Pass
2	4334.750	48.26	-4.19	74.0	25.74	Peak	120.00	100	Vertical	Pass
2**	4334.750	39.20	-4.19	54.0	14.80	AV	120.00	100	Vertical	Pass
3	5531.000	97.38	-1.46	--	--	Peak	40.00	200	Vertical	N/A
3**	5531.000	88.70	-1.46	--	--	AV	40.00	200	Vertical	N/A
4	7516.500	53.39	2.04	74.0	20.61	Peak	67.00	200	Vertical	Pass
4**	7516.500	44.67	2.04	54.0	9.33	AV	67.00	200	Vertical	Pass
5	11138.562	51.48	-0.96	74.0	22.52	Peak	252.00	100	Vertical	Pass
5**	11138.562	42.67	-0.96	54.0	11.33	AV	252.00	100	Vertical	Pass
6	15757.725	51.55	0.16	74.0	22.45	Peak	252.00	100	Vertical	Pass
6**	15757.725	42.23	0.16	54.0	11.77	AV	252.00	100	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.100	39.92	-16.74	74.0	34.08	Peak	191.00	300	Horizontal	Pass
1**	1438.100	35.27	-16.74	54.0	18.73	AV	191.00	300	Horizontal	Pass
2	4314.250	48.05	-3.94	74.0	25.95	Peak	0.00	400	Horizontal	Pass
2**	4314.250	38.61	-3.94	54.0	15.39	AV	0.00	400	Horizontal	Pass
3	5600.500	96.36	-1.43	--	--	Peak	266.00	100	Horizontal	N/A
3**	5600.500	88.65	-1.43	--	--	AV	266.00	100	Horizontal	N/A
4	7741.000	53.34	1.50	74.0	20.66	Peak	320.00	300	Horizontal	Pass
4**	7741.000	43.51	1.50	54.0	10.49	AV	320.00	300	Horizontal	Pass
5	11138.326	51.64	-0.96	74.0	22.36	Peak	315.00	150	Horizontal	Pass
5**	11138.326	42.47	-0.96	54.0	11.53	AV	315.00	150	Horizontal	Pass
6	15730.162	51.84	0.10	74.0	22.16	Peak	74.00	100	Horizontal	Pass
6**	15730.162	42.38	0.10	54.0	11.62	AV	74.00	100	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.800	41.73	-16.57	74.0	32.27	Peak	268.00	100	Vertical	Pass
1**	1537.800	35.43	-16.57	54.0	18.57	AV	268.00	100	Vertical	Pass
2	4166.250	48.32	-4.69	74.0	25.68	Peak	0.00	300	Vertical	Pass
2**	4166.250	39.62	-4.69	54.0	14.38	AV	0.00	300	Vertical	Pass
3	5623.000	96.51	-1.49	--	--	Peak	269.00	100	Vertical	N/A
3**	5623.000	88.22	-1.49	--	--	AV	269.00	100	Vertical	N/A
4	7502.250	53.54	1.00	74.0	20.46	Peak	104.00	300	Vertical	Pass
4**	7502.250	44.07	1.00	54.0	9.93	AV	104.00	300	Vertical	Pass
5	11148.300	51.68	-0.95	74.0	22.32	Peak	99.00	150	Vertical	Pass
5**	11148.300	42.01	-0.95	54.0	11.99	AV	99.00	150	Vertical	Pass
6	15774.788	51.58	-0.30	74.0	22.42	Peak	242.00	200	Vertical	Pass
6**	15774.788	42.24	-0.30	54.0	11.76	AV	242.00	200	Vertical	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.100	39.97	-16.74	74.0	34.03	Peak	295.00	400	Horizontal	Pass
1**	1438.100	34.64	-16.74	54.0	19.36	AV	295.00	400	Horizontal	Pass
2	4261.250	48.35	-3.96	74.0	25.65	Peak	115.00	100	Horizontal	Pass
2**	4261.250	38.25	-3.96	54.0	15.75	AV	115.00	100	Horizontal	Pass
3	5598.000	93.92	-1.30	--	--	Peak	249.00	150	Horizontal	N/A
3**	5598.000	86.26	-1.30	--	--	AV	249.00	150	Horizontal	N/A
4	7489.000	53.56	1.40	74.0	20.44	Peak	268.00	400	Horizontal	Pass
4**	7489.000	43.74	1.40	54.0	10.26	AV	268.00	400	Horizontal	Pass
5	10717.950	52.56	-2.15	74.0	21.44	Peak	183.00	100	Horizontal	Pass
5**	10717.950	42.14	-2.15	54.0	11.86	AV	183.00	100	Horizontal	Pass
6	15720.450	52.00	-0.03	74.0	22.00	Peak	339.00	400	Horizontal	Pass
6**	15720.450	42.57	-0.03	54.0	11.43	AV	339.00	400	Horizontal	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.700	41.42	-16.64	74.0	32.58	Peak	208.00	400	Vertical	Pass
1**	1497.700	31.96	-16.64	54.0	22.04	AV	208.00	400	Vertical	Pass
2	4377.000	48.33	-4.09	74.0	25.67	Peak	220.00	200	Vertical	Pass
2**	4377.000	38.32	-4.09	54.0	15.68	AV	220.00	200	Vertical	Pass
3	5597.250	94.88	-1.24	--	--	Peak	266.00	200	Vertical	N/A
3**	5597.250	86.63	-1.24	--	--	AV	266.00	200	Vertical	N/A
4	7712.250	54.17	1.90	74.0	19.83	Peak	212.00	200	Vertical	Pass
4**	7712.250	43.57	1.90	54.0	10.43	AV	212.00	200	Vertical	Pass
5	10841.687	51.70	-2.02	74.0	22.30	Peak	133.00	150	Vertical	Pass
5**	10841.687	42.90	-2.02	54.0	11.10	AV	133.00	150	Vertical	Pass
6	15747.488	51.69	0.34	74.0	22.31	Peak	275.00	200	Vertical	Pass
6**	15747.488	42.60	0.34	54.0	11.40	AV	275.00	200	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.600	40.36	-16.73	74.0	33.64	Peak	190.00	400	Horizontal	Pass
1**	1438.600	32.33	-16.73	54.0	21.67	AV	190.00	400	Horizontal	Pass
2	4333.750	47.90	-4.26	74.0	26.10	Peak	124.00	200	Horizontal	Pass
2**	4333.750	38.77	-4.26	54.0	15.23	AV	124.00	200	Horizontal	Pass
3	5506.000	101.44	-1.99	--	--	Peak	214.00	150	Horizontal	N/A
3**	5506.000	92.55	-1.99	--	--	AV	214.00	150	Horizontal	N/A
4	7511.500	53.65	1.69	74.0	20.35	Peak	115.00	100	Horizontal	Pass
4**	7511.500	44.00	1.69	54.0	10.00	AV	115.00	100	Horizontal	Pass
5	11152.575	51.75	-0.99	74.0	22.25	Peak	145.00	100	Horizontal	Pass
5**	11152.575	41.85	-0.99	54.0	12.15	AV	145.00	100	Horizontal	Pass
6	15748.013	51.90	0.35	74.0	22.10	Peak	42.00	300	Horizontal	Pass
6**	15748.013	42.95	0.35	54.0	11.05	AV	42.00	300	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.200	41.68	-16.54	74.0	32.32	Peak	266.00	100	Vertical	Pass
1**	1537.200	34.97	-16.54	54.0	19.03	AV	266.00	100	Vertical	Pass
2	4354.750	48.16	-4.00	74.0	25.84	Peak	0.00	200	Vertical	Pass
2**	4354.750	39.87	-4.00	54.0	14.13	AV	0.00	200	Vertical	Pass
3	5502.500	104.43	-1.87	--	--	Peak	257.00	200	Vertical	N/A
3**	5502.500	96.45	-1.87	--	--	AV	257.00	200	Vertical	N/A
4	7534.000	53.81	2.27	74.0	20.19	Peak	222.00	300	Vertical	Pass
4**	7534.000	44.14	2.27	54.0	9.86	AV	222.00	300	Vertical	Pass
5	11133.100	52.61	-0.97	74.0	21.39	Peak	324.00	150	Vertical	Pass
5**	11133.100	42.48	-0.97	54.0	11.52	AV	324.00	150	Vertical	Pass
6	15744.600	51.50	0.30	74.0	22.50	Peak	133.00	300	Vertical	Pass
6**	15744.600	42.72	0.30	54.0	11.28	AV	133.00	300	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.300	40.05	-16.73	74.0	33.95	Peak	186.00	200	Horizontal	Pass
1**	1438.300	33.41	-16.73	54.0	20.59	AV	186.00	200	Horizontal	Pass
2	4313.000	47.74	-3.97	74.0	26.26	Peak	211.00	200	Horizontal	Pass
2**	4313.000	39.00	-3.97	54.0	15.00	AV	211.00	200	Horizontal	Pass
3	5578.750	103.04	-1.17	--	--	Peak	247.00	150	Horizontal	N/A
3**	5578.750	94.22	-1.17	--	--	AV	247.00	150	Horizontal	N/A
4	7472.250	53.39	1.88	74.0	20.61	Peak	220.00	400	Horizontal	Pass
4**	7472.250	44.20	1.88	54.0	9.80	AV	220.00	400	Horizontal	Pass
5	10736.713	51.87	-1.86	74.0	22.13	Peak	196.00	200	Horizontal	Pass
5**	10736.713	41.63	-1.86	54.0	12.37	AV	196.00	200	Horizontal	Pass
6	15743.813	52.09	0.29	74.0	21.91	Peak	261.00	100	Horizontal	Pass
6**	15743.813	42.35	0.29	54.0	11.65	AV	261.00	100	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.600	42.32	-16.86	74.0	31.68	Peak	222.00	300	Vertical	Pass
1**	1494.600	30.21	-16.86	54.0	23.79	AV	222.00	300	Vertical	Pass
2	4364.000	48.20	-4.01	74.0	25.80	Peak	251.00	100	Vertical	Pass
2**	4364.000	38.64	-4.01	54.0	15.36	AV	251.00	100	Vertical	Pass
3	5577.500	104.16	-1.24	--	--	Peak	259.00	100	Vertical	N/A
3**	5577.500	94.50	-1.24	--	--	AV	259.00	100	Vertical	N/A
4	7511.750	53.18	1.68	74.0	20.82	Peak	215.00	300	Vertical	Pass
4**	7511.750	44.77	1.68	54.0	9.23	AV	215.00	300	Vertical	Pass
5	11134.763	51.94	-0.97	74.0	22.06	Peak	59.00	100	Vertical	Pass
5**	11134.763	42.61	-0.97	54.0	11.39	AV	59.00	100	Vertical	Pass
6	15754.575	51.68	0.25	74.0	22.32	Peak	79.00	100	Vertical	Pass
6**	15754.575	42.58	0.25	54.0	11.42	AV	79.00	100	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.000	40.26	-16.74	74.0	33.74	Peak	186.00	400	Horizontal	Pass
1**	1438.000	34.86	-16.74	54.0	19.14	AV	186.00	400	Horizontal	Pass
2	4309.000	48.58	-4.15	74.0	25.42	Peak	360.00	400	Horizontal	Pass
2**	4309.000	38.48	-4.15	54.0	15.52	AV	360.00	400	Horizontal	Pass
3	5700.750	99.38	-1.61	--	--	Peak	43.00	150	Horizontal	N/A
3**	5700.750	89.13	-1.61	--	--	AV	43.00	150	Horizontal	N/A
4	7712.250	53.07	1.90	74.0	20.93	Peak	52.00	200	Horizontal	Pass
4**	7712.250	44.09	1.90	54.0	9.91	AV	52.00	200	Horizontal	Pass
5	11138.562	51.49	-0.96	74.0	22.51	Peak	0.00	200	Horizontal	Pass
5**	11138.562	42.67	-0.96	54.0	11.33	AV	0.00	200	Horizontal	Pass
6	15745.651	52.02	0.31	74.0	21.98	Peak	183.00	100	Horizontal	Pass
6**	15745.651	42.33	0.31	54.0	11.67	AV	183.00	100	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.500	41.39	-16.60	74.0	32.61	Peak	215.00	100	Vertical	Pass
1**	1498.500	31.04	-16.60	54.0	22.96	AV	215.00	100	Vertical	Pass
2	4267.500	48.26	-3.60	74.0	25.74	Peak	337.00	300	Vertical	Pass
2**	4267.500	38.64	-3.60	54.0	15.36	AV	337.00	300	Vertical	Pass
3	5705.250	102.04	-1.49	--	--	Peak	257.00	150	Vertical	N/A
3**	5705.250	91.23	-1.49	--	--	AV	257.00	150	Vertical	N/A
4	7564.000	53.37	1.20	74.0	20.63	Peak	320.00	400	Vertical	Pass
4**	7564.000	43.84	1.20	54.0	10.16	AV	320.00	400	Vertical	Pass
5	11176.800	51.24	-1.40	74.0	22.76	Peak	84.00	200	Vertical	Pass
5**	11176.800	42.85	-1.40	54.0	11.15	AV	84.00	200	Vertical	Pass
6	15783.451	51.61	-0.54	74.0	22.39	Peak	94.00	300	Vertical	Pass
6**	15783.451	41.65	-0.54	54.0	12.35	AV	94.00	300	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.600	40.49	-16.75	74.0	33.51	Peak	188.00	400	Horizontal	Pass
1**	1437.600	34.89	-16.75	54.0	19.11	AV	188.00	400	Horizontal	Pass
2	4395.500	48.95	-4.06	74.0	25.05	Peak	285.00	100	Horizontal	Pass
2**	4395.500	39.27	-4.06	54.0	14.73	AV	285.00	100	Horizontal	Pass
3	5512.000	99.62	-1.99	--	--	Peak	240.00	200	Horizontal	N/A
3**	5512.000	91.40	-1.99	--	--	AV	240.00	200	Horizontal	N/A
4	7539.750	53.22	2.10	74.0	20.78	Peak	319.00	200	Horizontal	Pass
4**	7539.750	43.88	2.10	54.0	10.12	AV	319.00	200	Horizontal	Pass
5	11127.162	51.54	-0.98	74.0	22.46	Peak	181.00	100	Horizontal	Pass
5**	11127.162	42.44	-0.98	54.0	11.56	AV	181.00	100	Horizontal	Pass
6	15749.850	51.67	0.37	74.0	22.33	Peak	222.00	100	Horizontal	Pass
6**	15749.850	42.72	0.37	54.0	11.28	AV	222.00	100	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.600	41.89	-16.88	74.0	32.11	Peak	225.00	200	Vertical	Pass
1**	1493.600	32.87	-16.88	54.0	21.13	AV	225.00	200	Vertical	Pass
2	4213.000	47.76	-4.74	74.0	26.24	Peak	142.00	300	Vertical	Pass
2**	4213.000	38.51	-4.74	54.0	15.49	AV	142.00	300	Vertical	Pass
3	5496.000	100.20	-1.49	--	--	Peak	276.00	200	Vertical	N/A
3**	5496.000	91.40	-1.49	--	--	AV	276.00	200	Vertical	N/A
4	7512.750	53.18	1.76	74.0	20.82	Peak	213.00	300	Vertical	Pass
4**	7512.750	43.87	1.76	54.0	10.13	AV	213.00	300	Vertical	Pass
5	11122.413	51.92	-0.98	74.0	22.08	Peak	235.00	150	Vertical	Pass
5**	11122.413	42.99	-0.98	54.0	11.01	AV	235.00	150	Vertical	Pass
6	15734.362	51.70	0.16	74.0	22.30	Peak	67.00	400	Vertical	Pass
6**	15734.362	42.19	0.16	54.0	11.81	AV	67.00	400	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.300	40.27	-16.73	74.0	33.73	Peak	184.00	200	Horizontal	Pass
1**	1438.300	33.25	-16.73	54.0	20.75	AV	184.00	200	Horizontal	Pass
2	4330.500	47.83	-4.25	74.0	26.17	Peak	347.00	400	Horizontal	Pass
2**	4330.500	39.15	-4.25	54.0	14.85	AV	347.00	400	Horizontal	Pass
3	5583.500	99.25	-1.17	--	--	Peak	251.00	200	Horizontal	N/A
3**	5583.500	90.78	-1.17	--	--	AV	251.00	200	Horizontal	N/A
4	7491.250	53.44	1.25	74.0	20.56	Peak	234.00	200	Horizontal	Pass
4**	7491.250	44.25	1.25	54.0	9.75	AV	234.00	200	Horizontal	Pass
5	10726.500	51.14	-2.02	74.0	22.86	Peak	128.00	200	Horizontal	Pass
5**	10726.500	41.74	-2.02	54.0	12.26	AV	128.00	200	Horizontal	Pass
6	15762.713	51.39	0.03	74.0	22.61	Peak	104.00	200	Horizontal	Pass
6**	15762.713	42.53	0.03	54.0	11.47	AV	104.00	200	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.300	42.04	-16.61	74.0	31.96	Peak	212.00	200	Vertical	Pass
1**	1500.300	29.18	-16.61	54.0	24.82	AV	212.00	200	Vertical	Pass
2	4336.250	47.85	-4.13	74.0	26.15	Peak	149.00	200	Vertical	Pass
2**	4336.250	39.64	-4.13	54.0	14.36	AV	149.00	200	Vertical	Pass
3	5588.500	100.62	-1.41	--	--	Peak	252.00	200	Vertical	N/A
3**	5588.500	91.28	-1.41	--	--	AV	252.00	200	Vertical	N/A
4	7483.000	53.84	1.48	74.0	20.16	Peak	113.00	400	Vertical	Pass
4**	7483.000	44.19	1.48	54.0	9.81	AV	113.00	400	Vertical	Pass
5	11376.538	51.12	-1.75	74.0	22.88	Peak	152.00	100	Vertical	Pass
5**	11376.538	41.63	-1.75	54.0	12.37	AV	152.00	100	Vertical	Pass
6	15755.625	51.19	0.22	74.0	22.81	Peak	57.00	100	Vertical	Pass
6**	15755.625	43.25	0.22	54.0	10.75	AV	57.00	100	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.000	39.95	-16.74	74.0	34.05	Peak	184.00	300	Horizontal	Pass
1**	1438.000	34.80	-16.74	54.0	19.20	AV	184.00	300	Horizontal	Pass
2	4276.500	47.85	-4.20	74.0	26.15	Peak	13.00	200	Horizontal	Pass
2**	4276.500	38.59	-4.20	54.0	15.41	AV	13.00	200	Horizontal	Pass
3	5654.750	97.40	-1.60	--	--	Peak	242.00	100	Horizontal	N/A
3**	5654.750	88.51	-1.60	--	--	AV	242.00	100	Horizontal	N/A
4	7485.500	53.54	1.45	74.0	20.46	Peak	251.00	100	Horizontal	Pass
4**	7485.500	43.74	1.45	54.0	10.26	AV	251.00	100	Horizontal	Pass
5	11055.438	51.66	-1.84	74.0	22.34	Peak	247.00	100	Horizontal	Pass
5**	11055.438	42.29	-1.84	54.0	11.71	AV	247.00	100	Horizontal	Pass
6	15753.787	51.00	0.27	74.0	23.00	Peak	206.00	150	Horizontal	Pass
6**	15753.787	42.41	0.27	54.0	11.59	AV	206.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.800	40.95	-16.61	74.0	33.05	Peak	227.00	400	Vertical	Pass
1**	1499.800	31.85	-16.61	54.0	22.15	AV	227.00	400	Vertical	Pass
2	4324.750	48.41	-4.29	74.0	25.59	Peak	281.00	100	Vertical	Pass
2**	4324.750	39.18	-4.29	54.0	14.82	AV	281.00	100	Vertical	Pass
3	5661.750	98.68	-1.81	--	--	Peak	2.00	100	Vertical	N/A
3**	5661.750	89.45	-1.81	--	--	AV	2.00	100	Vertical	N/A
4	7501.500	52.70	1.00	74.0	21.30	Peak	0.00	150	Vertical	Pass
4**	7501.500	43.67	1.00	54.0	10.33	AV	0.00	150	Vertical	Pass
5	11149.250	51.12	-0.95	74.0	22.88	Peak	33.00	100	Vertical	Pass
5**	11149.250	42.50	-0.95	54.0	11.50	AV	33.00	100	Vertical	Pass
6	15746.700	51.09	0.33	74.0	22.91	Peak	87.00	100	Vertical	Pass
6**	15746.700	42.47	0.33	54.0	11.53	AV	87.00	100	Vertical	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.700	39.98	-16.75	74.0	34.02	Peak	186.00	100	Horizontal	Pass
1**	1437.700	34.34	-16.75	54.0	19.66	AV	186.00	100	Horizontal	Pass
2	4294.750	48.55	-3.96	74.0	25.45	Peak	126.00	200	Horizontal	Pass
2**	4294.750	38.67	-3.96	54.0	15.33	AV	126.00	200	Horizontal	Pass
3	5526.500	96.06	-1.60	--	--	Peak	247.00	150	Horizontal	N/A
3**	5526.500	88.02	-1.60	--	--	AV	247.00	150	Horizontal	N/A
4	7484.750	53.58	1.47	74.0	20.42	Peak	360.00	100	Horizontal	Pass
4**	7484.750	43.24	1.47	54.0	10.76	AV	360.00	100	Horizontal	Pass
5	11124.787	52.74	-0.98	74.0	21.26	Peak	48.00	150	Horizontal	Pass
5**	11124.787	42.56	-0.98	54.0	11.44	AV	48.00	150	Horizontal	Pass
6	15753.263	51.61	0.28	74.0	22.39	Peak	163.00	100	Horizontal	Pass
6**	15753.263	42.09	0.28	54.0	11.91	AV	163.00	100	Horizontal	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.000	41.29	-16.78	74.0	32.71	Peak	234.00	200	Vertical	Pass
1**	1496.000	33.95	-16.78	54.0	20.05	AV	234.00	200	Vertical	Pass
2	4212.250	48.34	-4.72	74.0	25.66	Peak	202.00	200	Vertical	Pass
2**	4212.250	37.61	-4.72	54.0	16.39	AV	202.00	200	Vertical	Pass
3	5533.750	98.51	-1.79	--	--	Peak	248.00	100	Vertical	N/A
3**	5533.750	89.35	-1.79	--	--	AV	248.00	100	Vertical	N/A
4	7485.000	53.91	1.46	74.0	20.09	Peak	156.00	400	Vertical	Pass
4**	7485.000	44.03	1.46	54.0	9.97	AV	156.00	400	Vertical	Pass
5	11137.138	51.35	-0.96	74.0	22.65	Peak	149.00	100	Vertical	Pass
5**	11137.138	43.12	-0.96	54.0	10.88	AV	149.00	100	Vertical	Pass
6	15754.838	51.47	0.24	74.0	22.53	Peak	108.00	300	Vertical	Pass
6**	15754.838	41.84	0.24	54.0	12.16	AV	108.00	300	Vertical	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.500	40.28	-16.75	74.0	33.72	Peak	183.00	300	Horizontal	Pass
1**	1437.500	34.58	-16.75	54.0	19.42	AV	183.00	300	Horizontal	Pass
2	4314.500	47.77	-3.95	74.0	26.23	Peak	176.00	300	Horizontal	Pass
2**	4314.500	39.39	-3.95	54.0	14.61	AV	176.00	300	Horizontal	Pass
3	5593.750	96.64	-1.60	--	--	Peak	247.00	100	Horizontal	N/A
3**	5593.750	86.76	-1.60	--	--	AV	247.00	100	Horizontal	N/A
4	7490.250	53.54	1.28	74.0	20.46	Peak	329.00	100	Horizontal	Pass
4**	7490.250	44.12	1.28	54.0	9.88	AV	329.00	100	Horizontal	Pass
5	11125.737	51.59	-0.98	74.0	22.41	Peak	317.00	150	Horizontal	Pass
5**	11125.737	42.36	-0.98	54.0	11.64	AV	317.00	150	Horizontal	Pass
6	15752.475	50.68	0.31	74.0	23.32	Peak	225.00	300	Horizontal	Pass
6**	15752.475	43.17	0.31	54.0	10.83	AV	225.00	300	Horizontal	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.800	42.34	-16.85	74.0	31.66	Peak	217.00	100	Vertical	Pass
1**	1494.800	29.40	-16.85	54.0	24.60	AV	217.00	100	Vertical	Pass
2	4267.000	47.83	-3.56	74.0	26.17	Peak	62.00	200	Vertical	Pass
2**	4267.000	38.62	-3.56	54.0	15.38	AV	62.00	200	Vertical	Pass
3	5579.750	97.47	-1.11	--	--	Peak	270.00	200	Vertical	N/A
3**	5579.750	87.56	-1.11	--	--	AV	270.00	200	Vertical	N/A
4	7381.500	53.32	0.50	74.0	20.68	Peak	225.00	200	Vertical	Pass
4**	7381.500	43.88	0.50	54.0	10.12	AV	225.00	200	Vertical	Pass
5	11166.113	51.81	-1.22	74.0	22.19	Peak	344.00	150	Vertical	Pass
5**	11166.113	42.20	-1.22	54.0	11.80	AV	344.00	150	Vertical	Pass
6	15741.975	52.53	0.26	74.0	21.47	Peak	30.00	300	Vertical	Pass
6**	15741.975	43.41	0.26	54.0	10.59	AV	30.00	300	Vertical	Pass

11ax160 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.700	40.67	-16.75	74.0	33.33	Peak	190.00	400	Horizontal	Pass
1**	1437.700	34.17	-16.75	54.0	19.83	AV	190.00	400	Horizontal	Pass
2	4217.500	47.88	-4.60	74.0	26.12	Peak	166.00	100	Horizontal	Pass
2**	4217.500	38.13	-4.60	54.0	15.87	AV	166.00	100	Horizontal	Pass
3	5601.000	95.06	-1.43	--	--	Peak	247.00	200	Horizontal	N/A
3**	5601.000	84.35	-1.43	--	--	AV	247.00	200	Horizontal	N/A
4	7483.000	53.02	1.48	74.0	20.98	Peak	58.00	400	Horizontal	Pass
4**	7483.000	44.22	1.48	54.0	9.78	AV	58.00	400	Horizontal	Pass
5	11071.112	51.32	-1.55	74.0	22.68	Peak	280.00	150	Horizontal	Pass
5**	11071.112	41.72	-1.55	54.0	12.28	AV	280.00	150	Horizontal	Pass
6	15735.151	51.29	0.17	74.0	22.71	Peak	165.00	100	Horizontal	Pass
6**	15735.151	42.00	0.17	54.0	12.00	AV	165.00	100	Horizontal	Pass

11ax160 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.200	41.35	-16.61	74.0	32.65	Peak	219.00	100	Vertical	Pass
1**	1499.200	33.83	-16.61	54.0	20.17	AV	219.00	100	Vertical	Pass
2	4368.000	48.86	-4.11	74.0	25.14	Peak	132.00	200	Vertical	Pass
2**	4368.000	38.30	-4.11	54.0	15.70	AV	132.00	200	Vertical	Pass
3	5573.500	95.66	-1.64	--	--	Peak	266.00	100	Vertical	N/A
3**	5573.500	86.33	-1.64	--	--	AV	266.00	100	Vertical	N/A
4	7492.750	53.35	1.26	74.0	20.65	Peak	0.00	400	Vertical	Pass
4**	7492.750	44.42	1.26	54.0	9.58	AV	0.00	400	Vertical	Pass
5	11134.050	51.49	-0.97	74.0	22.51	Peak	256.00	100	Vertical	Pass
5**	11134.050	42.99	-0.97	54.0	11.01	AV	256.00	100	Vertical	Pass
6	15760.874	51.17	0.08	74.0	22.83	Peak	3.00	400	Vertical	Pass
6**	15760.874	42.60	0.08	54.0	11.40	AV	3.00	400	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.300	40.17	-16.76	74.0	33.83	Peak	193.00	400	Horizontal	Pass
1**	1437.300	35.19	-16.76	54.0	18.81	AV	193.00	400	Horizontal	Pass
2	4307.250	48.28	-4.04	74.0	25.72	Peak	209.00	400	Horizontal	Pass
2**	4307.250	38.74	-4.04	54.0	15.26	AV	209.00	400	Horizontal	Pass
3	5746.250	101.80	-1.54	--	--	Peak	49.00	100	Horizontal	N/A
3**	5746.250	93.88	-1.54	--	--	AV	49.00	100	Horizontal	N/A
4	7521.500	53.69	2.22	74.0	20.31	Peak	182.00	200	Horizontal	Pass
4**	7521.500	45.35	2.22	54.0	8.65	AV	182.00	200	Horizontal	Pass
5	11128.350	51.58	-0.97	74.0	22.42	Peak	230.00	150	Horizontal	Pass
5**	11128.350	42.55	-0.97	54.0	11.45	AV	230.00	150	Horizontal	Pass
6	15748.799	51.41	0.36	74.0	22.59	Peak	33.00	150	Horizontal	Pass
6**	15748.799	43.35	0.36	54.0	10.65	AV	33.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.900	40.61	-16.63	74.0	33.39	Peak	139.00	400	Vertical	Pass
1**	1497.900	29.52	-16.63	54.0	24.48	AV	139.00	400	Vertical	Pass
2	4334.250	48.03	-4.22	74.0	25.97	Peak	162.00	100	Vertical	Pass
2**	4334.250	39.49	-4.22	54.0	14.51	AV	162.00	100	Vertical	Pass
3	5748.500	104.30	-1.58	--	--	Peak	18.00	100	Vertical	N/A
3**	5748.500	96.52	-1.58	--	--	AV	18.00	100	Vertical	N/A
4	7567.000	53.20	1.43	74.0	20.80	Peak	135.00	100	Vertical	Pass
4**	7567.000	43.86	1.43	54.0	10.14	AV	135.00	100	Vertical	Pass
5	11087.737	51.55	-1.24	74.0	22.45	Peak	167.00	100	Vertical	Pass
5**	11087.737	41.97	-1.24	54.0	12.03	AV	167.00	100	Vertical	Pass
6	15757.725	51.36	0.16	74.0	22.64	Peak	266.00	100	Vertical	Pass
6**	15757.725	42.44	0.16	54.0	11.56	AV	266.00	100	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.200	39.93	-16.74	74.0	34.07	Peak	183.00	100	Horizontal	Pass
1**	1438.200	35.03	-16.74	54.0	18.97	AV	183.00	100	Horizontal	Pass
2	4301.500	47.90	-4.02	74.0	26.10	Peak	13.00	400	Horizontal	Pass
2**	4301.500	39.10	-4.02	54.0	14.90	AV	13.00	400	Horizontal	Pass
3	5778.750	101.46	-1.36	--	--	Peak	30.00	100	Horizontal	N/A
3**	5778.750	94.17	-1.36	--	--	AV	30.00	100	Horizontal	N/A
4	7452.250	52.82	1.26	74.0	21.18	Peak	4.00	400	Horizontal	Pass
4**	7452.250	44.35	1.26	54.0	9.65	AV	4.00	400	Horizontal	Pass
5	10701.088	51.64	-2.42	74.0	22.36	Peak	82.00	100	Horizontal	Pass
5**	10701.088	42.00	-2.42	54.0	12.00	AV	82.00	100	Horizontal	Pass
6	15760.088	51.58	0.10	74.0	22.42	Peak	173.00	300	Horizontal	Pass
6**	15760.088	43.03	0.10	54.0	10.97	AV	173.00	300	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.200	40.51	-16.54	74.0	33.49	Peak	196.00	300	Vertical	Pass
1**	1537.200	35.73	-16.54	54.0	18.27	AV	196.00	300	Vertical	Pass
2	4352.250	48.13	-4.08	74.0	25.87	Peak	164.00	400	Vertical	Pass
2**	4352.250	39.09	-4.08	54.0	14.91	AV	164.00	400	Vertical	Pass
3	5783.250	104.08	-1.76	--	--	Peak	246.00	100	Vertical	N/A
3**	5783.250	95.19	-1.76	--	--	AV	246.00	100	Vertical	N/A
4	7521.750	53.06	2.24	74.0	20.94	Peak	99.00	400	Vertical	Pass
4**	7521.750	43.66	2.24	54.0	10.34	AV	99.00	400	Vertical	Pass
5	11062.799	51.44	-1.70	74.0	22.56	Peak	48.00	150	Vertical	Pass
5**	11062.799	42.11	-1.70	54.0	11.89	AV	48.00	150	Vertical	Pass
6	15720.450	51.51	-0.03	74.0	22.49	Peak	61.00	200	Vertical	Pass
6**	15720.450	43.07	-0.03	54.0	10.93	AV	61.00	200	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.300	41.18	-16.76	74.0	32.82	Peak	187.00	400	Horizontal	Pass
1**	1437.300	35.14	-16.76	54.0	18.86	AV	187.00	400	Horizontal	Pass
2	4312.750	47.91	-3.99	74.0	26.09	Peak	162.00	200	Horizontal	Pass
2**	4312.750	39.32	-3.99	54.0	14.68	AV	162.00	200	Horizontal	Pass
3	5818.250	101.45	-1.49	--	--	Peak	39.00	150	Horizontal	N/A
3**	5818.250	93.50	-1.49	--	--	AV	39.00	150	Horizontal	N/A
4	7537.000	53.73	2.17	74.0	20.27	Peak	65.00	400	Horizontal	Pass
4**	7537.000	44.28	2.17	54.0	9.72	AV	65.00	400	Horizontal	Pass
5	11204.588	51.39	-1.92	74.0	22.61	Peak	320.00	100	Horizontal	Pass
5**	11204.588	41.91	-1.92	54.0	12.09	AV	320.00	100	Horizontal	Pass
6	15757.987	52.42	0.16	74.0	21.58	Peak	360.00	200	Horizontal	Pass
6**	15757.987	42.44	0.16	54.0	11.56	AV	360.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.700	41.65	-16.86	74.0	32.35	Peak	212.00	300	Vertical	Pass
1**	1494.700	33.21	-16.86	54.0	20.79	AV	212.00	300	Vertical	Pass
2	4197.500	47.22	-4.51	74.0	26.78	Peak	273.00	150	Vertical	Pass
2**	4197.500	38.34	-4.51	54.0	15.66	AV	273.00	150	Vertical	Pass
3	5827.250	104.54	-1.61	--	--	Peak	0.00	100	Vertical	N/A
3**	5827.250	97.11	-1.61	--	--	AV	0.00	100	Vertical	N/A
4	7364.500	52.98	0.49	74.0	21.02	Peak	329.00	200	Vertical	Pass
4**	7364.500	43.22	0.49	54.0	10.78	AV	329.00	200	Vertical	Pass
5	11164.213	51.38	-1.19	74.0	22.62	Peak	8.00	100	Vertical	Pass
5**	11164.213	42.05	-1.19	54.0	11.95	AV	8.00	100	Vertical	Pass
6	15741.450	51.43	0.26	74.0	22.57	Peak	249.00	100	Vertical	Pass
6**	15741.450	42.23	0.26	54.0	11.77	AV	249.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.200	40.17	-16.76	74.0	33.83	Peak	192.00	300	Horizontal	Pass
1**	1437.200	31.99	-16.76	54.0	22.01	AV	192.00	300	Horizontal	Pass
2	4334.500	48.03	-4.20	74.0	25.97	Peak	172.00	200	Horizontal	Pass
2**	4334.500	38.97	-4.20	54.0	15.03	AV	172.00	200	Horizontal	Pass
3	5750.250	101.37	-1.32	--	--	Peak	48.00	150	Horizontal	N/A
3**	5750.250	93.98	-1.32	--	--	AV	48.00	150	Horizontal	N/A
4	7538.500	53.33	2.12	74.0	20.67	Peak	252.00	400	Horizontal	Pass
4**	7538.500	43.93	2.12	54.0	10.07	AV	252.00	400	Horizontal	Pass
5	11394.113	51.64	-1.68	74.0	22.36	Peak	0.00	200	Horizontal	Pass
5**	11394.113	41.97	-1.68	54.0	12.03	AV	0.00	200	Horizontal	Pass
6	15754.313	51.79	0.26	74.0	22.21	Peak	176.00	400	Horizontal	Pass
6**	15754.313	42.01	0.26	54.0	11.99	AV	176.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.800	41.46	-16.85	74.0	32.54	Peak	234.00	300	Vertical	Pass
1**	1494.800	29.20	-16.85	54.0	24.80	AV	234.00	300	Vertical	Pass
2	4336.000	48.26	-4.14	74.0	25.74	Peak	180.00	300	Vertical	Pass
2**	4336.000	40.46	-4.14	54.0	13.54	AV	180.00	300	Vertical	Pass
3	5743.500	103.72	-1.70	--	--	Peak	20.00	200	Vertical	N/A
3**	5743.500	96.53	-1.70	--	--	AV	20.00	200	Vertical	N/A
4	7475.000	53.21	1.97	74.0	20.79	Peak	10.00	400	Vertical	Pass
4**	7475.000	45.19	1.97	54.0	8.81	AV	10.00	400	Vertical	Pass
5	11145.213	52.21	-0.95	74.0	21.79	Peak	59.00	200	Vertical	Pass
5**	11145.213	42.39	-0.95	54.0	11.61	AV	59.00	200	Vertical	Pass
6	15727.275	51.74	0.06	74.0	22.26	Peak	41.00	300	Vertical	Pass
6**	15727.275	42.27	0.06	54.0	11.73	AV	41.00	300	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1473.700	40.30	-16.43	74.0	33.70	Peak	302.00	400	Horizontal	Pass
1**	1473.700	29.38	-16.43	54.0	24.62	AV	302.00	400	Horizontal	Pass
2	4024.000	48.04	-5.16	74.0	25.96	Peak	152.00	200	Horizontal	Pass
2**	4024.000	38.88	-5.16	54.0	15.12	AV	152.00	200	Horizontal	Pass
3	5790.750	101.12	-1.79	--	--	Peak	42.00	200	Horizontal	N/A
3**	5790.750	93.37	-1.79	--	--	AV	42.00	200	Horizontal	N/A
4	7613.000	53.24	1.18	74.0	20.76	Peak	96.00	100	Horizontal	Pass
4**	7613.000	43.34	1.18	54.0	10.66	AV	96.00	100	Horizontal	Pass
5	11174.187	52.05	-1.36	74.0	21.95	Peak	327.00	150	Horizontal	Pass
5**	11174.187	42.13	-1.36	54.0	11.87	AV	327.00	150	Horizontal	Pass
6	15761.662	51.43	0.05	74.0	22.57	Peak	162.00	200	Horizontal	Pass
6**	15761.662	42.72	0.05	54.0	11.28	AV	162.00	200	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.800	41.20	-16.60	74.0	32.80	Peak	205.00	300	Vertical	Pass
1**	1498.800	29.30	-16.60	54.0	24.70	AV	205.00	300	Vertical	Pass
2	4334.000	48.14	-4.24	74.0	25.86	Peak	311.00	100	Vertical	Pass
2**	4334.000	39.29	-4.24	54.0	14.71	AV	311.00	100	Vertical	Pass
3	5787.750	103.54	-1.74	--	--	Peak	355.00	100	Vertical	N/A
3**	5787.750	96.49	-1.74	--	--	AV	355.00	100	Vertical	N/A
4	7560.250	53.91	1.24	74.0	20.09	Peak	143.00	100	Vertical	Pass
4**	7560.250	45.81	1.24	54.0	8.19	AV	143.00	100	Vertical	Pass
5	11079.187	51.96	-1.40	74.0	22.04	Peak	193.00	200	Vertical	Pass
5**	11079.187	42.95	-1.40	54.0	11.05	AV	193.00	200	Vertical	Pass
6	15742.500	51.46	0.27	74.0	22.54	Peak	142.00	400	Vertical	Pass
6**	15742.500	42.50	0.27	54.0	11.50	AV	142.00	400	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.700	40.27	-16.75	74.0	33.73	Peak	188.00	300	Horizontal	Pass
1**	1437.700	33.90	-16.75	54.0	20.10	AV	188.00	300	Horizontal	Pass
2	4241.500	47.99	-4.50	74.0	26.01	Peak	302.00	100	Horizontal	Pass
2**	4241.500	38.25	-4.50	54.0	15.75	AV	302.00	100	Horizontal	Pass
3	5819.000	100.57	-1.49	--	--	Peak	36.00	150	Horizontal	N/A
3**	5819.000	92.94	-1.49	--	--	AV	36.00	150	Horizontal	N/A
4	7489.500	53.07	1.35	74.0	20.93	Peak	9.00	200	Horizontal	Pass
4**	7489.500	43.82	1.35	54.0	10.18	AV	9.00	200	Horizontal	Pass
5	11548.250	51.61	-2.48	74.0	22.39	Peak	0.00	100	Horizontal	Pass
5**	11548.250	40.71	-2.48	54.0	13.29	AV	0.00	100	Horizontal	Pass
6	15758.513	51.63	0.14	74.0	22.37	Peak	145.00	400	Horizontal	Pass
6**	15758.513	42.91	0.14	54.0	11.09	AV	145.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.700	41.20	-16.53	74.0	32.80	Peak	268.00	100	Vertical	Pass
1**	1536.700	34.12	-16.53	54.0	19.88	AV	268.00	100	Vertical	Pass
2	4026.500	47.99	-5.18	74.0	26.01	Peak	217.00	300	Vertical	Pass
2**	4026.500	38.65	-5.18	54.0	15.35	AV	217.00	300	Vertical	Pass
3	5826.500	104.40	-1.63	--	--	Peak	0.00	150	Vertical	N/A
3**	5826.500	96.67	-1.63	--	--	AV	0.00	150	Vertical	N/A
4	7535.500	53.20	2.28	74.0	20.80	Peak	346.00	100	Vertical	Pass
4**	7535.500	43.79	2.28	54.0	10.21	AV	346.00	100	Vertical	Pass
5	10827.437	51.55	-2.37	74.0	22.45	Peak	244.00	150	Vertical	Pass
5**	10827.437	41.41	-2.37	54.0	12.59	AV	244.00	150	Vertical	Pass
6	15753.787	51.26	0.27	74.0	22.74	Peak	3.00	200	Vertical	Pass
6**	15753.787	42.44	0.27	54.0	11.56	AV	3.00	200	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.200	39.94	-16.74	74.0	34.06	Peak	188.00	100	Horizontal	Pass
1**	1438.200	34.44	-16.74	54.0	19.56	AV	188.00	100	Horizontal	Pass
2	4394.500	48.40	-4.03	74.0	25.60	Peak	174.00	100	Horizontal	Pass
2**	4394.500	38.73	-4.03	54.0	15.27	AV	174.00	100	Horizontal	Pass
3	5760.500	97.47	-0.99	--	--	Peak	39.00	100	Horizontal	N/A
3**	5760.500	90.31	-0.99	--	--	AV	39.00	100	Horizontal	N/A
4	7485.000	53.57	1.46	74.0	20.43	Peak	310.00	400	Horizontal	Pass
4**	7485.000	43.76	1.46	54.0	10.24	AV	310.00	400	Horizontal	Pass
5	11125.975	51.44	-0.98	74.0	22.56	Peak	111.00	150	Horizontal	Pass
5**	11125.975	42.83	-0.98	54.0	11.17	AV	111.00	150	Horizontal	Pass
6	15752.212	51.81	0.31	74.0	22.19	Peak	105.00	100	Horizontal	Pass
6**	15752.212	43.53	0.31	54.0	10.47	AV	105.00	100	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.300	41.53	-16.88	74.0	32.47	Peak	202.00	300	Vertical	Pass
1**	1494.300	34.12	-16.88	54.0	19.88	AV	202.00	300	Vertical	Pass
2	4253.000	48.53	-4.35	74.0	25.47	Peak	360.00	400	Vertical	Pass
2**	4253.000	38.75	-4.35	54.0	15.25	AV	360.00	400	Vertical	Pass
3	5760.250	100.80	-0.99	--	--	Peak	247.00	150	Vertical	N/A
3**	5760.250	92.56	-0.99	--	--	AV	247.00	150	Vertical	N/A
4	7712.750	52.93	1.84	74.0	21.07	Peak	52.00	200	Vertical	Pass
4**	7712.750	43.66	1.84	54.0	10.34	AV	52.00	200	Vertical	Pass
5	11127.638	51.62	-0.98	74.0	22.38	Peak	186.00	100	Vertical	Pass
5**	11127.638	42.14	-0.98	54.0	11.86	AV	186.00	100	Vertical	Pass
6	15764.550	51.52	-0.02	74.0	22.48	Peak	3.00	400	Vertical	Pass
6**	15764.550	42.33	-0.02	54.0	11.67	AV	3.00	400	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.900	40.30	-16.74	74.0	33.70	Peak	185.00	100	Horizontal	Pass
1**	1437.900	34.39	-16.74	54.0	19.61	AV	185.00	100	Horizontal	Pass
2	4336.250	48.31	-4.13	74.0	25.69	Peak	273.00	400	Horizontal	Pass
2**	4336.250	39.00	-4.13	54.0	15.00	AV	273.00	400	Horizontal	Pass
3	5803.000	97.78	-1.56	--	--	Peak	37.00	150	Horizontal	N/A
3**	5803.000	88.80	-1.56	--	--	AV	37.00	150	Horizontal	N/A
4	7526.500	53.63	2.01	74.0	20.37	Peak	246.00	400	Horizontal	Pass
4**	7526.500	43.97	2.01	54.0	10.03	AV	246.00	400	Horizontal	Pass
5	11128.588	51.46	-0.97	74.0	22.54	Peak	293.00	100	Horizontal	Pass
5**	11128.588	42.41	-0.97	54.0	11.59	AV	293.00	100	Horizontal	Pass
6	15727.799	51.41	0.07	74.0	22.59	Peak	152.00	100	Horizontal	Pass
6**	15727.799	41.88	0.07	54.0	12.12	AV	152.00	100	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.600	42.10	-16.81	74.0	31.90	Peak	215.00	400	Vertical	Pass
1**	1495.600	33.56	-16.81	54.0	20.44	AV	215.00	400	Vertical	Pass
2	4337.500	48.41	-4.11	74.0	25.59	Peak	4.00	400	Vertical	Pass
2**	4337.500	39.58	-4.11	54.0	14.42	AV	4.00	400	Vertical	Pass
3	5799.250	100.43	-1.84	--	--	Peak	258.00	100	Vertical	Pass
3**	5799.250	93.73	-1.84	--	--	AV	258.00	100	Vertical	N/A
4	7523.250	54.01	2.25	74.0	19.99	Peak	172.00	400	Vertical	Pass
4**	7523.250	44.32	2.25	54.0	9.68	AV	172.00	400	Vertical	Pass
5	11143.788	51.78	-0.96	74.0	22.22	Peak	24.00	100	Vertical	Pass
5**	11143.788	42.67	-0.96	54.0	11.33	AV	24.00	100	Vertical	Pass
6	15760.612	51.06	0.08	74.0	22.94	Peak	240.00	100	Vertical	Pass
6**	15760.612	42.51	0.08	54.0	11.49	AV	240.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.800	40.76	-16.75	74.0	33.24	Peak	185.00	300	Horizontal	Pass
1**	1437.800	34.46	-16.75	54.0	19.54	AV	185.00	300	Horizontal	Pass
2	4321.000	48.07	-4.04	74.0	25.93	Peak	217.00	200	Horizontal	Pass
2**	4321.000	39.10	-4.04	54.0	14.90	AV	217.00	200	Horizontal	Pass
3	5746.000	97.12	-1.53	--	--	Peak	49.00	100	Horizontal	N/A
3**	5746.000	89.99	-1.53	--	--	AV	49.00	100	Horizontal	N/A
4	7514.500	53.27	1.93	74.0	20.73	Peak	86.00	400	Horizontal	Pass
4**	7514.500	45.30	1.93	54.0	8.70	AV	86.00	400	Horizontal	Pass
5	11148.537	51.38	-0.95	74.0	22.62	Peak	291.00	200	Horizontal	Pass
5**	11148.537	43.30	-0.95	54.0	10.70	AV	291.00	200	Horizontal	Pass
6	15736.200	51.65	0.18	74.0	22.35	Peak	7.00	300	Horizontal	Pass
6**	15736.200	42.76	0.18	54.0	11.24	AV	7.00	300	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.900	41.37	-16.53	74.0	32.63	Peak	203.00	300	Vertical	Pass
1**	1536.900	35.11	-16.53	54.0	18.89	AV	203.00	300	Vertical	Pass
2	4342.500	47.81	-4.06	74.0	26.19	Peak	217.00	200	Vertical	Pass
2**	4342.500	38.29	-4.06	54.0	15.71	AV	217.00	200	Vertical	Pass
3	5748.500	100.57	-1.58	--	--	Peak	244.00	100	Vertical	N/A
3**	5748.500	93.03	-1.58	--	--	AV	244.00	100	Vertical	N/A
4	7376.500	53.30	0.46	74.0	20.70	Peak	1.00	200	Vertical	Pass
4**	7376.500	43.32	0.46	54.0	10.68	AV	1.00	200	Vertical	Pass
5	11070.638	51.59	-1.56	74.0	22.41	Peak	228.00	150	Vertical	Pass
5**	11070.638	42.32	-1.56	54.0	11.68	AV	228.00	150	Vertical	Pass
6	15725.700	51.94	0.04	74.0	22.06	Peak	251.00	100	Vertical	Pass
6**	15725.700	43.25	0.04	54.0	10.75	AV	251.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.600	40.30	-16.75	74.0	33.70	Peak	190.00	200	Horizontal	Pass
1**	1437.600	33.44	-16.75	54.0	20.56	AV	190.00	200	Horizontal	Pass
2	4360.750	48.50	-4.03	74.0	25.50	Peak	224.00	400	Horizontal	Pass
2**	4360.750	39.85	-4.03	54.0	14.15	AV	224.00	400	Horizontal	Pass
3	5785.000	98.08	-1.72	--	--	Peak	38.00	100	Horizontal	N/A
3**	5785.000	89.02	-1.72	--	--	AV	38.00	100	Horizontal	N/A
4	7514.000	53.56	1.89	74.0	20.44	Peak	101.00	100	Horizontal	Pass
4**	7514.000	44.25	1.89	54.0	9.75	AV	101.00	100	Horizontal	Pass
5	11178.937	51.35	-1.44	74.0	22.65	Peak	208.00	100	Horizontal	Pass
5**	11178.937	42.63	-1.44	54.0	11.37	AV	208.00	100	Horizontal	Pass
6	15764.550	51.76	-0.02	74.0	22.24	Peak	360.00	400	Horizontal	Pass
6**	15764.550	43.78	-0.02	54.0	10.22	AV	360.00	400	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.400	40.27	-16.55	74.0	33.73	Peak	243.00	100	Vertical	Pass
1**	1537.400	34.65	-16.55	54.0	19.35	AV	243.00	100	Vertical	Pass
2	3995.000	48.24	-5.34	74.0	25.76	Peak	139.00	400	Vertical	Pass
2**	3995.000	37.71	-5.34	54.0	16.29	AV	139.00	400	Vertical	Pass
3	5787.500	101.92	-1.73	--	--	Peak	253.00	100	Vertical	N/A
3**	5787.500	94.41	-1.73	--	--	AV	253.00	100	Vertical	N/A
4	7295.750	53.20	0.48	74.0	20.80	Peak	319.00	200	Vertical	Pass
4**	7295.750	43.63	0.48	54.0	10.37	AV	319.00	200	Vertical	Pass
5	11128.825	51.51	-0.97	74.0	22.49	Peak	278.00	200	Vertical	Pass
5**	11128.825	43.00	-0.97	54.0	11.00	AV	278.00	200	Vertical	Pass
6	15756.937	52.24	0.18	74.0	21.76	Peak	155.00	300	Vertical	Pass
6**	15756.937	42.99	0.18	54.0	11.01	AV	155.00	300	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.400	40.69	-16.73	74.0	33.31	Peak	181.00	100	Horizontal	Pass
1**	1438.400	33.27	-16.73	54.0	20.73	AV	181.00	100	Horizontal	Pass
2	4266.000	47.83	-3.70	74.0	26.17	Peak	239.00	100	Horizontal	Pass
2**	4266.000	38.44	-3.70	54.0	15.56	AV	239.00	100	Horizontal	Pass
3	5829.500	97.12	-1.58	--	--	Peak	41.00	150	Horizontal	N/A
3**	5829.500	89.74	-1.58	--	--	AV	41.00	150	Horizontal	N/A
4	7468.000	53.18	1.58	74.0	20.82	Peak	266.00	100	Horizontal	Pass
4**	7468.000	43.93	1.58	54.0	10.07	AV	266.00	100	Horizontal	Pass
5	10819.838	51.80	-2.55	74.0	22.20	Peak	35.00	150	Horizontal	Pass
5**	10819.838	42.17	-2.55	54.0	11.83	AV	35.00	150	Horizontal	Pass
6	15739.088	51.33	0.22	74.0	22.67	Peak	129.00	300	Horizontal	Pass
6**	15739.088	42.40	0.22	54.0	11.60	AV	129.00	300	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.200	40.70	-16.54	74.0	33.30	Peak	193.00	100	Vertical	Pass
1**	1537.200	34.16	-16.54	54.0	19.84	AV	193.00	100	Vertical	Pass
2	4314.250	47.86	-3.94	74.0	26.14	Peak	140.00	400	Vertical	Pass
2**	4314.250	38.72	-3.94	54.0	15.28	AV	140.00	400	Vertical	Pass
3	5821.750	102.19	-1.68	--	--	Peak	242.00	100	Vertical	N/A
3**	5821.750	94.55	-1.68	--	--	AV	242.00	100	Vertical	N/A
4	7376.250	53.92	0.46	74.0	20.08	Peak	132.00	100	Vertical	Pass
4**	7376.250	43.58	0.46	54.0	10.42	AV	132.00	100	Vertical	Pass
5	11116.474	51.97	-0.99	74.0	22.03	Peak	251.00	200	Vertical	Pass
5**	11116.474	42.50	-0.99	54.0	11.50	AV	251.00	200	Vertical	Pass
6	15736.200	50.94	0.18	74.0	23.06	Peak	121.00	200	Vertical	Pass
6**	15736.200	41.63	0.18	54.0	12.37	AV	121.00	200	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.500	40.46	-16.75	74.0	33.54	Peak	192.00	300	Horizontal	Pass
1**	1437.500	33.95	-16.75	54.0	20.05	AV	192.00	300	Horizontal	Pass
2	4353.250	47.89	-4.04	74.0	26.11	Peak	220.00	200	Horizontal	Pass
2**	4353.250	38.80	-4.04	54.0	15.20	AV	220.00	200	Horizontal	Pass
3	5769.250	95.25	-0.74	--	--	Peak	38.00	150	Horizontal	N/A
3**	5769.250	86.85	-0.74	--	--	AV	38.00	150	Horizontal	N/A
4	7508.500	53.20	1.52	74.0	20.80	Peak	264.00	300	Horizontal	Pass
4**	7508.500	44.36	1.52	54.0	9.64	AV	264.00	300	Horizontal	Pass
5	11077.287	51.38	-1.43	74.0	22.62	Peak	19.00	200	Horizontal	Pass
5**	11077.287	41.80	-1.43	54.0	12.20	AV	19.00	200	Horizontal	Pass
6	15744.338	51.24	0.30	74.0	22.76	Peak	72.00	400	Horizontal	Pass
6**	15744.338	42.14	0.30	54.0	11.86	AV	72.00	400	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.500	41.15	-16.60	74.0	32.85	Peak	210.00	200	Vertical	Pass
1**	1498.500	31.88	-16.60	54.0	22.12	AV	210.00	200	Vertical	Pass
2	4295.250	47.84	-3.97	74.0	26.16	Peak	26.00	300	Vertical	Pass
2**	4295.250	38.33	-3.97	54.0	15.67	AV	26.00	300	Vertical	Pass
3	5758.750	98.86	-0.98	--	--	Peak	249.00	200	Vertical	Pass
3**	5758.750	91.14	-0.98	--	--	AV	249.00	200	Vertical	N/A
4	7498.500	53.80	1.04	74.0	20.20	Peak	360.00	200	Vertical	Pass
4**	7498.500	43.80	1.04	54.0	10.20	AV	360.00	200	Vertical	Pass
5	10805.826	51.43	-2.89	74.0	22.57	Peak	298.00	200	Vertical	Pass
5**	10805.826	42.57	-2.89	54.0	11.43	AV	298.00	200	Vertical	Pass
6	15734.625	51.17	0.16	74.0	22.83	Peak	289.00	200	Vertical	Pass
6**	15734.625	42.73	0.16	54.0	11.27	AV	289.00	200	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.300	40.48	-16.76	74.0	33.52	Peak	188.00	200	Horizontal	Pass
1**	1437.300	36.16	-16.76	54.0	17.84	AV	188.00	200	Horizontal	Pass
2	4334.750	48.21	-4.19	74.0	25.79	Peak	220.00	400	Horizontal	Pass
2**	4334.750	39.36	-4.19	54.0	14.64	AV	220.00	400	Horizontal	Pass
3	5792.750	95.30	-1.68	--	--	Peak	49.00	150	Horizontal	N/A
3**	5792.750	87.20	-1.68	--	--	AV	49.00	150	Horizontal	N/A
4	7515.500	53.14	2.01	74.0	20.86	Peak	57.00	300	Horizontal	Pass
4**	7515.500	44.56	2.01	54.0	9.44	AV	57.00	300	Horizontal	Pass
5	11130.250	52.13	-0.97	74.0	21.87	Peak	48.00	150	Horizontal	Pass
5**	11130.250	42.63	-0.97	54.0	11.37	AV	48.00	150	Horizontal	Pass
6	15766.651	51.90	-0.08	74.0	22.10	Peak	360.00	300	Horizontal	Pass
6**	15766.651	41.56	-0.08	54.0	12.44	AV	360.00	300	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.100	40.99	-16.69	74.0	33.01	Peak	226.00	400	Vertical	Pass
1**	1497.100	29.46	-16.69	54.0	24.54	AV	226.00	400	Vertical	Pass
2	4273.000	47.79	-4.04	74.0	26.21	Peak	109.00	100	Vertical	Pass
2**	4273.000	38.49	-4.04	54.0	15.51	AV	109.00	100	Vertical	Pass
3	5792.250	99.30	-1.71	--	--	Peak	239.00	200	Vertical	N/A
3**	5792.250	91.65	-1.71	--	--	AV	239.00	200	Vertical	N/A
4	7511.750	53.38	1.68	74.0	20.62	Peak	91.00	100	Vertical	Pass
4**	7511.750	44.53	1.68	54.0	9.47	AV	91.00	100	Vertical	Pass
5	11172.287	51.48	-1.33	74.0	22.52	Peak	289.00	150	Vertical	Pass
5**	11172.287	43.06	-1.33	54.0	10.94	AV	289.00	150	Vertical	Pass
6	15756.151	51.80	0.21	74.0	22.20	Peak	95.00	300	Vertical	Pass
6**	15756.151	42.00	0.21	54.0	12.00	AV	95.00	300	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.100	39.89	-16.76	74.0	34.11	Peak	185.00	100	Horizontal	Pass
1**	1437.100	31.59	-16.76	54.0	22.41	AV	185.00	100	Horizontal	Pass
2	4320.750	48.30	-4.01	74.0	25.70	Peak	264.00	200	Horizontal	Pass
2**	4320.750	40.30	-4.01	54.0	13.70	AV	264.00	200	Horizontal	Pass
3	5766.250	92.52	-0.91	--	--	Peak	26.00	150	Horizontal	N/A
3**	5766.250	84.18	-0.91	--	--	AV	26.00	150	Horizontal	N/A
4	7494.250	53.53	1.26	74.0	20.47	Peak	0.00	300	Horizontal	Pass
4**	7494.250	44.84	1.26	54.0	9.16	AV	0.00	300	Horizontal	Pass
5	10823.638	51.83	-2.46	74.0	22.17	Peak	276.00	150	Horizontal	Pass
5**	10823.638	42.41	-2.46	54.0	11.59	AV	276.00	150	Horizontal	Pass
6	15756.937	51.24	0.18	74.0	22.76	Peak	308.00	300	Horizontal	Pass
6**	15756.937	42.77	0.18	54.0	11.23	AV	308.00	300	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.900	42.19	-16.53	74.0	31.81	Peak	199.00	400	Vertical	Pass
1**	1536.900	34.17	-16.53	54.0	19.83	AV	199.00	400	Vertical	Pass
2	4346.500	47.93	-4.16	74.0	26.07	Peak	0.00	200	Vertical	Pass
2**	4346.500	38.57	-4.16	54.0	15.43	AV	0.00	200	Vertical	Pass
3	5771.750	97.34	-0.83	--	--	Peak	26.00	100	Vertical	N/A
3**	5771.750	89.34	-0.83	--	--	AV	26.00	100	Vertical	N/A
4	7388.750	53.98	0.67	74.0	20.02	Peak	336.00	100	Vertical	Pass
4**	7388.750	43.59	0.67	54.0	10.41	AV	336.00	100	Vertical	Pass
5	11045.937	52.11	-1.91	74.0	21.89	Peak	72.00	200	Vertical	Pass
5**	11045.937	42.32	-1.91	54.0	11.68	AV	72.00	200	Vertical	Pass
6	15770.325	51.68	-0.18	74.0	22.32	Peak	170.00	100	Vertical	Pass
6**	15770.325	42.29	-0.18	54.0	11.71	AV	170.00	100	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.500	40.56	-16.75	74.0	33.44	Peak	192.00	300	Horizontal	Pass
1**	1437.500	34.20	-16.75	54.0	19.80	AV	192.00	300	Horizontal	Pass
2	4246.750	47.42	-4.35	74.0	26.58	Peak	50.00	150	Horizontal	Pass
2**	4246.750	38.36	-4.35	54.0	15.64	AV	50.00	150	Horizontal	Pass
3	5747.250	99.70	-1.59	--	--	Peak	300.00	150	Horizontal	N/A
3**	5747.250	89.80	-1.59	--	--	AV	300.00	150	Horizontal	N/A
4	7345.000	53.40	1.34	74.0	20.60	Peak	188.00	200	Horizontal	Pass
4**	7345.000	43.86	1.34	54.0	10.14	AV	188.00	200	Horizontal	Pass
5	11396.013	51.69	-1.67	74.0	22.31	Peak	23.00	100	Horizontal	Pass
5**	11396.013	41.67	-1.67	54.0	12.33	AV	23.00	100	Horizontal	Pass
6	15773.213	51.08	-0.26	74.0	22.92	Peak	246.00	300	Horizontal	Pass
6**	15773.213	40.94	-0.26	54.0	13.06	AV	246.00	300	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.800	41.38	-16.60	74.0	32.62	Peak	207.00	200	Vertical	Pass
1**	1498.800	34.32	-16.60	54.0	19.68	AV	207.00	200	Vertical	Pass
2	4294.000	48.12	-3.96	74.0	25.88	Peak	130.00	300	Vertical	Pass
2**	4294.000	39.43	-3.96	54.0	14.57	AV	130.00	300	Vertical	Pass
3	5739.750	103.13	-1.68	--	--	Peak	242.00	100	Vertical	N/A
3**	5739.750	91.90	-1.68	--	--	AV	242.00	100	Vertical	N/A
4	7459.500	53.62	1.52	74.0	20.38	Peak	94.00	300	Vertical	Pass
4**	7459.500	44.00	1.52	54.0	10.00	AV	94.00	300	Vertical	Pass
5	11138.326	51.69	-0.96	74.0	22.31	Peak	324.00	150	Vertical	Pass
5**	11138.326	42.36	-0.96	54.0	11.64	AV	324.00	150	Vertical	Pass
6	15745.388	51.38	0.31	74.0	22.62	Peak	41.00	100	Vertical	Pass
6**	15745.388	42.78	0.31	54.0	11.22	AV	41.00	100	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.100	39.87	-16.74	74.0	34.13	Peak	185.00	200	Horizontal	Pass
1**	1438.100	34.50	-16.74	54.0	19.50	AV	185.00	200	Horizontal	Pass
2	3942.750	47.89	-4.77	74.0	26.11	Peak	122.00	200	Horizontal	Pass
2**	3942.750	38.09	-4.77	54.0	15.91	AV	122.00	200	Horizontal	Pass
3	5779.750	99.12	-1.51	--	--	Peak	32.00	150	Horizontal	N/A
3**	5779.750	89.33	-1.51	--	--	AV	32.00	150	Horizontal	N/A
4	7511.750	53.10	1.68	74.0	20.90	Peak	150.00	100	Horizontal	Pass
4**	7511.750	43.90	1.68	54.0	10.10	AV	150.00	100	Horizontal	Pass
5	11134.287	52.36	-0.97	74.0	21.64	Peak	113.00	150	Horizontal	Pass
5**	11134.287	43.47	-0.97	54.0	10.53	AV	113.00	150	Horizontal	Pass
6	15745.912	52.15	0.32	74.0	21.85	Peak	1.00	200	Horizontal	Pass
6**	15745.912	42.66	0.32	54.0	11.34	AV	1.00	200	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.600	40.80	-16.60	74.0	33.20	Peak	127.00	100	Vertical	Pass
1**	1498.600	30.01	-16.60	54.0	23.99	AV	127.00	100	Vertical	Pass
2	4310.750	47.81	-4.12	74.0	26.19	Peak	103.00	200	Vertical	Pass
2**	4310.750	38.62	-4.12	54.0	15.38	AV	103.00	200	Vertical	Pass
3	5782.250	103.23	-1.78	--	--	Peak	244.00	150	Vertical	N/A
3**	5782.250	93.93	-1.78	--	--	AV	244.00	150	Vertical	N/A
4	7486.000	53.24	1.45	74.0	20.76	Peak	49.00	300	Vertical	Pass
4**	7486.000	43.92	1.45	54.0	10.08	AV	49.00	300	Vertical	Pass
5	11133.813	52.22	-0.97	74.0	21.78	Peak	345.00	200	Vertical	Pass
5**	11133.813	43.10	-0.97	54.0	10.90	AV	345.00	200	Vertical	Pass
6	15791.588	50.76	-0.76	74.0	23.24	Peak	285.00	300	Vertical	Pass
6**	15791.588	42.01	-0.76	54.0	11.99	AV	285.00	300	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.500	41.56	-16.75	74.0	32.44	Peak	190.00	400	Horizontal	Pass
1**	1437.500	36.77	-16.75	54.0	17.23	AV	190.00	400	Horizontal	Pass
2	4249.250	48.51	-4.35	74.0	25.49	Peak	269.00	400	Horizontal	Pass
2**	4249.250	38.60	-4.35	54.0	15.40	AV	269.00	400	Horizontal	Pass
3	5817.250	97.81	-1.53	--	--	Peak	315.00	100	Horizontal	N/A
3**	5817.250	87.34	-1.53	--	--	AV	315.00	100	Horizontal	N/A
4	7473.250	53.50	1.86	74.0	20.50	Peak	19.00	200	Horizontal	Pass
4**	7473.250	44.05	1.86	54.0	9.95	AV	19.00	200	Horizontal	Pass
5	11131.437	51.30	-0.97	74.0	22.70	Peak	104.00	150	Horizontal	Pass
5**	11131.437	41.94	-0.97	54.0	12.06	AV	104.00	150	Horizontal	Pass
6	15751.425	50.86	0.33	74.0	23.14	Peak	360.00	200	Horizontal	Pass
6**	15751.425	42.48	0.33	54.0	11.52	AV	360.00	200	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.100	42.06	-16.85	74.0	31.94	Peak	232.00	200	Vertical	Pass
1**	1493.100	29.15	-16.85	54.0	24.85	AV	232.00	200	Vertical	Pass
2	4315.750	48.35	-4.02	74.0	25.65	Peak	6.00	400	Vertical	Pass
2**	4315.750	39.26	-4.02	54.0	14.74	AV	6.00	400	Vertical	Pass
3	5826.750	103.72	-1.61	--	--	Peak	14.00	200	Vertical	N/A
3**	5826.750	93.26	-1.61	--	--	AV	14.00	200	Vertical	N/A
4	7351.750	53.81	0.98	74.0	20.19	Peak	23.00	300	Vertical	Pass
4**	7351.750	44.08	0.98	54.0	9.92	AV	23.00	300	Vertical	Pass
5	11181.312	52.29	-1.48	74.0	21.71	Peak	234.00	150	Vertical	Pass
5**	11181.312	42.23	-1.48	54.0	11.77	AV	234.00	150	Vertical	Pass
6	15756.151	51.22	0.21	74.0	22.78	Peak	22.00	400	Vertical	Pass
6**	15756.151	43.23	0.21	54.0	10.77	AV	22.00	400	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.600	41.00	-16.73	74.0	33.00	Peak	185.00	400	Horizontal	Pass
1**	1438.600	33.39	-16.73	54.0	20.61	AV	185.00	400	Horizontal	Pass
2	4399.500	48.08	-4.18	74.0	25.92	Peak	28.00	400	Horizontal	Pass
2**	4399.500	39.47	-4.18	54.0	14.53	AV	28.00	400	Horizontal	Pass
3	5748.250	98.46	-1.62	--	--	Peak	28.00	200	Horizontal	N/A
3**	5748.250	85.84	-1.62	--	--	AV	28.00	200	Horizontal	N/A
4	7475.250	53.53	1.99	74.0	20.47	Peak	176.00	300	Horizontal	Pass
4**	7475.250	44.14	1.99	54.0	9.86	AV	176.00	300	Horizontal	Pass
5	11207.200	52.16	-1.99	74.0	21.84	Peak	167.00	150	Horizontal	Pass
5**	11207.200	41.57	-1.99	54.0	12.43	AV	167.00	150	Horizontal	Pass
6	15765.338	51.63	-0.05	74.0	22.37	Peak	293.00	300	Horizontal	Pass
6**	15765.338	42.18	-0.05	54.0	11.82	AV	293.00	300	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.300	41.63	-16.61	74.0	32.37	Peak	214.00	200	Vertical	Pass
1**	1499.300	31.49	-16.61	54.0	22.51	AV	214.00	200	Vertical	Pass
2	4395.250	48.76	-4.05	74.0	25.24	Peak	81.00	200	Vertical	Pass
2**	4395.250	38.61	-4.05	54.0	15.39	AV	81.00	200	Vertical	Pass
3	5753.250	98.60	-1.21	--	--	Peak	251.00	100	Vertical	N/A
3**	5753.250	90.79	-1.21	--	--	AV	251.00	100	Vertical	N/A
4	7470.000	53.34	1.66	74.0	20.66	Peak	127.00	100	Vertical	Pass
4**	7470.000	43.83	1.66	54.0	10.17	AV	127.00	100	Vertical	Pass
5	11124.076	51.56	-0.98	74.0	22.44	Peak	353.00	150	Vertical	Pass
5**	11124.076	42.65	-0.98	54.0	11.35	AV	353.00	150	Vertical	Pass
6	15734.887	52.14	0.17	74.0	21.86	Peak	103.00	200	Vertical	Pass
6**	15734.887	42.74	0.17	54.0	11.26	AV	103.00	200	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.400	39.82	-16.76	74.0	34.18	Peak	183.00	100	Horizontal	Pass
1**	1437.400	33.25	-16.76	54.0	20.75	AV	183.00	100	Horizontal	Pass
2	4331.500	48.60	-4.25	74.0	25.40	Peak	163.00	400	Horizontal	Pass
2**	4331.500	39.76	-4.25	54.0	14.24	AV	163.00	400	Horizontal	Pass
3	5791.250	99.82	-1.76	--	--	Peak	218.00	150	Horizontal	N/A
3**	5791.250	91.45	-1.76	--	--	AV	218.00	150	Horizontal	N/A
4	7558.500	53.78	1.05	74.0	20.22	Peak	318.00	300	Horizontal	Pass
4**	7558.500	43.77	1.05	54.0	10.23	AV	318.00	300	Horizontal	Pass
5	11118.375	51.07	-0.99	74.0	22.93	Peak	128.00	150	Horizontal	Pass
5**	11118.375	42.10	-0.99	54.0	11.90	AV	128.00	150	Horizontal	Pass
6	15753.263	51.79	0.28	74.0	22.21	Peak	4.00	150	Horizontal	Pass
6**	15753.263	42.77	0.28	54.0	11.23	AV	4.00	150	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.700	41.35	-16.60	74.0	32.65	Peak	211.00	100	Vertical	Pass
1**	1498.700	29.23	-16.60	54.0	24.77	AV	211.00	100	Vertical	Pass
2	4362.250	48.44	-3.98	74.0	25.56	Peak	360.00	100	Vertical	Pass
2**	4362.250	38.82	-3.98	54.0	15.18	AV	360.00	100	Vertical	Pass
3	5780.000	99.34	-1.54	--	--	Peak	256.00	150	Vertical	N/A
3**	5780.000	91.25	-1.54	--	--	AV	256.00	150	Vertical	N/A
4	7367.000	53.28	0.39	74.0	20.72	Peak	346.00	200	Vertical	Pass
4**	7367.000	42.92	0.39	54.0	11.08	AV	346.00	200	Vertical	Pass
5	11190.100	51.57	-1.63	74.0	22.43	Peak	264.00	150	Vertical	Pass
5**	11190.100	43.02	-1.63	54.0	10.98	AV	264.00	150	Vertical	Pass
6	15737.513	51.71	0.20	74.0	22.29	Peak	149.00	200	Vertical	Pass
6**	15737.513	43.13	0.20	54.0	10.87	AV	149.00	200	Vertical	Pass

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.300	40.56	-16.76	74.0	33.44	Peak	331.00	400	Horizontal	Pass
1**	1437.300	34.36	-16.76	54.0	19.64	AV	331.00	400	Horizontal	Pass
2	4390.000	48.06	-4.12	74.0	25.94	Peak	291.00	200	Horizontal	Pass
2**	4390.000	39.12	-4.12	54.0	14.88	AV	291.00	200	Horizontal	Pass
3	5768.500	95.22	-0.75	--	--	Peak	40.00	150	Horizontal	N/A
3**	5768.500	84.05	-0.75	--	--	AV	40.00	150	Horizontal	N/A
4	7315.250	53.42	0.56	74.0	20.58	Peak	94.00	300	Horizontal	Pass
4**	7315.250	43.38	0.56	54.0	10.62	AV	94.00	300	Horizontal	Pass
5	10831.237	51.91	-2.27	74.0	22.09	Peak	0.00	200	Horizontal	Pass
5**	10831.237	42.62	-2.27	54.0	11.38	AV	0.00	200	Horizontal	Pass
6	15753.525	51.19	0.28	74.0	22.81	Peak	106.00	100	Horizontal	Pass
6**	15753.525	43.65	0.28	54.0	10.35	AV	106.00	100	Horizontal	Pass

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.100	41.37	-16.54	74.0	32.63	Peak	204.00	100	Vertical	Pass
1**	1537.100	34.37	-16.54	54.0	19.63	AV	204.00	100	Vertical	Pass
2	4327.500	47.49	-4.43	74.0	26.51	Peak	242.00	100	Vertical	Pass
2**	4327.500	39.18	-4.43	54.0	14.82	AV	242.00	100	Vertical	Pass
3	5776.500	96.22	-1.30	--	--	Peak	250.00	100	Vertical	N/A
3**	5776.500	88.25	-1.30	--	--	AV	250.00	100	Vertical	N/A
4	7510.250	53.56	1.75	74.0	20.44	Peak	31.00	200	Vertical	Pass
4**	7510.250	44.43	1.75	54.0	9.57	AV	31.00	200	Vertical	Pass
5	11117.187	51.86	-0.99	74.0	22.14	Peak	360.00	100	Vertical	Pass
5**	11117.187	41.82	-0.99	54.0	12.18	AV	360.00	100	Vertical	Pass
6	15758.513	51.37	0.14	74.0	22.63	Peak	264.00	200	Vertical	Pass
6**	15758.513	42.50	0.14	54.0	11.50	AV	264.00	200	Vertical	Pass

11a, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1338.100	42.57	-16.69	74.0	31.43	Peak	72.00	100	Horizontal	Pass
1**	1338.100	36.43	-16.69	54.0	17.57	AV	72.00	100	Horizontal	Pass
2	4379.000	47.94	-4.12	74.0	26.06	Peak	286.00	200	Horizontal	Pass
2**	4379.000	38.93	-4.12	54.0	15.07	AV	286.00	200	Horizontal	Pass
3	5717.500	103.28	-1.33	--	--	Peak	235.00	100	Horizontal	N/A
3**	5717.500	94.98	-1.33	--	--	AV	235.00	100	Horizontal	N/A
4	7485.250	53.04	1.46	74.0	20.96	Peak	261.00	300	Horizontal	Pass
4**	7485.250	44.06	1.46	54.0	9.94	AV	261.00	300	Horizontal	Pass
5	11062.088	51.83	-1.71	74.0	22.17	Peak	206.00	200	Horizontal	Pass
5**	11062.088	41.78	-1.71	54.0	12.22	AV	206.00	200	Horizontal	Pass
6	15719.137	52.39	-0.05	74.0	21.61	Peak	169.00	400	Horizontal	Pass
6**	15719.137	42.82	-0.05	54.0	11.18	AV	169.00	400	Horizontal	Pass

11a, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.500	46.52	-16.67	74.0	27.48	Peak	226.00	100	Vertical	Pass
1**	1330.500	35.14	-16.67	54.0	18.86	AV	226.00	100	Vertical	Pass
2	4268.750	47.93	-3.77	74.0	26.07	Peak	169.00	300	Vertical	Pass
2**	4268.750	38.93	-3.77	54.0	15.07	AV	169.00	300	Vertical	Pass
3	5715.250	103.67	-1.44	--	--	Peak	160.00	100	Vertical	N/A
3**	5715.250	96.51	-1.44	--	--	AV	160.00	100	Vertical	N/A
4	7347.750	53.90	1.21	74.0	20.10	Peak	72.00	400	Vertical	Pass
4**	7347.750	44.05	1.21	54.0	9.95	AV	72.00	400	Vertical	Pass
5	11195.563	51.78	-1.72	74.0	22.22	Peak	329.00	100	Vertical	Pass
5**	11195.563	42.83	-1.72	54.0	11.17	AV	329.00	100	Vertical	Pass
6	15727.275	52.25	0.06	74.0	21.75	Peak	284.00	200	Vertical	Pass
6**	15727.275	42.91	0.06	54.0	11.09	AV	284.00	200	Vertical	Pass

11n20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1338.700	41.47	-16.72	74.0	32.53	Peak	64.00	100	Horizontal	Pass
1**	1338.700	38.47	-16.72	54.0	15.53	AV	64.00	100	Horizontal	Pass
2	4317.500	49.27	-3.99	74.0	24.73	Peak	91.00	300	Horizontal	Pass
2**	4317.500	39.21	-3.99	54.0	14.79	AV	91.00	300	Horizontal	Pass
3	5718.000	102.69	-1.28	--	--	Peak	237.00	100	Horizontal	N/A
3**	5718.000	94.99	-1.28	--	--	AV	237.00	100	Horizontal	N/A
4	7475.250	53.26	1.99	74.0	20.74	Peak	262.00	200	Horizontal	Pass
4**	7475.250	44.23	1.99	54.0	9.77	AV	262.00	200	Horizontal	Pass
5	11122.650	51.90	-0.98	74.0	22.10	Peak	0.00	200	Horizontal	Pass
5**	11122.650	42.43	-0.98	54.0	11.57	AV	0.00	200	Horizontal	Pass
6	15733.838	51.74	0.15	74.0	22.26	Peak	59.00	400	Horizontal	Pass
6**	15733.838	42.62	0.15	54.0	11.38	AV	59.00	400	Horizontal	Pass

11n20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.800	44.13	-16.67	74.0	29.87	Peak	227.00	100	Vertical	Pass
1**	1329.800	31.34	-16.67	54.0	22.66	AV	227.00	100	Vertical	Pass
2	4385.750	48.44	-4.24	74.0	25.56	Peak	176.00	200	Vertical	Pass
2**	4385.750	39.13	-4.24	54.0	14.87	AV	176.00	200	Vertical	Pass
3	5717.500	102.96	-1.33	--	--	Peak	167.00	100	Vertical	N/A
3**	5717.500	94.96	-1.33	--	--	AV	167.00	100	Vertical	N/A
4	7542.250	53.38	2.06	74.0	20.62	Peak	237.00	100	Vertical	Pass
4**	7542.250	43.94	2.06	54.0	10.06	AV	237.00	100	Vertical	Pass
5	10725.313	51.84	-2.04	74.0	22.16	Peak	122.00	100	Vertical	Pass
5**	10725.313	42.37	-2.04	54.0	11.63	AV	122.00	100	Vertical	Pass
6	15756.937	51.91	0.18	74.0	22.09	Peak	274.00	400	Vertical	Pass
6**	15756.937	42.80	0.18	54.0	11.20	AV	274.00	400	Vertical	Pass

11n40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1338.500	41.25	-16.71	74.0	32.75	Peak	181.00	100	Horizontal	Pass
1**	1338.500	37.90	-16.71	54.0	16.10	AV	181.00	100	Horizontal	Pass
2	4288.750	48.03	-4.20	74.0	25.97	Peak	360.00	100	Horizontal	Pass
2**	4288.750	39.32	-4.20	54.0	14.68	AV	360.00	100	Horizontal	Pass
3	5703.000	99.21	-1.56	--	--	Peak	242.00	150	Horizontal	N/A
3**	5703.000	92.16	-1.56	--	--	AV	242.00	150	Horizontal	N/A
4	7536.000	53.42	2.24	74.0	20.58	Peak	99.00	400	Horizontal	Pass
4**	7536.000	43.93	2.24	54.0	10.07	AV	99.00	400	Horizontal	Pass
5	11183.450	51.48	-1.52	74.0	22.52	Peak	254.00	150	Horizontal	Pass
5**	11183.450	42.84	-1.52	54.0	11.16	AV	254.00	150	Horizontal	Pass
6	15721.500	52.17	-0.02	74.0	21.83	Peak	7.00	400	Horizontal	Pass
6**	15721.500	42.19	-0.02	54.0	11.81	AV	7.00	400	Horizontal	Pass

11n40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.000	44.15	-16.70	74.0	29.85	Peak	230.00	100	Vertical	Pass
1**	1332.000	36.10	-16.70	54.0	17.90	AV	230.00	100	Vertical	Pass
2	4256.000	48.40	-4.23	74.0	25.60	Peak	118.00	400	Vertical	Pass
2**	4256.000	39.47	-4.23	54.0	14.53	AV	118.00	400	Vertical	Pass
3	5703.250	99.83	-1.56	--	--	Peak	160.00	200	Vertical	N/A
3**	5703.250	92.52	-1.56	--	--	AV	160.00	200	Vertical	N/A
4	7509.500	54.52	1.72	74.0	19.48	Peak	170.00	100	Vertical	Pass
4**	7509.500	44.15	1.72	54.0	9.85	AV	170.00	100	Vertical	Pass
5	11153.526	52.22	-1.01	74.0	21.78	Peak	191.00	150	Vertical	Pass
5**	11153.526	42.36	-1.01	54.0	11.64	AV	191.00	150	Vertical	Pass
6	15744.600	51.53	0.30	74.0	22.47	Peak	174.00	300	Vertical	Pass
6**	15744.600	42.79	0.30	54.0	11.21	AV	174.00	300	Vertical	Pass

11ac20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1338.200	41.57	-16.70	74.0	32.43	Peak	185.00	100	Horizontal	Pass
1**	1338.200	34.48	-16.70	54.0	19.52	AV	185.00	100	Horizontal	Pass
2	4370.250	47.92	-4.23	74.0	26.08	Peak	65.00	300	Horizontal	Pass
2**	4370.250	38.72	-4.23	54.0	15.28	AV	65.00	300	Horizontal	Pass
3	5722.250	99.85	-1.54	--	--	Peak	242.00	100	Horizontal	N/A
3**	5722.250	91.82	-1.54	--	--	AV	242.00	100	Horizontal	N/A
4	7386.500	53.33	0.72	74.0	20.67	Peak	294.00	200	Horizontal	Pass
4**	7386.500	44.32	0.72	54.0	9.68	AV	294.00	200	Horizontal	Pass
5	11135.475	52.30	-0.97	74.0	21.70	Peak	205.00	200	Horizontal	Pass
5**	11135.475	43.30	-0.97	54.0	10.70	AV	205.00	200	Horizontal	Pass
6	15758.250	51.37	0.15	74.0	22.63	Peak	133.00	400	Horizontal	Pass
6**	15758.250	42.80	0.15	54.0	11.20	AV	133.00	400	Horizontal	Pass

11ac20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.500	43.84	-16.67	74.0	30.16	Peak	246.00	100	Vertical	Pass
1**	1330.500	36.16	-16.67	54.0	17.84	AV	246.00	100	Vertical	Pass
2	4261.250	48.28	-3.96	74.0	25.72	Peak	252.00	100	Vertical	Pass
2**	4261.250	38.42	-3.96	54.0	15.58	AV	252.00	100	Vertical	Pass
3	5722.500	100.28	-1.58	--	--	Peak	164.00	150	Vertical	N/A
3**	5722.500	92.75	-1.58	--	--	AV	164.00	150	Vertical	N/A
4	7512.000	53.43	1.68	74.0	20.57	Peak	216.00	400	Vertical	Pass
4**	7512.000	45.28	1.68	54.0	8.72	AV	216.00	400	Vertical	Pass
5	11131.201	52.28	-0.97	74.0	21.72	Peak	3.00	200	Vertical	Pass
5**	11131.201	42.71	-0.97	54.0	11.29	AV	3.00	200	Vertical	Pass
6	15744.075	51.52	0.29	74.0	22.48	Peak	225.00	200	Vertical	Pass
6**	15744.075	42.67	0.29	54.0	11.33	AV	225.00	200	Vertical	Pass

11ac40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1338.200	41.63	-16.70	74.0	32.37	Peak	67.00	100	Horizontal	Pass
1**	1338.200	38.29	-16.70	54.0	15.71	AV	67.00	100	Horizontal	Pass
2	4371.500	48.52	-4.28	74.0	25.48	Peak	48.00	100	Horizontal	Pass
2**	4371.500	39.19	-4.28	54.0	14.81	AV	48.00	100	Horizontal	Pass
3	5713.250	97.83	-1.56	--	--	Peak	242.00	150	Horizontal	N/A
3**	5713.250	89.45	-1.56	--	--	AV	242.00	150	Horizontal	N/A
4	7566.500	53.24	1.38	74.0	20.76	Peak	311.00	300	Horizontal	Pass
4**	7566.500	43.98	1.38	54.0	10.02	AV	311.00	300	Horizontal	Pass
5	10710.112	52.36	-2.28	74.0	21.64	Peak	91.00	100	Horizontal	Pass
5**	10710.112	42.14	-2.28	54.0	11.86	AV	91.00	100	Horizontal	Pass
6	15723.338	51.34	0.01	74.0	22.66	Peak	96.00	200	Horizontal	Pass
6**	15723.338	41.89	0.01	54.0	12.11	AV	96.00	200	Horizontal	Pass

11ac40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.500	44.13	-16.71	74.0	29.87	Peak	239.00	100	Vertical	Pass
1**	1332.500	31.92	-16.71	54.0	22.08	AV	239.00	100	Vertical	Pass
2	4391.500	47.93	-4.16	74.0	26.07	Peak	57.00	400	Vertical	Pass
2**	4391.500	38.34	-4.16	54.0	15.66	AV	57.00	400	Vertical	Pass
3	5706.250	97.45	-1.48	--	--	Peak	162.00	200	Vertical	N/A
3**	5706.250	91.45	-1.48	--	--	AV	162.00	200	Vertical	N/A
4	7544.250	53.34	1.89	74.0	20.66	Peak	225.00	300	Vertical	Pass
4**	7544.250	43.92	1.89	54.0	10.08	AV	225.00	300	Vertical	Pass
5	11127.638	51.62	-0.98	74.0	22.38	Peak	169.00	150	Vertical	Pass
5**	11127.638	42.44	-0.98	54.0	11.56	AV	169.00	150	Vertical	Pass
6	15724.387	51.72	0.02	74.0	22.28	Peak	123.00	400	Vertical	Pass
6**	15724.387	42.31	0.02	54.0	11.69	AV	123.00	400	Vertical	Pass

11ac80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1337.900	40.69	-16.68	74.0	33.31	Peak	182.00	100	Horizontal	Pass
1**	1337.900	37.45	-16.68	54.0	16.55	AV	182.00	100	Horizontal	Pass
2	4316.750	48.32	-4.01	74.0	25.68	Peak	266.00	100	Horizontal	Pass
2**	4316.750	38.91	-4.01	54.0	15.09	AV	266.00	100	Horizontal	Pass
3	5678.500	93.95	-1.74	--	--	Peak	214.00	200	Horizontal	N/A
3**	5678.500	85.67	-1.74	--	--	AV	214.00	200	Horizontal	N/A
4	7534.000	53.26	2.27	74.0	20.74	Peak	285.00	100	Horizontal	Pass
4**	7534.000	44.26	2.27	54.0	9.74	AV	285.00	100	Horizontal	Pass
5	10719.375	52.00	-2.13	74.0	22.00	Peak	167.00	100	Horizontal	Pass
5**	10719.375	42.71	-2.13	54.0	11.29	AV	167.00	100	Horizontal	Pass
6	15748.799	51.71	0.36	74.0	22.29	Peak	351.00	100	Horizontal	Pass
6**	15748.799	42.77	0.36	54.0	11.23	AV	351.00	100	Horizontal	Pass

11ac80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.500	45.90	-16.71	74.0	28.10	Peak	232.00	100	Vertical	Pass
1**	1332.500	35.77	-16.71	54.0	18.23	AV	232.00	100	Vertical	Pass
2	4267.500	48.36	-3.60	74.0	25.64	Peak	232.00	100	Vertical	Pass
2**	4267.500	39.23	-3.60	54.0	14.77	AV	232.00	100	Vertical	Pass
3	5707.000	94.40	-1.49	--	--	Peak	146.00	150	Vertical	N/A
3**	5707.000	86.13	-1.49	--	--	AV	146.00	150	Vertical	N/A
4	7475.750	53.80	2.03	74.0	20.20	Peak	74.00	400	Vertical	Pass
4**	7475.750	45.71	2.03	54.0	8.29	AV	74.00	400	Vertical	Pass
5	11125.737	51.91	-0.98	74.0	22.09	Peak	318.00	200	Vertical	Pass
5**	11125.737	43.23	-0.98	54.0	10.77	AV	318.00	200	Vertical	Pass
6	15764.287	51.96	-0.02	74.0	22.04	Peak	225.00	300	Vertical	Pass
6**	15764.287	42.33	-0.02	54.0	11.67	AV	225.00	300	Vertical	Pass

11ax20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.600	41.11	-16.69	74.0	32.89	Peak	152.00	100	Horizontal	Pass
1**	1331.600	32.11	-16.69	54.0	21.89	AV	152.00	100	Horizontal	Pass
2	4354.750	47.81	-4.00	74.0	26.19	Peak	121.00	400	Horizontal	Pass
2**	4354.750	38.73	-4.00	54.0	15.27	AV	121.00	400	Horizontal	Pass
3	5717.250	98.62	-1.35	--	--	Peak	235.00	200	Horizontal	N/A
3**	5717.250	90.69	-1.35	--	--	AV	235.00	200	Horizontal	N/A
4	7475.500	53.07	2.01	74.0	20.93	Peak	14.00	100	Horizontal	Pass
4**	7475.500	44.20	2.01	54.0	9.80	AV	14.00	100	Horizontal	Pass
5	11182.737	52.50	-1.50	74.0	21.50	Peak	44.00	100	Horizontal	Pass
5**	11182.737	42.41	-1.50	54.0	11.59	AV	44.00	100	Horizontal	Pass
6	15771.900	52.24	-0.23	74.0	21.76	Peak	160.00	200	Horizontal	Pass
6**	15771.900	42.46	-0.23	54.0	11.54	AV	160.00	200	Horizontal	Pass

11ax20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.900	43.64	-16.68	74.0	30.36	Peak	218.00	100	Vertical	Pass
1**	1330.900	32.52	-16.68	54.0	21.48	AV	218.00	100	Vertical	Pass
2	4399.250	48.79	-4.19	74.0	25.21	Peak	118.00	400	Vertical	Pass
2**	4399.250	39.07	-4.19	54.0	14.93	AV	118.00	400	Vertical	Pass
3	5713.750	101.20	-1.50	--	--	Peak	109.00	100	Vertical	N/A
3**	5713.750	90.32	-1.50	--	--	AV	109.00	100	Vertical	N/A
4	7347.750	53.54	1.21	74.0	20.46	Peak	38.00	100	Vertical	Pass
4**	7347.750	43.98	1.21	54.0	10.02	AV	38.00	100	Vertical	Pass
5	10709.401	52.01	-2.29	74.0	21.99	Peak	69.00	200	Vertical	Pass
5**	10709.401	42.68	-2.29	54.0	11.32	AV	69.00	200	Vertical	Pass
6	15738.825	51.43	0.22	74.0	22.57	Peak	174.00	200	Vertical	Pass
6**	15738.825	43.73	0.22	54.0	10.27	AV	174.00	200	Vertical	Pass

11ax40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1338.500	40.76	-16.71	74.0	33.24	Peak	32.00	100	Horizontal	Pass
1**	1338.500	37.67	-16.71	54.0	16.33	AV	32.00	100	Horizontal	Pass
2	4290.250	47.69	-4.22	74.0	26.31	Peak	101.00	400	Horizontal	Pass
2**	4290.250	38.45	-4.22	54.0	15.55	AV	101.00	400	Horizontal	Pass
3	5708.750	97.22	-1.56	--	--	Peak	240.00	200	Horizontal	N/A
3**	5708.750	87.78	-1.56	--	--	AV	240.00	200	Horizontal	N/A
4	7482.500	53.65	1.48	74.0	20.35	Peak	109.00	400	Horizontal	Pass
4**	7482.500	44.23	1.48	54.0	9.77	AV	109.00	400	Horizontal	Pass
5	11147.350	51.93	-0.95	74.0	22.07	Peak	83.00	200	Horizontal	Pass
5**	11147.350	42.47	-0.95	54.0	11.53	AV	83.00	200	Horizontal	Pass
6	15752.475	52.80	0.31	74.0	21.20	Peak	260.00	300	Horizontal	Pass
6**	15752.475	42.72	0.31	54.0	11.28	AV	260.00	300	Horizontal	Pass

11ax40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1166.100	44.51	-17.29	74.0	29.49	Peak	193.00	100	Vertical	Pass
1**	1166.100	30.89	-17.29	54.0	23.11	AV	193.00	100	Vertical	Pass
2	4260.250	48.03	-4.01	74.0	25.97	Peak	0.00	400	Vertical	Pass
2**	4260.250	38.84	-4.01	54.0	15.16	AV	0.00	400	Vertical	Pass
3	5715.500	97.91	-1.44	--	--	Peak	143.00	150	Vertical	N/A
3**	5715.500	87.90	-1.44	--	--	AV	143.00	150	Vertical	N/A
4	7508.250	53.71	1.46	74.0	20.29	Peak	360.00	100	Vertical	Pass
4**	7508.250	43.92	1.46	54.0	10.08	AV	360.00	100	Vertical	Pass
5	11067.787	51.67	-1.61	74.0	22.33	Peak	34.00	100	Vertical	Pass
5**	11067.787	43.08	-1.61	54.0	10.92	AV	34.00	100	Vertical	Pass
6	15764.025	51.99	-0.01	74.0	22.01	Peak	225.00	200	Vertical	Pass
6**	15764.025	42.89	-0.01	54.0	11.11	AV	225.00	200	Vertical	Pass

11ax80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1337.900	41.70	-16.68	74.0	32.30	Peak	183.00	100	Horizontal	Pass
1**	1337.900	34.13	-16.68	54.0	19.87	AV	183.00	100	Horizontal	Pass
2	4345.000	48.01	-4.16	74.0	25.99	Peak	209.00	300	Horizontal	Pass
2**	4345.000	39.13	-4.16	54.0	14.87	AV	209.00	300	Horizontal	Pass
3	5659.750	94.34	-1.89	--	--	Peak	218.00	150	Horizontal	N/A
3**	5659.750	84.52	-1.89	--	--	AV	218.00	150	Horizontal	N/A
4	7539.250	53.93	2.10	74.0	20.07	Peak	12.00	100	Horizontal	Pass
4**	7539.250	44.38	2.10	54.0	9.62	AV	12.00	100	Horizontal	Pass
5	10727.213	51.71	-2.01	74.0	22.29	Peak	0.00	150	Horizontal	Pass
5**	10727.213	42.60	-2.01	54.0	11.40	AV	0.00	150	Horizontal	Pass
6	15745.912	52.09	0.32	74.0	21.91	Peak	45.00	200	Horizontal	Pass
6**	15745.912	43.50	0.32	54.0	10.50	AV	45.00	200	Horizontal	Pass

11ax80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.700	45.73	-16.67	74.0	28.27	Peak	225.00	100	Vertical	Pass
1**	1328.700	30.77	-16.67	54.0	23.23	AV	225.00	100	Vertical	Pass
2	4390.250	48.63	-4.13	74.0	25.37	Peak	267.00	100	Vertical	Pass
2**	4390.250	39.03	-4.13	54.0	14.97	AV	267.00	100	Vertical	Pass
3	5687.000	95.51	-1.53	--	--	Peak	126.00	200	Vertical	N/A
3**	5687.000	85.18	-1.53	--	--	AV	126.00	200	Vertical	N/A
4	7381.750	53.41	0.52	74.0	20.59	Peak	31.00	400	Vertical	Pass
4**	7381.750	43.05	0.52	54.0	10.95	AV	31.00	400	Vertical	Pass
5	11130.488	52.46	-0.97	74.0	21.54	Peak	41.00	200	Vertical	Pass
5**	11130.488	43.23	-0.97	54.0	10.77	AV	41.00	200	Vertical	Pass
6	15734.887	52.26	0.17	74.0	21.74	Peak	96.00	200	Vertical	Pass
6**	15734.887	42.77	0.17	54.0	11.23	AV	96.00	200	Vertical	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2092.600	41.43	-13.66	88.2	46.77	Peak	261.00	200	Horizontal	Pass
1**	2092.600	31.97	-13.66	68.2	36.23	AV	261.00	200	Horizontal	Pass
2	4823.750	52.26	-1.76	74.0	21.74	Peak	0.00	150	Horizontal	Pass
2**	4823.750	42.27	-1.76	54.0	11.73	AV	0.00	150	Horizontal	Pass
3	5951.000	101.00	-1.73	--	--	Peak	265.00	200	Horizontal	N/A
3**	5951.000	89.46	-1.73	--	--	AV	265.00	200	Horizontal	N/A
4	7481.750	56.01	1.52	74.0	17.99	Peak	359.00	300	Horizontal	Pass
4**	7481.750	45.46	1.52	54.0	8.54	AV	359.00	300	Horizontal	Pass
5	11050.687	51.73	-1.93	74.0	22.27	Peak	317.00	150	Horizontal	Pass
5**	11050.687	42.05	-1.93	54.0	11.95	AV	317.00	150	Horizontal	Pass
6	16798.011	52.82	1.08	88.2	35.38	Peak	216.00	350	Horizontal	Pass
6**	16798.011	43.02	1.08	68.2	25.18	AV	216.00	350	Horizontal	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.300	40.20	-16.86	74.0	33.80	Peak	215.00	300	Vertical	Pass
1**	1493.300	29.99	-16.86	54.0	24.01	AV	215.00	300	Vertical	Pass
2	4252.250	49.98	-4.39	74.0	24.02	Peak	196.00	300	Vertical	Pass
2**	4252.250	40.01	-4.39	54.0	13.99	AV	196.00	300	Vertical	Pass
3	5953.000	99.40	-1.75	--	--	Peak	230.00	100	Vertical	N/A
3**	5953.000	89.70	-1.75	--	--	AV	230.00	100	Vertical	N/A
4	7704.750	55.41	2.07	74.0	18.59	Peak	274.00	400	Vertical	Pass
4**	7704.750	45.16	2.07	54.0	8.84	AV	274.00	400	Vertical	Pass
5	11053.776	52.06	-1.87	74.0	21.94	Peak	290.00	150	Vertical	Pass
5**	11053.776	42.88	-1.87	54.0	11.12	AV	290.00	150	Vertical	Pass
6	15751.162	52.27	0.34	74.0	21.73	Peak	130.00	300	Vertical	Pass
6**	15751.162	44.11	0.34	54.0	9.89	AV	130.00	300	Vertical	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2096.500	41.41	-13.51	88.2	46.79	Peak	105.00	250	Horizontal	Pass
1**	2096.500	32.49	-13.51	68.2	35.71	AV	105.00	250	Horizontal	Pass
2	4712.500	51.09	-2.76	74.0	22.91	Peak	102.00	350	Horizontal	Pass
2**	4712.500	42.45	-2.76	54.0	11.55	AV	102.00	350	Horizontal	Pass
3	6169.750	97.71	-1.14	--	--	Peak	172.00	150	Horizontal	N/A
3**	6169.750	88.82	-1.14	--	--	AV	172.00	150	Horizontal	N/A
4	7927.000	55.76	2.28	88.2	32.44	Peak	289.00	250	Horizontal	Pass
4**	7927.000	45.76	2.28	68.2	22.44	AV	289.00	250	Horizontal	Pass
5	11422.137	51.76	-1.93	74.0	22.24	Peak	229.00	200	Horizontal	Pass
5**	11422.137	41.80	-1.93	54.0	12.20	AV	229.00	200	Horizontal	Pass
6	16776.225	52.49	0.31	88.2	35.71	Peak	347.00	350	Horizontal	Pass
6**	16776.225	42.22	0.31	68.2	25.98	AV	347.00	350	Horizontal	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1793.400	46.07	-16.27	88.2	42.13	Peak	191.00	300	Vertical	Pass
1**	1793.400	31.58	-16.27	68.2	36.62	AV	191.00	300	Vertical	Pass
2	4790.750	51.18	-2.87	74.0	22.82	Peak	4.00	400	Vertical	Pass
2**	4790.750	42.00	-2.87	54.0	12.00	AV	4.00	400	Vertical	Pass
3	6169.250	99.72	-1.11	--	-59.72	Peak	40.00	100	Vertical	N/A
3**	6169.250	91.53	-1.11	--	-91.53	AV	40.00	100	Vertical	N/A
4	7836.000	56.18	3.55	88.2	32.02	Peak	77.00	150	Vertical	Pass
4**	7836.000	47.46	3.55	68.2	20.74	AV	77.00	150	Vertical	Pass
5	11146.637	51.71	-0.95	74.0	22.29	Peak	0.00	300	Vertical	Pass
5**	11146.637	42.44	-0.95	54.0	11.56	AV	0.00	300	Vertical	Pass
6	16353.599	52.48	0.77	88.2	35.72	Peak	0.00	250	Vertical	Pass
6**	16353.599	42.77	0.77	68.2	25.43	AV	0.00	250	Vertical	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2076.400	40.96	-13.77	88.2	47.24	Peak	149.00	100	Horizontal	Pass
1**	2076.400	32.06	-13.77	68.2	36.14	AV	149.00	100	Horizontal	Pass
2	4823.000	51.02	-1.80	74.0	22.98	Peak	104.00	150	Horizontal	Pass
2**	4823.000	41.94	-1.80	54.0	12.06	AV	104.00	150	Horizontal	Pass
3	6415.750	98.21	-0.16	--	--	Peak	177.00	100	Horizontal	N/A
3**	6415.750	88.01	-0.16	--	--	AV	177.00	100	Horizontal	N/A
4	7940.000	55.10	2.12	88.2	33.10	Peak	305.00	150	Horizontal	Pass
4**	7940.000	46.58	2.12	68.2	21.62	AV	305.00	150	Horizontal	Pass
5	11055.674	52.05	-1.83	74.0	21.95	Peak	9.00	350	Horizontal	Pass
5**	11055.674	42.33	-1.83	54.0	11.67	AV	9.00	350	Horizontal	Pass
6	16292.175	52.96	-0.65	88.2	35.24	Peak	23.00	150	Horizontal	Pass
6**	16292.175	42.93	-0.65	68.2	25.27	AV	23.00	150	Horizontal	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.800	43.82	-16.67	74.0	30.18	Peak	210.00	150	Vertical	Pass
1**	1328.800	32.59	-16.67	54.0	21.41	AV	210.00	150	Vertical	Pass
2	4827.000	51.54	-1.79	74.0	22.46	Peak	352.00	150	Vertical	Pass
2**	4827.000	42.65	-1.79	54.0	11.35	AV	352.00	150	Vertical	Pass
3	6417.500	99.73	-0.23	--	--	Peak	12.00	150	Vertical	N/A
3**	6417.500	89.42	-0.23	--	--	AV	12.00	150	Vertical	N/A
4	7819.500	55.42	3.00	88.2	32.78	Peak	247.00	100	Vertical	Pass
4**	7819.500	46.91	3.00	68.2	21.29	AV	247.00	100	Vertical	Pass
5	11428.550	51.67	-2.01	74.0	22.33	Peak	91.00	250	Vertical	Pass
5**	11428.550	41.49	-2.01	54.0	12.51	AV	91.00	250	Vertical	Pass
6	16327.349	52.84	0.20	88.2	35.36	Peak	60.00	350	Vertical	Pass
6**	16327.349	43.38	0.20	68.2	24.82	AV	60.00	350	Vertical	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2097.800	41.67	-13.45	88.2	46.53	Peak	225.00	300	Horizontal	Pass
1**	2097.800	32.17	-13.45	68.2	36.03	AV	225.00	300	Horizontal	Pass
2	4825.000	51.28	-1.79	74.0	22.72	Peak	306.00	150	Horizontal	Pass
2**	4825.000	41.76	-1.79	54.0	12.24	AV	306.00	150	Horizontal	Pass
3	5953.000	97.36	-1.75	--	--	Peak	223.00	100	Horizontal	N/A
3**	5953.000	85.92	-1.75	--	--	AV	223.00	100	Horizontal	N/A
4	7456.500	56.08	1.58	74.0	17.92	Peak	279.00	350	Horizontal	Pass
4**	7456.500	45.83	1.58	54.0	8.17	AV	279.00	350	Horizontal	Pass
5	11130.250	51.58	-0.97	74.0	22.42	Peak	300.00	200	Horizontal	Pass
5**	11130.250	42.32	-0.97	54.0	11.68	AV	300.00	200	Horizontal	Pass
6	17288.624	52.59	0.22	88.2	35.61	Peak	360.00	150	Horizontal	Pass
6**	17288.624	42.31	0.22	68.2	25.89	AV	360.00	150	Horizontal	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1800.000	44.70	-15.91	88.2	43.50	Peak	186.00	300	Vertical	Pass
1**	1800.000	30.63	-15.91	68.2	37.57	AV	186.00	300	Vertical	Pass
2	4773.750	51.39	-2.51	74.0	22.61	Peak	0.00	150	Vertical	Pass
2**	4773.750	41.52	-2.51	54.0	12.48	AV	0.00	150	Vertical	Pass
3	5977.500	96.40	-1.33	--	--	Peak	360.00	150	Vertical	N/A
3**	5977.500	86.28	-1.33	--	--	AV	360.00	150	Vertical	N/A
4	7474.250	55.99	1.90	74.0	18.01	Peak	288.00	300	Vertical	Pass
4**	7474.250	45.49	1.90	54.0	8.51	AV	288.00	300	Vertical	Pass
5	11068.738	51.76	-1.59	74.0	22.24	Peak	307.00	200	Vertical	Pass
5**	11068.738	42.17	-1.59	54.0	11.83	AV	307.00	200	Vertical	Pass
6	16327.088	52.77	0.19	88.2	35.43	Peak	355.00	150	Vertical	Pass
6**	16327.088	43.28	0.19	68.2	24.92	AV	355.00	150	Vertical	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2096.300	41.15	-13.53	88.2	47.05	Peak	360.00	400	Horizontal	Pass
1**	2096.300	32.96	-13.53	68.2	35.24	AV	360.00	400	Horizontal	Pass
2	4777.250	51.34	-2.52	74.0	22.66	Peak	0.00	400	Horizontal	Pass
2**	4777.250	42.19	-2.52	54.0	11.81	AV	0.00	400	Horizontal	Pass
3	6169.000	94.34	-1.09	--	--	Peak	179.00	150	Horizontal	N/A
3**	6169.000	84.90	-1.09	--	--	AV	179.00	150	Horizontal	N/A
4	7925.250	55.62	2.18	88.2	32.58	Peak	43.00	100	Horizontal	Pass
4**	7925.250	46.25	2.18	68.2	21.95	AV	43.00	100	Horizontal	Pass
5	11137.613	51.30	-0.96	74.0	22.70	Peak	157.00	200	Horizontal	Pass
5**	11137.613	42.59	-0.96	54.0	11.41	AV	157.00	200	Horizontal	Pass
6	16337.849	52.91	0.50	88.2	35.29	Peak	232.00	200	Horizontal	Pass
6**	16337.849	43.04	0.50	68.2	25.16	AV	232.00	200	Horizontal	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1828.900	44.97	-16.09	88.2	43.23	Peak	200.00	350	Vertical	Pass
1**	1828.900	32.01	-16.09	68.2	36.19	AV	200.00	350	Vertical	Pass
2	4820.750	51.36	-1.84	74.0	22.64	Peak	86.00	150	Vertical	Pass
2**	4820.750	42.60	-1.84	54.0	11.40	AV	86.00	150	Vertical	Pass
3	6168.000	97.09	-1.23	--	--	Peak	355.00	100	Vertical	N/A
3**	6168.000	87.82	-1.23	--	--	AV	355.00	100	Vertical	N/A
4	7701.250	55.37	1.82	74.0	18.63	Peak	355.00	400	Vertical	Pass
4**	7701.250	44.73	1.82	54.0	9.27	AV	355.00	400	Vertical	Pass
5	11126.688	51.82	-0.98	74.0	22.18	Peak	145.00	200	Vertical	Pass
5**	11126.688	42.91	-0.98	54.0	11.09	AV	145.00	200	Vertical	Pass
6	16796.700	53.00	1.04	88.2	35.20	Peak	360.00	150	Vertical	Pass
6**	16796.700	43.86	1.04	68.2	24.34	AV	360.00	150	Vertical	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1937.000	41.44	-15.29	88.2	46.76	Peak	38.00	300	Horizontal	Pass
1**	1937.000	30.74	-15.29	68.2	37.46	AV	38.00	300	Horizontal	Pass
2	4826.250	51.36	-1.81	74.0	22.64	Peak	193.00	150	Horizontal	Pass
2**	4826.250	42.03	-1.81	54.0	11.97	AV	193.00	150	Horizontal	Pass
3	6388.000	93.09	-1.00	--	--	Peak	174.00	200	Horizontal	N/A
3**	6388.000	83.87	-1.00	--	--	AV	174.00	200	Horizontal	N/A
4	7821.250	55.82	2.82	88.2	32.38	Peak	13.00	150	Horizontal	Pass
4**	7821.250	45.75	2.82	68.2	22.45	AV	13.00	150	Horizontal	Pass
5	11130.488	51.52	-0.97	74.0	22.48	Peak	123.00	250	Horizontal	Pass
5**	11130.488	42.99	-0.97	54.0	11.01	AV	123.00	250	Horizontal	Pass
6	16336.800	52.38	0.47	88.2	35.82	Peak	343.00	250	Horizontal	Pass
6**	16336.800	43.02	0.47	68.2	25.18	AV	343.00	250	Horizontal	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1828.400	45.25	-16.10	88.2	42.95	Peak	193.00	100	Vertical	Pass
1**	1828.400	31.08	-16.10	68.2	37.12	AV	193.00	100	Vertical	Pass
2	4757.500	51.33	-2.79	74.0	22.67	Peak	69.00	300	Vertical	Pass
2**	4757.500	41.78	-2.79	54.0	12.22	AV	69.00	300	Vertical	Pass
3	6398.500	95.86	-0.19	--	--	Peak	21.00	100	Vertical	N/A
3**	6398.500	87.91	-0.19	--	--	AV	21.00	100	Vertical	N/A
4	7462.750	55.24	1.58	74.0	18.76	Peak	0.00	400	Vertical	Pass
4**	7462.750	45.84	1.58	54.0	8.16	AV	0.00	400	Vertical	Pass
5	11182.975	51.68	-1.51	74.0	22.32	Peak	325.00	400	Vertical	Pass
5**	11182.975	42.75	-1.51	54.0	11.25	AV	325.00	400	Vertical	Pass
6	16779.900	52.88	0.44	88.2	35.32	Peak	69.00	300	Vertical	Pass
6**	16779.900	44.03	0.44	68.2	24.17	AV	69.00	300	Vertical	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2087.900	41.86	-13.95	88.2	46.34	Peak	341.00	150	Horizontal	Pass
1**	2087.900	31.61	-13.95	68.2	36.59	AV	341.00	150	Horizontal	Pass
2	4701.250	51.21	-2.71	74.0	22.79	Peak	279.00	250	Horizontal	Pass
2**	4701.250	42.97	-2.71	54.0	11.03	AV	279.00	250	Horizontal	Pass
3	5963.500	93.52	-1.51	--	--	Peak	271.00	200	Horizontal	N/A
3**	5963.500	82.16	-1.51	--	--	AV	271.00	200	Horizontal	N/A
4	7848.000	55.10	2.44	88.2	33.10	Peak	142.00	150	Horizontal	Pass
4**	7848.000	45.89	2.44	68.2	22.31	AV	142.00	150	Horizontal	Pass
5	11162.550	51.99	-1.16	74.0	22.01	Peak	222.00	150	Horizontal	Pass
5**	11162.550	42.33	-1.16	54.0	11.67	AV	222.00	150	Horizontal	Pass
6	16337.063	52.75	0.48	88.2	35.45	Peak	274.00	400	Horizontal	Pass
6**	16337.063	44.18	0.48	68.2	24.02	AV	274.00	400	Horizontal	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1833.200	44.14	-16.03	88.2	44.06	Peak	196.00	200	Vertical	Pass
1**	1833.200	32.21	-16.03	68.2	35.99	AV	196.00	200	Vertical	Pass
2	4716.250	51.36	-2.84	74.0	22.64	Peak	205.00	150	Vertical	Pass
2**	4716.250	42.48	-2.84	54.0	11.52	AV	205.00	150	Vertical	Pass
3	5996.500	94.33	-1.14	--	--	Peak	354.00	150	Vertical	N/A
3**	5996.500	83.94	-1.14	--	--	AV	354.00	150	Vertical	N/A
4	7875.500	55.18	2.52	88.2	33.02	Peak	155.00	350	Vertical	Pass
4**	7875.500	46.20	2.52	68.2	22.00	AV	155.00	350	Vertical	Pass
5	11147.350	52.20	-0.95	74.0	21.80	Peak	9.00	100	Vertical	Pass
5**	11147.350	42.33	-0.95	54.0	11.67	AV	9.00	100	Vertical	Pass
6	16784.099	52.73	0.59	88.2	35.47	Peak	191.00	100	Vertical	Pass
6**	16784.099	44.99	0.59	68.2	23.21	AV	191.00	100	Vertical	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2000.500	41.30	-14.36	88.2	46.90	Peak	23.00	250	Horizontal	Pass
1**	2000.500	31.17	-14.36	68.2	37.03	AV	23.00	250	Horizontal	Pass
2	4820.500	51.55	-1.83	74.0	22.45	Peak	360.00	250	Horizontal	Pass
2**	4820.500	42.34	-1.83	54.0	11.66	AV	360.00	250	Horizontal	Pass
3	6146.500	90.92	-1.42	--	--	Peak	174.00	200	Horizontal	N/A
3**	6146.500	80.96	-1.42	--	--	AV	174.00	200	Horizontal	N/A
4	7932.250	55.69	2.26	88.2	32.51	Peak	312.00	200	Horizontal	Pass
4**	7932.250	46.09	2.26	68.2	22.11	AV	312.00	200	Horizontal	Pass
5	11361.812	52.13	-1.81	74.0	21.87	Peak	127.00	200	Horizontal	Pass
5**	11361.812	41.83	-1.81	54.0	12.17	AV	127.00	200	Horizontal	Pass
6	16340.475	52.72	0.58	88.2	35.48	Peak	215.00	100	Horizontal	Pass
6**	16340.475	43.56	0.58	68.2	24.64	AV	215.00	100	Horizontal	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.500	44.81	-16.67	74.0	29.19	Peak	208.00	300	Vertical	Pass
1**	1330.500	36.61	-16.67	54.0	17.39	AV	208.00	300	Vertical	Pass
2	4740.500	51.79	-3.06	74.0	22.21	Peak	222.00	300	Vertical	Pass
2**	4740.500	42.23	-3.06	54.0	11.77	AV	222.00	300	Vertical	Pass
3	6134.500	94.98	-1.08	--	--	Peak	0.00	100	Vertical	N/A
3**	6134.500	85.82	-1.08	--	--	AV	0.00	100	Vertical	N/A
4	7491.750	55.28	1.25	74.0	18.72	Peak	142.00	300	Vertical	Pass
4**	7491.750	45.09	1.25	54.0	8.91	AV	142.00	300	Vertical	Pass
5	11126.450	51.66	-0.98	74.0	22.34	Peak	351.00	100	Vertical	Pass
5**	11126.450	42.27	-0.98	54.0	11.73	AV	351.00	100	Vertical	Pass
6	16334.701	52.38	0.41	88.2	35.82	Peak	125.00	350	Vertical	Pass
6**	16334.701	44.75	0.41	68.2	23.45	AV	125.00	350	Vertical	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2460.300	47.09	-9.74	88.2	41.11	Peak	351.00	150	Horizontal	Pass
1**	2460.300	37.98	-9.74	68.2	30.22	AV	351.00	150	Horizontal	Pass
2	4779.500	51.42	-2.62	74.0	22.58	Peak	186.00	400	Horizontal	Pass
2**	4779.500	42.87	-2.62	54.0	11.13	AV	186.00	400	Horizontal	Pass
3	6389.500	90.65	-1.06	--	--	Peak	178.00	100	Horizontal	N/A
3**	6389.500	82.18	-1.06	--	--	AV	178.00	100	Horizontal	N/A
4	7540.000	56.11	2.10	74.0	17.89	Peak	360.00	400	Horizontal	Pass
4**	7540.000	47.76	2.10	54.0	6.24	AV	360.00	400	Horizontal	Pass
5	11122.650	51.78	-0.98	74.0	22.22	Peak	329.00	200	Horizontal	Pass
5**	11122.650	42.82	-0.98	54.0	11.18	AV	329.00	200	Horizontal	Pass
6	16311.862	52.97	-0.24	88.2	35.23	Peak	0.00	100	Horizontal	Pass
6**	16311.862	43.60	-0.24	68.2	24.60	AV	0.00	100	Horizontal	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1830.700	45.20	-16.07	88.2	43.00	Peak	179.00	300	Vertical	Pass
1**	1830.700	30.32	-16.07	68.2	37.88	AV	179.00	300	Vertical	Pass
2	4721.250	51.43	-2.80	74.0	22.57	Peak	54.00	400	Vertical	Pass
2**	4721.250	42.23	-2.80	54.0	11.77	AV	54.00	400	Vertical	Pass
3	6404.500	93.71	0.03	--	--	Peak	14.00	200	Vertical	N/A
3**	6404.500	83.04	0.03	--	--	AV	14.00	200	Vertical	N/A
4	7839.000	55.07	3.34	88.2	33.13	Peak	6.00	250	Vertical	Pass
4**	7839.000	46.55	3.34	68.2	21.65	AV	6.00	250	Vertical	Pass
5	11190.100	51.81	-1.63	74.0	22.19	Peak	0.00	300	Vertical	Pass
5**	11190.100	42.31	-1.63	54.0	11.69	AV	0.00	300	Vertical	Pass
6	15736.724	53.07	0.19	74.0	20.93	Peak	23.00	250	Vertical	Pass
6**	15736.724	43.03	0.19	54.0	10.97	AV	23.00	250	Vertical	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2095.700	41.43	-13.58	88.2	46.77	Peak	312.00	250	Horizontal	Pass
1**	2095.700	32.20	-13.58	68.2	36.00	AV	312.00	250	Horizontal	Pass
2	4787.500	51.53	-2.61	74.0	22.47	Peak	291.00	100	Horizontal	Pass
2**	4787.500	41.87	-2.61	54.0	12.13	AV	291.00	100	Horizontal	Pass
3	6001.500	90.95	-1.01	--	--	Peak	179.00	200	Horizontal	N/A
3**	6001.500	82.40	-1.01	--	--	AV	179.00	200	Horizontal	N/A
4	7905.750	55.37	2.30	88.2	32.83	Peak	23.00	350	Horizontal	Pass
4**	7905.750	45.97	2.30	68.2	22.23	AV	23.00	350	Horizontal	Pass
5	11068.500	51.87	-1.60	74.0	22.13	Peak	216.00	150	Horizontal	Pass
5**	11068.500	42.00	-1.60	54.0	12.00	AV	216.00	150	Horizontal	Pass
6	16308.187	52.52	-0.34	88.2	35.68	Peak	0.00	350	Horizontal	Pass
6**	16308.187	43.92	-0.34	68.2	24.28	AV	0.00	350	Horizontal	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1825.500	46.09	-16.21	88.2	42.11	Peak	205.00	300	Vertical	Pass
1**	1825.500	34.82	-16.21	68.2	33.38	AV	205.00	300	Vertical	Pass
2	4842.500	51.43	-2.69	74.0	22.57	Peak	23.00	250	Vertical	Pass
2**	4842.500	41.08	-2.69	54.0	12.92	AV	23.00	250	Vertical	Pass
3	6041.000	92.63	-1.34	--	--	Peak	346.00	150	Vertical	N/A
3**	6041.000	81.62	-1.34	--	--	AV	346.00	150	Vertical	N/A
4	7528.500	55.97	2.18	74.0	18.03	Peak	259.00	300	Vertical	Pass
4**	7528.500	45.94	2.18	54.0	8.06	AV	259.00	300	Vertical	Pass
5	11391.500	51.94	-1.69	74.0	22.06	Peak	136.00	300	Vertical	Pass
5**	11391.500	41.62	-1.69	54.0	12.38	AV	136.00	300	Vertical	Pass
6	16822.426	52.98	0.99	88.2	35.22	Peak	113.00	300	Vertical	Pass
6**	16822.426	41.97	0.99	68.2	26.23	AV	113.00	300	Vertical	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2076.000	41.33	-13.74	88.2	46.87	Peak	205.00	250	Horizontal	Pass
1**	2076.000	32.15	-13.74	68.2	36.05	AV	205.00	250	Horizontal	Pass
2	4712.750	51.83	-2.78	74.0	22.17	Peak	360.00	100	Horizontal	Pass
2**	4712.750	42.14	-2.78	54.0	11.86	AV	360.00	100	Horizontal	Pass
3	6220.500	88.36	-1.26	--	--	Peak	171.00	200	Horizontal	N/A
3**	6220.500	78.31	-1.26	--	--	AV	171.00	200	Horizontal	N/A
4	7845.000	56.11	2.80	88.2	32.09	Peak	47.00	150	Horizontal	Pass
4**	7845.000	45.65	2.80	68.2	22.55	AV	47.00	150	Horizontal	Pass
5	11092.487	51.85	-1.15	74.0	22.15	Peak	158.00	300	Horizontal	Pass
5**	11092.487	41.60	-1.15	54.0	12.40	AV	158.00	300	Horizontal	Pass
6	16354.125	52.86	0.76	88.2	35.34	Peak	21.00	100	Horizontal	Pass
6**	16354.125	43.35	0.76	68.2	24.85	AV	21.00	100	Horizontal	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1832.100	44.21	-16.06	88.2	43.99	Peak	198.00	350	Vertical	Pass
1**	1832.100	30.38	-16.06	68.2	37.82	AV	198.00	350	Vertical	Pass
2	4785.000	50.98	-2.51	74.0	23.02	Peak	139.00	300	Vertical	Pass
2**	4785.000	42.43	-2.51	54.0	11.57	AV	139.00	300	Vertical	Pass
3	6182.250	90.82	-1.40	--	--	Peak	360.00	100	Vertical	N/A
3**	6182.250	80.48	-1.40	--	--	AV	360.00	100	Vertical	N/A
4	7930.250	55.92	2.54	88.2	32.28	Peak	0.00	200	Vertical	Pass
4**	7930.250	46.85	2.54	68.2	21.35	AV	0.00	200	Vertical	Pass
5	11118.375	52.07	-0.99	74.0	21.93	Peak	80.00	300	Vertical	Pass
5**	11118.375	42.60	-0.99	54.0	11.40	AV	80.00	300	Vertical	Pass
6	15740.137	51.79	0.24	74.0	22.21	Peak	25.00	150	Vertical	Pass
6**	15740.137	42.61	0.24	54.0	11.39	AV	25.00	150	Vertical	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1992.600	41.71	-14.45	88.2	46.49	Peak	251.00	100	Horizontal	Pass
1**	1992.600	30.95	-14.45	68.2	37.25	AV	251.00	100	Horizontal	Pass
2	4876.500	51.51	-2.25	74.0	22.49	Peak	280.00	350	Horizontal	Pass
2**	4876.500	41.87	-2.25	54.0	12.13	AV	280.00	350	Horizontal	Pass
3	6295.750	87.31	-1.09	--	--	Peak	186.00	200	Horizontal	N/A
3**	6295.750	77.78	-1.09	--	--	AV	186.00	200	Horizontal	N/A
4	7930.500	55.67	2.55	88.2	32.53	Peak	307.00	400	Horizontal	Pass
4**	7930.500	47.04	2.55	68.2	21.16	AV	307.00	400	Horizontal	Pass
5	12643.599	51.73	-0.86	74.0	22.27	Peak	66.00	300	Horizontal	Pass
5**	12643.599	40.73	-0.86	54.0	13.27	AV	66.00	300	Horizontal	Pass
6	16525.537	52.45	0.19	88.2	35.75	Peak	99.00	350	Horizontal	Pass
6**	16525.537	42.99	0.19	68.2	25.21	AV	99.00	350	Horizontal	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1831.900	45.96	-16.06	88.2	42.24	Peak	204.00	200	Vertical	Pass
1**	1831.900	30.18	-16.06	68.2	38.02	AV	204.00	200	Vertical	Pass
2	4772.500	52.22	-2.49	74.0	21.78	Peak	265.00	150	Vertical	Pass
2**	4772.500	42.06	-2.49	54.0	11.94	AV	265.00	150	Vertical	Pass
3	6317.500	91.29	-1.11	--	--	Peak	24.00	100	Vertical	N/A
3**	6317.500	82.00	-1.11	--	--	AV	24.00	100	Vertical	N/A
4	7472.500	55.38	1.88	74.0	18.62	Peak	170.00	200	Vertical	Pass
4**	7472.500	45.75	1.88	54.0	8.25	AV	170.00	200	Vertical	Pass
5	11137.849	52.06	-0.96	74.0	21.94	Peak	88.00	150	Vertical	Pass
5**	11137.849	43.04	-0.96	54.0	10.96	AV	88.00	150	Vertical	Pass
6	16453.349	52.74	0.52	88.2	35.46	Peak	297.00	150	Vertical	Pass
6**	16453.349	43.26	0.52	68.2	24.94	AV	297.00	150	Vertical	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1990.500	41.98	-14.46	88.2	46.22	Peak	217.00	400	Horizontal	Pass
1**	1990.500	31.33	-14.46	68.2	36.87	AV	217.00	400	Horizontal	Pass
2	4809.250	51.52	-2.63	74.0	22.48	Peak	116.00	300	Horizontal	Pass
2**	4809.250	42.57	-2.63	54.0	11.43	AV	116.00	300	Horizontal	Pass
3	6442.500	96.94	-0.77	--	--	Peak	161.00	150	Horizontal	N/A
3**	6442.500	87.56	-0.77	--	--	AV	161.00	150	Horizontal	N/A
4	7837.000	55.71	3.63	88.2	32.49	Peak	344.00	250	Horizontal	Pass
4**	7837.000	47.07	3.63	68.2	21.13	AV	344.00	250	Horizontal	Pass
5	11191.050	52.94	-1.65	74.0	21.06	Peak	229.00	200	Horizontal	Pass
5**	11191.050	43.86	-1.65	54.0	10.14	AV	229.00	200	Horizontal	Pass
6	16295.588	52.85	-0.62	88.2	35.35	Peak	346.00	100	Horizontal	Pass
6**	16295.588	43.30	-0.62	68.2	24.90	AV	346.00	100	Horizontal	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.000	45.67	-16.68	74.0	28.33	Peak	228.00	300	Vertical	Pass
1**	1331.000	37.92	-16.68	54.0	16.08	AV	228.00	300	Vertical	Pass
2	4700.250	51.65	-2.74	74.0	22.35	Peak	196.00	100	Vertical	Pass
2**	4700.250	42.28	-2.74	54.0	11.72	AV	196.00	100	Vertical	Pass
3	6428.500	99.78	-0.18	--	--	Peak	21.00	100	Vertical	N/A
3**	6428.500	91.06	-0.18	--	--	AV	21.00	100	Vertical	N/A
4	7828.500	56.16	3.15	88.2	32.04	Peak	57.00	250	Vertical	Pass
4**	7828.500	46.27	3.15	68.2	21.93	AV	57.00	250	Vertical	Pass
5	11083.463	51.56	-1.32	74.0	22.44	Peak	133.00	300	Vertical	Pass
5**	11083.463	42.05	-1.32	54.0	11.95	AV	133.00	300	Vertical	Pass
6	16286.662	52.64	-0.70	88.2	35.56	Peak	145.00	350	Vertical	Pass
6**	16286.662	43.29	-0.70	68.2	24.91	AV	145.00	350	Vertical	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1996.900	42.00	-14.41	88.2	46.20	Peak	240.00	200	Horizontal	Pass
1**	1996.900	31.07	-14.41	68.2	37.13	AV	240.00	200	Horizontal	Pass
2	4672.250	51.46	-3.09	74.0	22.54	Peak	303.00	150	Horizontal	Pass
2**	4672.250	41.19	-3.09	54.0	12.81	AV	303.00	150	Horizontal	Pass
3	6479.000	99.14	-0.71	--	--	Peak	59.00	150	Horizontal	N/A
3**	6479.000	91.09	-0.71	--	--	AV	59.00	150	Horizontal	N/A
4	7822.750	55.50	2.81	88.2	32.70	Peak	242.00	150	Horizontal	Pass
4**	7822.750	45.52	2.81	68.2	22.68	AV	242.00	150	Horizontal	Pass
5	11137.613	51.28	-0.96	74.0	22.72	Peak	0.00	100	Horizontal	Pass
5**	11137.613	42.93	-0.96	54.0	11.07	AV	0.00	100	Horizontal	Pass
6	16335.225	52.62	0.43	88.2	35.58	Peak	140.00	350	Horizontal	Pass
6**	16335.225	43.42	0.43	68.2	24.78	AV	140.00	350	Horizontal	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1994.800	46.30	-14.51	88.2	41.90	Peak	203.00	100	Vertical	Pass
1**	1994.800	32.15	-14.51	68.2	36.05	AV	203.00	100	Vertical	Pass
2	4978.750	51.25	-2.56	74.0	22.75	Peak	339.00	150	Vertical	Pass
2**	4978.750	41.05	-2.56	54.0	12.95	AV	339.00	150	Vertical	Pass
3	6481.500	104.06	-0.73	--	--	Peak	66.00	150	Vertical	N/A
3**	6481.500	94.09	-0.73	--	--	AV	66.00	150	Vertical	N/A
4	7889.250	55.63	2.28	88.2	32.57	Peak	205.00	350	Vertical	Pass
4**	7889.250	46.07	2.28	68.2	22.13	AV	205.00	350	Vertical	Pass
5	11131.912	51.88	-0.97	74.0	22.12	Peak	179.00	200	Vertical	Pass
5**	11131.912	43.12	-0.97	54.0	10.88	AV	179.00	200	Vertical	Pass
6	15305.700	52.11	-0.29	88.2	36.09	Peak	164.00	350	Vertical	Pass
6**	15305.700	41.53	-0.29	68.2	26.67	AV	164.00	350	Vertical	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.300	41.90	-16.76	74.0	32.10	Peak	161.00	100	Horizontal	Pass
1**	1437.300	36.51	-16.76	54.0	17.49	AV	161.00	100	Horizontal	Pass
2	4799.000	51.50	-2.89	74.0	22.50	Peak	0.00	250	Horizontal	Pass
2**	4799.000	41.95	-2.89	54.0	12.05	AV	0.00	250	Horizontal	Pass
3	6521.000	100.80	-0.87	--	--	Peak	55.00	200	Horizontal	N/A
3**	6521.000	90.54	-0.87	--	--	AV	55.00	200	Horizontal	N/A
4	7892.500	56.53	2.20	88.2	31.67	Peak	47.00	200	Horizontal	Pass
4**	7892.500	45.55	2.20	68.2	22.65	AV	47.00	200	Horizontal	Pass
5	11137.375	51.90	-0.96	74.0	22.10	Peak	111.00	250	Horizontal	Pass
5**	11137.375	43.02	-0.96	54.0	10.98	AV	111.00	250	Horizontal	Pass
6	16342.838	51.61	0.64	88.2	36.59	Peak	95.00	300	Horizontal	Pass
6**	16342.838	42.50	0.64	68.2	25.70	AV	95.00	300	Horizontal	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1828.900	46.80	-16.09	88.2	41.40	Peak	201.00	100	Vertical	Pass
1**	1828.900	31.60	-16.09	68.2	36.60	AV	201.00	100	Vertical	Pass
2	4797.250	51.20	-2.95	74.0	22.80	Peak	55.00	300	Vertical	Pass
2**	4797.250	42.22	-2.95	54.0	11.78	AV	55.00	300	Vertical	Pass
3	6516.500	103.11	-1.20	--	--	Peak	64.00	200	Vertical	N/A
3**	6516.500	94.93	-1.20	--	--	AV	64.00	200	Vertical	N/A
4	7432.000	55.33	0.97	74.0	18.67	Peak	283.00	200	Vertical	Pass
4**	7432.000	44.45	0.97	54.0	9.55	AV	283.00	200	Vertical	Pass
5	11177.037	52.10	-1.41	74.0	21.90	Peak	260.00	350	Vertical	Pass
5**	11177.037	42.65	-1.41	54.0	11.35	AV	260.00	350	Vertical	Pass
6	16332.862	52.02	0.36	88.2	36.18	Peak	23.00	250	Vertical	Pass
6**	16332.862	42.47	0.36	68.2	25.73	AV	23.00	250	Vertical	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1993.500	41.43	-14.47	88.2	46.77	Peak	232.00	150	Horizontal	Pass
1**	1993.500	31.31	-14.47	68.2	36.89	AV	232.00	150	Horizontal	Pass
2	4804.750	51.53	-2.70	74.0	22.47	Peak	0.00	400	Horizontal	Pass
2**	4804.750	42.12	-2.70	54.0	11.88	AV	0.00	400	Horizontal	Pass
3	6451.000	95.23	-0.58	--	--	Peak	337.00	200	Horizontal	N/A
3**	6451.000	86.04	-0.58	--	--	AV	337.00	200	Horizontal	N/A
4	7837.000	55.52	3.63	88.2	32.68	Peak	299.00	100	Horizontal	Pass
4**	7837.000	47.26	3.63	68.2	20.94	AV	299.00	100	Horizontal	Pass
5	11130.963	52.13	-0.97	74.0	21.87	Peak	219.00	200	Horizontal	Pass
5**	11130.963	43.37	-0.97	54.0	10.63	AV	219.00	200	Horizontal	Pass
6	16511.100	52.38	0.28	88.2	35.82	Peak	269.00	150	Horizontal	Pass
6**	16511.100	42.13	0.28	68.2	26.07	AV	269.00	150	Horizontal	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1832.400	46.22	-16.05	88.2	41.98	Peak	202.00	200	Vertical	Pass
1**	1832.400	35.84	-16.05	68.2	32.36	AV	202.00	200	Vertical	Pass
2	4738.250	51.68	-2.89	74.0	22.32	Peak	152.00	400	Vertical	Pass
2**	4738.250	41.84	-2.89	54.0	12.16	AV	152.00	400	Vertical	Pass
3	6434.500	101.12	-0.66	--	--	Peak	52.00	150	Vertical	N/A
3**	6434.500	91.79	-0.66	--	--	AV	52.00	150	Vertical	N/A
4	7927.000	55.12	2.28	88.2	33.08	Peak	162.00	100	Vertical	Pass
4**	7927.000	46.19	2.28	68.2	22.01	AV	162.00	100	Vertical	Pass
5	11124.076	51.10	-0.98	74.0	22.90	Peak	21.00	200	Vertical	Pass
5**	11124.076	41.80	-0.98	54.0	12.20	AV	21.00	200	Vertical	Pass
6	15746.962	51.89	0.33	74.0	22.11	Peak	234.00	150	Vertical	Pass
6**	15746.962	42.65	0.33	54.0	11.35	AV	234.00	150	Vertical	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2097.500	41.42	-13.44	88.2	46.78	Peak	73.00	100	Horizontal	Pass
1**	2097.500	32.12	-13.44	68.2	36.08	AV	73.00	100	Horizontal	Pass
2	4824.000	52.20	-1.77	74.0	21.80	Peak	360.00	400	Horizontal	Pass
2**	4824.000	41.93	-1.77	54.0	12.07	AV	360.00	400	Horizontal	Pass
3	6480.750	96.86	-0.71	--	--	Peak	347.00	100	Horizontal	N/A
3**	6480.750	87.64	-0.71	--	--	AV	347.00	100	Horizontal	N/A
4	7536.250	55.61	2.22	74.0	18.39	Peak	250.00	350	Horizontal	Pass
4**	7536.250	46.52	2.22	54.0	7.48	AV	250.00	350	Horizontal	Pass
5	11132.387	51.80	-0.97	74.0	22.20	Peak	119.00	350	Horizontal	Pass
5**	11132.387	43.04	-0.97	54.0	10.96	AV	119.00	350	Horizontal	Pass
6	16324.987	52.31	0.14	88.2	35.89	Peak	360.00	300	Horizontal	Pass
6**	16324.987	43.48	0.14	68.2	24.72	AV	360.00	300	Horizontal	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1826.600	45.74	-16.16	88.2	42.46	Peak	198.00	200	Vertical	Pass
1**	1826.600	38.81	-16.16	68.2	29.39	AV	198.00	200	Vertical	Pass
2	4773.500	50.92	-2.50	74.0	23.08	Peak	80.00	400	Vertical	Pass
2**	4773.500	42.63	-2.50	54.0	11.37	AV	80.00	400	Vertical	Pass
3	6488.750	99.87	-0.64	--	--	Peak	62.00	100	Vertical	N/A
3**	6488.750	91.45	-0.64	--	--	AV	62.00	100	Vertical	N/A
4	7836.750	56.07	3.61	88.2	32.13	Peak	72.00	100	Vertical	Pass
4**	7836.750	46.36	3.61	68.2	21.84	AV	72.00	100	Vertical	Pass
5	11164.213	51.35	-1.19	74.0	22.65	Peak	35.00	400	Vertical	Pass
5**	11164.213	42.85	-1.19	54.0	11.15	AV	35.00	400	Vertical	Pass
6	16347.563	51.90	0.78	88.2	36.30	Peak	360.00	300	Vertical	Pass
6**	16347.563	44.02	0.78	68.2	24.18	AV	360.00	300	Vertical	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1998.500	42.14	-14.39	88.2	46.06	Peak	242.00	300	Horizontal	Pass
1**	1998.500	31.48	-14.39	68.2	36.72	AV	242.00	300	Horizontal	Pass
2	4698.250	51.87	-2.81	74.0	22.13	Peak	258.00	350	Horizontal	Pass
2**	4698.250	43.43	-2.81	54.0	10.57	AV	258.00	350	Horizontal	Pass
3	6529.000	96.54	-0.80	--	--	Peak	329.00	200	Horizontal	N/A
3**	6529.000	87.74	-0.80	--	--	AV	329.00	200	Horizontal	N/A
4	7811.750	55.42	2.14	88.2	32.78	Peak	123.00	100	Horizontal	Pass
4**	7811.750	46.01	2.14	68.2	22.19	AV	123.00	100	Horizontal	Pass
5	11128.350	51.84	-0.97	74.0	22.16	Peak	174.00	100	Horizontal	Pass
5**	11128.350	42.47	-0.97	54.0	11.53	AV	174.00	100	Horizontal	Pass
6	16312.388	52.66	-0.22	88.2	35.54	Peak	337.00	350	Horizontal	Pass
6**	16312.388	43.30	-0.22	68.2	24.90	AV	337.00	350	Horizontal	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1829.600	44.55	-16.08	88.2	43.65	Peak	208.00	250	Vertical	Pass
1**	1829.600	30.89	-16.08	68.2	37.31	AV	208.00	250	Vertical	Pass
2	4751.500	51.54	-2.73	74.0	22.46	Peak	140.00	400	Vertical	Pass
2**	4751.500	41.78	-2.73	54.0	12.22	AV	140.00	400	Vertical	Pass
3	6523.000	101.51	-0.88	--	--	Peak	40.00	150	Vertical	N/A
3**	6523.000	91.98	-0.88	--	--	AV	40.00	150	Vertical	N/A
4	7841.500	55.41	3.10	88.2	32.79	Peak	195.00	200	Vertical	Pass
4**	7841.500	46.96	3.10	68.2	21.24	AV	195.00	200	Vertical	Pass
5	11192.713	52.04	-1.67	74.0	21.96	Peak	200.00	350	Vertical	Pass
5**	11192.713	43.01	-1.67	54.0	10.99	AV	200.00	350	Vertical	Pass
6	16341.526	52.71	0.61	88.2	35.49	Peak	325.00	350	Vertical	Pass
6**	16341.526	43.75	0.61	68.2	24.45	AV	325.00	350	Vertical	Pass

11ax80(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1998.900	42.03	-14.41	88.2	46.17	Peak	225.00	100	Horizontal	Pass
1**	1998.900	31.15	-14.41	68.2	37.05	AV	225.00	100	Horizontal	Pass
2	4822.000	51.67	-1.85	74.0	22.33	Peak	274.00	300	Horizontal	Pass
2**	4822.000	42.85	-1.85	54.0	11.15	AV	274.00	300	Horizontal	Pass
3	6460.250	93.95	-0.81	--	--	Peak	339.00	150	Horizontal	N/A
3**	6460.250	83.95	-0.81	--	--	AV	339.00	150	Horizontal	N/A
4	7836.750	55.46	3.61	88.2	32.74	Peak	360.00	100	Horizontal	Pass
4**	7836.750	46.69	3.61	68.2	21.51	AV	360.00	100	Horizontal	Pass
5	11062.088	51.61	-1.71	74.0	22.39	Peak	116.00	250	Horizontal	Pass
5**	11062.088	42.58	-1.71	54.0	11.42	AV	116.00	250	Horizontal	Pass
6	16366.987	52.11	0.48	88.2	36.09	Peak	298.00	350	Horizontal	Pass
6**	16366.987	43.21	0.48	68.2	24.99	AV	298.00	350	Horizontal	Pass

11ax80(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1828.300	44.57	-16.10	88.2	43.63	Peak	203.00	400	Vertical	Pass
1**	1828.300	31.95	-16.10	68.2	36.25	AV	203.00	400	Vertical	Pass
2	4818.250	51.60	-1.75	74.0	22.40	Peak	360.00	200	Vertical	Pass
2**	4818.250	43.26	-1.75	54.0	10.74	AV	360.00	200	Vertical	Pass
3	6494.000	97.78	-0.51	--	--	Peak	50.00	100	Vertical	N/A
3**	6494.000	88.14	-0.51	--	--	AV	50.00	100	Vertical	N/A
4	7475.000	55.04	1.97	74.0	18.96	Peak	360.00	350	Vertical	Pass
4**	7475.000	46.78	1.97	54.0	7.22	AV	360.00	350	Vertical	Pass
5	11180.599	51.56	-1.47	74.0	22.44	Peak	7.00	300	Vertical	Pass
5**	11180.599	42.86	-1.47	54.0	11.14	AV	7.00	300	Vertical	Pass
6	16790.925	52.09	0.83	88.2	36.11	Peak	360.00	150	Vertical	Pass
6**	16790.925	42.81	0.83	68.2	25.39	AV	360.00	150	Vertical	Pass

11ax80(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1997.600	41.86	-14.36	88.2	46.34	Peak	240.00	150	Horizontal	Pass
1**	1997.600	31.23	-14.36	68.2	36.97	AV	240.00	150	Horizontal	Pass
2	4780.250	51.26	-2.63	74.0	22.74	Peak	65.00	400	Horizontal	Pass
2**	4780.250	42.67	-2.63	54.0	11.33	AV	65.00	400	Horizontal	Pass
3	6560.500	93.13	-0.85	--	--	Peak	55.00	100	Horizontal	N/A
3**	6560.500	84.70	-0.85	--	--	AV	55.00	100	Horizontal	N/A
4	7923.500	55.38	2.16	88.2	32.82	Peak	290.00	100	Horizontal	Pass
4**	7923.500	47.36	2.16	68.2	20.84	AV	290.00	100	Horizontal	Pass
5	11200.312	51.49	-1.81	74.0	22.51	Peak	60.00	350	Horizontal	Pass
5**	11200.312	42.52	-1.81	54.0	11.48	AV	60.00	350	Horizontal	Pass
6	16218.937	52.20	-0.15	88.2	36.00	Peak	72.00	150	Horizontal	Pass
6**	16218.937	42.51	-0.15	68.2	25.69	AV	72.00	150	Horizontal	Pass

11ax80(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1824.500	43.51	-16.12	88.2	44.69	Peak	205.00	100	Vertical	Pass
1**	1824.500	30.74	-16.12	68.2	37.46	AV	205.00	100	Vertical	Pass
2	4732.750	52.55	-2.90	74.0	21.45	Peak	230.00	100	Vertical	Pass
2**	4732.750	42.04	-2.90	54.0	11.96	AV	230.00	100	Vertical	Pass
3	6542.750	98.28	-0.97	--	--	Peak	29.00	150	Vertical	N/A
3**	6542.750	88.90	-0.97	--	--	AV	29.00	150	Vertical	N/A
4	7840.250	55.72	3.21	88.2	32.48	Peak	12.00	400	Vertical	Pass
4**	7840.250	46.46	3.21	68.2	21.74	AV	12.00	400	Vertical	Pass
5	11153.526	52.12	-1.01	74.0	21.88	Peak	62.00	400	Vertical	Pass
5**	11153.526	41.79	-1.01	54.0	12.21	AV	62.00	400	Vertical	Pass
6	16475.662	52.12	0.44	88.2	36.08	Peak	205.00	400	Vertical	Pass
6**	16475.662	42.26	0.44	68.2	25.94	AV	205.00	400	Vertical	Pass

11ax160(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1993.700	42.76	-14.48	88.2	45.44	Peak	244.00	200	Horizontal	Pass
1**	1993.700	31.28	-14.48	68.2	36.92	AV	244.00	200	Horizontal	Pass
2	4771.250	51.72	-2.53	74.0	22.28	Peak	360.00	150	Horizontal	Pass
2**	4771.250	42.68	-2.53	54.0	11.32	AV	360.00	150	Horizontal	Pass
3	6508.250	92.76	-1.21	--	--	Peak	339.00	150	Horizontal	N/A
3**	6508.250	82.80	-1.21	--	--	AV	339.00	150	Horizontal	N/A
4	7476.750	55.18	1.77	74.0	18.82	Peak	360.00	250	Horizontal	Pass
4**	7476.750	46.48	1.77	54.0	7.52	AV	360.00	250	Horizontal	Pass
5	11174.187	51.88	-1.36	74.0	22.12	Peak	166.00	250	Horizontal	Pass
5**	11174.187	42.26	-1.36	54.0	11.74	AV	166.00	250	Horizontal	Pass
6	15765.599	51.86	-0.05	74.0	22.14	Peak	240.00	300	Horizontal	Pass
6**	15765.599	42.66	-0.05	54.0	11.34	AV	240.00	300	Horizontal	Pass

11ax160(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.600	44.27	-16.88	74.0	29.73	Peak	215.00	100	Vertical	Pass
1**	1493.600	30.04	-16.88	54.0	23.96	AV	215.00	100	Vertical	Pass
2	4822.750	52.25	-1.81	74.0	21.75	Peak	354.00	350	Vertical	Pass
2**	4822.750	43.22	-1.81	54.0	10.78	AV	354.00	350	Vertical	Pass
3	6524.750	96.23	-0.83	--	--	Peak	42.00	100	Vertical	N/A
3**	6524.750	86.22	-0.83	--	--	AV	42.00	100	Vertical	N/A
4	7970.000	55.88	1.68	88.2	32.32	Peak	184.00	150	Vertical	Pass
4**	7970.000	45.97	1.68	68.2	22.23	AV	184.00	150	Vertical	Pass
5	11065.650	51.73	-1.65	74.0	22.27	Peak	122.00	100	Vertical	Pass
5**	11065.650	42.59	-1.65	54.0	11.41	AV	122.00	100	Vertical	Pass
6	15748.013	52.17	0.35	74.0	21.83	Peak	174.00	350	Vertical	Pass
6**	15748.013	43.66	0.35	54.0	10.34	AV	174.00	350	Vertical	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1995.100	42.75	-14.52	88.2	45.45	Peak	251.00	300	Horizontal	Pass
1**	1995.100	31.16	-14.52	68.2	37.04	AV	251.00	300	Horizontal	Pass
2	4767.250	52.15	-2.45	74.0	21.85	Peak	313.00	300	Horizontal	Pass
2**	4767.250	42.70	-2.45	54.0	11.30	AV	313.00	300	Horizontal	Pass
3	6519.000	97.52	-1.04	--	--	Peak	326.00	100	Horizontal	N/A
3**	6519.000	88.18	-1.04	--	--	AV	326.00	100	Horizontal	N/A
4	7470.250	55.59	1.70	74.0	18.41	Peak	1.00	350	Horizontal	Pass
4**	7470.250	45.77	1.70	54.0	8.23	AV	1.00	350	Horizontal	Pass
5	11129.538	52.12	-0.97	74.0	21.88	Peak	259.00	200	Horizontal	Pass
5**	11129.538	42.79	-0.97	54.0	11.21	AV	259.00	200	Horizontal	Pass
6	16344.412	53.59	0.69	88.2	34.61	Peak	1.00	350	Horizontal	Pass
6**	16344.412	44.35	0.69	68.2	23.85	AV	1.00	350	Horizontal	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1829.000	44.80	-16.09	88.2	43.40	Peak	121.00	100	Vertical	Pass
1**	1829.000	36.08	-16.09	68.2	32.12	AV	121.00	100	Vertical	Pass
2	4788.000	51.72	-2.66	74.0	22.28	Peak	1.00	300	Vertical	Pass
2**	4788.000	41.90	-2.66	54.0	12.10	AV	1.00	300	Vertical	Pass
3	6528.750	103.68	-0.83	--	--	Peak	15.00	100	Vertical	N/A
3**	6528.750	95.91	-0.83	--	--	AV	15.00	100	Vertical	N/A
4	7473.250	55.77	1.86	74.0	18.23	Peak	207.00	150	Vertical	Pass
4**	7473.250	46.33	1.86	54.0	7.67	AV	207.00	150	Vertical	Pass
5	11137.613	51.81	-0.96	74.0	22.19	Peak	36.00	300	Vertical	Pass
5**	11137.613	42.73	-0.96	54.0	11.27	AV	36.00	300	Vertical	Pass
6	16301.887	52.93	-0.52	88.2	35.27	Peak	295.00	100	Vertical	Pass
6**	16301.887	43.04	-0.52	68.2	25.16	AV	295.00	100	Vertical	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1993.500	43.11	-14.47	88.2	45.09	Peak	179.00	200	Horizontal	Pass
1**	1993.500	31.92	-14.47	68.2	36.28	AV	179.00	200	Horizontal	Pass
2	4717.500	51.44	-2.74	74.0	22.56	Peak	93.00	300	Horizontal	Pass
2**	4717.500	43.04	-2.74	54.0	10.96	AV	93.00	300	Horizontal	Pass
3	6699.750	94.87	-0.51	--	--	Peak	352.00	200	Horizontal	N/A
3**	6699.750	86.81	-0.51	--	--	AV	352.00	200	Horizontal	N/A
4	7835.750	56.06	3.53	88.2	32.14	Peak	64.00	400	Horizontal	Pass
4**	7835.750	47.20	3.53	68.2	21.00	AV	64.00	400	Horizontal	Pass
5	11131.437	52.95	-0.97	74.0	21.05	Peak	64.00	300	Horizontal	Pass
5**	11131.437	43.14	-0.97	54.0	10.86	AV	64.00	300	Horizontal	Pass
6	15753.525	53.26	0.28	74.0	20.74	Peak	326.00	400	Horizontal	Pass
6**	15753.525	43.58	0.28	54.0	10.42	AV	326.00	400	Horizontal	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1992.200	45.02	-14.44	88.2	43.18	Peak	147.00	200	Vertical	Pass
1**	1992.200	36.06	-14.44	68.2	32.14	AV	147.00	200	Vertical	Pass
2	2659.400	52.06	-10.29	88.2	36.14	Peak	176.00	400	Vertical	Pass
2**	2659.400	38.47	-10.29	68.2	29.73	AV	176.00	400	Vertical	Pass
3	6708.750	101.49	-0.42	--	--	Peak	33.00	100	Vertical	N/A
3**	6708.750	93.86	-0.42	--	--	AV	33.00	100	Vertical	N/A
4	7837.250	55.93	3.60	88.2	32.27	Peak	127.00	300	Vertical	Pass
4**	7837.250	46.49	3.60	68.2	21.71	AV	127.00	300	Vertical	Pass
5	11195.800	51.65	-1.73	74.0	22.35	Peak	127.00	250	Vertical	Pass
5**	11195.800	42.27	-1.73	54.0	11.73	AV	127.00	250	Vertical	Pass
6	16353.863	53.30	0.76	88.2	34.90	Peak	127.00	400	Vertical	Pass
6**	16353.863	44.41	0.76	68.2	23.79	AV	127.00	400	Vertical	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1991.100	42.19	-14.42	88.2	46.01	Peak	253.00	350	Horizontal	Pass
1**	1991.100	30.74	-14.42	68.2	37.46	AV	253.00	350	Horizontal	Pass
2	4746.250	51.94	-2.81	74.0	22.06	Peak	62.00	300	Horizontal	Pass
2**	4746.250	42.77	-2.81	54.0	11.23	AV	62.00	300	Horizontal	Pass
3	6841.750	96.62	0.01	--	--	Peak	127.00	150	Horizontal	N/A
3**	6841.750	88.58	0.01	--	--	AV	127.00	150	Horizontal	N/A
4	7923.250	56.33	2.15	88.2	31.87	Peak	220.00	350	Horizontal	Pass
4**	7923.250	46.06	2.15	68.2	22.14	AV	220.00	350	Horizontal	Pass
5	11067.076	51.65	-1.62	74.0	22.35	Peak	127.00	350	Horizontal	Pass
5**	11067.076	43.25	-1.62	54.0	10.75	AV	127.00	350	Horizontal	Pass
6	16341.000	54.00	0.59	88.2	34.20	Peak	127.00	200	Horizontal	Pass
6**	16341.000	44.78	0.59	68.2	23.42	AV	127.00	200	Horizontal	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1825.400	44.62	-16.21	88.2	43.58	Peak	194.00	100	Vertical	Pass
1**	1825.400	32.59	-16.21	68.2	35.61	AV	194.00	100	Vertical	Pass
2	4826.500	52.55	-1.80	74.0	21.45	Peak	127.00	350	Vertical	Pass
2**	4826.500	43.84	-1.80	54.0	10.16	AV	127.00	350	Vertical	Pass
3	6850.750	102.72	-0.33	--	--	Peak	127.00	150	Vertical	N/A
3**	6850.750	94.61	-0.33	--	--	AV	127.00	150	Vertical	N/A
4	7362.250	55.77	0.52	74.0	18.23	Peak	246.00	350	Vertical	Pass
4**	7362.250	45.33	0.52	54.0	8.67	AV	246.00	350	Vertical	Pass
5	11177.513	52.46	-1.42	74.0	21.54	Peak	127.00	150	Vertical	Pass
5**	11177.513	42.81	-1.42	54.0	11.19	AV	127.00	150	Vertical	Pass
6	16331.813	53.24	0.33	88.2	34.96	Peak	127.00	300	Vertical	Pass
6**	16331.813	43.97	0.33	68.2	24.23	AV	127.00	300	Vertical	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1832.500	42.32	-16.05	88.2	45.88	Peak	189.00	200	Horizontal	Pass
1**	1832.500	29.45	-16.05	68.2	38.75	AV	189.00	200	Horizontal	Pass
2	4762.000	51.48	-2.69	74.0	22.52	Peak	223.00	150	Horizontal	Pass
2**	4762.000	41.76	-2.69	54.0	12.24	AV	223.00	150	Horizontal	Pass
3	6561.500	97.02	-0.82	--	--	Peak	319.00	100	Horizontal	N/A
3**	6561.500	88.94	-0.82	--	--	AV	319.00	100	Horizontal	N/A
4	7482.750	55.68	1.48	74.0	18.32	Peak	101.00	150	Horizontal	Pass
4**	7482.750	47.01	1.48	54.0	6.99	AV	101.00	150	Horizontal	Pass
5	11162.075	53.30	-1.15	74.0	20.70	Peak	127.00	100	Horizontal	Pass
5**	11162.075	42.13	-1.15	54.0	11.87	AV	127.00	100	Horizontal	Pass
6	16344.150	53.15	0.68	88.2	35.05	Peak	264.00	200	Horizontal	Pass
6**	16344.150	43.32	0.68	68.2	24.88	AV	264.00	200	Horizontal	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.700	44.17	-16.70	74.0	29.83	Peak	209.00	250	Vertical	Pass
1**	1332.700	32.98	-16.70	54.0	21.02	AV	209.00	250	Vertical	Pass
2	4869.500	52.26	-2.68	74.0	21.74	Peak	116.00	300	Vertical	Pass
2**	4869.500	41.75	-2.68	54.0	12.25	AV	116.00	300	Vertical	Pass
3	6562.000	103.09	-0.80	--	--	Peak	33.00	150	Vertical	N/A
3**	6562.000	96.54	-0.80	--	--	AV	33.00	150	Vertical	N/A
4	7348.750	55.58	1.12	74.0	18.42	Peak	127.00	400	Vertical	Pass
4**	7348.750	45.42	1.12	54.0	8.58	AV	127.00	400	Vertical	Pass
5	11120.037	51.87	-0.98	74.0	22.13	Peak	127.00	200	Vertical	Pass
5**	11120.037	42.68	-0.98	54.0	11.32	AV	127.00	200	Vertical	Pass
6	16344.150	53.53	0.68	88.2	34.67	Peak	290.00	150	Vertical	Pass
6**	16344.150	44.02	0.68	68.2	24.18	AV	290.00	150	Vertical	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1993.400	42.57	-14.47	88.2	45.63	Peak	284.00	400	Horizontal	Pass
1**	1993.400	30.70	-14.47	68.2	37.50	AV	284.00	400	Horizontal	Pass
2	4716.250	52.03	-2.84	74.0	21.97	Peak	298.00	100	Horizontal	Pass
2**	4716.250	42.80	-2.84	54.0	11.20	AV	298.00	100	Horizontal	Pass
3	6729.750	93.93	-0.81	--	--	Peak	327.00	150	Horizontal	N/A
3**	6729.750	86.17	-0.81	--	--	AV	327.00	150	Horizontal	N/A
4	7879.750	55.47	2.90	88.2	32.73	Peak	64.00	350	Horizontal	Pass
4**	7879.750	45.56	2.90	68.2	22.64	AV	64.00	350	Horizontal	Pass
5	11071.112	52.26	-1.55	74.0	21.74	Peak	33.00	350	Horizontal	Pass
5**	11071.112	42.81	-1.55	54.0	11.19	AV	33.00	350	Horizontal	Pass
6	16334.701	53.81	0.41	88.2	34.39	Peak	122.00	400	Horizontal	Pass
6**	16334.701	44.07	0.41	68.2	24.13	AV	122.00	400	Horizontal	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1826.600	45.28	-16.16	88.2	42.92	Peak	186.00	300	Vertical	Pass
1**	1826.600	33.74	-16.16	68.2	34.46	AV	186.00	300	Vertical	Pass
2	4816.750	51.99	-1.84	74.0	22.01	Peak	314.00	400	Vertical	Pass
2**	4816.750	42.27	-1.84	54.0	11.73	AV	314.00	400	Vertical	Pass
3	6732.000	100.89	-0.96	--	--	Peak	36.00	150	Vertical	N/A
3**	6732.000	93.74	-0.96	--	--	AV	36.00	150	Vertical	N/A
4	7837.500	56.66	3.56	88.2	31.54	Peak	64.00	100	Vertical	Pass
4**	7837.500	47.34	3.56	68.2	20.86	AV	64.00	100	Vertical	Pass
5	11132.151	51.46	-0.97	74.0	22.54	Peak	332.00	150	Vertical	Pass
5**	11132.151	42.83	-0.97	54.0	11.17	AV	332.00	150	Vertical	Pass
6	16332.862	54.08	0.36	88.2	34.12	Peak	150.00	150	Vertical	Pass
6**	16332.862	43.93	0.36	68.2	24.27	AV	150.00	150	Vertical	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1996.700	41.18	-14.43	88.2	47.02	Peak	245.00	200	Horizontal	Pass
1**	1996.700	32.23	-14.43	68.2	35.97	AV	245.00	200	Horizontal	Pass
2	4817.000	51.43	-1.79	74.0	22.57	Peak	262.00	100	Horizontal	Pass
2**	4817.000	42.91	-1.79	54.0	11.09	AV	262.00	100	Horizontal	Pass
3	6846.750	96.26	-0.35	--	--	Peak	64.00	100	Horizontal	N/A
3**	6846.750	88.01	-0.35	--	--	AV	64.00	100	Horizontal	N/A
4	7776.500	55.47	1.51	88.2	32.73	Peak	275.00	350	Horizontal	Pass
4**	7776.500	45.49	1.51	68.2	22.71	AV	275.00	350	Horizontal	Pass
5	11147.112	52.16	-0.95	74.0	21.84	Peak	204.00	400	Horizontal	Pass
5**	11147.112	42.70	-0.95	54.0	11.30	AV	204.00	400	Horizontal	Pass
6	16652.588	53.46	1.09	88.2	34.74	Peak	161.00	100	Horizontal	Pass
6**	16652.588	44.36	1.09	68.2	23.84	AV	161.00	100	Horizontal	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1833.300	45.69	-16.02	88.2	42.51	Peak	191.00	400	Vertical	Pass
1**	1833.300	30.39	-16.02	68.2	37.81	AV	191.00	400	Vertical	Pass
2	2655.600	54.15	-10.19	88.2	34.05	Peak	147.00	350	Vertical	Pass
2**	2655.600	39.45	-10.19	68.2	28.75	AV	147.00	350	Vertical	Pass
3	6843.250	103.11	0.01	--	--	Peak	64.00	150	Vertical	N/A
3**	6843.250	94.77	0.01	--	--	AV	64.00	150	Vertical	N/A
4	7813.000	55.45	2.16	88.2	32.75	Peak	194.00	150	Vertical	Pass
4**	7813.000	45.67	2.16	68.2	22.53	AV	194.00	150	Vertical	Pass
5	11130.488	52.04	-0.97	74.0	21.96	Peak	241.00	400	Vertical	Pass
5**	11130.488	42.40	-0.97	54.0	11.60	AV	241.00	400	Vertical	Pass
6	16358.325	53.79	0.67	88.2	34.41	Peak	103.00	350	Vertical	Pass
6**	16358.325	43.64	0.67	68.2	24.56	AV	103.00	350	Vertical	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2090.800	41.15	-13.71	88.2	47.05	Peak	310.00	200	Horizontal	Pass
1**	2090.800	31.57	-13.71	68.2	36.63	AV	310.00	200	Horizontal	Pass
2	4717.250	51.60	-2.76	74.0	22.40	Peak	140.00	300	Horizontal	Pass
2**	4717.250	43.74	-2.76	54.0	10.26	AV	140.00	300	Horizontal	Pass
3	6611.500	96.28	-0.58	--	--	Peak	324.00	150	Horizontal	N/A
3**	6611.500	88.27	-0.58	--	--	AV	324.00	150	Horizontal	N/A
4	7504.000	55.76	1.00	74.0	18.24	Peak	301.00	400	Horizontal	Pass
4**	7504.000	45.74	1.00	54.0	8.26	AV	301.00	400	Horizontal	Pass
5	11190.813	51.41	-1.64	74.0	22.59	Peak	127.00	150	Horizontal	Pass
5**	11190.813	42.19	-1.64	54.0	11.81	AV	127.00	150	Horizontal	Pass
6	16334.437	53.50	0.40	88.2	34.70	Peak	127.00	350	Horizontal	Pass
6**	16334.437	44.72	0.40	68.2	23.48	AV	127.00	350	Horizontal	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1831.000	45.60	-16.07	88.2	42.60	Peak	206.00	250	Vertical	Pass
1**	1831.000	37.24	-16.07	68.2	30.96	AV	206.00	250	Vertical	Pass
2	4677.000	51.74	-3.06	74.0	22.26	Peak	316.00	300	Vertical	Pass
2**	4677.000	43.19	-3.06	54.0	10.81	AV	316.00	300	Vertical	Pass
3	6622.000	103.01	-0.08	--	--	Peak	31.00	200	Vertical	N/A
3**	6622.000	95.66	-0.08	--	--	AV	31.00	200	Vertical	N/A
4	7509.500	56.18	1.72	74.0	17.82	Peak	127.00	350	Vertical	Pass
4**	7509.500	46.14	1.72	54.0	7.86	AV	127.00	350	Vertical	Pass
5	11192.237	51.80	-1.67	74.0	22.20	Peak	127.00	100	Vertical	Pass
5**	11192.237	43.32	-1.67	54.0	10.68	AV	127.00	100	Vertical	Pass
6	16700.364	53.29	0.86	88.2	34.91	Peak	127.00	200	Vertical	Pass
6**	16700.364	43.24	0.86	68.2	24.96	AV	127.00	200	Vertical	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1831.100	41.57	-16.07	88.2	46.63	Peak	287.00	150	Horizontal	Pass
1**	1831.100	30.44	-16.07	68.2	37.76	AV	287.00	150	Horizontal	Pass
2	4740.500	51.73	-3.06	74.0	22.27	Peak	194.00	150	Horizontal	Pass
2**	4740.500	41.76	-3.06	54.0	12.24	AV	194.00	150	Horizontal	Pass
3	6699.000	95.04	-0.57	--	--	Peak	329.00	150	Horizontal	N/A
3**	6699.000	86.48	-0.57	--	--	AV	329.00	150	Horizontal	N/A
4	7879.250	55.29	2.90	88.2	32.91	Peak	75.00	350	Horizontal	Pass
4**	7879.250	46.67	2.90	68.2	21.53	AV	75.00	350	Horizontal	Pass
5	11396.013	51.90	-1.67	74.0	22.10	Peak	90.00	300	Horizontal	Pass
5**	11396.013	41.67	-1.67	54.0	12.33	AV	90.00	300	Horizontal	Pass
6	16347.300	53.84	0.77	88.2	34.36	Peak	161.00	200	Horizontal	Pass
6**	16347.300	43.91	0.77	68.2	24.29	AV	161.00	200	Horizontal	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1800.000	47.05	-15.91	88.2	41.15	Peak	346.00	400	Vertical	Pass
1**	1800.000	39.83	-15.91	68.2	28.37	AV	346.00	400	Vertical	Pass
2	4733.250	51.31	-2.94	74.0	22.69	Peak	355.00	250	Vertical	Pass
2**	4733.250	42.80	-2.94	54.0	11.20	AV	355.00	250	Vertical	Pass
3	6691.000	101.59	-0.54	--	--	Peak	33.00	150	Vertical	N/A
3**	6691.000	93.58	-0.54	--	--	AV	33.00	150	Vertical	N/A
4	7835.500	55.47	3.51	88.2	32.73	Peak	127.00	200	Vertical	Pass
4**	7835.500	46.87	3.51	68.2	21.33	AV	127.00	200	Vertical	Pass
5	11131.675	51.58	-0.97	74.0	22.42	Peak	127.00	300	Vertical	Pass
5**	11131.675	44.22	-0.97	54.0	9.78	AV	127.00	300	Vertical	Pass
6	16467.787	53.61	0.46	88.2	34.59	Peak	127.00	100	Vertical	Pass
6**	16467.787	43.50	0.46	68.2	24.70	AV	127.00	100	Vertical	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1994.400	42.06	-14.50	88.2	46.14	Peak	251.00	100	Horizontal	Pass
1**	1994.400	31.45	-14.50	68.2	36.75	AV	251.00	100	Horizontal	Pass
2	4817.250	51.71	-1.74	74.0	22.29	Peak	64.00	300	Horizontal	Pass
2**	4817.250	43.62	-1.74	54.0	10.38	AV	64.00	300	Horizontal	Pass
3	6771.500	96.65	0.36	--	--	Peak	353.00	200	Horizontal	N/A
3**	6771.500	88.86	0.36	--	--	AV	353.00	200	Horizontal	N/A
4	7822.750	55.09	2.81	88.2	33.11	Peak	64.00	250	Horizontal	Pass
4**	7822.750	46.79	2.81	68.2	21.41	AV	64.00	250	Horizontal	Pass
5	11141.888	51.93	-0.96	74.0	22.07	Peak	184.00	200	Horizontal	Pass
5**	11141.888	43.41	-0.96	54.0	10.59	AV	184.00	200	Horizontal	Pass
6	16339.687	53.13	0.55	88.2	35.07	Peak	64.00	300	Horizontal	Pass
6**	16339.687	44.10	0.55	68.2	24.10	AV	64.00	300	Horizontal	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1826.500	45.27	-16.16	88.2	42.93	Peak	206.00	400	Vertical	Pass
1**	1826.500	33.56	-16.16	68.2	34.64	AV	206.00	400	Vertical	Pass
2	4709.500	51.66	-2.71	74.0	22.34	Peak	85.00	250	Vertical	Pass
2**	4709.500	41.79	-2.71	54.0	12.21	AV	85.00	250	Vertical	Pass
3	6782.250	103.13	0.03	--	--	Peak	64.00	100	Vertical	N/A
3**	6782.250	95.76	0.03	--	--	AV	64.00	100	Vertical	N/A
4	7839.000	56.04	3.34	88.2	32.16	Peak	64.00	200	Vertical	Pass
4**	7839.000	46.45	3.34	68.2	21.75	AV	64.00	200	Vertical	Pass
5	11139.987	51.58	-0.96	74.0	22.42	Peak	316.00	250	Vertical	Pass
5**	11139.987	42.50	-0.96	54.0	11.50	AV	316.00	250	Vertical	Pass
6	16335.750	52.87	0.44	88.2	35.33	Peak	218.00	300	Vertical	Pass
6**	16335.750	43.65	0.44	68.2	24.55	AV	218.00	300	Vertical	Pass

11ax160(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1994.600	41.89	-14.50	88.2	46.31	Peak	287.00	150	Horizontal	Pass
1**	1994.600	31.40	-14.50	68.2	36.80	AV	287.00	150	Horizontal	Pass
2	4787.000	51.36	-2.57	74.0	22.64	Peak	202.00	300	Horizontal	Pass
2**	4787.000	41.75	-2.57	54.0	12.25	AV	202.00	300	Horizontal	Pass
3	6663.250	95.93	-0.81	--	--	Peak	324.00	150	Horizontal	N/A
3**	6663.250	87.93	-0.81	--	--	AV	324.00	150	Horizontal	N/A
4	7817.000	55.55	2.52	88.2	32.65	Peak	57.00	400	Horizontal	Pass
4**	7817.000	46.35	2.52	68.2	21.85	AV	57.00	400	Horizontal	Pass
5	11124.076	52.09	-0.98	74.0	21.91	Peak	108.00	350	Horizontal	Pass
5**	11124.076	42.94	-0.98	54.0	11.06	AV	108.00	350	Horizontal	Pass
6	16793.026	53.39	0.91	88.2	34.81	Peak	64.00	300	Horizontal	Pass
6**	16793.026	43.78	0.91	68.2	24.42	AV	64.00	300	Horizontal	Pass

11ax160(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1798.900	45.10	-16.09	88.2	43.10	Peak	183.00	350	Vertical	Pass
1**	1798.900	29.77	-16.09	68.2	38.43	AV	183.00	350	Vertical	Pass
2	4767.000	51.47	-2.47	74.0	22.53	Peak	181.00	300	Vertical	Pass
2**	4767.000	41.93	-2.47	54.0	12.07	AV	181.00	300	Vertical	Pass
3	6650.250	103.47	-1.11	--	--	Peak	20.00	150	Vertical	N/A
3**	6650.250	95.43	-1.11	--	--	AV	20.00	150	Vertical	N/A
4	7841.500	55.48	3.10	88.2	32.72	Peak	101.00	400	Vertical	Pass
4**	7841.500	45.81	3.10	68.2	22.39	AV	101.00	400	Vertical	Pass
5	11131.675	52.25	-0.97	74.0	21.75	Peak	352.00	200	Vertical	Pass
5**	11131.675	42.78	-0.97	54.0	11.22	AV	352.00	200	Vertical	Pass
6	16798.276	52.60	1.09	88.2	35.60	Peak	64.00	150	Vertical	Pass
6**	16798.276	44.37	1.09	68.2	23.83	AV	64.00	150	Vertical	Pass

11ax160(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1990.900	41.85	-14.43	88.2	46.35	Peak	97.00	300	Horizontal	Pass
1**	1990.900	31.19	-14.43	68.2	37.01	AV	97.00	300	Horizontal	Pass
2	4750.500	51.49	-2.69	74.0	22.51	Peak	72.00	300	Horizontal	Pass
2**	4750.500	43.19	-2.69	54.0	10.81	AV	72.00	300	Horizontal	Pass
3	6812.250	97.65	-0.05	--	--	Peak	340.00	200	Horizontal	N/A
3**	6812.250	89.97	-0.05	--	--	AV	340.00	200	Horizontal	N/A
4	7836.500	55.39	3.59	88.2	32.81	Peak	340.00	400	Horizontal	Pass
4**	7836.500	46.67	3.59	68.2	21.53	AV	340.00	400	Horizontal	Pass
5	11134.525	52.16	-0.97	74.0	21.84	Peak	352.00	350	Horizontal	Pass
5**	11134.525	43.08	-0.97	54.0	10.92	AV	352.00	350	Horizontal	Pass
6	16501.125	53.16	0.34	88.2	35.04	Peak	257.00	100	Horizontal	Pass
6**	16501.125	43.88	0.34	68.2	24.32	AV	257.00	100	Horizontal	Pass

11ax160(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1993.900	44.54	-14.48	88.2	43.66	Peak	191.00	200	Vertical	Pass
1**	1993.900	34.18	-14.48	68.2	34.02	AV	191.00	200	Vertical	Pass
2	4724.500	51.33	-2.94	74.0	22.67	Peak	303.00	300	Vertical	Pass
2**	4724.500	41.86	-2.94	54.0	12.14	AV	303.00	300	Vertical	Pass
3	6807.500	105.13	-0.19	--	--	Peak	64.00	100	Vertical	N/A
3**	6807.500	96.80	-0.19	--	--	AV	64.00	100	Vertical	N/A
4	7777.750	55.35	1.34	88.2	32.85	Peak	64.00	150	Vertical	Pass
4**	7777.750	45.34	1.34	68.2	22.86	AV	64.00	150	Vertical	Pass
5	11405.038	51.85	-1.72	74.0	22.15	Peak	72.00	300	Vertical	Pass
5**	11405.038	41.97	-1.72	54.0	12.03	AV	72.00	300	Vertical	Pass
6	16355.174	53.35	0.74	88.2	34.85	Peak	200.00	100	Vertical	Pass
6**	16355.174	44.08	0.74	68.2	24.12	AV	200.00	100	Vertical	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1827.800	41.76	-16.11	88.2	46.44	Peak	295.00	200	Horizontal	Pass
1**	1827.800	29.95	-16.11	68.2	38.25	AV	295.00	200	Horizontal	Pass
2	4815.750	51.63	-2.05	74.0	22.37	Peak	127.00	400	Horizontal	Pass
2**	4815.750	42.75	-2.05	54.0	11.25	AV	127.00	400	Horizontal	Pass
3	6872.500	96.76	-0.38	--	--	Peak	358.00	200	Horizontal	N/A
3**	6872.500	88.76	-0.38	--	--	AV	358.00	200	Horizontal	N/A
4	7921.750	55.57	2.07	88.2	32.63	Peak	49.00	250	Horizontal	Pass
4**	7921.750	46.44	2.07	68.2	21.76	AV	49.00	250	Horizontal	Pass
5	11128.588	52.02	-0.97	74.0	21.98	Peak	127.00	200	Horizontal	Pass
5**	11128.588	42.75	-0.97	54.0	11.25	AV	127.00	200	Horizontal	Pass
6	16334.963	53.41	0.42	88.2	34.79	Peak	311.00	200	Horizontal	Pass
6**	16334.963	45.49	0.42	68.2	22.71	AV	311.00	200	Horizontal	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1827.500	44.52	-16.11	88.2	43.68	Peak	201.00	350	Vertical	Pass
1**	1827.500	33.19	-16.11	68.2	35.01	AV	201.00	350	Vertical	Pass
2	4710.750	51.91	-2.67	74.0	22.09	Peak	64.00	350	Vertical	Pass
2**	4710.750	43.12	-2.67	54.0	10.88	AV	64.00	350	Vertical	Pass
3	6869.500	103.09	-0.30	--	--	Peak	10.00	150	Vertical	N/A
3**	6869.500	94.68	-0.30	--	--	AV	10.00	150	Vertical	N/A
4	7485.000	55.85	1.46	74.0	18.15	Peak	101.00	400	Vertical	Pass
4**	7485.000	45.66	1.46	54.0	8.34	AV	101.00	400	Vertical	Pass
5	11146.875	51.89	-0.95	74.0	22.11	Peak	184.00	150	Vertical	Pass
5**	11146.875	43.17	-0.95	54.0	10.83	AV	184.00	150	Vertical	Pass
6	16306.875	52.66	-0.38	88.2	35.54	Peak	64.00	400	Vertical	Pass
6**	16306.875	43.61	-0.38	68.2	24.59	AV	64.00	400	Vertical	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2034.400	41.55	-14.26	88.2	46.65	Peak	308.00	100	Horizontal	Pass
1**	2034.400	32.08	-14.26	68.2	36.12	AV	308.00	100	Horizontal	Pass
2	4700.500	51.55	-2.73	74.0	22.45	Peak	138.00	100	Horizontal	Pass
2**	4700.500	42.06	-2.73	54.0	11.94	AV	138.00	100	Horizontal	Pass
3	7011.250	96.47	-0.05	--	--	Peak	157.00	100	Horizontal	N/A
3**	7011.250	87.38	-0.05	--	--	AV	157.00	100	Horizontal	N/A
4	7836.250	55.65	3.57	88.2	32.55	Peak	319.00	300	Horizontal	Pass
4**	7836.250	46.11	3.57	68.2	22.09	AV	319.00	300	Horizontal	Pass
5	11204.350	51.54	-1.91	74.0	22.46	Peak	360.00	200	Horizontal	Pass
5**	11204.350	41.66	-1.91	54.0	12.34	AV	360.00	200	Horizontal	Pass
6	15730.688	53.01	0.11	74.0	20.99	Peak	146.00	100	Horizontal	Pass
6**	15730.688	43.73	0.11	54.0	10.27	AV	146.00	100	Horizontal	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2020.400	41.29	-14.31	88.2	46.91	Peak	99.00	400	Vertical	Pass
1**	2020.400	31.74	-14.31	68.2	36.46	AV	99.00	400	Vertical	Pass
2	4708.500	53.16	-2.74	74.0	20.84	Peak	243.00	400	Vertical	Pass
2**	4708.500	46.31	-2.74	54.0	7.69	AV	243.00	400	Vertical	Pass
3	7009.250	100.35	-0.09	--	--	Peak	206.00	150	Vertical	N/A
3**	7009.250	93.08	-0.09	--	--	AV	206.00	150	Vertical	N/A
4	7849.250	55.18	2.48	88.2	33.02	Peak	23.00	300	Vertical	Pass
4**	7849.250	45.81	2.48	68.2	22.39	AV	23.00	300	Vertical	Pass
5	11121.225	51.55	-0.98	74.0	22.45	Peak	326.00	300	Vertical	Pass
5**	11121.225	42.46	-0.98	54.0	11.54	AV	326.00	300	Vertical	Pass
6	16328.401	52.18	0.23	88.2	36.02	Peak	233.00	400	Vertical	Pass
6**	16328.401	43.95	0.23	68.2	24.25	AV	233.00	400	Vertical	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1993.800	41.47	-14.48	88.2	46.73	Peak	161.00	200	Horizontal	Pass
1**	1993.800	31.09	-14.48	68.2	37.11	AV	161.00	200	Horizontal	Pass
2	4730.500	51.24	-2.99	74.0	22.76	Peak	235.00	350	Horizontal	Pass
2**	4730.500	41.98	-2.99	54.0	12.02	AV	235.00	350	Horizontal	Pass
3	7096.750	99.45	-0.15	--	--	Peak	89.00	100	Horizontal	N/A
3**	7096.750	88.65	-0.15	--	--	AV	89.00	100	Horizontal	N/A
4	7845.250	56.74	2.78	88.2	31.46	Peak	218.00	400	Horizontal	Pass
4**	7845.250	46.53	2.78	68.2	21.67	AV	218.00	400	Horizontal	Pass
5	11071.350	51.52	-1.54	74.0	22.48	Peak	0.00	200	Horizontal	Pass
5**	11071.350	42.22	-1.54	54.0	11.78	AV	0.00	200	Horizontal	Pass
6	16336.275	52.64	0.46	88.2	35.56	Peak	215.00	200	Horizontal	Pass
6**	16336.275	42.98	0.46	68.2	25.22	AV	215.00	200	Horizontal	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.300	45.38	-16.67	74.0	28.62	Peak	198.00	400	Vertical	Pass
1**	1328.300	33.05	-16.67	54.0	20.95	AV	198.00	400	Vertical	Pass
2	4718.500	51.70	-2.78	74.0	22.30	Peak	259.00	350	Vertical	Pass
2**	4718.500	41.64	-2.78	54.0	12.36	AV	259.00	350	Vertical	Pass
3	7100.000	103.25	-0.06	--	--	Peak	312.00	200	Vertical	N/A
3**	7100.000	93.36	-0.06	--	--	AV	312.00	200	Vertical	N/A
4	7824.250	55.48	3.20	88.2	32.72	Peak	41.00	400	Vertical	Pass
4**	7824.250	47.45	3.20	68.2	20.75	AV	41.00	400	Vertical	Pass
5	11135.000	51.79	-0.97	74.0	22.21	Peak	0.00	150	Vertical	Pass
5**	11135.000	42.64	-0.97	54.0	11.36	AV	0.00	150	Vertical	Pass
6	16311.075	53.02	-0.26	88.2	35.18	Peak	341.00	300	Vertical	Pass
6**	16311.075	43.81	-0.26	68.2	24.39	AV	341.00	300	Vertical	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2088.500	41.71	-13.89	88.2	46.49	Peak	18.00	100	Horizontal	Pass
1**	2088.500	32.22	-13.89	68.2	35.98	AV	18.00	100	Horizontal	Pass
2	4768.500	51.62	-2.36	74.0	22.38	Peak	334.00	150	Horizontal	Pass
2**	4768.500	42.76	-2.36	54.0	11.24	AV	334.00	150	Horizontal	Pass
3	7102.750	100.22	0.07	--	--	Peak	64.00	150	Horizontal	N/A
3**	7102.750	91.55	0.07	--	--	AV	64.00	150	Horizontal	N/A
4	7544.000	55.18	1.92	74.0	18.82	Peak	55.00	150	Horizontal	Pass
4**	7544.000	46.04	1.92	54.0	7.96	AV	55.00	150	Horizontal	Pass
5	11127.400	51.79	-0.98	74.0	22.21	Peak	0.00	400	Horizontal	Pass
5**	11127.400	43.74	-0.98	54.0	10.26	AV	0.00	400	Horizontal	Pass
6	16349.138	53.24	0.82	88.2	34.96	Peak	258.00	300	Horizontal	Pass
6**	16349.138	43.47	0.82	68.2	24.73	AV	258.00	300	Horizontal	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1991.100	44.37	-14.42	88.2	43.83	Peak	160.00	100	Vertical	Pass
1**	1991.100	35.19	-14.42	68.2	33.01	AV	160.00	100	Vertical	Pass
2	4785.750	51.54	-2.48	74.0	22.46	Peak	290.00	200	Vertical	Pass
2**	4785.750	42.59	-2.48	54.0	11.41	AV	290.00	200	Vertical	Pass
3	7100.750	103.68	-0.01	--	--	Peak	48.00	100	Vertical	N/A
3**	7100.750	96.08	-0.01	--	--	AV	48.00	100	Vertical	N/A
4	7490.500	55.54	1.26	74.0	18.46	Peak	40.00	150	Vertical	Pass
4**	7490.500	46.07	1.26	54.0	7.93	AV	40.00	150	Vertical	Pass
5	11191.050	51.69	-1.65	74.0	22.31	Peak	352.00	150	Vertical	Pass
5**	11191.050	43.69	-1.65	54.0	10.31	AV	352.00	150	Vertical	Pass
6	16345.463	52.83	0.72	88.2	35.37	Peak	295.00	250	Vertical	Pass
6**	16345.463	43.73	0.72	68.2	24.47	AV	295.00	250	Vertical	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2098.600	41.65	-13.48	88.2	46.55	Peak	135.00	200	Horizontal	Pass
1**	2098.600	32.45	-13.48	68.2	35.75	AV	135.00	200	Horizontal	Pass
2	4819.250	51.60	-1.79	74.0	22.40	Peak	256.00	350	Horizontal	Pass
2**	4819.250	42.81	-1.79	54.0	11.19	AV	256.00	350	Horizontal	Pass
3	6892.750	96.06	0.09	--	--	Peak	220.00	150	Horizontal	N/A
3**	6892.750	88.22	0.09	--	--	AV	220.00	150	Horizontal	N/A
4	7931.000	55.72	2.47	88.2	32.48	Peak	50.00	250	Horizontal	Pass
4**	7931.000	46.98	2.47	68.2	21.22	AV	50.00	250	Horizontal	Pass
5	11070.401	51.89	-1.56	74.0	22.11	Peak	227.00	350	Horizontal	Pass
5**	11070.401	42.13	-1.56	54.0	11.87	AV	227.00	350	Horizontal	Pass
6	16335.487	52.75	0.43	88.2	35.45	Peak	202.00	200	Horizontal	Pass
6**	16335.487	43.49	0.43	68.2	24.71	AV	202.00	200	Horizontal	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1827.200	45.04	-16.13	88.2	43.16	Peak	205.00	400	Vertical	Pass
1**	1827.200	34.39	-16.13	68.2	33.81	AV	205.00	400	Vertical	Pass
2	4700.750	51.86	-2.72	74.0	22.14	Peak	74.00	400	Vertical	Pass
2**	4700.750	42.39	-2.72	54.0	11.61	AV	74.00	400	Vertical	Pass
3	6889.500	102.45	0.06	--	--	Peak	40.00	150	Vertical	N/A
3**	6889.500	94.28	0.06	--	--	AV	40.00	150	Vertical	N/A
4	7835.250	56.60	3.50	88.2	31.60	Peak	179.00	400	Vertical	Pass
4**	7835.250	46.55	3.50	68.2	21.65	AV	179.00	400	Vertical	Pass
5	11080.138	51.86	-1.38	74.0	22.14	Peak	360.00	300	Vertical	Pass
5**	11080.138	42.08	-1.38	54.0	11.92	AV	360.00	300	Vertical	Pass
6	16344.150	52.25	0.68	88.2	35.95	Peak	273.00	250	Vertical	Pass
6**	16344.150	44.04	0.68	68.2	24.16	AV	273.00	250	Vertical	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2097.800	41.93	-13.45	88.2	46.27	Peak	0.00	400	Horizontal	Pass
1**	2097.800	32.41	-13.45	68.2	35.79	AV	0.00	400	Horizontal	Pass
2	4807.250	51.99	-2.65	74.0	22.01	Peak	273.00	150	Horizontal	Pass
2**	4807.250	43.63	-2.65	54.0	10.37	AV	273.00	150	Horizontal	Pass
3	7014.500	97.62	0.00	--	--	Peak	50.00	100	Horizontal	N/A
3**	7014.500	89.82	0.00	--	--	AV	50.00	100	Horizontal	N/A
4	7826.500	55.46	2.95	88.2	32.74	Peak	185.00	250	Horizontal	Pass
4**	7826.500	46.14	2.95	68.2	22.06	AV	185.00	250	Horizontal	Pass
5	11185.350	51.35	-1.55	74.0	22.65	Peak	339.00	350	Horizontal	Pass
5**	11185.350	41.75	-1.55	54.0	12.25	AV	339.00	350	Horizontal	Pass
6	16798.801	52.96	1.11	88.2	35.24	Peak	118.00	200	Horizontal	Pass
6**	16798.801	43.31	1.11	68.2	24.89	AV	118.00	200	Horizontal	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1795.300	46.17	-16.17	88.2	42.03	Peak	26.00	250	Vertical	Pass
1**	1795.300	35.55	-16.17	68.2	32.65	AV	26.00	250	Vertical	Pass
2	4709.250	51.97	-2.72	74.0	22.03	Peak	154.00	350	Vertical	Pass
2**	4709.250	42.69	-2.72	54.0	11.31	AV	154.00	350	Vertical	Pass
3	7010.750	102.05	-0.06	--	--	Peak	42.00	150	Vertical	N/A
3**	7010.750	94.41	-0.06	--	--	AV	42.00	150	Vertical	N/A
4	7500.500	55.29	0.99	74.0	18.71	Peak	275.00	400	Vertical	Pass
4**	7500.500	46.32	0.99	54.0	7.68	AV	275.00	400	Vertical	Pass
5	11136.663	51.79	-0.96	74.0	22.21	Peak	227.00	350	Vertical	Pass
5**	11136.663	43.19	-0.96	54.0	10.81	AV	227.00	350	Vertical	Pass
6	16327.088	52.85	0.19	88.2	35.35	Peak	168.00	400	Vertical	Pass
6**	16327.088	44.05	0.19	68.2	24.15	AV	168.00	400	Vertical	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1993.000	41.60	-14.46	88.2	46.60	Peak	256.00	100	Horizontal	Pass
1**	1993.000	31.88	-14.46	68.2	36.32	AV	256.00	100	Horizontal	Pass
2	4267.750	52.40	-3.63	74.0	21.60	Peak	50.00	350	Horizontal	Pass
2**	4267.750	43.44	-3.63	54.0	10.56	AV	50.00	350	Horizontal	Pass
3	7102.500	99.37	0.07	--	--	Peak	69.00	100	Horizontal	N/A
3**	7102.500	90.08	0.07	--	--	AV	69.00	100	Horizontal	N/A
4	7529.000	55.38	2.21	74.0	18.62	Peak	225.00	150	Horizontal	Pass
4**	7529.000	45.62	2.21	54.0	8.38	AV	225.00	150	Horizontal	Pass
5	11178.700	51.68	-1.44	74.0	22.32	Peak	264.00	150	Horizontal	Pass
5**	11178.700	42.94	-1.44	54.0	11.06	AV	264.00	150	Horizontal	Pass
6	16330.237	52.60	0.28	88.2	35.60	Peak	254.00	100	Horizontal	Pass
6**	16330.237	43.60	0.28	68.2	24.60	AV	254.00	100	Horizontal	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1829.100	44.99	-16.09	88.2	43.21	Peak	354.00	350	Vertical	Pass
1**	1829.100	34.39	-16.09	68.2	33.81	AV	354.00	350	Vertical	Pass
2	4258.000	54.04	-4.16	74.0	19.96	Peak	40.00	400	Vertical	Pass
2**	4258.000	44.79	-4.16	54.0	9.21	AV	40.00	400	Vertical	Pass
3	7100.750	103.63	-0.01	--	--	Peak	351.00	100	Vertical	N/A
3**	7100.750	95.47	-0.01	--	--	AV	351.00	100	Vertical	N/A
4	7538.750	55.36	2.11	74.0	18.64	Peak	360.00	150	Vertical	Pass
4**	7538.750	45.70	2.11	54.0	8.30	AV	360.00	150	Vertical	Pass
5	11063.987	52.38	-1.68	74.0	21.62	Peak	244.00	100	Vertical	Pass
5**	11063.987	43.44	-1.68	54.0	10.56	AV	244.00	100	Vertical	Pass
6	16343.363	52.63	0.66	88.2	35.57	Peak	229.00	300	Vertical	Pass
6**	16343.363	43.52	0.66	68.2	24.68	AV	229.00	300	Vertical	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2096.600	41.69	-13.51	88.2	46.51	Peak	312.00	400	Horizontal	Pass
1**	2096.600	33.04	-13.51	68.2	35.16	AV	312.00	400	Horizontal	Pass
2	4769.500	51.74	-2.44	74.0	22.26	Peak	360.00	300	Horizontal	Pass
2**	4769.500	42.81	-2.44	54.0	11.19	AV	360.00	300	Horizontal	Pass
3	6879.750	90.85	-0.29	--	--	Peak	206.00	150	Horizontal	N/A
3**	6879.750	81.01	-0.29	--	--	AV	206.00	150	Horizontal	N/A
4	7835.000	56.17	3.48	88.2	32.03	Peak	215.00	350	Horizontal	Pass
4**	7835.000	46.96	3.48	68.2	21.24	AV	215.00	350	Horizontal	Pass
5	11064.463	52.42	-1.67	74.0	21.58	Peak	278.00	150	Horizontal	Pass
5**	11064.463	42.21	-1.67	54.0	11.79	AV	278.00	150	Horizontal	Pass
6	16340.213	52.43	0.57	88.2	35.77	Peak	26.00	200	Horizontal	Pass
6**	16340.213	43.68	0.57	68.2	24.52	AV	26.00	200	Horizontal	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1825.200	46.07	-16.19	88.2	42.13	Peak	351.00	100	Vertical	Pass
1**	1825.200	30.81	-16.19	68.2	37.39	AV	351.00	100	Vertical	Pass
2	4777.750	51.38	-2.55	74.0	22.62	Peak	227.00	150	Vertical	Pass
2**	4777.750	42.22	-2.55	54.0	11.78	AV	227.00	150	Vertical	Pass
3	6855.250	96.74	-0.14	--	--	Peak	360.00	200	Vertical	N/A
3**	6855.250	88.30	-0.14	--	--	AV	360.00	200	Vertical	N/A
4	7851.500	57.01	2.37	88.2	31.19	Peak	331.00	100	Vertical	Pass
4**	7851.500	46.25	2.37	68.2	21.95	AV	331.00	100	Vertical	Pass
5	11399.812	51.84	-1.65	74.0	22.16	Peak	122.00	200	Vertical	Pass
5**	11399.812	42.97	-1.65	54.0	11.03	AV	122.00	200	Vertical	Pass
6	16813.500	52.51	1.06	88.2	35.69	Peak	271.00	400	Vertical	Pass
6**	16813.500	42.72	1.06	68.2	25.48	AV	271.00	400	Vertical	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2065.800	41.99	-13.83	88.2	46.21	Peak	225.00	200	Horizontal	Pass
1**	2065.800	33.02	-13.83	68.2	35.18	AV	225.00	200	Horizontal	Pass
2	4835.500	52.28	-2.01	74.0	21.72	Peak	208.00	150	Horizontal	Pass
2**	4835.500	42.45	-2.01	54.0	11.55	AV	208.00	150	Horizontal	Pass
3	6942.250	95.41	0.16	--	--	Peak	208.00	200	Horizontal	N/A
3**	6942.250	83.98	0.16	--	--	AV	208.00	200	Horizontal	N/A
4	7373.000	55.41	0.48	74.0	18.59	Peak	252.00	200	Horizontal	Pass
4**	7373.000	45.78	0.48	54.0	8.22	AV	252.00	200	Horizontal	Pass
5	11177.037	52.19	-1.41	74.0	21.81	Peak	254.00	200	Horizontal	Pass
5**	11177.037	43.86	-1.41	54.0	10.14	AV	254.00	200	Horizontal	Pass
6	16334.437	52.53	0.40	88.2	35.67	Peak	95.00	350	Horizontal	Pass
6**	16334.437	44.00	0.40	68.2	24.20	AV	95.00	350	Horizontal	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1799.100	46.75	-16.05	88.2	41.45	Peak	40.00	250	Vertical	Pass
1**	1799.100	30.90	-16.05	68.2	37.30	AV	40.00	250	Vertical	Pass
2	2656.800	53.60	-10.14	88.2	34.60	Peak	0.00	150	Vertical	Pass
2**	2656.800	43.96	-10.14	68.2	24.24	AV	0.00	150	Vertical	Pass
3	6918.500	98.97	-0.06	--	--	Peak	38.00	100	Vertical	N/A
3**	6918.500	88.13	-0.06	--	--	AV	38.00	100	Vertical	N/A
4	7840.250	55.23	3.21	88.2	32.97	Peak	225.00	150	Vertical	Pass
4**	7840.250	46.11	3.21	68.2	22.09	AV	225.00	150	Vertical	Pass
5	11151.863	51.74	-0.98	74.0	22.26	Peak	21.00	300	Vertical	Pass
5**	11151.863	42.37	-0.98	54.0	11.63	AV	21.00	300	Vertical	Pass
6	16714.537	52.94	0.44	88.2	35.26	Peak	0.00	150	Vertical	Pass
6**	16714.537	42.55	0.44	68.2	25.65	AV	0.00	150	Vertical	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2097.300	41.62	-13.45	88.2	46.58	Peak	125.00	200	Horizontal	Pass
1**	2097.300	32.77	-13.45	68.2	35.43	AV	125.00	200	Horizontal	Pass
2	4830.000	52.08	-1.82	74.0	21.92	Peak	259.00	100	Horizontal	Pass
2**	4830.000	42.14	-1.82	54.0	11.86	AV	259.00	100	Horizontal	Pass
3	7038.750	94.47	0.11	--	--	Peak	36.00	150	Horizontal	N/A
3**	7038.750	84.46	0.11	--	--	AV	36.00	150	Horizontal	N/A
4	7480.250	56.04	1.63	74.0	17.96	Peak	322.00	250	Horizontal	Pass
4**	7480.250	46.90	1.63	54.0	7.10	AV	322.00	250	Horizontal	Pass
5	11204.825	51.84	-1.92	74.0	22.16	Peak	336.00	350	Horizontal	Pass
5**	11204.825	42.41	-1.92	54.0	11.59	AV	336.00	350	Horizontal	Pass
6	16792.761	52.59	0.90	88.2	35.61	Peak	234.00	250	Horizontal	Pass
6**	16792.761	43.78	0.90	68.2	24.42	AV	234.00	250	Horizontal	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1993.600	44.26	-14.48	88.2	43.94	Peak	161.00	400	Vertical	Pass
1**	1993.600	32.48	-14.48	68.2	35.72	AV	161.00	400	Vertical	Pass
2	4781.500	51.96	-2.64	74.0	22.04	Peak	0.00	200	Vertical	Pass
2**	4781.500	42.22	-2.64	54.0	11.78	AV	0.00	200	Vertical	Pass
3	7009.750	98.43	-0.08	--	--	Peak	347.00	200	Vertical	N/A
3**	7009.750	87.66	-0.08	--	--	AV	347.00	200	Vertical	N/A
4	7835.000	57.09	3.48	88.2	31.11	Peak	337.00	150	Vertical	Pass
4**	7835.000	46.66	3.48	68.2	21.54	AV	337.00	150	Vertical	Pass
5	11053.776	51.75	-1.87	74.0	22.25	Peak	157.00	300	Vertical	Pass
5**	11053.776	41.83	-1.87	54.0	12.17	AV	157.00	300	Vertical	Pass
6	16787.775	52.85	0.72	88.2	35.35	Peak	252.00	400	Vertical	Pass
6**	16787.775	43.33	0.72	68.2	24.87	AV	252.00	400	Vertical	Pass

11ax160(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2067.700	41.15	-13.65	88.2	47.05	Peak	219.00	300	Horizontal	Pass
1**	2067.700	31.63	-13.65	68.2	36.57	AV	219.00	300	Horizontal	Pass
2	4782.500	51.31	-2.64	74.0	22.69	Peak	331.00	400	Horizontal	Pass
2**	4782.500	41.92	-2.64	54.0	12.08	AV	331.00	400	Horizontal	Pass
3	6951.500	90.08	-0.12	--	--	Peak	34.00	100	Horizontal	N/A
3**	6951.500	81.46	-0.12	--	--	AV	34.00	100	Horizontal	N/A
4	7843.500	55.57	2.95	88.2	32.63	Peak	269.00	100	Horizontal	Pass
4**	7843.500	46.08	2.95	68.2	22.12	AV	269.00	100	Horizontal	Pass
5	11067.787	51.50	-1.61	74.0	22.50	Peak	241.00	150	Horizontal	Pass
5**	11067.787	42.35	-1.61	54.0	11.65	AV	241.00	150	Horizontal	Pass
6	16314.488	53.01	-0.16	88.2	35.19	Peak	79.00	300	Horizontal	Pass
6**	16314.488	44.02	-0.16	68.2	24.18	AV	79.00	300	Horizontal	Pass

11ax160(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1832.200	44.34	-16.06	88.2	43.86	Peak	210.00	250	Vertical	Pass
1**	1832.200	34.43	-16.06	68.2	33.77	AV	210.00	250	Vertical	Pass
2	4792.750	52.14	-2.91	74.0	21.86	Peak	191.00	200	Vertical	Pass
2**	4792.750	41.75	-2.91	54.0	12.25	AV	191.00	200	Vertical	Pass
3	6931.250	95.11	-0.15	--	--	Peak	356.00	200	Vertical	N/A
3**	6931.250	85.02	-0.15	--	--	AV	356.00	200	Vertical	N/A
4	7552.750	55.35	1.21	74.0	18.65	Peak	286.00	250	Vertical	Pass
4**	7552.750	44.84	1.21	54.0	9.16	AV	286.00	250	Vertical	Pass
5	11124.076	52.62	-0.98	74.0	21.38	Peak	139.00	250	Vertical	Pass
5**	11124.076	42.63	-0.98	54.0	11.37	AV	139.00	250	Vertical	Pass
6	16455.975	52.44	0.51	88.2	35.76	Peak	77.00	200	Vertical	Pass
6**	16455.975	42.31	0.51	68.2	25.89	AV	77.00	200	Vertical	Pass

MIMO

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.600	39.42	-16.52	74.0	34.58	Peak	0.00	300	Horizontal	Pass
1**	1536.600	31.81	-16.52	54.0	22.19	AV	0.00	300	Horizontal	Pass
2	4253.500	48.19	-4.33	74.0	25.81	Peak	0.00	300	Horizontal	Pass
2**	4253.500	38.24	-4.33	54.0	15.76	AV	0.00	300	Horizontal	Pass
3	5182.750	101.92	-1.14	--	--	Peak	310.00	100	Horizontal	N/A
3**	5182.750	95.55	-1.14	--	--	AV	310.00	100	Horizontal	N/A
4	6906.500	52.53	-0.06	68.2	15.67	Peak	89.00	150	Horizontal	Pass
4**	6906.500	45.93	-0.06	--	--	AV	89.00	150	Horizontal	N/A
5	10702.513	51.65	-2.40	74.0	22.35	Peak	35.00	100	Horizontal	Pass
5**	10702.513	42.37	-2.40	54.0	11.63	AV	35.00	100	Horizontal	Pass
6	15742.500	52.11	0.27	74.0	21.89	Peak	213.00	200	Horizontal	Pass
6**	15742.500	43.18	0.27	54.0	10.82	AV	213.00	200	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.900	41.26	-16.71	74.0	32.74	Peak	208.00	400	Vertical	Pass
1**	1496.900	32.84	-16.71	54.0	21.16	AV	208.00	400	Vertical	Pass
2	4383.250	49.18	-4.15	74.0	24.82	Peak	103.00	100	Vertical	Pass
2**	4383.250	38.56	-4.15	54.0	15.44	AV	103.00	100	Vertical	Pass
3	5182.000	105.18	-1.13	--	--	Peak	31.00	200	Vertical	N/A
3**	5182.000	96.94	-1.13	--	--	AV	31.00	200	Vertical	N/A
4	6907.000	54.24	-0.06	68.2	13.96	Peak	286.00	150	Vertical	Pass
4**	6907.000	51.01	-0.06	--	--	AV	286.00	150	Vertical	N/A
5	11084.888	52.02	-1.29	74.0	21.98	Peak	118.00	100	Vertical	Pass
5**	11084.888	41.71	-1.29	54.0	12.29	AV	118.00	100	Vertical	Pass
6	15738.563	51.82	0.22	74.0	22.18	Peak	188.00	400	Vertical	Pass
6**	15738.563	43.34	0.22	54.0	10.66	AV	188.00	400	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.400	39.46	-16.73	74.0	34.54	Peak	327.00	200	Horizontal	Pass
1**	1438.400	33.80	-16.73	54.0	20.20	AV	327.00	200	Horizontal	Pass
2	4284.000	48.43	-4.40	74.0	25.57	Peak	251.00	400	Horizontal	Pass
2**	4284.000	38.12	-4.40	54.0	15.88	AV	251.00	400	Horizontal	Pass
3	5218.250	102.19	-2.01	--	--	Peak	319.00	150	Horizontal	N/A
3**	5218.250	93.69	-2.01	--	--	AV	319.00	150	Horizontal	N/A
4	7535.250	53.03	2.30	74.0	20.97	Peak	16.00	400	Horizontal	Pass
4**	7535.250	43.84	2.30	54.0	10.16	AV	16.00	400	Horizontal	Pass
5	11122.175	51.65	-0.98	74.0	22.35	Peak	305.00	200	Horizontal	Pass
5**	11122.175	42.64	-0.98	54.0	11.36	AV	305.00	200	Horizontal	Pass
6	15739.612	52.27	0.23	74.0	21.73	Peak	337.00	300	Horizontal	Pass
6**	15739.612	43.59	0.23	54.0	10.41	AV	337.00	300	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.500	41.99	-16.60	74.0	32.01	Peak	217.00	100	Vertical	Pass
1**	1498.500	30.05	-16.60	54.0	23.95	AV	217.00	100	Vertical	Pass
2	4327.000	49.26	-4.43	74.0	24.74	Peak	200.00	200	Vertical	Pass
2**	4327.000	39.03	-4.43	54.0	14.97	AV	200.00	200	Vertical	Pass
3	5217.500	102.73	-2.01	--	--	Peak	35.00	100	Vertical	N/A
3**	5217.500	95.02	-2.01	--	--	AV	35.00	100	Vertical	N/A
4	6960.250	53.87	-0.60	68.2	14.33	Peak	53.00	150	Vertical	Pass
4**	6960.250	50.91	-0.60	--	--	AV	53.00	150	Vertical	N/A
5	11131.912	52.31	-0.97	74.0	21.69	Peak	360.00	150	Vertical	Pass
5**	11131.912	42.44	-0.97	54.0	11.56	AV	360.00	150	Vertical	Pass
6	15743.025	52.36	0.28	74.0	21.64	Peak	3.00	200	Vertical	Pass
6**	15743.025	42.79	0.28	54.0	11.21	AV	3.00	200	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.000	41.18	-16.54	74.0	32.82	Peak	359.00	400	Horizontal	Pass
1**	1537.000	31.60	-16.54	54.0	22.40	AV	359.00	400	Horizontal	Pass
2	4309.500	48.28	-4.18	74.0	25.72	Peak	300.00	300	Horizontal	Pass
2**	4309.500	38.51	-4.18	54.0	15.49	AV	300.00	300	Horizontal	Pass
3	5242.000	101.89	-1.83	--	--	Peak	300.00	100	Horizontal	N/A
3**	5242.000	94.62	-1.83	--	--	AV	300.00	100	Horizontal	N/A
4	7025.000	53.36	0.14	68.2	14.84	Peak	198.00	150	Horizontal	Pass
4**	7025.000	44.37	0.14	--	--	AV	198.00	150	Horizontal	N/A
5	11142.362	51.70	-0.96	74.0	22.30	Peak	60.00	100	Horizontal	Pass
5**	11142.362	42.78	-0.96	54.0	11.22	AV	60.00	100	Horizontal	Pass
6	15758.250	52.83	0.15	74.0	21.17	Peak	61.00	400	Horizontal	Pass
6**	15758.250	43.09	0.15	54.0	10.91	AV	61.00	400	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.300	41.04	-16.76	74.0	32.96	Peak	214.00	200	Vertical	Pass
1**	1524.300	32.47	-16.76	54.0	21.53	AV	214.00	200	Vertical	Pass
2	4320.500	48.16	-3.99	74.0	25.84	Peak	104.00	100	Vertical	Pass
2**	4320.500	38.89	-3.99	54.0	15.11	AV	104.00	100	Vertical	Pass
3	5237.000	103.44	-1.81	--	--	Peak	31.00	200	Vertical	N/A
3**	5237.000	96.21	-1.81	--	--	AV	31.00	200	Vertical	N/A
4	6986.750	54.45	0.16	68.2	13.75	Peak	41.00	150	Vertical	Pass
4**	6986.750	51.31	0.16	--	--	AV	41.00	150	Vertical	N/A
5	11113.625	52.10	-0.99	74.0	21.90	Peak	191.00	200	Vertical	Pass
5**	11113.625	42.42	-0.99	54.0	11.58	AV	191.00	200	Vertical	Pass
6	15738.037	51.93	0.21	74.0	22.07	Peak	165.00	100	Vertical	Pass
6**	15738.037	43.04	0.21	54.0	10.96	AV	165.00	100	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.800	40.26	-16.75	74.0	33.74	Peak	285.00	400	Horizontal	Pass
1**	1437.800	35.60	-16.75	54.0	18.40	AV	285.00	400	Horizontal	Pass
2	4344.750	47.91	-4.15	74.0	26.09	Peak	0.00	100	Horizontal	Pass
2**	4344.750	39.55	-4.15	54.0	14.45	AV	0.00	100	Horizontal	Pass
3	5173.750	101.74	-1.33	--	--	Peak	7.00	150	Horizontal	N/A
3**	5173.750	93.96	-1.33	--	--	AV	7.00	150	Horizontal	N/A
4	6906.750	53.92	-0.06	68.2	14.28	Peak	80.00	150	Horizontal	Pass
4**	6906.750	47.54	-0.06	--	--	AV	80.00	150	Horizontal	N/A
5	11132.862	51.50	-0.97	74.0	22.50	Peak	139.00	200	Horizontal	Pass
5**	11132.862	42.64	-0.97	54.0	11.36	AV	139.00	200	Horizontal	Pass
6	15747.488	51.66	0.34	74.0	22.34	Peak	1.00	200	Horizontal	Pass
6**	15747.488	43.44	0.34	54.0	10.56	AV	1.00	200	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.600	42.29	-16.74	74.0	31.71	Peak	229.00	200	Vertical	Pass
1**	1496.600	29.56	-16.74	54.0	24.44	AV	229.00	200	Vertical	Pass
2	4261.000	48.60	-3.97	74.0	25.40	Peak	320.00	200	Vertical	Pass
2**	4261.000	38.95	-3.97	54.0	15.05	AV	320.00	200	Vertical	Pass
3	5183.500	103.16	-1.24	--	--	Peak	293.00	200	Vertical	N/A
3**	5183.500	95.22	-1.24	--	--	AV	293.00	200	Vertical	N/A
4	6906.750	55.40	-0.06	68.2	12.80	Peak	285.00	150	Vertical	Pass
4**	6906.750	51.32	-0.06	--	--	AV	285.00	150	Vertical	N/A
5	11129.538	51.23	-0.97	74.0	22.77	Peak	84.00	100	Vertical	Pass
5**	11129.538	42.51	-0.97	54.0	11.49	AV	84.00	100	Vertical	Pass
6	15722.025	52.11	-0.01	74.0	21.89	Peak	300.00	200	Vertical	Pass
6**	15722.025	42.77	-0.01	54.0	11.23	AV	300.00	200	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.800	40.23	-16.75	74.0	33.77	Peak	190.00	200	Horizontal	Pass
1**	1437.800	34.69	-16.75	54.0	19.31	AV	190.00	200	Horizontal	Pass
2	4077.000	48.07	-4.96	74.0	25.93	Peak	11.00	200	Horizontal	Pass
2**	4077.000	37.70	-4.96	54.0	16.30	AV	11.00	200	Horizontal	Pass
3	5219.000	101.27	-2.01	--	--	Peak	317.00	150	Horizontal	N/A
3**	5219.000	93.01	-2.01	--	--	AV	317.00	150	Horizontal	N/A
4	6946.250	52.11	0.12	68.2	16.09	Peak	360.00	150	Horizontal	Pass
4**	6946.250	43.11	0.12	--	--	AV	360.00	150	Horizontal	N/A
5	11124.312	51.85	-0.98	74.0	22.15	Peak	168.00	100	Horizontal	Pass
5**	11124.312	42.68	-0.98	54.0	11.32	AV	168.00	100	Horizontal	Pass
6	15740.401	52.51	0.24	74.0	21.49	Peak	251.00	400	Horizontal	Pass
6**	15740.401	42.73	0.24	54.0	11.27	AV	251.00	400	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.800	40.72	-16.53	74.0	33.28	Peak	202.00	200	Vertical	Pass
1**	1536.800	35.72	-16.53	54.0	18.28	AV	202.00	200	Vertical	Pass
2	4319.250	47.96	-3.97	74.0	26.04	Peak	303.00	200	Vertical	Pass
2**	4319.250	38.81	-3.97	54.0	15.19	AV	303.00	200	Vertical	Pass
3	5223.750	102.36	-1.99	--	--	Peak	15.00	150	Vertical	N/A
3**	5223.750	94.82	-1.99	--	--	AV	15.00	150	Vertical	N/A
4	6960.000	54.31	-0.60	68.2	13.89	Peak	124.00	150	Vertical	Pass
4**	6960.000	49.84	-0.60	--	--	AV	124.00	150	Vertical	N/A
5	11180.599	51.81	-1.47	74.0	22.19	Peak	123.00	100	Vertical	Pass
5**	11180.599	41.82	-1.47	54.0	12.18	AV	123.00	100	Vertical	Pass
6	15769.800	52.15	-0.17	74.0	21.85	Peak	360.00	100	Vertical	Pass
6**	15769.800	42.95	-0.17	54.0	11.05	AV	360.00	100	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.500	39.50	-16.75	74.0	34.50	Peak	85.00	300	Horizontal	Pass
1**	1437.500	34.06	-16.75	54.0	19.94	AV	85.00	300	Horizontal	Pass
2	4355.500	47.76	-3.98	74.0	26.24	Peak	261.00	200	Horizontal	Pass
2**	4355.500	39.25	-3.98	54.0	14.75	AV	261.00	200	Horizontal	Pass
3	5243.250	101.46	-1.86	--	--	Peak	295.00	100	Horizontal	N/A
3**	5243.250	94.08	-1.86	--	--	AV	295.00	100	Horizontal	N/A
4	6987.000	53.01	0.15	68.2	15.19	Peak	322.00	150	Horizontal	Pass
4**	6987.000	47.20	0.15	--	--	AV	322.00	150	Horizontal	N/A
5	10716.287	51.74	-2.18	74.0	22.26	Peak	93.00	150	Horizontal	Pass
5**	10716.287	42.44	-2.18	54.0	11.56	AV	93.00	150	Horizontal	Pass
6	15744.338	51.66	0.30	74.0	22.34	Peak	185.00	150	Horizontal	Pass
6**	15744.338	42.87	0.30	54.0	11.13	AV	185.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.400	41.71	-16.82	74.0	32.29	Peak	212.00	400	Vertical	Pass
1**	1495.400	32.37	-16.82	54.0	21.63	AV	212.00	400	Vertical	Pass
2	4394.250	48.61	-4.04	74.0	25.39	Peak	230.00	200	Vertical	Pass
2**	4394.250	39.91	-4.04	54.0	14.09	AV	230.00	200	Vertical	Pass
3	5236.250	103.45	-1.81	--	--	Peak	47.00	150	Vertical	N/A
3**	5236.250	94.70	-1.81	--	--	AV	47.00	150	Vertical	N/A
4	6986.750	54.11	0.16	68.2	14.09	Peak	116.00	150	Vertical	Pass
4**	6986.750	50.19	0.16	--	--	AV	116.00	150	Vertical	N/A
5	11176.325	51.85	-1.40	74.0	22.15	Peak	322.00	100	Vertical	Pass
5**	11176.325	42.52	-1.40	54.0	11.48	AV	322.00	100	Vertical	Pass
6	15747.225	52.14	0.34	74.0	21.86	Peak	157.00	300	Vertical	Pass
6**	15747.225	42.95	0.34	54.0	11.05	AV	157.00	300	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.200	41.69	-16.83	74.0	32.31	Peak	210.00	100	Vertical	Pass
1**	1495.200	30.28	-16.83	54.0	23.72	AV	210.00	100	Vertical	Pass
2	4377.000	48.82	-4.09	74.0	25.18	Peak	172.00	100	Vertical	Pass
2**	4377.000	39.39	-4.09	54.0	14.61	AV	172.00	100	Vertical	Pass
3	5185.500	100.08	-1.55	--	--	Peak	33.00	100	Vertical	N/A
3**	5185.500	93.36	-1.55	--	--	AV	33.00	100	Vertical	N/A
4	6920.000	55.29	0.04	68.2	12.91	Peak	127.00	150	Vertical	Pass
4**	6920.000	50.83	0.04	--	--	AV	127.00	150	Vertical	N/A
5	11172.287	52.42	-1.33	74.0	21.58	Peak	84.00	200	Vertical	Pass
5**	11172.287	42.10	-1.33	54.0	11.90	AV	84.00	200	Vertical	Pass
6	15722.812	53.54	-0.00	74.0	20.46	Peak	149.00	200	Vertical	Pass
6**	15722.812	43.20	-0.00	54.0	10.80	AV	149.00	200	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.800	38.57	-16.47	74.0	35.43	Peak	23.00	200	Horizontal	Pass
1**	1533.800	28.91	-16.47	54.0	25.09	AV	23.00	200	Horizontal	Pass
2	4295.000	48.92	-3.96	74.0	25.08	Peak	329.00	400	Horizontal	Pass
2**	4295.000	39.71	-3.96	54.0	14.29	AV	329.00	400	Horizontal	Pass
3	5184.750	97.65	-1.46	--	--	Peak	312.00	100	Horizontal	N/A
3**	5184.750	90.17	-1.46	--	--	AV	312.00	100	Horizontal	N/A
4	7630.250	53.07	0.87	74.0	20.93	Peak	0.00	400	Horizontal	Pass
4**	7630.250	43.63	0.87	54.0	10.37	AV	0.00	400	Horizontal	Pass
5	10715.813	52.05	-2.19	74.0	21.95	Peak	84.00	200	Horizontal	Pass
5**	10715.813	42.73	-2.19	54.0	11.27	AV	84.00	200	Horizontal	Pass
6	15764.550	52.25	-0.02	74.0	21.75	Peak	3.00	300	Horizontal	Pass
6**	15764.550	43.29	-0.02	54.0	10.71	AV	3.00	300	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1467.400	39.23	-16.66	74.0	34.77	Peak	291.00	400	Horizontal	Pass
1**	1467.400	29.17	-16.66	54.0	24.83	AV	291.00	400	Horizontal	Pass
2	4336.500	48.05	-4.12	74.0	25.95	Peak	188.00	100	Horizontal	Pass
2**	4336.500	38.59	-4.12	54.0	15.41	AV	188.00	100	Horizontal	Pass
3	5235.250	97.26	-1.77	--	--	Peak	11.00	150	Horizontal	N/A
3**	5235.250	90.18	-1.77	--	--	AV	11.00	150	Horizontal	N/A
4	6973.750	53.00	0.24	68.2	15.20	Peak	320.00	150	Horizontal	Pass
4**	6973.750	47.26	0.24	--	--	AV	320.00	150	Horizontal	N/A
5	10722.224	51.65	-2.09	74.0	22.35	Peak	69.00	150	Horizontal	Pass
5**	10722.224	42.20	-2.09	54.0	11.80	AV	69.00	150	Horizontal	Pass
6	15738.299	51.92	0.21	74.0	22.08	Peak	118.00	400	Horizontal	Pass
6**	15738.299	43.02	0.21	54.0	10.98	AV	118.00	400	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.900	39.87	-16.71	74.0	34.13	Peak	219.00	200	Vertical	Pass
1**	1496.900	31.00	-16.71	54.0	23.00	AV	219.00	200	Vertical	Pass
2	4233.750	48.30	-4.22	74.0	25.70	Peak	0.00	400	Vertical	Pass
2**	4233.750	38.73	-4.22	54.0	15.27	AV	0.00	400	Vertical	Pass
3	5224.250	98.25	-1.99	--	--	Peak	36.00	200	Vertical	N/A
3**	5224.250	91.74	-1.99	--	--	AV	36.00	200	Vertical	N/A
4	6973.000	54.40	0.14	68.2	13.80	Peak	44.00	150	Vertical	Pass
4**	6973.000	47.05	0.14	--	--	AV	44.00	150	Vertical	N/A
5	11175.375	51.77	-1.38	74.0	22.23	Peak	93.00	100	Vertical	Pass
5**	11175.375	42.25	-1.38	54.0	11.75	AV	93.00	100	Vertical	Pass
6	15748.275	51.49	0.35	74.0	22.51	Peak	347.00	200	Vertical	Pass
6**	15748.275	41.52	0.35	54.0	12.48	AV	347.00	200	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.000	38.73	-16.46	74.0	35.27	Peak	335.00	200	Horizontal	Pass
1**	1534.000	29.37	-16.46	54.0	24.63	AV	335.00	200	Horizontal	Pass
2	4396.250	49.04	-4.09	74.0	24.96	Peak	215.00	400	Horizontal	Pass
2**	4396.250	39.14	-4.09	54.0	14.86	AV	215.00	400	Horizontal	Pass
3	5176.500	97.79	-1.29	--	--	Peak	312.00	100	Horizontal	N/A
3**	5176.500	90.43	-1.29	--	--	AV	312.00	100	Horizontal	N/A
4	6907.000	52.77	-0.06	68.2	15.43	Peak	295.00	150	Horizontal	Pass
4**	6907.000	48.27	-0.06	--	--	AV	295.00	150	Horizontal	N/A
5	11144.500	51.47	-0.95	74.0	22.53	Peak	166.00	150	Horizontal	Pass
5**	11144.500	43.00	-0.95	54.0	11.00	AV	166.00	150	Horizontal	Pass
6	15752.738	51.72	0.30	74.0	22.28	Peak	233.00	300	Horizontal	Pass
6**	15752.738	43.51	0.30	54.0	10.49	AV	233.00	300	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.600	40.13	-16.65	74.0	33.87	Peak	226.00	100	Vertical	Pass
1**	1497.600	30.06	-16.65	54.0	23.94	AV	226.00	100	Vertical	Pass
2	4397.500	48.03	-4.14	74.0	25.97	Peak	29.00	200	Vertical	Pass
2**	4397.500	40.19	-4.14	54.0	13.81	AV	29.00	200	Vertical	Pass
3	5186.000	99.38	-1.59	--	--	Peak	29.00	150	Vertical	N/A
3**	5186.000	91.72	-1.59	--	--	AV	29.00	150	Vertical	N/A
4	6906.500	54.92	-0.06	68.2	13.28	Peak	127.00	150	Vertical	Pass
4**	6906.500	49.33	-0.06	--	--	AV	127.00	150	Vertical	N/A
5	11128.112	51.83	-0.97	74.0	22.17	Peak	179.00	200	Vertical	Pass
5**	11128.112	43.38	-0.97	54.0	10.62	AV	179.00	200	Vertical	Pass
6	15738.563	51.89	0.22	74.0	22.11	Peak	3.00	400	Vertical	Pass
6**	15738.563	43.59	0.22	54.0	10.41	AV	3.00	400	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.900	40.03	-16.74	74.0	33.97	Peak	290.00	300	Horizontal	Pass
1**	1437.900	32.67	-16.74	54.0	21.33	AV	290.00	300	Horizontal	Pass
2	4318.750	48.12	-3.97	74.0	25.88	Peak	355.00	100	Horizontal	Pass
2**	4318.750	39.03	-3.97	54.0	14.97	AV	355.00	100	Horizontal	Pass
3	5217.500	98.56	-2.01	--	--	Peak	311.00	100	Horizontal	N/A
3**	5217.500	90.65	-2.01	--	--	AV	311.00	100	Horizontal	N/A
4	6960.250	52.52	-0.60	68.2	15.68	Peak	294.00	150	Horizontal	Pass
4**	6960.250	47.34	-0.60	--	--	AV	294.00	150	Horizontal	N/A
5	11121.700	51.29	-0.98	74.0	22.71	Peak	348.00	150	Horizontal	Pass
5**	11121.700	42.91	-0.98	54.0	11.09	AV	348.00	150	Horizontal	Pass
6	15748.799	52.10	0.36	74.0	21.90	Peak	43.00	300	Horizontal	Pass
6**	15748.799	43.57	0.36	54.0	10.43	AV	43.00	300	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.500	41.85	-16.66	74.0	32.15	Peak	221.00	300	Vertical	Pass
1**	1497.500	29.26	-16.66	54.0	24.74	AV	221.00	300	Vertical	Pass
2	4353.750	47.79	-4.03	74.0	26.21	Peak	122.00	200	Vertical	Pass
2**	4353.750	39.43	-4.03	54.0	14.57	AV	122.00	200	Vertical	Pass
3	5214.500	100.15	-1.92	--	--	Peak	35.00	200	Vertical	N/A
3**	5214.500	91.20	-1.92	--	--	AV	35.00	200	Vertical	N/A
4	6960.250	54.59	-0.60	68.2	13.61	Peak	130.00	150	Vertical	Pass
4**	6960.250	51.05	-0.60	--	--	AV	130.00	150	Vertical	N/A
5	11400.287	51.94	-1.66	74.0	22.06	Peak	230.00	200	Vertical	Pass
5**	11400.287	41.79	-1.66	54.0	12.21	AV	230.00	200	Vertical	Pass
6	15760.349	51.75	0.09	74.0	22.25	Peak	137.00	200	Vertical	Pass
6**	15760.349	42.72	0.09	54.0	11.28	AV	137.00	200	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.700	39.55	-16.75	74.0	34.45	Peak	295.00	200	Horizontal	Pass
1**	1437.700	35.87	-16.75	54.0	18.13	AV	295.00	200	Horizontal	Pass
2	4337.250	48.89	-4.11	74.0	25.11	Peak	190.00	100	Horizontal	Pass
2**	4337.250	39.26	-4.11	54.0	14.74	AV	190.00	100	Horizontal	Pass
3	5244.250	98.97	-1.89	--	--	Peak	16.00	100	Horizontal	N/A
3**	5244.250	91.53	-1.89	--	--	AV	16.00	100	Horizontal	N/A
4	6932.250	52.51	-0.12	68.2	15.69	Peak	172.00	150	Horizontal	Pass
4**	6932.250	43.86	-0.12	--	--	AV	172.00	150	Horizontal	N/A
5	11138.326	51.80	-0.96	74.0	22.20	Peak	128.00	100	Horizontal	Pass
5**	11138.326	42.89	-0.96	54.0	11.11	AV	128.00	100	Horizontal	Pass
6	15763.500	51.69	0.00	74.0	22.31	Peak	66.00	300	Horizontal	Pass
6**	15763.500	42.72	0.00	54.0	11.28	AV	66.00	300	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.300	41.79	-16.86	74.0	32.21	Peak	220.00	400	Vertical	Pass
1**	1493.300	28.85	-16.86	54.0	25.15	AV	220.00	400	Vertical	Pass
2	4295.000	48.22	-3.96	74.0	25.78	Peak	51.00	200	Vertical	Pass
2**	4295.000	39.12	-3.96	54.0	14.88	AV	51.00	200	Vertical	Pass
3	5234.500	99.98	-1.74	--	--	Peak	32.00	150	Vertical	N/A
3**	5234.500	92.65	-1.74	--	--	AV	32.00	150	Vertical	N/A
4	6986.750	54.43	0.16	68.2	13.77	Peak	111.00	150	Vertical	Pass
4**	6986.750	50.68	0.16	--	--	AV	111.00	150	Vertical	N/A
5	11156.850	51.93	-1.06	74.0	22.07	Peak	130.00	100	Vertical	Pass
5**	11156.850	42.19	-1.06	54.0	11.81	AV	130.00	100	Vertical	Pass
6	15755.362	52.19	0.23	74.0	21.81	Peak	181.00	300	Vertical	Pass
6**	15755.362	43.79	0.23	54.0	10.21	AV	181.00	300	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.900	40.16	-16.74	74.0	33.84	Peak	190.00	400	Horizontal	Pass
1**	1437.900	33.98	-16.74	54.0	20.02	AV	190.00	400	Horizontal	Pass
2	4315.250	48.26	-3.99	74.0	25.74	Peak	261.00	300	Horizontal	Pass
2**	4315.250	38.84	-3.99	54.0	15.16	AV	261.00	300	Horizontal	Pass
3	5184.250	96.14	-1.37	--	--	Peak	303.00	200	Horizontal	N/A
3**	5184.250	88.25	-1.37	--	--	AV	303.00	200	Horizontal	N/A
4	6919.750	52.61	0.01	68.2	15.59	Peak	76.00	150	Horizontal	Pass
4**	6919.750	46.34	0.01	--	--	AV	76.00	150	Horizontal	N/A
5	11116.951	51.91	-0.99	74.0	22.09	Peak	339.00	150	Horizontal	Pass
5**	11116.951	41.96	-0.99	54.0	12.04	AV	339.00	150	Horizontal	Pass
6	15755.099	52.16	0.23	74.0	21.84	Peak	227.00	200	Horizontal	Pass
6**	15755.099	42.75	0.23	54.0	11.25	AV	227.00	200	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.200	42.56	-16.83	74.0	31.44	Peak	210.00	100	Vertical	Pass
1**	1495.200	30.00	-16.83	54.0	24.00	AV	210.00	100	Vertical	Pass
2	4277.750	48.07	-4.21	74.0	25.93	Peak	96.00	400	Vertical	Pass
2**	4277.750	39.55	-4.21	54.0	14.45	AV	96.00	400	Vertical	Pass
3	5194.750	98.77	-2.12	--	--	Peak	31.00	150	Vertical	N/A
3**	5194.750	91.38	-2.12	--	--	AV	31.00	150	Vertical	N/A
4	6920.250	55.37	0.06	68.2	12.83	Peak	123.00	150	Vertical	Pass
4**	6920.250	52.19	0.06	--	--	AV	123.00	150	Vertical	N/A
5	11126.213	51.37	-0.98	74.0	22.63	Peak	215.00	100	Vertical	Pass
5**	11126.213	42.76	-0.98	54.0	11.24	AV	215.00	100	Vertical	Pass
6	15753.787	52.17	0.27	74.0	21.83	Peak	3.00	100	Vertical	Pass
6**	15753.787	43.36	0.27	54.0	10.64	AV	3.00	100	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.400	40.60	-16.76	74.0	33.40	Peak	294.00	400	Horizontal	Pass
1**	1437.400	34.76	-16.76	54.0	19.24	AV	294.00	400	Horizontal	Pass
2	4335.000	47.80	-4.17	74.0	26.20	Peak	36.00	200	Horizontal	Pass
2**	4335.000	39.02	-4.17	54.0	14.98	AV	36.00	200	Horizontal	Pass
3	5242.750	96.79	-1.84	--	--	Peak	16.00	150	Horizontal	N/A
3**	5242.750	89.69	-1.84	--	--	AV	16.00	150	Horizontal	N/A
4	7499.250	53.90	0.97	74.0	20.10	Peak	329.00	100	Horizontal	Pass
4**	7499.250	44.36	0.97	54.0	9.64	AV	329.00	100	Horizontal	Pass
5	11128.350	51.80	-0.97	74.0	22.20	Peak	91.00	100	Horizontal	Pass
5**	11128.350	42.29	-0.97	54.0	11.71	AV	91.00	100	Horizontal	Pass
6	15751.162	51.30	0.34	74.0	22.70	Peak	360.00	300	Horizontal	Pass
6**	15751.162	41.71	0.34	54.0	12.29	AV	360.00	300	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.600	41.38	-16.88	74.0	32.62	Peak	217.00	400	Vertical	Pass
1**	1493.600	29.22	-16.88	54.0	24.78	AV	217.00	400	Vertical	Pass
2	4377.000	47.76	-4.09	74.0	26.24	Peak	1.00	400	Vertical	Pass
2**	4377.000	38.38	-4.09	54.0	15.62	AV	1.00	400	Vertical	Pass
3	5234.500	97.93	-1.74	--	--	Peak	36.00	150	Vertical	N/A
3**	5234.500	89.57	-1.74	--	--	AV	36.00	150	Vertical	N/A
4	6973.250	54.26	0.17	68.2	13.94	Peak	108.00	150	Vertical	Pass
4**	6973.250	49.41	0.17	--	--	AV	108.00	150	Vertical	N/A
5	11130.963	52.18	-0.97	74.0	21.82	Peak	222.00	150	Vertical	Pass
5**	11130.963	42.81	-0.97	54.0	11.19	AV	222.00	150	Vertical	Pass
6	15739.612	51.70	0.23	74.0	22.30	Peak	183.00	400	Vertical	Pass
6**	15739.612	42.36	0.23	54.0	11.64	AV	183.00	400	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.000	40.02	-16.74	74.0	33.98	Peak	292.00	400	Horizontal	Pass
1**	1438.000	33.18	-16.74	54.0	20.82	AV	292.00	400	Horizontal	Pass
2	4378.500	47.93	-4.10	74.0	26.07	Peak	291.00	300	Horizontal	Pass
2**	4378.500	38.26	-4.10	54.0	15.74	AV	291.00	300	Horizontal	Pass
3	5222.750	94.00	-1.98	--	--	Peak	9.00	150	Horizontal	N/A
3**	5222.750	85.45	-1.98	--	--	AV	9.00	150	Horizontal	N/A
4	6946.750	53.25	0.08	68.2	14.95	Peak	319.00	150	Horizontal	Pass
4**	6946.750	48.95	0.08	--	--	AV	319.00	150	Horizontal	N/A
5	11126.450	51.69	-0.98	74.0	22.31	Peak	152.00	200	Horizontal	Pass
5**	11126.450	43.04	-0.98	54.0	10.96	AV	152.00	200	Horizontal	Pass
6	15727.799	51.71	0.07	74.0	22.29	Peak	155.00	100	Horizontal	Pass
6**	15727.799	42.78	0.07	54.0	11.22	AV	155.00	100	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.300	41.52	-16.82	74.0	32.48	Peak	207.00	200	Vertical	Pass
1**	1495.300	31.96	-16.82	54.0	22.04	AV	207.00	200	Vertical	Pass
2	4316.000	48.15	-4.03	74.0	25.85	Peak	244.00	200	Vertical	Pass
2**	4316.000	39.47	-4.03	54.0	14.53	AV	244.00	200	Vertical	Pass
3	5204.000	94.52	-2.31	--	--	Peak	33.00	200	Vertical	N/A
3**	5204.000	86.40	-2.31	--	--	AV	33.00	200	Vertical	N/A
4	6946.500	54.78	0.10	68.2	13.42	Peak	42.00	150	Vertical	Pass
4**	6946.500	50.44	0.10	--	--	AV	42.00	150	Vertical	N/A
5	11127.162	51.98	-0.98	74.0	22.02	Peak	225.00	200	Vertical	Pass
5**	11127.162	42.92	-0.98	54.0	11.08	AV	225.00	200	Vertical	Pass
6	15740.137	51.55	0.24	74.0	22.45	Peak	344.00	400	Vertical	Pass
6**	15740.137	43.07	0.24	54.0	10.93	AV	344.00	400	Vertical	Pass

11ac160, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.000	39.73	-16.69	74.0	34.27	Peak	284.00	300	Horizontal	Pass
1**	1439.000	32.26	-16.69	54.0	21.74	AV	284.00	300	Horizontal	Pass
2	4393.750	47.95	-4.08	74.0	26.05	Peak	325.00	200	Horizontal	Pass
2**	4393.750	39.06	-4.08	54.0	14.94	AV	325.00	200	Horizontal	Pass
3	5283.500	91.39	-2.27	--	--	Peak	14.00	100	Horizontal	N/A
3**	5283.500	84.30	-2.27	--	--	AV	14.00	100	Horizontal	N/A
4	6954.250	52.31	-0.23	68.2	15.89	Peak	234.00	150	Horizontal	Pass
4**	6954.250	42.55	-0.23	--	--	AV	234.00	150	Horizontal	N/A
5	11387.463	51.57	-1.70	74.0	22.43	Peak	337.00	100	Horizontal	Pass
5**	11387.463	43.01	-1.70	54.0	10.99	AV	337.00	100	Horizontal	Pass
6	15746.437	52.35	0.32	74.0	21.65	Peak	240.00	300	Horizontal	Pass
6**	15746.437	44.09	0.32	54.0	9.91	AV	240.00	300	Horizontal	Pass

11ac160, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.100	42.38	-16.69	74.0	31.62	Peak	212.00	200	Vertical	Pass
1**	1497.100	32.94	-16.69	54.0	21.06	AV	212.00	200	Vertical	Pass
2	4229.750	48.16	-4.40	74.0	25.84	Peak	259.00	400	Vertical	Pass
2**	4229.750	37.92	-4.40	54.0	16.08	AV	259.00	400	Vertical	Pass
3	5265.000	91.16	-2.33	--	--	Peak	40.00	150	Vertical	N/A
3**	5265.000	83.16	-2.33	--	--	AV	40.00	150	Vertical	N/A
4	7000.000	54.03	-0.30	68.2	14.17	Peak	48.00	150	Vertical	Pass
4**	7000.000	50.19	-0.30	--	--	AV	48.00	150	Vertical	N/A
5	11129.775	52.42	-0.97	74.0	21.58	Peak	312.00	100	Vertical	Pass
5**	11129.775	43.76	-0.97	54.0	10.24	AV	312.00	100	Vertical	Pass
6	15788.701	52.11	-0.69	74.0	21.89	Peak	113.00	150	Vertical	Pass
6**	15788.701	42.81	-0.69	54.0	11.19	AV	113.00	150	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.700	39.71	-16.75	74.0	34.29	Peak	287.00	400	Horizontal	Pass
1**	1437.700	33.68	-16.75	54.0	20.32	AV	287.00	400	Horizontal	Pass
2	4322.750	47.76	-4.17	74.0	26.24	Peak	319.00	200	Horizontal	Pass
2**	4322.750	39.32	-4.17	54.0	14.68	AV	319.00	200	Horizontal	Pass
3	5174.500	98.60	-1.25	--	--	Peak	300.00	100	Horizontal	N/A
3**	5174.500	89.25	-1.25	--	--	AV	300.00	100	Horizontal	N/A
4	6906.750	52.75	-0.06	68.2	15.45	Peak	319.00	150	Horizontal	Pass
4**	6906.750	48.47	-0.06	--	--	AV	319.00	150	Horizontal	N/A
5	11137.613	52.60	-0.96	74.0	21.40	Peak	269.00	200	Horizontal	Pass
5**	11137.613	43.30	-0.96	54.0	10.70	AV	269.00	200	Horizontal	Pass
6	15769.800	52.62	-0.17	74.0	21.38	Peak	308.00	200	Horizontal	Pass
6**	15769.800	43.76	-0.17	54.0	10.24	AV	308.00	200	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.800	42.35	-16.80	74.0	31.65	Peak	212.00	400	Vertical	Pass
1**	1495.800	28.62	-16.80	54.0	25.38	AV	212.00	400	Vertical	Pass
2	4396.250	47.81	-4.09	74.0	26.19	Peak	337.00	300	Vertical	Pass
2**	4396.250	39.16	-4.09	54.0	14.84	AV	337.00	300	Vertical	Pass
3	5184.000	101.83	-1.33	--	--	Peak	34.00	150	Vertical	N/A
3**	5184.000	92.93	-1.33	--	--	AV	34.00	150	Vertical	N/A
4	6906.500	55.65	-0.06	68.2	12.55	Peak	128.00	150	Vertical	Pass
4**	6906.500	50.50	-0.06	--	--	AV	128.00	150	Vertical	N/A
5	10720.326	51.52	-2.12	74.0	22.48	Peak	360.00	100	Vertical	Pass
5**	10720.326	42.68	-2.12	54.0	11.32	AV	360.00	100	Vertical	Pass
6	15745.651	52.38	0.31	74.0	21.62	Peak	183.00	150	Vertical	Pass
6**	15745.651	43.81	0.31	54.0	10.19	AV	183.00	150	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.800	40.26	-16.75	74.0	33.74	Peak	289.00	400	Horizontal	Pass
1**	1437.800	33.66	-16.75	54.0	20.34	AV	289.00	400	Horizontal	Pass
2	4246.750	48.63	-4.35	74.0	25.37	Peak	179.00	300	Horizontal	Pass
2**	4246.750	38.74	-4.35	54.0	15.26	AV	179.00	300	Horizontal	Pass
3	5214.750	99.03	-1.92	--	--	Peak	300.00	200	Horizontal	N/A
3**	5214.750	89.74	-1.92	--	--	AV	300.00	200	Horizontal	N/A
4	6940.500	52.43	0.01	68.2	15.77	Peak	327.00	150	Horizontal	Pass
4**	6940.500	43.51	0.01	--	--	AV	327.00	150	Horizontal	N/A
5	10711.063	51.74	-2.26	74.0	22.26	Peak	47.00	150	Horizontal	Pass
5**	10711.063	42.13	-2.26	54.0	11.87	AV	47.00	150	Horizontal	Pass
6	15738.299	52.21	0.21	74.0	21.79	Peak	279.00	300	Horizontal	Pass
6**	15738.299	43.41	0.21	54.0	10.59	AV	279.00	300	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.700	42.49	-16.86	74.0	31.51	Peak	216.00	100	Vertical	Pass
1**	1494.700	31.31	-16.86	54.0	22.69	AV	216.00	100	Vertical	Pass
2	4168.000	47.99	-4.72	74.0	26.01	Peak	82.00	100	Vertical	Pass
2**	4168.000	38.59	-4.72	54.0	15.41	AV	82.00	100	Vertical	Pass
3	5214.250	99.61	-1.93	--	--	Peak	36.00	100	Vertical	N/A
3**	5214.250	93.16	-1.93	--	--	AV	36.00	100	Vertical	N/A
4	6959.750	54.55	-0.59	68.2	13.65	Peak	128.00	150	Vertical	Pass
4**	6959.750	49.09	-0.59	--	--	AV	128.00	150	Vertical	N/A
5	11398.862	51.65	-1.66	74.0	22.35	Peak	305.00	150	Vertical	Pass
5**	11398.862	41.89	-1.66	54.0	12.11	AV	305.00	150	Vertical	Pass
6	15753.263	51.58	0.28	74.0	22.42	Peak	105.00	300	Vertical	Pass
6**	15753.263	42.85	0.28	54.0	11.15	AV	105.00	300	Vertical	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.500	40.40	-16.52	74.0	33.60	Peak	56.00	300	Horizontal	Pass
1**	1536.500	32.29	-16.52	54.0	21.71	AV	56.00	300	Horizontal	Pass
2	4287.500	48.51	-4.23	74.0	25.49	Peak	47.00	300	Horizontal	Pass
2**	4287.500	39.68	-4.23	54.0	14.32	AV	47.00	300	Horizontal	Pass
3	5243.500	100.50	-1.87	--	--	Peak	11.00	150	Horizontal	N/A
3**	5243.500	90.34	-1.87	--	--	AV	11.00	150	Horizontal	N/A
4	6986.500	52.81	0.17	68.2	15.39	Peak	300.00	150	Horizontal	Pass
4**	6986.500	45.97	0.17	--	--	AV	300.00	150	Horizontal	N/A
5	11122.413	51.82	-0.98	74.0	22.18	Peak	31.00	200	Horizontal	Pass
5**	11122.413	42.92	-0.98	54.0	11.08	AV	31.00	200	Horizontal	Pass
6	15770.063	51.64	-0.18	74.0	22.36	Peak	347.00	200	Horizontal	Pass
6**	15770.063	41.47	-0.18	54.0	12.53	AV	347.00	200	Horizontal	Pass

11ax20 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.600	41.66	-16.61	74.0	32.34	Peak	217.00	400	Vertical	Pass
1**	1499.600	30.59	-16.61	54.0	23.41	AV	217.00	400	Vertical	Pass
2	3976.750	48.25	-5.08	74.0	25.75	Peak	184.00	300	Vertical	Pass
2**	3976.750	37.58	-5.08	54.0	16.42	AV	184.00	300	Vertical	Pass
3	5235.500	99.45	-1.79	--	--	Peak	36.00	100	Vertical	N/A
3**	5235.500	91.30	-1.79	--	--	AV	36.00	100	Vertical	N/A
4	6986.750	54.67	0.16	68.2	13.53	Peak	119.00	150	Vertical	Pass
4**	6986.750	51.55	0.16	--	--	AV	119.00	150	Vertical	N/A
5	11118.850	51.62	-0.99	74.0	22.38	Peak	234.00	150	Vertical	Pass
5**	11118.850	42.50	-0.99	54.0	11.50	AV	234.00	150	Vertical	Pass
6	15773.475	52.06	-0.27	74.0	21.94	Peak	9.00	300	Vertical	Pass
6**	15773.475	42.24	-0.27	54.0	11.76	AV	9.00	300	Vertical	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.300	39.87	-16.76	74.0	34.13	Peak	243.00	100	Horizontal	Pass
1**	1437.300	33.80	-16.76	54.0	20.20	AV	243.00	100	Horizontal	Pass
2	3715.000	47.75	-4.98	74.0	26.25	Peak	307.00	200	Horizontal	Pass
2**	3715.000	37.78	-4.98	54.0	16.22	AV	307.00	200	Horizontal	Pass
3	5193.750	96.40	-2.08	--	--	Peak	6.00	200	Horizontal	N/A
3**	5193.750	86.64	-2.08	--	--	AV	6.00	200	Horizontal	N/A
4	6920.250	53.43	0.06	68.2	14.77	Peak	92.00	150	Horizontal	Pass
4**	6920.250	48.11	0.06	--	--	AV	92.00	150	Horizontal	N/A
5	11144.738	51.65	-0.95	74.0	22.35	Peak	360.00	100	Horizontal	Pass
5**	11144.738	41.77	-0.95	54.0	12.23	AV	360.00	100	Horizontal	Pass
6	15740.662	52.03	0.24	74.0	21.97	Peak	3.00	100	Horizontal	Pass
6**	15740.662	43.87	0.24	54.0	10.13	AV	3.00	100	Horizontal	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.400	41.90	-16.82	74.0	32.10	Peak	212.00	200	Vertical	Pass
1**	1495.400	29.01	-16.82	54.0	24.99	AV	212.00	200	Vertical	Pass
2	4283.250	48.26	-4.42	74.0	25.74	Peak	244.00	100	Vertical	Pass
2**	4283.250	39.02	-4.42	54.0	14.98	AV	244.00	100	Vertical	Pass
3	5185.500	97.58	-1.55	--	--	Peak	33.00	200	Vertical	N/A
3**	5185.500	90.35	-1.55	--	--	AV	33.00	200	Vertical	N/A
4	6919.750	56.13	0.01	68.2	12.07	Peak	125.00	150	Vertical	Pass
4**	6919.750	50.23	0.01	--	--	AV	125.00	150	Vertical	N/A
5	11128.112	51.44	-0.97	74.0	22.56	Peak	262.00	200	Vertical	Pass
5**	11128.112	42.95	-0.97	54.0	11.05	AV	262.00	200	Vertical	Pass
6	15747.488	52.85	0.34	74.0	21.15	Peak	157.00	100	Vertical	Pass
6**	15747.488	42.38	0.34	54.0	11.62	AV	157.00	100	Vertical	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.500	41.29	-16.75	74.0	32.71	Peak	290.00	200	Horizontal	Pass
1**	1437.500	34.35	-16.75	54.0	19.65	AV	290.00	200	Horizontal	Pass
2	4257.750	48.54	-4.17	74.0	25.46	Peak	244.00	400	Horizontal	Pass
2**	4257.750	38.50	-4.17	54.0	15.50	AV	244.00	400	Horizontal	Pass
3	5233.750	95.65	-1.72	--	--	Peak	11.00	100	Horizontal	N/A
3**	5233.750	88.27	-1.72	--	--	AV	11.00	100	Horizontal	N/A
4	7498.500	53.81	1.04	74.0	20.19	Peak	188.00	100	Horizontal	Pass
4**	7498.500	44.81	1.04	54.0	9.19	AV	188.00	100	Horizontal	Pass
5	11202.450	51.96	-1.86	74.0	22.04	Peak	59.00	150	Horizontal	Pass
5**	11202.450	41.85	-1.86	54.0	12.15	AV	59.00	150	Horizontal	Pass
6	15746.437	52.46	0.32	74.0	21.54	Peak	22.00	400	Horizontal	Pass
6**	15746.437	43.41	0.32	54.0	10.59	AV	22.00	400	Horizontal	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.100	42.01	-16.78	74.0	31.99	Peak	219.00	200	Vertical	Pass
1**	1496.100	29.69	-16.78	54.0	24.31	AV	219.00	200	Vertical	Pass
2	4330.750	48.53	-4.22	74.0	25.47	Peak	211.00	200	Vertical	Pass
2**	4330.750	39.26	-4.22	54.0	14.74	AV	211.00	200	Vertical	Pass
3	5245.750	95.09	-1.90	--	--	Peak	35.00	200	Vertical	N/A
3**	5245.750	86.71	-1.90	--	--	AV	35.00	200	Vertical	N/A
4	6973.000	55.30	0.14	68.2	12.90	Peak	53.00	150	Vertical	Pass
4**	6973.000	48.26	0.14	--	--	AV	53.00	150	Vertical	N/A
5	11132.625	52.14	-0.97	74.0	21.86	Peak	96.00	200	Vertical	Pass
5**	11132.625	43.15	-0.97	54.0	10.85	AV	96.00	200	Vertical	Pass
6	15721.500	52.47	-0.02	74.0	21.53	Peak	308.00	100	Vertical	Pass
6**	15721.500	42.90	-0.02	54.0	11.10	AV	308.00	100	Vertical	Pass

11ax80 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.600	39.62	-16.75	74.0	34.38	Peak	290.00	400	Horizontal	Pass
1**	1437.600	34.85	-16.75	54.0	19.15	AV	290.00	400	Horizontal	Pass
2	4331.750	48.02	-4.27	74.0	25.98	Peak	308.00	100	Horizontal	Pass
2**	4331.750	38.57	-4.27	54.0	15.43	AV	308.00	100	Horizontal	Pass
3	5212.250	94.43	-1.98	--	--	Peak	10.00	200	Horizontal	N/A
3**	5212.250	84.01	-1.98	--	--	AV	10.00	200	Horizontal	N/A
4	6946.750	53.60	0.08	68.2	14.60	Peak	298.00	150	Horizontal	Pass
4**	6946.750	48.50	0.08	--	--	AV	298.00	150	Horizontal	N/A
5	11127.875	51.64	-0.97	74.0	22.36	Peak	315.00	100	Horizontal	Pass
5**	11127.875	42.26	-0.97	54.0	11.74	AV	315.00	100	Horizontal	Pass
6	15725.700	51.77	0.04	74.0	22.23	Peak	124.00	400	Horizontal	Pass
6**	15725.700	42.61	0.04	54.0	11.39	AV	124.00	400	Horizontal	Pass

11ax80 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.700	41.92	-16.86	74.0	32.08	Peak	228.00	200	Vertical	Pass
1**	1494.700	31.04	-16.86	54.0	22.96	AV	228.00	200	Vertical	Pass
2	4272.250	48.02	-3.99	74.0	25.98	Peak	260.00	200	Vertical	Pass
2**	4272.250	38.85	-3.99	54.0	15.15	AV	260.00	200	Vertical	Pass
3	5203.500	93.63	-2.27	--	--	Peak	37.00	200	Vertical	N/A
3**	5203.500	86.38	-2.27	--	--	AV	37.00	200	Vertical	N/A
4	6946.750	56.21	0.08	68.2	11.99	Peak	45.00	150	Vertical	Pass
4**	6946.750	51.61	0.08	--	--	AV	45.00	150	Vertical	N/A
5	11096.526	51.90	-1.07	74.0	22.10	Peak	94.00	200	Vertical	Pass
5**	11096.526	41.62	-1.07	54.0	12.38	AV	94.00	200	Vertical	Pass
6	15741.187	51.74	0.25	74.0	22.26	Peak	191.00	200	Vertical	Pass
6**	15741.187	43.27	0.25	54.0	10.73	AV	191.00	200	Vertical	Pass

11ax160 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.200	39.97	-16.76	74.0	34.03	Peak	290.00	400	Horizontal	Pass
1**	1437.200	33.88	-16.76	54.0	20.12	AV	290.00	400	Horizontal	Pass
2	4007.750	47.85	-4.92	74.0	26.15	Peak	238.00	100	Horizontal	Pass
2**	4007.750	38.10	-4.92	54.0	15.90	AV	238.00	100	Horizontal	Pass
3	5268.500	91.51	-2.19	--	--	Peak	318.00	150	Horizontal	N/A
3**	5268.500	81.11	-2.19	--	--	AV	318.00	150	Horizontal	N/A
4	7000.250	52.30	-0.29	68.2	15.90	Peak	326.00	150	Horizontal	Pass
4**	7000.250	47.79	-0.29	--	--	AV	326.00	150	Horizontal	N/A
5	11133.338	52.44	-0.97	74.0	21.56	Peak	172.00	200	Horizontal	Pass
5**	11133.338	42.26	-0.97	54.0	11.74	AV	172.00	200	Horizontal	Pass
6	15728.326	52.10	0.07	74.0	21.90	Peak	191.00	100	Horizontal	Pass
6**	15728.326	42.93	0.07	54.0	11.07	AV	191.00	100	Horizontal	Pass

11ax160 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.100	42.25	-16.69	74.0	31.75	Peak	224.00	400	Vertical	Pass
1**	1497.100	30.34	-16.69	54.0	23.66	AV	224.00	400	Vertical	Pass
2	4319.500	48.24	-3.97	74.0	25.76	Peak	319.00	200	Vertical	Pass
2**	4319.500	39.39	-3.97	54.0	14.61	AV	319.00	200	Vertical	Pass
3	5285.750	90.00	-2.11	--	--	Peak	36.00	150	Vertical	N/A
3**	5285.750	80.86	-2.11	--	--	AV	36.00	150	Vertical	N/A
4	7000.000	54.98	-0.30	68.2	13.22	Peak	118.00	150	Vertical	Pass
4**	7000.000	50.04	-0.30	--	--	AV	118.00	150	Vertical	N/A
5	11150.913	51.83	-0.96	74.0	22.17	Peak	360.00	100	Vertical	Pass
5**	11150.913	42.16	-0.96	54.0	11.84	AV	360.00	100	Vertical	Pass
6	15779.775	51.12	-0.44	74.0	22.88	Peak	344.00	100	Vertical	Pass
6**	15779.775	42.25	-0.44	54.0	11.75	AV	344.00	100	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.100	39.21	-16.54	74.0	34.79	Peak	47.00	300	Horizontal	Pass
1**	1537.100	32.58	-16.54	54.0	21.42	AV	47.00	300	Horizontal	Pass
2	4286.250	48.34	-4.30	74.0	25.66	Peak	16.00	100	Horizontal	Pass
2**	4286.250	38.79	-4.30	54.0	15.21	AV	16.00	100	Horizontal	Pass
3	5262.500	100.92	-2.39	--	--	Peak	302.00	100	Horizontal	N/A
3**	5262.500	93.92	-2.39	--	--	AV	302.00	100	Horizontal	N/A
4	7014.000	52.76	-0.00	68.2	15.44	Peak	346.00	150	Horizontal	Pass
4**	7014.000	46.31	-0.00	--	--	AV	346.00	150	Horizontal	N/A
5	11175.137	51.29	-1.37	74.0	22.71	Peak	108.00	150	Horizontal	Pass
5**	11175.137	42.15	-1.37	54.0	11.85	AV	108.00	150	Horizontal	Pass
6	15747.225	51.92	0.34	74.0	22.08	Peak	360.00	100	Horizontal	Pass
6**	15747.225	42.69	0.34	54.0	11.31	AV	360.00	100	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.500	41.77	-16.81	74.0	32.23	Peak	217.00	400	Vertical	Pass
1**	1495.500	32.67	-16.81	54.0	21.33	AV	217.00	400	Vertical	Pass
2	4263.000	48.09	-3.89	74.0	25.91	Peak	176.00	200	Vertical	Pass
2**	4263.000	38.33	-3.89	54.0	15.67	AV	176.00	200	Vertical	Pass
3	5263.500	102.05	-2.30	--	--	Peak	43.00	100	Vertical	N/A
3**	5263.500	95.66	-2.30	--	--	AV	43.00	100	Vertical	N/A
4	7013.500	55.03	-0.01	68.2	13.17	Peak	52.00	150	Vertical	Pass
4**	7013.500	50.79	-0.01	--	--	AV	52.00	150	Vertical	N/A
5	10963.763	52.21	-2.26	74.0	21.79	Peak	262.00	150	Vertical	Pass
5**	10963.763	41.75	-2.26	54.0	12.25	AV	262.00	150	Vertical	Pass
6	15752.475	52.15	0.31	74.0	21.85	Peak	261.00	150	Vertical	Pass
6**	15752.475	42.52	0.31	54.0	11.48	AV	261.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.100	40.47	-16.76	74.0	33.53	Peak	290.00	300	Horizontal	Pass
1**	1437.100	33.87	-16.76	54.0	20.13	AV	290.00	300	Horizontal	Pass
2	4104.250	48.04	-4.73	74.0	25.96	Peak	360.00	100	Horizontal	Pass
2**	4104.250	38.05	-4.73	54.0	15.95	AV	360.00	100	Horizontal	Pass
3	5298.750	103.00	-2.00	--	--	Peak	31.00	100	Horizontal	N/A
3**	5298.750	94.80	-2.00	--	--	AV	31.00	100	Horizontal	N/A
4	7376.000	53.45	0.47	74.0	20.55	Peak	351.00	100	Horizontal	Pass
4**	7376.000	43.51	0.47	54.0	10.49	AV	351.00	100	Horizontal	Pass
5	11311.938	51.48	-2.42	74.0	22.52	Peak	0.00	100	Horizontal	Pass
5**	11311.938	41.18	-2.42	54.0	12.82	AV	0.00	100	Horizontal	Pass
6	15743.813	51.75	0.29	74.0	22.25	Peak	300.00	200	Horizontal	Pass
6**	15743.813	43.21	0.29	54.0	10.79	AV	300.00	200	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.200	41.17	-16.54	74.0	32.83	Peak	272.00	100	Vertical	Pass
1**	1537.200	33.89	-16.54	54.0	20.11	AV	272.00	100	Vertical	Pass
2	4314.750	48.24	-3.97	74.0	25.76	Peak	167.00	300	Vertical	Pass
2**	4314.750	39.07	-3.97	54.0	14.93	AV	167.00	300	Vertical	Pass
3	5298.250	102.26	-1.97	--	--	Peak	45.00	200	Vertical	N/A
3**	5298.250	94.67	-1.97	--	--	AV	45.00	200	Vertical	N/A
4	7066.250	54.01	0.29	68.2	14.19	Peak	55.00	150	Vertical	Pass
4**	7066.250	46.24	0.29	--	--	AV	55.00	150	Vertical	N/A
5	11195.325	51.19	-1.72	74.0	22.81	Peak	120.00	150	Vertical	Pass
5**	11195.325	42.40	-1.72	54.0	11.60	AV	120.00	150	Vertical	Pass
6	15743.025	52.66	0.28	74.0	21.34	Peak	113.00	200	Vertical	Pass
6**	15743.025	43.09	0.28	54.0	10.91	AV	113.00	200	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.700	39.62	-16.75	74.0	34.38	Peak	292.00	100	Horizontal	Pass
1**	1437.700	33.87	-16.75	54.0	20.13	AV	292.00	100	Horizontal	Pass
2	4333.750	48.53	-4.26	74.0	25.47	Peak	74.00	400	Horizontal	Pass
2**	4333.750	39.14	-4.26	54.0	14.86	AV	74.00	400	Horizontal	Pass
3	5322.000	103.04	-2.09	--	--	Peak	15.00	100	Horizontal	N/A
3**	5322.000	96.56	-2.09	--	--	AV	15.00	100	Horizontal	N/A
4	7500.250	53.18	0.99	74.0	20.82	Peak	113.00	200	Horizontal	Pass
4**	7500.250	45.44	0.99	54.0	8.56	AV	113.00	200	Horizontal	Pass
5	11171.100	51.87	-1.31	74.0	22.13	Peak	89.00	150	Horizontal	Pass
5**	11171.100	42.11	-1.31	54.0	11.89	AV	89.00	150	Horizontal	Pass
6	15726.750	52.04	0.05	74.0	21.96	Peak	175.00	400	Horizontal	Pass
6**	15726.750	43.43	0.05	54.0	10.57	AV	175.00	400	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.100	42.54	-16.78	74.0	31.46	Peak	214.00	400	Vertical	Pass
1**	1496.100	31.05	-16.78	54.0	22.95	AV	214.00	400	Vertical	Pass
2	4293.500	48.43	-3.96	74.0	25.57	Peak	225.00	300	Vertical	Pass
2**	4293.500	38.11	-3.96	54.0	15.89	AV	225.00	300	Vertical	Pass
3	5317.000	103.15	-2.07	--	--	Peak	33.00	200	Vertical	N/A
3**	5317.000	96.36	-2.07	--	--	AV	33.00	200	Vertical	N/A
4	7093.250	54.42	-0.14	68.2	13.78	Peak	128.00	150	Vertical	Pass
4**	7093.250	49.22	-0.14	--	--	AV	128.00	150	Vertical	N/A
5	10945.000	51.87	-2.59	74.0	22.13	Peak	88.00	200	Vertical	Pass
5**	10945.000	41.21	-2.59	54.0	12.79	AV	88.00	200	Vertical	Pass
6	15762.713	51.61	0.03	74.0	22.39	Peak	188.00	200	Vertical	Pass
6**	15762.713	42.36	0.03	54.0	11.64	AV	188.00	200	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.300	40.90	-16.55	74.0	33.10	Peak	8.00	300	Horizontal	Pass
1**	1537.300	31.77	-16.55	54.0	22.23	AV	8.00	300	Horizontal	Pass
2	4323.500	49.10	-4.21	74.0	24.90	Peak	325.00	100	Horizontal	Pass
2**	4323.500	39.42	-4.21	54.0	14.58	AV	325.00	100	Horizontal	Pass
3	5256.500	102.27	-2.56	--	--	Peak	315.00	100	Horizontal	N/A
3**	5256.500	94.23	-2.56	--	--	AV	315.00	100	Horizontal	N/A
4	7524.000	53.42	2.21	74.0	20.58	Peak	0.00	300	Horizontal	Pass
4**	7524.000	45.20	2.21	54.0	8.80	AV	0.00	300	Horizontal	Pass
5	11130.488	51.62	-0.97	74.0	22.38	Peak	274.00	150	Horizontal	Pass
5**	11130.488	42.92	-0.97	54.0	11.08	AV	274.00	150	Horizontal	Pass
6	15748.013	52.06	0.35	74.0	21.94	Peak	7.00	200	Horizontal	Pass
6**	15748.013	42.54	0.35	54.0	11.46	AV	7.00	200	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.900	42.20	-16.71	74.0	31.80	Peak	217.00	100	Vertical	Pass
1**	1496.900	32.14	-16.71	54.0	21.86	AV	217.00	100	Vertical	Pass
2	4248.500	48.17	-4.45	74.0	25.83	Peak	37.00	300	Vertical	Pass
2**	4248.500	38.47	-4.45	54.0	15.53	AV	37.00	300	Vertical	Pass
3	5256.750	101.96	-2.57	--	--	Peak	45.00	100	Vertical	N/A
3**	5256.750	93.67	-2.57	--	--	AV	45.00	100	Vertical	N/A
4	7013.500	55.47	-0.01	68.2	12.73	Peak	54.00	150	Vertical	Pass
4**	7013.500	51.22	-0.01	--	--	AV	54.00	150	Vertical	N/A
5	11309.799	51.72	-2.45	74.0	22.28	Peak	245.00	100	Vertical	Pass
5**	11309.799	41.21	-2.45	54.0	12.79	AV	245.00	100	Vertical	Pass
6	15738.825	52.30	0.22	74.0	21.70	Peak	256.00	150	Vertical	Pass
6**	15738.825	43.35	0.22	54.0	10.65	AV	256.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.000	39.67	-16.54	74.0	34.33	Peak	0.00	400	Horizontal	Pass
1**	1537.000	31.80	-16.54	54.0	22.20	AV	0.00	400	Horizontal	Pass
2	4323.500	48.80	-4.21	74.0	25.20	Peak	286.00	100	Horizontal	Pass
2**	4323.500	39.90	-4.21	54.0	14.10	AV	286.00	100	Horizontal	Pass
3	5294.000	105.05	-1.74	--	--	Peak	8.00	200	Horizontal	N/A
3**	5294.000	95.97	-1.74	--	--	AV	8.00	200	Horizontal	N/A
4	7467.500	54.23	1.59	74.0	19.77	Peak	229.00	300	Horizontal	Pass
4**	7467.500	44.55	1.59	54.0	9.45	AV	229.00	300	Horizontal	Pass
5	11189.862	52.03	-1.62	74.0	21.97	Peak	360.00	100	Horizontal	Pass
5**	11189.862	43.21	-1.62	54.0	10.79	AV	360.00	100	Horizontal	Pass
6	15747.488	52.69	0.34	74.0	21.31	Peak	360.00	400	Horizontal	Pass
6**	15747.488	44.91	0.34	54.0	9.09	AV	360.00	400	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.700	40.81	-16.53	74.0	33.19	Peak	193.00	300	Vertical	Pass
1**	1536.700	33.70	-16.53	54.0	20.30	AV	193.00	300	Vertical	Pass
2	4320.500	48.43	-3.99	74.0	25.57	Peak	182.00	200	Vertical	Pass
2**	4320.500	39.02	-3.99	54.0	14.98	AV	182.00	200	Vertical	Pass
3	5304.500	103.55	-2.20	--	--	Peak	29.00	150	Vertical	N/A
3**	5304.500	96.19	-2.20	--	--	AV	29.00	150	Vertical	N/A
4	7514.500	54.27	1.93	74.0	19.73	Peak	182.00	100	Vertical	Pass
4**	7514.500	44.51	1.93	54.0	9.49	AV	182.00	100	Vertical	Pass
5	10724.600	52.48	-2.05	74.0	21.52	Peak	355.00	200	Vertical	Pass
5**	10724.600	42.27	-2.05	54.0	11.73	AV	355.00	200	Vertical	Pass
6	15756.937	52.36	0.18	74.0	21.64	Peak	360.00	100	Vertical	Pass
6**	15756.937	43.35	0.18	54.0	10.65	AV	360.00	100	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.300	39.43	-16.76	74.0	34.57	Peak	294.00	200	Horizontal	Pass
1**	1437.300	33.14	-16.76	54.0	20.86	AV	294.00	200	Horizontal	Pass
2	4304.000	48.95	-3.97	74.0	25.05	Peak	306.00	400	Horizontal	Pass
2**	4304.000	39.09	-3.97	54.0	14.91	AV	306.00	400	Horizontal	Pass
3	5323.750	103.15	-2.07	--	--	Peak	16.00	150	Horizontal	N/A
3**	5323.750	94.89	-2.07	--	--	AV	16.00	150	Horizontal	N/A
4	7295.250	53.34	0.55	74.0	20.66	Peak	57.00	200	Horizontal	Pass
4**	7295.250	43.96	0.55	54.0	10.04	AV	57.00	200	Horizontal	Pass
5	11150.437	51.82	-0.96	74.0	22.18	Peak	1.00	150	Horizontal	Pass
5**	11150.437	42.42	-0.96	54.0	11.58	AV	1.00	150	Horizontal	Pass
6	15748.013	52.51	0.35	74.0	21.49	Peak	332.00	200	Horizontal	Pass
6**	15748.013	43.83	0.35	54.0	10.17	AV	332.00	200	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.600	42.74	-16.60	74.0	31.26	Peak	229.00	200	Vertical	Pass
1**	1498.600	33.89	-16.60	54.0	20.11	AV	229.00	200	Vertical	Pass
2	4286.500	48.83	-4.28	74.0	25.17	Peak	3.00	400	Vertical	Pass
2**	4286.500	39.22	-4.28	54.0	14.78	AV	3.00	400	Vertical	Pass
3	5323.500	104.64	-2.06	--	--	Peak	29.00	150	Vertical	N/A
3**	5323.500	96.66	-2.06	--	--	AV	29.00	150	Vertical	N/A
4	7518.250	53.76	1.97	74.0	20.24	Peak	332.00	400	Vertical	Pass
4**	7518.250	43.89	1.97	54.0	10.11	AV	332.00	400	Vertical	Pass
5	11185.112	51.80	-1.54	74.0	22.20	Peak	320.00	200	Vertical	Pass
5**	11185.112	42.65	-1.54	54.0	11.35	AV	320.00	200	Vertical	Pass
6	15743.813	52.71	0.29	74.0	21.29	Peak	360.00	300	Vertical	Pass
6**	15743.813	43.62	0.29	54.0	10.38	AV	360.00	300	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.300	39.85	-16.76	74.0	34.15	Peak	291.00	400	Horizontal	Pass
1**	1437.300	34.50	-16.76	54.0	19.50	AV	291.00	400	Horizontal	Pass
2	4310.500	48.68	-4.13	74.0	25.32	Peak	29.00	300	Horizontal	Pass
2**	4310.500	39.21	-4.13	54.0	14.79	AV	29.00	300	Horizontal	Pass
3	5264.250	98.22	-2.31	--	--	Peak	16.00	150	Horizontal	N/A
3**	5264.250	90.66	-2.31	--	--	AV	16.00	150	Horizontal	N/A
4	7346.250	53.42	1.30	74.0	20.58	Peak	304.00	200	Horizontal	Pass
4**	7346.250	45.13	1.30	54.0	8.87	AV	304.00	200	Horizontal	Pass
5	11155.188	51.66	-1.04	74.0	22.34	Peak	86.00	100	Horizontal	Pass
5**	11155.188	41.74	-1.04	54.0	12.26	AV	86.00	100	Horizontal	Pass
6	15740.925	52.11	0.25	74.0	21.89	Peak	360.00	200	Horizontal	Pass
6**	15740.925	44.03	0.25	54.0	9.97	AV	360.00	200	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.100	42.53	-16.54	74.0	31.47	Peak	195.00	400	Vertical	Pass
1**	1537.100	33.57	-16.54	54.0	20.43	AV	195.00	400	Vertical	Pass
2	4322.750	48.30	-4.17	74.0	25.70	Peak	223.00	400	Vertical	Pass
2**	4322.750	40.18	-4.17	54.0	13.82	AV	223.00	400	Vertical	Pass
3	5266.000	98.62	-2.35	--	--	Peak	28.00	100	Vertical	N/A
3**	5266.000	90.97	-2.35	--	--	AV	28.00	100	Vertical	N/A
4	7026.500	55.42	0.20	68.2	12.78	Peak	125.00	100	Vertical	Pass
4**	7026.500	50.37	0.20	--	--	AV	125.00	100	Vertical	N/A
5	10717.950	51.69	-2.15	74.0	22.31	Peak	1.00	200	Vertical	Pass
5**	10717.950	43.22	-2.15	54.0	10.78	AV	1.00	200	Vertical	Pass
6	15728.326	52.38	0.07	74.0	21.62	Peak	254.00	300	Vertical	Pass
6**	15728.326	43.06	0.07	54.0	10.94	AV	254.00	300	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.500	39.97	-16.56	74.0	34.03	Peak	1.00	400	Horizontal	Pass
1**	1537.500	31.57	-16.56	54.0	22.43	AV	1.00	400	Horizontal	Pass
2	4209.000	48.50	-4.61	74.0	25.50	Peak	223.00	400	Horizontal	Pass
2**	4209.000	38.51	-4.61	54.0	15.49	AV	223.00	400	Horizontal	Pass
3	5303.750	99.17	-2.23	--	--	Peak	8.00	150	Horizontal	N/A
3**	5303.750	91.17	-2.23	--	--	AV	8.00	150	Horizontal	N/A
4	7469.250	54.04	1.57	74.0	19.96	Peak	239.00	400	Horizontal	Pass
4**	7469.250	44.15	1.57	54.0	9.85	AV	239.00	400	Horizontal	Pass
5	11125.737	51.98	-0.98	74.0	22.02	Peak	283.00	200	Horizontal	Pass
5**	11125.737	43.17	-0.98	54.0	10.83	AV	283.00	200	Horizontal	Pass
6	15739.612	53.16	0.23	74.0	20.84	Peak	10.00	200	Horizontal	Pass
6**	15739.612	44.08	0.23	54.0	9.92	AV	10.00	200	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.400	41.69	-16.51	74.0	32.31	Peak	208.00	200	Vertical	Pass
1**	1536.400	35.81	-16.51	54.0	18.19	AV	208.00	200	Vertical	Pass
2	4324.250	48.33	-4.25	74.0	25.67	Peak	360.00	100	Vertical	Pass
2**	4324.250	39.54	-4.25	54.0	14.46	AV	360.00	100	Vertical	Pass
3	5316.000	99.87	-2.14	--	--	Peak	31.00	200	Vertical	N/A
3**	5316.000	91.42	-2.14	--	--	AV	31.00	200	Vertical	N/A
4	7079.500	54.66	0.33	68.2	13.54	Peak	304.00	100	Vertical	Pass
4**	7079.500	45.49	0.33	--	--	AV	304.00	100	Vertical	N/A
5	11036.912	51.67	-1.84	74.0	22.33	Peak	67.00	200	Vertical	Pass
5**	11036.912	42.37	-1.84	54.0	11.63	AV	67.00	200	Vertical	Pass
6	15736.463	52.63	0.19	74.0	21.37	Peak	353.00	100	Vertical	Pass
6**	15736.463	43.73	0.19	54.0	10.27	AV	353.00	100	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.400	39.74	-16.73	74.0	34.26	Peak	247.00	400	Horizontal	Pass
1**	1438.400	33.40	-16.73	54.0	20.60	AV	247.00	400	Horizontal	Pass
2	4226.000	48.27	-4.46	74.0	25.73	Peak	260.00	400	Horizontal	Pass
2**	4226.000	39.09	-4.46	54.0	14.91	AV	260.00	400	Horizontal	Pass
3	5258.500	99.44	-2.42	--	--	Peak	317.00	200	Horizontal	N/A
3**	5258.500	91.54	-2.42	--	--	AV	317.00	200	Horizontal	N/A
4	7497.750	53.80	1.13	74.0	20.20	Peak	164.00	200	Horizontal	Pass
4**	7497.750	44.78	1.13	54.0	9.22	AV	164.00	200	Horizontal	Pass
5	11175.850	52.36	-1.39	74.0	21.64	Peak	259.00	150	Horizontal	Pass
5**	11175.850	43.04	-1.39	54.0	10.96	AV	259.00	150	Horizontal	Pass
6	15739.088	52.90	0.22	74.0	21.10	Peak	360.00	400	Horizontal	Pass
6**	15739.088	42.75	0.22	54.0	11.25	AV	360.00	400	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.700	43.07	-16.80	74.0	30.93	Peak	213.00	400	Vertical	Pass
1**	1495.700	31.99	-16.80	54.0	22.01	AV	213.00	400	Vertical	Pass
2	4396.250	48.20	-4.09	74.0	25.80	Peak	18.00	200	Vertical	Pass
2**	4396.250	39.22	-4.09	54.0	14.78	AV	18.00	200	Vertical	Pass
3	5264.500	98.81	-2.32	--	--	Peak	31.00	150	Vertical	N/A
3**	5264.500	91.89	-2.32	--	--	AV	31.00	150	Vertical	N/A
4	7013.250	55.19	-0.01	68.2	13.01	Peak	47.00	150	Vertical	Pass
4**	7013.250	50.16	-0.01	--	--	AV	47.00	150	Vertical	N/A
5	10993.212	51.70	-1.69	74.0	22.30	Peak	337.00	100	Vertical	Pass
5**	10993.212	41.60	-1.69	54.0	12.40	AV	337.00	100	Vertical	Pass
6	15743.813	52.44	0.29	74.0	21.56	Peak	360.00	100	Vertical	Pass
6**	15743.813	44.24	0.29	54.0	9.76	AV	360.00	100	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.500	40.02	-16.75	74.0	33.98	Peak	193.00	300	Horizontal	Pass
1**	1437.500	33.52	-16.75	54.0	20.48	AV	193.00	300	Horizontal	Pass
2	4319.250	49.21	-3.97	74.0	24.79	Peak	360.00	100	Horizontal	Pass
2**	4319.250	39.00	-3.97	54.0	15.00	AV	360.00	100	Horizontal	Pass
3	5304.000	99.92	-2.24	--	--	Peak	13.00	200	Horizontal	N/A
3**	5304.000	92.56	-2.24	--	--	AV	13.00	200	Horizontal	N/A
4	7474.000	54.10	1.88	74.0	19.90	Peak	360.00	300	Horizontal	Pass
4**	7474.000	45.02	1.88	54.0	8.98	AV	360.00	300	Horizontal	Pass
5	11171.100	51.45	-1.31	74.0	22.55	Peak	200.00	150	Horizontal	Pass
5**	11171.100	42.19	-1.31	54.0	11.81	AV	200.00	150	Horizontal	Pass
6	15748.799	52.02	0.36	74.0	21.98	Peak	353.00	200	Horizontal	Pass
6**	15748.799	43.74	0.36	54.0	10.26	AV	353.00	200	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.500	40.78	-16.66	74.0	33.22	Peak	218.00	400	Vertical	Pass
1**	1497.500	29.29	-16.66	54.0	24.71	AV	218.00	400	Vertical	Pass
2	4379.750	48.33	-4.15	74.0	25.67	Peak	360.00	200	Vertical	Pass
2**	4379.750	39.21	-4.15	54.0	14.79	AV	360.00	200	Vertical	Pass
3	5294.250	98.33	-1.77	--	--	Peak	29.00	200	Vertical	N/A
3**	5294.250	90.78	-1.77	--	--	AV	29.00	200	Vertical	N/A
4	7066.750	54.45	0.23	68.2	13.75	Peak	132.00	300	Vertical	Pass
4**	7066.750	51.26	0.23	--	--	AV	132.00	300	Vertical	N/A
5	11135.000	51.93	-0.97	74.0	22.07	Peak	179.00	100	Vertical	Pass
5**	11135.000	42.75	-0.97	54.0	11.25	AV	179.00	100	Vertical	Pass
6	15760.349	52.06	0.09	74.0	21.94	Peak	360.00	300	Vertical	Pass
6**	15760.349	43.47	0.09	54.0	10.53	AV	360.00	300	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.900	40.26	-16.74	74.0	33.74	Peak	286.00	400	Horizontal	Pass
1**	1437.900	33.51	-16.74	54.0	20.49	AV	286.00	400	Horizontal	Pass
2	4269.750	49.13	-3.86	74.0	24.87	Peak	291.00	300	Horizontal	Pass
2**	4269.750	38.44	-3.86	54.0	15.56	AV	291.00	300	Horizontal	Pass
3	5323.250	100.17	-2.06	--	--	Peak	10.00	100	Horizontal	N/A
3**	5323.250	92.39	-2.06	--	--	AV	10.00	100	Horizontal	N/A
4	7259.500	54.52	0.43	74.0	19.48	Peak	249.00	400	Horizontal	Pass
4**	7259.500	43.44	0.43	54.0	10.56	AV	249.00	400	Horizontal	Pass
5	11130.013	52.48	-0.97	74.0	21.52	Peak	104.00	100	Horizontal	Pass
5**	11130.013	42.44	-0.97	54.0	11.56	AV	104.00	100	Horizontal	Pass
6	15736.463	52.80	0.19	74.0	21.20	Peak	254.00	200	Horizontal	Pass
6**	15736.463	43.06	0.19	54.0	10.94	AV	254.00	200	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.200	41.81	-16.61	74.0	32.19	Peak	216.00	400	Vertical	Pass
1**	1500.200	31.35	-16.61	54.0	22.65	AV	216.00	400	Vertical	Pass
2	4317.750	48.84	-3.99	74.0	25.16	Peak	291.00	300	Vertical	Pass
2**	4317.750	39.09	-3.99	54.0	14.91	AV	291.00	300	Vertical	Pass
3	5314.500	101.02	-2.32	--	--	Peak	34.00	200	Vertical	N/A
3**	5314.500	92.20	-2.32	--	--	AV	34.00	200	Vertical	N/A
4	7623.500	54.20	1.08	74.0	19.80	Peak	360.00	400	Vertical	Pass
4**	7623.500	43.42	1.08	54.0	10.58	AV	360.00	400	Vertical	Pass
5	11173.950	51.97	-1.35	74.0	22.03	Peak	62.00	100	Vertical	Pass
5**	11173.950	42.97	-1.35	54.0	11.03	AV	62.00	100	Vertical	Pass
6	15707.850	51.98	-0.21	74.0	22.02	Peak	272.00	200	Vertical	Pass
6**	15707.850	42.39	-0.21	54.0	11.61	AV	272.00	200	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.500	39.56	-16.61	74.0	34.44	Peak	117.00	400	Horizontal	Pass
1**	1499.500	28.88	-16.61	54.0	25.12	AV	117.00	400	Horizontal	Pass
2	4379.750	48.40	-4.15	74.0	25.60	Peak	166.00	200	Horizontal	Pass
2**	4379.750	38.37	-4.15	54.0	15.63	AV	166.00	200	Horizontal	Pass
3	5264.000	96.78	-2.30	--	--	Peak	16.00	200	Horizontal	N/A
3**	5264.000	88.39	-2.30	--	--	AV	16.00	200	Horizontal	N/A
4	7343.250	53.96	1.31	74.0	20.04	Peak	3.00	100	Horizontal	Pass
4**	7343.250	45.05	1.31	54.0	8.95	AV	3.00	100	Horizontal	Pass
5	11134.763	51.58	-0.97	74.0	22.42	Peak	143.00	200	Horizontal	Pass
5**	11134.763	43.18	-0.97	54.0	10.82	AV	143.00	200	Horizontal	Pass
6	15754.838	52.52	0.24	74.0	21.48	Peak	114.00	200	Horizontal	Pass
6**	15754.838	44.35	0.24	54.0	9.65	AV	114.00	200	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.200	41.31	-16.77	74.0	32.69	Peak	224.00	300	Vertical	Pass
1**	1496.200	30.31	-16.77	54.0	23.69	AV	224.00	300	Vertical	Pass
2	4293.250	48.27	-3.97	74.0	25.73	Peak	36.00	200	Vertical	Pass
2**	4293.250	39.17	-3.97	54.0	14.83	AV	36.00	200	Vertical	Pass
3	5265.500	96.18	-2.35	--	--	Peak	29.00	150	Vertical	N/A
3**	5265.500	89.35	-2.35	--	--	AV	29.00	150	Vertical	N/A
4	7026.500	54.63	0.20	68.2	13.57	Peak	42.00	150	Vertical	Pass
4**	7026.500	48.99	0.20	--	--	AV	42.00	150	Vertical	N/A
5	11130.250	51.94	-0.97	74.0	22.06	Peak	1.00	200	Vertical	Pass
5**	11130.250	43.49	-0.97	54.0	10.51	AV	1.00	200	Vertical	Pass
6	15761.401	52.54	0.06	74.0	21.46	Peak	36.00	200	Vertical	Pass
6**	15761.401	43.47	0.06	54.0	10.53	AV	36.00	200	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.100	39.77	-16.54	74.0	34.23	Peak	260.00	200	Horizontal	Pass
1**	1537.100	31.73	-16.54	54.0	22.27	AV	260.00	200	Horizontal	Pass
2	4293.500	48.56	-3.96	74.0	25.44	Peak	360.00	300	Horizontal	Pass
2**	4293.500	39.56	-3.96	54.0	14.44	AV	360.00	300	Horizontal	Pass
3	5314.750	97.27	-2.30	--	--	Peak	18.00	150	Horizontal	N/A
3**	5314.750	89.44	-2.30	--	--	AV	18.00	150	Horizontal	N/A
4	7517.500	53.52	2.00	74.0	20.48	Peak	31.00	100	Horizontal	Pass
4**	7517.500	44.51	2.00	54.0	9.49	AV	31.00	100	Horizontal	Pass
5	11062.088	52.16	-1.71	74.0	21.84	Peak	296.00	150	Horizontal	Pass
5**	11062.088	42.46	-1.71	54.0	11.54	AV	296.00	150	Horizontal	Pass
6	15757.200	52.84	0.18	74.0	21.16	Peak	360.00	100	Horizontal	Pass
6**	15757.200	43.89	0.18	54.0	10.11	AV	360.00	100	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.200	41.71	-16.88	74.0	32.29	Peak	221.00	400	Vertical	Pass
1**	1494.200	33.41	-16.88	54.0	20.59	AV	221.00	400	Vertical	Pass
2	4357.750	48.52	-3.84	74.0	25.48	Peak	249.00	300	Vertical	Pass
2**	4357.750	39.73	-3.84	54.0	14.27	AV	249.00	300	Vertical	Pass
3	5306.500	97.59	-2.11	--	--	Peak	31.00	200	Vertical	N/A
3**	5306.500	89.26	-2.11	--	--	AV	31.00	200	Vertical	N/A
4	7079.750	54.34	0.33	68.2	13.86	Peak	316.00	200	Vertical	Pass
4**	7079.750	47.87	0.33	--	--	AV	316.00	200	Vertical	N/A
5	11139.276	51.53	-0.96	74.0	22.47	Peak	1.00	200	Vertical	Pass
5**	11139.276	42.27	-0.96	54.0	11.73	AV	1.00	200	Vertical	Pass
6	15748.537	52.67	0.35	74.0	21.33	Peak	15.00	400	Vertical	Pass
6**	15748.537	44.84	0.35	54.0	9.16	AV	15.00	400	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.500	41.03	-16.75	74.0	32.97	Peak	288.00	200	Horizontal	Pass
1**	1437.500	33.81	-16.75	54.0	20.19	AV	288.00	200	Horizontal	Pass
2	4218.000	48.10	-4.61	74.0	25.90	Peak	345.00	400	Horizontal	Pass
2**	4218.000	38.77	-4.61	54.0	15.23	AV	345.00	400	Horizontal	Pass
3	5292.750	94.73	-1.71	--	--	Peak	13.00	150	Horizontal	N/A
3**	5292.750	85.89	-1.71	--	--	AV	13.00	150	Horizontal	N/A
4	7743.000	54.24	1.24	74.0	19.76	Peak	360.00	200	Horizontal	Pass
4**	7743.000	43.65	1.24	54.0	10.35	AV	360.00	200	Horizontal	Pass
5	11189.862	52.30	-1.62	74.0	21.70	Peak	218.00	100	Horizontal	Pass
5**	11189.862	42.37	-1.62	54.0	11.63	AV	218.00	100	Horizontal	Pass
6	15757.725	52.25	0.16	74.0	21.75	Peak	360.00	100	Horizontal	Pass
6**	15757.725	44.73	0.16	54.0	9.27	AV	360.00	100	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.600	41.78	-16.88	74.0	32.22	Peak	229.00	400	Vertical	Pass
1**	1493.600	29.49	-16.88	54.0	24.51	AV	229.00	400	Vertical	Pass
2	4363.750	48.84	-4.01	74.0	25.16	Peak	42.00	100	Vertical	Pass
2**	4363.750	38.51	-4.01	54.0	15.49	AV	42.00	100	Vertical	Pass
3	5314.250	93.02	-2.33	--	--	Peak	28.00	150	Vertical	N/A
3**	5314.250	86.16	-2.33	--	--	AV	28.00	150	Vertical	N/A
4	7053.500	54.11	0.05	68.2	14.09	Peak	125.00	150	Vertical	Pass
4**	7053.500	49.42	0.05	--	--	AV	125.00	150	Vertical	N/A
5	10830.763	51.73	-2.29	74.0	22.27	Peak	86.00	200	Vertical	Pass
5**	10830.763	42.06	-2.29	54.0	11.94	AV	86.00	200	Vertical	Pass
6	15751.425	53.55	0.33	74.0	20.45	Peak	314.00	100	Vertical	Pass
6**	15751.425	43.52	0.33	54.0	10.48	AV	314.00	100	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.300	40.13	-16.76	74.0	33.87	Peak	288.00	200	Horizontal	Pass
1**	1437.300	34.70	-16.76	54.0	19.30	AV	288.00	200	Horizontal	Pass
2	4281.500	48.58	-4.40	74.0	25.42	Peak	218.00	200	Horizontal	Pass
2**	4281.500	39.30	-4.40	54.0	14.70	AV	218.00	200	Horizontal	Pass
3	5261.250	99.38	-2.45	--	--	Peak	350.00	200	Horizontal	N/A
3**	5261.250	89.41	-2.45	--	--	AV	350.00	200	Horizontal	N/A
4	7352.250	53.78	1.01	74.0	20.22	Peak	360.00	400	Horizontal	Pass
4**	7352.250	43.86	1.01	54.0	10.14	AV	360.00	400	Horizontal	Pass
5	10963.287	52.15	-2.27	74.0	21.85	Peak	353.00	100	Horizontal	Pass
5**	10963.287	42.55	-2.27	54.0	11.45	AV	353.00	100	Horizontal	Pass
6	15752.212	52.42	0.31	74.0	21.58	Peak	18.00	100	Horizontal	Pass
6**	15752.212	43.64	0.31	54.0	10.36	AV	18.00	100	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.500	42.00	-16.60	74.0	32.00	Peak	211.00	400	Vertical	Pass
1**	1498.500	29.37	-16.60	54.0	24.63	AV	211.00	400	Vertical	Pass
2	4305.000	48.65	-4.01	74.0	25.35	Peak	42.00	300	Vertical	Pass
2**	4305.000	39.57	-4.01	54.0	14.43	AV	42.00	300	Vertical	Pass
3	5265.500	99.35	-2.35	--	--	Peak	42.00	150	Vertical	N/A
3**	5265.500	89.97	-2.35	--	--	AV	42.00	150	Vertical	N/A
4	7013.500	55.76	-0.01	68.2	12.44	Peak	55.00	200	Vertical	Pass
4**	7013.500	52.75	-0.01	--	--	AV	55.00	200	Vertical	N/A
5	10824.588	51.85	-2.43	74.0	22.15	Peak	360.00	200	Vertical	Pass
5**	10824.588	41.82	-2.43	54.0	12.18	AV	360.00	200	Vertical	Pass
6	15745.388	51.82	0.31	74.0	22.18	Peak	360.00	300	Vertical	Pass
6**	15745.388	43.62	0.31	54.0	10.38	AV	360.00	300	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.300	40.15	-16.76	74.0	33.85	Peak	283.00	100	Horizontal	Pass
1**	1437.300	33.75	-16.76	54.0	20.25	AV	283.00	100	Horizontal	Pass
2	4304.750	49.50	-4.00	74.0	24.50	Peak	236.00	300	Horizontal	Pass
2**	4304.750	39.25	-4.00	54.0	14.75	AV	236.00	300	Horizontal	Pass
3	5294.500	99.75	-1.80	--	--	Peak	360.00	150	Horizontal	N/A
3**	5294.500	91.38	-1.80	--	--	AV	360.00	150	Horizontal	N/A
4	7383.500	53.56	0.65	74.0	20.44	Peak	360.00	200	Horizontal	Pass
4**	7383.500	43.68	0.65	54.0	10.32	AV	360.00	200	Horizontal	Pass
5	11176.088	51.65	-1.39	74.0	22.35	Peak	259.00	150	Horizontal	Pass
5**	11176.088	42.52	-1.39	54.0	11.48	AV	259.00	150	Horizontal	Pass
6	15725.963	52.03	0.04	74.0	21.97	Peak	360.00	100	Horizontal	Pass
6**	15725.963	42.91	0.04	54.0	11.09	AV	360.00	100	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.700	40.98	-16.80	74.0	33.02	Peak	231.00	100	Vertical	Pass
1**	1495.700	30.91	-16.80	54.0	23.09	AV	231.00	100	Vertical	Pass
2	4335.000	48.38	-4.17	74.0	25.62	Peak	358.00	300	Vertical	Pass
2**	4335.000	39.17	-4.17	54.0	14.83	AV	358.00	300	Vertical	Pass
3	5298.500	98.33	-1.99	--	--	Peak	28.00	200	Vertical	N/A
3**	5298.500	89.81	-1.99	--	--	AV	28.00	200	Vertical	N/A
4	7066.750	56.58	0.23	68.2	11.62	Peak	125.00	0	Vertical	Pass
4**	7066.750	51.29	0.23	--	--	AV	125.00	0	Vertical	N/A
5	12607.025	51.77	-0.86	74.0	22.23	Peak	259.00	150	Vertical	Pass
5**	12607.025	40.69	-0.86	54.0	13.31	AV	259.00	150	Vertical	Pass
6	15736.463	53.06	0.19	74.0	20.94	Peak	360.00	100	Vertical	Pass
6**	15736.463	42.67	0.19	54.0	11.33	AV	360.00	100	Vertical	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.000	39.91	-16.74	74.0	34.09	Peak	294.00	300	Horizontal	Pass
1**	1438.000	33.69	-16.74	54.0	20.31	AV	294.00	300	Horizontal	Pass
2	4321.000	48.43	-4.04	74.0	25.57	Peak	278.00	300	Horizontal	Pass
2**	4321.000	40.31	-4.04	54.0	13.69	AV	278.00	300	Horizontal	Pass
3	5322.500	99.80	-2.07	--	--	Peak	18.00	200	Horizontal	N/A
3**	5322.500	90.99	-2.07	--	--	AV	18.00	200	Horizontal	N/A
4	7536.250	54.04	2.22	74.0	19.96	Peak	290.00	400	Horizontal	Pass
4**	7536.250	44.30	2.22	54.0	9.70	AV	290.00	400	Horizontal	Pass
5	11158.988	51.51	-1.10	74.0	22.49	Peak	350.00	200	Horizontal	Pass
5**	11158.988	41.96	-1.10	54.0	12.04	AV	350.00	200	Horizontal	Pass
6	15772.425	52.35	-0.24	74.0	21.65	Peak	174.00	400	Horizontal	Pass
6**	15772.425	42.87	-0.24	54.0	11.13	AV	174.00	400	Horizontal	Pass

11ax20 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.000	41.77	-16.78	74.0	32.23	Peak	216.00	300	Vertical	Pass
1**	1496.000	32.09	-16.78	54.0	21.91	AV	216.00	300	Vertical	Pass
2	4368.750	48.35	-4.15	74.0	25.65	Peak	112.00	400	Vertical	Pass
2**	4368.750	38.23	-4.15	54.0	15.77	AV	112.00	400	Vertical	Pass
3	5328.500	99.06	-2.40	--	--	Peak	15.00	100	Vertical	N/A
3**	5328.500	89.65	-2.40	--	--	AV	15.00	100	Vertical	N/A
4	7547.750	53.44	1.49	74.0	20.56	Peak	236.00	200	Vertical	Pass
4**	7547.750	43.69	1.49	54.0	10.31	AV	236.00	200	Vertical	Pass
5	10723.174	51.49	-2.07	74.0	22.51	Peak	350.00	100	Vertical	Pass
5**	10723.174	43.24	-2.07	54.0	10.76	AV	350.00	100	Vertical	Pass
6	15752.475	51.95	0.31	74.0	22.05	Peak	135.00	300	Vertical	Pass
6**	15752.475	43.76	0.31	54.0	10.24	AV	135.00	300	Vertical	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.200	40.29	-16.76	74.0	33.71	Peak	291.00	300	Horizontal	Pass
1**	1437.200	32.44	-16.76	54.0	21.56	AV	291.00	300	Horizontal	Pass
2	4275.000	48.36	-4.16	74.0	25.64	Peak	360.00	200	Horizontal	Pass
2**	4275.000	39.14	-4.16	54.0	14.86	AV	360.00	200	Horizontal	Pass
3	5266.750	97.95	-2.32	--	--	Peak	304.00	100	Horizontal	N/A
3**	5266.750	87.90	-2.32	--	--	AV	304.00	100	Horizontal	N/A
4	7507.000	53.59	1.23	74.0	20.41	Peak	360.00	300	Horizontal	Pass
4**	7507.000	44.22	1.23	54.0	9.78	AV	360.00	300	Horizontal	Pass
5	11131.675	51.96	-0.97	74.0	22.04	Peak	182.00	100	Horizontal	Pass
5**	11131.675	43.12	-0.97	54.0	10.88	AV	182.00	100	Horizontal	Pass
6	15773.213	53.25	-0.26	74.0	20.75	Peak	314.00	400	Horizontal	Pass
6**	15773.213	42.69	-0.26	54.0	11.31	AV	314.00	400	Horizontal	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.200	42.04	-16.60	74.0	31.96	Peak	214.00	400	Vertical	Pass
1**	1498.200	32.62	-16.60	54.0	21.38	AV	214.00	400	Vertical	Pass
2	4318.250	48.94	-3.97	74.0	25.06	Peak	57.00	200	Vertical	Pass
2**	4318.250	39.90	-3.97	54.0	14.10	AV	57.00	200	Vertical	Pass
3	5283.250	95.19	-2.28	--	--	Peak	207.00	100	Vertical	N/A
3**	5283.250	86.61	-2.28	--	--	AV	207.00	100	Vertical	N/A
4	7026.500	54.43	0.20	68.2	13.77	Peak	44.00	100	Vertical	Pass
4**	7026.500	50.31	0.20	--	--	AV	44.00	100	Vertical	N/A
5	11136.187	51.88	-0.96	74.0	22.12	Peak	200.00	150	Vertical	Pass
5**	11136.187	42.45	-0.96	54.0	11.55	AV	200.00	150	Vertical	Pass
6	15741.975	52.15	0.26	74.0	21.85	Peak	350.00	300	Vertical	Pass
6**	15741.975	43.14	0.26	54.0	10.86	AV	350.00	300	Vertical	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.100	40.24	-16.74	74.0	33.76	Peak	286.00	300	Horizontal	Pass
1**	1438.100	33.14	-16.74	54.0	20.86	AV	286.00	300	Horizontal	Pass
2	4182.500	48.38	-4.31	74.0	25.62	Peak	132.00	200	Horizontal	Pass
2**	4182.500	37.99	-4.31	54.0	16.01	AV	132.00	200	Horizontal	Pass
3	5323.250	96.96	-2.06	--	--	Peak	10.00	100	Horizontal	N/A
3**	5323.250	88.37	-2.06	--	--	AV	10.00	100	Horizontal	N/A
4	7519.750	54.33	2.08	74.0	19.67	Peak	65.00	200	Horizontal	Pass
4**	7519.750	44.59	2.08	54.0	9.41	AV	65.00	200	Horizontal	Pass
5	11044.037	51.91	-1.89	74.0	22.09	Peak	80.00	200	Horizontal	Pass
5**	11044.037	41.52	-1.89	54.0	12.48	AV	80.00	200	Horizontal	Pass
6	15750.112	52.87	0.37	74.0	21.13	Peak	360.00	100	Horizontal	Pass
6**	15750.112	43.62	0.37	54.0	10.38	AV	360.00	100	Horizontal	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.600	42.33	-16.65	74.0	31.67	Peak	216.00	300	Vertical	Pass
1**	1497.600	29.31	-16.65	54.0	24.69	AV	216.00	300	Vertical	Pass
2	4236.500	49.17	-4.41	74.0	24.83	Peak	345.00	400	Vertical	Pass
2**	4236.500	38.54	-4.41	54.0	15.46	AV	345.00	400	Vertical	Pass
3	5306.250	96.68	-2.07	--	--	Peak	31.00	200	Vertical	N/A
3**	5306.250	89.59	-2.07	--	--	AV	31.00	200	Vertical	N/A
4	7507.250	53.50	1.27	74.0	20.50	Peak	73.00	400	Vertical	Pass
4**	7507.250	44.20	1.27	54.0	9.80	AV	73.00	400	Vertical	Pass
5	11171.338	51.49	-1.31	74.0	22.51	Peak	106.00	100	Vertical	Pass
5**	11171.338	42.24	-1.31	54.0	11.76	AV	106.00	100	Vertical	Pass
6	15750.375	52.61	0.36	74.0	21.39	Peak	75.00	400	Vertical	Pass
6**	15750.375	43.68	0.36	54.0	10.32	AV	75.00	400	Vertical	Pass

11ax80 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.800	40.07	-16.75	74.0	33.93	Peak	291.00	200	Horizontal	Pass
1**	1437.800	33.53	-16.75	54.0	20.47	AV	291.00	200	Horizontal	Pass
2	4280.750	48.34	-4.31	74.0	25.66	Peak	83.00	100	Horizontal	Pass
2**	4280.750	38.72	-4.31	54.0	15.28	AV	83.00	100	Horizontal	Pass
3	5298.500	95.71	-1.99	--	--	Peak	28.00	200	Horizontal	N/A
3**	5298.500	84.59	-1.99	--	--	AV	28.00	200	Horizontal	N/A
4	7359.250	53.44	0.86	74.0	20.56	Peak	70.00	300	Horizontal	Pass
4**	7359.250	44.78	0.86	54.0	9.22	AV	70.00	300	Horizontal	Pass
5	11124.076	51.80	-0.98	74.0	22.20	Peak	350.00	100	Horizontal	Pass
5**	11124.076	43.26	-0.98	54.0	10.74	AV	350.00	100	Horizontal	Pass
6	15751.425	52.10	0.33	74.0	21.90	Peak	350.00	300	Horizontal	Pass
6**	15751.425	43.68	0.33	54.0	10.32	AV	350.00	300	Horizontal	Pass

11ax80 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.300	41.80	-16.60	74.0	32.20	Peak	211.00	200	Vertical	Pass
1**	1498.300	30.90	-16.60	54.0	23.10	AV	211.00	200	Vertical	Pass
2	4330.500	48.55	-4.25	74.0	25.45	Peak	70.00	300	Vertical	Pass
2**	4330.500	40.45	-4.25	54.0	13.55	AV	70.00	300	Vertical	Pass
3	5322.750	94.68	-2.07	--	--	Peak	207.00	100	Vertical	N/A
3**	5322.750	83.77	-2.07	--	--	AV	207.00	100	Vertical	N/A
4	7053.000	54.77	0.05	68.2	13.43	Peak	124.00	200	Vertical	Pass
4**	7053.000	48.29	0.05	--	--	AV	124.00	200	Vertical	N/A
5	11079.663	51.61	-1.39	74.0	22.39	Peak	353.00	100	Vertical	Pass
5**	11079.663	42.14	-1.39	54.0	11.86	AV	353.00	100	Vertical	Pass
6	15770.063	52.18	-0.18	74.0	21.82	Peak	360.00	200	Vertical	Pass
6**	15770.063	43.40	-0.18	54.0	10.60	AV	360.00	200	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.300	40.13	-16.76	74.0	33.87	Peak	190.00	200	Horizontal	Pass
1**	1437.300	33.27	-16.76	54.0	20.73	AV	190.00	200	Horizontal	Pass
2	4317.500	49.71	-3.99	74.0	24.29	Peak	111.00	300	Horizontal	Pass
2**	4317.500	39.91	-3.99	54.0	14.09	AV	111.00	300	Horizontal	Pass
3	5498.250	104.74	-1.74	--	--	Peak	15.00	150	Horizontal	N/A
3**	5498.250	96.09	-1.74	--	--	AV	15.00	150	Horizontal	N/A
4	7494.500	53.86	1.26	74.0	20.14	Peak	316.00	100	Horizontal	Pass
4**	7494.500	44.14	1.26	54.0	9.86	AV	316.00	100	Horizontal	Pass
5	11130.013	52.09	-0.97	74.0	21.91	Peak	182.00	100	Horizontal	Pass
5**	11130.013	42.97	-0.97	54.0	11.03	AV	182.00	100	Horizontal	Pass
6	15758.513	52.03	0.14	74.0	21.97	Peak	34.00	200	Horizontal	Pass
6**	15758.513	43.37	0.14	54.0	10.63	AV	34.00	200	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.200	41.71	-16.83	74.0	32.29	Peak	239.00	300	Vertical	Pass
1**	1495.200	29.31	-16.83	54.0	24.69	AV	239.00	300	Vertical	Pass
2	4267.750	48.32	-3.63	74.0	25.68	Peak	36.00	100	Vertical	Pass
2**	4267.750	39.13	-3.63	54.0	14.87	AV	36.00	100	Vertical	Pass
3	5496.500	105.82	-1.55	--	--	Peak	15.00	150	Vertical	N/A
3**	5496.500	97.94	-1.55	--	--	AV	15.00	150	Vertical	N/A
4	7539.750	53.64	2.10	74.0	20.36	Peak	36.00	200	Vertical	Pass
4**	7539.750	44.38	2.10	54.0	9.62	AV	36.00	200	Vertical	Pass
5	11135.475	51.77	-0.97	74.0	22.23	Peak	280.00	150	Vertical	Pass
5**	11135.475	43.54	-0.97	54.0	10.46	AV	280.00	150	Vertical	Pass
6	15753.263	52.32	0.28	74.0	21.68	Peak	353.00	100	Vertical	Pass
6**	15753.263	43.17	0.28	54.0	10.83	AV	353.00	100	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.900	39.67	-16.74	74.0	34.33	Peak	188.00	200	Horizontal	Pass
1**	1437.900	33.74	-16.74	54.0	20.26	AV	188.00	200	Horizontal	Pass
2	4303.000	48.51	-3.94	74.0	25.49	Peak	36.00	300	Horizontal	Pass
2**	4303.000	39.74	-3.94	54.0	14.26	AV	36.00	300	Horizontal	Pass
3	5573.500	104.49	-1.64	--	--	Peak	15.00	200	Horizontal	N/A
3**	5573.500	97.54	-1.64	--	--	AV	15.00	200	Horizontal	N/A
4	7742.000	54.08	1.43	74.0	19.92	Peak	31.00	100	Horizontal	Pass
4**	7742.000	44.88	1.43	54.0	9.12	AV	31.00	100	Horizontal	Pass
5	11181.075	52.64	-1.48	74.0	21.36	Peak	164.00	150	Horizontal	Pass
5**	11181.075	42.65	-1.48	54.0	11.35	AV	164.00	150	Horizontal	Pass
6	16095.563	52.02	0.02	74.0	21.98	Peak	353.00	200	Horizontal	Pass
6**	16095.563	41.80	0.02	54.0	12.20	AV	353.00	200	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.600	42.47	-16.60	74.0	31.53	Peak	224.00	400	Vertical	Pass
1**	1498.600	31.85	-16.60	54.0	22.15	AV	224.00	400	Vertical	Pass
2	3977.500	47.98	-5.12	74.0	26.02	Peak	345.00	100	Vertical	Pass
2**	3977.500	37.68	-5.12	54.0	16.32	AV	345.00	100	Vertical	Pass
3	5577.500	106.72	-1.24	--	--	Peak	31.00	100	Vertical	N/A
3**	5577.500	99.08	-1.24	--	--	AV	31.00	100	Vertical	N/A
4	7541.750	53.89	2.09	74.0	20.11	Peak	345.00	400	Vertical	Pass
4**	7541.750	44.79	2.09	54.0	9.21	AV	345.00	400	Vertical	Pass
5	11402.900	51.66	-1.69	74.0	22.34	Peak	278.00	150	Vertical	Pass
5**	11402.900	42.05	-1.69	54.0	11.95	AV	278.00	150	Vertical	Pass
6	15782.138	52.30	-0.51	74.0	21.70	Peak	332.00	100	Vertical	Pass
6**	15782.138	42.35	-0.51	54.0	11.65	AV	332.00	100	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.400	40.03	-16.76	74.0	33.97	Peak	291.00	400	Horizontal	Pass
1**	1437.400	33.55	-16.76	54.0	20.45	AV	291.00	400	Horizontal	Pass
2	4316.750	48.54	-4.01	74.0	25.46	Peak	36.00	200	Horizontal	Pass
2**	4316.750	39.54	-4.01	54.0	14.46	AV	36.00	200	Horizontal	Pass
3	5702.500	102.47	-1.55	--	--	Peak	2.00	200	Horizontal	N/A
3**	5702.500	93.96	-1.55	--	--	AV	2.00	200	Horizontal	N/A
4	7536.250	53.89	2.22	74.0	20.11	Peak	197.00	400	Horizontal	Pass
4**	7536.250	45.19	2.22	54.0	8.81	AV	197.00	400	Horizontal	Pass
5	11173.713	52.04	-1.35	74.0	21.96	Peak	1.00	100	Horizontal	Pass
5**	11173.713	42.88	-1.35	54.0	11.12	AV	1.00	100	Horizontal	Pass
6	15747.750	52.74	0.34	74.0	21.26	Peak	36.00	400	Horizontal	Pass
6**	15747.750	44.47	0.34	54.0	9.53	AV	36.00	400	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.400	42.52	-16.61	74.0	31.48	Peak	211.00	200	Vertical	Pass
1**	1499.400	29.67	-16.61	54.0	24.33	AV	211.00	200	Vertical	Pass
2	3986.250	48.42	-4.94	74.0	25.58	Peak	36.00	100	Vertical	Pass
2**	3986.250	38.77	-4.94	54.0	15.23	AV	36.00	100	Vertical	Pass
3	5702.500	104.95	-1.55	--	--	Peak	23.00	100	Vertical	N/A
3**	5702.500	97.40	-1.55	--	--	AV	23.00	100	Vertical	N/A
4	7487.000	53.69	1.44	74.0	20.31	Peak	36.00	100	Vertical	Pass
4**	7487.000	44.84	1.44	54.0	9.16	AV	36.00	100	Vertical	Pass
5	11074.201	52.16	-1.49	74.0	21.84	Peak	260.00	150	Vertical	Pass
5**	11074.201	43.92	-1.49	54.0	10.08	AV	260.00	150	Vertical	Pass
6	15751.162	52.25	0.34	74.0	21.75	Peak	153.00	300	Vertical	Pass
6**	15751.162	43.53	0.34	54.0	10.47	AV	153.00	300	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.200	39.67	-16.74	74.0	34.33	Peak	304.00	300	Horizontal	Pass
1**	1438.200	32.63	-16.74	54.0	21.37	AV	304.00	300	Horizontal	Pass
2	4388.500	48.64	-4.09	74.0	25.36	Peak	314.00	300	Horizontal	Pass
2**	4388.500	39.23	-4.09	54.0	14.77	AV	314.00	300	Horizontal	Pass
3	5496.750	104.39	-1.59	--	--	Peak	13.00	150	Horizontal	N/A
3**	5496.750	96.40	-1.59	--	--	AV	13.00	150	Horizontal	N/A
4	7712.500	54.12	1.87	74.0	19.88	Peak	301.00	200	Horizontal	Pass
4**	7712.500	44.15	1.87	54.0	9.85	AV	301.00	200	Horizontal	Pass
5	11173.474	51.88	-1.35	74.0	22.12	Peak	1.00	200	Horizontal	Pass
5**	11173.474	42.34	-1.35	54.0	11.66	AV	1.00	200	Horizontal	Pass
6	15767.963	52.35	-0.12	74.0	21.65	Peak	171.00	100	Horizontal	Pass
6**	15767.963	43.44	-0.12	54.0	10.56	AV	171.00	100	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.600	42.15	-16.86	74.0	31.85	Peak	206.00	400	Vertical	Pass
1**	1494.600	28.99	-16.86	54.0	25.01	AV	206.00	400	Vertical	Pass
2	4265.250	49.04	-3.81	74.0	24.96	Peak	13.00	300	Vertical	Pass
2**	4265.250	39.15	-3.81	54.0	14.85	AV	13.00	300	Vertical	Pass
3	5504.250	105.58	-2.03	--	--	Peak	13.00	200	Vertical	N/A
3**	5504.250	98.70	-2.03	--	--	AV	13.00	200	Vertical	N/A
4	7741.500	53.70	1.53	74.0	20.30	Peak	54.00	200	Vertical	Pass
4**	7741.500	45.25	1.53	54.0	8.75	AV	54.00	200	Vertical	Pass
5	11074.675	51.91	-1.48	74.0	22.09	Peak	163.00	100	Vertical	Pass
5**	11074.675	42.19	-1.48	54.0	11.81	AV	163.00	100	Vertical	Pass
6	15779.512	52.33	-0.43	74.0	21.67	Peak	156.00	400	Vertical	Pass
6**	15779.512	43.39	-0.43	54.0	10.61	AV	156.00	400	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.400	40.44	-16.76	74.0	33.56	Peak	291.00	100	Horizontal	Pass
1**	1437.400	34.43	-16.76	54.0	19.57	AV	291.00	100	Horizontal	Pass
2	4331.750	48.68	-4.27	74.0	25.32	Peak	267.00	100	Horizontal	Pass
2**	4331.750	39.31	-4.27	54.0	14.69	AV	267.00	100	Horizontal	Pass
3	5576.750	106.35	-1.27	--	--	Peak	18.00	100	Horizontal	N/A
3**	5576.750	98.67	-1.27	--	--	AV	18.00	100	Horizontal	N/A
4	7675.250	53.62	0.86	74.0	20.38	Peak	267.00	200	Horizontal	Pass
4**	7675.250	43.16	0.86	54.0	10.84	AV	267.00	200	Horizontal	Pass
5	10601.338	52.89	-1.46	74.0	21.11	Peak	213.00	150	Horizontal	Pass
5**	10601.338	41.80	-1.46	54.0	12.20	AV	213.00	150	Horizontal	Pass
6	15753.525	52.16	0.28	74.0	21.84	Peak	36.00	300	Horizontal	Pass
6**	15753.525	43.36	0.28	54.0	10.64	AV	36.00	300	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.700	43.37	-16.73	74.0	30.63	Peak	208.00	300	Vertical	Pass
1**	1496.700	29.46	-16.73	54.0	24.54	AV	208.00	300	Vertical	Pass
2	4267.750	48.60	-3.63	74.0	25.40	Peak	223.00	300	Vertical	Pass
2**	4267.750	39.10	-3.63	54.0	14.90	AV	223.00	300	Vertical	Pass
3	5574.750	105.31	-1.51	--	--	Peak	31.00	200	Vertical	N/A
3**	5574.750	98.07	-1.51	--	--	AV	31.00	200	Vertical	N/A
4	7747.750	53.84	1.53	74.0	20.16	Peak	296.00	300	Vertical	Pass
4**	7747.750	44.65	1.53	54.0	9.35	AV	296.00	300	Vertical	Pass
5	10724.838	51.87	-2.04	74.0	22.13	Peak	195.00	200	Vertical	Pass
5**	10724.838	42.55	-2.04	54.0	11.45	AV	195.00	200	Vertical	Pass
6	15489.188	52.13	-0.62	74.0	21.87	Peak	36.00	300	Vertical	Pass
6**	15489.188	41.96	-0.62	54.0	12.04	AV	36.00	300	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.200	39.84	-16.76	74.0	34.16	Peak	265.00	100	Horizontal	Pass
1**	1437.200	35.00	-16.76	54.0	19.00	AV	265.00	100	Horizontal	Pass
2	4307.750	48.30	-4.06	74.0	25.70	Peak	249.00	200	Horizontal	Pass
2**	4307.750	39.38	-4.06	54.0	14.62	AV	249.00	200	Horizontal	Pass
3	5694.500	102.28	-1.68	--	--	Peak	2.00	100	Horizontal	N/A
3**	5694.500	94.04	-1.68	--	--	AV	2.00	100	Horizontal	N/A
4	7503.500	53.54	1.01	74.0	20.46	Peak	10.00	200	Horizontal	Pass
4**	7503.500	44.73	1.01	54.0	9.27	AV	10.00	200	Horizontal	Pass
5	10721.275	51.91	-2.10	74.0	22.09	Peak	301.00	200	Horizontal	Pass
5**	10721.275	41.89	-2.10	54.0	12.11	AV	301.00	200	Horizontal	Pass
6	15778.463	52.43	-0.41	74.0	21.57	Peak	355.00	300	Horizontal	Pass
6**	15778.463	42.72	-0.41	54.0	11.28	AV	355.00	300	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.300	41.78	-16.88	74.0	32.22	Peak	211.00	200	Vertical	Pass
1**	1494.300	29.27	-16.88	54.0	24.73	AV	211.00	200	Vertical	Pass
2	4315.000	48.51	-3.98	74.0	25.49	Peak	244.00	100	Vertical	Pass
2**	4315.000	39.72	-3.98	54.0	14.28	AV	244.00	100	Vertical	Pass
3	5703.750	104.28	-1.55	--	--	Peak	31.00	100	Vertical	N/A
3**	5703.750	95.79	-1.55	--	--	AV	31.00	100	Vertical	N/A
4	7485.000	53.75	1.46	74.0	20.25	Peak	187.00	300	Vertical	Pass
4**	7485.000	44.11	1.46	54.0	9.89	AV	187.00	300	Vertical	Pass
5	11133.575	52.20	-0.97	74.0	21.80	Peak	10.00	200	Vertical	Pass
5**	11133.575	44.38	-0.97	54.0	9.62	AV	10.00	200	Vertical	Pass
6	15748.537	52.08	0.35	74.0	21.92	Peak	330.00	300	Vertical	Pass
6**	15748.537	43.77	0.35	54.0	10.23	AV	330.00	300	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.000	40.09	-16.74	74.0	33.91	Peak	291.00	300	Horizontal	Pass
1**	1438.000	32.22	-16.74	54.0	21.78	AV	291.00	300	Horizontal	Pass
2	4291.500	48.52	-4.10	74.0	25.48	Peak	348.00	400	Horizontal	Pass
2**	4291.500	39.27	-4.10	54.0	14.73	AV	348.00	400	Horizontal	Pass
3	5514.500	102.80	-1.97	--	--	Peak	22.00	100	Horizontal	N/A
3**	5514.500	94.59	-1.97	--	--	AV	22.00	100	Horizontal	N/A
4	7748.750	53.73	1.51	74.0	20.27	Peak	263.00	400	Horizontal	Pass
4**	7748.750	44.97	1.51	54.0	9.03	AV	263.00	400	Horizontal	Pass
5	10729.825	52.53	-1.97	74.0	21.47	Peak	182.00	200	Horizontal	Pass
5**	10729.825	42.97	-1.97	54.0	11.03	AV	182.00	200	Horizontal	Pass
6	15760.349	53.16	0.09	74.0	20.84	Peak	279.00	100	Horizontal	Pass
6**	15760.349	44.42	0.09	54.0	9.58	AV	279.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.900	41.84	-16.61	74.0	32.16	Peak	227.00	300	Vertical	Pass
1**	1499.900	30.12	-16.61	54.0	23.88	AV	227.00	300	Vertical	Pass
2	4394.750	48.76	-4.02	74.0	25.24	Peak	107.00	400	Vertical	Pass
2**	4394.750	39.31	-4.02	54.0	14.69	AV	107.00	400	Vertical	Pass
3	5501.750	103.26	-1.78	--	--	Peak	29.00	150	Vertical	N/A
3**	5501.750	95.71	-1.78	--	--	AV	29.00	150	Vertical	N/A
4	7491.750	53.42	1.25	74.0	20.58	Peak	98.00	400	Vertical	Pass
4**	7491.750	44.37	1.25	54.0	9.63	AV	98.00	400	Vertical	Pass
5	11121.463	52.14	-0.98	74.0	21.86	Peak	243.00	150	Vertical	Pass
5**	11121.463	42.88	-0.98	54.0	11.12	AV	243.00	150	Vertical	Pass
6	15779.775	53.28	-0.44	74.0	20.72	Peak	306.00	100	Vertical	Pass
6**	15779.775	42.72	-0.44	54.0	11.28	AV	306.00	100	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.900	39.84	-16.74	74.0	34.16	Peak	291.00	100	Horizontal	Pass
1**	1437.900	32.73	-16.74	54.0	21.27	AV	291.00	100	Horizontal	Pass
2	4245.750	48.52	-4.21	74.0	25.48	Peak	279.00	400	Horizontal	Pass
2**	4245.750	39.90	-4.21	54.0	14.10	AV	279.00	400	Horizontal	Pass
3	5595.750	103.83	-1.45	--	--	Peak	29.00	200	Horizontal	N/A
3**	5595.750	96.55	-1.45	--	--	AV	29.00	200	Horizontal	N/A
4	7299.500	53.55	0.35	74.0	20.45	Peak	349.00	200	Horizontal	Pass
4**	7299.500	43.54	0.35	54.0	10.46	AV	349.00	200	Horizontal	Pass
5	11116.237	52.03	-0.99	74.0	21.97	Peak	173.00	150	Horizontal	Pass
5**	11116.237	42.65	-0.99	54.0	11.35	AV	173.00	150	Horizontal	Pass
6	15759.037	53.00	0.13	74.0	21.00	Peak	229.00	100	Horizontal	Pass
6**	15759.037	43.62	0.13	54.0	10.38	AV	229.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.100	40.65	-16.69	74.0	33.35	Peak	227.00	100	Vertical	Pass
1**	1497.100	30.28	-16.69	54.0	23.72	AV	227.00	100	Vertical	Pass
2	4244.000	48.45	-4.49	74.0	25.55	Peak	0.00	300	Vertical	Pass
2**	4244.000	38.78	-4.49	54.0	15.22	AV	0.00	300	Vertical	Pass
3	5586.750	103.09	-1.33	--	--	Peak	46.00	200	Vertical	N/A
3**	5586.750	95.39	-1.33	--	--	AV	46.00	200	Vertical	N/A
4	7512.500	53.88	1.73	74.0	20.12	Peak	63.00	400	Vertical	Pass
4**	7512.500	44.44	1.73	54.0	9.56	AV	63.00	400	Vertical	Pass
5	11117.901	52.55	-0.99	74.0	21.45	Peak	64.00	100	Vertical	Pass
5**	11117.901	42.44	-0.99	54.0	11.56	AV	64.00	100	Vertical	Pass
6	15777.937	53.24	-0.39	74.0	20.76	Peak	229.00	200	Vertical	Pass
6**	15777.937	44.10	-0.39	54.0	9.90	AV	229.00	200	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.000	39.58	-16.50	74.0	34.42	Peak	353.00	200	Horizontal	Pass
1**	1536.000	31.44	-16.50	54.0	22.56	AV	353.00	200	Horizontal	Pass
2	4315.500	48.48	-4.01	74.0	25.52	Peak	144.00	100	Horizontal	Pass
2**	4315.500	39.77	-4.01	54.0	14.23	AV	144.00	100	Horizontal	Pass
3	5667.250	98.92	-1.94	--	--	Peak	333.00	200	Horizontal	N/A
3**	5667.250	90.72	-1.94	--	--	AV	333.00	200	Horizontal	N/A
4	7536.500	53.23	2.21	74.0	20.77	Peak	301.00	200	Horizontal	Pass
4**	7536.500	44.68	2.21	54.0	9.32	AV	301.00	200	Horizontal	Pass
5	11141.175	52.52	-0.96	74.0	21.48	Peak	156.00	100	Horizontal	Pass
5**	11141.175	42.66	-0.96	54.0	11.34	AV	156.00	100	Horizontal	Pass
6	15714.413	52.39	-0.12	74.0	21.61	Peak	243.00	100	Horizontal	Pass
6**	15714.413	43.01	-0.12	54.0	10.99	AV	243.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.300	41.37	-16.86	74.0	32.63	Peak	225.00	100	Vertical	Pass
1**	1493.300	29.58	-16.86	54.0	24.42	AV	225.00	100	Vertical	Pass
2	4316.500	48.54	-4.02	74.0	25.46	Peak	80.00	300	Vertical	Pass
2**	4316.500	39.68	-4.02	54.0	14.32	AV	80.00	300	Vertical	Pass
3	5676.000	100.72	-1.75	--	--	Peak	37.00	150	Vertical	N/A
3**	5676.000	92.19	-1.75	--	--	AV	37.00	150	Vertical	N/A
4	7472.250	53.19	1.88	74.0	20.81	Peak	20.00	200	Vertical	Pass
4**	7472.250	44.30	1.88	54.0	9.70	AV	20.00	200	Vertical	Pass
5	11197.700	52.02	-1.76	74.0	21.98	Peak	146.00	150	Vertical	Pass
5**	11197.700	42.43	-1.76	54.0	11.57	AV	146.00	150	Vertical	Pass
6	15777.675	52.34	-0.38	74.0	21.66	Peak	70.00	200	Vertical	Pass
6**	15777.675	43.04	-0.38	54.0	10.96	AV	70.00	200	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.100	39.78	-16.76	74.0	34.22	Peak	286.00	400	Horizontal	Pass
1**	1437.100	32.84	-16.76	54.0	21.16	AV	286.00	400	Horizontal	Pass
2	4262.500	48.31	-3.91	74.0	25.69	Peak	187.00	300	Horizontal	Pass
2**	4262.500	38.80	-3.91	54.0	15.20	AV	187.00	300	Horizontal	Pass
3	5495.750	105.49	-1.45	--	--	Peak	15.00	150	Horizontal	N/A
3**	5495.750	97.22	-1.45	--	--	AV	15.00	150	Horizontal	N/A
4	7532.750	53.90	2.19	74.0	20.10	Peak	238.00	400	Horizontal	Pass
4**	7532.750	44.51	2.19	54.0	9.49	AV	238.00	400	Horizontal	Pass
5	11313.125	52.02	-2.40	74.0	21.98	Peak	279.00	200	Horizontal	Pass
5**	11313.125	41.06	-2.40	54.0	12.94	AV	279.00	200	Horizontal	Pass
6	15741.975	52.74	0.26	74.0	21.26	Peak	206.00	200	Horizontal	Pass
6**	15741.975	43.94	0.26	54.0	10.06	AV	206.00	200	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.100	42.06	-16.78	74.0	31.94	Peak	227.00	400	Vertical	Pass
1**	1496.100	31.44	-16.78	54.0	22.56	AV	227.00	400	Vertical	Pass
2	4310.500	48.32	-4.13	74.0	25.68	Peak	360.00	300	Vertical	Pass
2**	4310.500	39.02	-4.13	54.0	14.98	AV	360.00	300	Vertical	Pass
3	5495.000	105.59	-1.38	--	--	Peak	29.00	100	Vertical	N/A
3**	5495.000	98.35	-1.38	--	--	AV	29.00	100	Vertical	N/A
4	7474.500	54.04	1.92	74.0	19.96	Peak	343.00	200	Vertical	Pass
4**	7474.500	45.26	1.92	54.0	8.74	AV	343.00	200	Vertical	Pass
5	10698.474	51.85	-2.45	74.0	22.15	Peak	267.00	150	Vertical	Pass
5**	10698.474	42.19	-2.45	54.0	11.81	AV	267.00	150	Vertical	Pass
6	15751.162	52.98	0.34	74.0	21.02	Peak	360.00	100	Vertical	Pass
6**	15751.162	44.74	0.34	54.0	9.26	AV	360.00	100	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.800	39.77	-16.74	74.0	34.23	Peak	254.00	200	Horizontal	Pass
1**	1524.800	30.19	-16.74	54.0	23.81	AV	254.00	200	Horizontal	Pass
2	4274.000	48.08	-4.10	74.0	25.92	Peak	110.00	100	Horizontal	Pass
2**	4274.000	38.78	-4.10	54.0	15.22	AV	110.00	100	Horizontal	Pass
3	5585.000	102.46	-1.19	--	--	Peak	30.00	100	Horizontal	N/A
3**	5585.000	94.73	-1.19	--	--	AV	30.00	100	Horizontal	N/A
4	7537.000	53.65	2.17	74.0	20.35	Peak	138.00	100	Horizontal	Pass
4**	7537.000	44.96	2.17	54.0	9.04	AV	138.00	100	Horizontal	Pass
5	11164.213	52.00	-1.19	74.0	22.00	Peak	352.00	100	Horizontal	Pass
5**	11164.213	42.82	-1.19	54.0	11.18	AV	352.00	100	Horizontal	Pass
6	15736.200	52.93	0.18	74.0	21.07	Peak	280.00	300	Horizontal	Pass
6**	15736.200	44.22	0.18	54.0	9.78	AV	280.00	300	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.400	41.69	-16.87	74.0	32.31	Peak	216.00	400	Vertical	Pass
1**	1494.400	31.43	-16.87	54.0	22.57	AV	216.00	400	Vertical	Pass
2	4316.250	48.02	-4.02	74.0	25.98	Peak	0.00	400	Vertical	Pass
2**	4316.250	40.04	-4.02	54.0	13.96	AV	0.00	400	Vertical	Pass
3	5583.500	102.38	-1.17	--	--	Peak	12.00	100	Vertical	N/A
3**	5583.500	95.03	-1.17	--	--	AV	12.00	100	Vertical	N/A
4	7475.250	53.70	1.99	74.0	20.30	Peak	127.00	100	Vertical	Pass
4**	7475.250	44.63	1.99	54.0	9.37	AV	127.00	100	Vertical	Pass
5	11133.338	51.84	-0.97	74.0	22.16	Peak	107.00	200	Vertical	Pass
5**	11133.338	43.32	-0.97	54.0	10.68	AV	107.00	200	Vertical	Pass
6	15748.799	52.16	0.36	74.0	21.84	Peak	97.00	400	Vertical	Pass
6**	15748.799	43.63	0.36	54.0	10.37	AV	97.00	400	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.000	39.34	-16.50	74.0	34.66	Peak	1.00	300	Horizontal	Pass
1**	1536.000	31.10	-16.50	54.0	22.90	AV	1.00	300	Horizontal	Pass
2	4312.500	48.43	-4.01	74.0	25.57	Peak	233.00	300	Horizontal	Pass
2**	4312.500	39.91	-4.01	54.0	14.09	AV	233.00	300	Horizontal	Pass
3	5698.000	99.59	-1.69	--	--	Peak	12.00	100	Horizontal	N/A
3**	5698.000	91.43	-1.69	--	--	AV	12.00	100	Horizontal	N/A
4	7620.750	54.05	1.11	74.0	19.95	Peak	233.00	400	Horizontal	Pass
4**	7620.750	45.03	1.11	54.0	8.97	AV	233.00	400	Horizontal	Pass
5	11122.413	52.41	-0.98	74.0	21.59	Peak	287.00	150	Horizontal	Pass
5**	11122.413	42.36	-0.98	54.0	11.64	AV	287.00	150	Horizontal	Pass
6	15741.975	52.36	0.26	74.0	21.64	Peak	342.00	400	Horizontal	Pass
6**	15741.975	43.74	0.26	54.0	10.26	AV	342.00	400	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.300	42.33	-16.68	74.0	31.67	Peak	217.00	100	Vertical	Pass
1**	1497.300	32.30	-16.68	54.0	21.70	AV	217.00	100	Vertical	Pass
2	4340.750	49.10	-4.08	74.0	24.90	Peak	218.00	200	Vertical	Pass
2**	4340.750	39.68	-4.08	54.0	14.32	AV	218.00	200	Vertical	Pass
3	5705.000	100.35	-1.50	--	--	Peak	318.00	200	Vertical	N/A
3**	5705.000	93.48	-1.50	--	--	AV	318.00	200	Vertical	N/A
4	7542.750	54.25	2.02	74.0	19.75	Peak	173.00	400	Vertical	Pass
4**	7542.750	44.60	2.02	54.0	9.40	AV	173.00	400	Vertical	Pass
5	11172.287	51.87	-1.33	74.0	22.13	Peak	39.00	150	Vertical	Pass
5**	11172.287	43.38	-1.33	54.0	10.62	AV	39.00	150	Vertical	Pass
6	15770.849	52.60	-0.20	74.0	21.40	Peak	0.00	100	Vertical	Pass
6**	15770.849	44.31	-0.20	54.0	9.69	AV	0.00	100	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1475.500	39.65	-16.47	74.0	34.35	Peak	77.00	200	Horizontal	Pass
1**	1475.500	30.66	-16.47	54.0	23.34	AV	77.00	200	Horizontal	Pass
2	4254.250	48.29	-4.30	74.0	25.71	Peak	298.00	400	Horizontal	Pass
2**	4254.250	39.47	-4.30	54.0	14.53	AV	298.00	400	Horizontal	Pass
3	5496.250	98.60	-1.52	--	--	Peak	22.00	150	Horizontal	N/A
3**	5496.250	91.45	-1.52	--	--	AV	22.00	150	Horizontal	N/A
4	7733.500	54.17	1.26	74.0	19.83	Peak	253.00	400	Horizontal	Pass
4**	7733.500	43.93	1.26	54.0	10.07	AV	253.00	400	Horizontal	Pass
5	11691.225	52.04	-2.37	74.0	21.96	Peak	0.00	150	Horizontal	Pass
5**	11691.225	41.11	-2.37	54.0	12.89	AV	0.00	150	Horizontal	Pass
6	15766.388	52.71	-0.07	74.0	21.29	Peak	201.00	200	Horizontal	Pass
6**	15766.388	43.37	-0.07	54.0	10.63	AV	201.00	200	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.700	42.97	-16.64	74.0	31.03	Peak	220.00	400	Vertical	Pass
1**	1497.700	36.20	-16.64	54.0	17.80	AV	220.00	400	Vertical	Pass
2	4343.250	48.53	-4.08	74.0	25.47	Peak	73.00	300	Vertical	Pass
2**	4343.250	39.65	-4.08	54.0	14.35	AV	73.00	300	Vertical	Pass
3	5515.000	100.37	-1.97	--	--	Peak	13.00	150	Vertical	N/A
3**	5515.000	93.00	-1.97	--	--	AV	13.00	150	Vertical	N/A
4	7464.250	53.42	1.50	74.0	20.58	Peak	231.00	300	Vertical	Pass
4**	7464.250	44.05	1.50	54.0	9.95	AV	231.00	300	Vertical	Pass
5	11136.187	51.69	-0.96	74.0	22.31	Peak	34.00	150	Vertical	Pass
5**	11136.187	42.49	-0.96	54.0	11.51	AV	34.00	150	Vertical	Pass
6	15747.225	52.27	0.34	74.0	21.73	Peak	360.00	300	Vertical	Pass
6**	15747.225	44.10	0.34	54.0	9.90	AV	360.00	300	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.100	39.56	-16.74	74.0	34.44	Peak	285.00	100	Horizontal	Pass
1**	1438.100	32.25	-16.74	54.0	21.75	AV	285.00	100	Horizontal	Pass
2	4323.250	48.03	-4.20	74.0	25.97	Peak	197.00	400	Horizontal	Pass
2**	4323.250	39.81	-4.20	54.0	14.19	AV	197.00	400	Horizontal	Pass
3	5599.750	98.98	-1.44	--	--	Peak	22.00	150	Horizontal	N/A
3**	5599.750	91.40	-1.44	--	--	AV	22.00	150	Horizontal	N/A
4	7549.000	53.72	1.40	74.0	20.28	Peak	83.00	300	Horizontal	Pass
4**	7549.000	44.16	1.40	54.0	9.84	AV	83.00	300	Horizontal	Pass
5	11128.350	51.93	-0.97	74.0	22.07	Peak	352.00	200	Horizontal	Pass
5**	11128.350	42.54	-0.97	54.0	11.46	AV	352.00	200	Horizontal	Pass
6	15756.151	52.87	0.21	74.0	21.13	Peak	360.00	300	Horizontal	Pass
6**	15756.151	43.18	0.21	54.0	10.82	AV	360.00	300	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.100	41.72	-16.78	74.0	32.28	Peak	217.00	400	Vertical	Pass
1**	1496.100	30.17	-16.78	54.0	23.83	AV	217.00	400	Vertical	Pass
2	4030.000	49.04	-5.23	74.0	24.96	Peak	75.00	200	Vertical	Pass
2**	4030.000	38.43	-5.23	54.0	15.57	AV	75.00	200	Vertical	Pass
3	5584.250	100.16	-1.16	--	--	Peak	12.00	100	Vertical	N/A
3**	5584.250	92.26	-1.16	--	--	AV	12.00	100	Vertical	N/A
4	7488.000	53.73	1.44	74.0	20.27	Peak	360.00	200	Vertical	Pass
4**	7488.000	44.78	1.44	54.0	9.22	AV	360.00	200	Vertical	Pass
5	11135.713	52.24	-0.97	74.0	21.76	Peak	0.00	200	Vertical	Pass
5**	11135.713	42.95	-0.97	54.0	11.05	AV	0.00	200	Vertical	Pass
6	15750.375	52.89	0.36	74.0	21.11	Peak	185.00	300	Vertical	Pass
6**	15750.375	44.38	0.36	54.0	9.62	AV	185.00	300	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.800	39.46	-16.53	74.0	34.54	Peak	57.00	300	Horizontal	Pass
1**	1536.800	32.14	-16.53	54.0	21.86	AV	57.00	300	Horizontal	Pass
2	4332.250	48.83	-4.29	74.0	25.17	Peak	22.00	300	Horizontal	Pass
2**	4332.250	39.08	-4.29	54.0	14.92	AV	22.00	300	Horizontal	Pass
3	5683.000	99.17	-1.51	--	--	Peak	32.00	150	Horizontal	N/A
3**	5683.000	91.35	-1.51	--	--	AV	32.00	150	Horizontal	N/A
4	7538.500	53.46	2.12	74.0	20.54	Peak	5.00	100	Horizontal	Pass
4**	7538.500	44.44	2.12	54.0	9.56	AV	5.00	100	Horizontal	Pass
5	11144.263	51.91	-0.95	74.0	22.09	Peak	204.00	200	Horizontal	Pass
5**	11144.263	42.82	-0.95	54.0	11.18	AV	204.00	200	Horizontal	Pass
6	15751.950	52.33	0.32	74.0	21.67	Peak	110.00	400	Horizontal	Pass
6**	15751.950	43.30	0.32	54.0	10.70	AV	110.00	400	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.800	41.32	-16.80	74.0	32.68	Peak	128.00	100	Vertical	Pass
1**	1495.800	30.43	-16.80	54.0	23.57	AV	128.00	100	Vertical	Pass
2	4219.750	48.09	-4.59	74.0	25.91	Peak	110.00	200	Vertical	Pass
2**	4219.750	38.73	-4.59	54.0	15.27	AV	110.00	200	Vertical	Pass
3	5663.250	98.08	-1.72	--	--	Peak	286.00	200	Vertical	N/A
3**	5663.250	91.52	-1.72	--	--	AV	286.00	200	Vertical	N/A
4	7534.750	53.94	2.29	74.0	20.06	Peak	163.00	300	Vertical	Pass
4**	7534.750	45.64	2.29	54.0	8.36	AV	163.00	300	Vertical	Pass
5	10832.425	52.37	-2.25	74.0	21.63	Peak	315.00	150	Vertical	Pass
5**	10832.425	42.23	-2.25	54.0	11.77	AV	315.00	150	Vertical	Pass
6	15741.450	52.79	0.26	74.0	21.21	Peak	201.00	200	Vertical	Pass
6**	15741.450	43.97	0.26	54.0	10.03	AV	201.00	200	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.300	39.49	-16.76	74.0	34.51	Peak	184.00	200	Horizontal	Pass
1**	1437.300	34.66	-16.76	54.0	19.34	AV	184.00	200	Horizontal	Pass
2	4360.750	48.94	-4.03	74.0	25.06	Peak	216.00	400	Horizontal	Pass
2**	4360.750	39.79	-4.03	54.0	14.21	AV	216.00	400	Horizontal	Pass
3	5518.250	95.84	-1.82	--	--	Peak	22.00	100	Horizontal	N/A
3**	5518.250	88.24	-1.82	--	--	AV	22.00	100	Horizontal	N/A
4	7346.250	53.44	1.30	74.0	20.56	Peak	216.00	200	Horizontal	Pass
4**	7346.250	44.47	1.30	54.0	9.53	AV	216.00	200	Horizontal	Pass
5	11111.250	51.94	-1.00	74.0	22.06	Peak	105.00	200	Horizontal	Pass
5**	11111.250	42.48	-1.00	54.0	11.52	AV	105.00	200	Horizontal	Pass
6	15730.425	52.58	0.10	74.0	21.42	Peak	262.00	100	Horizontal	Pass
6**	15730.425	43.26	0.10	54.0	10.74	AV	262.00	100	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.300	42.40	-16.60	74.0	31.60	Peak	222.00	300	Vertical	Pass
1**	1498.300	28.87	-16.60	54.0	25.13	AV	222.00	300	Vertical	Pass
2	4294.250	48.25	-3.96	74.0	25.75	Peak	330.00	200	Vertical	Pass
2**	4294.250	39.91	-3.96	54.0	14.09	AV	330.00	200	Vertical	Pass
3	5537.000	97.56	-1.71	--	--	Peak	22.00	150	Vertical	N/A
3**	5537.000	89.77	-1.71	--	--	AV	22.00	150	Vertical	N/A
4	7736.500	53.75	1.19	74.0	20.25	Peak	347.00	200	Vertical	Pass
4**	7736.500	44.09	1.19	54.0	9.91	AV	347.00	200	Vertical	Pass
5	11177.037	52.30	-1.41	74.0	21.70	Peak	80.00	100	Vertical	Pass
5**	11177.037	43.87	-1.41	54.0	10.13	AV	80.00	100	Vertical	Pass
6	15776.362	53.17	-0.35	74.0	20.83	Peak	360.00	400	Vertical	Pass
6**	15776.362	43.52	-0.35	54.0	10.48	AV	360.00	400	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.200	39.65	-16.76	74.0	34.35	Peak	285.00	100	Horizontal	Pass
1**	1437.200	34.03	-16.76	54.0	19.97	AV	285.00	100	Horizontal	Pass
2	4205.250	48.65	-4.80	74.0	25.35	Peak	178.00	400	Horizontal	Pass
2**	4205.250	39.01	-4.80	54.0	14.99	AV	178.00	400	Horizontal	Pass
3	5622.750	96.78	-1.46	--	--	Peak	30.00	100	Horizontal	N/A
3**	5622.750	88.79	-1.46	--	--	AV	30.00	100	Horizontal	N/A
4	7477.250	53.41	1.63	74.0	20.59	Peak	109.00	300	Horizontal	Pass
4**	7477.250	44.03	1.63	54.0	9.97	AV	109.00	300	Horizontal	Pass
5	11159.700	51.87	-1.11	74.0	22.13	Peak	226.00	100	Horizontal	Pass
5**	11159.700	42.97	-1.11	54.0	11.03	AV	226.00	100	Horizontal	Pass
6	15750.901	53.03	0.35	74.0	20.97	Peak	0.00	100	Horizontal	Pass
6**	15750.901	43.50	0.35	54.0	10.50	AV	0.00	100	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.600	43.31	-16.81	74.0	30.69	Peak	225.00	300	Vertical	Pass
1**	1495.600	30.04	-16.81	54.0	23.96	AV	225.00	300	Vertical	Pass
2	4227.250	48.87	-4.43	74.0	25.13	Peak	0.00	300	Vertical	Pass
2**	4227.250	38.53	-4.43	54.0	15.47	AV	0.00	300	Vertical	Pass
3	5601.750	97.05	-1.43	--	--	Peak	47.00	150	Vertical	N/A
3**	5601.750	89.31	-1.43	--	--	AV	47.00	150	Vertical	N/A
4	7561.750	53.49	1.23	74.0	20.51	Peak	102.00	400	Vertical	Pass
4**	7561.750	45.14	1.23	54.0	8.86	AV	102.00	400	Vertical	Pass
5	11126.213	51.82	-0.98	74.0	22.18	Peak	127.00	100	Vertical	Pass
5**	11126.213	43.03	-0.98	54.0	10.97	AV	127.00	100	Vertical	Pass
6	15746.437	52.99	0.32	74.0	21.01	Peak	98.00	400	Vertical	Pass
6**	15746.437	43.72	0.32	54.0	10.28	AV	98.00	400	Vertical	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.900	40.21	-16.74	74.0	33.79	Peak	360.00	100	Horizontal	Pass
1**	1524.900	29.74	-16.74	54.0	24.26	AV	360.00	100	Horizontal	Pass
2	4268.250	48.10	-3.70	74.0	25.90	Peak	303.00	400	Horizontal	Pass
2**	4268.250	39.11	-3.70	54.0	14.89	AV	303.00	400	Horizontal	Pass
3	5582.000	96.41	-1.16	--	--	Peak	32.00	100	Horizontal	N/A
3**	5582.000	88.20	-1.16	--	--	AV	32.00	100	Horizontal	N/A
4	7523.500	53.74	2.24	74.0	20.26	Peak	196.00	200	Horizontal	Pass
4**	7523.500	44.53	2.24	54.0	9.47	AV	196.00	200	Horizontal	Pass
5	11078.950	51.96	-1.40	74.0	22.04	Peak	85.00	100	Horizontal	Pass
5**	11078.950	42.36	-1.40	54.0	11.64	AV	85.00	100	Horizontal	Pass
6	15752.738	52.19	0.30	74.0	21.81	Peak	332.00	100	Horizontal	Pass
6**	15752.738	43.55	0.30	54.0	10.45	AV	332.00	100	Horizontal	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.000	42.15	-16.54	74.0	31.85	Peak	201.00	400	Vertical	Pass
1**	1537.000	33.35	-16.54	54.0	20.65	AV	201.00	400	Vertical	Pass
2	4274.250	48.15	-4.11	74.0	25.85	Peak	236.00	300	Vertical	Pass
2**	4274.250	39.12	-4.11	54.0	14.88	AV	236.00	300	Vertical	Pass
3	5539.500	93.97	-1.61	--	--	Peak	255.00	100	Vertical	N/A
3**	5539.500	86.42	-1.61	--	--	AV	255.00	100	Vertical	N/A
4	7300.500	54.20	0.42	74.0	19.80	Peak	335.00	100	Vertical	Pass
4**	7300.500	43.30	0.42	54.0	10.70	AV	335.00	100	Vertical	Pass
5	11125.500	51.80	-0.98	74.0	22.20	Peak	73.00	200	Vertical	Pass
5**	11125.500	44.07	-0.98	54.0	9.93	AV	73.00	200	Vertical	Pass
6	15751.425	53.27	0.33	74.0	20.73	Peak	152.00	300	Vertical	Pass
6**	15751.425	43.42	0.33	54.0	10.58	AV	152.00	300	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.200	40.30	-16.55	74.0	33.70	Peak	10.00	400	Horizontal	Pass
1**	1539.200	30.92	-16.55	54.0	23.08	AV	10.00	400	Horizontal	Pass
2	4397.000	48.51	-4.12	74.0	25.49	Peak	244.00	300	Horizontal	Pass
2**	4397.000	38.62	-4.12	54.0	15.38	AV	244.00	300	Horizontal	Pass
3	5505.500	102.49	-2.00	--	--	Peak	13.00	150	Horizontal	N/A
3**	5505.500	94.91	-2.00	--	--	AV	13.00	150	Horizontal	N/A
4	7453.000	53.09	1.33	74.0	20.91	Peak	227.00	400	Horizontal	Pass
4**	7453.000	43.81	1.33	54.0	10.19	AV	227.00	400	Horizontal	Pass
5	11173.950	51.80	-1.35	74.0	22.20	Peak	170.00	200	Horizontal	Pass
5**	11173.950	43.26	-1.35	54.0	10.74	AV	170.00	200	Horizontal	Pass
6	15769.012	51.90	-0.15	74.0	22.10	Peak	219.00	400	Horizontal	Pass
6**	15769.012	43.48	-0.15	54.0	10.52	AV	219.00	400	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.000	42.16	-16.85	74.0	31.84	Peak	227.00	400	Vertical	Pass
1**	1493.000	29.55	-16.85	54.0	24.45	AV	227.00	400	Vertical	Pass
2	4048.250	47.88	-5.10	74.0	26.12	Peak	294.00	100	Vertical	Pass
2**	4048.250	37.85	-5.10	54.0	16.15	AV	294.00	100	Vertical	Pass
3	5496.250	103.50	-1.52	--	--	Peak	330.00	150	Vertical	N/A
3**	5496.250	94.70	-1.52	--	--	AV	330.00	150	Vertical	N/A
4	7470.250	53.63	1.70	74.0	20.37	Peak	229.00	400	Vertical	Pass
4**	7470.250	43.90	1.70	54.0	10.10	AV	229.00	400	Vertical	Pass
5	10715.099	52.09	-2.20	74.0	21.91	Peak	311.00	200	Vertical	Pass
5**	10715.099	42.17	-2.20	54.0	11.83	AV	311.00	200	Vertical	Pass
6	15758.775	52.58	0.13	74.0	21.42	Peak	360.00	100	Vertical	Pass
6**	15758.775	43.26	0.13	54.0	10.74	AV	360.00	100	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.100	39.35	-16.76	74.0	34.65	Peak	263.00	100	Horizontal	Pass
1**	1437.100	33.91	-16.76	54.0	20.09	AV	263.00	100	Horizontal	Pass
2	4393.250	48.24	-4.12	74.0	25.76	Peak	177.00	200	Horizontal	Pass
2**	4393.250	39.65	-4.12	54.0	14.35	AV	177.00	200	Horizontal	Pass
3	5578.000	101.99	-1.21	--	--	Peak	15.00	150	Horizontal	N/A
3**	5578.000	94.55	-1.21	--	--	AV	15.00	150	Horizontal	N/A
4	7500.500	53.87	0.99	74.0	20.13	Peak	51.00	100	Horizontal	Pass
4**	7500.500	44.54	0.99	54.0	9.46	AV	51.00	100	Horizontal	Pass
5	10839.550	52.66	-2.08	74.0	21.34	Peak	46.00	150	Horizontal	Pass
5**	10839.550	41.05	-2.08	54.0	12.95	AV	46.00	150	Horizontal	Pass
6	15765.862	52.53	-0.06	74.0	21.47	Peak	10.00	200	Horizontal	Pass
6**	15765.862	43.26	-0.06	54.0	10.74	AV	10.00	200	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.700	42.09	-16.80	74.0	31.91	Peak	123.00	400	Vertical	Pass
1**	1495.700	31.92	-16.80	54.0	22.08	AV	123.00	400	Vertical	Pass
2	4298.000	48.60	-4.15	74.0	25.40	Peak	0.00	100	Vertical	Pass
2**	4298.000	38.28	-4.15	54.0	15.72	AV	0.00	100	Vertical	Pass
3	5573.500	103.24	-1.64	--	--	Peak	323.00	100	Vertical	N/A
3**	5573.500	92.44	-1.64	--	--	AV	323.00	100	Vertical	N/A
4	7360.250	53.67	0.72	74.0	20.33	Peak	223.00	400	Vertical	Pass
4**	7360.250	43.91	0.72	54.0	10.09	AV	223.00	400	Vertical	Pass
5	11186.775	52.03	-1.57	74.0	21.97	Peak	291.00	150	Vertical	Pass
5**	11186.775	42.43	-1.57	54.0	11.57	AV	291.00	150	Vertical	Pass
6	15747.225	52.72	0.34	74.0	21.28	Peak	323.00	200	Vertical	Pass
6**	15747.225	43.67	0.34	54.0	10.33	AV	323.00	200	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.900	39.53	-16.49	74.0	34.47	Peak	68.00	200	Horizontal	Pass
1**	1541.900	31.00	-16.49	54.0	23.00	AV	68.00	200	Horizontal	Pass
2	4300.250	48.54	-4.14	74.0	25.46	Peak	323.00	100	Horizontal	Pass
2**	4300.250	38.37	-4.14	54.0	15.63	AV	323.00	100	Horizontal	Pass
3	5697.750	101.05	-1.68	--	--	Peak	32.00	100	Horizontal	N/A
3**	5697.750	92.42	-1.68	--	--	AV	32.00	100	Horizontal	N/A
4	7512.000	54.30	1.68	74.0	19.70	Peak	360.00	200	Horizontal	Pass
4**	7512.000	44.15	1.68	54.0	9.85	AV	360.00	200	Horizontal	Pass
5	11176.325	51.61	-1.40	74.0	22.39	Peak	236.00	150	Horizontal	Pass
5**	11176.325	42.63	-1.40	54.0	11.37	AV	236.00	150	Horizontal	Pass
6	15734.100	52.46	0.15	74.0	21.54	Peak	177.00	300	Horizontal	Pass
6**	15734.100	42.81	0.15	54.0	11.19	AV	177.00	300	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.700	41.30	-16.80	74.0	32.70	Peak	228.00	300	Vertical	Pass
1**	1495.700	29.20	-16.80	54.0	24.80	AV	228.00	300	Vertical	Pass
2	4324.000	49.09	-4.24	74.0	24.91	Peak	122.00	400	Vertical	Pass
2**	4324.000	39.62	-4.24	54.0	14.38	AV	122.00	400	Vertical	Pass
3	5701.500	101.94	-1.54	--	--	Peak	301.00	150	Vertical	N/A
3**	5701.500	91.70	-1.54	--	--	AV	301.00	150	Vertical	N/A
4	7350.250	53.25	0.90	74.0	20.75	Peak	248.00	200	Vertical	Pass
4**	7350.250	44.42	0.90	54.0	9.58	AV	248.00	200	Vertical	Pass
5	11120.513	52.56	-0.98	74.0	21.44	Peak	0.00	100	Vertical	Pass
5**	11120.513	42.92	-0.98	54.0	11.08	AV	0.00	100	Vertical	Pass
6	15743.813	52.75	0.29	74.0	21.25	Peak	230.00	100	Vertical	Pass
6**	15743.813	43.73	0.29	54.0	10.27	AV	230.00	100	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.800	39.24	-16.71	74.0	34.76	Peak	290.00	200	Horizontal	Pass
1**	1438.800	30.74	-16.71	54.0	23.26	AV	290.00	200	Horizontal	Pass
2	4323.750	47.80	-4.22	74.0	26.20	Peak	360.00	400	Horizontal	Pass
2**	4323.750	39.52	-4.22	54.0	14.48	AV	360.00	400	Horizontal	Pass
3	5496.000	98.37	-1.49	--	--	Peak	13.00	150	Horizontal	N/A
3**	5496.000	90.10	-1.49	--	--	AV	13.00	150	Horizontal	N/A
4	7519.000	53.37	2.03	74.0	20.63	Peak	264.00	300	Horizontal	Pass
4**	7519.000	45.43	2.03	54.0	8.57	AV	264.00	300	Horizontal	Pass
5	10709.875	51.61	-2.28	74.0	22.39	Peak	238.00	100	Horizontal	Pass
5**	10709.875	41.84	-2.28	54.0	12.16	AV	238.00	100	Horizontal	Pass
6	15734.625	52.39	0.16	74.0	21.61	Peak	151.00	300	Horizontal	Pass
6**	15734.625	43.42	0.16	54.0	10.58	AV	151.00	300	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.200	42.20	-16.68	74.0	31.80	Peak	227.00	100	Vertical	Pass
1**	1497.200	29.71	-16.68	54.0	24.29	AV	227.00	100	Vertical	Pass
2	4380.250	48.37	-4.14	74.0	25.63	Peak	357.00	200	Vertical	Pass
2**	4380.250	38.39	-4.14	54.0	15.61	AV	357.00	200	Vertical	Pass
3	5514.750	99.90	-1.97	--	--	Peak	340.00	150	Vertical	N/A
3**	5514.750	91.48	-1.97	--	--	AV	340.00	150	Vertical	N/A
4	7350.500	53.76	0.89	74.0	20.24	Peak	349.00	200	Vertical	Pass
4**	7350.500	44.30	0.89	54.0	9.70	AV	349.00	200	Vertical	Pass
5	11131.437	51.77	-0.97	74.0	22.23	Peak	88.00	150	Vertical	Pass
5**	11131.437	43.04	-0.97	54.0	10.96	AV	88.00	150	Vertical	Pass
6	15739.350	52.47	0.23	74.0	21.53	Peak	168.00	400	Vertical	Pass
6**	15739.350	43.52	0.23	54.0	10.48	AV	168.00	400	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.200	39.56	-16.76	74.0	34.44	Peak	186.00	300	Horizontal	Pass
1**	1437.200	35.50	-16.76	54.0	18.50	AV	186.00	300	Horizontal	Pass
2	4078.750	47.97	-4.89	74.0	26.03	Peak	196.00	100	Horizontal	Pass
2**	4078.750	38.27	-4.89	54.0	15.73	AV	196.00	100	Horizontal	Pass
3	5586.250	99.70	-1.29	--	--	Peak	15.00	100	Horizontal	N/A
3**	5586.250	91.22	-1.29	--	--	AV	15.00	100	Horizontal	N/A
4	7549.000	53.45	1.40	74.0	20.55	Peak	294.00	300	Horizontal	Pass
4**	7549.000	44.02	1.40	54.0	9.98	AV	294.00	300	Horizontal	Pass
5	10963.049	51.45	-2.27	74.0	22.55	Peak	0.00	100	Horizontal	Pass
5**	10963.049	42.07	-2.27	54.0	11.93	AV	0.00	100	Horizontal	Pass
6	15758.250	51.97	0.15	74.0	22.03	Peak	153.00	200	Horizontal	Pass
6**	15758.250	43.02	0.15	54.0	10.98	AV	153.00	200	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.100	42.56	-16.83	74.0	31.44	Peak	223.00	300	Vertical	Pass
1**	1495.100	33.20	-16.83	54.0	20.80	AV	223.00	300	Vertical	Pass
2	4319.250	47.81	-3.97	74.0	26.19	Peak	76.00	300	Vertical	Pass
2**	4319.250	39.67	-3.97	54.0	14.33	AV	76.00	300	Vertical	Pass
3	5601.500	99.16	-1.42	--	--	Peak	221.00	150	Vertical	N/A
3**	5601.500	89.86	-1.42	--	--	AV	221.00	150	Vertical	N/A
4	7525.750	53.56	2.08	74.0	20.44	Peak	24.00	200	Vertical	Pass
4**	7525.750	43.73	2.08	54.0	10.27	AV	24.00	200	Vertical	Pass
5	10714.625	52.12	-2.21	74.0	21.88	Peak	83.00	100	Vertical	Pass
5**	10714.625	43.00	-2.21	54.0	11.00	AV	83.00	100	Vertical	Pass
6	15763.763	52.54	-0.00	74.0	21.46	Peak	360.00	300	Vertical	Pass
6**	15763.763	43.38	-0.00	54.0	10.62	AV	360.00	300	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.400	39.75	-16.51	74.0	34.25	Peak	0.00	400	Horizontal	Pass
1**	1536.400	31.53	-16.51	54.0	22.47	AV	0.00	400	Horizontal	Pass
2	4325.500	48.55	-4.35	74.0	25.45	Peak	68.00	200	Horizontal	Pass
2**	4325.500	39.10	-4.35	54.0	14.90	AV	68.00	200	Horizontal	Pass
3	5666.750	97.38	-1.87	--	--	Peak	13.00	100	Horizontal	N/A
3**	5666.750	89.39	-1.87	--	--	AV	13.00	100	Horizontal	N/A
4	7484.000	53.73	1.48	74.0	20.27	Peak	211.00	100	Horizontal	Pass
4**	7484.000	44.27	1.48	54.0	9.73	AV	211.00	100	Horizontal	Pass
5	11121.937	52.11	-0.98	74.0	21.89	Peak	0.00	150	Horizontal	Pass
5**	11121.937	43.17	-0.98	54.0	10.83	AV	0.00	150	Horizontal	Pass
6	15736.200	51.99	0.18	74.0	22.01	Peak	253.00	100	Horizontal	Pass
6**	15736.200	43.68	0.18	54.0	10.32	AV	253.00	100	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.100	42.36	-16.89	74.0	31.64	Peak	214.00	200	Vertical	Pass
1**	1494.100	33.80	-16.89	54.0	20.20	AV	214.00	200	Vertical	Pass
2	4353.000	48.26	-4.05	74.0	25.74	Peak	49.00	200	Vertical	Pass
2**	4353.000	39.27	-4.05	54.0	14.73	AV	49.00	200	Vertical	Pass
3	5680.000	99.09	-1.65	--	--	Peak	280.00	150	Vertical	N/A
3**	5680.000	88.43	-1.65	--	--	AV	280.00	150	Vertical	N/A
4	7470.250	54.64	1.70	74.0	19.36	Peak	326.00	400	Vertical	Pass
4**	7470.250	43.37	1.70	54.0	10.63	AV	326.00	400	Vertical	Pass
5	10958.537	51.57	-2.36	74.0	22.43	Peak	350.00	100	Vertical	Pass
5**	10958.537	42.42	-2.36	54.0	11.58	AV	350.00	100	Vertical	Pass
6	15741.712	52.42	0.26	74.0	21.58	Peak	243.00	300	Vertical	Pass
6**	15741.712	43.64	0.26	54.0	10.36	AV	243.00	300	Vertical	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.600	39.67	-16.75	74.0	34.33	Peak	89.00	400	Horizontal	Pass
1**	1437.600	34.26	-16.75	54.0	19.74	AV	89.00	400	Horizontal	Pass
2	4359.500	48.14	-3.91	74.0	25.86	Peak	0.00	400	Horizontal	Pass
2**	4359.500	39.43	-3.91	54.0	14.57	AV	0.00	400	Horizontal	Pass
3	5554.500	98.59	-1.79	--	--	Peak	15.00	150	Horizontal	N/A
3**	5554.500	87.70	-1.79	--	--	AV	15.00	150	Horizontal	N/A
4	7541.000	53.85	2.10	74.0	20.15	Peak	221.00	100	Horizontal	Pass
4**	7541.000	44.93	2.10	54.0	9.07	AV	221.00	100	Horizontal	Pass
5	11116.951	51.95	-0.99	74.0	22.05	Peak	138.00	100	Horizontal	Pass
5**	11116.951	42.01	-0.99	54.0	11.99	AV	138.00	100	Horizontal	Pass
6	15751.425	52.02	0.33	74.0	21.98	Peak	100.00	300	Horizontal	Pass
6**	15751.425	44.38	0.33	54.0	9.62	AV	100.00	300	Horizontal	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.000	40.88	-16.61	74.0	33.12	Peak	213.00	300	Vertical	Pass
1**	1500.000	29.07	-16.61	54.0	24.93	AV	213.00	300	Vertical	Pass
2	4285.500	48.18	-4.33	74.0	25.82	Peak	95.00	300	Vertical	Pass
2**	4285.500	39.57	-4.33	54.0	14.43	AV	95.00	300	Vertical	Pass
3	5555.250	96.75	-1.81	--	--	Peak	13.00	200	Vertical	N/A
3**	5555.250	86.78	-1.81	--	--	AV	13.00	200	Vertical	N/A
4	7475.750	53.81	2.03	74.0	20.19	Peak	233.00	400	Vertical	Pass
4**	7475.750	45.17	2.03	54.0	8.83	AV	233.00	400	Vertical	Pass
5	11398.625	51.57	-1.66	74.0	22.43	Peak	199.00	150	Vertical	Pass
5**	11398.625	42.44	-1.66	54.0	11.56	AV	199.00	150	Vertical	Pass
6	15735.937	52.68	0.18	74.0	21.32	Peak	0.00	400	Vertical	Pass
6**	15735.937	43.92	0.18	54.0	10.08	AV	0.00	400	Vertical	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.200	39.72	-16.54	74.0	34.28	Peak	53.00	200	Horizontal	Pass
1**	1537.200	32.03	-16.54	54.0	21.97	AV	53.00	200	Horizontal	Pass
2	3933.250	48.05	-4.68	74.0	25.95	Peak	245.00	300	Horizontal	Pass
2**	3933.250	38.17	-4.68	54.0	15.83	AV	245.00	300	Horizontal	Pass
3	5612.250	96.21	-1.85	--	--	Peak	23.00	150	Horizontal	N/A
3**	5612.250	85.49	-1.85	--	--	AV	23.00	150	Horizontal	N/A
4	7512.250	53.66	1.71	74.0	20.34	Peak	174.00	200	Horizontal	Pass
4**	7512.250	44.41	1.71	54.0	9.59	AV	174.00	200	Horizontal	Pass
5	10704.412	51.76	-2.37	74.0	22.24	Peak	121.00	200	Horizontal	Pass
5**	10704.412	43.10	-2.37	54.0	10.90	AV	121.00	200	Horizontal	Pass
6	15744.862	52.03	0.30	74.0	21.97	Peak	47.00	300	Horizontal	Pass
6**	15744.862	43.05	0.30	54.0	10.95	AV	47.00	300	Horizontal	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.500	42.29	-16.81	74.0	31.71	Peak	225.00	100	Vertical	Pass
1**	1495.500	33.03	-16.81	54.0	20.97	AV	225.00	100	Vertical	Pass
2	4394.000	48.42	-4.06	74.0	25.58	Peak	284.00	400	Vertical	Pass
2**	4394.000	39.14	-4.06	54.0	14.86	AV	284.00	400	Vertical	Pass
3	5601.250	96.80	-1.42	--	--	Peak	41.00	100	Vertical	N/A
3**	5601.250	87.91	-1.42	--	--	AV	41.00	100	Vertical	N/A
4	7493.000	53.28	1.26	74.0	20.72	Peak	13.00	300	Vertical	Pass
4**	7493.000	44.08	1.26	54.0	9.92	AV	13.00	300	Vertical	Pass
5	11126.688	52.89	-0.98	74.0	21.11	Peak	173.00	100	Vertical	Pass
5**	11126.688	43.34	-0.98	54.0	10.66	AV	173.00	100	Vertical	Pass
6	15754.575	52.38	0.25	74.0	21.62	Peak	228.00	400	Vertical	Pass
6**	15754.575	43.07	0.25	54.0	10.93	AV	228.00	400	Vertical	Pass

11ax160 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.900	39.56	-16.74	74.0	34.44	Peak	290.00	300	Horizontal	Pass
1**	1437.900	32.18	-16.74	54.0	21.82	AV	290.00	300	Horizontal	Pass
2	4355.750	48.46	-3.98	74.0	25.54	Peak	302.00	100	Horizontal	Pass
2**	4355.750	39.52	-3.98	54.0	14.48	AV	302.00	100	Horizontal	Pass
3	5621.750	92.49	-1.53	--	--	Peak	24.00	200	Horizontal	N/A
3**	5621.750	83.23	-1.53	--	--	AV	24.00	200	Horizontal	N/A
4	7748.000	53.44	1.52	74.0	20.56	Peak	185.00	200	Horizontal	Pass
4**	7748.000	44.65	1.52	54.0	9.35	AV	185.00	200	Horizontal	Pass
5	11172.763	52.54	-1.33	74.0	21.46	Peak	338.00	100	Horizontal	Pass
5**	11172.763	42.87	-1.33	54.0	11.13	AV	338.00	100	Horizontal	Pass
6	15734.100	52.67	0.15	74.0	21.33	Peak	190.00	200	Horizontal	Pass
6**	15734.100	43.13	0.15	54.0	10.87	AV	190.00	200	Horizontal	Pass

11ax160 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.800	41.28	-16.60	74.0	32.72	Peak	220.00	100	Vertical	Pass
1**	1498.800	30.33	-16.60	54.0	23.67	AV	220.00	100	Vertical	Pass
2	4325.000	48.46	-4.31	74.0	25.54	Peak	321.00	200	Vertical	Pass
2**	4325.000	39.62	-4.31	54.0	14.38	AV	321.00	200	Vertical	Pass
3	5566.250	93.61	-1.77	--	--	Peak	294.00	100	Vertical	N/A
3**	5566.250	85.21	-1.77	--	--	AV	294.00	100	Vertical	N/A
4	7483.500	53.34	1.48	74.0	20.66	Peak	177.00	400	Vertical	Pass
4**	7483.500	45.46	1.48	54.0	8.54	AV	177.00	400	Vertical	Pass
5	11168.250	51.58	-1.26	74.0	22.42	Peak	187.00	100	Vertical	Pass
5**	11168.250	43.08	-1.26	54.0	10.92	AV	187.00	100	Vertical	Pass
6	15766.125	52.10	-0.07	74.0	21.90	Peak	165.00	100	Vertical	Pass
6**	15766.125	43.38	-0.07	54.0	10.62	AV	165.00	100	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.700	39.94	-16.72	74.0	34.06	Peak	288.00	400	Horizontal	Pass
1**	1438.700	30.68	-16.72	54.0	23.32	AV	288.00	400	Horizontal	Pass
2	4322.500	48.33	-4.16	74.0	25.67	Peak	284.00	200	Horizontal	Pass
2**	4322.500	38.82	-4.16	54.0	15.18	AV	284.00	200	Horizontal	Pass
3	5739.500	100.19	-1.68	--	--	Peak	359.00	100	Horizontal	N/A
3**	5739.500	93.10	-1.68	--	--	AV	359.00	100	Horizontal	N/A
4	7656.000	53.98	1.15	74.0	20.02	Peak	13.00	200	Horizontal	Pass
4**	7656.000	44.54	1.15	54.0	9.46	AV	13.00	200	Horizontal	Pass
5	11111.725	52.00	-0.99	74.0	22.00	Peak	160.00	100	Horizontal	Pass
5**	11111.725	42.50	-0.99	54.0	11.50	AV	160.00	100	Horizontal	Pass
6	15728.850	52.10	0.08	74.0	21.90	Peak	311.00	200	Horizontal	Pass
6**	15728.850	42.80	0.08	54.0	11.20	AV	311.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.100	41.03	-16.78	74.0	32.97	Peak	230.00	400	Vertical	Pass
1**	1496.100	31.51	-16.78	54.0	22.49	AV	230.00	400	Vertical	Pass
2	4383.250	48.77	-4.15	74.0	25.23	Peak	228.00	100	Vertical	Pass
2**	4383.250	39.46	-4.15	54.0	14.54	AV	228.00	100	Vertical	Pass
3	5740.500	104.18	-1.68	--	--	Peak	347.00	100	Vertical	N/A
3**	5740.500	96.13	-1.68	--	--	AV	347.00	100	Vertical	N/A
4	7492.500	53.36	1.26	74.0	20.64	Peak	263.00	200	Vertical	Pass
4**	7492.500	44.26	1.26	54.0	9.74	AV	263.00	200	Vertical	Pass
5	11123.599	51.83	-0.98	74.0	22.17	Peak	360.00	150	Vertical	Pass
5**	11123.599	43.12	-0.98	54.0	10.88	AV	360.00	150	Vertical	Pass
6	15727.013	52.97	0.06	74.0	21.03	Peak	0.00	300	Vertical	Pass
6**	15727.013	42.65	0.06	54.0	11.35	AV	0.00	300	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.100	39.55	-16.76	74.0	34.45	Peak	288.00	300	Horizontal	Pass
1**	1437.100	33.53	-16.76	54.0	20.47	AV	288.00	300	Horizontal	Pass
2	4137.250	48.03	-4.61	74.0	25.97	Peak	122.00	100	Horizontal	Pass
2**	4137.250	37.65	-4.61	54.0	16.35	AV	122.00	100	Horizontal	Pass
3	5788.000	101.52	-1.75	--	--	Peak	274.00	200	Horizontal	N/A
3**	5788.000	93.47	-1.75	--	--	AV	274.00	200	Horizontal	N/A
4	7742.000	53.33	1.43	74.0	20.67	Peak	22.00	100	Horizontal	Pass
4**	7742.000	44.70	1.43	54.0	9.30	AV	22.00	100	Horizontal	Pass
5	11176.563	52.17	-1.40	74.0	21.83	Peak	313.00	150	Horizontal	Pass
5**	11176.563	42.79	-1.40	54.0	11.21	AV	313.00	150	Horizontal	Pass
6	15743.813	52.50	0.29	74.0	21.50	Peak	217.00	400	Horizontal	Pass
6**	15743.813	44.46	0.29	54.0	9.54	AV	217.00	400	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.000	42.95	-16.62	74.0	31.05	Peak	221.00	400	Vertical	Pass
1**	1498.000	31.73	-16.62	54.0	22.27	AV	221.00	400	Vertical	Pass
2	4397.750	48.69	-4.15	74.0	25.31	Peak	354.00	100	Vertical	Pass
2**	4397.750	39.06	-4.15	54.0	14.94	AV	354.00	100	Vertical	Pass
3	5787.500	104.69	-1.73	--	--	Peak	304.00	150	Vertical	N/A
3**	5787.500	97.36	-1.73	--	--	AV	304.00	150	Vertical	N/A
4	7483.000	53.43	1.48	74.0	20.57	Peak	354.00	200	Vertical	Pass
4**	7483.000	44.07	1.48	54.0	9.93	AV	354.00	200	Vertical	Pass
5	11089.401	51.55	-1.21	74.0	22.45	Peak	10.00	200	Vertical	Pass
5**	11089.401	42.26	-1.21	54.0	11.74	AV	10.00	200	Vertical	Pass
6	15749.850	51.97	0.37	74.0	22.03	Peak	309.00	300	Vertical	Pass
6**	15749.850	43.89	0.37	54.0	10.11	AV	309.00	300	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.100	39.65	-16.74	74.0	34.35	Peak	286.00	100	Horizontal	Pass
1**	1438.100	31.52	-16.74	54.0	22.48	AV	286.00	100	Horizontal	Pass
2	4258.750	47.75	-4.13	74.0	26.25	Peak	360.00	100	Horizontal	Pass
2**	4258.750	39.40	-4.13	54.0	14.60	AV	360.00	100	Horizontal	Pass
3	5831.000	100.89	-1.46	--	--	Peak	131.00	200	Horizontal	N/A
3**	5831.000	93.51	-1.46	--	--	AV	131.00	200	Horizontal	N/A
4	7351.750	53.30	0.98	74.0	20.70	Peak	95.00	400	Horizontal	Pass
4**	7351.750	44.50	0.98	54.0	9.50	AV	95.00	400	Horizontal	Pass
5	11064.937	52.33	-1.66	74.0	21.67	Peak	197.00	200	Horizontal	Pass
5**	11064.937	42.15	-1.66	54.0	11.85	AV	197.00	200	Horizontal	Pass
6	15755.362	52.04	0.23	74.0	21.96	Peak	0.00	200	Horizontal	Pass
6**	15755.362	43.78	0.23	54.0	10.22	AV	0.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.500	42.08	-16.74	74.0	31.92	Peak	225.00	100	Vertical	Pass
1**	1496.500	29.16	-16.74	54.0	24.84	AV	225.00	100	Vertical	Pass
2	4294.250	48.54	-3.96	74.0	25.46	Peak	0.00	100	Vertical	Pass
2**	4294.250	38.51	-3.96	54.0	15.49	AV	0.00	100	Vertical	Pass
3	5830.500	104.90	-1.50	--	--	Peak	331.00	150	Vertical	N/A
3**	5830.500	97.19	-1.50	--	--	AV	331.00	150	Vertical	N/A
4	7503.500	53.70	1.01	74.0	20.30	Peak	124.00	400	Vertical	Pass
4**	7503.500	44.70	1.01	54.0	9.30	AV	124.00	400	Vertical	Pass
5	10966.850	51.35	-2.20	74.0	22.65	Peak	196.00	100	Vertical	Pass
5**	10966.850	42.44	-2.20	54.0	11.56	AV	196.00	100	Vertical	Pass
6	16197.151	53.11	0.33	74.0	20.89	Peak	35.00	300	Vertical	Pass
6**	16197.151	42.80	0.33	54.0	11.20	AV	35.00	300	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.900	39.99	-16.74	74.0	34.01	Peak	286.00	400	Horizontal	Pass
1**	1437.900	32.83	-16.74	54.0	21.17	AV	286.00	400	Horizontal	Pass
2	4331.750	48.58	-4.27	74.0	25.42	Peak	301.00	200	Horizontal	Pass
2**	4331.750	39.24	-4.27	54.0	14.76	AV	301.00	200	Horizontal	Pass
3	5740.750	100.60	-1.69	--	--	Peak	292.00	100	Horizontal	N/A
3**	5740.750	92.98	-1.69	--	--	AV	292.00	100	Horizontal	N/A
4	7534.250	53.45	2.28	74.0	20.55	Peak	78.00	300	Horizontal	Pass
4**	7534.250	44.42	2.28	54.0	9.58	AV	78.00	300	Horizontal	Pass
5	10812.713	51.90	-2.72	74.0	22.10	Peak	13.00	100	Horizontal	Pass
5**	10812.713	42.13	-2.72	54.0	11.87	AV	13.00	100	Horizontal	Pass
6	15753.000	52.38	0.29	74.0	21.62	Peak	127.00	200	Horizontal	Pass
6**	15753.000	43.57	0.29	54.0	10.43	AV	127.00	200	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.900	41.69	-16.60	74.0	32.31	Peak	223.00	100	Vertical	Pass
1**	1498.900	34.61	-16.60	54.0	19.39	AV	223.00	100	Vertical	Pass
2	4398.500	48.03	-4.18	74.0	25.97	Peak	49.00	400	Vertical	Pass
2**	4398.500	39.22	-4.18	54.0	14.78	AV	49.00	400	Vertical	Pass
3	5746.750	103.66	-1.56	--	--	Peak	340.00	200	Vertical	N/A
3**	5746.750	96.81	-1.56	--	--	AV	340.00	200	Vertical	N/A
4	7480.750	53.42	1.59	74.0	20.58	Peak	49.00	300	Vertical	Pass
4**	7480.750	45.65	1.59	54.0	8.35	AV	49.00	300	Vertical	Pass
5	10708.924	51.98	-2.30	74.0	22.02	Peak	360.00	200	Vertical	Pass
5**	10708.924	43.23	-2.30	54.0	10.77	AV	360.00	200	Vertical	Pass
6	15757.200	52.22	0.18	74.0	21.78	Peak	86.00	400	Vertical	Pass
6**	15757.200	43.17	0.18	54.0	10.83	AV	86.00	400	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.200	40.00	-16.76	74.0	34.00	Peak	285.00	100	Horizontal	Pass
1**	1437.200	33.28	-16.76	54.0	20.72	AV	285.00	100	Horizontal	Pass
2	4313.250	48.19	-3.96	74.0	25.81	Peak	280.00	100	Horizontal	Pass
2**	4313.250	38.84	-3.96	54.0	15.16	AV	280.00	100	Horizontal	Pass
3	5780.500	101.24	-1.60	--	--	Peak	272.00	200	Horizontal	N/A
3**	5780.500	94.19	-1.60	--	--	AV	272.00	200	Horizontal	N/A
4	7344.250	53.51	1.37	74.0	20.49	Peak	360.00	400	Horizontal	Pass
4**	7344.250	43.82	1.37	54.0	10.18	AV	360.00	400	Horizontal	Pass
5	10974.687	51.56	-2.05	74.0	22.44	Peak	233.00	150	Horizontal	Pass
5**	10974.687	42.67	-2.05	54.0	11.33	AV	233.00	150	Horizontal	Pass
6	15740.137	52.34	0.24	74.0	21.66	Peak	122.00	200	Horizontal	Pass
6**	15740.137	43.17	0.24	54.0	10.83	AV	122.00	200	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.700	42.33	-16.60	74.0	31.67	Peak	206.00	100	Vertical	Pass
1**	1498.700	32.03	-16.60	54.0	21.97	AV	206.00	100	Vertical	Pass
2	4301.250	47.87	-4.04	74.0	26.13	Peak	76.00	400	Vertical	Pass
2**	4301.250	38.45	-4.04	54.0	15.55	AV	76.00	400	Vertical	Pass
3	5786.250	104.72	-1.69	--	--	Peak	326.00	100	Vertical	N/A
3**	5786.250	97.32	-1.69	--	--	AV	326.00	100	Vertical	N/A
4	7627.250	53.65	1.03	74.0	20.35	Peak	238.00	300	Vertical	Pass
4**	7627.250	44.31	1.03	54.0	9.69	AV	238.00	300	Vertical	Pass
5	11128.112	52.86	-0.97	74.0	21.14	Peak	262.00	200	Vertical	Pass
5**	11128.112	43.65	-0.97	54.0	10.35	AV	262.00	200	Vertical	Pass
6	15746.175	52.20	0.32	74.0	21.80	Peak	0.00	300	Vertical	Pass
6**	15746.175	44.36	0.32	54.0	9.64	AV	0.00	300	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.200	39.51	-16.51	74.0	34.49	Peak	359.00	200	Horizontal	Pass
1**	1536.200	34.02	-16.51	54.0	19.98	AV	359.00	200	Horizontal	Pass
2	4242.750	48.27	-4.53	74.0	25.73	Peak	91.00	300	Horizontal	Pass
2**	4242.750	39.41	-4.53	54.0	14.59	AV	91.00	300	Horizontal	Pass
3	5816.750	100.97	-1.55	--	--	Peak	21.00	100	Horizontal	N/A
3**	5816.750	93.45	-1.55	--	--	AV	21.00	100	Horizontal	N/A
4	7471.000	53.54	1.82	74.0	20.46	Peak	176.00	300	Horizontal	Pass
4**	7471.000	43.76	1.82	54.0	10.24	AV	176.00	300	Horizontal	Pass
5	10964.000	52.08	-2.25	74.0	21.92	Peak	265.00	100	Horizontal	Pass
5**	10964.000	41.55	-2.25	54.0	12.45	AV	265.00	100	Horizontal	Pass
6	15746.437	51.46	0.32	74.0	22.54	Peak	262.00	400	Horizontal	Pass
6**	15746.437	42.35	0.32	54.0	11.65	AV	262.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.700	40.68	-16.88	74.0	33.32	Peak	209.00	400	Vertical	Pass
1**	1493.700	32.58	-16.88	54.0	21.42	AV	209.00	400	Vertical	Pass
2	4234.500	48.00	-4.25	74.0	26.00	Peak	248.00	100	Vertical	Pass
2**	4234.500	39.46	-4.25	54.0	14.54	AV	248.00	100	Vertical	Pass
3	5817.250	104.43	-1.53	--	--	Peak	335.00	200	Vertical	N/A
3**	5817.250	96.75	-1.53	--	--	AV	335.00	200	Vertical	N/A
4	7492.000	53.13	1.25	74.0	20.87	Peak	92.00	100	Vertical	Pass
4**	7492.000	44.63	1.25	54.0	9.37	AV	92.00	100	Vertical	Pass
5	11127.638	52.03	-0.98	74.0	21.97	Peak	105.00	200	Vertical	Pass
5**	11127.638	43.28	-0.98	54.0	10.72	AV	105.00	200	Vertical	Pass
6	16198.462	51.76	0.36	74.0	22.24	Peak	360.00	200	Vertical	Pass
6**	16198.462	42.12	0.36	54.0	11.88	AV	360.00	200	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.200	40.45	-16.51	74.0	33.55	Peak	9.00	100	Horizontal	Pass
1**	1536.200	32.67	-16.51	54.0	21.33	AV	9.00	100	Horizontal	Pass
2	4340.750	48.09	-4.08	74.0	25.91	Peak	318.00	200	Horizontal	Pass
2**	4340.750	39.41	-4.08	54.0	14.59	AV	318.00	200	Horizontal	Pass
3	5763.250	100.16	-0.96	--	--	Peak	139.00	200	Horizontal	N/A
3**	5763.250	94.09	-0.96	--	--	AV	139.00	200	Horizontal	N/A
4	7555.000	53.58	0.95	74.0	20.42	Peak	76.00	100	Horizontal	Pass
4**	7555.000	43.70	0.95	54.0	10.30	AV	76.00	100	Horizontal	Pass
5	11134.287	52.05	-0.97	74.0	21.95	Peak	252.00	100	Horizontal	Pass
5**	11134.287	42.71	-0.97	54.0	11.29	AV	252.00	100	Horizontal	Pass
6	15736.200	50.98	0.18	74.0	23.02	Peak	212.00	400	Horizontal	Pass
6**	15736.200	42.23	0.18	54.0	11.77	AV	212.00	400	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.700	41.80	-16.88	74.0	32.20	Peak	213.00	400	Vertical	Pass
1**	1493.700	30.17	-16.88	54.0	23.83	AV	213.00	400	Vertical	Pass
2	4278.000	48.30	-4.20	74.0	25.70	Peak	330.00	100	Vertical	Pass
2**	4278.000	39.06	-4.20	54.0	14.94	AV	330.00	100	Vertical	Pass
3	5761.500	103.20	-0.98	--	--	Peak	284.00	200	Vertical	N/A
3**	5761.500	94.68	-0.98	--	--	AV	284.00	200	Vertical	N/A
4	7361.750	53.23	0.56	74.0	20.77	Peak	192.00	100	Vertical	Pass
4**	7361.750	43.65	0.56	54.0	10.35	AV	192.00	100	Vertical	Pass
5	11155.425	51.78	-1.04	74.0	22.22	Peak	103.00	100	Vertical	Pass
5**	11155.425	41.45	-1.04	54.0	12.55	AV	103.00	100	Vertical	Pass
6	15743.287	52.35	0.28	74.0	21.65	Peak	73.00	200	Vertical	Pass
6**	15743.287	43.23	0.28	54.0	10.77	AV	73.00	200	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.900	40.13	-16.77	74.0	33.87	Peak	285.00	400	Horizontal	Pass
1**	1436.900	36.27	-16.77	54.0	17.73	AV	285.00	400	Horizontal	Pass
2	4338.000	48.17	-4.13	74.0	25.83	Peak	75.00	300	Horizontal	Pass
2**	4338.000	39.12	-4.13	54.0	14.88	AV	75.00	300	Horizontal	Pass
3	5793.750	100.01	-1.74	--	--	Peak	134.00	150	Horizontal	N/A
3**	5793.750	92.98	-1.74	--	--	AV	134.00	150	Horizontal	N/A
4	7279.500	53.12	0.13	74.0	20.88	Peak	246.00	400	Horizontal	Pass
4**	7279.500	43.06	0.13	54.0	10.94	AV	246.00	400	Horizontal	Pass
5	11122.175	51.98	-0.98	74.0	22.02	Peak	316.00	100	Horizontal	Pass
5**	11122.175	42.40	-0.98	54.0	11.60	AV	316.00	100	Horizontal	Pass
6	15745.651	51.03	0.31	74.0	22.97	Peak	220.00	400	Horizontal	Pass
6**	15745.651	43.44	0.31	54.0	10.56	AV	220.00	400	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.000	40.36	-16.62	74.0	33.64	Peak	235.00	100	Vertical	Pass
1**	1498.000	30.77	-16.62	54.0	23.23	AV	235.00	100	Vertical	Pass
2	4387.500	47.81	-4.14	74.0	26.19	Peak	255.00	300	Vertical	Pass
2**	4387.500	39.79	-4.14	54.0	14.21	AV	255.00	300	Vertical	Pass
3	5788.500	103.61	-1.77	--	--	Peak	325.00	200	Vertical	N/A
3**	5788.500	95.88	-1.77	--	--	AV	325.00	200	Vertical	N/A
4	7520.750	53.31	2.16	74.0	20.69	Peak	316.00	100	Vertical	Pass
4**	7520.750	44.42	2.16	54.0	9.58	AV	316.00	100	Vertical	Pass
5	11129.300	51.58	-0.97	74.0	22.42	Peak	352.00	200	Vertical	Pass
5**	11129.300	42.43	-0.97	54.0	11.57	AV	352.00	200	Vertical	Pass
6	15759.825	51.32	0.10	74.0	22.68	Peak	143.00	100	Vertical	Pass
6**	15759.825	43.53	0.10	54.0	10.47	AV	143.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.700	39.97	-16.77	74.0	34.03	Peak	283.00	100	Horizontal	Pass
1**	1436.700	32.73	-16.77	54.0	21.27	AV	283.00	100	Horizontal	Pass
2	4072.000	48.30	-4.94	74.0	25.70	Peak	308.00	100	Horizontal	Pass
2**	4072.000	38.04	-4.94	54.0	15.96	AV	308.00	100	Horizontal	Pass
3	5727.500	100.57	-1.90	--	--	Peak	22.00	100	Horizontal	N/A
3**	5727.500	93.15	-1.90	--	--	AV	22.00	100	Horizontal	N/A
4	7365.750	53.81	0.47	74.0	20.19	Peak	228.00	300	Horizontal	Pass
4**	7365.750	44.03	0.47	54.0	9.97	AV	228.00	300	Horizontal	Pass
5	11183.213	51.47	-1.51	74.0	22.53	Peak	0.00	100	Horizontal	Pass
5**	11183.213	42.37	-1.51	54.0	11.63	AV	0.00	100	Horizontal	Pass
6	15739.875	51.45	0.23	74.0	22.55	Peak	74.00	400	Horizontal	Pass
6**	15739.875	42.48	0.23	54.0	11.52	AV	74.00	400	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.200	40.79	-16.68	74.0	33.21	Peak	206.00	200	Vertical	Pass
1**	1497.200	30.13	-16.68	54.0	23.87	AV	206.00	200	Vertical	Pass
2	4276.250	47.81	-4.20	74.0	26.19	Peak	78.00	200	Vertical	Pass
2**	4276.250	39.11	-4.20	54.0	14.89	AV	78.00	200	Vertical	Pass
3	5739.500	101.75	-1.68	--	--	Peak	291.00	200	Vertical	N/A
3**	5739.500	93.48	-1.68	--	--	AV	291.00	200	Vertical	N/A
4	7453.250	53.91	1.35	74.0	20.09	Peak	360.00	100	Vertical	Pass
4**	7453.250	45.20	1.35	54.0	8.80	AV	360.00	100	Vertical	Pass
5	11119.799	51.62	-0.98	74.0	22.38	Peak	360.00	150	Vertical	Pass
5**	11119.799	42.28	-0.98	54.0	11.72	AV	360.00	150	Vertical	Pass
6	15741.450	51.56	0.26	74.0	22.44	Peak	352.00	200	Vertical	Pass
6**	15741.450	42.47	0.26	54.0	11.53	AV	352.00	200	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.800	39.31	-16.46	74.0	34.69	Peak	0.00	100	Horizontal	Pass
1**	1534.800	32.45	-16.46	54.0	21.55	AV	0.00	100	Horizontal	Pass
2	4391.500	48.03	-4.16	74.0	25.97	Peak	255.00	200	Horizontal	Pass
2**	4391.500	39.24	-4.16	54.0	14.76	AV	255.00	200	Horizontal	Pass
3	5773.500	98.42	-0.98	--	--	Peak	138.00	150	Horizontal	N/A
3**	5773.500	91.22	-0.98	--	--	AV	138.00	150	Horizontal	N/A
4	7314.250	53.59	0.60	74.0	20.41	Peak	41.00	200	Horizontal	Pass
4**	7314.250	43.47	0.60	54.0	10.53	AV	41.00	200	Horizontal	Pass
5	11146.637	52.09	-0.95	74.0	21.91	Peak	360.00	150	Horizontal	Pass
5**	11146.637	42.53	-0.95	54.0	11.47	AV	360.00	150	Horizontal	Pass
6	15756.151	51.42	0.21	74.0	22.58	Peak	0.00	300	Horizontal	Pass
6**	15756.151	42.82	0.21	54.0	11.18	AV	0.00	300	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.900	40.96	-16.77	74.0	33.04	Peak	196.00	300	Vertical	Pass
1**	1436.900	33.33	-16.77	54.0	20.67	AV	196.00	300	Vertical	Pass
2	4320.750	48.01	-4.01	74.0	25.99	Peak	51.00	400	Vertical	Pass
2**	4320.750	39.50	-4.01	54.0	14.50	AV	51.00	400	Vertical	Pass
3	5767.750	103.25	-0.76	--	--	Peak	318.00	200	Vertical	N/A
3**	5767.750	94.73	-0.76	--	--	AV	318.00	200	Vertical	N/A
4	7470.250	53.57	1.70	74.0	20.43	Peak	59.00	400	Vertical	Pass
4**	7470.250	44.18	1.70	54.0	9.82	AV	59.00	400	Vertical	Pass
5	11139.512	52.42	-0.96	74.0	21.58	Peak	270.00	150	Vertical	Pass
5**	11139.512	42.30	-0.96	54.0	11.70	AV	270.00	150	Vertical	Pass
6	15748.537	50.99	0.35	74.0	23.01	Peak	196.00	150	Vertical	Pass
6**	15748.537	42.79	0.35	54.0	11.21	AV	196.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.400	39.87	-16.76	74.0	34.13	Peak	184.00	100	Horizontal	Pass
1**	1437.400	33.56	-16.76	54.0	20.44	AV	184.00	100	Horizontal	Pass
2	4246.500	47.82	-4.31	74.0	26.18	Peak	324.00	300	Horizontal	Pass
2**	4246.500	38.91	-4.31	54.0	15.09	AV	324.00	300	Horizontal	Pass
3	5816.000	99.34	-1.55	--	--	Peak	135.00	100	Horizontal	N/A
3**	5816.000	89.58	-1.55	--	--	AV	135.00	100	Horizontal	N/A
4	7467.750	53.78	1.59	74.0	20.22	Peak	117.00	300	Horizontal	Pass
4**	7467.750	44.05	1.59	54.0	9.95	AV	117.00	300	Horizontal	Pass
5	11131.437	51.95	-0.97	74.0	22.05	Peak	350.00	150	Horizontal	Pass
5**	11131.437	42.79	-0.97	54.0	11.21	AV	350.00	150	Horizontal	Pass
6	15746.700	50.92	0.33	74.0	23.08	Peak	13.00	100	Horizontal	Pass
6**	15746.700	41.99	0.33	54.0	12.01	AV	13.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.500	40.60	-16.75	74.0	33.40	Peak	191.00	100	Vertical	Pass
1**	1437.500	35.39	-16.75	54.0	18.61	AV	191.00	100	Vertical	Pass
2	4204.000	48.78	-4.68	74.0	25.22	Peak	206.00	400	Vertical	Pass
2**	4204.000	37.46	-4.68	54.0	16.54	AV	206.00	400	Vertical	Pass
3	5809.500	101.27	-1.63	--	--	Peak	309.00	150	Vertical	N/A
3**	5809.500	94.13	-1.63	--	--	AV	309.00	150	Vertical	N/A
4	7348.250	53.68	1.19	74.0	20.32	Peak	7.00	300	Vertical	Pass
4**	7348.250	45.01	1.19	54.0	8.99	AV	7.00	300	Vertical	Pass
5	11124.076	51.58	-0.98	74.0	22.42	Peak	177.00	100	Vertical	Pass
5**	11124.076	42.85	-0.98	54.0	11.15	AV	177.00	100	Vertical	Pass
6	15727.013	50.86	0.06	74.0	23.14	Peak	271.00	400	Vertical	Pass
6**	15727.013	41.78	0.06	54.0	12.22	AV	271.00	400	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.200	39.83	-16.54	74.0	34.17	Peak	100.00	200	Horizontal	Pass
1**	1537.200	34.12	-16.54	54.0	19.88	AV	100.00	200	Horizontal	Pass
2	4303.000	48.36	-3.94	74.0	25.64	Peak	193.00	300	Horizontal	Pass
2**	4303.000	38.65	-3.94	54.0	15.35	AV	193.00	300	Horizontal	Pass
3	5763.500	98.58	-0.98	--	--	Peak	137.00	200	Horizontal	N/A
3**	5763.500	90.29	-0.98	--	--	AV	137.00	200	Horizontal	N/A
4	7641.000	53.52	0.69	74.0	20.48	Peak	6.00	100	Horizontal	Pass
4**	7641.000	43.76	0.69	54.0	10.24	AV	6.00	100	Horizontal	Pass
5	11143.075	51.42	-0.96	74.0	22.58	Peak	258.00	100	Horizontal	Pass
5**	11143.075	42.39	-0.96	54.0	11.61	AV	258.00	100	Horizontal	Pass
6	15750.112	52.30	0.37	74.0	21.70	Peak	17.00	400	Horizontal	Pass
6**	15750.112	43.35	0.37	54.0	10.65	AV	17.00	400	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.300	40.51	-16.61	74.0	33.49	Peak	200.00	200	Vertical	Pass
1**	1499.300	30.76	-16.61	54.0	23.24	AV	200.00	200	Vertical	Pass
2	4306.750	47.94	-4.04	74.0	26.06	Peak	284.00	100	Vertical	Pass
2**	4306.750	39.71	-4.04	54.0	14.29	AV	284.00	100	Vertical	Pass
3	5757.000	102.73	-1.14	--	--	Peak	321.00	150	Vertical	N/A
3**	5757.000	95.43	-1.14	--	--	AV	321.00	150	Vertical	N/A
4	7497.000	53.41	1.21	74.0	20.59	Peak	199.00	300	Vertical	Pass
4**	7497.000	45.23	1.21	54.0	8.77	AV	199.00	300	Vertical	Pass
5	11379.625	51.93	-1.73	74.0	22.07	Peak	203.00	100	Vertical	Pass
5**	11379.625	42.36	-1.73	54.0	11.64	AV	203.00	100	Vertical	Pass
6	15747.750	51.61	0.34	74.0	22.39	Peak	185.00	300	Vertical	Pass
6**	15747.750	43.40	0.34	54.0	10.60	AV	185.00	300	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.400	39.71	-16.76	74.0	34.29	Peak	284.00	100	Horizontal	Pass
1**	1437.400	34.55	-16.76	54.0	19.45	AV	284.00	100	Horizontal	Pass
2	4246.250	48.39	-4.27	74.0	25.61	Peak	223.00	400	Horizontal	Pass
2**	4246.250	38.77	-4.27	54.0	15.23	AV	223.00	400	Horizontal	Pass
3	5802.000	97.47	-1.68	--	--	Peak	133.00	150	Horizontal	N/A
3**	5802.000	89.11	-1.68	--	--	AV	133.00	150	Horizontal	N/A
4	7479.500	54.04	1.60	74.0	19.96	Peak	323.00	300	Horizontal	Pass
4**	7479.500	44.71	1.60	54.0	9.29	AV	323.00	300	Horizontal	Pass
5	11391.263	51.76	-1.69	74.0	22.24	Peak	209.00	150	Horizontal	Pass
5**	11391.263	41.48	-1.69	54.0	12.52	AV	209.00	150	Horizontal	Pass
6	15747.488	51.19	0.34	74.0	22.81	Peak	97.00	100	Horizontal	Pass
6**	15747.488	42.15	0.34	54.0	11.85	AV	97.00	100	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.200	40.90	-16.88	74.0	33.10	Peak	234.00	100	Vertical	Pass
1**	1494.200	29.17	-16.88	54.0	24.83	AV	234.00	100	Vertical	Pass
2	4375.500	48.21	-4.14	74.0	25.79	Peak	131.00	200	Vertical	Pass
2**	4375.500	38.21	-4.14	54.0	15.79	AV	131.00	200	Vertical	Pass
3	5810.250	101.55	-1.60	--	--	Peak	308.00	100	Vertical	N/A
3**	5810.250	94.33	-1.60	--	--	AV	308.00	100	Vertical	N/A
4	7351.000	53.52	0.93	74.0	20.48	Peak	308.00	200	Vertical	Pass
4**	7351.000	44.41	0.93	54.0	9.59	AV	308.00	200	Vertical	Pass
5	11135.950	51.90	-0.97	74.0	22.10	Peak	337.00	200	Vertical	Pass
5**	11135.950	43.17	-0.97	54.0	10.83	AV	337.00	200	Vertical	Pass
6	15741.975	50.89	0.26	74.0	23.11	Peak	139.00	200	Vertical	Pass
6**	15741.975	42.46	0.26	54.0	11.54	AV	139.00	200	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.500	40.33	-16.87	74.0	33.67	Peak	136.00	400	Horizontal	Pass
1**	1493.500	28.96	-16.87	54.0	25.04	AV	136.00	400	Horizontal	Pass
2	4344.000	48.21	-4.11	74.0	25.79	Peak	254.00	200	Horizontal	Pass
2**	4344.000	39.37	-4.11	54.0	14.63	AV	254.00	200	Horizontal	Pass
3	5782.750	98.07	-1.77	--	--	Peak	135.00	150	Horizontal	N/A
3**	5782.750	90.18	-1.77	--	--	AV	135.00	150	Horizontal	N/A
4	7495.500	53.59	1.24	74.0	20.41	Peak	50.00	100	Horizontal	Pass
4**	7495.500	44.46	1.24	54.0	9.54	AV	50.00	100	Horizontal	Pass
5	11132.862	51.28	-0.97	74.0	22.72	Peak	190.00	100	Horizontal	Pass
5**	11132.862	42.75	-0.97	54.0	11.25	AV	190.00	100	Horizontal	Pass
6	15743.287	51.16	0.28	74.0	22.84	Peak	100.00	200	Horizontal	Pass
6**	15743.287	43.39	0.28	54.0	10.61	AV	100.00	200	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.800	40.56	-16.80	74.0	33.44	Peak	191.00	400	Vertical	Pass
1**	1495.800	32.44	-16.80	54.0	21.56	AV	191.00	400	Vertical	Pass
2	4313.250	48.38	-3.96	74.0	25.62	Peak	360.00	400	Vertical	Pass
2**	4313.250	39.37	-3.96	54.0	14.63	AV	360.00	400	Vertical	Pass
3	5778.750	103.13	-1.36	--	--	Peak	325.00	150	Vertical	N/A
3**	5778.750	95.09	-1.36	--	--	AV	325.00	150	Vertical	N/A
4	7507.250	53.51	1.27	74.0	20.49	Peak	15.00	200	Vertical	Pass
4**	7507.250	44.12	1.27	54.0	9.88	AV	15.00	200	Vertical	Pass
5	11132.625	51.80	-0.97	74.0	22.20	Peak	350.00	200	Vertical	Pass
5**	11132.625	43.11	-0.97	54.0	10.89	AV	350.00	200	Vertical	Pass
6	15748.537	51.81	0.35	74.0	22.19	Peak	100.00	300	Vertical	Pass
6**	15748.537	43.19	0.35	54.0	10.81	AV	100.00	300	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.900	39.75	-16.77	74.0	34.25	Peak	286.00	100	Horizontal	Pass
1**	1436.900	32.82	-16.77	54.0	21.18	AV	286.00	100	Horizontal	Pass
2	4294.750	48.07	-3.96	74.0	25.93	Peak	70.00	200	Horizontal	Pass
2**	4294.750	38.81	-3.96	54.0	15.19	AV	70.00	200	Horizontal	Pass
3	5736.000	98.98	-1.84	--	--	Peak	34.00	200	Horizontal	N/A
3**	5736.000	92.26	-1.84	--	--	AV	34.00	200	Horizontal	N/A
4	7526.000	53.63	2.06	74.0	20.37	Peak	312.00	100	Horizontal	Pass
4**	7526.000	44.93	2.06	54.0	9.07	AV	312.00	100	Horizontal	Pass
5	11177.750	51.59	-1.42	74.0	22.41	Peak	100.00	200	Horizontal	Pass
5**	11177.750	42.29	-1.42	54.0	11.71	AV	100.00	200	Horizontal	Pass
6	15752.475	50.46	0.31	74.0	23.54	Peak	40.00	100	Horizontal	Pass
6**	15752.475	42.91	0.31	54.0	11.09	AV	40.00	100	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.200	42.66	-16.86	74.0	31.34	Peak	208.00	100	Vertical	Pass
1**	1493.200	31.81	-16.86	54.0	22.19	AV	208.00	100	Vertical	Pass
2	4265.000	48.30	-3.84	74.0	25.70	Peak	32.00	400	Vertical	Pass
2**	4265.000	39.94	-3.84	54.0	14.06	AV	32.00	400	Vertical	Pass
3	5738.750	100.94	-1.72	--	--	Peak	286.00	100	Vertical	N/A
3**	5738.750	93.24	-1.72	--	--	AV	286.00	100	Vertical	N/A
4	7346.000	53.52	1.31	74.0	20.48	Peak	277.00	100	Vertical	Pass
4**	7346.000	45.11	1.31	54.0	8.89	AV	277.00	100	Vertical	Pass
5	11131.675	52.17	-0.97	74.0	21.83	Peak	313.00	150	Vertical	Pass
5**	11131.675	42.87	-0.97	54.0	11.13	AV	313.00	150	Vertical	Pass
6	15753.000	51.69	0.29	74.0	22.31	Peak	239.00	100	Vertical	Pass
6**	15753.000	42.80	0.29	54.0	11.20	AV	239.00	100	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.800	40.37	-16.53	74.0	33.63	Peak	0.00	300	Horizontal	Pass
1**	1536.800	32.58	-16.53	54.0	21.42	AV	0.00	300	Horizontal	Pass
2	4363.250	47.81	-3.99	74.0	26.19	Peak	264.00	200	Horizontal	Pass
2**	4363.250	38.43	-3.99	54.0	15.57	AV	264.00	200	Horizontal	Pass
3	5782.000	98.35	-0.74	--	--	Peak	23.00	200	Horizontal	N/A
3**	5782.000	89.97	-0.74	--	--	AV	23.00	200	Horizontal	N/A
4	7710.000	53.13	1.93	74.0	20.87	Peak	360.00	400	Horizontal	Pass
4**	7710.000	43.97	1.93	54.0	10.03	AV	360.00	400	Horizontal	Pass
5	11138.326	51.46	-0.96	74.0	22.54	Peak	7.00	100	Horizontal	Pass
5**	11138.326	42.59	-0.96	54.0	11.41	AV	7.00	100	Horizontal	Pass
6	15749.850	51.33	0.37	74.0	22.67	Peak	340.00	300	Horizontal	Pass
6**	15749.850	41.81	0.37	54.0	12.19	AV	340.00	300	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.300	41.03	-16.76	74.0	32.97	Peak	198.00	300	Vertical	Pass
1**	1437.300	34.70	-16.76	54.0	19.30	AV	198.00	300	Vertical	Pass
2	4266.750	48.43	-3.59	74.0	25.57	Peak	0.00	300	Vertical	Pass
2**	4266.750	38.68	-3.59	54.0	15.32	AV	0.00	300	Vertical	Pass
3	5783.500	101.31	-0.77	--	--	Peak	14.00	200	Vertical	N/A
3**	5783.500	93.89	-0.77	--	--	AV	14.00	200	Vertical	N/A
4	7534.250	53.35	2.28	74.0	20.65	Peak	94.00	100	Vertical	Pass
4**	7534.250	44.39	2.28	54.0	9.61	AV	94.00	100	Vertical	Pass
5	10962.813	51.56	-2.28	74.0	22.44	Peak	227.00	100	Vertical	Pass
5**	10962.813	41.66	-2.28	54.0	12.34	AV	227.00	100	Vertical	Pass
6	15744.600	50.62	0.30	74.0	23.38	Peak	242.00	150	Vertical	Pass
6**	15744.600	42.40	0.30	54.0	11.60	AV	242.00	150	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.200	39.84	-16.51	74.0	34.16	Peak	77.00	400	Horizontal	Pass
1**	1536.200	32.67	-16.51	54.0	21.33	AV	77.00	400	Horizontal	Pass
2	4314.500	48.46	-3.95	74.0	25.54	Peak	130.00	400	Horizontal	Pass
2**	4314.500	38.93	-3.95	54.0	15.07	AV	130.00	400	Horizontal	Pass
3	5813.250	97.05	-1.36	--	--	Peak	120.00	150	Horizontal	N/A
3**	5813.250	90.49	-1.36	--	--	AV	120.00	150	Horizontal	N/A
4	7547.000	53.28	1.57	74.0	20.72	Peak	84.00	200	Horizontal	Pass
4**	7547.000	44.16	1.57	54.0	9.84	AV	84.00	200	Horizontal	Pass
5	11060.187	52.32	-1.75	74.0	21.68	Peak	236.00	100	Horizontal	Pass
5**	11060.187	42.43	-1.75	54.0	11.57	AV	236.00	100	Horizontal	Pass
6	15739.350	51.22	0.23	74.0	22.78	Peak	0.00	100	Horizontal	Pass
6**	15739.350	43.31	0.23	54.0	10.69	AV	0.00	100	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.200	42.01	-16.88	74.0	31.99	Peak	213.00	400	Vertical	Pass
1**	1494.200	31.77	-16.88	54.0	22.23	AV	213.00	400	Vertical	Pass
2	4372.750	48.55	-4.26	74.0	25.45	Peak	84.00	100	Vertical	Pass
2**	4372.750	38.30	-4.26	54.0	15.70	AV	84.00	100	Vertical	Pass
3	5820.250	102.64	-1.49	--	--	Peak	40.00	150	Vertical	N/A
3**	5820.250	94.99	-1.49	--	--	AV	40.00	150	Vertical	N/A
4	7535.750	54.59	2.26	74.0	19.41	Peak	40.00	100	Vertical	Pass
4**	7535.750	44.56	2.26	54.0	9.44	AV	40.00	100	Vertical	Pass
5	11123.599	51.84	-0.98	74.0	22.16	Peak	313.00	200	Vertical	Pass
5**	11123.599	43.24	-0.98	54.0	10.76	AV	313.00	200	Vertical	Pass
6	15753.263	50.94	0.28	74.0	23.06	Peak	193.00	200	Vertical	Pass
6**	15753.263	42.54	0.28	54.0	11.46	AV	193.00	200	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.300	39.94	-16.76	74.0	34.06	Peak	288.00	400	Horizontal	Pass
1**	1437.300	34.44	-16.76	54.0	19.56	AV	288.00	400	Horizontal	Pass
2	4361.750	47.92	-4.00	74.0	26.08	Peak	40.00	300	Horizontal	Pass
2**	4361.750	38.95	-4.00	54.0	15.05	AV	40.00	300	Horizontal	Pass
3	5766.750	98.01	-0.84	--	--	Peak	0.00	200	Horizontal	N/A
3**	5766.750	89.70	-0.84	--	--	AV	0.00	200	Horizontal	N/A
4	7458.500	53.26	1.54	74.0	20.74	Peak	40.00	100	Horizontal	Pass
4**	7458.500	44.20	1.54	54.0	9.80	AV	40.00	100	Horizontal	Pass
5	10713.912	52.17	-2.22	74.0	21.83	Peak	0.00	150	Horizontal	Pass
5**	10713.912	42.16	-2.22	54.0	11.84	AV	0.00	150	Horizontal	Pass
6	15752.475	51.70	0.31	74.0	22.30	Peak	153.00	100	Horizontal	Pass
6**	15752.475	42.68	0.31	54.0	11.32	AV	153.00	100	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.800	41.73	-16.60	74.0	32.27	Peak	220.00	400	Vertical	Pass
1**	1498.800	29.45	-16.60	54.0	24.55	AV	220.00	400	Vertical	Pass
2	4286.750	48.04	-4.27	74.0	25.96	Peak	360.00	400	Vertical	Pass
2**	4286.750	38.73	-4.27	54.0	15.27	AV	360.00	400	Vertical	Pass
3	5771.500	102.93	-0.81	--	--	Peak	40.00	100	Vertical	N/A
3**	5771.500	95.30	-0.81	--	--	AV	40.00	100	Vertical	N/A
4	7472.750	53.61	1.87	74.0	20.39	Peak	161.00	200	Vertical	Pass
4**	7472.750	45.05	1.87	54.0	8.95	AV	161.00	200	Vertical	Pass
5	11130.724	51.38	-0.97	74.0	22.62	Peak	230.00	100	Vertical	Pass
5**	11130.724	43.37	-0.97	54.0	10.63	AV	230.00	100	Vertical	Pass
6	15746.700	50.79	0.33	74.0	23.21	Peak	204.00	200	Vertical	Pass
6**	15746.700	42.59	0.33	54.0	11.41	AV	204.00	200	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.500	39.90	-16.75	74.0	34.10	Peak	234.00	100	Horizontal	Pass
1**	1437.500	32.57	-16.75	54.0	21.43	AV	234.00	100	Horizontal	Pass
2	4325.250	47.99	-4.33	74.0	26.01	Peak	0.00	300	Horizontal	Pass
2**	4325.250	39.15	-4.33	54.0	14.85	AV	0.00	300	Horizontal	Pass
3	5802.500	98.61	-1.62	--	--	Peak	116.00	150	Horizontal	N/A
3**	5802.500	89.23	-1.62	--	--	AV	116.00	150	Horizontal	N/A
4	7496.750	53.23	1.22	74.0	20.77	Peak	360.00	150	Horizontal	Pass
4**	7496.750	44.32	1.22	54.0	9.68	AV	360.00	150	Horizontal	Pass
5	11125.026	51.48	-0.98	74.0	22.52	Peak	0.00	100	Horizontal	Pass
5**	11125.026	42.53	-0.98	54.0	11.47	AV	0.00	100	Horizontal	Pass
6	15735.151	51.99	0.17	74.0	22.01	Peak	247.00	300	Horizontal	Pass
6**	15735.151	42.31	0.17	54.0	11.69	AV	247.00	300	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.900	41.68	-16.53	74.0	32.32	Peak	205.00	100	Vertical	Pass
1**	1536.900	33.68	-16.53	54.0	20.32	AV	205.00	100	Vertical	Pass
2	4336.250	47.81	-4.13	74.0	26.19	Peak	270.00	400	Vertical	Pass
2**	4336.250	39.56	-4.13	54.0	14.44	AV	270.00	400	Vertical	Pass
3	5812.500	103.65	-1.46	--	--	Peak	31.00	200	Vertical	N/A
3**	5812.500	95.06	-1.46	--	--	AV	31.00	200	Vertical	N/A
4	7319.000	52.91	0.64	74.0	21.09	Peak	60.00	200	Vertical	Pass
4**	7319.000	43.13	0.64	54.0	10.87	AV	60.00	200	Vertical	Pass
5	11127.162	52.88	-0.98	74.0	21.12	Peak	286.00	200	Vertical	Pass
5**	11127.162	42.70	-0.98	54.0	11.30	AV	286.00	200	Vertical	Pass
6	15740.401	52.14	0.24	74.0	21.86	Peak	110.00	100	Vertical	Pass
6**	15740.401	42.72	0.24	54.0	11.28	AV	110.00	100	Vertical	Pass

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.900	40.20	-16.77	74.0	33.80	Peak	187.00	100	Horizontal	Pass
1**	1436.900	33.99	-16.77	54.0	20.01	AV	187.00	100	Horizontal	Pass
2	4304.750	47.95	-4.00	74.0	26.05	Peak	16.00	100	Horizontal	Pass
2**	4304.750	38.59	-4.00	54.0	15.41	AV	16.00	100	Horizontal	Pass
3	5740.250	91.60	-1.68	--	--	Peak	121.00	100	Horizontal	N/A
3**	5740.250	80.54	-1.68	--	--	AV	121.00	100	Horizontal	N/A
4	7290.750	53.22	0.24	74.0	20.78	Peak	72.00	300	Horizontal	Pass
4**	7290.750	43.03	0.24	54.0	10.97	AV	72.00	300	Horizontal	Pass
5	11127.875	51.49	-0.97	74.0	22.51	Peak	63.00	100	Horizontal	Pass
5**	11127.875	42.42	-0.97	54.0	11.58	AV	63.00	100	Horizontal	Pass
6	15759.825	50.61	0.10	74.0	23.39	Peak	193.00	150	Horizontal	Pass
6**	15759.825	42.28	0.10	54.0	11.72	AV	193.00	150	Horizontal	Pass

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.900	41.80	-16.63	74.0	32.20	Peak	193.00	200	Vertical	Pass
1**	1497.900	32.02	-16.63	54.0	21.98	AV	193.00	200	Vertical	Pass
2	4396.250	49.45	-4.09	74.0	24.55	Peak	220.00	300	Vertical	Pass
2**	4396.250	38.30	-4.09	54.0	15.70	AV	220.00	300	Vertical	Pass
3	5782.250	97.79	-1.78	--	--	Peak	52.00	200	Vertical	N/A
3**	5782.250	86.15	-1.78	--	--	AV	52.00	200	Vertical	N/A
4	7485.250	53.47	1.46	74.0	20.53	Peak	304.00	300	Vertical	Pass
4**	7485.250	44.36	1.46	54.0	9.64	AV	304.00	300	Vertical	Pass
5	11137.375	51.69	-0.96	74.0	22.31	Peak	269.00	150	Vertical	Pass
5**	11137.375	42.09	-0.96	54.0	11.91	AV	269.00	150	Vertical	Pass
6	15733.576	51.64	0.15	74.0	22.36	Peak	0.00	400	Vertical	Pass
6**	15733.576	42.58	0.15	54.0	11.42	AV	0.00	400	Vertical	Pass

11a, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1338.000	41.75	-16.69	74.0	32.25	Peak	178.00	100	Horizontal	Pass
1**	1338.000	36.42	-16.69	54.0	17.58	AV	178.00	100	Horizontal	Pass
2	4277.500	48.37	-4.21	74.0	25.63	Peak	346.00	400	Horizontal	Pass
2**	4277.500	39.70	-4.21	54.0	14.30	AV	346.00	400	Horizontal	Pass
3	5715.250	102.32	-1.44	--	--	Peak	224.00	200	Horizontal	N/A
3**	5715.250	95.30	-1.44	--	--	AV	224.00	200	Horizontal	N/A
4	7347.250	54.05	1.24	74.0	19.95	Peak	146.00	100	Horizontal	Pass
4**	7347.250	44.02	1.24	54.0	9.98	AV	146.00	100	Horizontal	Pass
5	11127.400	51.64	-0.98	74.0	22.36	Peak	66.00	100	Horizontal	Pass
5**	11127.400	42.67	-0.98	54.0	11.33	AV	66.00	100	Horizontal	Pass
6	15754.838	52.32	0.24	74.0	21.68	Peak	304.00	400	Horizontal	Pass
6**	15754.838	42.82	0.24	54.0	11.18	AV	304.00	400	Horizontal	Pass

11a, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.900	45.23	-16.67	74.0	28.77	Peak	224.00	100	Vertical	Pass
1**	1329.900	35.32	-16.67	54.0	18.68	AV	224.00	100	Vertical	Pass
2	4246.500	47.63	-4.31	74.0	26.37	Peak	294.00	300	Vertical	Pass
2**	4246.500	38.39	-4.31	54.0	15.61	AV	294.00	300	Vertical	Pass
3	5718.750	104.73	-1.25	--	--	Peak	163.00	100	Vertical	N/A
3**	5718.750	97.83	-1.25	--	--	AV	163.00	100	Vertical	N/A
4	7528.000	53.32	2.13	74.0	20.68	Peak	21.00	300	Vertical	Pass
4**	7528.000	44.77	2.13	54.0	9.23	AV	21.00	300	Vertical	Pass
5	11127.162	52.44	-0.98	74.0	21.56	Peak	3.00	200	Vertical	Pass
5**	11127.162	43.25	-0.98	54.0	10.75	AV	3.00	200	Vertical	Pass
6	15738.299	51.75	0.21	74.0	22.25	Peak	269.00	400	Vertical	Pass
6**	15738.299	42.82	0.21	54.0	11.18	AV	269.00	400	Vertical	Pass

11n20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1338.300	42.70	-16.70	74.0	31.30	Peak	62.00	100	Horizontal	Pass
1**	1338.300	38.16	-16.70	54.0	15.84	AV	62.00	100	Horizontal	Pass
2	3775.750	49.07	-5.62	74.0	24.93	Peak	228.00	200	Horizontal	Pass
2**	3775.750	38.12	-5.62	54.0	15.88	AV	228.00	200	Horizontal	Pass
3	5722.250	103.45	-1.54	--	--	Peak	219.00	150	Horizontal	N/A
3**	5722.250	95.20	-1.54	--	--	AV	219.00	150	Horizontal	N/A
4	7314.000	53.68	0.59	74.0	20.32	Peak	142.00	100	Horizontal	Pass
4**	7314.000	43.07	0.59	54.0	10.93	AV	142.00	100	Horizontal	Pass
5	10732.200	51.79	-1.93	74.0	22.21	Peak	339.00	150	Horizontal	Pass
5**	10732.200	42.57	-1.93	54.0	11.43	AV	339.00	150	Horizontal	Pass
6	15757.463	52.54	0.17	74.0	21.46	Peak	97.00	300	Horizontal	Pass
6**	15757.463	43.51	0.17	54.0	10.49	AV	97.00	300	Horizontal	Pass

11n20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.300	43.81	-16.76	74.0	30.19	Peak	220.00	100	Vertical	Pass
1**	1327.300	30.99	-16.76	54.0	23.01	AV	220.00	100	Vertical	Pass
2	4332.000	47.81	-4.28	74.0	26.19	Peak	308.00	200	Vertical	Pass
2**	4332.000	39.30	-4.28	54.0	14.70	AV	308.00	200	Vertical	Pass
3	5717.750	105.10	-1.30	--	--	Peak	160.00	200	Vertical	N/A
3**	5717.750	97.32	-1.30	--	--	AV	160.00	200	Vertical	N/A
4	7499.750	53.44	0.98	74.0	20.56	Peak	238.00	100	Vertical	Pass
4**	7499.750	43.79	0.98	54.0	10.21	AV	238.00	100	Vertical	Pass
5	11137.138	51.69	-0.96	74.0	22.31	Peak	35.00	200	Vertical	Pass
5**	11137.138	43.47	-0.96	54.0	10.53	AV	35.00	200	Vertical	Pass
6	15753.787	53.00	0.27	74.0	21.00	Peak	0.00	300	Vertical	Pass
6**	15753.787	43.60	0.27	54.0	10.40	AV	0.00	300	Vertical	Pass

11n40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1338.500	41.42	-16.71	74.0	32.58	Peak	179.00	100	Horizontal	Pass
1**	1338.500	35.60	-16.71	54.0	18.40	AV	179.00	100	Horizontal	Pass
2	4314.000	48.60	-3.93	74.0	25.40	Peak	113.00	200	Horizontal	Pass
2**	4314.000	39.36	-3.93	54.0	14.64	AV	113.00	200	Horizontal	Pass
3	5700.500	100.62	-1.63	--	--	Peak	217.00	100	Horizontal	N/A
3**	5700.500	92.73	-1.63	--	--	AV	217.00	100	Horizontal	N/A
4	7743.500	53.58	1.15	74.0	20.42	Peak	27.00	400	Horizontal	Pass
4**	7743.500	44.82	1.15	54.0	9.18	AV	27.00	400	Horizontal	Pass
5	11063.987	51.79	-1.68	74.0	22.21	Peak	360.00	100	Horizontal	Pass
5**	11063.987	42.09	-1.68	54.0	11.91	AV	360.00	100	Horizontal	Pass
6	15756.151	52.43	0.21	74.0	21.57	Peak	191.00	300	Horizontal	Pass
6**	15756.151	42.70	0.21	54.0	11.30	AV	191.00	300	Horizontal	Pass

11n40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.800	47.09	-16.67	74.0	26.91	Peak	232.00	100	Vertical	Pass
1**	1329.800	31.28	-16.67	54.0	22.72	AV	232.00	100	Vertical	Pass
2	4341.250	48.02	-4.05	74.0	25.98	Peak	288.00	300	Vertical	Pass
2**	4341.250	39.60	-4.05	54.0	14.40	AV	288.00	300	Vertical	Pass
3	5706.750	101.30	-1.49	--	--	Peak	159.00	200	Vertical	N/A
3**	5706.750	93.83	-1.49	--	--	AV	159.00	200	Vertical	N/A
4	7537.750	53.73	2.13	74.0	20.27	Peak	227.00	200	Vertical	Pass
4**	7537.750	44.11	2.13	54.0	9.89	AV	227.00	200	Vertical	Pass
5	11199.126	52.23	-1.78	74.0	21.77	Peak	332.00	200	Vertical	Pass
5**	11199.126	42.13	-1.78	54.0	11.87	AV	332.00	200	Vertical	Pass
6	15751.425	51.73	0.33	74.0	22.27	Peak	203.00	400	Vertical	Pass
6**	15751.425	44.25	0.33	54.0	9.75	AV	203.00	400	Vertical	Pass

11ac20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1338.300	41.25	-16.70	74.0	32.75	Peak	32.00	100	Horizontal	Pass
1**	1338.300	36.16	-16.70	54.0	17.84	AV	32.00	100	Horizontal	Pass
2	4279.250	48.40	-4.19	74.0	25.60	Peak	124.00	100	Horizontal	Pass
2**	4279.250	38.60	-4.19	54.0	15.40	AV	124.00	100	Horizontal	Pass
3	5721.000	99.51	-1.37	--	--	Peak	213.00	200	Horizontal	N/A
3**	5721.000	91.57	-1.37	--	--	AV	213.00	200	Horizontal	N/A
4	7529.500	53.20	2.13	74.0	20.80	Peak	360.00	100	Horizontal	Pass
4**	7529.500	44.15	2.13	54.0	9.85	AV	360.00	100	Horizontal	Pass
5	10822.688	51.72	-2.48	74.0	22.28	Peak	194.00	200	Horizontal	Pass
5**	10822.688	42.53	-2.48	54.0	11.47	AV	194.00	200	Horizontal	Pass
6	15751.950	52.23	0.32	74.0	21.77	Peak	28.00	300	Horizontal	Pass
6**	15751.950	43.11	0.32	54.0	10.89	AV	28.00	300	Horizontal	Pass

11ac20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.200	44.70	-16.67	74.0	29.30	Peak	230.00	100	Vertical	Pass
1**	1329.200	39.02	-16.67	54.0	14.98	AV	230.00	100	Vertical	Pass
2	4353.250	48.34	-4.04	74.0	25.66	Peak	180.00	200	Vertical	Pass
2**	4353.250	39.24	-4.04	54.0	14.76	AV	180.00	200	Vertical	Pass
3	5717.500	102.14	-1.33	--	--	Peak	154.00	200	Vertical	N/A
3**	5717.500	95.06	-1.33	--	--	AV	154.00	200	Vertical	N/A
4	7507.000	53.32	1.23	74.0	20.68	Peak	234.00	200	Vertical	Pass
4**	7507.000	44.45	1.23	54.0	9.55	AV	234.00	200	Vertical	Pass
5	10702.987	52.24	-2.39	74.0	21.76	Peak	350.00	100	Vertical	Pass
5**	10702.987	42.16	-2.39	54.0	11.84	AV	350.00	100	Vertical	Pass
6	15745.388	52.00	0.31	74.0	22.00	Peak	113.00	400	Vertical	Pass
6**	15745.388	43.31	0.31	54.0	10.69	AV	113.00	400	Vertical	Pass

11ac40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1337.600	41.43	-16.67	74.0	32.57	Peak	183.00	100	Horizontal	Pass
1**	1337.600	34.91	-16.67	54.0	19.09	AV	183.00	100	Horizontal	Pass
2	4337.250	47.98	-4.11	74.0	26.02	Peak	0.00	400	Horizontal	Pass
2**	4337.250	38.83	-4.11	54.0	15.17	AV	0.00	400	Horizontal	Pass
3	5702.000	97.79	-1.55	--	--	Peak	210.00	200	Horizontal	N/A
3**	5702.000	90.76	-1.55	--	--	AV	210.00	200	Horizontal	N/A
4	7655.500	53.53	1.04	74.0	20.47	Peak	246.00	200	Horizontal	Pass
4**	7655.500	44.30	1.04	54.0	9.70	AV	246.00	200	Horizontal	Pass
5	11171.812	51.80	-1.32	74.0	22.20	Peak	0.00	100	Horizontal	Pass
5**	11171.812	43.38	-1.32	54.0	10.62	AV	0.00	100	Horizontal	Pass
6	15749.325	51.70	0.36	74.0	22.30	Peak	64.00	100	Horizontal	Pass
6**	15749.325	43.61	0.36	54.0	10.39	AV	64.00	100	Horizontal	Pass

11ac40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.200	45.74	-16.67	74.0	28.26	Peak	232.00	100	Vertical	Pass
1**	1329.200	38.82	-16.67	54.0	15.18	AV	232.00	100	Vertical	Pass
2	4352.250	48.05	-4.08	74.0	25.95	Peak	288.00	300	Vertical	Pass
2**	4352.250	39.32	-4.08	54.0	14.68	AV	288.00	300	Vertical	Pass
3	5697.500	99.23	-1.67	--	--	Peak	159.00	150	Vertical	N/A
3**	5697.500	91.11	-1.67	--	--	AV	159.00	150	Vertical	N/A
4	7494.500	53.87	1.26	74.0	20.13	Peak	124.00	300	Vertical	Pass
4**	7494.500	43.77	1.26	54.0	10.23	AV	124.00	300	Vertical	Pass
5	10942.625	51.96	-2.62	74.0	22.04	Peak	238.00	150	Vertical	Pass
5**	10942.625	42.29	-2.62	54.0	11.71	AV	238.00	150	Vertical	Pass
6	15736.988	52.25	0.19	74.0	21.75	Peak	352.00	400	Vertical	Pass
6**	15736.988	43.21	0.19	54.0	10.79	AV	352.00	400	Vertical	Pass

11ac80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1338.200	40.76	-16.70	74.0	33.24	Peak	186.00	100	Horizontal	Pass
1**	1338.200	34.93	-16.70	54.0	19.07	AV	186.00	100	Horizontal	Pass
2	4330.500	48.91	-4.25	74.0	25.09	Peak	149.00	300	Horizontal	Pass
2**	4330.500	38.95	-4.25	54.0	15.05	AV	149.00	300	Horizontal	Pass
3	5662.000	96.69	-1.79	--	--	Peak	218.00	150	Horizontal	N/A
3**	5662.000	87.52	-1.79	--	--	AV	218.00	150	Horizontal	N/A
4	7482.500	53.31	1.48	74.0	20.69	Peak	62.00	400	Horizontal	Pass
4**	7482.500	43.86	1.48	54.0	10.14	AV	62.00	400	Horizontal	Pass
5	11132.625	52.71	-0.97	74.0	21.29	Peak	33.00	150	Horizontal	Pass
5**	11132.625	42.36	-0.97	54.0	11.64	AV	33.00	150	Horizontal	Pass
6	15758.250	53.12	0.15	74.0	20.88	Peak	15.00	400	Horizontal	Pass
6**	15758.250	43.56	0.15	54.0	10.44	AV	15.00	400	Horizontal	Pass

11ac80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.200	44.95	-16.67	74.0	29.05	Peak	229.00	100	Vertical	Pass
1**	1329.200	30.97	-16.67	54.0	23.03	AV	229.00	100	Vertical	Pass
2	4272.000	48.13	-3.98	74.0	25.87	Peak	322.00	400	Vertical	Pass
2**	4272.000	38.54	-3.98	54.0	15.46	AV	322.00	400	Vertical	Pass
3	5688.250	95.96	-1.57	--	--	Peak	154.00	100	Vertical	N/A
3**	5688.250	89.04	-1.57	--	--	AV	154.00	100	Vertical	N/A
4	7457.000	54.67	1.58	74.0	19.33	Peak	146.00	400	Vertical	Pass
4**	7457.000	43.88	1.58	54.0	10.12	AV	146.00	400	Vertical	Pass
5	10943.100	52.09	-2.61	74.0	21.91	Peak	55.00	100	Vertical	Pass
5**	10943.100	41.88	-2.61	54.0	12.12	AV	55.00	100	Vertical	Pass
6	15753.525	52.31	0.28	74.0	21.69	Peak	52.00	300	Vertical	Pass
6**	15753.525	43.92	0.28	54.0	10.08	AV	52.00	300	Vertical	Pass

11ax20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1338.300	41.88	-16.70	74.0	32.12	Peak	71.00	100	Horizontal	Pass
1**	1338.300	36.33	-16.70	54.0	17.67	AV	71.00	100	Horizontal	Pass
2	4308.750	48.62	-4.13	74.0	25.38	Peak	297.00	400	Horizontal	Pass
2**	4308.750	38.66	-4.13	54.0	15.34	AV	297.00	400	Horizontal	Pass
3	5721.750	100.81	-1.47	--	--	Peak	218.00	100	Horizontal	N/A
3**	5721.750	90.55	-1.47	--	--	AV	218.00	100	Horizontal	N/A
4	7501.000	53.62	0.99	74.0	20.38	Peak	208.00	400	Horizontal	Pass
4**	7501.000	43.99	0.99	54.0	10.01	AV	208.00	400	Horizontal	Pass
5	11060.662	52.15	-1.74	74.0	21.85	Peak	79.00	150	Horizontal	Pass
5**	11060.662	42.07	-1.74	54.0	11.93	AV	79.00	150	Horizontal	Pass
6	15775.838	52.53	-0.33	74.0	21.47	Peak	28.00	200	Horizontal	Pass
6**	15775.838	42.69	-0.33	54.0	11.31	AV	28.00	200	Horizontal	Pass

11ax20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.900	44.55	-16.70	74.0	29.45	Peak	225.00	100	Vertical	Pass
1**	1327.900	36.97	-16.70	54.0	17.03	AV	225.00	100	Vertical	Pass
2	4152.250	48.20	-4.89	74.0	25.80	Peak	0.00	300	Vertical	Pass
2**	4152.250	38.26	-4.89	54.0	15.74	AV	0.00	300	Vertical	Pass
3	5727.000	102.16	-1.83	--	--	Peak	152.00	100	Vertical	N/A
3**	5727.000	92.81	-1.83	--	--	AV	152.00	100	Vertical	N/A
4	7518.250	53.61	1.97	74.0	20.39	Peak	312.00	100	Vertical	Pass
4**	7518.250	44.68	1.97	54.0	9.32	AV	312.00	100	Vertical	Pass
5	11186.775	52.09	-1.57	74.0	21.91	Peak	333.00	100	Vertical	Pass
5**	11186.775	42.15	-1.57	54.0	11.85	AV	333.00	100	Vertical	Pass
6	15758.513	51.91	0.14	74.0	22.09	Peak	241.00	100	Vertical	Pass
6**	15758.513	44.25	0.14	54.0	9.75	AV	241.00	100	Vertical	Pass

11ax40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1337.900	41.33	-16.68	74.0	32.67	Peak	72.00	100	Horizontal	Pass
1**	1337.900	37.98	-16.68	54.0	16.02	AV	72.00	100	Horizontal	Pass
2	4295.250	47.80	-3.97	74.0	26.20	Peak	288.00	400	Horizontal	Pass
2**	4295.250	39.08	-3.97	54.0	14.92	AV	288.00	400	Horizontal	Pass
3	5714.000	97.55	-1.47	--	--	Peak	218.00	100	Horizontal	N/A
3**	5714.000	88.31	-1.47	--	--	AV	218.00	100	Horizontal	N/A
4	7473.750	53.66	1.86	74.0	20.34	Peak	237.00	300	Horizontal	Pass
4**	7473.750	44.31	1.86	54.0	9.69	AV	237.00	300	Horizontal	Pass
5	11185.350	52.14	-1.55	74.0	21.86	Peak	235.00	100	Horizontal	Pass
5**	11185.350	42.41	-1.55	54.0	11.59	AV	235.00	100	Horizontal	Pass
6	15731.213	51.49	0.11	74.0	22.51	Peak	278.00	100	Horizontal	Pass
6**	15731.213	43.13	0.11	54.0	10.87	AV	278.00	100	Horizontal	Pass

11ax40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.400	45.89	-16.75	74.0	28.11	Peak	227.00	100	Vertical	Pass
1**	1327.400	31.90	-16.75	54.0	22.10	AV	227.00	100	Vertical	Pass
2	4389.500	48.15	-4.11	74.0	25.85	Peak	356.00	300	Vertical	Pass
2**	4389.500	38.41	-4.11	54.0	15.59	AV	356.00	300	Vertical	Pass
3	5706.250	98.18	-1.48	--	--	Peak	157.00	200	Vertical	N/A
3**	5706.250	89.71	-1.48	--	--	AV	157.00	200	Vertical	N/A
4	7541.250	52.99	2.10	74.0	21.01	Peak	123.00	100	Vertical	Pass
4**	7541.250	44.71	2.10	54.0	9.29	AV	123.00	100	Vertical	Pass
5	11377.250	51.75	-1.74	74.0	22.25	Peak	225.00	100	Vertical	Pass
5**	11377.250	41.64	-1.74	54.0	12.36	AV	225.00	100	Vertical	Pass
6	15768.225	52.37	-0.12	74.0	21.63	Peak	0.00	200	Vertical	Pass
6**	15768.225	43.13	-0.12	54.0	10.87	AV	0.00	200	Vertical	Pass

11ax80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1338.200	42.32	-16.70	74.0	31.68	Peak	38.00	100	Horizontal	Pass
1**	1338.200	37.69	-16.70	54.0	16.31	AV	38.00	100	Horizontal	Pass
2	4256.750	48.23	-4.20	74.0	25.77	Peak	297.00	300	Horizontal	Pass
2**	4256.750	39.02	-4.20	54.0	14.98	AV	297.00	300	Horizontal	Pass
3	5652.000	97.04	-1.68	--	--	Peak	210.00	150	Horizontal	N/A
3**	5652.000	85.73	-1.68	--	--	AV	210.00	150	Horizontal	N/A
4	7533.500	53.40	2.26	74.0	20.60	Peak	81.00	100	Horizontal	Pass
4**	7533.500	44.52	2.26	54.0	9.48	AV	81.00	100	Horizontal	Pass
5	11124.787	52.49	-0.98	74.0	21.51	Peak	104.00	150	Horizontal	Pass
5**	11124.787	42.92	-0.98	54.0	11.08	AV	104.00	150	Horizontal	Pass
6	15732.525	52.18	0.13	74.0	21.82	Peak	66.00	300	Horizontal	Pass
6**	15732.525	42.66	0.13	54.0	11.34	AV	66.00	300	Horizontal	Pass

11ax80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.000	44.95	-16.68	74.0	29.05	Peak	222.00	100	Vertical	Pass
1**	1331.000	31.75	-16.68	54.0	22.25	AV	222.00	100	Vertical	Pass
2	4338.250	48.71	-4.14	74.0	25.29	Peak	288.00	300	Vertical	Pass
2**	4338.250	39.71	-4.14	54.0	14.29	AV	288.00	300	Vertical	Pass
3	5683.750	95.95	-1.43	--	--	Peak	105.00	200	Vertical	N/A
3**	5683.750	87.60	-1.43	--	--	AV	105.00	200	Vertical	N/A
4	7712.250	53.33	1.90	74.0	20.67	Peak	356.00	200	Vertical	Pass
4**	7712.250	44.22	1.90	54.0	9.78	AV	356.00	200	Vertical	Pass
5	11076.338	51.49	-1.45	74.0	22.51	Peak	57.00	100	Vertical	Pass
5**	11076.338	42.17	-1.45	54.0	11.83	AV	57.00	100	Vertical	Pass
6	15766.388	51.97	-0.07	74.0	22.03	Peak	215.00	400	Vertical	Pass
6**	15766.388	42.24	-0.07	54.0	11.76	AV	215.00	400	Vertical	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2092.200	42.18	-13.67	88.2	46.02	Peak	80.00	350	Horizontal	Pass
1**	2092.200	31.92	-13.67	68.2	36.28	AV	80.00	350	Horizontal	Pass
2	4788.500	51.64	-2.72	74.0	22.36	Peak	199.00	200	Horizontal	Pass
2**	4788.500	41.63	-2.72	54.0	12.37	AV	199.00	200	Horizontal	Pass
3	5961.750	96.94	-1.53	--	--	Peak	224.00	100	Horizontal	N/A
3**	5961.750	87.10	-1.53	--	--	AV	224.00	100	Horizontal	N/A
4	7472.500	55.31	1.88	74.0	18.69	Peak	118.00	300	Horizontal	Pass
4**	7472.500	46.28	1.88	54.0	7.72	AV	118.00	300	Horizontal	Pass
5	11173.238	52.03	-1.34	74.0	21.97	Peak	94.00	250	Horizontal	Pass
5**	11173.238	42.82	-1.34	54.0	11.18	AV	94.00	250	Horizontal	Pass
6	15752.212	52.72	0.31	74.0	21.28	Peak	269.00	250	Horizontal	Pass
6**	15752.212	43.27	0.31	54.0	10.73	AV	269.00	250	Horizontal	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2000.400	44.98	-14.37	88.2	43.22	Peak	162.00	350	Vertical	Pass
1**	2000.400	31.26	-14.37	68.2	36.94	AV	162.00	350	Vertical	Pass
2	4818.250	51.81	-1.75	74.0	22.19	Peak	120.00	150	Vertical	Pass
2**	4818.250	42.53	-1.75	54.0	11.47	AV	120.00	150	Vertical	Pass
3	5961.000	101.72	-1.50	--	--	Peak	111.00	100	Vertical	N/A
3**	5961.000	90.48	-1.50	--	--	AV	111.00	100	Vertical	N/A
4	7539.250	55.93	2.10	74.0	18.07	Peak	360.00	100	Vertical	Pass
4**	7539.250	45.34	2.10	54.0	8.66	AV	360.00	100	Vertical	Pass
5	11120.987	51.75	-0.98	74.0	22.25	Peak	16.00	250	Vertical	Pass
5**	11120.987	43.00	-0.98	54.0	11.00	AV	16.00	250	Vertical	Pass
6	16310.813	52.38	-0.27	88.2	35.82	Peak	57.00	400	Vertical	Pass
6**	16310.813	43.04	-0.27	68.2	25.16	AV	57.00	400	Vertical	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1828.300	41.55	-16.10	88.2	46.65	Peak	278.00	250	Horizontal	Pass
1**	1828.300	32.16	-16.10	68.2	36.04	AV	278.00	250	Horizontal	Pass
2	4758.750	52.07	-2.73	74.0	21.93	Peak	131.00	350	Horizontal	Pass
2**	4758.750	42.30	-2.73	54.0	11.70	AV	131.00	350	Horizontal	Pass
3	6176.000	98.53	-1.23	--	--	Peak	104.00	200	Horizontal	N/A
3**	6176.000	88.39	-1.23	--	--	AV	104.00	200	Horizontal	N/A
4	7835.250	55.53	3.50	88.2	32.67	Peak	204.00	250	Horizontal	Pass
4**	7835.250	46.59	3.50	68.2	21.61	AV	204.00	250	Horizontal	Pass
5	11065.650	51.47	-1.65	74.0	22.53	Peak	223.00	300	Horizontal	Pass
5**	11065.650	42.02	-1.65	54.0	11.98	AV	223.00	300	Horizontal	Pass
6	16784.887	51.89	0.62	88.2	36.31	Peak	50.00	250	Horizontal	Pass
6**	16784.887	43.10	0.62	68.2	25.10	AV	50.00	250	Horizontal	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.700	43.78	-16.60	74.0	30.22	Peak	217.00	250	Vertical	Pass
1**	1498.700	31.12	-16.60	54.0	22.88	AV	217.00	250	Vertical	Pass
2	4815.500	51.76	-2.10	74.0	22.24	Peak	138.00	350	Vertical	Pass
2**	4815.500	42.08	-2.10	54.0	11.92	AV	138.00	350	Vertical	Pass
3	6179.750	101.10	-1.36	--	--	Peak	111.00	150	Vertical	N/A
3**	6179.750	91.61	-1.36	--	--	AV	111.00	150	Vertical	N/A
4	7930.000	55.18	2.52	88.2	33.02	Peak	50.00	250	Vertical	Pass
4**	7930.000	46.41	2.52	68.2	21.79	AV	50.00	250	Vertical	Pass
5	11201.025	51.67	-1.82	74.0	22.33	Peak	264.00	350	Vertical	Pass
5**	11201.025	41.94	-1.82	54.0	12.06	AV	264.00	350	Vertical	Pass
6	16688.287	51.79	0.93	88.2	36.41	Peak	34.00	250	Vertical	Pass
6**	16688.287	41.77	0.93	68.2	26.43	AV	34.00	250	Vertical	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1997.200	42.10	-14.39	88.2	46.10	Peak	245.00	350	Horizontal	Pass
1**	1997.200	31.32	-14.39	68.2	36.88	AV	245.00	350	Horizontal	Pass
2	4697.750	51.61	-2.80	74.0	22.39	Peak	211.00	300	Horizontal	Pass
2**	4697.750	41.68	-2.80	54.0	12.32	AV	211.00	300	Horizontal	Pass
3	6415.750	96.82	-0.16	--	--	Peak	108.00	150	Horizontal	N/A
3**	6415.750	87.92	-0.16	--	--	AV	108.00	150	Horizontal	N/A
4	7837.750	55.80	3.53	88.2	32.40	Peak	99.00	250	Horizontal	Pass
4**	7837.750	47.58	3.53	68.2	20.62	AV	99.00	250	Horizontal	Pass
5	11160.412	51.52	-1.12	74.0	22.48	Peak	314.00	100	Horizontal	Pass
5**	11160.412	41.91	-1.12	54.0	12.09	AV	314.00	100	Horizontal	Pass
6	16347.037	52.18	0.76	88.2	36.02	Peak	37.00	150	Horizontal	Pass
6**	16347.037	42.47	0.76	68.2	25.73	AV	37.00	150	Horizontal	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.300	44.73	-16.69	74.0	29.27	Peak	193.00	150	Vertical	Pass
1**	1331.300	34.97	-16.69	54.0	19.03	AV	193.00	150	Vertical	Pass
2	4812.250	51.63	-2.34	74.0	22.37	Peak	77.00	300	Vertical	Pass
2**	4812.250	42.34	-2.34	54.0	11.66	AV	77.00	300	Vertical	Pass
3	6423.250	100.65	-0.17	--	--	Peak	69.00	200	Vertical	N/A
3**	6423.250	90.30	-0.17	--	--	AV	69.00	200	Vertical	N/A
4	7511.250	56.05	1.70	74.0	17.95	Peak	60.00	250	Vertical	Pass
4**	7511.250	45.98	1.70	54.0	8.02	AV	60.00	250	Vertical	Pass
5	11124.312	51.10	-0.98	74.0	22.90	Peak	302.00	200	Vertical	Pass
5**	11124.312	42.60	-0.98	54.0	11.40	AV	302.00	200	Vertical	Pass
6	16701.938	52.02	0.82	88.2	36.18	Peak	31.00	150	Vertical	Pass
6**	16701.938	42.30	0.82	68.2	25.90	AV	31.00	150	Vertical	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1830.000	41.74	-16.08	88.2	46.46	Peak	244.00	250	Horizontal	Pass
1**	1830.000	30.35	-16.08	68.2	37.85	AV	244.00	250	Horizontal	Pass
2	4816.250	51.94	-1.95	74.0	22.06	Peak	332.00	400	Horizontal	Pass
2**	4816.250	42.12	-1.95	54.0	11.88	AV	332.00	400	Horizontal	Pass
3	5963.250	94.74	-1.53	--	--	Peak	108.00	200	Horizontal	N/A
3**	5963.250	85.94	-1.53	--	--	AV	108.00	200	Horizontal	N/A
4	7914.000	54.90	1.85	88.2	33.30	Peak	41.00	100	Horizontal	Pass
4**	7914.000	45.59	1.85	68.2	22.61	AV	41.00	100	Horizontal	Pass
5	11140.938	51.53	-0.96	74.0	22.47	Peak	270.00	300	Horizontal	Pass
5**	11140.938	42.22	-0.96	54.0	11.78	AV	270.00	300	Horizontal	Pass
6	16788.824	52.10	0.76	88.2	36.10	Peak	148.00	150	Horizontal	Pass
6**	16788.824	42.88	0.76	68.2	25.32	AV	148.00	150	Horizontal	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1830.800	44.39	-16.07	88.2	43.81	Peak	193.00	150	Vertical	Pass
1**	1830.800	33.11	-16.07	68.2	35.09	AV	193.00	150	Vertical	Pass
2	4717.750	51.96	-2.74	74.0	22.04	Peak	166.00	200	Vertical	Pass
2**	4717.750	41.97	-2.74	54.0	12.03	AV	166.00	200	Vertical	Pass
3	5956.250	97.50	-1.50	--	--	Peak	59.00	200	Vertical	N/A
3**	5956.250	88.06	-1.50	--	--	AV	59.00	200	Vertical	N/A
4	7818.250	55.75	2.84	88.2	32.45	Peak	103.00	300	Vertical	Pass
4**	7818.250	47.03	2.84	68.2	21.17	AV	103.00	300	Vertical	Pass
5	11126.213	51.52	-0.98	74.0	22.48	Peak	62.00	200	Vertical	Pass
5**	11126.213	42.56	-0.98	54.0	11.44	AV	62.00	200	Vertical	Pass
6	15723.600	52.16	0.01	74.0	21.84	Peak	203.00	400	Vertical	Pass
6**	15723.600	41.85	0.01	54.0	12.15	AV	203.00	400	Vertical	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2094.400	41.33	-13.62	88.2	46.87	Peak	310.00	300	Horizontal	Pass
1**	2094.400	32.63	-13.62	68.2	35.57	AV	310.00	300	Horizontal	Pass
2	4879.500	52.03	-2.37	74.0	21.97	Peak	234.00	100	Horizontal	Pass
2**	4879.500	41.96	-2.37	54.0	12.04	AV	234.00	100	Horizontal	Pass
3	6154.750	94.67	-1.67	--	--	Peak	91.00	100	Horizontal	N/A
3**	6154.750	84.64	-1.67	--	--	AV	91.00	100	Horizontal	N/A
4	7537.000	55.39	2.17	74.0	18.61	Peak	207.00	400	Horizontal	Pass
4**	7537.000	45.90	2.17	54.0	8.10	AV	207.00	400	Horizontal	Pass
5	11180.838	51.74	-1.47	74.0	22.26	Peak	225.00	200	Horizontal	Pass
5**	11180.838	42.40	-1.47	54.0	11.60	AV	225.00	200	Horizontal	Pass
6	16223.138	52.18	-0.27	88.2	36.02	Peak	73.00	200	Horizontal	Pass
6**	16223.138	42.83	-0.27	68.2	25.37	AV	73.00	200	Horizontal	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1902.100	44.44	-15.15	88.2	43.76	Peak	203.00	250	Vertical	Pass
1**	1902.100	33.86	-15.15	68.2	34.34	AV	203.00	250	Vertical	Pass
2	4708.000	51.21	-2.74	74.0	22.79	Peak	313.00	150	Vertical	Pass
2**	4708.000	41.62	-2.74	54.0	12.38	AV	313.00	150	Vertical	Pass
3	6170.500	97.89	-1.19	--	--	Peak	115.00	150	Vertical	N/A
3**	6170.500	89.62	-1.19	--	--	AV	115.00	150	Vertical	N/A
4	7903.250	54.76	2.36	88.2	33.44	Peak	41.00	100	Vertical	Pass
4**	7903.250	46.42	2.36	68.2	21.78	AV	41.00	100	Vertical	Pass
5	11208.150	50.90	-2.01	74.0	23.10	Peak	188.00	200	Vertical	Pass
5**	11208.150	42.07	-2.01	54.0	11.93	AV	188.00	200	Vertical	Pass
6	16304.250	50.99	-0.45	88.2	37.21	Peak	31.00	400	Vertical	Pass
6**	16304.250	41.83	-0.45	68.2	26.37	AV	31.00	400	Vertical	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2093.500	41.84	-13.64	88.2	46.36	Peak	109.00	200	Horizontal	Pass
1**	2093.500	31.78	-13.64	68.2	36.42	AV	109.00	200	Horizontal	Pass
2	4851.750	51.66	-2.73	74.0	22.34	Peak	59.00	400	Horizontal	Pass
2**	4851.750	41.98	-2.73	54.0	12.02	AV	59.00	400	Horizontal	Pass
3	6415.500	94.03	-0.15	--	--	Peak	94.00	200	Horizontal	N/A
3**	6415.500	85.60	-0.15	--	--	AV	94.00	200	Horizontal	N/A
4	7876.500	55.33	2.61	88.2	32.87	Peak	319.00	150	Horizontal	Pass
4**	7876.500	46.16	2.61	68.2	22.04	AV	319.00	150	Horizontal	Pass
5	11574.138	50.99	-1.93	74.0	23.01	Peak	290.00	350	Horizontal	Pass
5**	11574.138	40.51	-1.93	54.0	13.49	AV	290.00	350	Horizontal	Pass
6	15766.125	52.10	-0.07	74.0	21.90	Peak	31.00	150	Horizontal	Pass
6**	15766.125	43.05	-0.07	54.0	10.95	AV	31.00	150	Horizontal	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.000	44.95	-16.67	74.0	29.05	Peak	233.00	100	Vertical	Pass
1**	1329.000	31.90	-16.67	54.0	22.10	AV	233.00	100	Vertical	Pass
2	4771.250	51.27	-2.53	74.0	22.73	Peak	94.00	350	Vertical	Pass
2**	4771.250	42.22	-2.53	54.0	11.78	AV	94.00	350	Vertical	Pass
3	6398.750	99.45	-0.19	--	--	Peak	94.00	100	Vertical	N/A
3**	6398.750	89.42	-0.19	--	--	AV	94.00	100	Vertical	N/A
4	7923.500	55.74	2.16	88.2	32.46	Peak	334.00	400	Vertical	Pass
4**	7923.500	46.34	2.16	68.2	21.86	AV	334.00	400	Vertical	Pass
5	11175.137	51.54	-1.37	74.0	22.46	Peak	326.00	100	Vertical	Pass
5**	11175.137	41.61	-1.37	54.0	12.39	AV	326.00	100	Vertical	Pass
6	16229.437	51.42	-0.46	88.2	36.78	Peak	52.00	250	Vertical	Pass
6**	16229.437	41.73	-0.46	68.2	26.47	AV	52.00	250	Vertical	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2088.400	41.45	-13.90	88.2	46.75	Peak	17.00	100	Horizontal	Pass
1**	2088.400	31.69	-13.90	68.2	36.51	AV	17.00	100	Horizontal	Pass
2	4767.750	52.19	-2.41	74.0	21.81	Peak	286.00	350	Horizontal	Pass
2**	4767.750	42.24	-2.41	54.0	11.76	AV	286.00	350	Horizontal	Pass
3	6002.000	91.61	-1.08	--	--	Peak	184.00	100	Horizontal	N/A
3**	6002.000	83.49	-1.08	--	--	AV	184.00	100	Horizontal	N/A
4	7836.000	55.39	3.55	88.2	32.81	Peak	174.00	150	Horizontal	Pass
4**	7836.000	48.05	3.55	68.2	20.15	AV	174.00	150	Horizontal	Pass
5	11121.700	52.08	-0.98	74.0	21.92	Peak	262.00	100	Horizontal	Pass
5**	11121.700	42.24	-0.98	54.0	11.76	AV	262.00	100	Horizontal	Pass
6	16311.862	51.73	-0.24	88.2	36.47	Peak	257.00	400	Horizontal	Pass
6**	16311.862	42.26	-0.24	68.2	25.94	AV	257.00	400	Horizontal	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1993.100	44.70	-14.46	88.2	43.50	Peak	201.00	150	Vertical	Pass
1**	1993.100	34.84	-14.46	68.2	33.36	AV	201.00	150	Vertical	Pass
2	4711.250	51.45	-2.66	74.0	22.55	Peak	31.00	150	Vertical	Pass
2**	4711.250	42.24	-2.66	54.0	11.76	AV	31.00	150	Vertical	Pass
3	6011.000	94.96	-1.44	--	--	Peak	113.00	200	Vertical	N/A
3**	6011.000	84.41	-1.44	--	--	AV	113.00	200	Vertical	N/A
4	7839.750	55.71	3.26	88.2	32.49	Peak	360.00	200	Vertical	Pass
4**	7839.750	46.40	3.26	68.2	21.80	AV	360.00	200	Vertical	Pass
5	11143.075	51.35	-0.96	74.0	22.65	Peak	75.00	350	Vertical	Pass
5**	11143.075	42.06	-0.96	54.0	11.94	AV	75.00	350	Vertical	Pass
6	15787.912	52.12	-0.66	74.0	21.88	Peak	68.00	150	Vertical	Pass
6**	15787.912	41.74	-0.66	54.0	12.26	AV	68.00	150	Vertical	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1999.700	42.22	-14.44	88.2	45.98	Peak	243.00	250	Horizontal	Pass
1**	1999.700	30.62	-14.44	68.2	37.58	AV	243.00	250	Horizontal	Pass
2	4827.500	51.28	-1.77	74.0	22.72	Peak	331.00	100	Horizontal	Pass
2**	4827.500	41.99	-1.77	54.0	12.01	AV	331.00	100	Horizontal	Pass
3	6143.500	91.68	-1.36	--	--	Peak	104.00	100	Horizontal	N/A
3**	6143.500	83.18	-1.36	--	--	AV	104.00	100	Horizontal	N/A
4	7500.250	55.75	0.99	74.0	18.25	Peak	322.00	300	Horizontal	Pass
4**	7500.250	45.06	0.99	54.0	8.94	AV	322.00	300	Horizontal	Pass
5	11075.625	51.48	-1.46	74.0	22.52	Peak	78.00	400	Horizontal	Pass
5**	11075.625	43.24	-1.46	54.0	10.76	AV	78.00	400	Horizontal	Pass
6	16490.363	51.00	0.38	88.2	37.20	Peak	34.00	350	Horizontal	Pass
6**	16490.363	40.96	0.38	68.2	27.24	AV	34.00	350	Horizontal	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1794.000	46.16	-16.25	88.2	42.04	Peak	198.00	250	Vertical	Pass
1**	1794.000	29.75	-16.25	68.2	38.45	AV	198.00	250	Vertical	Pass
2	4760.250	51.23	-2.66	74.0	22.77	Peak	65.00	200	Vertical	Pass
2**	4760.250	41.66	-2.66	54.0	12.34	AV	65.00	200	Vertical	Pass
3	6134.750	96.15	-1.10	--	--	Peak	290.00	200	Vertical	N/A
3**	6134.750	85.63	-1.10	--	--	AV	290.00	200	Vertical	N/A
4	7818.750	55.36	2.90	88.2	32.84	Peak	234.00	300	Vertical	Pass
4**	7818.750	45.98	2.90	68.2	22.22	AV	234.00	300	Vertical	Pass
5	11134.525	51.68	-0.97	74.0	22.32	Peak	221.00	250	Vertical	Pass
5**	11134.525	42.20	-0.97	54.0	11.80	AV	221.00	250	Vertical	Pass
6	16773.338	51.16	0.21	88.2	37.04	Peak	128.00	300	Vertical	Pass
6**	16773.338	41.86	0.21	68.2	26.34	AV	128.00	300	Vertical	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1685.200	41.36	-16.76	74.0	32.64	Peak	239.00	100	Horizontal	Pass
1**	1685.200	34.96	-16.76	54.0	19.04	AV	239.00	100	Horizontal	Pass
2	4749.250	51.95	-2.66	74.0	22.05	Peak	249.00	150	Horizontal	Pass
2**	4749.250	42.10	-2.66	54.0	11.90	AV	249.00	150	Horizontal	Pass
3	6364.250	90.95	-1.39	--	--	Peak	96.00	100	Horizontal	N/A
3**	6364.250	82.54	-1.39	--	--	AV	96.00	100	Horizontal	N/A
4	7853.000	55.07	2.12	88.2	33.13	Peak	360.00	350	Horizontal	Pass
4**	7853.000	45.53	2.12	68.2	22.67	AV	360.00	350	Horizontal	Pass
5	11139.276	52.16	-0.96	74.0	21.84	Peak	302.00	200	Horizontal	Pass
5**	11139.276	43.09	-0.96	54.0	10.91	AV	302.00	200	Horizontal	Pass
6	16334.175	50.96	0.40	88.2	37.24	Peak	130.00	400	Horizontal	Pass
6**	16334.175	42.10	0.40	68.2	26.10	AV	130.00	400	Horizontal	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1827.600	45.14	-16.11	88.2	43.06	Peak	197.00	300	Vertical	Pass
1**	1827.600	31.63	-16.11	68.2	36.57	AV	197.00	300	Vertical	Pass
2	4816.000	51.22	-2.00	74.0	22.78	Peak	76.00	350	Vertical	Pass
2**	4816.000	42.17	-2.00	54.0	11.83	AV	76.00	350	Vertical	Pass
3	6379.500	95.81	-1.36	--	--	Peak	101.00	200	Vertical	N/A
3**	6379.500	86.07	-1.36	--	--	AV	101.00	200	Vertical	N/A
4	7477.500	55.08	1.57	74.0	18.92	Peak	322.00	300	Vertical	Pass
4**	7477.500	45.52	1.57	54.0	8.48	AV	322.00	300	Vertical	Pass
5	11149.250	51.96	-0.95	74.0	22.04	Peak	326.00	400	Vertical	Pass
5**	11149.250	41.68	-0.95	54.0	12.32	AV	326.00	400	Vertical	Pass
6	16306.350	51.69	-0.39	88.2	36.51	Peak	148.00	200	Vertical	Pass
6**	16306.350	43.37	-0.39	68.2	24.83	AV	148.00	200	Vertical	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1339.100	41.52	-16.73	74.0	32.48	Peak	197.00	350	Horizontal	Pass
1**	1339.100	35.67	-16.73	54.0	18.33	AV	197.00	350	Horizontal	Pass
2	4758.500	51.25	-2.75	74.0	22.75	Peak	116.00	250	Horizontal	Pass
2**	4758.500	41.83	-2.75	54.0	12.17	AV	116.00	250	Horizontal	Pass
3	5983.750	90.64	-1.29	--	--	Peak	98.00	150	Horizontal	N/A
3**	5983.750	79.19	-1.29	--	--	AV	98.00	150	Horizontal	N/A
4	7834.750	55.59	3.46	88.2	32.61	Peak	183.00	100	Horizontal	Pass
4**	7834.750	47.37	3.46	68.2	20.83	AV	183.00	100	Horizontal	Pass
5	11081.088	51.43	-1.36	74.0	22.57	Peak	233.00	400	Horizontal	Pass
5**	11081.088	41.88	-1.36	54.0	12.12	AV	233.00	400	Horizontal	Pass
6	16346.776	51.38	0.75	88.2	36.82	Peak	309.00	300	Horizontal	Pass
6**	16346.776	42.32	0.75	68.2	25.88	AV	309.00	300	Horizontal	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.100	44.58	-16.67	74.0	29.42	Peak	230.00	400	Vertical	Pass
1**	1330.100	35.67	-16.67	54.0	18.33	AV	230.00	400	Vertical	Pass
2	4774.750	50.87	-2.53	74.0	23.13	Peak	101.00	400	Vertical	Pass
2**	4774.750	41.82	-2.53	54.0	12.18	AV	101.00	400	Vertical	Pass
3	5970.000	92.54	-1.26	--	--	Peak	334.00	200	Vertical	N/A
3**	5970.000	81.61	-1.26	--	--	AV	334.00	200	Vertical	N/A
4	7836.750	55.97	3.61	88.2	32.23	Peak	244.00	200	Vertical	Pass
4**	7836.750	46.64	3.61	68.2	21.56	AV	244.00	200	Vertical	Pass
5	11141.175	51.78	-0.96	74.0	22.22	Peak	299.00	300	Vertical	Pass
5**	11141.175	41.44	-0.96	54.0	12.56	AV	299.00	300	Vertical	Pass
6	16794.864	51.60	0.97	88.2	36.60	Peak	112.00	200	Vertical	Pass
6**	16794.864	41.76	0.97	68.2	26.44	AV	112.00	200	Vertical	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1994.100	41.46	-14.49	88.2	46.74	Peak	243.00	350	Horizontal	Pass
1**	1994.100	31.59	-14.49	68.2	36.61	AV	243.00	350	Horizontal	Pass
2	4769.750	51.42	-2.46	74.0	22.58	Peak	358.00	350	Horizontal	Pass
2**	4769.750	41.90	-2.46	54.0	12.10	AV	358.00	350	Horizontal	Pass
3	6165.500	91.39	-1.35	--	--	Peak	86.00	100	Horizontal	N/A
3**	6165.500	79.41	-1.35	--	--	AV	86.00	100	Horizontal	N/A
4	7930.250	55.22	2.54	88.2	32.98	Peak	349.00	150	Horizontal	Pass
4**	7930.250	46.02	2.54	68.2	22.18	AV	349.00	150	Horizontal	Pass
5	11180.599	51.33	-1.47	74.0	22.67	Peak	360.00	400	Horizontal	Pass
5**	11180.599	42.28	-1.47	54.0	11.72	AV	360.00	400	Horizontal	Pass
6	15752.475	51.24	0.31	74.0	22.76	Peak	13.00	100	Horizontal	Pass
6**	15752.475	42.58	0.31	54.0	11.42	AV	13.00	100	Horizontal	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1825.500	44.56	-16.21	88.2	43.64	Peak	203.00	100	Vertical	Pass
1**	1825.500	31.47	-16.21	68.2	36.73	AV	203.00	100	Vertical	Pass
2	4713.250	51.22	-2.83	74.0	22.78	Peak	336.00	350	Vertical	Pass
2**	4713.250	41.39	-2.83	54.0	12.61	AV	336.00	350	Vertical	Pass
3	6240.500	94.70	-1.40	--	--	Peak	108.00	150	Vertical	N/A
3**	6240.500	83.75	-1.40	--	--	AV	108.00	150	Vertical	N/A
4	7891.750	55.43	2.20	88.2	32.77	Peak	55.00	200	Vertical	Pass
4**	7891.750	45.42	2.20	68.2	22.78	AV	55.00	200	Vertical	Pass
5	12644.076	51.34	-0.86	74.0	22.66	Peak	212.00	150	Vertical	Pass
5**	12644.076	39.75	-0.86	54.0	14.25	AV	212.00	150	Vertical	Pass
6	16336.538	51.96	0.46	88.2	36.24	Peak	229.00	300	Vertical	Pass
6**	16336.538	42.19	0.46	68.2	26.01	AV	229.00	300	Vertical	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1991.700	42.13	-14.42	88.2	46.07	Peak	240.00	300	Horizontal	Pass
1**	1991.700	31.62	-14.42	68.2	36.58	AV	240.00	300	Horizontal	Pass
2	4721.250	51.00	-2.80	74.0	23.00	Peak	156.00	250	Horizontal	Pass
2**	4721.250	41.82	-2.80	54.0	12.18	AV	156.00	250	Horizontal	Pass
3	6323.250	91.40	-0.79	--	--	Peak	103.00	200	Horizontal	N/A
3**	6323.250	82.02	-0.79	--	--	AV	103.00	200	Horizontal	N/A
4	7924.750	55.26	2.18	88.2	32.94	Peak	42.00	150	Horizontal	Pass
4**	7924.750	45.85	2.18	68.2	22.35	AV	42.00	150	Horizontal	Pass
5	11185.588	51.39	-1.55	74.0	22.61	Peak	189.00	250	Horizontal	Pass
5**	11185.588	41.93	-1.55	54.0	12.07	AV	189.00	250	Horizontal	Pass
6	15761.662	51.28	0.05	74.0	22.72	Peak	109.00	300	Horizontal	Pass
6**	15761.662	42.24	0.05	54.0	11.76	AV	109.00	300	Horizontal	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1794.500	44.12	-16.22	88.2	44.08	Peak	191.00	250	Vertical	Pass
1**	1794.500	31.16	-16.22	68.2	37.04	AV	191.00	250	Vertical	Pass
2	4724.250	50.62	-2.94	74.0	23.38	Peak	103.00	300	Vertical	Pass
2**	4724.250	41.85	-2.94	54.0	12.15	AV	103.00	300	Vertical	Pass
3	6293.500	94.14	-1.10	--	--	Peak	48.00	150	Vertical	N/A
3**	6293.500	83.43	-1.10	--	--	AV	48.00	150	Vertical	N/A
4	7552.750	54.88	1.21	74.0	19.12	Peak	205.00	300	Vertical	Pass
4**	7552.750	44.72	1.21	54.0	9.28	AV	205.00	300	Vertical	Pass
5	11135.237	52.07	-0.97	74.0	21.93	Peak	136.00	300	Vertical	Pass
5**	11135.237	42.92	-0.97	54.0	11.08	AV	136.00	300	Vertical	Pass
6	15731.213	51.09	0.11	74.0	22.91	Peak	0.00	100	Vertical	Pass
6**	15731.213	42.00	0.11	54.0	12.00	AV	0.00	100	Vertical	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2042.400	41.31	-14.12	88.2	46.89	Peak	227.00	350	Horizontal	Pass
1**	2042.400	30.85	-14.12	68.2	37.35	AV	227.00	350	Horizontal	Pass
2	4788.500	51.72	-2.72	74.0	22.28	Peak	277.00	200	Horizontal	Pass
2**	4788.500	42.36	-2.72	54.0	11.64	AV	277.00	200	Horizontal	Pass
3	6430.000	98.27	-0.36	--	--	Peak	61.00	200	Horizontal	N/A
3**	6430.000	88.17	-0.36	--	--	AV	61.00	200	Horizontal	N/A
4	7924.750	55.28	2.18	88.2	32.92	Peak	0.00	300	Horizontal	Pass
4**	7924.750	46.29	2.18	68.2	21.91	AV	0.00	300	Horizontal	Pass
5	11136.425	52.51	-0.96	74.0	21.49	Peak	105.00	400	Horizontal	Pass
5**	11136.425	42.51	-0.96	54.0	11.49	AV	105.00	400	Horizontal	Pass
6	16335.225	52.46	0.43	88.2	35.74	Peak	118.00	100	Horizontal	Pass
6**	16335.225	43.08	0.43	68.2	25.12	AV	118.00	100	Horizontal	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1824.600	43.85	-16.13	88.2	44.35	Peak	205.00	100	Vertical	Pass
1**	1824.600	30.08	-16.13	68.2	38.12	AV	205.00	100	Vertical	Pass
2	4710.750	51.79	-2.67	74.0	22.21	Peak	297.00	350	Vertical	Pass
2**	4710.750	42.20	-2.67	54.0	11.80	AV	297.00	350	Vertical	Pass
3	6435.500	101.28	-0.73	--	--	Peak	279.00	100	Vertical	N/A
3**	6435.500	91.36	-0.73	--	--	AV	279.00	100	Vertical	N/A
4	7828.500	55.91	3.15	88.2	32.29	Peak	123.00	350	Vertical	Pass
4**	7828.500	46.76	3.15	68.2	21.44	AV	123.00	350	Vertical	Pass
5	11067.787	51.81	-1.61	74.0	22.19	Peak	164.00	300	Vertical	Pass
5**	11067.787	42.47	-1.61	54.0	11.53	AV	164.00	300	Vertical	Pass
6	16354.388	52.44	0.75	88.2	35.76	Peak	264.00	100	Vertical	Pass
6**	16354.388	42.13	0.75	68.2	26.07	AV	264.00	100	Vertical	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2093.500	40.83	-13.64	88.2	47.37	Peak	89.00	400	Horizontal	Pass
1**	2093.500	31.99	-13.64	68.2	36.21	AV	89.00	400	Horizontal	Pass
2	4801.750	51.40	-2.85	74.0	22.60	Peak	89.00	100	Horizontal	Pass
2**	4801.750	41.82	-2.85	54.0	12.18	AV	89.00	100	Horizontal	Pass
3	6480.250	96.19	-0.70	--	--	Peak	80.00	100	Horizontal	N/A
3**	6480.250	87.62	-0.70	--	--	AV	80.00	100	Horizontal	N/A
4	7837.000	56.81	3.63	88.2	31.39	Peak	322.00	150	Horizontal	Pass
4**	7837.000	47.29	3.63	68.2	20.91	AV	322.00	150	Horizontal	Pass
5	11135.237	51.40	-0.97	74.0	22.60	Peak	281.00	300	Horizontal	Pass
5**	11135.237	43.03	-0.97	54.0	10.97	AV	281.00	300	Horizontal	Pass
6	15754.313	52.58	0.26	74.0	21.42	Peak	360.00	250	Horizontal	Pass
6**	15754.313	43.20	0.26	54.0	10.80	AV	360.00	250	Horizontal	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1827.400	43.80	-16.12	88.2	44.40	Peak	355.00	350	Vertical	Pass
1**	1827.400	34.81	-16.12	68.2	33.39	AV	355.00	350	Vertical	Pass
2	4799.750	51.90	-2.86	74.0	22.10	Peak	123.00	300	Vertical	Pass
2**	4799.750	42.55	-2.86	54.0	11.45	AV	123.00	300	Vertical	Pass
3	6476.250	103.63	-0.85	--	--	Peak	286.00	100	Vertical	N/A
3**	6476.250	93.54	-0.85	--	--	AV	286.00	100	Vertical	N/A
4	7487.500	55.82	1.44	74.0	18.18	Peak	227.00	150	Vertical	Pass
4**	7487.500	45.85	1.44	54.0	8.15	AV	227.00	150	Vertical	Pass
5	11080.612	51.60	-1.37	74.0	22.40	Peak	43.00	150	Vertical	Pass
5**	11080.612	43.22	-1.37	54.0	10.78	AV	43.00	150	Vertical	Pass
6	16340.737	52.36	0.58	88.2	35.84	Peak	205.00	300	Vertical	Pass
6**	16340.737	43.80	0.58	68.2	24.40	AV	205.00	300	Vertical	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2067.900	41.31	-13.67	88.2	46.89	Peak	317.00	100	Horizontal	Pass
1**	2067.900	32.10	-13.67	68.2	36.10	AV	317.00	100	Horizontal	Pass
2	4893.000	51.77	-2.74	74.0	22.23	Peak	121.00	150	Horizontal	Pass
2**	4893.000	41.84	-2.74	54.0	12.16	AV	121.00	150	Horizontal	Pass
3	6508.500	95.16	-1.22	--	--	Peak	278.00	200	Horizontal	N/A
3**	6508.500	85.80	-1.22	--	--	AV	278.00	200	Horizontal	N/A
4	7533.250	55.43	2.26	74.0	18.57	Peak	252.00	100	Horizontal	Pass
4**	7533.250	46.75	2.26	54.0	7.25	AV	252.00	100	Horizontal	Pass
5	11134.050	51.91	-0.97	74.0	22.09	Peak	140.00	100	Horizontal	Pass
5**	11134.050	42.22	-0.97	54.0	11.78	AV	140.00	100	Horizontal	Pass
6	16349.138	52.43	0.82	88.2	35.77	Peak	240.00	200	Horizontal	Pass
6**	16349.138	43.33	0.82	68.2	24.87	AV	240.00	200	Horizontal	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1832.000	44.56	-16.06	88.2	43.64	Peak	214.00	300	Vertical	Pass
1**	1832.000	33.39	-16.06	68.2	34.81	AV	214.00	300	Vertical	Pass
2	2659.400	51.36	-10.29	88.2	36.84	Peak	0.00	250	Vertical	Pass
2**	2659.400	38.59	-10.29	68.2	29.61	AV	0.00	250	Vertical	Pass
3	6511.750	102.87	-1.30	--	--	Peak	114.00	100	Vertical	N/A
3**	6511.750	93.03	-1.30	--	--	AV	114.00	100	Vertical	N/A
4	7536.250	55.25	2.22	74.0	18.75	Peak	288.00	350	Vertical	Pass
4**	7536.250	45.27	2.22	54.0	8.73	AV	288.00	350	Vertical	Pass
5	11217.175	51.55	-2.25	74.0	22.45	Peak	117.00	250	Vertical	Pass
5**	11217.175	40.96	-2.25	54.0	13.04	AV	117.00	250	Vertical	Pass
6	15743.549	53.18	0.28	74.0	20.82	Peak	315.00	200	Vertical	Pass
6**	15743.549	43.28	0.28	54.0	10.72	AV	315.00	200	Vertical	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1994.600	42.26	-14.50	88.2	45.94	Peak	300.00	350	Horizontal	Pass
1**	1994.600	31.41	-14.50	68.2	36.79	AV	300.00	350	Horizontal	Pass
2	4812.500	51.45	-2.30	74.0	22.55	Peak	165.00	150	Horizontal	Pass
2**	4812.500	42.82	-2.30	54.0	11.18	AV	165.00	150	Horizontal	Pass
3	6452.000	92.12	-0.58	--	--	Peak	62.00	200	Horizontal	N/A
3**	6452.000	83.10	-0.58	--	--	AV	62.00	200	Horizontal	N/A
4	7905.250	55.49	2.35	88.2	32.71	Peak	295.00	150	Horizontal	Pass
4**	7905.250	46.09	2.35	68.2	22.11	AV	295.00	150	Horizontal	Pass
5	11066.599	51.74	-1.63	74.0	22.26	Peak	18.00	400	Horizontal	Pass
5**	11066.599	42.14	-1.63	54.0	11.86	AV	18.00	400	Horizontal	Pass
6	16700.100	52.12	0.87	88.2	36.08	Peak	155.00	150	Horizontal	Pass
6**	16700.100	42.69	0.87	68.2	25.51	AV	155.00	150	Horizontal	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1828.700	45.25	-16.09	88.2	42.95	Peak	191.00	200	Vertical	Pass
1**	1828.700	35.35	-16.09	68.2	32.85	AV	191.00	200	Vertical	Pass
2	4818.000	51.32	-1.73	74.0	22.68	Peak	80.00	300	Vertical	Pass
2**	4818.000	43.14	-1.73	54.0	10.86	AV	80.00	300	Vertical	Pass
3	6454.750	98.69	-0.59	--	--	Peak	279.00	200	Vertical	N/A
3**	6454.750	89.32	-0.59	--	--	AV	279.00	200	Vertical	N/A
4	7838.500	55.46	3.42	88.2	32.74	Peak	218.00	300	Vertical	Pass
4**	7838.500	47.30	3.42	68.2	20.90	AV	218.00	300	Vertical	Pass
5	11140.225	51.24	-0.96	74.0	22.76	Peak	140.00	350	Vertical	Pass
5**	11140.225	43.47	-0.96	54.0	10.53	AV	140.00	350	Vertical	Pass
6	16693.011	52.18	0.91	88.2	36.02	Peak	104.00	250	Vertical	Pass
6**	16693.011	42.90	0.91	68.2	25.30	AV	104.00	250	Vertical	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1993.800	41.29	-14.48	88.2	46.91	Peak	256.00	400	Horizontal	Pass
1**	1993.800	31.30	-14.48	68.2	36.90	AV	256.00	400	Horizontal	Pass
2	4817.000	51.08	-1.79	74.0	22.92	Peak	38.00	250	Horizontal	Pass
2**	4817.000	42.46	-1.79	54.0	11.54	AV	38.00	250	Horizontal	Pass
3	6488.500	93.60	-0.64	--	--	Peak	80.00	200	Horizontal	N/A
3**	6488.500	85.07	-0.64	--	--	AV	80.00	200	Horizontal	N/A
4	7922.250	55.16	2.14	88.2	33.04	Peak	4.00	350	Horizontal	Pass
4**	7922.250	46.24	2.14	68.2	21.96	AV	4.00	350	Horizontal	Pass
5	11170.388	52.21	-1.29	74.0	21.79	Peak	345.00	150	Horizontal	Pass
5**	11170.388	42.92	-1.29	54.0	11.08	AV	345.00	150	Horizontal	Pass
6	16542.338	52.90	0.08	88.2	35.30	Peak	266.00	100	Horizontal	Pass
6**	16542.338	42.14	0.08	68.2	26.06	AV	266.00	100	Horizontal	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1992.900	44.76	-14.46	88.2	43.44	Peak	198.00	250	Vertical	Pass
1**	1992.900	32.60	-14.46	68.2	35.60	AV	198.00	250	Vertical	Pass
2	4797.000	51.18	-2.95	74.0	22.82	Peak	174.00	350	Vertical	Pass
2**	4797.000	41.84	-2.95	54.0	12.16	AV	174.00	350	Vertical	Pass
3	6474.750	100.03	-0.87	--	--	Peak	288.00	200	Vertical	N/A
3**	6474.750	90.10	-0.87	--	--	AV	288.00	200	Vertical	N/A
4	7836.000	55.85	3.55	88.2	32.35	Peak	166.00	400	Vertical	Pass
4**	7836.000	47.84	3.55	68.2	20.36	AV	166.00	400	Vertical	Pass
5	11139.276	51.82	-0.96	74.0	22.18	Peak	288.00	300	Vertical	Pass
5**	11139.276	42.97	-0.96	54.0	11.03	AV	288.00	300	Vertical	Pass
6	16351.762	53.30	0.81	88.2	34.90	Peak	317.00	150	Vertical	Pass
6**	16351.762	42.80	0.81	68.2	25.40	AV	317.00	150	Vertical	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1996.900	41.61	-14.41	88.2	46.59	Peak	183.00	300	Horizontal	Pass
1**	1996.900	32.80	-14.41	68.2	35.40	AV	183.00	300	Horizontal	Pass
2	4819.250	51.81	-1.79	74.0	22.19	Peak	183.00	250	Horizontal	Pass
2**	4819.250	42.58	-1.79	54.0	11.42	AV	183.00	250	Horizontal	Pass
3	6507.250	93.16	-1.17	--	--	Peak	236.00	200	Horizontal	N/A
3**	6507.250	84.21	-1.17	--	--	AV	236.00	200	Horizontal	N/A
4	7903.250	55.88	2.36	88.2	32.32	Peak	217.00	250	Horizontal	Pass
4**	7903.250	46.88	2.36	68.2	21.32	AV	217.00	250	Horizontal	Pass
5	11383.900	51.14	-1.72	74.0	22.86	Peak	8.00	100	Horizontal	Pass
5**	11383.900	42.35	-1.72	54.0	11.65	AV	8.00	100	Horizontal	Pass
6	16945.275	53.12	0.14	88.2	35.08	Peak	152.00	150	Horizontal	Pass
6**	16945.275	41.61	0.14	68.2	26.59	AV	152.00	150	Horizontal	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1827.600	44.59	-16.11	88.2	43.61	Peak	57.00	200	Vertical	Pass
1**	1827.600	36.01	-16.11	68.2	32.19	AV	57.00	200	Vertical	Pass
2	4782.500	51.19	-2.64	74.0	22.81	Peak	279.00	200	Vertical	Pass
2**	4782.500	42.21	-2.64	54.0	11.79	AV	279.00	200	Vertical	Pass
3	6516.500	98.76	-1.20	--	--	Peak	313.00	200	Vertical	N/A
3**	6516.500	90.39	-1.20	--	--	AV	313.00	200	Vertical	N/A
4	7822.250	55.52	2.68	88.2	32.68	Peak	279.00	200	Vertical	Pass
4**	7822.250	46.29	2.68	68.2	21.91	AV	279.00	200	Vertical	Pass
5	11172.287	52.01	-1.33	74.0	21.99	Peak	213.00	150	Vertical	Pass
5**	11172.287	42.85	-1.33	54.0	11.15	AV	213.00	150	Vertical	Pass
6	15743.549	52.71	0.28	74.0	21.29	Peak	290.00	400	Vertical	Pass
6**	15743.549	43.61	0.28	54.0	10.39	AV	290.00	400	Vertical	Pass

11ax80(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2097.600	41.30	-13.45	88.2	46.90	Peak	140.00	100	Horizontal	Pass
1**	2097.600	32.49	-13.45	68.2	35.71	AV	140.00	100	Horizontal	Pass
2	4800.500	51.51	-2.83	74.0	22.49	Peak	160.00	250	Horizontal	Pass
2**	4800.500	42.24	-2.83	54.0	11.76	AV	160.00	250	Horizontal	Pass
3	6489.250	89.53	-0.62	--	--	Peak	82.00	100	Horizontal	N/A
3**	6489.250	81.39	-0.62	--	--	AV	82.00	100	Horizontal	N/A
4	7522.750	55.24	2.28	74.0	18.76	Peak	211.00	400	Horizontal	Pass
4**	7522.750	46.70	2.28	54.0	7.30	AV	211.00	400	Horizontal	Pass
5	11140.938	51.64	-0.96	74.0	22.36	Peak	227.00	150	Horizontal	Pass
5**	11140.938	42.68	-0.96	54.0	11.32	AV	227.00	150	Horizontal	Pass
6	16779.637	52.06	0.43	88.2	36.14	Peak	191.00	150	Horizontal	Pass
6**	16779.637	43.22	0.43	68.2	24.98	AV	191.00	150	Horizontal	Pass

11ax80(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1832.900	44.21	-16.03	88.2	43.99	Peak	205.00	150	Vertical	Pass
1**	1832.900	31.38	-16.03	68.2	36.82	AV	205.00	150	Vertical	Pass
2	4696.250	51.15	-2.78	74.0	22.85	Peak	305.00	100	Vertical	Pass
2**	4696.250	42.65	-2.78	54.0	11.35	AV	305.00	100	Vertical	Pass
3	6476.750	96.67	-0.84	--	--	Peak	314.00	200	Vertical	N/A
3**	6476.750	86.64	-0.84	--	--	AV	314.00	200	Vertical	N/A
4	7835.500	55.14	3.51	88.2	33.06	Peak	0.00	150	Vertical	Pass
4**	7835.500	46.32	3.51	68.2	21.88	AV	0.00	150	Vertical	Pass
5	11122.413	52.05	-0.98	74.0	21.95	Peak	263.00	150	Vertical	Pass
5**	11122.413	43.27	-0.98	54.0	10.73	AV	263.00	150	Vertical	Pass
6	15782.400	51.89	-0.51	74.0	22.11	Peak	279.00	100	Vertical	Pass
6**	15782.400	42.60	-0.51	54.0	11.40	AV	279.00	100	Vertical	Pass

11ax80(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2087.300	41.80	-14.00	88.2	46.40	Peak	74.00	200	Horizontal	Pass
1**	2087.300	32.16	-14.00	68.2	36.04	AV	74.00	200	Horizontal	Pass
2	4749.250	51.46	-2.66	74.0	22.54	Peak	63.00	300	Horizontal	Pass
2**	4749.250	42.72	-2.66	54.0	11.28	AV	63.00	300	Horizontal	Pass
3	6565.250	91.40	-0.66	--	--	Peak	286.00	100	Horizontal	N/A
3**	6565.250	81.83	-0.66	--	--	AV	286.00	100	Horizontal	N/A
4	7813.750	55.70	2.17	88.2	32.50	Peak	227.00	100	Horizontal	Pass
4**	7813.750	47.37	2.17	68.2	20.83	AV	227.00	100	Horizontal	Pass
5	11132.151	51.71	-0.97	74.0	22.29	Peak	280.00	100	Horizontal	Pass
5**	11132.151	42.96	-0.97	54.0	11.04	AV	280.00	100	Horizontal	Pass
6	15751.687	53.06	0.33	74.0	20.94	Peak	264.00	150	Horizontal	Pass
6**	15751.687	43.41	0.33	54.0	10.59	AV	264.00	150	Horizontal	Pass

11ax80(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.600	44.99	-16.67	74.0	29.01	Peak	139.00	350	Vertical	Pass
1**	1328.600	31.05	-16.67	54.0	22.95	AV	139.00	350	Vertical	Pass
2	4789.000	51.55	-2.78	74.0	22.45	Peak	199.00	300	Vertical	Pass
2**	4789.000	42.45	-2.78	54.0	11.55	AV	199.00	300	Vertical	Pass
3	6518.750	98.92	-1.06	--	--	Peak	320.00	100	Vertical	N/A
3**	6518.750	87.30	-1.06	--	--	AV	320.00	100	Vertical	N/A
4	7839.000	55.34	3.34	88.2	32.86	Peak	234.00	350	Vertical	Pass
4**	7839.000	46.84	3.34	68.2	21.36	AV	234.00	350	Vertical	Pass
5	11135.950	52.38	-0.97	74.0	21.62	Peak	152.00	400	Vertical	Pass
5**	11135.950	42.86	-0.97	54.0	11.14	AV	152.00	400	Vertical	Pass
6	16344.937	52.39	0.70	88.2	35.81	Peak	39.00	300	Vertical	Pass
6**	16344.937	44.21	0.70	68.2	23.99	AV	39.00	300	Vertical	Pass

11ax160(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1990.200	41.01	-14.48	88.2	47.19	Peak	253.00	350	Horizontal	Pass
1**	1990.200	31.05	-14.48	68.2	37.15	AV	253.00	350	Horizontal	Pass
2	4751.250	51.64	-2.72	74.0	22.36	Peak	140.00	350	Horizontal	Pass
2**	4751.250	41.95	-2.72	54.0	12.05	AV	140.00	350	Horizontal	Pass
3	6495.000	89.51	-0.57	--	--	Peak	269.00	200	Horizontal	N/A
3**	6495.000	81.14	-0.57	--	--	AV	269.00	200	Horizontal	N/A
4	7847.750	55.23	2.43	88.2	32.97	Peak	360.00	100	Horizontal	Pass
4**	7847.750	46.25	2.43	68.2	21.95	AV	360.00	100	Horizontal	Pass
5	11158.513	51.88	-1.09	74.0	22.12	Peak	19.00	400	Horizontal	Pass
5**	11158.513	42.52	-1.09	54.0	11.48	AV	19.00	400	Horizontal	Pass
6	16343.888	53.15	0.67	88.2	35.05	Peak	140.00	200	Horizontal	Pass
6**	16343.888	44.38	0.67	68.2	23.82	AV	140.00	200	Horizontal	Pass

11ax160(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1796.200	47.86	-16.17	88.2	40.34	Peak	28.00	350	Vertical	Pass
1**	1796.200	37.38	-16.17	68.2	30.82	AV	28.00	350	Vertical	Pass
2	4763.750	52.02	-2.62	74.0	21.98	Peak	172.00	100	Vertical	Pass
2**	4763.750	42.28	-2.62	54.0	11.72	AV	172.00	100	Vertical	Pass
3	6491.000	94.84	-0.57	--	--	Peak	278.00	200	Vertical	N/A
3**	6491.000	86.54	-0.57	--	--	AV	278.00	200	Vertical	N/A
4	7852.500	55.31	2.22	88.2	32.89	Peak	113.00	400	Vertical	Pass
4**	7852.500	45.84	2.22	68.2	22.36	AV	113.00	400	Vertical	Pass
5	11196.037	51.89	-1.73	74.0	22.11	Peak	250.00	350	Vertical	Pass
5**	11196.037	42.27	-1.73	54.0	11.73	AV	250.00	350	Vertical	Pass
6	16337.849	52.75	0.50	88.2	35.45	Peak	228.00	250	Vertical	Pass
6**	16337.849	43.63	0.50	68.2	24.57	AV	228.00	250	Vertical	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2091.400	40.81	-13.68	88.2	47.39	Peak	9.00	150	Horizontal	Pass
1**	2091.400	32.12	-13.68	68.2	36.08	AV	9.00	150	Horizontal	Pass
2	4726.000	52.80	-2.95	74.0	21.20	Peak	217.00	150	Horizontal	Pass
2**	4726.000	41.90	-2.95	54.0	12.10	AV	217.00	150	Horizontal	Pass
3	6532.500	97.26	-0.94	--	--	Peak	270.00	150	Horizontal	N/A
3**	6532.500	88.04	-0.94	--	--	AV	270.00	150	Horizontal	N/A
4	7833.000	57.15	3.39	88.2	31.05	Peak	348.00	250	Horizontal	Pass
4**	7833.000	46.34	3.39	68.2	21.86	AV	348.00	250	Horizontal	Pass
5	11173.000	51.39	-1.34	74.0	22.61	Peak	308.00	400	Horizontal	Pass
5**	11173.000	42.34	-1.34	54.0	11.66	AV	308.00	400	Horizontal	Pass
6	16341.787	52.09	0.61	88.2	36.11	Peak	228.00	150	Horizontal	Pass
6**	16341.787	43.75	0.61	68.2	24.45	AV	228.00	150	Horizontal	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1794.400	47.41	-16.22	88.2	40.79	Peak	34.00	200	Vertical	Pass
1**	1794.400	30.32	-16.22	68.2	37.88	AV	34.00	200	Vertical	Pass
2	4808.750	52.00	-2.65	74.0	22.00	Peak	234.00	200	Vertical	Pass
2**	4808.750	42.41	-2.65	54.0	11.59	AV	234.00	200	Vertical	Pass
3	6531.250	102.99	-0.81	--	--	Peak	278.00	150	Vertical	N/A
3**	6531.250	93.62	-0.81	--	--	AV	278.00	150	Vertical	N/A
4	7877.250	55.78	2.68	88.2	32.42	Peak	356.00	150	Vertical	Pass
4**	7877.250	46.25	2.68	68.2	21.95	AV	356.00	150	Vertical	Pass
5	11128.112	51.74	-0.97	74.0	22.26	Peak	130.00	300	Vertical	Pass
5**	11128.112	42.98	-0.97	54.0	11.02	AV	130.00	300	Vertical	Pass
6	16322.888	52.99	0.08	88.2	35.21	Peak	42.00	100	Vertical	Pass
6**	16322.888	44.00	0.08	68.2	24.20	AV	42.00	100	Vertical	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2088.400	40.95	-13.90	88.2	47.25	Peak	316.00	400	Horizontal	Pass
1**	2088.400	32.01	-13.90	68.2	36.19	AV	316.00	400	Horizontal	Pass
2	4826.250	51.99	-1.81	74.0	22.01	Peak	62.00	350	Horizontal	Pass
2**	4826.250	42.43	-1.81	54.0	11.57	AV	62.00	350	Horizontal	Pass
3	6716.250	96.82	-0.55	--	--	Peak	87.00	100	Horizontal	N/A
3**	6716.250	88.57	-0.55	--	--	AV	87.00	100	Horizontal	N/A
4	7494.250	55.79	1.26	74.0	18.21	Peak	337.00	400	Horizontal	Pass
4**	7494.250	46.10	1.26	54.0	7.90	AV	337.00	400	Horizontal	Pass
5	11136.663	51.74	-0.96	74.0	22.26	Peak	318.00	300	Horizontal	Pass
5**	11136.663	42.78	-0.96	54.0	11.22	AV	318.00	300	Horizontal	Pass
6	15762.450	52.51	0.03	74.0	21.49	Peak	91.00	100	Horizontal	Pass
6**	15762.450	43.44	0.03	54.0	10.56	AV	91.00	100	Horizontal	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1992.500	44.75	-14.45	88.2	43.45	Peak	164.00	250	Vertical	Pass
1**	1992.500	33.63	-14.45	68.2	34.57	AV	164.00	250	Vertical	Pass
2	4795.250	51.33	-2.97	74.0	22.67	Peak	21.00	150	Vertical	Pass
2**	4795.250	41.95	-2.97	54.0	12.05	AV	21.00	150	Vertical	Pass
3	6712.000	102.46	-0.48	--	--	Peak	132.00	150	Vertical	N/A
3**	6712.000	92.90	-0.48	--	--	AV	132.00	150	Vertical	N/A
4	7927.500	55.53	2.33	88.2	32.67	Peak	322.00	250	Vertical	Pass
4**	7927.500	46.94	2.33	68.2	21.26	AV	322.00	250	Vertical	Pass
5	11138.326	52.16	-0.96	74.0	21.84	Peak	19.00	250	Vertical	Pass
5**	11138.326	43.38	-0.96	54.0	10.62	AV	19.00	250	Vertical	Pass
6	16812.975	53.01	1.06	88.2	35.19	Peak	9.00	350	Vertical	Pass
6**	16812.975	42.91	1.06	68.2	25.29	AV	9.00	350	Vertical	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1992.400	41.84	-14.44	88.2	46.36	Peak	258.00	300	Horizontal	Pass
1**	1992.400	31.59	-14.44	68.2	36.61	AV	258.00	300	Horizontal	Pass
2	4756.750	52.61	-2.78	74.0	21.39	Peak	245.00	400	Horizontal	Pass
2**	4756.750	42.06	-2.78	54.0	11.94	AV	245.00	400	Horizontal	Pass
3	6847.750	100.01	-0.28	--	--	Peak	91.00	200	Horizontal	N/A
3**	6847.750	88.08	-0.28	--	--	AV	91.00	200	Horizontal	N/A
4	7915.250	55.78	1.93	88.2	32.42	Peak	349.00	400	Horizontal	Pass
4**	7915.250	46.37	1.93	68.2	21.83	AV	349.00	400	Horizontal	Pass
5	11112.912	51.56	-0.99	74.0	22.44	Peak	189.00	150	Horizontal	Pass
5**	11112.912	42.34	-0.99	54.0	11.66	AV	189.00	150	Horizontal	Pass
6	15726.750	52.65	0.05	74.0	21.35	Peak	128.00	350	Horizontal	Pass
6**	15726.750	42.76	0.05	54.0	11.24	AV	128.00	350	Horizontal	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1796.000	46.00	-16.16	88.2	42.20	Peak	43.00	300	Vertical	Pass
1**	1796.000	29.63	-16.16	68.2	38.57	AV	43.00	300	Vertical	Pass
2	4777.500	51.33	-2.54	74.0	22.67	Peak	278.00	400	Vertical	Pass
2**	4777.500	42.58	-2.54	54.0	11.42	AV	278.00	400	Vertical	Pass
3	6862.750	102.60	-0.27	--	--	Peak	320.00	200	Vertical	N/A
3**	6862.750	92.85	-0.27	--	--	AV	320.00	200	Vertical	N/A
4	7838.500	55.91	3.42	88.2	32.29	Peak	191.00	150	Vertical	Pass
4**	7838.500	46.50	3.42	68.2	21.70	AV	191.00	150	Vertical	Pass
5	11129.062	51.90	-0.97	74.0	22.10	Peak	360.00	350	Vertical	Pass
5**	11129.062	42.48	-0.97	54.0	11.52	AV	360.00	350	Vertical	Pass
6	16334.175	52.48	0.40	88.2	35.72	Peak	242.00	400	Vertical	Pass
6**	16334.175	44.23	0.40	68.2	23.97	AV	242.00	400	Vertical	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1994.800	40.95	-14.51	88.2	47.25	Peak	264.00	250	Horizontal	Pass
1**	1994.800	32.10	-14.51	68.2	36.10	AV	264.00	250	Horizontal	Pass
2	4713.750	51.54	-2.85	74.0	22.46	Peak	235.00	250	Horizontal	Pass
2**	4713.750	41.89	-2.85	54.0	12.11	AV	235.00	250	Horizontal	Pass
3	6579.000	94.86	-0.37	--	--	Peak	339.00	200	Horizontal	N/A
3**	6579.000	84.18	-0.37	--	--	AV	339.00	200	Horizontal	N/A
4	7833.000	55.88	3.39	88.2	32.32	Peak	19.00	200	Horizontal	Pass
4**	7833.000	46.59	3.39	68.2	21.61	AV	19.00	200	Horizontal	Pass
5	11133.575	52.16	-0.97	74.0	21.84	Peak	348.00	400	Horizontal	Pass
5**	11133.575	42.40	-0.97	54.0	11.60	AV	348.00	400	Horizontal	Pass
6	16339.687	53.11	0.55	88.2	35.09	Peak	151.00	300	Horizontal	Pass
6**	16339.687	43.80	0.55	68.2	24.40	AV	151.00	300	Horizontal	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1827.200	46.50	-16.13	88.2	41.70	Peak	203.00	350	Vertical	Pass
1**	1827.200	34.86	-16.13	68.2	33.34	AV	203.00	350	Vertical	Pass
2	4769.000	51.58	-2.39	74.0	22.42	Peak	348.00	150	Vertical	Pass
2**	4769.000	42.45	-2.39	54.0	11.55	AV	348.00	150	Vertical	Pass
3	6574.500	100.35	-0.59	--	--	Peak	128.00	200	Vertical	N/A
3**	6574.500	92.06	-0.59	--	--	AV	128.00	200	Vertical	N/A
4	7915.000	55.59	1.92	88.2	32.61	Peak	286.00	100	Vertical	Pass
4**	7915.000	45.96	1.92	68.2	22.24	AV	286.00	100	Vertical	Pass
5	11061.375	51.46	-1.73	74.0	22.54	Peak	67.00	150	Vertical	Pass
5**	11061.375	42.12	-1.73	54.0	11.88	AV	67.00	150	Vertical	Pass
6	16807.725	52.23	1.10	88.2	35.97	Peak	240.00	250	Vertical	Pass
6**	16807.725	42.61	1.10	68.2	25.59	AV	240.00	250	Vertical	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2086.100	41.43	-14.06	88.2	46.77	Peak	354.00	250	Horizontal	Pass
1**	2086.100	31.84	-14.06	68.2	36.36	AV	354.00	250	Horizontal	Pass
2	4767.250	52.07	-2.45	74.0	21.93	Peak	218.00	150	Horizontal	Pass
2**	4767.250	42.64	-2.45	54.0	11.36	AV	218.00	150	Horizontal	Pass
3	6719.750	96.13	-0.49	--	--	Peak	98.00	150	Horizontal	N/A
3**	6719.750	87.01	-0.49	--	--	AV	98.00	150	Horizontal	N/A
4	7835.500	55.47	3.51	88.2	32.73	Peak	132.00	200	Horizontal	Pass
4**	7835.500	46.59	3.51	68.2	21.61	AV	132.00	200	Horizontal	Pass
5	11131.912	51.80	-0.97	74.0	22.20	Peak	259.00	100	Horizontal	Pass
5**	11131.912	42.78	-0.97	54.0	11.22	AV	259.00	100	Horizontal	Pass
6	16314.750	52.49	-0.16	88.2	35.71	Peak	229.00	400	Horizontal	Pass
6**	16314.750	42.50	-0.16	68.2	25.70	AV	229.00	400	Horizontal	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1792.700	45.31	-16.27	88.2	42.89	Peak	44.00	350	Vertical	Pass
1**	1792.700	29.35	-16.27	68.2	38.85	AV	44.00	350	Vertical	Pass
2	4820.000	51.23	-1.82	74.0	22.77	Peak	140.00	100	Vertical	Pass
2**	4820.000	43.04	-1.82	54.0	10.96	AV	140.00	100	Vertical	Pass
3	6732.750	100.88	-0.91	--	--	Peak	322.00	150	Vertical	N/A
3**	6732.750	91.61	-0.91	--	--	AV	322.00	150	Vertical	N/A
4	7924.750	55.51	2.18	88.2	32.69	Peak	356.00	150	Vertical	Pass
4**	7924.750	46.11	2.18	68.2	22.09	AV	356.00	150	Vertical	Pass
5	11071.112	51.20	-1.55	74.0	22.80	Peak	251.00	400	Vertical	Pass
5**	11071.112	42.02	-1.55	54.0	11.98	AV	251.00	400	Vertical	Pass
6	16311.862	52.54	-0.24	88.2	35.66	Peak	303.00	200	Vertical	Pass
6**	16311.862	43.00	-0.24	68.2	25.20	AV	303.00	200	Vertical	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2024.900	41.65	-14.42	88.2	46.55	Peak	360.00	100	Horizontal	Pass
1**	2024.900	31.66	-14.42	68.2	36.54	AV	360.00	100	Horizontal	Pass
2	4813.250	51.65	-2.19	74.0	22.35	Peak	19.00	350	Horizontal	Pass
2**	4813.250	43.05	-2.19	54.0	10.95	AV	19.00	350	Horizontal	Pass
3	6837.250	94.91	0.03	--	--	Peak	79.00	150	Horizontal	N/A
3**	6837.250	85.29	0.03	--	--	AV	79.00	150	Horizontal	N/A
4	7910.000	55.65	1.92	88.2	32.55	Peak	70.00	300	Horizontal	Pass
4**	7910.000	45.53	1.92	68.2	22.67	AV	70.00	300	Horizontal	Pass
5	11188.675	51.69	-1.60	74.0	22.31	Peak	276.00	400	Horizontal	Pass
5**	11188.675	42.27	-1.60	54.0	11.73	AV	276.00	400	Horizontal	Pass
6	16323.151	52.26	0.08	88.2	35.94	Peak	352.00	300	Horizontal	Pass
6**	16323.151	42.35	0.08	68.2	25.85	AV	352.00	300	Horizontal	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1994.700	44.89	-14.51	88.2	43.31	Peak	38.00	300	Vertical	Pass
1**	1994.700	32.36	-14.51	68.2	35.84	AV	38.00	300	Vertical	Pass
2	4812.000	51.17	-2.38	74.0	22.83	Peak	19.00	250	Vertical	Pass
2**	4812.000	42.70	-2.38	54.0	11.30	AV	19.00	250	Vertical	Pass
3	6840.000	99.84	-0.06	--	--	Peak	115.00	150	Vertical	N/A
3**	6840.000	91.52	-0.06	--	--	AV	115.00	150	Vertical	N/A
4	7915.250	55.58	1.93	88.2	32.62	Peak	159.00	200	Vertical	Pass
4**	7915.250	46.71	1.93	68.2	21.49	AV	159.00	200	Vertical	Pass
5	11155.900	51.59	-1.05	74.0	22.41	Peak	274.00	200	Vertical	Pass
5**	11155.900	41.74	-1.05	54.0	12.26	AV	274.00	200	Vertical	Pass
6	16791.450	52.67	0.85	88.2	35.53	Peak	327.00	150	Vertical	Pass
6**	16791.450	42.76	0.85	68.2	25.44	AV	327.00	150	Vertical	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2102.500	42.14	-13.57	88.2	46.06	Peak	145.00	150	Horizontal	Pass
1**	2102.500	32.03	-13.57	68.2	36.17	AV	145.00	150	Horizontal	Pass
2	4734.000	51.72	-3.02	74.0	22.28	Peak	62.00	150	Horizontal	Pass
2**	4734.000	42.29	-3.02	54.0	11.71	AV	62.00	150	Horizontal	Pass
3	6631.250	91.10	-0.92	--	--	Peak	105.00	200	Horizontal	N/A
3**	6631.250	82.01	-0.92	--	--	AV	105.00	200	Horizontal	N/A
4	7820.250	55.32	3.01	88.2	32.88	Peak	166.00	350	Horizontal	Pass
4**	7820.250	46.30	3.01	68.2	21.90	AV	166.00	350	Horizontal	Pass
5	11191.525	51.47	-1.65	74.0	22.53	Peak	237.00	200	Horizontal	Pass
5**	11191.525	42.25	-1.65	54.0	11.75	AV	237.00	200	Horizontal	Pass
6	15738.299	52.43	0.21	74.0	21.57	Peak	18.00	150	Horizontal	Pass
6**	15738.299	43.02	0.21	54.0	10.98	AV	18.00	150	Horizontal	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1798.400	45.35	-16.17	88.2	42.85	Peak	33.00	150	Vertical	Pass
1**	1798.400	34.52	-16.17	68.2	33.68	AV	33.00	150	Vertical	Pass
2	4765.750	51.95	-2.54	74.0	22.05	Peak	320.00	300	Vertical	Pass
2**	4765.750	42.44	-2.54	54.0	11.56	AV	320.00	300	Vertical	Pass
3	6637.500	98.05	-1.22	--	--	Peak	295.00	100	Vertical	N/A
3**	6637.500	88.18	-1.22	--	--	AV	295.00	100	Vertical	N/A
4	7930.000	55.41	2.52	88.2	32.79	Peak	360.00	150	Vertical	Pass
4**	7930.000	46.34	2.52	68.2	21.86	AV	360.00	150	Vertical	Pass
5	11061.137	51.73	-1.73	74.0	22.27	Peak	322.00	300	Vertical	Pass
5**	11061.137	42.23	-1.73	54.0	11.77	AV	322.00	300	Vertical	Pass
6	16349.924	52.35	0.84	88.2	35.85	Peak	74.00	300	Vertical	Pass
6**	16349.924	43.04	0.84	68.2	25.16	AV	74.00	300	Vertical	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1990.700	42.12	-14.45	88.2	46.08	Peak	254.00	400	Horizontal	Pass
1**	1990.700	31.05	-14.45	68.2	37.15	AV	254.00	400	Horizontal	Pass
2	4708.000	51.93	-2.74	74.0	22.07	Peak	46.00	200	Horizontal	Pass
2**	4708.000	42.60	-2.74	54.0	11.40	AV	46.00	200	Horizontal	Pass
3	6703.250	91.68	-0.54	--	--	Peak	97.00	200	Horizontal	N/A
3**	6703.250	81.96	-0.54	--	--	AV	97.00	200	Horizontal	N/A
4	7837.000	56.03	3.63	88.2	32.17	Peak	80.00	300	Horizontal	Pass
4**	7837.000	46.88	3.63	68.2	21.32	AV	80.00	300	Horizontal	Pass
5	11176.325	51.89	-1.40	74.0	22.11	Peak	237.00	300	Horizontal	Pass
5**	11176.325	41.90	-1.40	54.0	12.10	AV	237.00	300	Horizontal	Pass
6	16307.401	52.79	-0.36	88.2	35.41	Peak	239.00	150	Horizontal	Pass
6**	16307.401	42.74	-0.36	68.2	25.46	AV	239.00	150	Horizontal	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.000	44.63	-16.67	74.0	29.37	Peak	141.00	400	Vertical	Pass
1**	1329.000	31.64	-16.67	54.0	22.36	AV	141.00	400	Vertical	Pass
2	4721.000	51.26	-2.80	74.0	22.74	Peak	157.00	300	Vertical	Pass
2**	4721.000	42.44	-2.80	54.0	11.56	AV	157.00	300	Vertical	Pass
3	6668.750	97.31	-0.83	--	--	Peak	314.00	200	Vertical	N/A
3**	6668.750	87.83	-0.83	--	--	AV	314.00	200	Vertical	N/A
4	7827.500	55.77	3.05	88.2	32.43	Peak	236.00	350	Vertical	Pass
4**	7827.500	47.23	3.05	68.2	20.97	AV	236.00	350	Vertical	Pass
5	11132.862	52.07	-0.97	74.0	21.93	Peak	140.00	350	Vertical	Pass
5**	11132.862	43.07	-0.97	54.0	10.93	AV	140.00	350	Vertical	Pass
6	17018.250	52.84	0.02	88.2	35.36	Peak	0.00	350	Vertical	Pass
6**	17018.250	43.19	0.02	68.2	25.01	AV	0.00	350	Vertical	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1990.700	40.92	-14.45	88.2	47.28	Peak	108.00	300	Horizontal	Pass
1**	1990.700	31.70	-14.45	68.2	36.50	AV	108.00	300	Horizontal	Pass
2	4805.750	51.49	-2.68	74.0	22.51	Peak	62.00	150	Horizontal	Pass
2**	4805.750	42.29	-2.68	54.0	11.71	AV	62.00	150	Horizontal	Pass
3	6798.750	92.71	-0.51	--	--	Peak	106.00	200	Horizontal	N/A
3**	6798.750	84.56	-0.51	--	--	AV	106.00	200	Horizontal	N/A
4	7831.250	55.54	3.23	88.2	32.66	Peak	28.00	150	Horizontal	Pass
4**	7831.250	46.97	3.23	68.2	21.23	AV	28.00	150	Horizontal	Pass
5	11114.812	52.00	-0.99	74.0	22.00	Peak	128.00	150	Horizontal	Pass
5**	11114.812	41.96	-0.99	54.0	12.04	AV	128.00	150	Horizontal	Pass
6	16327.875	53.05	0.22	88.2	35.15	Peak	53.00	150	Horizontal	Pass
6**	16327.875	43.95	0.22	68.2	24.25	AV	53.00	150	Horizontal	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1828.500	46.44	-16.10	88.2	41.76	Peak	200.00	100	Vertical	Pass
1**	1828.500	31.36	-16.10	68.2	36.84	AV	200.00	100	Vertical	Pass
2	4710.750	52.46	-2.67	74.0	21.54	Peak	322.00	150	Vertical	Pass
2**	4710.750	42.58	-2.67	54.0	11.42	AV	322.00	150	Vertical	Pass
3	6798.000	101.06	-0.53	--	--	Peak	130.00	100	Vertical	N/A
3**	6798.000	90.94	-0.53	--	--	AV	130.00	100	Vertical	N/A
4	7473.250	56.54	1.86	74.0	17.46	Peak	0.00	400	Vertical	Pass
4**	7473.250	46.60	1.86	54.0	7.40	AV	0.00	400	Vertical	Pass
5	11162.787	51.46	-1.17	74.0	22.54	Peak	57.00	200	Vertical	Pass
5**	11162.787	42.14	-1.17	54.0	11.86	AV	57.00	200	Vertical	Pass
6	16309.238	52.73	-0.31	88.2	35.47	Peak	116.00	150	Vertical	Pass
6**	16309.238	43.26	-0.31	68.2	24.94	AV	116.00	150	Vertical	Pass

11ax160(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2097.800	41.81	-13.45	88.2	46.39	Peak	108.00	400	Horizontal	Pass
1**	2097.800	32.43	-13.45	68.2	35.77	AV	108.00	400	Horizontal	Pass
2	4702.750	51.72	-2.68	74.0	22.28	Peak	200.00	400	Horizontal	Pass
2**	4702.750	42.60	-2.68	54.0	11.40	AV	200.00	400	Horizontal	Pass
3	6660.750	89.07	-0.88	--	--	Peak	103.00	100	Horizontal	N/A
3**	6660.750	78.72	-0.88	--	--	AV	103.00	100	Horizontal	N/A
4	7848.750	55.51	2.47	88.2	32.69	Peak	261.00	350	Horizontal	Pass
4**	7848.750	46.09	2.47	68.2	22.11	AV	261.00	350	Horizontal	Pass
5	11116.951	51.82	-0.99	74.0	22.18	Peak	274.00	200	Horizontal	Pass
5**	11116.951	42.68	-0.99	54.0	11.32	AV	274.00	200	Horizontal	Pass
6	16341.262	52.56	0.60	88.2	35.64	Peak	91.00	300	Horizontal	Pass
6**	16341.262	43.70	0.60	68.2	24.50	AV	91.00	300	Horizontal	Pass

11ax160(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.500	44.53	-16.69	74.0	29.47	Peak	138.00	150	Vertical	Pass
1**	1331.500	33.90	-16.69	54.0	20.10	AV	138.00	150	Vertical	Pass
2	4819.250	51.25	-1.79	74.0	22.75	Peak	360.00	300	Vertical	Pass
2**	4819.250	43.02	-1.79	54.0	10.98	AV	360.00	300	Vertical	Pass
3	6677.000	95.65	-0.69	--	--	Peak	314.00	150	Vertical	N/A
3**	6677.000	84.15	-0.69	--	--	AV	314.00	150	Vertical	N/A
4	7492.500	55.94	1.26	74.0	18.06	Peak	261.00	150	Vertical	Pass
4**	7492.500	45.43	1.26	54.0	8.57	AV	261.00	150	Vertical	Pass
5	11123.125	52.90	-0.98	74.0	21.10	Peak	211.00	200	Vertical	Pass
5**	11123.125	42.45	-0.98	54.0	11.55	AV	211.00	200	Vertical	Pass
6	15747.225	52.60	0.34	74.0	21.40	Peak	327.00	150	Vertical	Pass
6**	15747.225	43.15	0.34	54.0	10.85	AV	327.00	150	Vertical	Pass

11ax160(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2096.400	41.80	-13.52	88.2	46.40	Peak	0.00	250	Horizontal	Pass
1**	2096.400	32.24	-13.52	68.2	35.96	AV	0.00	250	Horizontal	Pass
2	4716.000	51.24	-2.86	74.0	22.76	Peak	252.00	150	Horizontal	Pass
2**	4716.000	42.29	-2.86	54.0	11.71	AV	252.00	150	Horizontal	Pass
3	6809.500	91.71	-0.15	--	--	Peak	113.00	100	Horizontal	N/A
3**	6809.500	81.36	-0.15	--	--	AV	113.00	100	Horizontal	N/A
4	7833.750	55.69	3.42	88.2	32.51	Peak	121.00	200	Horizontal	Pass
4**	7833.750	46.74	3.42	68.2	21.46	AV	121.00	200	Horizontal	Pass
5	11395.537	51.76	-1.67	74.0	22.24	Peak	213.00	200	Horizontal	Pass
5**	11395.537	42.01	-1.67	54.0	11.99	AV	213.00	200	Horizontal	Pass
6	16490.625	52.66	0.38	88.2	35.54	Peak	154.00	100	Horizontal	Pass
6**	16490.625	42.71	0.38	68.2	25.49	AV	154.00	100	Horizontal	Pass

11ax160(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1825.600	44.07	-16.21	88.2	44.13	Peak	196.00	150	Vertical	Pass
1**	1825.600	33.21	-16.21	68.2	34.99	AV	196.00	150	Vertical	Pass
2	4798.750	51.29	-2.91	74.0	22.71	Peak	96.00	150	Vertical	Pass
2**	4798.750	42.33	-2.91	54.0	11.67	AV	96.00	150	Vertical	Pass
3	6806.500	98.66	-0.21	--	--	Peak	322.00	150	Vertical	N/A
3**	6806.500	87.90	-0.21	--	--	AV	322.00	150	Vertical	N/A
4	7561.750	55.38	1.23	74.0	18.62	Peak	79.00	400	Vertical	Pass
4**	7561.750	45.17	1.23	54.0	8.83	AV	79.00	400	Vertical	Pass
5	11140.938	51.51	-0.96	74.0	22.49	Peak	223.00	100	Vertical	Pass
5**	11140.938	43.77	-0.96	54.0	10.23	AV	223.00	100	Vertical	Pass
6	15733.049	52.64	0.14	74.0	21.36	Peak	143.00	100	Vertical	Pass
6**	15733.049	42.86	0.14	54.0	11.14	AV	143.00	100	Vertical	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1832.600	42.11	-16.04	88.2	46.09	Peak	302.00	150	Horizontal	Pass
1**	1832.600	32.53	-16.04	68.2	35.67	AV	302.00	150	Horizontal	Pass
2	4814.250	51.65	-2.17	74.0	22.35	Peak	269.00	400	Horizontal	Pass
2**	4814.250	42.36	-2.17	54.0	11.64	AV	269.00	400	Horizontal	Pass
3	6870.000	97.14	-0.34	--	--	Peak	113.00	200	Horizontal	N/A
3**	6870.000	88.62	-0.34	--	--	AV	113.00	200	Horizontal	N/A
4	7834.000	55.85	3.43	88.2	32.35	Peak	252.00	350	Horizontal	Pass
4**	7834.000	46.69	3.43	68.2	21.51	AV	252.00	350	Horizontal	Pass
5	11178.937	51.76	-1.44	74.0	22.24	Peak	128.00	200	Horizontal	Pass
5**	11178.937	42.66	-1.44	54.0	11.34	AV	128.00	200	Horizontal	Pass
6	16694.324	52.39	0.90	88.2	35.81	Peak	0.00	250	Horizontal	Pass
6**	16694.324	43.55	0.90	68.2	24.65	AV	0.00	250	Horizontal	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1831.800	46.17	-16.07	88.2	42.03	Peak	195.00	100	Vertical	Pass
1**	1831.800	32.21	-16.07	68.2	35.99	AV	195.00	100	Vertical	Pass
2	4768.500	51.58	-2.36	74.0	22.42	Peak	140.00	300	Vertical	Pass
2**	4768.500	42.78	-2.36	54.0	11.22	AV	140.00	300	Vertical	Pass
3	6876.000	102.30	-0.36	--	--	Peak	320.00	100	Vertical	N/A
3**	6876.000	93.39	-0.36	--	--	AV	320.00	100	Vertical	N/A
4	7835.500	55.77	3.51	88.2	32.43	Peak	235.00	350	Vertical	Pass
4**	7835.500	46.99	3.51	68.2	21.21	AV	235.00	350	Vertical	Pass
5	11133.100	51.75	-0.97	74.0	22.25	Peak	154.00	250	Vertical	Pass
5**	11133.100	42.60	-0.97	54.0	11.40	AV	154.00	250	Vertical	Pass
6	16818.488	52.57	1.02	88.2	35.63	Peak	339.00	150	Vertical	Pass
6**	16818.488	42.22	1.02	68.2	25.98	AV	339.00	150	Vertical	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2086.700	41.32	-14.05	88.2	46.88	Peak	71.00	200	Horizontal	Pass
1**	2086.700	32.19	-14.05	68.2	36.01	AV	71.00	200	Horizontal	Pass
2	4837.000	51.88	-2.03	74.0	22.12	Peak	208.00	400	Horizontal	Pass
2**	4837.000	41.74	-2.03	54.0	12.26	AV	208.00	400	Horizontal	Pass
3	6988.500	96.21	0.10	--	--	Peak	121.00	100	Horizontal	N/A
3**	6988.500	84.76	0.10	--	--	AV	121.00	100	Horizontal	N/A
4	7831.750	55.65	3.28	88.2	32.55	Peak	174.00	300	Horizontal	Pass
4**	7831.750	46.40	3.28	68.2	21.80	AV	174.00	300	Horizontal	Pass
5	11202.450	51.72	-1.86	74.0	22.28	Peak	249.00	300	Horizontal	Pass
5**	11202.450	42.20	-1.86	54.0	11.80	AV	249.00	300	Horizontal	Pass
6	16799.324	52.92	1.13	88.2	35.28	Peak	360.00	250	Horizontal	Pass
6**	16799.324	42.39	1.13	68.2	25.81	AV	360.00	250	Horizontal	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.000	45.87	-16.79	74.0	28.13	Peak	137.00	100	Vertical	Pass
1**	1327.000	29.29	-16.79	54.0	24.71	AV	137.00	100	Vertical	Pass
2	2656.300	52.50	-10.08	88.2	35.70	Peak	174.00	300	Vertical	Pass
2**	2656.300	39.27	-10.08	68.2	28.93	AV	174.00	300	Vertical	Pass
3	6997.000	101.53	-0.22	--	--	Peak	131.00	200	Vertical	N/A
3**	6997.000	92.38	-0.22	--	--	AV	131.00	200	Vertical	N/A
4	7510.000	56.43	1.76	74.0	17.57	Peak	199.00	400	Vertical	Pass
4**	7510.000	46.17	1.76	54.0	7.83	AV	199.00	400	Vertical	Pass
5	11158.275	51.93	-1.09	74.0	22.07	Peak	81.00	400	Vertical	Pass
5**	11158.275	43.00	-1.09	54.0	11.00	AV	81.00	400	Vertical	Pass
6	15753.525	53.11	0.28	74.0	20.89	Peak	128.00	350	Vertical	Pass
6**	15753.525	43.51	0.28	54.0	10.49	AV	128.00	350	Vertical	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2097.000	41.39	-13.48	88.2	46.81	Peak	130.00	300	Horizontal	Pass
1**	2097.000	33.54	-13.48	68.2	34.66	AV	130.00	300	Horizontal	Pass
2	4875.250	51.60	-2.37	74.0	22.40	Peak	72.00	200	Horizontal	Pass
2**	4875.250	43.07	-2.37	54.0	10.93	AV	72.00	200	Horizontal	Pass
3	7094.000	96.92	-0.21	--	--	Peak	106.00	100	Horizontal	N/A
3**	7094.000	87.67	-0.21	--	--	AV	106.00	100	Horizontal	N/A
4	7892.750	55.12	2.21	88.2	33.08	Peak	201.00	400	Horizontal	Pass
4**	7892.750	45.32	2.21	68.2	22.88	AV	201.00	400	Horizontal	Pass
5	11129.062	51.76	-0.97	74.0	22.24	Peak	324.00	350	Horizontal	Pass
5**	11129.062	42.12	-0.97	54.0	11.88	AV	324.00	350	Horizontal	Pass
6	16361.213	52.82	0.61	88.2	35.38	Peak	189.00	300	Horizontal	Pass
6**	16361.213	43.30	0.61	68.2	24.90	AV	189.00	300	Horizontal	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1831.500	45.96	-16.07	88.2	42.24	Peak	224.00	400	Vertical	Pass
1**	1831.500	31.75	-16.07	68.2	36.45	AV	224.00	400	Vertical	Pass
2	4673.500	51.81	-3.05	74.0	22.19	Peak	80.00	100	Vertical	Pass
2**	4673.500	41.78	-3.05	54.0	12.22	AV	80.00	100	Vertical	Pass
3	7097.500	102.09	-0.05	--	--	Peak	331.00	200	Vertical	N/A
3**	7097.500	93.36	-0.05	--	--	AV	331.00	200	Vertical	N/A
4	7820.000	55.48	3.06	88.2	32.72	Peak	220.00	100	Vertical	Pass
4**	7820.000	47.02	3.06	68.2	21.18	AV	220.00	100	Vertical	Pass
5	11139.987	51.48	-0.96	74.0	22.52	Peak	43.00	350	Vertical	Pass
5**	11139.987	42.39	-0.96	54.0	11.61	AV	43.00	350	Vertical	Pass
6	15753.263	52.48	0.28	74.0	21.52	Peak	165.00	300	Vertical	Pass
6**	15753.263	43.59	0.28	54.0	10.41	AV	165.00	300	Vertical	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2030.900	41.77	-14.28	88.2	46.43	Peak	210.00	400	Horizontal	Pass
1**	2030.900	31.08	-14.28	68.2	37.12	AV	210.00	400	Horizontal	Pass
2	2664.200	46.03	-10.17	88.2	42.17	Peak	178.00	100	Horizontal	Pass
2**	2664.200	35.77	-10.17	68.2	32.43	AV	178.00	100	Horizontal	Pass
3	7112.500	96.60	0.49	--	--	Peak	341.00	150	Horizontal	N/A
3**	7112.500	86.82	0.49	--	--	AV	341.00	150	Horizontal	N/A
4	7906.750	55.98	2.20	88.2	32.22	Peak	1.00	150	Horizontal	Pass
4**	7906.750	45.61	2.20	68.2	22.59	AV	1.00	150	Horizontal	Pass
5	11144.974	51.76	-0.95	74.0	22.24	Peak	178.00	350	Horizontal	Pass
5**	11144.974	43.37	-0.95	54.0	10.63	AV	178.00	350	Horizontal	Pass
6	16320.263	53.05	0.00	88.2	35.15	Peak	329.00	200	Horizontal	Pass
6**	16320.263	43.73	0.00	68.2	24.47	AV	329.00	200	Horizontal	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1799.800	44.64	-15.94	88.2	43.56	Peak	33.00	100	Vertical	Pass
1**	1799.800	33.92	-15.94	68.2	34.28	AV	33.00	100	Vertical	Pass
2	2662.000	50.75	-10.17	88.2	37.45	Peak	1.00	100	Vertical	Pass
2**	2662.000	36.44	-10.17	68.2	31.76	AV	1.00	100	Vertical	Pass
3	7112.250	101.10	0.48	--	--	Peak	296.00	200	Vertical	N/A
3**	7112.250	91.65	0.48	--	--	AV	296.00	200	Vertical	N/A
4	7923.750	55.27	2.16	88.2	32.93	Peak	106.00	250	Vertical	Pass
4**	7923.750	46.34	2.16	68.2	21.86	AV	106.00	250	Vertical	Pass
5	11177.987	52.19	-1.42	74.0	21.81	Peak	275.00	100	Vertical	Pass
5**	11177.987	42.80	-1.42	54.0	11.20	AV	275.00	100	Vertical	Pass
6	16345.987	52.61	0.73	88.2	35.59	Peak	199.00	300	Vertical	Pass
6**	16345.987	44.16	0.73	68.2	24.04	AV	199.00	300	Vertical	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1995.100	41.65	-14.52	88.2	46.55	Peak	254.00	300	Horizontal	Pass
1**	1995.100	31.59	-14.52	68.2	36.61	AV	254.00	300	Horizontal	Pass
2	4825.500	51.47	-1.81	74.0	22.53	Peak	159.00	350	Horizontal	Pass
2**	4825.500	41.18	-1.81	54.0	12.82	AV	159.00	350	Horizontal	Pass
3	6886.000	94.07	-0.14	--	--	Peak	353.00	150	Horizontal	N/A
3**	6886.000	83.90	-0.14	--	--	AV	353.00	150	Horizontal	N/A
4	7839.750	55.06	3.26	88.2	33.14	Peak	230.00	100	Horizontal	Pass
4**	7839.750	46.30	3.26	68.2	21.90	AV	230.00	100	Horizontal	Pass
5	11137.849	52.06	-0.96	74.0	21.94	Peak	230.00	150	Horizontal	Pass
5**	11137.849	43.09	-0.96	54.0	10.91	AV	230.00	150	Horizontal	Pass
6	16346.250	52.63	0.74	88.2	35.57	Peak	261.00	250	Horizontal	Pass
6**	16346.250	43.24	0.74	68.2	24.96	AV	261.00	250	Horizontal	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1994.800	44.42	-14.51	88.2	43.78	Peak	152.00	150	Vertical	Pass
1**	1994.800	31.57	-14.51	68.2	36.63	AV	152.00	150	Vertical	Pass
2	4802.750	51.35	-2.85	74.0	22.65	Peak	244.00	200	Vertical	Pass
2**	4802.750	42.59	-2.85	54.0	11.41	AV	244.00	200	Vertical	Pass
3	6868.000	99.07	-0.19	--	--	Peak	137.00	100	Vertical	N/A
3**	6868.000	91.19	-0.19	--	--	AV	137.00	100	Vertical	N/A
4	7510.500	55.28	1.74	74.0	18.72	Peak	31.00	150	Vertical	Pass
4**	7510.500	46.38	1.74	54.0	7.62	AV	31.00	150	Vertical	Pass
5	11135.950	51.59	-0.97	74.0	22.41	Peak	31.00	200	Vertical	Pass
5**	11135.950	43.40	-0.97	54.0	10.60	AV	31.00	200	Vertical	Pass
6	16328.925	52.80	0.25	88.2	35.40	Peak	31.00	100	Vertical	Pass
6**	16328.925	43.78	0.25	68.2	24.42	AV	31.00	100	Vertical	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1990.600	41.87	-14.45	88.2	46.33	Peak	295.00	350	Horizontal	Pass
1**	1990.600	30.96	-14.45	68.2	37.24	AV	295.00	350	Horizontal	Pass
2	4727.500	51.58	-2.98	74.0	22.42	Peak	135.00	150	Horizontal	Pass
2**	4727.500	41.66	-2.98	54.0	12.34	AV	135.00	150	Horizontal	Pass
3	7002.250	93.10	-0.21	--	--	Peak	109.00	100	Horizontal	N/A
3**	7002.250	83.72	-0.21	--	--	AV	109.00	100	Horizontal	N/A
4	7823.250	55.98	2.94	88.2	32.22	Peak	215.00	400	Horizontal	Pass
4**	7823.250	46.93	2.94	68.2	21.27	AV	215.00	400	Horizontal	Pass
5	11103.175	51.98	-1.01	74.0	22.02	Peak	218.00	250	Horizontal	Pass
5**	11103.175	41.31	-1.01	54.0	12.69	AV	218.00	250	Horizontal	Pass
6	16448.887	53.01	0.51	88.2	35.19	Peak	334.00	400	Horizontal	Pass
6**	16448.887	43.12	0.51	68.2	25.08	AV	334.00	400	Horizontal	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1831.200	45.58	-16.07	88.2	42.62	Peak	209.00	300	Vertical	Pass
1**	1831.200	30.37	-16.07	68.2	37.83	AV	209.00	300	Vertical	Pass
2	4767.250	51.62	-2.45	74.0	22.38	Peak	31.00	100	Vertical	Pass
2**	4767.250	43.02	-2.45	54.0	10.98	AV	31.00	100	Vertical	Pass
3	7015.000	98.73	0.02	--	--	Peak	324.00	150	Vertical	N/A
3**	7015.000	88.03	0.02	--	--	AV	324.00	150	Vertical	N/A
4	7928.750	55.45	2.44	88.2	32.75	Peak	218.00	250	Vertical	Pass
4**	7928.750	45.98	2.44	68.2	22.22	AV	218.00	250	Vertical	Pass
5	11137.375	51.43	-0.96	74.0	22.57	Peak	70.00	250	Vertical	Pass
5**	11137.375	42.93	-0.96	54.0	11.07	AV	70.00	250	Vertical	Pass
6	15757.725	53.13	0.16	74.0	20.87	Peak	166.00	400	Vertical	Pass
6**	15757.725	43.39	0.16	54.0	10.61	AV	166.00	400	Vertical	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2093.300	41.75	-13.64	88.2	46.45	Peak	90.00	100	Horizontal	Pass
1**	2093.300	32.21	-13.64	68.2	35.99	AV	90.00	100	Horizontal	Pass
2	4250.000	52.15	-4.26	74.0	21.85	Peak	358.00	100	Horizontal	Pass
2**	4250.000	42.81	-4.26	54.0	11.19	AV	358.00	100	Horizontal	Pass
3	7073.500	94.03	0.08	--	--	Peak	106.00	200	Horizontal	N/A
3**	7073.500	83.96	0.08	--	--	AV	106.00	200	Horizontal	N/A
4	7532.250	55.60	2.10	74.0	18.40	Peak	31.00	200	Horizontal	Pass
4**	7532.250	46.10	2.10	54.0	7.90	AV	31.00	200	Horizontal	Pass
5	11067.550	51.60	-1.61	74.0	22.40	Peak	199.00	200	Horizontal	Pass
5**	11067.550	42.59	-1.61	54.0	11.41	AV	199.00	200	Horizontal	Pass
6	16350.713	52.55	0.83	88.2	35.65	Peak	184.00	400	Horizontal	Pass
6**	16350.713	43.65	0.83	68.2	24.55	AV	184.00	400	Horizontal	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1991.800	44.41	-14.43	88.2	43.79	Peak	191.00	350	Vertical	Pass
1**	1991.800	37.03	-14.43	68.2	31.17	AV	191.00	350	Vertical	Pass
2	4256.500	53.44	-4.21	74.0	20.56	Peak	28.00	250	Vertical	Pass
2**	4256.500	44.64	-4.21	54.0	9.36	AV	28.00	250	Vertical	Pass
3	7097.500	98.22	-0.05	--	--	Peak	150.00	100	Vertical	N/A
3**	7097.500	89.49	-0.05	--	--	AV	150.00	100	Vertical	N/A
4	7838.500	56.28	3.42	88.2	31.92	Peak	308.00	100	Vertical	Pass
4**	7838.500	47.22	3.42	68.2	20.98	AV	308.00	100	Vertical	Pass
5	11096.050	52.08	-1.08	74.0	21.92	Peak	31.00	250	Vertical	Pass
5**	11096.050	41.30	-1.08	54.0	12.70	AV	31.00	250	Vertical	Pass
6	16786.988	53.20	0.69	88.2	35.00	Peak	298.00	100	Vertical	Pass
6**	16786.988	43.39	0.69	68.2	24.81	AV	298.00	100	Vertical	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2095.800	41.22	-13.57	88.2	46.98	Peak	178.00	300	Horizontal	Pass
1**	2095.800	32.28	-13.57	68.2	35.92	AV	178.00	300	Horizontal	Pass
2	4821.750	51.66	-1.86	74.0	22.34	Peak	70.00	100	Horizontal	Pass
2**	4821.750	42.13	-1.86	54.0	11.87	AV	70.00	100	Horizontal	Pass
3	6841.250	91.69	-0.02	--	--	Peak	124.00	150	Horizontal	N/A
3**	6841.250	83.50	-0.02	--	--	AV	124.00	150	Horizontal	N/A
4	7930.750	54.92	2.51	88.2	33.28	Peak	31.00	400	Horizontal	Pass
4**	7930.750	46.08	2.51	68.2	22.12	AV	31.00	400	Horizontal	Pass
5	11130.013	51.38	-0.97	74.0	22.62	Peak	49.00	100	Horizontal	Pass
5**	11130.013	42.55	-0.97	54.0	11.45	AV	49.00	100	Horizontal	Pass
6	16335.225	53.32	0.43	88.2	34.88	Peak	148.00	200	Horizontal	Pass
6**	16335.225	43.64	0.43	68.2	24.56	AV	148.00	200	Horizontal	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1828.700	43.90	-16.09	88.2	44.30	Peak	12.00	400	Vertical	Pass
1**	1828.700	31.71	-16.09	68.2	36.49	AV	12.00	400	Vertical	Pass
2	4783.750	52.21	-2.60	74.0	21.79	Peak	83.00	300	Vertical	Pass
2**	4783.750	42.60	-2.60	54.0	11.40	AV	83.00	300	Vertical	Pass
3	6839.750	98.59	-0.05	--	--	Peak	135.00	100	Vertical	N/A
3**	6839.750	89.65	-0.05	--	--	AV	135.00	100	Vertical	N/A
4	7909.000	55.99	2.00	88.2	32.21	Peak	44.00	400	Vertical	Pass
4**	7909.000	46.09	2.00	68.2	22.11	AV	44.00	400	Vertical	Pass
5	11369.175	52.31	-1.78	74.0	21.69	Peak	15.00	100	Vertical	Pass
5**	11369.175	41.00	-1.78	54.0	13.00	AV	15.00	100	Vertical	Pass
6	16771.762	52.37	0.15	88.2	35.83	Peak	31.00	350	Vertical	Pass
6**	16771.762	43.14	0.15	68.2	25.06	AV	31.00	350	Vertical	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2096.400	41.10	-13.52	88.2	47.10	Peak	134.00	300	Horizontal	Pass
1**	2096.400	32.50	-13.52	68.2	35.70	AV	134.00	300	Horizontal	Pass
2	4791.000	51.36	-2.87	74.0	22.64	Peak	176.00	350	Horizontal	Pass
2**	4791.000	42.17	-2.87	54.0	11.83	AV	176.00	350	Horizontal	Pass
3	6935.000	92.03	-0.04	--	--	Peak	350.00	100	Horizontal	N/A
3**	6935.000	82.92	-0.04	--	--	AV	350.00	100	Horizontal	N/A
4	7838.000	56.16	3.49	88.2	32.04	Peak	31.00	300	Horizontal	Pass
4**	7838.000	47.43	3.49	68.2	20.77	AV	31.00	300	Horizontal	Pass
5	11178.700	51.84	-1.44	74.0	22.16	Peak	31.00	100	Horizontal	Pass
5**	11178.700	42.89	-1.44	54.0	11.11	AV	31.00	100	Horizontal	Pass
6	15758.775	52.67	0.13	74.0	21.33	Peak	31.00	400	Horizontal	Pass
6**	15758.775	43.41	0.13	54.0	10.59	AV	31.00	400	Horizontal	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1900.300	44.24	-15.02	88.2	43.96	Peak	199.00	100	Vertical	Pass
1**	1900.300	30.03	-15.02	68.2	38.17	AV	199.00	100	Vertical	Pass
2	4727.250	52.38	-2.98	74.0	21.62	Peak	31.00	100	Vertical	Pass
2**	4727.250	42.03	-2.98	54.0	11.97	AV	31.00	100	Vertical	Pass
3	6938.750	98.44	0.01	--	--	Peak	135.00	150	Vertical	N/A
3**	6938.750	89.11	0.01	--	--	AV	135.00	150	Vertical	N/A
4	7834.750	55.50	3.46	88.2	32.70	Peak	31.00	300	Vertical	Pass
4**	7834.750	46.83	3.46	68.2	21.37	AV	31.00	300	Vertical	Pass
5	11131.675	52.79	-0.97	74.0	21.21	Peak	85.00	100	Vertical	Pass
5**	11131.675	43.12	-0.97	54.0	10.88	AV	85.00	100	Vertical	Pass
6	16359.375	53.14	0.65	88.2	35.06	Peak	31.00	350	Vertical	Pass
6**	16359.375	43.04	0.65	68.2	25.16	AV	31.00	350	Vertical	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2085.000	41.12	-14.08	88.2	47.08	Peak	31.00	300	Horizontal	Pass
1**	2085.000	31.64	-14.08	68.2	36.56	AV	31.00	300	Horizontal	Pass
2	4895.250	51.20	-2.67	74.0	22.80	Peak	332.00	250	Horizontal	Pass
2**	4895.250	41.52	-2.67	54.0	12.48	AV	332.00	250	Horizontal	Pass
3	7006.000	90.91	-0.22	--	--	Peak	109.00	200	Horizontal	N/A
3**	7006.000	81.19	-0.22	--	--	AV	109.00	200	Horizontal	N/A
4	7836.250	56.13	3.57	88.2	32.07	Peak	31.00	300	Horizontal	Pass
4**	7836.250	47.32	3.57	68.2	20.88	AV	31.00	300	Horizontal	Pass
5	11181.075	51.75	-1.48	74.0	22.25	Peak	12.00	250	Horizontal	Pass
5**	11181.075	42.38	-1.48	54.0	11.62	AV	12.00	250	Horizontal	Pass
6	16362.000	52.84	0.59	88.2	35.36	Peak	340.00	350	Horizontal	Pass
6**	16362.000	43.55	0.59	68.2	24.65	AV	340.00	350	Horizontal	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1833.000	45.18	-16.03	88.2	43.02	Peak	12.00	400	Vertical	Pass
1**	1833.000	31.06	-16.03	68.2	37.14	AV	12.00	400	Vertical	Pass
2	4690.750	51.39	-3.16	74.0	22.61	Peak	31.00	250	Vertical	Pass
2**	4690.750	41.77	-3.16	54.0	12.23	AV	31.00	250	Vertical	Pass
3	7035.250	96.14	-0.16	--	--	Peak	321.00	150	Vertical	N/A
3**	7035.250	87.47	-0.16	--	--	AV	321.00	150	Vertical	N/A
4	7540.500	55.81	2.10	74.0	18.19	Peak	2.00	300	Vertical	Pass
4**	7540.500	46.26	2.10	54.0	7.74	AV	2.00	300	Vertical	Pass
5	11187.013	52.30	-1.58	74.0	21.70	Peak	31.00	100	Vertical	Pass
5**	11187.013	42.39	-1.58	54.0	11.61	AV	31.00	100	Vertical	Pass
6	16359.113	52.90	0.65	88.2	35.30	Peak	262.00	150	Vertical	Pass
6**	16359.113	43.79	0.65	68.2	24.41	AV	262.00	150	Vertical	Pass

11ax160(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1990.900	41.63	-14.43	88.2	46.57	Peak	186.00	200	Horizontal	Pass
1**	1990.900	32.05	-14.43	68.2	36.15	AV	186.00	200	Horizontal	Pass
2	4817.250	52.64	-1.74	74.0	21.36	Peak	31.00	200	Horizontal	Pass
2**	4817.250	42.56	-1.74	54.0	11.44	AV	31.00	200	Horizontal	Pass
3	6919.750	89.61	0.01	--	--	Peak	15.00	200	Horizontal	N/A
3**	6919.750	79.26	0.01	--	--	AV	15.00	200	Horizontal	N/A
4	7897.500	56.13	2.16	88.2	32.07	Peak	324.00	100	Horizontal	Pass
4**	7897.500	47.13	2.16	68.2	21.07	AV	324.00	100	Horizontal	Pass
5	11125.737	51.85	-0.98	74.0	22.15	Peak	31.00	300	Horizontal	Pass
5**	11125.737	42.83	-0.98	54.0	11.17	AV	31.00	300	Horizontal	Pass
6	15752.738	52.54	0.30	74.0	21.46	Peak	207.00	250	Horizontal	Pass
6**	15752.738	43.00	0.30	54.0	11.00	AV	207.00	250	Horizontal	Pass

11ax160(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1831.700	46.56	-16.07	88.2	41.64	Peak	191.00	250	Vertical	Pass
1**	1831.700	33.58	-16.07	68.2	34.62	AV	191.00	250	Vertical	Pass
2	4814.500	51.84	-2.16	74.0	22.16	Peak	189.00	400	Vertical	Pass
2**	4814.500	43.54	-2.16	54.0	10.46	AV	189.00	400	Vertical	Pass
3	6980.500	93.85	0.54	--	--	Peak	137.00	100	Vertical	N/A
3**	6980.500	83.80	0.54	--	--	AV	137.00	100	Vertical	N/A
4	7835.500	56.03	3.51	88.2	32.17	Peak	202.00	250	Vertical	Pass
4**	7835.500	46.28	3.51	68.2	21.92	AV	202.00	250	Vertical	Pass
5	11193.425	51.93	-1.69	74.0	22.07	Peak	67.00	250	Vertical	Pass
5**	11193.425	42.04	-1.69	54.0	11.96	AV	67.00	250	Vertical	Pass
6	15741.450	53.39	0.26	74.0	20.61	Peak	31.00	250	Vertical	Pass
6**	15741.450	43.95	0.26	54.0	10.05	AV	31.00	250	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11n(HT40)	High	Pass

	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass


Test Band	Mode	Channel	Verdict
U-NII-2C & U-NII-3	802.11a	144	Pass
	802.11n(HT20)	144	Pass
	802.11n(HT40)	142	Pass
	802.11ac(VHT20)	144	Pass
	802.11ac(VHT40)	142	Pass
	802.11ac(VHT80)	138	Pass
	802.11ax(HE20)	144	Pass
	802.11ax(HE40)	142	Pass
	802.11ax(HE80)	138	Pass

Test Band	Mode	Channel	Verdict
U-NII-5	802.11ax(HE20)	Low	Pass
	802.11ax(HE40)	Low	Pass
	802.11ax(HE80)	Low	Pass
	802.11ax(HE160)	Low	Pass
U-NII-8	802.11ax(HE20)	Middle	Pass
		High	Pass
	802.11ax(HE40)	High	Pass
	802.11ax(HE80)	High	Pass
	802.11ax(HE160)	Middle	Pass

Test Data and Plots


Main Antenna

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5120.100	59.04	4.44	74.0	14.96	Peak	359.00	200	Vertical	Pass
1**	5120.100	47.75	4.44	54.0	6.25	AV	359.00	200	Vertical	Pass
2	5149.675	56.62	4.06	74.0	17.38	Peak	91.00	200	Vertical	Pass
2**	5149.675	47.37	4.06	54.0	6.63	AV	91.00	200	Vertical	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.24	5.11	74.0	15.76	Peak	233.00	100	Vertical	Pass
1**	5350.000	48.52	5.11	54.0	5.48	AV	233.00	100	Vertical	Pass
2	5350.495	59.45	5.05	74.0	14.55	Peak	317.00	100	Vertical	Pass
2**	5350.495	48.70	5.05	54.0	5.30	AV	317.00	100	Vertical	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5119.125	58.88	4.51	74.0	15.12	Peak	0.00	150	Vertical	Pass
1**	5119.125	47.70	4.51	54.0	6.30	AV	0.00	150	Vertical	Pass
2	5149.675	56.64	4.06	74.0	17.36	Peak	30.00	200	Vertical	Pass
2**	5149.675	47.41	4.06	54.0	6.59	AV	30.00	200	Vertical	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.32	5.11	74.0	15.68	Peak	81.00	100	Vertical	Pass
1**	5350.000	48.61	5.11	54.0	5.39	AV	81.00	100	Vertical	Pass
2	5377.995	59.60	4.85	74.0	14.40	Peak	271.00	200	Vertical	Pass
2**	5377.995	48.08	4.85	54.0	5.92	AV	271.00	200	Vertical	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5131.475	58.98	4.15	74.0	15.02	Peak	101.00	100	Vertical	Pass
1**	5131.475	47.32	4.15	54.0	6.68	AV	101.00	100	Vertical	Pass
2	5149.675	56.91	4.06	74.0	17.09	Peak	276.00	150	Vertical	Pass
2**	5149.675	47.53	4.06	54.0	6.47	AV	276.00	150	Vertical	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.11	5.11	74.0	14.89	Peak	298.00	200	Vertical	Pass
1**	5350.000	48.60	5.11	54.0	5.40	AV	298.00	200	Vertical	Pass
2	5379.315	59.75	4.79	74.0	14.25	Peak	46.00	100	Vertical	Pass
2**	5379.315	48.00	4.79	54.0	6.00	AV	46.00	100	Vertical	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5125.625	58.48	4.52	74.0	15.52	Peak	360.00	150	Vertical	Pass
1**	5125.625	47.69	4.52	54.0	6.31	AV	360.00	150	Vertical	Pass
2	5149.675	56.87	4.06	74.0	17.13	Peak	157.00	200	Vertical	Pass
2**	5149.675	47.35	4.06	54.0	6.65	AV	157.00	200	Vertical	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.33	5.11	74.0	15.67	Peak	72.00	200	Vertical	Pass
1**	5350.000	48.75	5.11	54.0	5.25	AV	72.00	200	Vertical	Pass
2	5392.790	59.69	4.50	74.0	14.31	Peak	15.00	200	Vertical	Pass
2**	5392.790	47.86	4.50	54.0	6.14	AV	15.00	200	Vertical	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5115.225	58.52	4.40	74.0	15.48	Peak	140.00	150	Vertical	Pass
1**	5115.225	47.56	4.40	54.0	6.44	AV	140.00	150	Vertical	Pass
2	5149.675	56.55	4.06	74.0	17.45	Peak	13.00	200	Vertical	Pass
2**	5149.675	47.48	4.06	54.0	6.52	AV	13.00	200	Vertical	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.48	5.11	74.0	15.52	Peak	0.00	200	Vertical	Pass
1**	5350.000	48.79	5.11	54.0	5.21	AV	0.00	200	Vertical	Pass
2	5350.935	59.72	5.00	74.0	14.28	Peak	305.00	200	Vertical	Pass
2**	5350.935	48.71	5.00	54.0	5.29	AV	305.00	200	Vertical	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5058.675	59.10	3.98	74.0	14.90	Peak	8.00	150	Vertical	Pass
1**	5058.675	46.92	3.98	54.0	7.08	AV	8.00	150	Vertical	Pass
2	5149.675	57.02	4.06	74.0	16.98	Peak	45.00	100	Vertical	Pass
2**	5149.675	47.53	4.06	54.0	6.47	AV	45.00	100	Vertical	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.62	5.10	74.0	15.38	Peak	127.00	200	Vertical	Pass
1**	5350.055	48.58	5.10	54.0	5.42	AV	127.00	200	Vertical	Pass
2	5426.120	59.50	4.12	74.0	14.50	Peak	268.00	150	Vertical	Pass
2**	5426.120	47.15	4.12	54.0	6.85	AV	268.00	150	Vertical	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5135.700	59.11	3.99	74.0	14.89	Peak	50.00	150	Vertical	Pass
1**	5135.700	47.22	3.99	54.0	6.78	AV	50.00	150	Vertical	Pass
2	5149.675	56.98	4.06	74.0	17.02	Peak	8.00	150	Vertical	Pass
2**	5149.675	47.41	4.06	54.0	6.59	AV	8.00	150	Vertical	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	59.22	5.10	74.0	14.78	Peak	254.00	100	Vertical	Pass
1**	5350.055	48.48	5.10	54.0	5.52	AV	254.00	100	Vertical	Pass
2	5399.720	59.65	4.64	74.0	14.35	Peak	206.00	100	Vertical	Pass
2**	5399.720	47.94	4.64	54.0	6.06	AV	206.00	100	Vertical	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5122.375	58.87	4.42	74.0	15.13	Peak	120.00	200	Vertical	Pass
1**	5122.375	47.48	4.42	54.0	6.52	AV	120.00	200	Vertical	Pass
2	5149.675	58.46	4.06	74.0	15.54	Peak	360.00	200	Vertical	Pass
2**	5149.675	47.42	4.06	54.0	6.58	AV	360.00	200	Vertical	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.14	5.11	74.0	14.86	Peak	220.00	150	Vertical	Pass
1**	5350.000	48.59	5.11	54.0	5.41	AV	220.00	150	Vertical	Pass
2	5385.090	59.84	4.60	74.0	14.16	Peak	125.00	150	Vertical	Pass
2**	5385.090	47.90	4.60	54.0	6.10	AV	125.00	150	Vertical	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5097.675	59.59	4.23	74.0	14.41	Peak	96.00	100	Vertical	Pass
1**	5097.675	47.37	4.23	54.0	6.63	AV	96.00	100	Vertical	Pass
2	5149.675	58.56	4.06	74.0	15.44	Peak	303.00	200	Vertical	Pass
2**	5149.675	47.55	4.06	54.0	6.45	AV	303.00	200	Vertical	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	59.02	5.10	74.0	14.98	Peak	79.00	100	Vertical	Pass
1**	5350.055	48.52	5.10	54.0	5.48	AV	79.00	100	Vertical	Pass
2	5353.905	59.82	4.73	74.0	14.18	Peak	8.00	150	Vertical	Pass
2**	5353.905	48.03	4.73	54.0	5.97	AV	8.00	150	Vertical	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5116.850	58.88	4.41	74.0	15.12	Peak	198.00	150	Vertical	Pass
1**	5116.850	47.38	4.41	54.0	6.62	AV	198.00	150	Vertical	Pass
2	5149.675	56.30	4.06	74.0	17.70	Peak	293.00	150	Vertical	Pass
2**	5149.675	47.37	4.06	54.0	6.63	AV	293.00	150	Vertical	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.64	5.10	74.0	15.36	Peak	132.00	200	Vertical	Pass
1**	5350.055	48.64	5.10	54.0	5.36	AV	132.00	200	Vertical	Pass
2	5364.685	59.69	4.44	74.0	14.31	Peak	212.00	100	Vertical	Pass
2**	5364.685	47.74	4.44	54.0	6.26	AV	212.00	100	Vertical	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5111.000	58.40	4.49	74.0	15.60	Peak	360.00	100	Vertical	Pass
1**	5111.000	47.52	4.49	54.0	6.48	AV	360.00	100	Vertical	Pass
2	5149.675	57.38	4.06	74.0	16.62	Peak	342.00	100	Vertical	Pass
2**	5149.675	47.56	4.06	54.0	6.44	AV	342.00	100	Vertical	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.96	5.10	74.0	15.04	Peak	203.00	150	Vertical	Pass
1**	5350.055	48.48	5.10	54.0	5.52	AV	203.00	150	Vertical	Pass
2	5350.990	59.56	5.00	74.0	14.44	Peak	356.00	200	Vertical	Pass
2**	5350.990	48.41	5.00	54.0	5.59	AV	356.00	200	Vertical	Pass

U-NII-1 11ax20 (RU26) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5077.525	58.73	4.22	74.0	15.27	Peak	273.00	150	Vertical	Pass
1**	5077.525	46.96	4.22	54.0	7.04	AV	273.00	150	Vertical	Pass
2	5149.675	56.58	4.06	74.0	17.42	Peak	127.00	150	Vertical	Pass
2**	5149.675	47.06	4.06	54.0	6.94	AV	127.00	150	Vertical	Pass

U-NII-1 11ax20 (RU26) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.89	5.10	74.0	16.11	Peak	84.00	200	Vertical	Pass
1**	5350.055	48.24	5.10	54.0	5.76	AV	84.00	200	Vertical	Pass
2	5400.545	60.44	4.66	74.0	13.56	Peak	262.00	200	Vertical	Pass
2**	5400.545	47.51	4.66	54.0	6.49	AV	262.00	200	Vertical	Pass

U-NII-1 11ax40 (RU26) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5108.400	58.39	4.44	74.0	15.61	Peak	360.00	150	Vertical	Pass
1**	5108.400	47.07	4.44	54.0	6.93	AV	360.00	150	Vertical	Pass
2	5149.675	56.13	4.06	74.0	17.87	Peak	360.00	200	Vertical	Pass
2**	5149.675	46.81	4.06	54.0	7.19	AV	360.00	200	Vertical	Pass

U-NII-1 11ax40 (RU26) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.91	5.11	74.0	16.09	Peak	190.00	200	Vertical	Pass
1**	5350.000	48.17	5.11	54.0	5.83	AV	190.00	200	Vertical	Pass
2	5395.210	61.62	4.69	74.0	12.38	Peak	303.00	100	Vertical	Pass
2**	5395.210	47.61	4.69	54.0	6.39	AV	303.00	100	Vertical	Pass

U-NII-1 11ax80 (RU26) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	58.73	4.06	74.0	15.27	Peak	303.00	200	Vertical	Pass
1**	5149.675	46.95	4.06	54.0	7.05	AV	303.00	200	Vertical	Pass
2	5149.675	58.73	4.06	74.0	15.27	Peak	303.00	200	Vertical	Pass
2**	5149.675	46.95	4.06	54.0	7.05	AV	303.00	200	Vertical	Pass

U-NII-1 11ax80 (RU26) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.70	5.10	74.0	16.30	Peak	184.00	100	Vertical	Pass
1**	5350.055	48.29	5.10	54.0	5.71	AV	184.00	100	Vertical	Pass
2	5395.210	61.39	4.69	74.0	12.61	Peak	294.00	200	Vertical	Pass
2**	5395.210	47.73	4.69	54.0	6.27	AV	294.00	200	Vertical	Pass

U-NII-1 11ax160 (RU26) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5088.900	58.25	4.01	74.0	15.75	Peak	325.00	150	Vertical	Pass
1**	5088.900	46.63	4.01	54.0	7.37	AV	325.00	150	Vertical	Pass
2	5149.675	56.82	4.06	74.0	17.18	Peak	225.00	100	Vertical	Pass
2**	5149.675	47.44	4.06	54.0	6.56	AV	225.00	100	Vertical	Pass

U-NII-1 11ax160 (RU26) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.34	5.11	74.0	15.66	Peak	0.00	200	Vertical	Pass
1**	5350.000	48.77	5.11	54.0	5.23	AV	0.00	200	Vertical	Pass
2	5397.190	60.32	4.75	74.0	13.68	Peak	291.00	150	Vertical	Pass
2**	5397.190	47.67	4.75	54.0	6.33	AV	291.00	150	Vertical	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5118.475	58.76	4.48	74.0	15.24	Peak	212.00	200	Vertical	Pass
1**	5118.475	47.46	4.48	54.0	6.54	AV	212.00	200	Vertical	Pass
2	5149.675	57.21	4.06	74.0	16.79	Peak	289.00	100	Vertical	Pass
2**	5149.675	47.28	4.06	54.0	6.72	AV	289.00	100	Vertical	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.26	5.10	74.0	15.74	Peak	105.00	150	Vertical	Pass
1**	5350.055	48.49	5.10	54.0	5.51	AV	105.00	150	Vertical	Pass
2	5351.430	59.16	4.97	74.0	14.84	Peak	302.00	100	Vertical	Pass
2**	5351.430	48.11	4.97	54.0	5.89	AV	302.00	100	Vertical	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5114.575	59.51	4.37	74.0	14.49	Peak	306.00	150	Vertical	Pass
1**	5114.575	47.30	4.37	54.0	6.70	AV	306.00	150	Vertical	Pass
2	5149.675	56.48	4.06	74.0	17.52	Peak	13.00	200	Vertical	Pass
2**	5149.675	47.21	4.06	54.0	6.79	AV	13.00	200	Vertical	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.15	5.11	74.0	15.85	Peak	23.00	150	Vertical	Pass
1**	5350.000	48.67	5.11	54.0	5.33	AV	23.00	150	Vertical	Pass
2	5396.255	60.33	4.73	74.0	13.67	Peak	140.00	100	Vertical	Pass
2**	5396.255	47.97	4.73	54.0	6.03	AV	140.00	100	Vertical	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5142.850	58.65	3.71	74.0	15.35	Peak	181.00	150	Vertical	Pass
1**	5142.850	46.77	3.71	54.0	7.23	AV	181.00	150	Vertical	Pass
2	5149.675	56.72	4.06	74.0	17.28	Peak	232.00	100	Vertical	Pass
2**	5149.675	47.35	4.06	54.0	6.65	AV	232.00	100	Vertical	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.77	5.10	74.0	15.23	Peak	0.00	200	Vertical	Pass
1**	5350.055	48.70	5.10	54.0	5.30	AV	0.00	200	Vertical	Pass
2	5350.990	59.48	5.00	74.0	14.52	Peak	77.00	150	Vertical	Pass
2**	5350.990	48.59	5.00	54.0	5.41	AV	77.00	150	Vertical	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5124.325	58.50	4.51	74.0	15.50	Peak	198.00	200	Vertical	Pass
1**	5124.325	47.66	4.51	54.0	6.34	AV	198.00	200	Vertical	Pass
2	5149.675	56.93	4.06	74.0	17.07	Peak	210.00	100	Vertical	Pass
2**	5149.675	47.16	4.06	54.0	6.84	AV	210.00	100	Vertical	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.07	5.10	74.0	15.93	Peak	130.00	150	Vertical	Pass
1**	5350.055	48.35	5.10	54.0	5.65	AV	130.00	150	Vertical	Pass
2	5397.190	60.21	4.75	74.0	13.79	Peak	173.00	100	Vertical	Pass
2**	5397.190	47.86	4.75	54.0	6.14	AV	173.00	100	Vertical	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5106.775	58.39	4.43	74.0	15.61	Peak	272.00	100	Vertical	Pass
1**	5106.775	47.31	4.43	54.0	6.69	AV	272.00	100	Vertical	Pass
2	5149.675	56.30	4.06	74.0	17.70	Peak	203.00	150	Vertical	Pass
2**	5149.675	47.27	4.06	54.0	6.73	AV	203.00	150	Vertical	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.15	5.11	74.0	15.85	Peak	218.00	100	Vertical	Pass
1**	5350.000	48.12	5.11	54.0	5.88	AV	218.00	100	Vertical	Pass
2	5356.435	59.90	4.57	74.0	14.10	Peak	0.00	100	Vertical	Pass
2**	5356.435	48.15	4.57	54.0	5.85	AV	0.00	100	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.875	58.52	4.20	74.0	15.48	Peak	171.00	200	Vertical	Pass
1**	5076.875	47.17	4.20	54.0	6.83	AV	171.00	200	Vertical	Pass
2	5149.675	56.37	4.06	74.0	17.63	Peak	355.00	100	Vertical	Pass
2**	5149.675	47.47	4.06	54.0	6.53	AV	355.00	100	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.94	5.10	74.0	15.06	Peak	91.00	150	Vertical	Pass
1**	5350.055	48.59	5.10	54.0	5.41	AV	91.00	150	Vertical	Pass
2	5402.195	59.72	4.66	74.0	14.28	Peak	8.00	150	Vertical	Pass
2**	5402.195	47.58	4.66	54.0	6.42	AV	8.00	150	Vertical	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5127.250	58.69	4.52	74.0	15.31	Peak	172.00	100	Vertical	Pass
1**	5127.250	47.59	4.52	54.0	6.41	AV	172.00	100	Vertical	Pass
2	5149.675	56.10	4.06	74.0	17.90	Peak	50.00	200	Vertical	Pass
2**	5149.675	47.18	4.06	54.0	6.82	AV	50.00	200	Vertical	Pass

U-NII-2A 11ax20 (SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.78	5.11	74.0	16.22	Peak	247.00	200	Vertical	Pass
1**	5350.000	48.43	5.11	54.0	5.57	AV	247.00	200	Vertical	Pass
2	5373.595	59.46	4.55	74.0	14.54	Peak	347.00	200	Vertical	Pass
2**	5373.595	47.67	4.55	54.0	6.33	AV	347.00	200	Vertical	Pass

U-NII-2A 11ax40 (SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5100.925	58.29	4.19	74.0	15.71	Peak	188.00	150	Vertical	Pass
1**	5100.925	47.13	4.19	54.0	6.87	AV	188.00	150	Vertical	Pass
2	5149.675	58.24	4.06	74.0	15.76	Peak	76.00	200	Vertical	Pass
2**	5149.675	47.10	4.06	54.0	6.90	AV	76.00	200	Vertical	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.67	5.11	74.0	16.33	Peak	54.00	200	Vertical	Pass
1**	5350.000	48.29	5.11	54.0	5.71	AV	54.00	200	Vertical	Pass
2	5385.530	59.58	4.59	74.0	14.42	Peak	318.00	200	Vertical	Pass
2**	5385.530	47.84	4.59	54.0	6.16	AV	318.00	200	Vertical	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5124.650	58.62	4.51	74.0	15.38	Peak	360.00	100	Vertical	Pass
1**	5124.650	47.85	4.51	54.0	6.15	AV	360.00	100	Vertical	Pass
2	5149.675	56.79	4.06	74.0	17.21	Peak	10.00	200	Vertical	Pass
2**	5149.675	47.27	4.06	54.0	6.73	AV	10.00	200	Vertical	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.39	5.11	74.0	15.61	Peak	288.00	150	Vertical	Pass
1**	5350.000	48.41	5.11	54.0	5.59	AV	288.00	150	Vertical	Pass
2	5378.160	59.35	4.87	74.0	14.65	Peak	259.00	200	Vertical	Pass
2**	5378.160	47.92	4.87	54.0	6.08	AV	259.00	200	Vertical	Pass

U-NII-2A 11ax20 (RU26) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5107.425	58.44	4.43	74.0	15.56	Peak	30.00	150	Vertical	Pass
1**	5107.425	47.38	4.43	54.0	6.62	AV	30.00	150	Vertical	Pass
2	5149.675	56.57	4.06	74.0	17.43	Peak	227.00	150	Vertical	Pass
2**	5149.675	46.92	4.06	54.0	7.08	AV	227.00	150	Vertical	Pass

U-NII-2A 11ax20 (RU26) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.90	5.10	74.0	16.10	Peak	254.00	150	Vertical	Pass
1**	5350.055	48.44	5.10	54.0	5.56	AV	254.00	150	Vertical	Pass
2	5366.940	59.33	4.39	74.0	14.67	Peak	157.00	150	Vertical	Pass
2**	5366.940	47.13	4.39	54.0	6.87	AV	157.00	150	Vertical	Pass

U-NII-2A 11ax40 (RU26) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5100.925	58.85	4.19	74.0	15.15	Peak	128.00	100	Vertical	Pass
1**	5100.925	47.27	4.19	54.0	6.73	AV	128.00	100	Vertical	Pass
2	5149.675	56.35	4.06	74.0	17.65	Peak	256.00	150	Vertical	Pass
2**	5149.675	47.17	4.06	54.0	6.83	AV	256.00	150	Vertical	Pass

U-NII-2A 11ax40 (RU26) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.13	5.11	74.0	15.87	Peak	145.00	100	Vertical	Pass
1**	5350.000	48.30	5.11	54.0	5.70	AV	145.00	100	Vertical	Pass
2	5351.210	59.41	4.99	74.0	14.59	Peak	322.00	100	Vertical	Pass
2**	5351.210	48.02	4.99	54.0	5.98	AV	322.00	100	Vertical	Pass

U-NII-2A 11ax80 (RU26) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5072.325	58.41	4.37	74.0	15.59	Peak	269.00	100	Vertical	Pass
1**	5072.325	47.12	4.37	54.0	6.88	AV	269.00	100	Vertical	Pass
2	5149.675	55.90	4.06	74.0	18.10	Peak	215.00	100	Vertical	Pass
2**	5149.675	46.98	4.06	54.0	7.02	AV	215.00	100	Vertical	Pass

U-NII-2A 11ax80 (RU26) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.35	5.10	74.0	15.65	Peak	291.00	200	Vertical	Pass
1**	5350.055	48.30	5.10	54.0	5.70	AV	291.00	200	Vertical	Pass
2	5361.550	59.67	4.53	74.0	14.33	Peak	268.00	100	Vertical	Pass
2**	5361.550	47.50	4.53	54.0	6.50	AV	268.00	100	Vertical	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5354.260	59.36	4.68	74.0	14.64	Peak	28.00	150	Vertical	Pass
1**	5354.260	47.68	4.68	54.0	6.32	AV	28.00	150	Vertical	Pass
2	5459.980	56.00	4.04	74.0	18.00	Peak	11.00	150	Vertical	Pass
2**	5459.980	46.83	4.04	54.0	7.17	AV	11.00	150	Vertical	Pass
3	5462.560	57.75	3.98	68.2	10.45	Peak	228.00	100	Vertical	Pass
3**	5462.560	46.39	3.98	--	--	AV	228.00	100	Vertical	N/A
4	5469.940	57.04	4.06	68.2	11.16	Peak	105.00	200	Vertical	Pass
4**	5469.940	46.51	4.06	--	--	AV	105.00	200	Vertical	N/A

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.35	3.93	68.2	10.85	Peak	78.00	100	Vertical	Pass
2	5791.500	59.24	4.35	68.2	8.96	Peak	356.00	100	Vertical	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5355.520	59.43	4.57	74.0	14.57	Peak	218.00	100	Vertical	Pass
1**	5355.520	47.77	4.57	54.0	6.23	AV	218.00	100	Vertical	Pass
2	5459.980	56.21	4.04	74.0	17.79	Peak	33.00	100	Vertical	Pass
2**	5459.980	46.86	4.04	54.0	7.14	AV	33.00	100	Vertical	Pass
3	5469.460	57.78	4.03	68.2	10.42	Peak	118.00	150	Vertical	Pass
3**	5469.460	46.69	4.03	--	--	AV	118.00	150	Vertical	N/A
4	5469.940	55.84	4.06	68.2	12.36	Peak	330.00	150	Vertical	Pass
4**	5469.940	46.76	4.06	--	--	AV	330.00	150	Vertical	N/A

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.96	3.92	68.2	11.24	Peak	167.00	150	Vertical	Pass
2	5846.063	59.38	5.29	68.2	8.82	Peak	27.00	150	Vertical	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.720	59.50	5.02	74.0	14.50	Peak	190.00	150	Vertical	Pass
1**	5350.720	48.19	5.02	54.0	5.81	AV	190.00	150	Vertical	Pass
2	5459.980	56.00	4.04	74.0	18.00	Peak	128.00	200	Vertical	Pass
2**	5459.980	47.34	4.04	54.0	6.66	AV	128.00	200	Vertical	Pass
3	5467.300	59.94	3.94	68.2	8.26	Peak	117.00	100	Vertical	Pass
3**	5467.300	48.30	3.94	--	--	AV	117.00	100	Vertical	N/A
4	5469.940	58.70	4.06	68.2	9.50	Peak	120.00	100	Vertical	Pass
4**	5469.940	48.58	4.06	--	--	AV	120.00	100	Vertical	N/A

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.28	3.93	68.2	10.92	Peak	360.00	150	Vertical	Pass
2	5790.750	59.89	4.35	68.2	8.31	Peak	307.00	200	Vertical	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5351.260	59.61	4.98	74.0	14.39	Peak	360.00	150	Vertical	Pass
1**	5351.260	48.35	4.98	54.0	5.65	AV	360.00	150	Vertical	Pass
2	5459.980	55.84	4.04	74.0	18.16	Peak	0.00	150	Vertical	Pass
2**	5459.980	46.78	4.04	54.0	7.22	AV	0.00	150	Vertical	Pass
3	5462.680	57.68	3.99	68.2	10.52	Peak	255.00	100	Vertical	Pass
3**	5462.680	46.47	3.99	--	--	AV	255.00	100	Vertical	N/A
4	5469.940	55.92	4.06	68.2	12.28	Peak	45.00	150	Vertical	Pass
4**	5469.940	46.48	4.06	--	--	AV	45.00	150	Vertical	N/A

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.98	3.93	68.2	11.22	Peak	212.00	150	Vertical	Pass
2	5847.437	59.11	5.42	68.2	9.09	Peak	320.00	100	Vertical	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5397.760	59.41	4.75	74.0	14.59	Peak	118.00	200	Vertical	Pass
1**	5397.760	47.90	4.75	54.0	6.10	AV	118.00	200	Vertical	Pass
2	5459.980	55.75	4.04	74.0	18.25	Peak	0.00	150	Vertical	Pass
2**	5459.980	46.69	4.04	54.0	7.31	AV	0.00	150	Vertical	Pass
3	5460.940	58.28	3.93	68.2	9.92	Peak	0.00	200	Vertical	Pass
3**	5460.940	46.91	3.93	--	--	AV	0.00	200	Vertical	N/A
4	5469.940	56.22	4.06	68.2	11.98	Peak	141.00	200	Vertical	Pass
4**	5469.940	47.02	4.06	--	--	AV	141.00	200	Vertical	N/A

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.12	3.93	68.2	11.08	Peak	359.00	100	Vertical	Pass
2	5820.250	59.79	4.54	68.2	8.41	Peak	310.00	100	Vertical	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5381.620	59.38	4.66	74.0	14.62	Peak	232.00	150	Vertical	Pass
1**	5381.620	47.50	4.66	54.0	6.50	AV	232.00	150	Vertical	Pass
2	5459.980	56.56	4.04	74.0	17.44	Peak	76.00	150	Vertical	Pass
2**	5459.980	47.66	4.04	54.0	6.34	AV	76.00	150	Vertical	Pass
3	5460.820	58.43	3.94	68.2	9.77	Peak	178.00	150	Vertical	Pass
3**	5460.820	47.58	3.94	--	--	AV	178.00	150	Vertical	N/A
4	5469.940	56.69	4.06	68.2	11.51	Peak	200.00	200	Vertical	Pass
4**	5469.940	47.23	4.06	--	--	AV	200.00	200	Vertical	N/A

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.62	3.92	68.2	11.58	Peak	53.00	100	Vertical	Pass
2	5845.625	60.21	5.27	68.2	7.99	Peak	142.00	200	Vertical	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.900	59.73	4.24	74.0	14.27	Peak	98.00	150	Vertical	Pass
1**	5455.900	48.53	4.24	54.0	5.47	AV	98.00	150	Vertical	Pass
2	5459.980	57.44	4.04	74.0	16.56	Peak	139.00	100	Vertical	Pass
2**	5459.980	47.84	4.04	54.0	6.16	AV	139.00	100	Vertical	Pass
3	5464.840	58.73	3.92	68.2	9.47	Peak	117.00	100	Vertical	Pass
3**	5464.840	47.69	3.92	--	--	AV	117.00	100	Vertical	N/A
4	5469.940	56.93	4.06	68.2	11.27	Peak	86.00	100	Vertical	Pass
4**	5469.940	47.68	4.06	--	--	AV	86.00	100	Vertical	N/A

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.01	3.93	68.2	11.19	Peak	11.00	100	Vertical	Pass
2	5801.937	60.06	4.10	68.2	8.14	Peak	290.00	100	Vertical	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.840	59.84	5.01	74.0	14.16	Peak	308.00	100	Vertical	Pass
1**	5350.840	48.04	5.01	54.0	5.96	AV	308.00	100	Vertical	Pass
2	5459.980	57.42	4.04	74.0	16.58	Peak	105.00	150	Vertical	Pass
2**	5459.980	48.18	4.04	54.0	5.82	AV	105.00	150	Vertical	Pass
3	5461.660	59.29	3.91	68.2	8.91	Peak	86.00	100	Vertical	Pass
3**	5461.660	47.93	3.91	--	--	AV	86.00	100	Vertical	N/A
4	5469.940	56.88	4.06	68.2	11.32	Peak	176.00	100	Vertical	Pass
4**	5469.940	47.84	4.06	--	--	AV	176.00	100	Vertical	N/A

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.65	3.92	68.2	10.55	Peak	245.00	100	Vertical	Pass
2	5848.688	60.21	5.44	68.2	7.99	Peak	252.00	150	Vertical	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5431.540	59.67	4.27	74.0	14.33	Peak	118.00	150	Vertical	Pass
1**	5431.540	48.37	4.27	54.0	5.63	AV	118.00	150	Vertical	Pass
2	5459.980	57.81	4.04	74.0	16.19	Peak	359.00	100	Vertical	Pass
2**	5459.980	48.20	4.04	54.0	5.80	AV	359.00	100	Vertical	Pass
3	5469.400	59.98	4.02	68.2	8.22	Peak	177.00	100	Vertical	Pass
3**	5469.400	47.68	4.02	--	--	AV	177.00	100	Vertical	N/A
4	5469.940	57.63	4.06	68.2	10.57	Peak	21.00	200	Vertical	Pass
4**	5469.940	47.64	4.06	--	--	AV	21.00	200	Vertical	N/A

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.05	3.93	68.2	11.15	Peak	80.00	100	Vertical	Pass
2	5791.938	59.86	4.34	68.2	8.34	Peak	61.00	200	Vertical	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5452.120	60.05	4.00	74.0	13.95	Peak	117.00	200	Vertical	Pass
1**	5452.120	47.96	4.00	54.0	6.04	AV	117.00	200	Vertical	Pass
2	5459.980	56.83	4.04	74.0	17.17	Peak	91.00	150	Vertical	Pass
2**	5459.980	47.99	4.04	54.0	6.01	AV	91.00	150	Vertical	Pass
3	5461.600	58.95	3.91	68.2	9.25	Peak	262.00	100	Vertical	Pass
3**	5461.600	48.23	3.91	--	--	AV	262.00	100	Vertical	N/A
4	5469.940	57.37	4.06	68.2	10.83	Peak	23.00	200	Vertical	Pass
4**	5469.940	48.01	4.06	--	--	AV	23.00	200	Vertical	N/A

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.52	3.92	68.2	11.68	Peak	161.00	100	Vertical	Pass
2	5803.937	59.54	4.24	68.2	8.66	Peak	0.00	200	Vertical	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5432.860	59.66	4.28	74.0	14.34	Peak	115.00	100	Vertical	Pass
1**	5432.860	48.20	4.28	54.0	5.80	AV	115.00	100	Vertical	Pass
2	5459.980	57.12	4.04	74.0	16.88	Peak	115.00	150	Vertical	Pass
2**	5459.980	47.98	4.04	54.0	6.02	AV	115.00	150	Vertical	Pass
3	5463.520	58.76	4.03	68.2	9.44	Peak	107.00	150	Vertical	Pass
3**	5463.520	48.36	4.03	--	--	AV	107.00	150	Vertical	N/A
4	5469.940	58.36	4.06	68.2	9.84	Peak	86.00	100	Vertical	Pass
4**	5469.940	47.64	4.06	--	--	AV	86.00	100	Vertical	N/A

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.78	3.93	68.2	11.42	Peak	54.00	100	Vertical	Pass
2	5779.000	59.45	4.34	68.2	8.75	Peak	0.00	150	Vertical	Pass

U-NII-2C 11ax20 (RU26) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.780	59.57	5.01	74.0	14.43	Peak	37.00	200	Vertical	Pass
1**	5350.780	48.59	5.01	54.0	5.41	AV	37.00	200	Vertical	Pass
2	5459.980	56.65	4.04	74.0	17.35	Peak	33.00	200	Vertical	Pass
2**	5459.980	46.71	4.04	54.0	7.29	AV	33.00	200	Vertical	Pass
3	5463.640	57.50	4.02	68.2	10.70	Peak	360.00	150	Vertical	Pass
3**	5463.640	46.67	4.02	--	--	AV	360.00	150	Vertical	N/A
4	5469.940	55.95	4.06	68.2	12.25	Peak	0.00	150	Vertical	Pass
4**	5469.940	46.36	4.06	--	--	AV	0.00	150	Vertical	N/A

U-NII-2C 11ax20 (RU26) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.80	3.93	68.2	11.40	Peak	1.00	150	Vertical	Pass
2	5794.438	59.69	4.15	68.2	8.51	Peak	313.00	150	Vertical	Pass

U-NII-2C 11ax40 (RU26) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5381.440	59.42	4.65	74.0	14.58	Peak	351.00	200	Vertical	Pass
1**	5381.440	47.71	4.65	54.0	6.29	AV	351.00	200	Vertical	Pass
2	5459.980	57.75	4.04	74.0	16.25	Peak	229.00	100	Vertical	Pass
2**	5459.980	46.73	4.04	54.0	7.27	AV	229.00	100	Vertical	Pass
3	5466.460	57.91	3.90	68.2	10.29	Peak	195.00	150	Vertical	Pass
3**	5466.460	46.32	3.90	--	--	AV	195.00	150	Vertical	N/A
4	5469.940	56.75	4.06	68.2	11.45	Peak	107.00	200	Vertical	Pass
4**	5469.940	46.34	4.06	--	--	AV	107.00	200	Vertical	N/A

U-NII-2C 11ax40 (RU26) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.61	3.93	68.2	11.59	Peak	206.00	100	Vertical	Pass
2	5844.938	59.12	5.26	68.2	9.08	Peak	269.00	150	Vertical	Pass

U-NII-2C 11ax80 (RU26) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5352.220	59.50	4.93	74.0	14.50	Peak	52.00	100	Vertical	Pass
1**	5352.220	48.05	4.93	54.0	5.95	AV	52.00	100	Vertical	Pass
2	5459.980	56.08	4.04	74.0	17.92	Peak	0.00	200	Vertical	Pass
2**	5459.980	46.57	4.04	54.0	7.43	AV	0.00	200	Vertical	Pass
3	5461.120	57.42	3.91	68.2	10.78	Peak	69.00	100	Vertical	Pass
3**	5461.120	46.36	3.91	--	--	AV	69.00	100	Vertical	N/A
4	5469.940	57.53	4.06	68.2	10.67	Peak	86.00	150	Vertical	Pass
4**	5469.940	46.43	4.06	--	--	AV	86.00	150	Vertical	N/A

U-NII-2C 11ax80 (RU26) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.43	3.92	68.2	11.77	Peak	4.00	100	Vertical	Pass
2	5848.312	59.54	5.47	68.2	8.66	Peak	327.00	150	Vertical	Pass

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5359.480	59.26	4.71	74.0	14.74	Peak	142.00	150	Vertical	Pass
1**	5359.480	48.03	4.71	54.0	5.97	AV	142.00	150	Vertical	Pass
2	5459.980	56.38	4.04	74.0	17.62	Peak	344.00	200	Vertical	Pass
2**	5459.980	46.60	4.04	54.0	7.40	AV	344.00	200	Vertical	Pass
3	5463.040	57.42	4.01	68.2	10.78	Peak	288.00	100	Vertical	Pass
3**	5463.040	46.54	4.01	--	--	AV	288.00	100	Vertical	N/A
4	5469.940	56.98	4.06	68.2	11.22	Peak	26.00	200	Vertical	Pass
4**	5469.940	46.39	4.06	--	--	AV	26.00	200	Vertical	N/A

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.84	3.92	68.2	11.36	Peak	0.00	200	Vertical	Pass
2	5768.437	59.74	4.50	68.2	8.46	Peak	164.00	100	Vertical	Pass

U-NII-2C 11ax20 (RU26) CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.660	59.40	5.03	74.0	14.60	Peak	49.00	100	Vertical	Pass
1**	5350.660	48.34	5.03	54.0	5.66	AV	49.00	100	Vertical	Pass
2	5459.980	56.05	4.04	74.0	17.95	Peak	38.00	100	Vertical	Pass
2**	5459.980	46.80	4.04	54.0	7.20	AV	38.00	100	Vertical	Pass
3	5460.340	57.66	4.00	68.2	10.54	Peak	37.00	150	Vertical	Pass
3**	5460.340	46.48	4.00	--	--	AV	37.00	150	Vertical	N/A
4	5469.940	55.97	4.06	68.2	12.23	Peak	359.00	150	Vertical	Pass
4**	5469.940	46.31	4.06	--	--	AV	359.00	150	Vertical	N/A

U-NII-2C 11ax20 (RU26) CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.34	3.49	68.3	12.96	Peak	157.00	150	Vertical	Pass
2	5932.800	59.19	4.27	68.2	9.01	Peak	305.00	100	Vertical	Pass

U-NII-2C 11ax40 (RU26) CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5386.000	59.20	4.58	74.0	14.80	Peak	319.00	100	Vertical	Pass
1**	5386.000	47.60	4.58	54.0	6.40	AV	319.00	100	Vertical	Pass
2	5459.980	55.84	4.04	74.0	18.16	Peak	276.00	100	Vertical	Pass
2**	5459.980	46.56	4.04	54.0	7.44	AV	276.00	100	Vertical	Pass
3	5461.840	57.86	3.93	68.2	10.34	Peak	344.00	200	Vertical	Pass
3**	5461.840	46.34	3.93	--	--	AV	344.00	200	Vertical	N/A
4	5469.940	55.84	4.06	68.2	12.36	Peak	281.00	100	Vertical	Pass
4**	5469.940	46.55	4.06	--	--	AV	281.00	100	Vertical	N/A

U-NII-2C 11ax40 (RU26) CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.49	3.49	68.3	12.81	Peak	295.00	200	Vertical	Pass
2	5931.450	58.90	4.11	68.2	9.30	Peak	360.00	200	Vertical	Pass

U-NII-2C 11ax80 (RU26) CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5383.540	59.18	4.66	74.0	14.82	Peak	111.00	200	Vertical	Pass
1**	5383.540	47.60	4.66	54.0	6.40	AV	111.00	200	Vertical	Pass
2	5459.980	55.93	4.04	74.0	18.07	Peak	360.00	150	Vertical	Pass
2**	5459.980	46.61	4.04	54.0	7.39	AV	360.00	150	Vertical	Pass
3	5465.740	57.13	3.87	68.2	11.07	Peak	140.00	100	Vertical	Pass
3**	5465.740	46.38	3.87	--	--	AV	140.00	100	Vertical	N/A
4	5469.940	57.32	4.06	68.2	10.88	Peak	262.00	100	Vertical	Pass
4**	5469.940	46.30	4.06	--	--	AV	262.00	100	Vertical	N/A

U-NII-2C 11ax80 (RU26) CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.95	3.49	68.3	12.35	Peak	186.00	100	Vertical	Pass
2	5939.400	59.50	4.38	68.2	8.70	Peak	163.00	200	Vertical	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5635.500	59.70	5.01	68.2	8.50	Peak	74.00	200	Vertical	Pass
2	5650.000	57.63	4.41	68.2	10.57	Peak	117.00	200	Vertical	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.95	3.49	68.3	12.35	Peak	295.00	100	Vertical	Pass
2	5943.525	59.30	4.23	68.2	8.90	Peak	156.00	150	Vertical	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5629.313	59.83	4.83	68.2	8.37	Peak	25.00	200	Vertical	Pass
2	5650.000	57.49	4.41	68.2	10.71	Peak	196.00	150	Vertical	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.63	3.49	68.3	12.67	Peak	83.00	100	Vertical	Pass
2	5941.575	58.57	4.43	68.2	9.63	Peak	183.00	150	Vertical	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5603.937	59.39	5.07	68.2	8.81	Peak	162.00	150	Vertical	Pass
2	5650.000	57.33	4.41	68.2	10.87	Peak	0.00	150	Vertical	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.34	3.49	68.3	11.96	Peak	327.00	150	Vertical	Pass
2	5939.550	58.70	4.39	68.2	9.50	Peak	360.00	100	Vertical	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5629.813	59.60	4.80	68.2	8.60	Peak	59.00	100	Vertical	Pass
2	5650.000	57.19	4.41	68.2	11.01	Peak	360.00	200	Vertical	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.54	3.49	68.3	12.76	Peak	88.00	100	Vertical	Pass
2	5941.050	58.71	4.38	68.2	9.49	Peak	67.00	200	Vertical	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5605.313	59.35	4.96	68.2	8.85	Peak	193.00	100	Vertical	Pass
2	5650.000	57.07	4.41	68.2	11.13	Peak	127.00	200	Vertical	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.82	3.49	68.3	12.48	Peak	182.00	150	Vertical	Pass
2	5939.850	58.76	4.39	68.2	9.44	Peak	360.00	100	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5637.437	59.61	4.86	68.2	8.59	Peak	108.00	150	Vertical	Pass
2	5650.000	57.59	4.41	68.2	10.61	Peak	167.00	100	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.21	3.49	68.3	12.09	Peak	279.00	200	Vertical	Pass
2	5939.400	58.38	4.38	68.2	9.82	Peak	274.00	100	Vertical	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5600.500	59.83	5.14	68.2	8.37	Peak	296.00	100	Vertical	Pass
2	5650.000	58.05	4.41	68.2	10.15	Peak	88.00	200	Vertical	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.11	3.49	68.3	12.19	Peak	340.00	150	Vertical	Pass
2	5954.325	58.58	3.54	68.2	9.62	Peak	206.00	200	Vertical	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5628.250	59.42	4.83	68.2	8.78	Peak	118.00	100	Vertical	Pass
2	5650.000	58.38	4.41	68.2	9.82	Peak	0.00	100	Vertical	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.43	3.49	68.3	11.87	Peak	340.00	200	Vertical	Pass
2	5957.625	58.87	3.81	68.2	9.33	Peak	42.00	200	Vertical	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5601.625	59.34	5.20	68.2	8.86	Peak	171.00	150	Vertical	Pass
2	5650.000	57.00	4.41	68.2	11.20	Peak	230.00	100	Vertical	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.54	3.49	68.3	11.76	Peak	296.00	200	Vertical	Pass
2	5940.150	58.62	4.40	68.2	9.58	Peak	101.00	100	Vertical	Pass

U-NII-3 11ax20 (RU26) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5603.500	59.37	5.10	68.2	8.83	Peak	360.00	200	Vertical	Pass
2	5650.000	57.12	4.41	68.2	11.08	Peak	19.00	100	Vertical	Pass

U-NII-3 11ax20 (RU26) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.14	3.49	68.3	12.16	Peak	6.00	150	Vertical	Pass
2	5939.325	58.76	4.38	68.2	9.44	Peak	101.00	200	Vertical	Pass

U-NII-3 11ax40 (RU26) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5635.188	59.56	4.99	68.2	8.64	Peak	156.00	100	Vertical	Pass
2	5650.000	57.55	4.41	68.2	10.65	Peak	303.00	200	Vertical	Pass

U-NII-3 11ax40 (RU26) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.09	3.49	68.3	12.21	Peak	120.00	100	Vertical	Pass
2	5944.875	59.23	4.18	68.2	8.97	Peak	50.00	100	Vertical	Pass

U-NII-3 11ax80 (RU26) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5629.313	59.45	4.83	68.2	8.75	Peak	308.00	200	Vertical	Pass
2	5650.000	56.68	4.41	68.2	11.52	Peak	193.00	200	Vertical	Pass

U-NII-3 11ax80 (RU26) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.49	3.49	68.3	12.81	Peak	337.00	200	Vertical	Pass
2	5940.450	58.37	4.41	68.2	9.83	Peak	52.00	200	Vertical	Pass

U-NII-2C&U-NII-3 11a CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.480	60.90	5.05	74.0	13.10	Peak	61.00	100	Vertical	Pass
1**	5350.480	49.12	5.05	54.0	4.88	AV	61.00	100	Vertical	Pass
2	5459.980	56.99	4.04	74.0	17.01	Peak	288.00	150	Vertical	Pass
2**	5459.980	47.64	4.04	54.0	6.36	AV	288.00	150	Vertical	Pass
3	5462.920	59.45	4.00	68.2	8.75	Peak	271.00	100	Vertical	Pass
3**	5462.920	47.29	4.00	--	--	AV	271.00	100	Vertical	N/A
4	5469.940	56.45	4.06	68.2	11.75	Peak	3.00	150	Vertical	Pass
4**	5469.940	47.27	4.06	--	--	AV	3.00	150	Vertical	N/A

U-NII-2C&U-NII-3 11a CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.65	3.49	68.3	11.65	Peak	172.00	200	Vertical	Pass
2	5944.650	59.83	4.19	68.2	8.37	Peak	40.00	100	Vertical	Pass

U-NII-2C&U-NII-3 11n20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5394.400	60.46	4.60	74.0	13.54	Peak	274.00	150	Vertical	Pass
1**	5394.400	48.58	4.60	54.0	5.42	AV	274.00	150	Vertical	Pass
2	5459.980	56.65	4.04	74.0	17.35	Peak	71.00	200	Vertical	Pass
2**	5459.980	47.49	4.04	54.0	6.51	AV	71.00	200	Vertical	Pass
3	5466.400	58.03	3.90	68.2	10.17	Peak	66.00	100	Vertical	Pass
3**	5466.400	47.36	3.90	--	--	AV	66.00	100	Vertical	N/A
4	5469.940	57.09	4.06	68.2	11.11	Peak	211.00	200	Vertical	Pass
4**	5469.940	47.37	4.06	--	--	AV	211.00	200	Vertical	N/A

U-NII-2C&U-NII-3 11n20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.82	3.49	68.3	11.48	Peak	127.00	200	Vertical	Pass
2	5944.350	60.38	4.20	68.2	7.82	Peak	60.00	150	Vertical	Pass

U-NII-2C&U-NII-3 11n40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5379.760	60.48	4.73	74.0	13.52	Peak	256.00	200	Vertical	Pass
1**	5379.760	48.51	4.73	54.0	5.49	AV	256.00	200	Vertical	Pass
2	5459.980	56.86	4.04	74.0	17.14	Peak	1.00	150	Vertical	Pass
2**	5459.980	47.64	4.04	54.0	6.36	AV	1.00	150	Vertical	Pass
3	5461.360	58.78	3.89	68.2	9.42	Peak	79.00	200	Vertical	Pass
3**	5461.360	47.30	3.89	--	--	AV	79.00	200	Vertical	N/A
4	5469.940	56.94	4.06	68.2	11.26	Peak	13.00	100	Vertical	Pass
4**	5469.940	47.20	4.06	--	--	AV	13.00	100	Vertical	N/A

U-NII-2C&U-NII-3 11n40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.87	3.49	68.3	11.43	Peak	37.00	150	Vertical	Pass
2	5944.050	59.64	4.20	68.2	8.56	Peak	130.00	100	Vertical	Pass

U-NII-2C&U-NII-3 11ac20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5353.540	60.36	4.79	74.0	13.64	Peak	203.00	150	Vertical	Pass
1**	5353.540	48.69	4.79	54.0	5.31	AV	203.00	150	Vertical	Pass
2	5459.980	57.98	4.04	74.0	16.02	Peak	360.00	100	Vertical	Pass
2**	5459.980	47.66	4.04	54.0	6.34	AV	360.00	100	Vertical	Pass
3	5466.340	58.69	3.90	68.2	9.51	Peak	169.00	200	Vertical	Pass
3**	5466.340	47.17	3.90	--	--	AV	169.00	200	Vertical	N/A
4	5469.940	56.36	4.06	68.2	11.84	Peak	193.00	150	Vertical	Pass
4**	5469.940	47.30	4.06	--	--	AV	193.00	150	Vertical	N/A

U-NII-2C&U-NII-3 11ac20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.80	3.49	68.3	11.50	Peak	254.00	200	Vertical	Pass
2	5946.825	59.65	4.03	68.2	8.55	Peak	0.00	200	Vertical	Pass

U-NII-2C&U-NII-3 11ac40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5388.160	60.05	4.46	74.0	13.95	Peak	321.00	100	Vertical	Pass
1**	5388.160	48.37	4.46	54.0	5.63	AV	321.00	100	Vertical	Pass
2	5459.980	56.77	4.04	74.0	17.23	Peak	45.00	150	Vertical	Pass
2**	5459.980	47.45	4.04	54.0	6.55	AV	45.00	150	Vertical	Pass
3	5461.120	58.36	3.91	68.2	9.84	Peak	360.00	200	Vertical	Pass
3**	5461.120	47.46	3.91	--	--	AV	360.00	200	Vertical	N/A
4	5469.940	57.59	4.06	68.2	10.61	Peak	279.00	150	Vertical	Pass
4**	5469.940	47.41	4.06	--	--	AV	279.00	150	Vertical	N/A

U-NII-2C&U-NII-3 11ac40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.09	3.49	68.3	11.21	Peak	251.00	100	Vertical	Pass
2	5944.650	60.03	4.19	68.2	8.17	Peak	55.00	100	Vertical	Pass

U-NII-2C&U-NII-3 11ac80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5358.700	60.23	4.69	74.0	13.77	Peak	142.00	150	Vertical	Pass
1**	5358.700	48.57	4.69	54.0	5.43	AV	142.00	150	Vertical	Pass
2	5459.980	57.43	4.04	74.0	16.57	Peak	360.00	150	Vertical	Pass
2**	5459.980	47.50	4.04	54.0	6.50	AV	360.00	150	Vertical	Pass
3	5464.660	58.88	3.94	68.2	9.32	Peak	283.00	100	Vertical	Pass
3**	5464.660	47.48	3.94	--	--	AV	283.00	100	Vertical	N/A
4	5469.940	56.50	4.06	68.2	11.70	Peak	196.00	100	Vertical	Pass
4**	5469.940	47.25	4.06	--	--	AV	196.00	100	Vertical	N/A

U-NII-2C&U-NII-3 11ac80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.27	3.49	68.3	11.03	Peak	249.00	150	Vertical	Pass
2	5940.525	59.69	4.41	68.2	8.51	Peak	83.00	200	Vertical	Pass

U-NII-2C&U-NII-3 11ax20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5378.860	60.08	4.85	74.0	13.92	Peak	360.00	100	Vertical	Pass
1**	5378.860	48.67	4.85	54.0	5.33	AV	360.00	100	Vertical	Pass
2	5459.980	56.68	4.04	74.0	17.32	Peak	320.00	200	Vertical	Pass
2**	5459.980	47.41	4.04	54.0	6.59	AV	320.00	200	Vertical	Pass
3	5463.400	58.54	4.04	68.2	9.66	Peak	166.00	200	Vertical	Pass
3**	5463.400	47.74	4.04	--	--	AV	166.00	200	Vertical	N/A
4	5469.940	57.42	4.06	68.2	10.78	Peak	122.00	100	Vertical	Pass
4**	5469.940	47.34	4.06	--	--	AV	122.00	100	Vertical	N/A

U-NII-2C&U-NII-3 11ax20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.07	3.49	68.3	11.23	Peak	251.00	200	Vertical	Pass
2	5938.575	59.90	4.33	68.2	8.30	Peak	42.00	200	Vertical	Pass

U-NII-2C&U-NII-3 11ax40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5351.800	60.40	4.95	74.0	13.60	Peak	57.00	100	Vertical	Pass
1**	5351.800	49.10	4.95	54.0	4.90	AV	57.00	100	Vertical	Pass
2	5459.980	56.71	4.04	74.0	17.29	Peak	276.00	150	Vertical	Pass
2**	5459.980	47.57	4.04	54.0	6.43	AV	276.00	150	Vertical	Pass
3	5461.360	58.97	3.89	68.2	9.23	Peak	169.00	200	Vertical	Pass
3**	5461.360	47.85	3.89	--	--	AV	169.00	200	Vertical	N/A
4	5469.940	56.58	4.06	68.2	11.62	Peak	184.00	150	Vertical	Pass
4**	5469.940	47.61	4.06	--	--	AV	184.00	150	Vertical	N/A

U-NII-2C&U-NII-3 11ax40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.83	3.49	68.3	11.47	Peak	157.00	150	Vertical	Pass
2	5935.500	59.51	4.22	68.2	8.69	Peak	305.00	200	Vertical	Pass

U-NII-2C&U-NII-3 11ax80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5352.160	60.49	4.93	74.0	13.51	Peak	20.00	150	Vertical	Pass
1**	5352.160	49.31	4.93	54.0	4.69	AV	20.00	150	Vertical	Pass
2	5459.980	56.35	4.04	74.0	17.65	Peak	23.00	100	Vertical	Pass
2**	5459.980	47.33	4.04	54.0	6.67	AV	23.00	100	Vertical	Pass
3	5467.360	58.88	3.94	68.2	9.32	Peak	357.00	200	Vertical	Pass
3**	5467.360	47.18	3.94	--	--	AV	357.00	200	Vertical	N/A
4	5469.940	57.11	4.06	68.2	11.09	Peak	122.00	200	Vertical	Pass
4**	5469.940	47.39	4.06	--	--	AV	122.00	200	Vertical	N/A

U-NII-2C&U-NII-3 11ax80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.64	3.49	68.3	11.66	Peak	342.00	150	Vertical	Pass
2	5938.125	59.39	4.30	68.2	8.81	Peak	99.00	100	Vertical	Pass

U-NII-5 11ax20(SU) CH1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5630.050	59.38	4.78	88.2	28.82	Peak	133.00	100	Vertical	Pass
1**	5630.050	47.86	4.78	68.2	20.34	AV	133.00	100	Vertical	Pass
2	5924.788	56.27	3.47	88.2	31.93	Peak	24.00	150	Vertical	Pass
2**	5924.788	46.75	3.47	68.2	21.45	AV	24.00	150	Vertical	Pass

U-NII-5 11ax40(SU) CH3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5630.263	59.37	4.76	88.2	28.83	Peak	191.00	100	Vertical	Pass
1**	5630.263	47.96	4.76	68.2	20.24	AV	191.00	100	Vertical	Pass
2	5924.788	56.73	3.47	88.2	31.47	Peak	210.00	150	Vertical	Pass
2**	5924.788	46.37	3.47	68.2	21.83	AV	210.00	150	Vertical	Pass

U-NII-5 11ax80(SU) CH7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5669.150	59.12	4.36	88.2	29.08	Peak	9.00	150	Vertical	Pass
1**	5669.150	47.68	4.36	68.2	20.52	AV	9.00	150	Vertical	Pass
2	5924.788	55.32	3.47	88.2	32.88	Peak	39.00	100	Vertical	Pass
2**	5924.788	46.56	3.47	68.2	21.64	AV	39.00	100	Vertical	Pass

U-NII-5 11ax160(SU) CH15




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5664.050	59.30	4.60	88.2	28.90	Peak	184.00	100	Vertical	Pass
1**	5664.050	47.84	4.60	68.2	20.36	AV	184.00	100	Vertical	Pass
2	5924.788	55.69	3.47	88.2	32.51	Peak	202.00	150	Vertical	Pass
2**	5924.788	46.56	3.47	68.2	21.64	AV	202.00	150	Vertical	Pass

U-NII-5 11ax20(RU26) CH1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5621.338	59.38	4.69	88.2	28.82	Peak	174.00	100	Vertical	Pass
1**	5621.338	47.89	4.69	68.2	20.31	AV	174.00	100	Vertical	Pass
2	5924.788	55.96	3.47	88.2	32.24	Peak	211.00	200	Vertical	Pass
2**	5924.788	46.18	3.47	68.2	22.02	AV	211.00	200	Vertical	Pass

U-NII-5 11ax40(RU26) CH3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5923.300	59.44	3.49	88.2	28.76	Peak	256.00	200	Vertical	Pass
1**	5923.300	46.33	3.49	68.2	21.87	AV	256.00	200	Vertical	Pass
2	5924.788	56.14	3.47	88.2	32.06	Peak	38.00	150	Vertical	Pass
2**	5924.788	46.22	3.47	68.2	21.98	AV	38.00	150	Vertical	Pass

U-NII-5 11ax80(RU26) CH7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5624.525	59.05	4.61	88.2	29.15	Peak	117.00	150	Vertical	Pass
1**	5624.525	47.57	4.61	68.2	20.63	AV	117.00	150	Vertical	Pass
2	5924.788	56.74	3.47	88.2	31.46	Peak	3.00	100	Vertical	Pass
2**	5924.788	46.45	3.47	68.2	21.75	AV	3.00	100	Vertical	Pass

U-NII-5 11ax160(RU26) CH15




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5897.163	61.92	4.08	88.2	26.28	Peak	251.00	100	Vertical	Pass
1**	5897.163	47.38	4.08	68.2	20.82	AV	251.00	100	Vertical	Pass
2	5924.788	55.46	3.47	88.2	32.74	Peak	251.00	150	Vertical	Pass
2**	5924.788	46.30	3.47	68.2	21.90	AV	251.00	150	Vertical	Pass

U-NII-8 11ax20(SU) CH229




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	74.66	6.90	88.2	13.54	Peak	135.00	100	Vertical	Pass
1**	7125.063	61.70	6.90	68.2	6.50	AV	135.00	100	Vertical	Pass
2	7128.813	72.70	6.96	88.2	15.50	Peak	135.00	200	Vertical	Pass
2**	7128.813	58.78	6.96	68.2	9.42	AV	135.00	200	Vertical	Pass

U-NII-8 11ax20(SU) CH233




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	69.75	6.89	88.2	18.45	Peak	82.00	100	Vertical	Pass
1**	7125.000	63.59	6.89	68.2	4.61	AV	82.00	100	Vertical	Pass
2	7125.250	69.56	6.91	88.2	18.64	Peak	106.00	200	Vertical	Pass
2**	7125.250	59.75	6.91	68.2	8.45	AV	106.00	200	Vertical	Pass

U-NII-8 11ax40(SU) CH227




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	62.38	6.90	88.2	25.82	Peak	106.00	200	Vertical	Pass
1**	7125.063	51.67	6.90	68.2	16.53	AV	106.00	200	Vertical	Pass
2	7197.750	63.49	10.24	88.2	24.71	Peak	156.00	100	Vertical	Pass
2**	7197.750	52.61	10.24	68.2	15.59	AV	156.00	100	Vertical	Pass

U-NII-8 11ax80(SU) CH215




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	59.42	6.90	88.2	28.78	Peak	338.00	100	Vertical	Pass
1**	7125.063	49.88	6.90	68.2	18.32	AV	338.00	100	Vertical	Pass
2	7197.875	63.50	10.24	88.2	24.70	Peak	36.00	200	Vertical	Pass
2**	7197.875	52.31	10.24	68.2	15.89	AV	36.00	200	Vertical	Pass

U-NII-8 11ax160(SU) CH207




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	58.97	6.89	88.2	29.23	Peak	1.00	200	Vertical	Pass
1**	7125.000	49.37	6.89	68.2	18.83	AV	1.00	200	Vertical	Pass
2	7200.500	63.66	10.08	88.2	24.54	Peak	99.00	200	Vertical	Pass
2**	7200.500	52.66	10.08	68.2	15.54	AV	99.00	200	Vertical	Pass

U-NII-8 11ax20(RU26) CH229




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	63.62	6.90	88.2	24.58	Peak	94.00	100	Vertical	Pass
1**	7125.063	49.96	6.90	68.2	18.24	AV	94.00	100	Vertical	Pass
2	7125.313	65.69	6.91	88.2	22.51	Peak	107.00	150	Vertical	Pass
2**	7125.313	49.85	6.91	68.2	18.35	AV	107.00	150	Vertical	Pass

U-NII-8 11ax20(RU26) CH233




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	74.04	6.89	88.2	14.16	Peak	107.00	150	Vertical	Pass
1**	7125.000	64.28	6.89	68.2	3.92	AV	107.00	150	Vertical	Pass
2	7125.250	71.62	6.91	88.2	16.58	Peak	130.00	150	Vertical	Pass
2**	7125.250	59.97	6.91	68.2	8.23	AV	130.00	150	Vertical	Pass

U-NII-8 11ax40(RU26) CH227




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	60.85	6.90	88.2	27.35	Peak	229.00	100	Vertical	Pass
1**	7125.063	49.76	6.90	68.2	18.44	AV	229.00	100	Vertical	Pass
2	7128.750	67.25	6.96	88.2	20.95	Peak	133.00	100	Vertical	Pass
2**	7128.750	50.11	6.96	68.2	18.09	AV	133.00	100	Vertical	Pass

U-NII-8 11ax80(RU26) CH215



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	59.13	6.89	88.2	29.07	Peak	93.00	100	Vertical	Pass
1**	7125.000	49.58	6.89	68.2	18.62	AV	93.00	100	Vertical	Pass
2	7195.625	63.77	9.95	88.2	24.43	Peak	331.00	100	Vertical	Pass
2**	7195.625	51.94	9.95	68.2	16.26	AV	331.00	100	Vertical	Pass


U-NII-8 11ax160(RU26) CH207



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	59.02	6.90	88.2	29.18	Peak	6.00	150	Vertical	Pass
1**	7125.063	49.44	6.90	68.2	18.76	AV	6.00	150	Vertical	Pass
2	7196.938	63.66	10.16	88.2	24.54	Peak	104.00	200	Vertical	Pass
2**	7196.938	52.08	10.16	68.2	16.12	AV	104.00	200	Vertical	Pass


Aux. Antenna

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5126.275	58.66	4.52	74.0	15.34	Peak	264.00	150	Vertical	Pass
1**	5126.275	47.37	4.52	54.0	6.63	AV	264.00	150	Vertical	Pass
2	5149.675	56.64	4.06	74.0	17.36	Peak	152.00	100	Vertical	Pass
2**	5149.675	47.08	4.06	54.0	6.92	AV	152.00	100	Vertical	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.73	5.11	74.0	16.27	Peak	212.00	100	Vertical	Pass
1**	5350.000	48.24	5.11	54.0	5.76	AV	212.00	100	Vertical	Pass
2	5397.850	59.50	4.74	74.0	14.50	Peak	223.00	100	Vertical	Pass
2**	5397.850	47.81	4.74	54.0	6.19	AV	223.00	100	Vertical	Pass

U-NII-1 11n20 CH36



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5084.350	58.20	4.24	74.0	15.80	Peak	108.00	100	Vertical	Pass
1**	5084.350	46.95	4.24	54.0	7.05	AV	108.00	100	Vertical	Pass
2	5149.675	56.99	4.06	74.0	17.01	Peak	210.00	200	Vertical	Pass
2**	5149.675	47.03	4.06	54.0	6.97	AV	210.00	200	Vertical	Pass

U-NII-1 11n20 CH48



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.73	5.10	74.0	15.27	Peak	40.00	100	Vertical	Pass
1**	5350.055	48.26	5.10	54.0	5.74	AV	40.00	100	Vertical	Pass
2	5350.110	59.50	5.10	74.0	14.50	Peak	47.00	150	Vertical	Pass
2**	5350.110	48.31	5.10	54.0	5.69	AV	47.00	150	Vertical	Pass