

11ax20(SU), U-NII-6, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.38	6483.62	-61.76	-69.61	-21.76	Pass
-30	-20	0.2	-21.36	6493.64	-51.93	-59.79	-22.3	Pass
-20	-11	0.2	-11.04	6503.96	-37.2	-45.06	-17.16	Pass
-11	-10	0.2	-11	6504	-36.64	-44.49	-16.64	Pass
10	11	0.2	11	6526	-36.74	-44.6	16.74	Pass
11	20	0.2	11	6526	-36.52	-44.38	16.52	Pass
20	30	0.2	29.88	6544.88	-62.34	-70.2	22.49	Pass
30	60	0.2	30.36	6545.36	-62.2	-70.06	22.2	Pass

11ax40(SU), U-NII-6, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.84	6384.16	-58.83	-66.66	-18.83	Pass
-60	-40	0.4	-60	6385	-59.71	-67.54	-19.71	Pass
-40	-21	0.4	-21.049475	6423.950525	-38.96	-46.79	-18.94	Pass
-21	-20	0.4	-21	6424	-39.04	-46.87	-19.04	Pass
20	21	0.4	21	6466	-39.53	-47.36	19.53	Pass
21	40	0.4	21	6466	-39.53	-47.36	19.53	Pass
40	60	0.4	59.28	6504.28	-59.83	-67.66	20.26	Pass
60	120	0.4	63.84	6508.84	-59.48	-67.31	19.48	Pass

11ax40(SU), U-NII-6, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-71.88	6413.12	-59.21	-66.93	-19.21	Pass
-60	-40	0.4	-59.88	6425.12	-59.56	-67.28	-19.63	Pass
-40	-21	0.4	-21	6464	-39.28	-46.99	-19.28	Pass
-21	-20	0.4	-21	6464	-39.28	-46.99	-19.28	Pass
20	21	0.4	21	6506	-39.48	-47.19	19.48	Pass
21	40	0.4	21.049475	6506.049475	-39.46	-47.17	19.43	Pass
40	60	0.4	59.76	6544.76	-60.01	-67.73	20.16	Pass
60	120	0.4	61.44	6546.44	-59.78	-67.5	19.78	Pass

11ax40(SU), U-NII-6, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-93.96	6431.04	-59.13	-66.81	-19.13	Pass
-60	-40	0.4	-59.64	6465.36	-59.94	-67.62	-20.15	Pass
-40	-21	0.4	-21	6504	-38.88	-46.57	-18.88	Pass
-21	-20	0.4	-21	6504	-38.88	-46.57	-18.88	Pass
20	21	0.4	21	6546	-40.51	-48.19	20.51	Pass
21	40	0.4	21	6546	-40.51	-48.19	20.51	Pass
40	60	0.4	60	6585	-60.61	-68.29	20.61	Pass
60	120	0.4	96.72	6621.72	-59.84	-67.52	19.84	Pass

11ax80(SU), U-NII-6, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-184.32	6280.68	-57.31	-65.3	-17.31	Pass
-120	-80	0.8	-118.32	6346.68	-57.24	-65.23	-17.74	Pass
-80	-41	0.8	-41	6424	-33.5	-41.5	-13.5	Pass
-41	-40	0.8	-41	6424	-33.5	-41.5	-13.5	Pass
40	41	0.8	41	6506	-34.34	-42.33	14.34	Pass
41	80	0.8	41	6506	-34.34	-42.33	14.34	Pass
80	120	0.8	117.36	6582.36	-57.3	-65.29	18.09	Pass
120	240	0.8	120.72	6585.72	-57.75	-65.74	17.75	Pass

11ax80(SU), U-NII-6, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-135.84	6409.16	-57.11	-65.36	-17.11	Pass
-120	-80	0.8	-117.6	6427.4	-56.73	-64.97	-17.45	Pass
-80	-41	0.8	-41	6504	-32.76	-41	-12.76	Pass
-41	-40	0.8	-41	6504	-32.76	-41	-12.76	Pass
40	41	0.8	41	6586	-34.37	-42.62	14.37	Pass
41	80	0.8	41	6586	-34.37	-42.62	14.37	Pass
80	120	0.8	120	6665	-57.93	-66.17	17.93	Pass
120	240	0.8	234.96	6779.96	-57.26	-65.5	17.26	Pass

11ax160(SU), U-NII-6, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-255.51	6249.49	-54.53	-62.7	-14.53	Pass
-255	-170	1.6	-253.98	6251.02	-54.73	-62.91	-14.88	Pass
-170	-86	1.6	- 166.431784	6338.56821 6	-42.7	-50.87	-15.04	Pass
-86	-85	1.6	-86	6419	-38.33	-46.51	-18.33	Pass
85	86	1.6	86	6591	-39.65	-47.82	19.65	Pass
86	170	1.6	86	6591	-39.65	-47.82	19.65	Pass
170	255	1.6	255	6760	-55.39	-63.56	15.39	Pass
255	510	1.6	298.35	6803.35	-54.76	-62.93	14.76	Pass

11ax20(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-33	6502	-61.44	-69.97	-21.44	Pass
-30	-20	0.2	-29.94	6505.06	-61.98	-70.52	-22.05	Pass
-20	-11	0.2	-11.04	6523.96	-35.95	-44.49	-15.92	Pass
-11	-10	0.2	-11	6524	-36.51	-45.04	-16.51	Pass
10	11	0.2	11	6546	-36.41	-44.95	16.41	Pass
11	20	0.2	11	6546	-37.13	-45.67	17.13	Pass
20	30	0.2	29.82	6564.82	-61.44	-69.97	21.65	Pass
30	60	0.2	30.42	6565.42	-61.3	-69.84	21.3	Pass

11ax20(SU), U-NII-7, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.38	6683.62	-60.32	-69.7	-20.32	Pass
-30	-20	0.2	-29.76	6685.24	-60.71	-70.09	-21	Pass
-20	-11	0.2	-11	6704	-36.57	-45.96	-16.57	Pass
-11	-10	0.2	-11	6704	-36.98	-46.36	-16.98	Pass
10	11	0.2	11	6726	-37.16	-46.54	17.16	Pass
11	20	0.2	11	6726	-35.61	-44.99	15.61	Pass
20	30	0.2	29.82	6744.82	-60.5	-69.88	20.72	Pass
30	60	0.2	48.48	6763.48	-60.18	-69.56	20.18	Pass

11ax20(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-48.66	6806.34	-58.25	-69.74	-18.25	Pass
-30	-20	0.2	-29.88	6825.12	-58.43	-69.93	-18.57	Pass
-20	-11	0.2	-11	6844	-35.74	-47.24	-15.74	Pass
-11	-10	0.2	-11	6844	-35.81	-47.31	-15.81	Pass
10	11	0.2	11	6866	-36.82	-48.31	16.82	Pass
11	20	0.2	11	6866	-35.24	-46.74	15.24	Pass
20	30	0.2	30	6885	-59.41	-70.91	19.41	Pass
30	60	0.2	33.6	6888.6	-58.76	-70.25	18.76	Pass

11ax40(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-88.2	6476.8	-58.68	-66.97	-18.68	Pass
-60	-40	0.4	-59.76	6505.24	-59.04	-67.33	-19.19	Pass
-40	-21	0.4	-21	6544	-39.07	-47.36	-19.07	Pass
-21	-20	0.4	-21	6544	-39.07	-47.36	-19.07	Pass
20	21	0.4	21	6586	-40	-48.28	20	Pass
21	40	0.4	21	6586	-40	-48.28	20	Pass
40	60	0.4	60	6625	-59.74	-68.03	19.74	Pass
60	120	0.4	99.6	6664.6	-58.68	-66.96	18.68	Pass

11ax40(SU), U-NII-7, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-64.8	6660.2	-58.02	-67.33	-18.02	Pass
-60	-40	0.4	-59.64	6665.36	-58.59	-67.9	-18.8	Pass
-40	-21	0.4	-21	6704	-38.85	-48.16	-18.85	Pass
-21	-20	0.4	-21	6704	-38.85	-48.16	-18.85	Pass
20	21	0.4	21	6746	-40.5	-49.81	20.5	Pass
21	40	0.4	21	6746	-40.5	-49.81	20.5	Pass
40	60	0.4	59.88	6784.88	-57.78	-67.09	17.85	Pass
60	120	0.4	73.56	6798.56	-57.63	-66.94	17.63	Pass

11ax40(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-89.4	6755.6	-55.75	-66.76	-15.75	Pass
-60	-40	0.4	-59.64	6785.36	-55.78	-66.79	-16	Pass
-40	-21	0.4	-21.169415	6823.830585	-38.84	-49.85	-18.77	Pass
-21	-20	0.4	-21	6824	-38.83	-49.84	-18.83	Pass
20	21	0.4	21	6866	-40.33	-51.33	20.33	Pass
21	40	0.4	21.049475	6866.049475	-40.17	-51.18	20.15	Pass
40	60	0.4	59.76	6904.76	-57.11	-68.12	17.26	Pass
60	120	0.4	66.24	6911.24	-56.42	-67.43	16.42	Pass

11ax80(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-135.6	6489.4	-56.92	-65.55	-16.92	Pass
-120	-80	0.8	-118.8	6506.2	-57.66	-66.29	-18.02	Pass
-80	-41	0.8	-41.61919	6583.38081	-34.31	-42.94	-14.19	Pass
-41	-40	0.8	-41	6584	-34.33	-42.96	-14.33	Pass
40	41	0.8	41	6666	-33.66	-42.29	13.66	Pass
41	80	0.8	41	6666	-33.66	-42.29	13.66	Pass
80	120	0.8	119.76	6744.76	-57.41	-66.04	17.48	Pass
120	240	0.8	144	6769	-56.82	-65.45	16.82	Pass

11ax80(SU), U-NII-7, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-124.08	6580.92	-56.56	-65.9	-16.56	Pass
-120	-80	0.8	-119.52	6585.48	-56.41	-65.75	-16.56	Pass
-80	-41	0.8	-41	6664	-33.53	-42.87	-13.53	Pass
-41	-40	0.8	-41	6664	-33.53	-42.87	-13.53	Pass
40	41	0.8	41	6746	-34.8	-44.14	14.8	Pass
41	80	0.8	41	6746	-34.8	-44.14	14.8	Pass
80	120	0.8	120	6825	-56.25	-65.59	16.25	Pass
120	240	0.8	133.92	6838.92	-56.16	-65.5	16.16	Pass

11ax80(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-123.36	6661.64	-55.67	-65.52	-15.67	Pass
-120	-80	0.8	-117.6	6667.4	-55.32	-65.17	-16.04	Pass
-80	-41	0.8	-41	6744	-34.04	-43.9	-14.04	Pass
-41	-40	0.8	-41	6744	-34.04	-43.9	-14.04	Pass
40	41	0.8	41	6826	-33.88	-43.74	13.88	Pass
41	80	0.8	41	6826	-33.88	-43.74	13.88	Pass
80	120	0.8	119.76	6904.76	-56.49	-66.34	16.56	Pass
120	240	0.8	177.6	6962.6	-56.18	-66.03	16.18	Pass

11ax160(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-258.57	6406.43	-53.58	-62.43	-13.58	Pass
-255	-170	1.6	-255	6410	-54.08	-62.92	-14.08	Pass
-170	-86	1.6	- 166.431784	6498.56821 6	-43.15	-51.99	-15.49	Pass
-86	-85	1.6	-86	6579	-37.56	-46.41	-17.56	Pass
85	86	1.6	86	6751	-41.28	-50.12	21.28	Pass
86	170	1.6	86	6751	-41.28	-50.12	21.28	Pass
170	255	1.6	252.45	6917.45	-54.53	-63.38	14.89	Pass
255	510	1.6	504.39	7169.39	-54.58	-63.42	14.58	Pass

11ax160(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-394.74	6430.26	-52.55	-63.09	-12.55	Pass
-255	-170	1.6	-255	6570	-53.08	-63.62	-13.08	Pass
-170	-86	1.6	-170	6655	-43.02	-53.56	-15.02	Pass
-86	-85	1.6	-86	6739	-37.83	-48.37	-17.83	Pass
85	86	1.6	86	6911	-41.72	-52.26	21.72	Pass
86	170	1.6	86	6911	-41.72	-52.26	21.72	Pass
170	255	1.6	253.98	7078.98	-53.67	-64.21	13.81	Pass
255	510	1.6	473.79	7298.79	-52.47	-63.01	12.47	Pass

11ax20(SU), U-NII-8, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-33.24	6841.76	-58.18	-68.84	-18.18	Pass
-30	-20	0.2	-29.7	6845.3	-59.06	-69.73	-19.42	Pass
-20	-11	0.2	-11	6864	-36.54	-47.21	-16.54	Pass
-11	-10	0.2	-11	6864	-36.44	-47.11	-16.44	Pass
10	11	0.2	11	6886	-37.18	-47.85	17.18	Pass
11	20	0.2	11	6886	-36.29	-46.96	16.29	Pass
20	30	0.2	29.94	6904.94	-59.42	-70.08	19.49	Pass
30	60	0.2	31.74	6906.74	-58.41	-69.08	18.41	Pass

11ax20(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-47.28	6947.72	-56.33	-69.42	-16.33	Pass
-30	-20	0.2	-30	6965	-56.77	-69.86	-16.77	Pass
-20	-11	0.2	-11.1	6983.9	-37.73	-50.82	-17.64	Pass
-11	-10	0.2	-11	6984	-37.11	-50.2	-17.11	Pass
10	11	0.2	11	7006	-36.64	-49.73	16.64	Pass
11	20	0.2	11	7006	-37.12	-50.21	17.12	Pass
20	30	0.2	29.88	7024.88	-57.17	-70.26	17.31	Pass
30	60	0.2	40.32	7035.32	-57.06	-70.15	17.06	Pass

11ax20(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-32.94	7062.06	-55.88	-70.18	-15.88	Pass
-30	-20	0.2	-29.64	7065.36	-56	-70.3	-16.43	Pass
-20	-11	0.2	-11	7084	-34.97	-49.28	-14.97	Pass
-11	-10	0.2	-11	7084	-36.05	-50.35	-16.05	Pass
10	11	0.2	11	7106	-36.4	-50.7	16.4	Pass
11	20	0.2	11.04	7106.04	-36.21	-50.51	16.17	Pass
20	30	0.2	30	7125	-56.3	-70.6	16.3	Pass
30	60	0.2	49.86	7144.86	-55.41	-69.72	15.41	Pass

11ax20(SU), U-NII-8, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-33.48	7081.52	-55.84	-69.94	-15.84	Pass
-30	-20	0.2	-29.4	7085.6	-56.04	-70.14	-16.76	Pass
-20	-11	0.2	-11.1	7103.9	-37.88	-51.99	-17.79	Pass
-11	-10	0.2	-11	7104	-36.5	-50.61	-16.5	Pass
10	11	0.2	11	7126	-37.23	-51.33	17.23	Pass
11	20	0.2	11	7126	-36.96	-51.07	16.96	Pass
20	30	0.2	29.76	7144.76	-56.11	-70.21	16.39	Pass
30	60	0.2	53.82	7168.82	-55.52	-69.63	15.52	Pass

11ax40(SU), U-NII-8, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-97.8	6787.2	-55.71	-66.28	-15.71	Pass
-60	-40	0.4	-58.8	6826.2	-55.82	-66.39	-16.54	Pass
-40	-21	0.4	-21	6864	-38.86	-49.43	-18.86	Pass
-21	-20	0.4	-21	6864	-38.86	-49.43	-18.86	Pass
20	21	0.4	21	6906	-40.56	-51.13	20.56	Pass
21	40	0.4	21.049475	6906.049475	-40.42	-50.98	20.39	Pass
40	60	0.4	59.4	6944.4	-56.62	-67.18	16.98	Pass
60	120	0.4	103.92	6988.92	-56.49	-67.06	16.49	Pass

11ax40(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-70.32	6934.68	-53.38	-66.49	-13.38	Pass
-60	-40	0.4	-59.52	6945.48	-54.14	-67.25	-14.43	Pass
-40	-21	0.4	-21	6984	-38.4	-51.51	-18.4	Pass
-21	-20	0.4	-21	6984	-38.4	-51.51	-18.4	Pass
20	21	0.4	21	7026	-39.63	-52.73	19.63	Pass
21	40	0.4	21	7026	-39.63	-52.73	19.63	Pass
40	60	0.4	59.88	7064.88	-54.61	-67.72	14.69	Pass
60	120	0.4	82.8	7087.8	-53.95	-67.06	13.95	Pass

11ax40(SU), U-NII-8, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-100.2	6984.8	-52.74	-66.67	-12.74	Pass
-60	-40	0.4	-59.76	7025.24	-53.59	-67.52	-13.74	Pass
-40	-21	0.4	-21	7064	-38.2	-52.12	-18.2	Pass
-21	-20	0.4	-21	7064	-38.2	-52.12	-18.2	Pass
20	21	0.4	21	7106	-40.15	-54.07	20.15	Pass
21	40	0.4	21	7106	-40.15	-54.07	20.15	Pass
40	60	0.4	59.88	7144.88	-53.22	-67.15	13.29	Pass
60	120	0.4	108.48	7193.48	-52.44	-66.37	12.44	Pass

11ax80(SU), U-NII-8, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-133.2	6731.8	-54.18	-64.59	-14.18	Pass
-120	-80	0.8	-120	6745	-54.6	-65.01	-14.6	Pass
-80	-41	0.8	-41.37931	6823.62069	-33.05	-43.46	-12.98	Pass
-41	-40	0.8	-41	6824	-33.2	-43.61	-13.2	Pass
40	41	0.8	41	6906	-35.93	-46.34	15.93	Pass
41	80	0.8	41	6906	-35.93	-46.34	15.93	Pass
80	120	0.8	119.28	6984.28	-55.31	-65.72	15.52	Pass
120	240	0.8	123.84	6988.84	-55.06	-65.46	15.06	Pass

11ax80(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-194.64	6750.36	-52.5	-64.59	-12.5	Pass
-120	-80	0.8	-119.76	6825.24	-53.44	-65.53	-13.52	Pass
-80	-41	0.8	-41	6904	-31.64	-43.73	-11.64	Pass
-41	-40	0.8	-41	6904	-31.64	-43.73	-11.64	Pass
40	41	0.8	41	6986	-35.11	-47.2	15.11	Pass
41	80	0.8	41	6986	-35.11	-47.2	15.11	Pass
80	120	0.8	120	7065	-54.23	-66.31	14.23	Pass
120	240	0.8	176.64	7121.64	-53.51	-65.6	13.51	Pass

11ax80(SU), U-NII-8, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-182.16	6842.84	-51.54	-64.88	-11.54	Pass
-120	-80	0.8	-119.76	6905.24	-51.58	-64.91	-11.65	Pass
-80	-41	0.8	-41	6984	-32.21	-45.55	-12.21	Pass
-41	-40	0.8	-41	6984	-32.21	-45.55	-12.21	Pass
40	41	0.8	41	7066	-34.59	-47.92	14.59	Pass
41	80	0.8	41	7066	-34.59	-47.92	14.59	Pass
80	120	0.8	118.8	7143.8	-52.43	-65.77	12.79	Pass
120	240	0.8	215.28	7240.28	-51.75	-65.09	11.75	Pass

11ax160(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-266.73	6718.27	-49.17	-62.11	-9.17	Pass
-255	-170	1.6	-255	6730	-49.33	-62.28	-9.33	Pass
-170	-86	1.6	- 167.961019	6817.03898 1	-42.29	-55.23	-14.48	Pass
-86	-85	1.6	-86	6899	-36.73	-49.67	-16.73	Pass
85	86	1.6	86	7071	-40.46	-53.41	20.46	Pass
86	170	1.6	167.961019	7152.96101 9	-47.04	-59.98	19.23	Pass
170	255	1.6	255	7240	-49.67	-62.61	9.67	Pass
255	510	1.6	269.28	7254.28	-49.31	-62.26	9.31	Pass

MIMO-Main Antenna

11ax20(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-34.98	5920.02	-59.85	-69.65	-19.85	Pass
-30	-20	0.2	-29.82	5925.18	-59.43	-69.23	-19.64	Pass
-20	-11	0.2	-11	5944	-36.07	-45.87	-16.07	Pass
-11	-10	0.2	-11	5944	-36.46	-46.26	-16.46	Pass
10	11	0.2	11	5966	-36.38	-46.18	16.38	Pass
11	20	0.2	11	5966	-35.95	-45.75	15.95	Pass
20	30	0.2	30	5985	-60.03	-69.83	20.03	Pass
30	60	0.2	31.44	5986.44	-59.85	-69.65	19.85	Pass

11ax20(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-46.08	6128.92	-60.8	-70.35	-20.8	Pass
-30	-20	0.2	-29.94	6145.06	-61.33	-70.87	-21.4	Pass
-20	-11	0.2	-11	6164	-35.96	-45.51	-15.96	Pass
-11	-10	0.2	-11	6164	-37.1	-46.64	-17.1	Pass
10	11	0.2	11	6186	-37.2	-46.75	17.2	Pass
11	20	0.2	11	6186	-35.65	-45.19	15.65	Pass
20	30	0.2	30	6205	-60.66	-70.2	20.66	Pass
30	60	0.2	33.78	6208.78	-60.46	-70	20.46	Pass

11ax20(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-52.02	6362.98	-60.04	-69.7	-20.04	Pass
-30	-20	0.2	-30	6385	-60.15	-69.81	-20.15	Pass
-20	-11	0.2	-11.04	6403.96	-35.88	-45.55	-15.85	Pass
-11	-10	0.2	-11	6404	-36.97	-46.63	-16.97	Pass
10	11	0.2	11	6426	-37.26	-46.92	17.26	Pass
11	20	0.2	11.1	6426.1	-36.63	-46.3	16.54	Pass
20	30	0.2	30	6445	-60.12	-69.78	20.12	Pass
30	60	0.2	30	6445	-60.12	-69.78	20.12	Pass

11ax40(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60	5905	-59.16	-65.72	-19.16	Pass
-60	-40	0.4	-59.88	5905.12	-58.99	-65.54	-19.06	Pass
-40	-21	0.4	-21	5944	-38.6	-45.16	-18.6	Pass
-21	-20	0.4	-21	5944	-38.6	-45.16	-18.6	Pass
20	21	0.4	21	5986	-39.72	-46.28	19.72	Pass
21	40	0.4	21.049475	5986.049475	-39.66	-46.22	19.64	Pass
40	60	0.4	59.4	6024.4	-59.25	-65.81	19.61	Pass
60	120	0.4	60.24	6025.24	-59.77	-66.33	19.77	Pass

11ax40(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-62.16	6102.84	-59.95	-66.77	-19.95	Pass
-60	-40	0.4	-43.92	6121.08	-50.75	-57.57	-20.4	Pass
-40	-21	0.4	-21.049475	6143.950525	-38.97	-45.79	-18.95	Pass
-21	-20	0.4	-21	6144	-38.97	-45.78	-18.97	Pass
20	21	0.4	21	6186	-39.46	-46.28	19.46	Pass
21	40	0.4	21	6186	-39.46	-46.28	19.46	Pass
40	60	0.4	60	6225	-60.3	-67.11	20.3	Pass
60	120	0.4	106.56	6271.56	-59.59	-66.41	19.59	Pass

11ax40(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-66.84	6338.16	-60.22	-66.67	-20.22	Pass
-60	-40	0.4	-59.76	6345.24	-60.22	-66.67	-20.36	Pass
-40	-21	0.4	-21	6384	-39.7	-46.15	-19.7	Pass
-21	-20	0.4	-21	6384	-39.7	-46.15	-19.7	Pass
20	21	0.4	21	6426	-40.22	-46.67	20.22	Pass
21	40	0.4	21	6426	-40.22	-46.67	20.22	Pass
40	60	0.4	59.88	6464.88	-60.76	-67.21	20.83	Pass
60	120	0.4	66.12	6471.12	-60.25	-66.7	20.25	Pass

11ax80(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-225.12	5759.88	-48.38	-55.26	-8.38	Pass
-120	-80	0.8	-85.2	5899.8	-46.35	-53.24	-16.79	Pass
-80	-41	0.8	-41	5944	-32.91	-39.79	-12.91	Pass
-41	-40	0.8	-41	5944	-32.91	-39.79	-12.91	Pass
40	41	0.8	41	6026	-34.25	-41.13	14.25	Pass
41	80	0.8	41.13943	6026.13943	-33.99	-40.88	13.96	Pass
80	120	0.8	119.76	6104.76	-57.47	-64.36	17.54	Pass
120	240	0.8	120.96	6105.96	-57.42	-64.3	17.42	Pass

11ax80(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-122.16	6022.84	-58.26	-64.72	-18.26	Pass
-120	-80	0.8	-84	6061	-45.14	-51.61	-15.94	Pass
-80	-41	0.8	-41	6104	-32.97	-39.44	-12.97	Pass
-41	-40	0.8	-41	6104	-32.97	-39.44	-12.97	Pass
40	41	0.8	41	6186	-34.18	-40.65	14.18	Pass
41	80	0.8	41	6186	-34.18	-40.65	14.18	Pass
80	120	0.8	118.8	6263.8	-57.72	-64.19	18.08	Pass
120	240	0.8	122.16	6267.16	-57.86	-64.33	17.86	Pass

11ax80(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-129.12	6255.88	-58.56	-64.95	-18.56	Pass
-120	-80	0.8	-119.76	6265.24	-58.61	-65.01	-18.69	Pass
-80	-41	0.8	-41	6344	-33.31	-39.71	-13.31	Pass
-41	-40	0.8	-41	6344	-33.31	-39.71	-13.31	Pass
40	41	0.8	41	6426	-34.38	-40.78	14.38	Pass
41	80	0.8	41	6426	-34.38	-40.78	14.38	Pass
80	120	0.8	120	6505	-59.61	-66.01	19.61	Pass
120	240	0.8	125.52	6510.52	-58.99	-65.38	18.99	Pass

11ax160(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-265.2	5759.8	-52.1	-58.95	-12.1	Pass
-255	-170	1.6	-196.35	5828.65	-45.24	-52.09	-13.52	Pass
-170	-86	1.6	- 162.353823	5862.64617 7	-38.74	-45.59	-11.47	Pass
-86	-85	1.6	-86	5939	-35.96	-42.81	-15.96	Pass
85	86	1.6	86	6111	-37.79	-44.64	17.79	Pass
86	170	1.6	163.373313	6188.37331 3	-41.32	-48.17	13.95	Pass
170	255	1.6	253.47	6278.47	-54.31	-61.16	14.53	Pass
255	510	1.6	261.63	6286.63	-54.19	-61.04	14.19	Pass

11ax160(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-424.83	5760.17	-53.09	-59.6	-13.09	Pass
-255	-170	1.6	-185.13	5999.87	-45.33	-51.84	-15.19	Pass
-170	-86	1.6	- 164.392804	6020.60719 6	-40.54	-47.05	-13.07	Pass
-86	-85	1.6	-86	6099	-37.24	-43.76	-17.24	Pass
85	86	1.6	86	6271	-39.46	-45.97	19.46	Pass
86	170	1.6	156.236882	6341.23688 2	-45.48	-52	18.79	Pass
170	255	1.6	251.94	6436.94	-55.2	-61.71	15.63	Pass
255	510	1.6	258.57	6443.57	-55.5	-62.01	15.5	Pass

11ax160(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-256.53	6088.47	-55.92	-62.35	-15.92	Pass
-255	-170	1.6	-253.98	6091.02	-55.56	-62	-15.7	Pass
-170	-86	1.6	- 154.707646	6190.29235 4	-42.4	-48.83	-15.86	Pass
-86	-85	1.6	-86	6259	-38.91	-45.34	-18.91	Pass
85	86	1.6	86	6431	-39.77	-46.2	19.77	Pass
86	170	1.6	86	6431	-39.77	-46.2	19.77	Pass
170	255	1.6	255	6600	-55.75	-62.18	15.75	Pass
255	510	1.6	261.63	6606.63	-55.6	-62.04	15.6	Pass

11ax20(SU), U-NII-6, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.98	6403.02	-60.22	-69.56	-20.22	Pass
-30	-20	0.2	-29.94	6405.06	-60.81	-70.15	-20.88	Pass
-20	-11	0.2	-11	6424	-35.57	-44.91	-15.57	Pass
-11	-10	0.2	-11	6424	-36.56	-45.9	-16.56	Pass
10	11	0.2	11	6446	-36.95	-46.29	16.95	Pass
11	20	0.2	11	6446	-35.26	-44.6	15.26	Pass
20	30	0.2	30	6465	-60.89	-70.22	20.89	Pass
30	60	0.2	30	6465	-60.89	-70.22	20.89	Pass

11ax20(SU), U-NII-6, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.24	6444.76	-60.63	-70.01	-20.63	Pass
-30	-20	0.2	-29.94	6445.06	-60.85	-70.23	-20.92	Pass
-20	-11	0.2	-11.1	6463.9	-35.63	-45.02	-15.54	Pass
-11	-10	0.2	-11	6464	-37.11	-46.5	-17.11	Pass
10	11	0.2	10.940055	6485.940054	-35.58	-44.97	16.78	Pass
11	20	0.2	11.28	6486.28	-36.97	-46.35	16.72	Pass
20	30	0.2	29.76	6504.76	-60.95	-70.34	21.24	Pass
30	60	0.2	30.36	6505.36	-60.83	-70.21	20.83	Pass

11ax20(SU), U-NII-6, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-37.2	6477.8	-60.61	-70.35	-20.61	Pass
-30	-20	0.2	-29.82	6485.18	-60.81	-70.55	-21.03	Pass
-20	-11	0.2	-11	6504	-37.64	-47.39	-17.64	Pass
-11	-10	0.2	-10.940055	6504.05994 6	-35.46	-45.2	-16.66	Pass
10	11	0.2	11	6526	-36.59	-46.33	16.59	Pass
11	20	0.2	11.16	6526.16	-36.51	-46.25	16.37	Pass
20	30	0.2	29.1	6544.1	-60.56	-70.3	21.64	Pass
30	60	0.2	33	6548	-60.84	-70.58	20.84	Pass

11ax40(SU), U-NII-6, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-113.64	6331.36	-60.48	-66.64	-20.48	Pass
-60	-40	0.4	-59.52	6385.48	-60.52	-66.67	-20.8	Pass
-40	-21	0.4	-21	6424	-39.23	-45.39	-19.23	Pass
-21	-20	0.4	-21	6424	-39.23	-45.39	-19.23	Pass
20	21	0.4	21	6466	-40.43	-46.59	20.43	Pass
21	40	0.4	21	6466	-40.43	-46.59	20.43	Pass
40	60	0.4	60	6505	-60.59	-66.75	20.59	Pass
60	120	0.4	60	6505	-60.59	-66.75	20.59	Pass

11ax40(SU), U-NII-6, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-105.12	6379.88	-60.37	-66.77	-20.37	Pass
-60	-40	0.4	-59.16	6425.84	-60.41	-66.81	-20.91	Pass
-40	-21	0.4	-21	6464	-39.46	-45.86	-19.46	Pass
-21	-20	0.4	-21	6464	-39.46	-45.86	-19.46	Pass
20	21	0.4	21	6506	-40.31	-46.71	20.31	Pass
21	40	0.4	21	6506	-40.31	-46.71	20.31	Pass
40	60	0.4	60	6545	-61.2	-67.59	21.2	Pass
60	120	0.4	80.52	6565.52	-60.65	-67.05	20.65	Pass

11ax40(SU), U-NII-6, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-100.08	6424.92	-60.24	-66.69	-20.24	Pass
-60	-40	0.4	-58.68	6466.32	-60.57	-67.03	-21.37	Pass
-40	-21	0.4	-21	6504	-39.37	-45.82	-19.37	Pass
-21	-20	0.4	-21	6504	-39.37	-45.82	-19.37	Pass
20	21	0.4	21	6546	-40.15	-46.6	20.15	Pass
21	40	0.4	21	6546	-40.15	-46.6	20.15	Pass
40	60	0.4	59.4	6584.4	-60.88	-67.33	21.24	Pass
60	120	0.4	61.08	6586.08	-60.72	-67.17	20.72	Pass

11ax80(SU), U-NII-6, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-121.2	6343.8	-58.28	-64.63	-18.28	Pass
-120	-80	0.8	-119.76	6345.24	-59.13	-65.48	-19.2	Pass
-80	-41	0.8	-41	6424	-33.57	-39.92	-13.57	Pass
-41	-40	0.8	-41	6424	-33.57	-39.92	-13.57	Pass
40	41	0.8	41	6506	-34.63	-40.98	14.63	Pass
41	80	0.8	41	6506	-34.63	-40.98	14.63	Pass
80	120	0.8	119.28	6584.28	-59.44	-65.79	19.65	Pass
120	240	0.8	126.96	6591.96	-58.56	-64.91	18.56	Pass

11ax80(SU), U-NII-6, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-158.64	6386.36	-57.73	-64.75	-17.73	Pass
-120	-80	0.8	-119.76	6425.24	-57.3	-64.32	-17.37	Pass
-80	-41	0.8	-41	6504	-33.28	-40.29	-13.28	Pass
-41	-40	0.8	-41	6504	-33.28	-40.29	-13.28	Pass
40	41	0.8	41	6586	-34.65	-41.66	14.65	Pass
41	80	0.8	41	6586	-34.65	-41.66	14.65	Pass
80	120	0.8	118.8	6663.8	-57.91	-64.92	18.27	Pass
120	240	0.8	136.08	6681.08	-58.25	-65.27	18.25	Pass

11ax160(SU), U-NII-6, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-265.2	6239.8	-55.44	-62.28	-15.44	Pass
-255	-170	1.6	-255	6250	-55.67	-62.52	-15.67	Pass
-170	-86	1.6	-170	6335	-44.44	-51.28	-16.44	Pass
-86	-85	1.6	-86	6419	-39.41	-46.26	-19.41	Pass
85	86	1.6	86	6591	-41.03	-47.88	21.03	Pass
86	170	1.6	153.178411	6658.178411	-47.35	-54.2	20.95	Pass
170	255	1.6	255	6760	-56.02	-62.86	16.02	Pass
255	510	1.6	297.84	6802.84	-55.71	-62.56	15.71	Pass

11ax20(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.78	6504.22	-60.33	-70.07	-20.33	Pass
-30	-20	0.2	-29.94	6505.06	-61.15	-70.89	-21.22	Pass
-20	-11	0.2	-11.1	6523.9	-36.21	-45.94	-16.12	Pass
-11	-10	0.2	-11	6524	-36.25	-45.99	-16.25	Pass
10	11	0.2	11	6546	-37.21	-46.94	17.21	Pass
11	20	0.2	11.28	6546.28	-37.2	-46.94	16.95	Pass
20	30	0.2	29.94	6564.94	-60.89	-70.63	20.96	Pass
30	60	0.2	31.08	6566.08	-60.73	-70.46	20.73	Pass

11ax20(SU), U-NII-7, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-44.82	6670.18	-60.88	-70.27	-20.88	Pass
-30	-20	0.2	-22.8	6692.2	-52.41	-61.8	-21.05	Pass
-20	-11	0.2	-11	6704	-36.32	-45.71	-16.32	Pass
-11	-10	0.2	-11	6704	-36.63	-46.02	-16.63	Pass
10	11	0.2	11	6726	-36.65	-46.04	16.65	Pass
11	20	0.2	11	6726	-35.53	-44.91	15.53	Pass
20	30	0.2	29.82	6744.82	-60.62	-70.01	20.83	Pass
30	60	0.2	30.66	6745.66	-60.33	-69.72	20.33	Pass

11ax20(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.06	6824.94	-58.37	-69.54	-18.37	Pass
-30	-20	0.2	-30	6825	-59.2	-70.37	-19.2	Pass
-20	-11	0.2	-11	6844	-37.14	-48.31	-17.14	Pass
-11	-10	0.2	-11	6844	-37.2	-48.37	-17.2	Pass
10	11	0.2	11	6866	-38.09	-49.27	18.09	Pass
11	20	0.2	11.16	6866.16	-36.77	-47.94	16.63	Pass
20	30	0.2	30	6885	-59.81	-70.98	19.81	Pass
30	60	0.2	32.88	6887.88	-58.85	-70.03	18.85	Pass

11ax40(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-104.52	6460.48	-60.06	-66.94	-20.06	Pass
-60	-40	0.4	-59.88	6505.12	-60.41	-67.28	-20.48	Pass
-40	-21	0.4	-21	6544	-39.05	-45.92	-19.05	Pass
-21	-20	0.4	-21	6544	-39.05	-45.92	-19.05	Pass
20	21	0.4	21	6586	-40.13	-47.01	20.13	Pass
21	40	0.4	21	6586	-40.13	-47.01	20.13	Pass
40	60	0.4	59.88	6624.88	-60.64	-67.52	20.72	Pass
60	120	0.4	67.8	6632.8	-59.74	-66.62	19.74	Pass

11ax40(SU), U-NII-7, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-62.4	6662.6	-58.75	-67.23	-18.75	Pass
-60	-40	0.4	-59.64	6665.36	-59.47	-67.95	-19.68	Pass
-40	-21	0.4	-21	6704	-38.92	-47.4	-18.92	Pass
-21	-20	0.4	-21	6704	-38.92	-47.4	-18.92	Pass
20	21	0.4	21	6746	-40.07	-48.55	20.07	Pass
21	40	0.4	21	6746	-40.07	-48.55	20.07	Pass
40	60	0.4	59.52	6784.52	-58.67	-67.15	18.95	Pass
60	120	0.4	85.8	6810.8	-58.49	-66.97	18.49	Pass

11ax40(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-74.04	6770.96	-56.75	-67.12	-16.75	Pass
-60	-40	0.4	-60	6785	-57.2	-67.56	-17.2	Pass
-40	-21	0.4	-21	6824	-39.36	-49.73	-19.36	Pass
-21	-20	0.4	-21	6824	-39.36	-49.73	-19.36	Pass
20	21	0.4	21	6866	-40.48	-50.84	20.48	Pass
21	40	0.4	21	6866	-40.48	-50.84	20.48	Pass
40	60	0.4	59.76	6904.76	-57.69	-68.06	17.84	Pass
60	120	0.4	99.36	6944.36	-57.16	-67.52	17.16	Pass

11ax80(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-122.16	6502.84	-57.29	-64.82	-17.29	Pass
-120	-80	0.8	-120	6505	-57.74	-65.27	-17.74	Pass
-80	-41	0.8	-41.37931	6583.62069	-33.03	-40.56	-12.96	Pass
-41	-40	0.8	-41	6584	-33.43	-40.96	-13.43	Pass
40	41	0.8	41	6666	-35.13	-42.66	15.13	Pass
41	80	0.8	41	6666	-35.13	-42.66	15.13	Pass
80	120	0.8	120	6745	-57.74	-65.27	17.74	Pass
120	240	0.8	120.24	6745.24	-57.57	-65.1	17.57	Pass

11ax80(SU), U-NII-7, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-145.68	6559.32	-57.22	-65.7	-17.22	Pass
-120	-80	0.8	-120	6585	-58.13	-66.61	-18.13	Pass
-80	-41	0.8	-41.13943	6663.86057	-33.25	-41.73	-13.22	Pass
-41	-40	0.8	-41	6664	-33.52	-42	-13.52	Pass
40	41	0.8	41	6746	-34.79	-43.27	14.79	Pass
41	80	0.8	41	6746	-34.79	-43.27	14.79	Pass
80	120	0.8	120	6825	-57.65	-66.13	17.65	Pass
120	240	0.8	130.32	6835.32	-57.23	-65.71	17.23	Pass

11ax80(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-165.84	6619.16	-56.18	-65.76	-16.18	Pass
-120	-80	0.8	-119.28	6665.72	-56.85	-66.43	-17.07	Pass
-80	-41	0.8	-41	6744	-33.28	-42.86	-13.28	Pass
-41	-40	0.8	-41	6744	-33.28	-42.86	-13.28	Pass
40	41	0.8	41	6826	-35.12	-44.7	15.12	Pass
41	80	0.8	41	6826	-35.12	-44.7	15.12	Pass
80	120	0.8	118.32	6903.32	-56.97	-66.55	17.48	Pass
120	240	0.8	123.6	6908.6	-56.64	-66.22	16.64	Pass

11ax160(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-282.54	6382.46	-54.18	-62.34	-14.18	Pass
-255	-170	1.6	-255	6410	-54.46	-62.62	-14.46	Pass
-170	-86	1.6	-168.98051	6496.01949	-42.33	-50.48	-14.42	Pass
-86	-85	1.6	-86	6579	-37.95	-46.1	-17.95	Pass
85	86	1.6	86	6751	-40.04	-48.2	20.04	Pass
86	170	1.6	164.902549	6829.902549	-47	-55.16	19.49	Pass
170	255	1.6	254.49	6919.49	-55.62	-63.78	15.69	Pass
255	510	1.6	288.15	6953.15	-55.12	-63.28	15.12	Pass

11ax160(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-364.14	6460.86	-52.67	-63.23	-12.67	Pass
-255	-170	1.6	-253.98	6571.02	-53.16	-63.72	-13.31	Pass
-170	-86	1.6	- 167.961019	6657.038981	-40.24	-50.8	-12.43	Pass
-86	-85	1.6	-86	6739	-36.51	-47.07	-16.51	Pass
85	86	1.6	86	6911	-40.48	-51.03	20.48	Pass
86	170	1.6	86	6911	-40.48	-51.03	20.48	Pass
170	255	1.6	252.96	7077.96	-53.47	-64.03	13.76	Pass
255	510	1.6	487.05	7312.05	-52.29	-62.85	12.29	Pass

11ax20(SU), U-NII-8, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-38.34	6836.66	-58.61	-68.98	-18.61	Pass
-30	-20	0.2	-29.7	6845.3	-59.34	-69.71	-19.7	Pass
-20	-11	0.2	-11.16	6863.84	-37.3	-47.66	-17.15	Pass
-11	-10	0.2	-11	6864	-36.96	-47.33	-16.96	Pass
10	11	0.2	11	6886	-37.56	-47.93	17.56	Pass
11	20	0.2	11	6886	-36.74	-47.11	16.74	Pass
20	30	0.2	30	6905	-59.49	-69.86	19.49	Pass
30	60	0.2	30.9	6905.9	-59.08	-69.45	19.08	Pass

11ax20(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-51.18	6943.82	-57.33	-69.44	-17.33	Pass
-30	-20	0.2	-29.94	6965.06	-57.87	-69.99	-17.95	Pass
-20	-11	0.2	-11	6984	-36.02	-48.14	-16.02	Pass
-11	-10	0.2	-11	6984	-35.83	-47.95	-15.83	Pass
10	11	0.2	10.940055	7005.940054	-35.94	-48.05	17.14	Pass
11	20	0.2	11.04	7006.04	-36.23	-48.34	16.19	Pass
20	30	0.2	30	7025	-58.45	-70.56	18.45	Pass
30	60	0.2	47.64	7042.64	-57.75	-69.86	17.75	Pass

11ax20(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-42.78	7052.22	-57.83	-70.08	-17.83	Pass
-30	-20	0.2	-29.88	7065.12	-58.52	-70.77	-18.67	Pass
-20	-11	0.2	-11	7084	-36.46	-48.7	-16.46	Pass
-11	-10	0.2	-11	7084	-37.06	-49.3	-17.06	Pass
10	11	0.2	11	7106	-37.48	-49.72	17.48	Pass
11	20	0.2	11	7106	-36.85	-49.09	16.85	Pass
20	30	0.2	29.94	7124.94	-58.26	-70.5	18.33	Pass
30	60	0.2	42.36	7137.36	-57.47	-69.72	17.47	Pass

11ax20(SU), U-NII-8, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-47.64	7067.36	-57.25	-69.82	-17.25	Pass
-30	-20	0.2	-29.7	7085.3	-57.49	-70.06	-17.85	Pass
-20	-11	0.2	-11.04	7103.96	-35.44	-48.01	-15.4	Pass
-11	-10	0.2	-11	7104	-36.95	-49.52	-16.95	Pass
10	11	0.2	11	7126	-37.14	-49.71	17.14	Pass
11	20	0.2	11	7126	-36.97	-49.54	16.97	Pass
20	30	0.2	30	7145	-57.71	-70.28	17.71	Pass
30	60	0.2	32.1	7147.1	-57.08	-69.65	17.08	Pass

11ax40(SU), U-NII-8, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-104.88	6780.12	-55.5	-66.14	-15.5	Pass
-60	-40	0.4	-60	6825	-56.28	-66.92	-16.28	Pass
-40	-21	0.4	-21	6864	-38.83	-49.48	-18.83	Pass
-21	-20	0.4	-21	6864	-38.83	-49.48	-18.83	Pass
20	21	0.4	21	6906	-39.77	-50.42	19.77	Pass
21	40	0.4	21	6906	-39.77	-50.42	19.77	Pass
40	60	0.4	59.88	6944.88	-56.73	-67.38	16.8	Pass
60	120	0.4	67.2	6952.2	-56.35	-67	16.35	Pass

11ax40(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-100.32	6904.68	-54.35	-66.2	-14.35	Pass
-60	-40	0.4	-60	6945	-55.75	-67.61	-15.75	Pass
-40	-21	0.4	-21	6984	-38.74	-50.59	-18.74	Pass
-21	-20	0.4	-21	6984	-38.74	-50.59	-18.74	Pass
20	21	0.4	21	7026	-37.94	-49.79	17.94	Pass
21	40	0.4	21	7026	-37.94	-49.79	17.94	Pass
40	60	0.4	59.76	7064.76	-55.7	-67.56	15.84	Pass
60	120	0.4	73.44	7078.44	-55.22	-67.08	15.22	Pass

11ax40(SU), U-NII-8, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-115.08	6969.92	-54.82	-67.11	-14.82	Pass
-60	-40	0.4	-60	7025	-55.08	-67.37	-15.08	Pass
-40	-21	0.4	-21	7064	-39.1	-51.4	-19.1	Pass
-21	-20	0.4	-21	7064	-39.1	-51.4	-19.1	Pass
20	21	0.4	21	7106	-39.81	-52.1	19.81	Pass
21	40	0.4	21	7106	-39.81	-52.1	19.81	Pass
40	60	0.4	59.28	7144.28	-55.08	-67.37	15.51	Pass
60	120	0.4	94.92	7179.92	-54.08	-66.37	14.08	Pass

11ax80(SU), U-NII-8, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-121.92	6743.08	-54.62	-64.73	-14.62	Pass
-120	-80	0.8	-119.76	6745.24	-55.19	-65.31	-15.27	Pass
-80	-41	0.8	-41	6824	-32.48	-42.59	-12.48	Pass
-41	-40	0.8	-41	6824	-32.48	-42.59	-12.48	Pass
40	41	0.8	41	6906	-36.61	-46.72	16.61	Pass
41	80	0.8	41.37931	6906.37931	-35.53	-45.64	15.45	Pass
80	120	0.8	118.8	6983.8	-55.77	-65.89	16.13	Pass
120	240	0.8	134.64	6999.64	-55.44	-65.56	15.44	Pass

11ax80(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-169.2	6775.8	-53.13	-64.57	-13.13	Pass
-120	-80	0.8	-120	6825	-53.71	-65.15	-13.71	Pass
-80	-41	0.8	-41	6904	-32.13	-43.57	-12.13	Pass
-41	-40	0.8	-41	6904	-32.13	-43.57	-12.13	Pass
40	41	0.8	41	6986	-34.46	-45.91	14.46	Pass
41	80	0.8	41	6986	-34.46	-45.91	14.46	Pass
80	120	0.8	120	7065	-54.77	-66.22	14.77	Pass
120	240	0.8	210.48	7155.48	-54.28	-65.73	14.28	Pass

11ax80(SU), U-NII-8, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-224.64	6800.36	-52.58	-64.78	-12.58	Pass
-120	-80	0.8	-117.84	6907.16	-53.27	-65.46	-13.91	Pass
-80	-41	0.8	-41	6984	-32.91	-45.11	-12.91	Pass
-41	-40	0.8	-41	6984	-32.91	-45.11	-12.91	Pass
40	41	0.8	41	7066	-33.41	-45.61	13.41	Pass
41	80	0.8	41	7066	-33.41	-45.61	13.41	Pass
80	120	0.8	120	7145	-53.58	-65.78	13.58	Pass
120	240	0.8	237.6	7262.6	-52.7	-64.89	12.7	Pass

11ax160(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-350.37	6634.63	-50.6	-62.49	-10.6	Pass
-255	-170	1.6	-252.96	6732.04	-50.32	-62.21	-10.61	Pass
-170	-86	1.6	- 164.392804	6820.60719 6	-40.98	-52.87	-13.51	Pass
-86	-85	1.6	-86	6899	-35.89	-47.78	-15.89	Pass
85	86	1.6	86	7071	-37.86	-49.75	17.86	Pass
86	170	1.6	86	7071	-37.86	-49.75	17.86	Pass
170	255	1.6	251.43	7236.43	-50.69	-62.58	11.19	Pass
255	510	1.6	289.68	7274.68	-50.43	-62.33	10.43	Pass

MIMO-Aux. Antenna

11ax20(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.86	5923.14	-59.38	-69.3	-19.38	Pass
-30	-20	0.2	-29.7	5925.3	-59.57	-69.49	-19.93	Pass
-20	-11	0.2	-11.1	5943.9	-36.96	-46.88	-16.88	Pass
-11	-10	0.2	-11	5944	-36.59	-46.51	-16.59	Pass
10	11	0.2	11	5966	-37.2	-47.12	17.2	Pass
11	20	0.2	11	5966	-36.42	-46.34	16.42	Pass
20	30	0.2	29.76	5984.76	-60.09	-70	20.38	Pass
30	60	0.2	32.88	5987.88	-59.69	-69.61	19.69	Pass

11ax20(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.8	6143.2	-59.52	-69.9	-19.52	Pass
-30	-20	0.2	-29.7	6145.3	-59.74	-70.12	-20.1	Pass
-20	-11	0.2	-11	6164	-35.87	-46.25	-15.87	Pass
-11	-10	0.2	-11	6164	-36.81	-47.2	-16.81	Pass
10	11	0.2	11	6186	-36.49	-46.87	16.49	Pass
11	20	0.2	11.1	6186.1	-36.4	-46.78	16.31	Pass
20	30	0.2	29.88	6204.88	-59.71	-70.1	19.86	Pass
30	60	0.2	31.38	6206.38	-59.39	-69.77	19.39	Pass

11ax20(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-35.88	6379.12	-59.56	-69.9	-19.56	Pass
-30	-20	0.2	-29.76	6385.24	-59.54	-69.88	-19.82	Pass
-20	-11	0.2	-11.04	6403.96	-35.54	-45.89	-15.51	Pass
-11	-10	0.2	-11	6404	-36.93	-47.28	-16.93	Pass
10	11	0.2	11	6426	-36.92	-47.26	16.92	Pass
11	20	0.2	11.22	6426.22	-37.5	-47.85	17.31	Pass
20	30	0.2	29.88	6444.88	-59.93	-70.27	20.07	Pass
30	60	0.2	30.96	6445.96	-59.29	-69.63	19.29	Pass

11ax40(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-75.84	5889.16	-57.31	-66.17	-17.31	Pass
-60	-40	0.4	-59.76	5905.24	-57.97	-66.83	-18.12	Pass
-40	-21	0.4	-21.169415	5943.830585	-38.82	-47.68	-18.75	Pass
-21	-20	0.4	-21	5944	-38.76	-47.61	-18.76	Pass
20	21	0.4	21	5986	-39.93	-48.79	19.93	Pass
21	40	0.4	21	5986	-39.93	-48.79	19.93	Pass
40	60	0.4	59.64	6024.64	-58.67	-67.53	18.89	Pass
60	120	0.4	97.8	6062.8	-58.27	-67.13	18.27	Pass

11ax40(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-110.88	6054.12	-57.06	-67.41	-17.06	Pass
-60	-40	0.4	-59.88	6105.12	-57.66	-68.01	-17.73	Pass
-40	-21	0.4	-21	6144	-39.29	-49.64	-19.29	Pass
-21	-20	0.4	-21	6144	-39.29	-49.64	-19.29	Pass
20	21	0.4	21	6186	-39.75	-50.1	19.75	Pass
21	40	0.4	21	6186	-39.75	-50.1	19.75	Pass
40	60	0.4	59.88	6224.88	-57.12	-67.47	17.19	Pass
60	120	0.4	86.04	6251.04	-56.44	-66.79	16.44	Pass

11ax40(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-109.56	6295.44	-56.3	-66.78	-16.3	Pass
-60	-40	0.4	-58.92	6346.08	-56.66	-67.14	-17.31	Pass
-40	-21	0.4	-21	6384	-39.18	-49.66	-19.18	Pass
-21	-20	0.4	-21	6384	-39.18	-49.66	-19.18	Pass
20	21	0.4	21	6426	-40.17	-50.65	20.17	Pass
21	40	0.4	21.049475	6426.049475	-39.79	-50.27	19.77	Pass
40	60	0.4	60	6465	-57.16	-67.64	17.16	Pass
60	120	0.4	62.88	6467.88	-56.68	-67.16	16.68	Pass

11ax80(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-225.12	5759.88	-50.6	-59.64	-10.6	Pass
-120	-80	0.8	-119.04	5865.96	-55.79	-64.83	-16.08	Pass
-80	-41	0.8	-41	5944	-32.56	-41.6	-12.56	Pass
-41	-40	0.8	-41	5944	-32.56	-41.6	-12.56	Pass
40	41	0.8	41	6026	-35.38	-44.42	15.38	Pass
41	80	0.8	41.37931	6026.37931	-34.87	-43.92	14.8	Pass
80	120	0.8	119.28	6104.28	-57.29	-66.33	17.5	Pass
120	240	0.8	214.8	6199.8	-56.21	-65.25	16.21	Pass

11ax80(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-214.08	5930.92	-55.01	-65.2	-15.01	Pass
-120	-80	0.8	-120	6025	-55.85	-66.04	-15.85	Pass
-80	-41	0.8	-41	6104	-34.16	-44.34	-14.16	Pass
-41	-40	0.8	-41	6104	-34.16	-44.34	-14.16	Pass
40	41	0.8	41	6186	-34.17	-44.36	14.17	Pass
41	80	0.8	41	6186	-34.17	-44.36	14.17	Pass
80	120	0.8	120	6265	-55.16	-65.35	15.16	Pass
120	240	0.8	131.28	6276.28	-54.8	-64.99	14.8	Pass

11ax80(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-140.64	6244.36	-54.69	-65.25	-14.69	Pass
-120	-80	0.8	-119.76	6265.24	-55.21	-65.77	-15.28	Pass
-80	-41	0.8	-41	6344	-35	-45.56	-15	Pass
-41	-40	0.8	-41	6344	-35	-45.56	-15	Pass
40	41	0.8	41	6426	-34.25	-44.81	14.25	Pass
41	80	0.8	41.13943	6426.13943	-34.13	-44.69	14.11	Pass
80	120	0.8	120	6505	-55.75	-66.31	15.75	Pass
120	240	0.8	123.12	6508.12	-55.25	-65.81	15.25	Pass

11ax160(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-265.2	5759.8	-51.54	-61.19	-11.54	Pass
-255	-170	1.6	-255	5770	-52.85	-62.5	-12.85	Pass
-170	-86	1.6	- 164.902549	5860.09745 1	-44.43	-54.08	-16.92	Pass
-86	-85	1.6	-86	5939	-38.16	-47.81	-18.16	Pass
85	86	1.6	86	6111	-40.99	-50.64	20.99	Pass
86	170	1.6	161.334333	6186.33433 3	-47.59	-57.24	20.42	Pass
170	255	1.6	255	6280	-53.1	-62.75	13.1	Pass
255	510	1.6	267.24	6292.24	-52.78	-62.43	12.78	Pass

11ax160(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-424.83	5760.17	-50.62	-61.26	-10.62	Pass
-255	-170	1.6	-255	5930	-52.08	-62.72	-12.08	Pass
-170	-86	1.6	- 165.922039	6019.07796 1	-44.68	-55.31	-17.06	Pass
-86	-85	1.6	-86	6099	-38.68	-49.32	-18.68	Pass
85	86	1.6	86	6271	-39.3	-49.93	19.3	Pass
86	170	1.6	139.925038	6324.92503 8	-42.02	-52.65	16.88	Pass
170	255	1.6	255	6440	-52.16	-62.79	12.16	Pass
255	510	1.6	260.61	6445.61	-52.14	-62.77	12.14	Pass

11ax160(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-488.58	5856.42	-51.61	-62.35	-11.61	Pass
-255	-170	1.6	-254.49	6090.51	-52.73	-63.46	-12.8	Pass
-170	-86	1.6	- 168.470765	6176.52923 5	-45.02	-55.75	-17.16	Pass
-86	-85	1.6	-86	6259	-38.69	-49.42	-18.69	Pass
85	86	1.6	86	6431	-38.95	-49.68	18.95	Pass
86	170	1.6	86	6431	-38.95	-49.68	18.95	Pass
170	255	1.6	255	6600	-52.65	-63.38	12.65	Pass
255	510	1.6	437.07	6782.07	-52.23	-62.96	12.23	Pass

11ax20(SU), U-NII-6, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-32.58	6402.42	-58.96	-69.76	-18.96	Pass
-30	-20	0.2	-29.88	6405.12	-59.65	-70.45	-19.79	Pass
-20	-11	0.2	-11	6424	-36.29	-47.09	-16.29	Pass
-11	-10	0.2	-11	6424	-36.55	-47.35	-16.55	Pass
10	11	0.2	11	6446	-36.7	-47.51	16.7	Pass
11	20	0.2	11	6446	-36.86	-47.66	16.86	Pass
20	30	0.2	30	6465	-59.89	-70.7	19.89	Pass
30	60	0.2	34.98	6469.98	-59.34	-70.15	19.34	Pass

11ax20(SU), U-NII-6, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-34.8	6440.2	-59.44	-70.24	-19.44	Pass
-30	-20	0.2	-30	6445	-59.65	-70.45	-19.65	Pass
-20	-11	0.2	-11	6464	-36.91	-47.7	-16.91	Pass
-11	-10	0.2	-11	6464	-37.17	-47.97	-17.17	Pass
10	11	0.2	11	6486	-37.16	-47.96	17.16	Pass
11	20	0.2	11.16	6486.16	-36	-46.79	15.85	Pass
20	30	0.2	29.88	6504.88	-60.42	-71.21	20.56	Pass
30	60	0.2	30.12	6505.12	-59.6	-70.4	19.6	Pass

11ax20(SU), U-NII-6, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-35.76	6479.24	-59.41	-70.31	-19.41	Pass
-30	-20	0.2	-29.64	6485.36	-59.5	-70.4	-19.93	Pass
-20	-11	0.2	-11.1	6503.9	-36.43	-47.33	-16.35	Pass
-11	-10	0.2	-11	6504	-36.27	-47.17	-16.27	Pass
10	11	0.2	11	6526	-37.48	-48.38	17.48	Pass
11	20	0.2	11.22	6526.22	-37.38	-48.28	17.19	Pass
20	30	0.2	30	6545	-60.34	-71.24	20.34	Pass
30	60	0.2	46.14	6561.14	-59.47	-70.37	19.47	Pass

11ax40(SU), U-NII-6, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-113.28	6331.72	-56.17	-66.96	-16.17	Pass
-60	-40	0.4	-60	6385	-56.37	-67.17	-16.37	Pass
-40	-21	0.4	-21	6424	-39.55	-50.35	-19.55	Pass
-21	-20	0.4	-21	6424	-39.55	-50.35	-19.55	Pass
20	21	0.4	21	6466	-39.64	-50.44	19.64	Pass
21	40	0.4	21	6466	-39.64	-50.44	19.64	Pass
40	60	0.4	60	6505	-57.55	-68.35	17.55	Pass
60	120	0.4	73.8	6518.8	-56.97	-67.77	16.97	Pass

11ax40(SU), U-NII-6, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-64.56	6420.44	-56.79	-67.08	-16.79	Pass
-60	-40	0.4	-59.64	6425.36	-57.5	-67.78	-17.71	Pass
-40	-21	0.4	-21	6464	-39.68	-49.97	-19.68	Pass
-21	-20	0.4	-21	6464	-39.68	-49.97	-19.68	Pass
20	21	0.4	21	6506	-39.96	-50.24	19.96	Pass
21	40	0.4	21	6506	-39.96	-50.24	19.96	Pass
40	60	0.4	59.88	6544.88	-58.04	-68.33	18.12	Pass
60	120	0.4	62.04	6547.04	-57.45	-67.74	17.45	Pass

11ax40(SU), U-NII-6, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.32	6463.68	-56.25	-67.24	-16.25	Pass
-60	-40	0.4	-59.64	6465.36	-56.35	-67.34	-16.56	Pass
-40	-21	0.4	-21.169415	6503.830585	-39.18	-50.17	-19.11	Pass
-21	-20	0.4	-21	6504	-39.27	-50.26	-19.27	Pass
20	21	0.4	21	6546	-40.31	-51.31	20.31	Pass
21	40	0.4	21	6546	-40.31	-51.31	20.31	Pass
40	60	0.4	59.64	6584.64	-57.18	-68.17	17.4	Pass
60	120	0.4	67.8	6592.8	-56.51	-67.5	16.51	Pass

11ax80(SU), U-NII-6, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-135.6	6329.4	-54.53	-65.54	-14.53	Pass
-120	-80	0.8	-119.76	6345.24	-55.31	-66.32	-15.38	Pass
-80	-41	0.8	-41	6424	-32.36	-43.37	-12.36	Pass
-41	-40	0.8	-41	6424	-32.36	-43.37	-12.36	Pass
40	41	0.8	41	6506	-35.44	-46.46	15.44	Pass
41	80	0.8	41	6506	-35.44	-46.46	15.44	Pass
80	120	0.8	118.08	6583.08	-55.54	-66.55	16.11	Pass
120	240	0.8	122.64	6587.64	-54.99	-66.01	14.99	Pass

11ax80(SU), U-NII-6, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-123.84	6421.16	-54.36	-65.26	-14.36	Pass
-120	-80	0.8	-119.52	6425.48	-55.19	-66.09	-15.34	Pass
-80	-41	0.8	-41	6504	-32.12	-43.02	-12.12	Pass
-41	-40	0.8	-41	6504	-32.12	-43.02	-12.12	Pass
40	41	0.8	41	6586	-35.27	-46.17	15.27	Pass
41	80	0.8	41	6586	-35.27	-46.17	15.27	Pass
80	120	0.8	119.28	6664.28	-55.57	-66.47	15.79	Pass
120	240	0.8	211.92	6756.92	-54.79	-65.69	14.79	Pass

11ax160(SU), U-NII-6, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-272.85	6232.15	-52	-63.02	-12	Pass
-255	-170	1.6	-253.47	6251.53	-52.11	-63.13	-12.33	Pass
-170	-86	1.6	-170	6335	-46.28	-57.3	-18.28	Pass
-86	-85	1.6	-86	6419	-39.95	-50.97	-19.95	Pass
85	86	1.6	86	6591	-40.82	-51.84	20.82	Pass
86	170	1.6	86	6591	-40.82	-51.84	20.82	Pass
170	255	1.6	254.49	6759.49	-52.43	-63.45	12.5	Pass
255	510	1.6	260.61	6765.61	-52.19	-63.21	12.19	Pass

11ax20(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-32.94	6502.06	-59.46	-70.39	-19.46	Pass
-30	-20	0.2	-30	6505	-59.83	-70.76	-19.83	Pass
-20	-11	0.2	-11.16	6523.84	-36.49	-47.42	-16.34	Pass
-11	-10	0.2	-11	6524	-36.68	-47.61	-16.68	Pass
10	11	0.2	11	6546	-37.67	-48.6	17.67	Pass
11	20	0.2	11.16	6546.16	-36.15	-47.08	16.01	Pass
20	30	0.2	29.76	6564.76	-59.49	-70.42	19.77	Pass
30	60	0.2	31.32	6566.32	-59.47	-70.4	19.47	Pass

11ax20(SU), U-NII-7, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-41.94	6673.06	-58.91	-70.58	-18.91	Pass
-30	-20	0.2	-29.7	6685.3	-59.11	-70.77	-19.47	Pass
-20	-11	0.2	-11	6704	-36.46	-48.12	-16.46	Pass
-11	-10	0.2	-11	6704	-36.49	-48.15	-16.49	Pass
10	11	0.2	11	6726	-36.15	-47.81	16.15	Pass
11	20	0.2	11	6726	-36.51	-48.18	16.51	Pass
20	30	0.2	29.64	6744.64	-58.42	-70.09	18.86	Pass
30	60	0.2	46.2	6761.2	-57.88	-69.55	17.88	Pass

11ax20(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-57.18	6797.82	-56.33	-70	-16.33	Pass
-30	-20	0.2	-30	6825	-57.01	-70.68	-17.01	Pass
-20	-11	0.2	-11.04	6843.96	-36.12	-49.79	-16.09	Pass
-11	-10	0.2	-10.940055	6844.05994 6	-35.92	-49.59	-17.12	Pass
10	11	0.2	11	6866	-37.11	-50.77	17.11	Pass
11	20	0.2	11	6866	-36.57	-50.23	16.57	Pass
20	30	0.2	29.88	6884.88	-57.09	-70.75	17.23	Pass
30	60	0.2	37.14	6892.14	-56.49	-70.15	16.49	Pass

11ax40(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-114.72	6450.28	-55.77	-66.83	-15.77	Pass
-60	-40	0.4	-60	6505	-57.1	-68.15	-17.1	Pass
-40	-21	0.4	-21.049475	6543.950525	-38.33	-49.38	-18.31	Pass
-21	-20	0.4	-21	6544	-38.54	-49.6	-18.54	Pass
20	21	0.4	21	6586	-39.9	-50.95	19.9	Pass
21	40	0.4	21	6586	-39.9	-50.95	19.9	Pass
40	60	0.4	58.68	6623.68	-56.71	-67.76	17.5	Pass
60	120	0.4	76.68	6641.68	-56.54	-67.6	16.54	Pass

11ax40(SU), U-NII-7, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-62.64	6662.36	-55.64	-67.52	-15.64	Pass
-60	-40	0.4	-60	6665	-56.12	-68	-16.12	Pass
-40	-21	0.4	-21	6704	-38.45	-50.33	-18.45	Pass
-21	-20	0.4	-21	6704	-38.45	-50.33	-18.45	Pass
20	21	0.4	21	6746	-39.72	-51.6	19.72	Pass
21	40	0.4	21	6746	-39.72	-51.6	19.72	Pass
40	60	0.4	59.76	6784.76	-55.42	-67.3	15.56	Pass
60	120	0.4	62.76	6787.76	-54.92	-66.8	14.92	Pass

11ax40(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-77.52	6767.48	-53.45	-67.21	-13.45	Pass
-60	-40	0.4	-58.92	6786.08	-53.68	-67.43	-14.33	Pass
-40	-21	0.4	-21	6824	-37.42	-51.18	-17.42	Pass
-21	-20	0.4	-21	6824	-37.42	-51.18	-17.42	Pass
20	21	0.4	21	6866	-39.54	-53.3	19.54	Pass
21	40	0.4	21	6866	-39.54	-53.3	19.54	Pass
40	60	0.4	60	6905	-54.45	-68.2	14.45	Pass
60	120	0.4	96.24	6941.24	-53.62	-67.37	13.62	Pass

11ax80(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-181.44	6443.56	-54.29	-65.72	-14.29	Pass
-120	-80	0.8	-119.52	6505.48	-54.66	-66.09	-14.8	Pass
-80	-41	0.8	-41.13943	6583.86057	-33.39	-44.83	-13.37	Pass
-41	-40	0.8	-41	6584	-33.58	-45.01	-13.58	Pass
40	41	0.8	41	6666	-35.25	-46.68	15.25	Pass
41	80	0.8	41	6666	-35.25	-46.68	15.25	Pass
80	120	0.8	119.04	6744.04	-54.78	-66.21	15.07	Pass
120	240	0.8	128.16	6753.16	-53.8	-65.23	13.8	Pass

11ax80(SU), U-NII-7, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-126.72	6578.28	-54.31	-66.09	-14.31	Pass
-120	-80	0.8	-119.52	6585.48	-54.96	-66.74	-15.1	Pass
-80	-41	0.8	-41	6664	-32.87	-44.65	-12.87	Pass
-41	-40	0.8	-41	6664	-32.87	-44.65	-12.87	Pass
40	41	0.8	41	6746	-34.77	-46.55	14.77	Pass
41	80	0.8	41.13943	6746.13943	-34.71	-46.49	14.69	Pass
80	120	0.8	118.56	6823.56	-54.25	-66.03	14.68	Pass
120	240	0.8	130.56	6835.56	-54.11	-65.89	14.11	Pass

11ax80(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-131.52	6653.48	-53.41	-66.1	-13.41	Pass
-120	-80	0.8	-119.52	6665.48	-54.25	-66.94	-14.39	Pass
-80	-41	0.8	-41	6744	-32.89	-45.57	-12.89	Pass
-41	-40	0.8	-41	6744	-32.89	-45.57	-12.89	Pass
40	41	0.8	41	6826	-33.82	-46.51	13.82	Pass
41	80	0.8	41	6826	-33.82	-46.51	13.82	Pass
80	120	0.8	119.28	6904.28	-54.32	-67.01	14.54	Pass
120	240	0.8	151.44	6936.44	-53.59	-66.28	13.59	Pass

11ax160(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-409.53	6255.47	-51.14	-62.82	-11.14	Pass
-255	-170	1.6	-252.96	6412.04	-51.2	-62.89	-11.49	Pass
-170	-86	1.6	-170	6495	-46.16	-57.85	-18.16	Pass
-86	-85	1.6	-86	6579	-40.05	-51.74	-20.05	Pass
85	86	1.6	86	6751	-40.67	-52.35	20.67	Pass
86	170	1.6	86	6751	-40.67	-52.35	20.67	Pass
170	255	1.6	255	6920	-52.42	-64.11	12.42	Pass
255	510	1.6	269.79	6934.79	-52.14	-63.83	12.14	Pass

11ax160(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-393.72	6431.28	-50.03	-63.42	-10.03	Pass
-255	-170	1.6	-252.96	6572.04	-50.42	-63.81	-10.71	Pass
-170	-86	1.6	-170	6655	-42.73	-56.12	-14.73	Pass
-86	-85	1.6	-86	6739	-37.12	-50.51	-17.12	Pass
85	86	1.6	86	6911	-40.86	-54.25	20.86	Pass
86	170	1.6	170	6995	-48.21	-61.6	20.21	Pass
170	255	1.6	253.47	7078.47	-51.14	-64.53	11.36	Pass
255	510	1.6	452.88	7277.88	-49.49	-62.88	9.49	Pass

11ax20(SU), U-NII-8, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-52.68	6822.32	-56.18	-69.5	-16.18	Pass
-30	-20	0.2	-30	6845	-56.29	-69.6	-16.29	Pass
-20	-11	0.2	-11	6864	-35.88	-49.19	-15.88	Pass
-11	-10	0.2	-11	6864	-36.59	-49.9	-16.59	Pass
10	11	0.2	11	6886	-36.35	-49.66	16.35	Pass
11	20	0.2	11	6886	-36.8	-50.12	16.8	Pass
20	30	0.2	29.28	6904.28	-56.49	-69.8	17.35	Pass
30	60	0.2	34.98	6909.98	-56.37	-69.69	16.37	Pass

11ax20(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-57.6	6937.4	-53.53	-69.62	-13.53	Pass
-30	-20	0.2	-30	6965	-53.91	-70.01	-13.91	Pass
-20	-11	0.2	-11	6984	-37.26	-53.35	-17.26	Pass
-11	-10	0.2	-11	6984	-35.71	-51.81	-15.71	Pass
10	11	0.2	11	7006	-37.02	-53.11	17.02	Pass
11	20	0.2	11	7006	-36.94	-53.03	16.94	Pass
20	30	0.2	30	7025	-54.84	-70.93	14.84	Pass
30	60	0.2	45.96	7040.96	-53.95	-70.04	13.95	Pass

11ax20(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.02	7063.98	-53.34	-70.27	-13.34	Pass
-30	-20	0.2	-30	7065	-53.7	-70.63	-13.7	Pass
-20	-11	0.2	-11	7084	-36.21	-53.15	-16.21	Pass
-11	-10	0.2	-11	7084	-36.06	-53	-16.06	Pass
10	11	0.2	11	7106	-37.29	-54.22	17.29	Pass
11	20	0.2	11.1	7106.1	-36.14	-53.07	16.05	Pass
20	30	0.2	29.88	7124.88	-53.1	-70.04	13.25	Pass
30	60	0.2	59.28	7154.28	-53.07	-70.01	13.07	Pass

11ax20(SU), U-NII-8, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-45.24	7069.76	-53.25	-70.35	-13.25	Pass
-30	-20	0.2	-30	7085	-53.43	-70.53	-13.43	Pass
-20	-11	0.2	-11.04	7103.96	-37.13	-54.23	-17.1	Pass
-11	-10	0.2	-11	7104	-35.77	-52.87	-15.77	Pass
10	11	0.2	11	7126	-37.09	-54.2	17.09	Pass
11	20	0.2	11.16	7126.16	-37.04	-54.14	16.89	Pass
20	30	0.2	29.94	7144.94	-53.75	-70.85	13.82	Pass
30	60	0.2	48.48	7163.48	-52.61	-69.71	12.61	Pass

11ax40(SU), U-NII-8, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-69.48	6815.52	-52.55	-66	-12.55	Pass
-60	-40	0.4	-59.16	6825.84	-53.39	-66.84	-13.89	Pass
-40	-21	0.4	-21	6864	-38.27	-51.73	-18.27	Pass
-21	-20	0.4	-21	6864	-38.27	-51.73	-18.27	Pass
20	21	0.4	21	6906	-39.75	-53.21	19.75	Pass
21	40	0.4	21	6906	-39.75	-53.21	19.75	Pass
40	60	0.4	59.76	6944.76	-54.19	-67.65	14.34	Pass
60	120	0.4	69.24	6954.24	-53.6	-67.05	13.6	Pass

11ax40(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-101.16	6903.84	-50.77	-66.67	-10.77	Pass
-60	-40	0.4	-59.52	6945.48	-51.27	-67.18	-11.56	Pass
-40	-21	0.4	-21	6984	-38.24	-54.15	-18.24	Pass
-21	-20	0.4	-21	6984	-38.24	-54.15	-18.24	Pass
20	21	0.4	21	7026	-40.18	-56.08	20.18	Pass
21	40	0.4	21	7026	-40.18	-56.08	20.18	Pass
40	60	0.4	60	7065	-51.91	-67.82	11.91	Pass
60	120	0.4	96.6	7101.6	-50.95	-66.86	10.95	Pass

11ax40(SU), U-NII-8, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-107.04	6977.96	-50.22	-67.06	-10.22	Pass
-60	-40	0.4	-60	7025	-50.64	-67.49	-10.64	Pass
-40	-21	0.4	-21	7064	-38.34	-55.18	-18.34	Pass
-21	-20	0.4	-21	7064	-38.34	-55.18	-18.34	Pass
20	21	0.4	21	7106	-39.87	-56.71	19.87	Pass
21	40	0.4	21	7106	-39.87	-56.71	19.87	Pass
40	60	0.4	60	7145	-51.31	-68.16	11.31	Pass
60	120	0.4	102.6	7187.6	-49.66	-66.51	9.66	Pass

11ax80(SU), U-NII-8, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-149.28	6715.72	-51.83	-64.8	-11.83	Pass
-120	-80	0.8	-119.76	6745.24	-52.45	-65.43	-12.53	Pass
-80	-41	0.8	-41	6824	-31.63	-44.61	-11.63	Pass
-41	-40	0.8	-41	6824	-31.63	-44.61	-11.63	Pass
40	41	0.8	41	6906	-35.65	-48.63	15.65	Pass
41	80	0.8	41.13943	6906.13943	-34.58	-47.56	14.56	Pass
80	120	0.8	118.8	6983.8	-52.71	-65.68	13.07	Pass
120	240	0.8	180.96	7045.96	-52.85	-65.82	12.85	Pass

11ax80(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-147.36	6797.64	-50.47	-65.15	-10.47	Pass
-120	-80	0.8	-119.52	6825.48	-51.12	-65.8	-11.27	Pass
-80	-41	0.8	-41.13943	6903.86057	-31.5	-46.18	-11.47	Pass
-41	-40	0.8	-41	6904	-32.18	-46.85	-12.18	Pass
40	41	0.8	41	6986	-35.32	-50	15.32	Pass
41	80	0.8	41	6986	-35.32	-50	15.32	Pass
80	120	0.8	119.52	7064.52	-51.79	-66.47	11.93	Pass
120	240	0.8	236.64	7181.64	-50.88	-65.55	10.88	Pass

11ax80(SU), U-NII-8, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-195.6	6829.4	-48.83	-64.92	-8.83	Pass
-120	-80	0.8	-119.76	6905.24	-50.04	-66.13	-10.11	Pass
-80	-41	0.8	-41	6984	-32.86	-48.95	-12.86	Pass
-41	-40	0.8	-41	6984	-32.86	-48.95	-12.86	Pass
40	41	0.8	41	7066	-34.55	-50.64	14.55	Pass
41	80	0.8	41.13943	7066.13943	-34.54	-50.63	14.51	Pass
80	120	0.8	120	7145	-50.06	-66.15	10.06	Pass
120	240	0.8	234	7259	-48.99	-65.08	8.99	Pass

11ax160(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-265.2	6719.8	-47.15	-62.62	-7.15	Pass
-255	-170	1.6	-253.47	6731.53	-47.46	-62.93	-7.68	Pass
-170	-86	1.6	- 169.490255	6815.50974 5	-41.83	-57.3	-13.88	Pass
-86	-85	1.6	-86	6899	-36.74	-52.21	-16.74	Pass
85	86	1.6	86	7071	-39.75	-55.22	19.75	Pass
86	170	1.6	168.98051	7153.98051	-45.32	-60.79	17.42	Pass
170	255	1.6	255	7240	-47.55	-63.02	7.55	Pass
255	510	1.6	319.77	7304.77	-46.5	-61.97	6.5	Pass

ANNEX A TEST SETUP PHOTOS

Please refer the document “BL-EC22A0685-AR.PDF”.

ANNEX B EUT EXTERNAL PHOTOS

Please refer the document “BL-EC22A0685-AW.PDF”.

ANNEX C EUT INTERNAL PHOTOS

Please refer the document “BL-SZ22B0685-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--