




11AC20SISO-Ant1-5200




11AC20SISO-Ant1-5180




11AC20SISO-Ant1-5260




11AC20SISO-Ant1-5280




11AC20SISO-Ant1-5320




11AC20SISO-Ant1-5500




11AC20SISO-Ant1-5580




11AC20SISO-Ant1-5700




11AC20SISO-Ant1-5745




11AC20SISO-Ant1-5785




11AC20SISO-Ant1-5825




11AC40SISO-Ant1-5190




11AC40SISO-Ant1-5230




11AC40SISO-Ant1-5270




11AC40SISO-Ant1-5310




11AC40SISO-Ant1-5510




11AC40SISO-Ant1-5550




11AC40SISO-Ant1-5670




11AC40SISO-Ant1-5755




11AC40SISO-Ant1-5795




11AC80SISO-Ant1-5210




11AC80SISO-Ant1-5290



11AC80SISO-Ant1-5530




11AC80SISO-Ant1-5610



11AC80SISO-Ant1-5775


Appendix H: Radiated Emission Band Edge

Profile: 2360694R	Page No.: 1
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 20:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 5180MHz by 802.11a with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	52.141	15.253	-21.859	74.000	36.887	PK

Profile: 2360694R	Page No.: 2
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 20:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 5180MHz by 802.11a with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	36.546	-0.342	-17.454	54.000	36.887	AV

Profile: 2360694R	Page No.: 3
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 5180MHz by 802.11a with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	48.024	111.136	-25.976	74.000	36.887	PK

Profile: 2360694R	Page No.: 4
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 20:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 5180MHz by 802.11a with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	34.970	-1.918	-19.030	54.000	36.887	AV

Profile: 2360694R	Page No.: 5
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 20:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 5320MHz by 802.11a with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	54.757	17.694	-19.243	74.000	37.063	PK

Profile: 2360694R	Page No.: 6
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 20:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 5320MHz by 802.11a with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	35.715	-1.348	-18.285	54.000	37.063	AV

Profile: 2360694R	Page No.: 7
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 20:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 5320MHz by 802.11a with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	49.418	12.355	-24.582	74.000	37.063	PK
2	*	5357.250	54.000	16.880	-20.000	74.000	37.120	PK

Profile: 2360694R	Page No.: 8
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 20:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 5320MHz by 802.11a with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	33.196	-3.867	-20.804	54.000	37.063	AV

Profile: 2360694R	Page No.: 9
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 20:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 5500MHz by 802.11a with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5448.880	54.254	16.929	-19.746	74.000	37.325	PK
2		5460.000	52.558	15.249	-21.442	74.000	37.309	PK

Profile: 2360694R	Page No.: 10
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 20:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 5500MHz by 802.11a with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	35.306	-2.003	-18.694	54.000	37.309	AV

Profile: 2360694R	Page No.: 11
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 20:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 5500MHz by 802.11a with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	49.880	12.571	-24.120	74.000	37.309	PK

Profile: 2360694R	Page No.: 12
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 20:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 5500MHz by 802.11a with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	33.258	-4.051	-20.742	54.000	37.309	AV

Profile: 2360694R	Page No.: 1
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 22:52
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 5745MHz by 802.11a with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.480	46.966	9.369	-52.690	99.656	37.597	PK
2		5707.990	48.920	11.479	-58.519	107.440	37.441	PK
3		5722.180	50.800	13.145	-64.972	115.772	37.655	PK

Profile: 2360694R	Page No.: 2
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 22:54
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 5745MHz by 802.11a with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5694.790	45.555	7.981	-55.805	101.360	37.574	PK
2		5713.710	45.870	8.359	-63.171	109.041	37.511	PK
3		5723.720	47.918	10.237	-71.364	119.283	37.681	PK

Profile: 2360694R	Page No.: 3
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 22:56
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 5785MHz by 802.11a with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5695.455	46.085	8.518	-55.765	101.850	37.567	PK
2		5709.395	46.637	9.199	-61.196	107.833	37.438	PK
3		5723.130	46.075	8.404	-71.862	117.938	37.671	PK
4		5852.280	47.503	9.595	-69.498	117.000	37.907	PK
5		5862.735	46.757	8.781	-61.875	108.632	37.976	PK
6	*	5880.980	45.849	7.921	-54.909	100.758	37.928	PK

Profile: 2360694R	Page No.: 4
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 22:57
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 5785MHz by 802.11a with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5697.915	45.076	7.533	-58.588	103.664	37.543	PK
2		5711.445	44.939	7.466	-63.468	108.407	37.473	PK
3		5722.310	45.848	8.191	-70.220	116.068	37.658	PK
4		5851.460	46.092	8.190	-72.778	118.870	37.901	PK
5		5867.450	45.449	7.489	-61.863	107.312	37.960	PK
6	*	5882.620	45.058	7.123	-54.483	99.541	37.934	PK

Profile: 2360694R	Page No.: 5
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 22:59
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 5825MHz by 802.11a with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.080	51.037	13.131	-66.419	117.456	37.906	PK
2		5867.120	47.079	9.118	-60.325	107.404	37.961	PK
3	*	5885.760	46.315	8.369	-50.896	97.211	37.946	PK

Profile: 2360694R	Page No.: 6
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 23:05
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 5825MHz by 802.11a with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.880	48.213	10.301	-67.419	115.632	37.912	PK
2		5864.960	46.519	8.551	-61.490	108.009	37.968	PK
3	*	5882.320	45.865	7.932	-53.898	99.764	37.934	PK

Profile: 2360694R	Page No.: 13
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 20:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	46.717	9.829	-27.283	74.000	36.887	PK

Profile: 2360694R	Page No.: 14
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 20:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5180.000	36.856	-0.032	-17.144	54.000	36.887	AV

Profile: 2360694R	Page No.: 15
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 20:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	45.152	8.264	-28.848	74.000	36.887	PK

Profile: 2360694R	Page No.: 16
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 20:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	34.953	-1.935	-19.047	54.000	36.887	AV

Profile: 2360694R	Page No.: 17
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 20:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.938	14.875	-22.062	74.000	37.063	PK

Profile: 2360694R	Page No.: 18
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 20:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	34.794	-2.269	-19.206	54.000	37.063	AV

Profile: 2360694R	Page No.: 19
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 20:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	47.584	10.521	-26.416	74.000	37.063	PK
2	*	5355.150	48.768	11.667	-25.232	74.000	37.101	PK

Profile: 2360694R	Page No.: 20
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 20:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	32.807	-4.256	-21.193	54.000	37.063	AV

Profile: 2360694R	Page No.: 21
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 20:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	46.056	8.747	-27.944	74.000	37.309	PK

Profile: 2360694R	Page No.: 22
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 21:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	34.210	-3.099	-19.790	54.000	37.309	AV

Profile: 2360694R	Page No.: 23
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	44.864	7.555	-29.136	74.000	37.309	PK

Profile: 2360694R	Page No.: 24
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	32.859	-4.450	-21.141	54.000	37.309	AV

Profile: 2360694R	Page No.: 7
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 23:08
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5745MHz by 802.11n (20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5689.950	46.491	8.911	-51.298	97.789	37.580	PK
2		5707.990	46.295	8.854	-61.144	107.440	37.441	PK
3		5721.960	48.353	10.702	-66.917	115.270	37.652	PK

Profile: 2360694R	Page No.: 8
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 23:10
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5745MHz by 802.11n (20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5693.690	45.176	7.591	-55.373	100.549	37.585	PK
2		5709.530	45.348	7.908	-62.523	107.871	37.440	PK
3		5722.950	45.443	7.775	-72.084	117.527	37.668	PK

Profile: 2360694R	Page No.: 9
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 23:12
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5785MHz by 802.11n (20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5695.455	45.402	7.835	-56.448	101.850	37.567	PK
2		5713.700	45.655	8.144	-63.383	109.038	37.511	PK
3		5722.515	46.780	9.119	-69.756	116.535	37.661	PK
4		5852.485	47.500	9.591	-69.033	116.533	37.909	PK
5		5866.220	46.926	8.962	-60.730	107.656	37.964	PK
6	*	5883.645	45.213	7.275	-53.567	98.780	37.938	PK

Profile: 2360694R	Page No.: 10
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 23:15
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5785MHz by 802.11n (20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5694.430	45.091	7.513	-56.004	101.094	37.578	PK
2		5712.060	44.707	7.224	-63.872	108.579	37.483	PK
3		5722.310	44.945	7.288	-71.123	116.068	37.658	PK
4		5851.460	46.177	8.275	-72.693	118.870	37.901	PK
5		5864.990	45.960	7.992	-62.040	108.000	37.968	PK
6	*	5883.645	45.311	7.373	-53.469	98.780	37.938	PK

Profile: 2360694R	Page No.: 11
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 23:17
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5825MHz by 802.11n (20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.440	54.656	16.754	-64.260	118.916	37.901	PK
2		5865.120	50.395	12.427	-57.569	107.964	37.968	PK
3	*	5883.440	51.031	13.093	-47.902	98.932	37.937	PK

Profile: 2360694R	Page No.: 12
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 23:19
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5825MHz by 802.11n (20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.080	48.933	11.027	-68.523	117.456	37.906	PK
2		5863.440	48.150	10.177	-60.284	108.434	37.974	PK
3	*	5884.080	46.950	9.010	-51.507	98.457	37.940	PK

Profile: 2360694R	Page No.: 25
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 21:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	54.607	17.719	-19.393	74.000	36.887	PK

Profile: 2360694R	Page No.: 26
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 21:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	44.109	7.221	-9.891	54.000	36.887	AV

Profile: 2360694R	Page No.: 27
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 21:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	49.495	12.607	-24.505	74.000	36.887	PK

Profile: 2360694R	Page No.: 28
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 21:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	38.766	1.878	-15.234	54.000	36.887	AV

Profile: 2360694R	Page No.: 29
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 21:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	49.229	12.166	-24.771	74.000	37.063	PK
2	*	5355.280	50.640	13.538	-23.360	74.000	37.102	PK

Profile: 2360694R	Page No.: 30
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 21:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	37.699	0.636	-16.301	54.000	37.063	AV

Profile: 2360694R	Page No.: 31
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 21:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	45.773	8.710	-28.227	74.000	37.063	PK
2	*	5353.920	48.162	11.073	-25.838	74.000	37.089	PK

Profile: 2360694R	Page No.: 32
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 21:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	34.256	-2.807	-19.744	54.000	37.063	AV

Profile: 2360694R	Page No.: 33
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 21:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	46.946	9.637	-27.054	74.000	37.309	PK

Profile: 2360694R	Page No.: 34
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 21:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	35.152	-2.157	-18.848	54.000	37.309	AV

Profile: 2360694R	Page No.: 35
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 21:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	45.034	7.725	-28.966	74.000	37.309	PK

Profile: 2360694R	Page No.: 36
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 21:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	33.629	-3.680	-20.371	54.000	37.309	AV

Profile: 2360694R	Page No.: 13
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 23:22
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5755MHz by 802.11n (40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5693.580	46.879	9.293	-53.588	100.467	37.586	PK
2		5709.570	47.689	10.248	-60.193	107.882	37.440	PK
3		5723.350	50.324	12.649	-68.115	118.439	37.675	PK

Profile: 2360694R	Page No.: 14
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 23:24
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5755MHz by 802.11n (40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5693.840	46.176	8.593	-54.483	100.659	37.583	PK
2		5710.220	45.310	7.858	-62.754	108.064	37.452	PK
3		5721.920	45.452	7.801	-69.727	115.179	37.651	PK

Profile: 2360694R	Page No.: 15
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 23:27
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5795MHz by 802.11n (40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.200	48.854	10.947	-68.329	117.183	37.907	PK
2		5869.885	47.939	9.987	-58.692	106.630	37.952	PK
3	*	5886.085	47.308	9.360	-49.662	96.970	37.947	PK

Profile: 2360694R	Page No.: 16
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 23:29
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5795MHz by 802.11n (40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.660	46.022	8.119	-72.392	118.414	37.903	PK
2		5868.130	45.843	7.886	-61.278	107.121	37.958	PK
3	*	5881.900	45.904	7.972	-54.171	100.075	37.932	PK

Profile: 2360694R	Page No.: 37
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 21:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	47.270	103.382	-26.730	74.000	36.887	PK

Profile: 2360694R	Page No.: 38
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 21:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	36.598	-0.290	-17.402	54.000	36.887	AV

Profile: 2360694R	Page No.: 39
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 21:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	44.954	8.066	-29.046	74.000	36.887	PK

Profile: 2360694R	Page No.: 40
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 21:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	34.728	-2.160	-19.272	54.000	36.887	AV

Profile: 2360694R	Page No.: 41
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 21:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	52.047	14.984	-21.953	74.000	37.063	PK

Profile: 2360694R	Page No.: 42
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 -21:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	34.740	-2.323	-19.260	54.000	37.063	AV

Profile: 2360694R	Page No.: 43
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 21:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	47.079	10.016	-26.921	74.000	37.063	PK
2	*	5353.500	49.439	12.354	-24.561	74.000	37.085	PK

Profile: 2360694R	Page No.: 44
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 21:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	33.118	-3.945	-20.882	54.000	37.063	AV

Profile: 2360694R	Page No.: 45
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 21:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	45.293	7.984	-28.707	74.000	37.309	PK

Profile: 2360694R	Page No.: 46
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	34.312	-2.997	-19.688	54.000	37.309	AV

Profile: 2360694R	Page No.: 47
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 21:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	44.235	6.926	-29.765	74.000	37.309	PK

Profile: 2360694R	Page No.: 48
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 21:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	33.003	-4.306	-20.997	54.000	37.309	AV

Profile: 2360694R	Page No.: 17
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 23:32
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5745MHz by 802.11ac (20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5693.470	47.027	9.440	-53.359	100.386	37.587	PK
2		5709.420	46.849	9.411	-60.991	107.840	37.438	PK
3		5722.070	50.805	13.152	-64.716	115.521	37.653	PK

Profile: 2360694R	Page No.: 18
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 23:35
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5745MHz by 802.11ac (20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5691.600	46.034	8.436	-52.973	99.007	37.598	PK
2		5713.930	46.526	9.011	-62.577	109.102	37.515	PK
3		5722.400	45.602	7.943	-70.671	116.273	37.659	PK

Profile: 2360694R	Page No.: 19
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 23:38
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5785MHz by 802.11ac (20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5694.020	44.822	7.240	-55.970	100.792	37.582	PK
2		5709.600	45.559	8.118	-62.331	107.890	37.441	PK
3		5721.900	46.152	8.502	-68.981	115.133	37.651	PK
4		5851.870	45.948	8.043	-71.988	117.935	37.904	PK
5		5864.170	45.841	7.870	-62.389	108.230	37.970	PK
6	*	5882.005	45.486	7.554	-54.511	99.997	37.933	PK

Profile: 2360694R	Page No.: 20
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 23:40
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5785MHz by 802.11ac (20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.380	45.445	7.847	-54.137	99.582	37.598	PK
2		5711.445	46.623	9.150	-61.784	108.407	37.473	PK
3		5724.360	46.501	8.809	-74.240	120.741	37.692	PK
4		5851.870	46.601	8.696	-71.335	117.935	37.904	PK
5		5863.350	46.772	8.799	-61.687	108.460	37.973	PK
6		5880.365	46.356	8.430	-54.859	101.215	37.927	PK

Profile: 2360694R	Page No.: 21
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 23:43
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5825MHz by 802.11ac (20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.160	54.666	16.759	-62.608	117.274	37.907	PK
2		5867.280	51.231	13.271	-56.128	107.359	37.960	PK
3	*	5884.400	47.300	9.359	-50.920	98.220	37.941	PK

Profile: 2360694R	Page No.: 22
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 23:45
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5825MHz by 802.11ac (20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5853.600	48.324	10.407	-65.667	113.991	37.917	PK
2		5865.280	45.151	7.184	-62.768	107.919	37.967	PK
3	*	5882.880	45.148	7.212	-54.200	99.348	37.936	PK

Profile: 2360694R	Page No.: 49
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 21:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	53.919	17.031	-20.081	74.000	36.887	PK

Profile: 2360694R	Page No.: 50
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 21:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	44.143	7.255	-9.857	54.000	36.887	AV

Profile: 2360694R	Page No.: 51
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 22:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	50.266	13.378	-23.734	74.000	36.887	PK

Profile: 2360694R	Page No.: 52
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 22:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	38.652	1.764	-15.348	54.000	36.887	AV

Profile: 2360694R	Page No.: 53
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 22:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	49.151	12.088	-24.849	74.000	37.063	PK

Profile: 2360694R	Page No.: 54
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 22:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	38.104	1.041	-15.896	54.000	37.063	AV

Profile: 2360694R	Page No.: 55
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 22:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	45.958	8.895	-28.042	74.000	37.063	PK

Profile: 2360694R	Page No.: 56
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 22:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	34.442	-2.621	-19.558	54.000	37.063	AV

Profile: 2360694R	Page No.: 57
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 22:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	46.481	9.172	-27.519	74.000	37.309	PK

Profile: 2360694R	Page No.: 58
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 22:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	34.969	-2.340	-19.031	54.000	37.309	AV

Profile: 2360694R	Page No.: 59
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 22:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	45.829	8.520	-28.171	74.000	37.309	PK

Profile: 2360694R	Page No.: 60
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 22:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	33.536	-3.773	-20.464	54.000	37.309	AV

Profile: 2360694R	Page No.: 23
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 23:47
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5755MHz by 802.11ac (40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5691.760	46.880	9.281	-52.244	99.125	37.599	PK
2		5711.910	47.352	9.872	-61.185	108.537	37.481	PK
3		5722.050	49.391	11.738	-66.084	115.475	37.653	PK

Profile: 2360694R	Page No.: 24
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 23:50
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5755MHz by 802.11ac (40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5694.490	44.937	7.360	-56.202	101.139	37.577	PK
2		5710.740	45.752	8.291	-62.458	108.210	37.461	PK
3		5722.050	46.494	8.841	-68.981	115.475	37.653	PK

Profile: 2360694R	Page No.: 25
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 23:53
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5795MHz by 802.11ac (40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.875	47.177	9.265	-68.467	115.644	37.912	PK
2		5869.480	46.156	8.203	-60.588	106.744	37.953	PK
3	*	5880.550	46.531	8.604	-54.547	101.077	37.927	PK

Profile: 2360694R	Page No.: 26
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 23:55
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5795MHz by 802.11ac (40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.605	46.420	8.510	-69.839	116.259	37.910	PK
2		5867.725	45.266	7.307	-61.969	107.235	37.958	PK
3	*	5880.550	46.531	8.604	-54.547	101.077	37.927	PK

Profile: 2360694R	Page No.: 61
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 22:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	56.378	19.490	-17.622	74.000	36.887	PK

Profile: 2360694R	Page No.: 62
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 22:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	45.574	8.686	-8.426	54.000	36.887	AV

Profile: 2360694R	Page No.: 63
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 22:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5130.000	51.756	14.939	-22.244	74.000	36.817	PK
2		5150.000	50.755	13.867	-23.245	74.000	36.887	PK

Profile: 2360694R	Page No.: 64
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 22:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	40.248	3.360	-13.752	54.000	36.887	AV

Profile: 2360694R	Page No.: 65
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 22:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.676	14.613	-22.324	74.000	37.063	PK

Profile: 2360694R	Page No.: 66
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 22:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	39.426	2.363	-14.574	54.000	37.063	AV

Profile: 2360694R	Page No.: 67
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 22:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	47.516	10.453	-26.484	74.000	37.063	PK

Profile: 2360694R	Page No.: 68
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 22:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	36.403	-0.660	-17.597	54.000	37.063	AV

Profile: 2360694R	Page No.: 69
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 22:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	50.162	12.853	-23.838	74.000	37.309	PK

Profile: 2360694R	Page No.: 70
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 22:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	38.774	1.465	-15.226	54.000	37.309	AV

Profile: 2360694R	Page No.: 71
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 22:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	47.355	10.046	-26.645	74.000	37.309	PK

Profile: 2360694R	Page No.: 72
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 22:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	35.978	-1.331	-18.022	54.000	37.309	AV

Profile: 2360694R	Page No.: 27
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 23:57
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5775MHz by 802.11ac (80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5663.250	45.566	8.157	-32.471	78.037	37.409	PK
2		5707.000	50.620	13.169	-56.542	107.162	37.451	PK
3		5723.750	51.959	14.277	-67.392	119.351	37.682	PK
4		5852.250	51.339	13.432	-65.729	117.069	37.907	PK
5		5865.750	52.476	14.511	-55.311	107.788	37.965	PK
6		5891.250	46.718	8.751	-46.422	93.141	37.967	PK

Profile: 2360694R	Page No.: 28
Engineer: RenZhang	
Site: AC5	Time: 2023/09/07 - 23:59
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5775MHz by 802.11ac (80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5670.250	44.326	6.909	-38.899	83.224	37.417	PK
2		5709.500	46.551	9.112	-61.311	107.862	37.439	PK
3		5722.250	46.421	8.765	-69.510	115.931	37.656	PK
4		5851.750	47.848	9.944	-70.361	118.209	37.904	PK
5		5867.750	48.219	10.260	-59.009	107.228	37.959	PK
6		5886.500	46.124	8.175	-50.538	96.662	37.949	PK

Profile: 2360694R	Page No.: 1
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 00:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5145.840	52.829	15.950	-21.171	74.000	36.879	PK
2		5150.000	50.205	13.317	-23.795	74.000	36.887	PK

Profile: 2360694R	Page No.: 2
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 00:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	38.117	1.229	-15.883	54.000	36.887	AV

Profile: 2360694R	Page No.: 3
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 00:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	46.618	9.730	-27.382	74.000	36.887	PK

Profile: 2360694R	Page No.: 4
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 00:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5180.000	34.953	-1.935	-19.047	54.000	36.887	AV

Profile: 2360694R	Page No.: 5
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 00:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	51.983	14.920	-22.017	74.000	37.063	PK
2	*	5355.000	57.782	20.683	-16.218	74.000	37.099	PK

Profile: 2360694R	Page No.: 6
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 00:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	34.582	-2.481	-19.418	54.000	37.063	AV

Profile: 2360694R	Page No.: 7
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 00:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	47.151	10.088	-26.849	74.000	37.063	PK
2	*	5355.150	48.558	11.457	-25.442	74.000	37.101	PK

Profile: 2360694R	Page No.: 8
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 00:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	33.927	-3.136	-20.073	54.000	37.063	AV

Profile: 2360694R	Page No.: 9
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 00:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5456.400	49.492	12.165	-24.508	74.000	37.327	PK
2		5460.000	47.800	10.491	-26.200	74.000	37.309	PK

Profile: 2360694R	Page No.: 10
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 00:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	34.924	-2.385	-19.076	54.000	37.309	AV

Profile: 2360694R	Page No.: 11
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 00:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	45.533	8.224	-28.467	74.000	37.309	PK

Profile: 2360694R	Page No.: 12
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 00:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	32.984	-4.325	-21.016	54.000	37.309	AV