



Profile: 2360694R	Page No.: 1
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08- 22:35
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5691.160	46.014	8.421	-52.668	98.682	37.593	PK
2		5711.180	46.430	8.962	-61.903	108.333	37.468	PK
3		5721.520	51.588	13.944	-62.679	114.267	37.644	PK

Profile: 2360694R	Page No.: 2
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08- 22:38
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5690.500	45.164	7.578	-53.031	98.195	37.586	PK
2		5709.640	46.625	9.183	-61.277	107.902	37.441	PK
3		5721.960	49.472	11.821	-65.798	115.270	37.652	PK

Profile: 2360694R	Page No.: 3
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08- 22:40
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5785MHz by 802.11n(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5693.200	45.511	7.921	-54.676	100.187	37.590	PK
2		5707.140	45.288	7.838	-61.914	107.201	37.450	PK
3		5722.515	46.174	8.513	-70.362	116.535	37.661	PK
4		5852.280	47.091	9.183	-69.910	117.000	37.907	PK
5		5864.580	46.596	8.627	-61.519	108.115	37.970	PK
6		5880.365	45.946	8.020	-55.269	101.215	37.927	PK

Profile: 2360694R	Page No.: 4
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08- 22:41
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5785MHz by 802.11n(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5693.405	45.372	7.784	-54.966	100.338	37.588	PK
2		5709.395	44.580	7.142	-63.253	107.833	37.438	PK
3		5722.515	45.005	7.344	-71.531	116.535	37.661	PK
4		5851.255	48.289	10.389	-71.048	119.338	37.900	PK
5		5868.680	46.202	8.246	-60.766	106.968	37.956	PK
6	*	5881.185	45.722	7.793	-54.884	100.606	37.930	PK

Profile: 2360694R	Page No.: 5
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08- 22:44
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5853.040	61.491	23.578	-53.776	115.268	37.913	PK
2		5865.120	52.887	14.919	-55.077	107.964	37.968	PK
3	*	5882.880	51.172	13.236	-48.176	99.348	37.936	PK

Profile: 2360694R	Page No.: 6
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08- 22:46
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5853.520	47.771	9.854	-66.403	114.173	37.917	PK
2		5866.080	46.597	8.633	-61.098	107.695	37.964	PK
3	*	5881.520	46.053	8.123	-54.304	100.357	37.931	PK

Profile: 2360694R	Page No.: 13
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 00:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	57.752	20.864	-16.248	74.000	36.887	PK

Profile: 2360694R	Page No.: 14
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 00:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	46.926	10.038	-7.074	54.000	36.887	AV

Profile: 2360694R	Page No.: 15
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	52.493	15.605	-21.507	74.000	36.887	PK

Profile: 2360694R	Page No.: 16
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	41.237	4.349	-12.763	54.000	36.887	AV

Profile: 2360694R	Page No.: 17
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 00:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	52.323	15.260	-21.677	74.000	37.063	PK
2	*	5359.700	54.446	17.303	-19.554	74.000	37.144	PK

Profile: 2360694R	Page No.: 18
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 00:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	39.703	2.640	-14.297	54.000	37.063	AV

Profile: 2360694R	Page No.: 19
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 00:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	45.988	8.925	-28.012	74.000	37.063	PK
2	*	5357.320	51.490	14.369	-22.510	74.000	37.121	PK
3		5364.800	50.267	13.076	-23.733	74.000	37.192	PK

Profile: 2360694R	Page No.: 20
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 00:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	35.005	-2.058	-18.995	54.000	37.063	AV

Profile: 2360694R	Page No.: 21
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 00:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.331	14.022	-22.669	74.000	37.309	PK

Profile: 2360694R	Page No.: 22
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 00:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	37.792	0.483	-16.208	54.000	37.309	AV

Profile: 2360694R	Page No.: 23
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 00:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	47.011	9.702	-26.989	74.000	37.309	PK

Profile: 2360694R	Page No.: 24
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 00:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	34.388	-2.921	-19.612	54.000	37.309	AV

Profile: 2360694R	Page No.: 7
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 22:48
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5755MHz by 802.11n(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5689.160	47.574	10.002	-49.632	97.206	37.572	PK
2		5708.530	50.557	13.121	-57.034	107.591	37.436	PK
3		5722.700	56.293	18.629	-60.664	116.957	37.663	PK

Profile: 2360694R	Page No.: 8
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 22:50
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5755MHz by 802.11n(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5695.270	45.689	8.120	-56.025	101.714	37.570	PK
2		5711.520	50.573	13.099	-57.855	108.428	37.474	PK
3		5722.440	53.220	15.561	-63.144	116.364	37.660	PK

Profile: 2360694R	Page No.: 9
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 22:52
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5795MHz by 802.11n(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.660	49.653	11.750	-68.761	118.414	37.903	PK
2		5866.375	48.896	10.933	-58.716	107.613	37.963	PK
3	*	5883.385	48.539	10.601	-50.435	98.973	37.937	PK

Profile: 2360694R	Page No.: 10
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 22:54
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 5795MHz by 802.11n(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.875	48.198	10.286	-67.446	115.644	37.912	PK
2		5866.375	47.392	9.429	-60.220	107.613	37.963	PK
3	*	5883.385	47.787	9.849	-51.187	98.973	37.937	PK

Profile: 2360694R	Page No.: 25
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 00:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5130.660	50.618	13.812	-23.382	74.000	36.807	PK
2		5150.000	48.865	11.977	-25.135	74.000	36.887	PK

Profile: 2360694R	Page No.: 26
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 00:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	37.883	0.995	-16.117	54.000	36.887	AV

Profile: 2360694R	Page No.: 27
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 01:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	46.091	9.203	-27.909	74.000	36.887	PK

Profile: 2360694R	Page No.: 28
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 01:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	35.361	-1.527	-18.639	54.000	36.887	AV

Profile: 2360694R	Page No.: 29
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 01:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	49.955	12.892	-24.045	74.000	37.063	PK
2	*	5361.150	55.930	18.773	-18.070	74.000	37.157	PK

Profile: 2360694R	Page No.: 30
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 01:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	36.703	-0.360	-17.297	54.000	37.063	AV

Profile: 2360694R	Page No.: 31
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 01:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	45.185	8.122	-28.815	74.000	37.063	PK
2	*	5360.250	49.519	12.370	-24.481	74.000	37.149	PK

Profile: 2360694R	Page No.: 32
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 01:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	33.509	-3.554	-20.491	54.000	37.063	AV

Profile: 2360694R	Page No.: 33
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 01:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5452.880	50.133	12.797	-23.867	74.000	37.336	PK
2		5460.000	47.405	10.096	-26.595	74.000	37.309	PK

Profile: 2360694R	Page No.: 34
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 01:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	35.859	-1.450	-18.141	54.000	37.309	AV

Profile: 2360694R	Page No.: 35
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 01:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	45.413	8.104	-28.587	74.000	37.309	PK

Profile: 2360694R	Page No.: 36
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 01:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	33.589	-3.720	-20.411	54.000	37.309	AV

Profile: 2360694R	Page No.: 11
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 22:55
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5745MHz by 802.11ac(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5691.050	56.197	18.605	-42.404	98.601	37.592	PK
2		5708.760	47.824	10.391	-59.831	107.655	37.433	PK
3		5722.070	54.594	16.941	-60.927	115.521	37.653	PK

Profile: 2360694R	Page No.: 12
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 22:56
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5745MHz by 802.11ac(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5696.000	47.692	10.130	-54.560	102.252	37.562	PK
2		5711.730	50.370	12.893	-58.116	108.487	37.477	PK
3		5722.070	50.586	12.933	-64.935	115.521	37.653	PK

Profile: 2360694R	Page No.: 13
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 22:59
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5785MHz by 802.11ac(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5694.635	45.508	7.933	-55.737	101.245	37.575	PK
2		5710.215	45.566	8.114	-62.497	108.063	37.452	PK
3		5723.130	47.562	9.891	-70.375	117.938	37.671	PK
4		5852.485	46.942	9.033	-69.591	116.533	37.909	PK
5		5866.630	46.184	8.222	-61.357	107.541	37.963	PK
6	*	5884.055	45.622	7.682	-52.854	98.476	37.940	PK

Profile: 2360694R	Page No.: 14
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 23:02
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5785MHz by 802.11ac(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5694.635	45.508	7.933	-55.737	101.245	37.575	PK
2		5711.240	45.059	7.590	-63.291	108.350	37.469	PK
3		5723.540	46.188	8.510	-72.684	118.872	37.678	PK
4		5852.075	46.136	8.230	-71.332	117.468	37.906	PK
5		5865.605	45.607	7.641	-62.221	107.828	37.966	PK
6	*	5881.595	45.582	7.651	-54.720	100.302	37.931	PK

Profile: 2360694R	Page No.: 15
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 23:05
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5825MHz by 802.11ac(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.160	53.609	15.702	-63.665	117.274	37.907	PK
2		5862.160	52.071	14.094	-56.722	108.793	37.977	PK
3	*	5881.120	51.885	13.956	-48.769	100.654	37.928	PK

Profile: 2360694R	Page No.: 16
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 23:07
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 4 : Transmit at 5825MHz by 802.11ac(20MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.320	50.800	12.892	-66.109	116.909	37.908	PK
2		5867.680	51.331	13.372	-55.916	107.247	37.959	PK
3	*	5882.400	46.759	8.825	-52.945	99.704	37.934	PK

Profile: 2360694R	Page No.: 37
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 01:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	56.680	19.792	-17.320	74.000	36.887	PK

Profile: 2360694R	Page No.: 38
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 01:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	47.189	10.301	-6.811	54.000	36.887	AV

Profile: 2360694R	Page No.: 39
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 01:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	53.594	16.706	-20.406	74.000	36.887	PK

Profile: 2360694R	Page No.: 40
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 01:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	41.349	4.461	-12.651	54.000	36.887	AV

Profile: 2360694R	Page No.: 41
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 -01:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	50.868	13.805	-23.132	74.000	37.063	PK
2	*	5353.580	54.463	17.377	-19.537	74.000	37.086	PK
3		5398.120	51.723	14.543	-22.277	74.000	37.179	PK
4		5430.250	53.261	16.046	-20.739	74.000	37.216	PK

Profile: 2360694R	Page No.: 42
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 01:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	39.673	2.610	-14.327	54.000	37.063	AV

Profile: 2360694R	Page No.: 43
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 01:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	47.833	10.770	-26.167	74.000	37.063	PK
2	*	5429.910	48.951	11.740	-25.049	74.000	37.211	PK

Profile: 2360694R	Page No.: 44
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 01:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	34.456	-2.607	-19.544	54.000	37.063	AV

Profile: 2360694R	Page No.: 45
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 01:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	53.213	15.904	-20.787	74.000	37.309	PK

Profile: 2360694R	Page No.: 46
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 01:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	37.850	0.541	-16.150	54.000	37.309	AV

Profile: 2360694R	Page No.: 47
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 01:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	46.757	9.448	-27.243	74.000	37.309	PK

Profile: 2360694R	Page No.: 48
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 01:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	34.252	-3.057	-19.748	54.000	37.309	AV

Profile: 2360694R	Page No.: 17
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 23:09
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5755MHz by 802.11ac(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5691.370	47.294	9.699	-51.543	98.837	37.596	PK
2		5708.270	49.852	12.414	-57.666	107.518	37.438	PK
3		5722.700	55.976	18.312	-60.981	116.957	37.663	PK

Profile: 2360694R	Page No.: 18
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 23:12
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5755MHz by 802.11ac(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.540	45.429	7.832	-54.272	99.700	37.596	PK
2		5709.180	48.962	11.528	-58.811	107.773	37.434	PK
3		5722.700	55.976	18.312	-60.981	116.957	37.663	PK

Profile: 2360694R	Page No.: 19
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 23:14
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5795MHz by 802.11ac(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.605	51.320	13.410	-64.939	116.259	37.910	PK
2		5866.645	49.909	11.947	-57.628	107.537	37.963	PK
3	*	5883.385	46.993	9.055	-51.981	98.973	37.937	PK

Profile: 2360694R	Page No.: 20
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 23:17
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 5 : Transmit at 5795MHz by 802.11ac(40MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.660	46.728	8.825	-71.686	118.414	37.903	PK
2		5865.835	47.334	9.369	-60.430	107.764	37.965	PK
3	*	5880.955	46.413	8.485	-54.363	100.777	37.928	PK

Profile: 2360694R	Page No.: 49
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 01:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	59.107	22.219	-14.893	74.000	36.887	PK

Profile: 2360694R	Page No.: 50
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 01:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	48.893	12.005	-5.107	54.000	36.887	AV

Profile: 2360694R	Page No.: 51
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 01:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	54.013	17.125	-19.987	74.000	36.887	PK

Profile: 2360694R	Page No.: 52
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 01:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	43.858	6.970	-10.142	54.000	36.887	AV

Profile: 2360694R	Page No.: 53
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 01:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	51.785	14.722	-22.215	74.000	37.063	PK
2	*	5355.210	54.762	17.661	-19.238	74.000	37.101	PK

Profile: 2360694R	Page No.: 54
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 01:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	41.147	4.084	-12.853	54.000	37.063	AV

Profile: 2360694R	Page No.: 55
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	47.609	10.546	-26.391	74.000	37.063	PK

Profile: 2360694R	Page No.: 56
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	36.105	-0.958	-17.895	54.000	37.063	AV

Profile: 2360694R	Page No.: 57
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 02:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	53.374	16.065	-20.626	74.000	37.309	PK

Profile: 2360694R	Page No.: 58
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 02:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	44.142	6.833	-9.858	54.000	37.309	AV

Profile: 2360694R	Page No.: 59
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 02:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5451.420	51.463	14.131	-22.537	74.000	37.332	PK
2		5460.000	50.084	12.775	-23.916	74.000	37.309	PK

Profile: 2360694R	Page No.: 60
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 02:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	38.414	1.105	-15.586	54.000	37.309	AV

Profile: 2360694R	Page No.: 21
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 23:19
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz) Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5675.250	49.630	12.205	-37.296	86.926	37.425	PK
2		5712.250	57.405	19.919	-51.227	108.632	37.486	PK
3		5723.000	59.802	22.133	-57.839	117.641	37.669	PK
4		5851.750	53.798	15.894	-64.411	118.209	37.904	PK
5		5867.250	51.343	13.383	-56.024	107.368	37.960	PK
6		5886.750	46.688	8.738	-49.789	96.477	37.950	PK

Profile: 2360694R	Page No.: 22
Engineer: RenZhang	
Site: AC5	Time: 2023/09/08 - 23:21
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz) Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5671.750	46.841	9.423	-37.494	84.335	37.419	PK
2		5709.250	53.070	15.635	-54.722	107.792	37.436	PK
3		5722.250	53.974	16.318	-61.957	115.931	37.656	PK
4		5852.250	51.777	13.870	-65.291	117.069	37.907	PK
5		5866.000	50.202	12.237	-57.516	107.718	37.964	PK
6		5887.250	46.281	8.329	-49.825	96.106	37.952	PK

Note : We have evaluated SISO, MIMO mode, shown in the report is the worst data.

Appendix I: Frequency Stability

Frequency Stability under Temperature at 0min				
Temperature Interval (°C)	Test Frequency (MHz)	Deviation (ppm)	Limit (ppm)	Result
0	5500.000	-9.66	±20	Pass
10	5500.000	5.22	±20	Pass
20	5500.000	3.59	±20	Pass
35	5500.000	-10.22	±20	Pass

Frequency Stability under Temperature at 2min				
Temperature Interval (°C)	Test Frequency (MHz)	Deviation (ppm)	Limit	Result
0	5500.000	3.99	±20	Pass
10	5500.000	-6.58	±20	Pass
20	5500.000	8.96	±20	Pass
35	5500.000	-11.32	±20	Pass

Frequency Stability under Temperature at 5min				
Temperature Interval (°C)	Test Frequency (MHz)	Deviation (ppm)	Limit	Result
0	5500.000	10.21	±20	Pass
10	5500.000	6.59	±20	Pass
20	5500.000	-7.88	±20	Pass
35	5500.000	8.52	±20	Pass

Frequency Stability under Temperature at 10min				
Temperature Interval (°C)	Test Frequency (MHz)	Deviation (ppm)	Limit	Result
0	5500.000	-10.16	±20	Pass
10	5500.000	5.86	±20	Pass
20	5500.000	7.86	±20	Pass
35	5500.000	9.52	±20	Pass

The End