



3DH5_Ant1_2480_23000~25000




Appendix I: Duty Cycle

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
DH5	Ant1	2402	2.88	6.25	46.08	3.36
		2441	2.88	6.25	46.08	3.36
		2480	2.88	6.25	46.08	3.36
2DH5	Ant1	2402	2.88	6.24	46.15	3.36
		2441	2.89	6.25	46.24	3.35
		2480	2.89	6.25	46.24	3.35
3DH5	Ant1	2402	2.88	6.24	46.15	3.36
		2441	2.88	6.24	46.15	3.36
		2480	2.89	6.25	46.24	3.35


DH5_Ant1_2402




DH5_Ant1_2441



DH5_Ant1_2480




2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480



3DH5_Ant1_2402



3DH5_Ant1_2441




3DH5_Ant1_2480




Appendix J: Emissions in Restricted Band

Profile: 2360694R	Page No.: 19
Engineer: Pengchengyang	
Site: AC5	Time: 2023/09/18 - 18:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2402MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	38.770	53.021	-35.230	74.000	-14.251	PK
2		7206.000	44.178	52.568	-29.822	74.000	-8.390	PK
3	*	9608.000	49.527	53.090	-24.473	74.000	-3.563	PK

Profile: 2360694R	Page No.: 20
Engineer: Pengchengyang	
Site: AC5	Time: 2023/09/18 - 18:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2402MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	38.919	53.170	-35.081	74.000	-14.251	PK
2		7206.000	44.680	53.070	-29.320	74.000	-8.390	PK
3	*	9608.000	48.842	52.405	-25.158	74.000	-3.563	PK

Profile: 2360694R	Page No.: 21
Engineer: Pengchengyang	
Site: AC5	Time: 2023/09/18 - 18:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2441MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4882.000	40.550	54.450	-33.450	74.000	-13.900	PK
2		7323.000	45.393	53.820	-28.607	74.000	-8.427	PK
3	*	9764.000	48.853	52.533	-25.147	74.000	-3.679	PK

Profile: 2360694R	Page No.: 22
Engineer: Pengchengyang	
Site: AC5	Time: 2023/09/18 - 18:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2441MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4882.000	40.150	54.050	-33.850	74.000	-13.900	PK
2		7323.000	45.157	53.584	-28.843	74.000	-8.427	PK
3	*	9764.000	48.492	52.172	-25.508	74.000	-3.679	PK

Profile: 2360694R	Page No.: 23
Engineer: Pengchengyang	
Site: AC5	Time: 2023/09/18 - 18:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2480MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4960.000	39.741	53.586	-34.259	74.000	-13.845	PK
2		7440.000	44.431	52.462	-29.569	74.000	-8.031	PK
3	*	9920.000	49.979	53.151	-24.021	74.000	-3.172	PK

Profile: 2360694R	Page No.: 24
Engineer: Pengchengyang	
Site: AC5	Time: 2023/09/18 - 18:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2480MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4960.000	40.864	54.709	-33.136	74.000	-13.845	PK
2		7440.000	44.568	52.599	-29.432	74.000	-8.031	PK
3	*	9920.000	48.337	51.509	-25.663	74.000	-3.172	PK

Profile: 2360694R	Page No.: 25
Engineer: Pengchengyang	
Site: AC5	Time: 2023/09/18 - 18:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 2402MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	40.322	54.573	-33.678	74.000	-14.251	PK
2		7206.000	43.831	52.221	-30.169	74.000	-8.390	PK
3	*	9608.000	48.817	52.380	-25.183	74.000	-3.563	PK

Profile: 2360694R	Page No.: 26
Engineer: Pengchengyang	
Site: AC5	Time: 2023/09/18 - 18:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 2402MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	39.217	53.468	-34.783	74.000	-14.251	PK
2		7206.000	44.804	53.194	-29.196	74.000	-8.390	PK
3	*	9608.000	48.769	52.332	-25.231	74.000	-3.563	PK

Profile: 2360694R	Page No.: 27
Engineer: Pengchengyang	
Site: AC5	Time: 2023/09/18 - 18:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 2441MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4882.000	39.108	53.008	-34.892	74.000	-13.900	PK
2		7323.000	43.949	52.376	-30.051	74.000	-8.427	PK
3	*	9764.000	48.628	52.308	-25.372	74.000	-3.679	PK

Profile: 2360694R	Page No.: 28
Engineer: Pengchengyang	
Site: AC5	Time: 2023/09/18 - 18:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 2441MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4882.000	39.733	53.633	-34.267	74.000	-13.900	PK
2		7323.000	45.986	54.413	-28.014	74.000	-8.427	PK
3	*	9764.000	49.278	52.958	-24.722	74.000	-3.679	PK

Profile: 2360694R	Page No.: 29
Engineer: Pengchengyang	
Site: AC5	Time: 2023/09/18 - 18:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 2480MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4960.000	41.322	55.167	-32.678	74.000	-13.845	PK
2		7440.000	44.189	52.220	-29.811	74.000	-8.031	PK
3	*	9920.000	49.072	52.244	-24.928	74.000	-3.172	PK

Profile: 2360694R	Page No.: 30
Engineer: Pengchengyang	
Site: AC5	Time: 2023/09/18 - 18:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 2 : Transmit at 2480MHz by 2DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4960.000	39.923	53.768	-34.077	74.000	-13.845	PK
2		7440.000	45.175	53.206	-28.825	74.000	-8.031	PK
3	*	9920.000	49.756	52.928	-24.244	74.000	-3.172	PK

Profile: 2360694R	Page No.: 31
Engineer: Pengchengyang	
Site: AC5	Time: 2023/09/18 - 18:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 2402MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	39.169	53.420	-34.831	74.000	-14.251	PK
2		7206.000	44.535	52.925	-29.465	74.000	-8.390	PK
3	*	9608.000	49.102	52.665	-24.898	74.000	-3.563	PK

Profile: 2360694R	Page No.: 32
Engineer: Pengchengyang	
Site: AC5	Time: 2023/09/18 - 18:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 2402MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	38.782	53.033	-35.218	74.000	-14.251	PK
2		7206.000	44.039	52.429	-29.961	74.000	-8.390	PK
3	*	9608.000	48.990	52.553	-25.010	74.000	-3.563	PK

Profile: 2360694R	Page No.: 33
Engineer: Pengchengyang	
Site: AC5	Time: 2023/09/18 - 18:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 2441MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4882.000	39.716	53.616	-34.284	74.000	-13.900	PK
2		7323.000	46.543	54.970	-27.457	74.000	-8.427	PK
3	*	9764.000	48.525	52.205	-25.475	74.000	-3.679	PK

Profile: 2360694R	Page No.: 34
Engineer: Pengchengyang	
Site: AC5	Time: 2023/09/18 - 18:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 2441MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4882.000	40.342	54.242	-33.658	74.000	-13.900	PK
2		7323.000	45.222	53.649	-28.778	74.000	-8.427	PK
3	*	9764.000	48.745	52.425	-25.255	74.000	-3.679	PK

Profile: 2360694R	Page No.: 35
Engineer: Pengchengyang	
Site: AC5	Time: 2023/09/18 - 18:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 2480MHz by 3DH5	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4960.000	40.571	54.416	-33.429	74.000	-13.845	PK
2		7440.000	45.444	53.475	-28.556	74.000	-8.031	PK
3	*	9920.000	49.580	52.752	-24.420	74.000	-3.172	PK

Profile: 2360694R	Page No.: 36
Engineer: Pengchengyang	
Site: AC5	Time: 2023/09/18 - 18:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 3 : Transmit at 2480MHz by 3DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4960.000	40.884	54.729	-33.116	74.000	-13.845	PK
2		7440.000	44.181	52.212	-29.819	74.000	-8.031	PK
3	*	9920.000	48.995	52.167	-25.005	74.000	-3.172	PK

Note:

1. Measured Level = Reading Level + Factor.
2. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.
3. The test frequency range, 18GHz~26GHz test result on peak is lower than average limit, all is the noise base, therefore no data appear in the report.
4. This limit applies for using average detector, if the test result on peak is lower than average limit, then average measurement needn't be performed.


The worst case of Radiated Emission below 1GHz :

Profile: 2360694R	Page No.: 17
Engineer: Pengchengyang	
Site: AC2	Time: 2023/09/15 - 13:33
Limit: FCC_Part 15.209_RE (3m)	Margin: 0
Probe: CBL6112B_2933(30-1000MHz)	Polarity: Horizontal
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1: Transmit at 2402MHz by DH5	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		68.194	15.169	2.379	-24.831	40.000	12.790	QP
2		114.996	21.421	2.368	-22.079	43.500	19.052	QP
3		180.835	19.931	3.498	-23.569	43.500	16.433	QP
4		272.864	24.514	4.060	-21.486	46.000	20.454	QP
5		541.917	30.569	3.542	-15.431	46.000	27.027	QP
6	*	752.407	31.166	2.301	-14.834	46.000	28.864	QP

Profile: 2360694R	Page No.: 18
Engineer: Pengchengyang	
Site: AC2	Time: 2023/09/15 - 13:34
Limit: FCC_Part 15.209_RE (3m)	Margin: 0
Probe: CBL6112B_2933(30-1000MHz)	Polarity: Vertical
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1: Transmit at 2402MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		46.458	20.177	3.595	-19.823	40.000	16.582	QP
2		91.595	20.167	3.921	-23.333	43.500	16.246	QP
3		137.913	20.178	1.839	-23.322	43.500	18.339	QP
4		260.375	22.627	1.445	-23.373	46.000	21.181	QP
5		424.547	27.514	3.062	-18.486	46.000	24.452	QP
6	*	743.193	31.799	2.972	-14.201	46.000	28.827	QP

Note:

1. " * ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp)


The worst case of Simultaneous Radiated Emission:

Profile: 2360694R	Page No.: 5
Engineer: Pengchengyang	
Site: AC5	Time: 2023/09/19 - 09:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: AC 120V/60Hz
Note: Mode 1 : Transmit at 2402MHz by Bluetooth & 2412MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	40.325	54.576	-33.675	74.000	-14.251	PK
2		4824.000	39.506	53.746	-34.494	74.000	-14.240	PK
3		7206.000	45.322	53.712	-28.678	74.000	-8.390	PK
4		7236.000	44.505	52.968	-29.495	74.000	-8.463	PK
5		9608.000	47.823	51.386	-26.177	74.000	-3.563	PK
6	*	9648.000	48.724	52.250	-25.276	74.000	-3.527	PK

Profile: 2360694R	Page No.: 6
Engineer: Pengchengyang	
Site: AC5	Time: 2023/09/19 - 09:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: AC 120V/60Hz
Note: Mode 1 : Transmit at 2402MHz by Bluetooth & 2412MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	40.380	54.631	-33.620	74.000	-14.251	PK
2		4824.000	39.990	54.230	-34.010	74.000	-14.240	PK
3		7206.000	44.689	53.079	-29.311	74.000	-8.390	PK
4		7236.000	45.504	53.967	-28.496	74.000	-8.463	PK
5	*	9608.000	48.994	52.557	-25.006	74.000	-3.563	PK
6		9648.000	48.077	51.603	-25.923	74.000	-3.527	PK

Profile: 2360694R	Page No.: 7
Engineer: Pengchengyang	
Site: AC5	Time: 2023/09/19 - 09:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Horizontal
EUT: POS	Power: AC 120V/60Hz
Note: Mode 2 : Transmit at 2402MHz by Bluetooth & 5180MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	38.774	53.025	-35.226	74.000	-14.251	PK
2		7206.000	43.828	52.218	-30.172	74.000	-8.390	PK
3		9608.000	49.581	53.144	-24.419	74.000	-3.563	PK
4		10360.000	48.182	51.211	-25.818	74.000	-3.029	PK
5	*	15540.000	51.870	49.395	-22.130	74.000	2.475	PK


Profile: 2360694R	Page No.: 8
Engineer: Pengchengyang	
Site: AC5	Time: 2023/09/19 - 09:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00123988(1-18GHz)	Polarity: Vertical
EUT: POS	Power: AC 120V/60Hz
Note: Mode 2 : Transmit at 2402MHz by Bluetooth & 5180MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	39.471	53.722	-34.529	74.000	-14.251	PK
2		7206.000	44.329	52.719	-29.671	74.000	-8.390	PK
3		9608.000	47.781	51.344	-26.219	74.000	-3.563	PK
4		10360.000	48.066	51.095	-25.934	74.000	-3.029	PK
5	*	15540.000	52.663	50.188	-21.337	74.000	2.475	PK

Appendix K: AC Power Line Conducted Emission

Profile: 2360694R	Page No.: 213
Engineer: Pengchengyang	
Site: TR1	Time: 2023/10/13 - 09:47
Limit: FCC_Part 15.207	Margin: 0
Probe: ENV216_101189(0.009-30MHz)	Polarity: Line
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2402MHz by DH5	




No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1	*	0.161	45.243	15.651	-20.156	65.399	29.593	QP
2		0.161	23.705	-5.888	-31.694	55.399	29.593	AV
3		0.440	32.347	2.747	-24.710	57.057	29.600	QP
4		0.440	20.592	-9.009	-26.465	47.057	29.600	AV
5		1.331	17.247	-12.389	-38.753	56.000	29.637	QP
6		1.331	13.605	-16.032	-32.395	46.000	29.637	AV
7		5.087	16.044	-13.684	-43.956	60.000	29.727	QP
8		5.087	14.815	-14.913	-35.185	50.000	29.727	AV
9		9.690	15.337	-14.482	-44.663	60.000	29.819	QP
10		9.690	14.261	-15.558	-35.739	50.000	29.819	AV
11		18.310	15.390	-14.685	-44.610	60.000	30.075	QP
12		18.310	14.051	-16.024	-35.949	50.000	30.075	AV

Note:

1. " * ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp)

Profile: 2360694R	Page No.: 214
Engineer: Pengchengyang	
Site: TR1	Time: 2023/10/13 - 09:48
Limit: FCC_Part 15.207	Margin: 0
Probe: ENV216_101189(0.009-30MHz)	Polarity: Neutral
EUT: POS	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2402MHz by DH5	



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1	*	0.206	51.188	21.591	-12.167	63.355	29.596	QP
2		0.206	31.074	1.477	-22.281	53.355	29.596	AV
3		0.463	44.248	14.639	-12.395	56.643	29.609	QP
4		0.463	28.175	-1.434	-18.468	46.643	29.609	AV
5		1.651	19.352	-10.293	-36.648	56.000	29.645	QP
6		1.651	14.292	-15.353	-31.708	46.000	29.645	AV
7		3.237	22.089	-7.605	-33.911	56.000	29.694	QP
8		3.237	15.822	-13.872	-30.178	46.000	29.694	AV
9		8.214	20.592	-9.212	-39.408	60.000	29.804	QP
10		8.214	17.716	-12.088	-32.284	50.000	29.804	AV
11		10.403	20.758	-9.093	-39.242	60.000	29.850	QP
12		10.403	17.886	-11.964	-32.114	50.000	29.850	AV

Note:

1. " * ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp)

The End