



**Appendix H. Peak Power Spectral Density (E.I.R.P.)**

**1.1. Test Result and Data**

For SISO-ANT B-U-NII-5

Modulation Type	Data Rate	Channel	Frequency (MHz)	Measured value of each antenna port (dBm/MHz)	W/O duty factor Total PSD (dBm/MHz)	Duty Cycle CF(dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
				ANT B					
11a	6 Mbps	1	5955	-3.92	-3.92	0.00	2.48	-1.44	-1.00
11a	6 Mbps	45	6175	-3.68	-3.68	0.00	2.48	-1.20	-1.00
11a	6 Mbps	93	6415	-3.54	-3.54	0.00	2.48	-1.06	-1.00

For SISO-ANT B-U-NII-6

Modulation Type	Data Rate	Channel	Frequency (MHz)	Measured value of each antenna port (dBm/MHz)	W/O duty factor Total PSD (dBm/MHz)	Duty Cycle CF(dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
				ANT B					
11a	6 Mbps	97	6435	-3.24	-3.24	0.00	1.79	-1.45	-1.00
11a	6 Mbps	105	6475	-3.14	-3.14	0.00	1.79	-1.35	-1.00
11a	6 Mbps	113	6515	-2.86	-2.86	0.00	1.79	-1.07	-1.00

For SISO-ANT B-U-NII-7

Modulation Type	Data Rate	Channel	Frequency (MHz)	Measured value of each antenna port (dBm/MHz)	W/O duty factor Total PSD (dBm/MHz)	Duty Cycle CF(dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
				ANT B					
11a	6 Mbps	117	6535	-3.69	-3.69	0.00	2.37	-1.32	-1.00
11a	6 Mbps	153	6715	-3.51	-3.51	0.00	2.37	-1.14	-1.00
11a	6 Mbps	181	6855	-3.42	-3.41	0.00	2.37	-1.04	-1.00

For SISO-ANT B-U-NII-8

Modulation Type	Data Rate	Channel	Frequency (MHz)	Measured value of each antenna port (dBm/MHz)	W/O duty factor Total PSD (dBm/MHz)	Duty Cycle CF(dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
				ANT B					
11a	6 Mbps	189	6895	-3.32	-3.32	0.00	2.19	-1.13	-1.00
11a	6 Mbps	213	7015	-3.46	-3.46	0.00	2.19	-1.27	-1.00
11a	6 Mbps	229	7095	-3.60	-3.60	0.00	2.19	-1.41	-1.00
11a	6 Mbps	233	7115	-3.36	-3.36	0.00	2.19	-1.17	-1.00



For SISO-ANT B

Maximum EIRP PSD (Within 6525-6875MHz band)

Modulation Type	Data Rate	Frequency (MHz)	W/O Duty Factor Measured value of each antenna port (dBm/MHz)	W/O duty factor Total PSD (dBm/MHz)	Duty Factor (dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
			ANT B					
11a	6 Mbps	6875	-3.74	-3.74	0.00	2.37	-1.37	-1.00

Maximum EIRP PSD (Extends across 6875MHz band)

Modulation Type	Data Rate	Frequency (MHz)	W/O Duty Factor Measured value of each antenna port (dBm/MHz)	W/O duty factor Total PSD (dBm/MHz)	Duty Factor (dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
			ANT B					
11a	6 Mbps	6875	-3.71	-3.71	0.00	2.19	-1.52	-1.00



For MIMO-U-NII-5

Modulation Type	Data Rate	Channel	Frequency (MHz)	Measured value of each antenna port (dBm/MHz)		W/O duty factor Total PSD (dBm/MHz)	Duty Cycle CF(dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
				ANT A	ANT B					
11ax HE20	NSS1-MCS0	1	5955	-9.11	-10.05	-6.54	0.00	5.29	-1.25	-1.00
11ax HE20	NSS1-MCS0	45	6175	-9.53	-9.18	-6.34	0.00	5.29	-1.05	-1.00
11ax HE20	NSS1-MCS0	93	6415	-10.01	-9.48	-6.72	0.00	5.29	-1.43	-1.00
11ax HE40	NSS1-MCS0	3	5965	-9.55	-9.26	-6.39	0.00	5.29	-1.10	-1.00
11ax HE40	NSS1-MCS0	43	6165	-9.64	-9.06	-6.33	0.00	5.29	-1.04	-1.00
11ax HE40	NSS1-MCS0	91	6405	-10.27	-9.12	-6.65	0.00	5.29	-1.36	-1.00
11ax HE80	NSS1-MCS0	7	5985	-9.26	-9.68	-6.45	0.00	5.29	-1.16	-1.00
11ax HE80	NSS1-MCS0	39	6145	-9.53	-10.28	-6.88	0.00	5.29	-1.59	-1.00
11ax HE80	NSS1-MCS0	87	6385	-9.64	-9.32	-6.47	0.00	5.29	-1.18	-1.00
11ax HE160	NSS1-MCS0	15	6025	-10.83	-10.40	-7.60	0.00	5.29	-2.31	-1.00
11ax HE160	NSS1-MCS0	47	6185	-8.88	-10.00	-6.39	0.00	5.29	-1.10	-1.00
11ax HE160	NSS1-MCS0	79	6345	-9.22	-10.00	-6.58	0.00	5.29	-1.29	-1.00

For MIMO-U-NII-6

Modulation Type	Data Rate	Channel	Frequency (MHz)	Measured value of each antenna port (dBm/MHz)		W/O duty factor Total PSD (dBm/MHz)	Duty Cycle CF(dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
				ANT A	ANT B					
11ax HE20	NSS1-MCS0	97	6435	-9.14	-9.16	-6.14	0.00	4.79	-1.35	-1.00
11ax HE20	NSS1-MCS0	105	6475	-9.00	-8.93	-5.95	0.00	4.79	-1.16	-1.00
11ax HE20	NSS1-MCS0	113	6515	-9.34	-8.44	-5.86	0.00	4.79	-1.07	-1.00
11ax HE40	NSS1-MCS0	99	6445	-8.66	-9.26	-5.94	0.00	4.79	-1.15	-1.00
11ax HE40	NSS1-MCS0	107	6485	-9.75	-8.65	-6.15	0.00	4.79	-1.36	-1.00
11ax HE80	NSS1-MCS0	103	6465	-8.75	-9.12	-5.92	0.00	4.79	-1.13	-1.00



For MIMO-U-NII-7

Modulation Type	Data Rate	Channel	Frequency (MHz)	Measured value of each antenna port (dBm/MHz)		W/O duty factor Total PSD (dBm/MHz)	Duty Cycle CF(dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
				ANT A	ANT B					
11ax HE20	NSS1-MCS0	117	6535	-9.84	-9.76	-6.79	0.00	5.41	-1.38	-1.00
11ax HE20	NSS1-MCS0	153	6715	-9.91	-9.32	-6.59	0.00	5.41	-1.18	-1.00
11ax HE20	NSS1-MCS0	181	6855	-9.74	-9.48	-6.60	0.00	5.41	-1.19	-1.00
11ax HE40	NSS1-MCS0	123	6565	-9.69	-9.28	-6.47	0.00	5.41	-1.06	-1.00
11ax HE40	NSS1-MCS0	155	6725	-10.92	-8.66	-6.63	0.00	5.41	-1.22	-1.00
11ax HE40	NSS1-MCS0	179	6845	-9.65	-9.23	-6.42	0.00	5.41	-1.01	-1.00
11ax HE80	NSS1-MCS0	135	6625	-10.48	-9.39	-6.89	0.00	5.41	-1.48	-1.00
11ax HE80	NSS1-MCS0	151	6705	-9.98	-9.22	-6.57	0.00	5.41	-1.16	-1.00
11ax HE80	NSS1-MCS0	167	6785	-9.86	-9.17	-6.49	0.00	5.41	-1.08	-1.00
11ax HE160	NSS1-MCS0	143	6665	-10.23	-9.30	-6.73	0.00	5.41	-1.32	-1.00

For MIMO-U-NII-8

Modulation Type	Data Rate	Channel	Frequency (MHz)	Measured value of each antenna port (dBm/MHz)		W/O duty factor Total PSD (dBm/MHz)	Duty Cycle CF(dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
				ANT A	ANT B					
11ax HE20	NSS1-MCS0	189	6895	-9.54	-9.78	-6.65	0.00	5.23	-1.42	-1.00
11ax HE20	NSS1-MCS0	213	7015	-9.19	-9.69	-6.42	0.00	5.23	-1.19	-1.00
11ax HE20	NSS1-MCS0	229	7095	-9.39	-9.51	-6.44	0.00	5.23	-1.21	-1.00
11ax HE20	NSS1-MCS0	233	7115	-16.07	-16.03	-13.04	0.00	5.23	-7.81	-1.00
11ax HE40	NSS1-MCS0	195	6925	-9.79	-9.16	-6.45	0.00	5.23	-1.22	-1.00
11ax HE40	NSS1-MCS0	211	7005	-8.82	-10.00	-6.36	0.00	5.23	-1.13	-1.00
11ax HE40	NSS1-MCS0	227	7085	-9.21	-9.85	-6.51	0.00	5.23	-1.28	-1.00
11ax HE80	NSS1-MCS0	199	6945	-9.46	-9.89	-6.66	0.00	5.23	-1.43	-1.00
11ax HE80	NSS1-MCS0	215	7025	-9.63	-9.63	-6.62	0.00	5.23	-1.39	-1.00
11ax HE160	NSS1-MCS0	207	6985	-9.35	-9.41	-6.37	0.00	5.23	-1.14	-1.00



For MIMO

Maximum EIRP PSD (Within 6425-6525MHz band)										
Setting	Modulation Type	Data Rate	Frequency (MHz)	W/O Duty Factor Measured value of each antenna port (dBm/MHz)		W/O duty factor Total PSD (dBm/MHz)	Duty Factor (dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
				ANT A	ANT B					
2	11ax HE40	NSS1-MCS0	6525	-9.63	-9.11	-6.36	0.00	5.29	-1.07	-1.00
5	11ax HE80	NSS1-MCS0	6545	-13.52	-12.06	-9.72	0.00	5.29	-4.43	-1.00
7.5	11ax HE160	NSS1-MCS0	6505	-9.10	-9.78	-6.41	0.00	5.29	-1.12	-1.00

Maximum EIRP PSD (Extends across 6525MHz band)										
Setting	Modulation Type	Data Rate	Frequency (MHz)	W/O Duty Factor Measured value of each antenna port (dBm/MHz)		W/O duty factor Total PSD (dBm/MHz)	Duty Factor (dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
				ANT A	ANT B					
2	11ax HE40	NSS1-MCS0	6525	-9.63	-9.99	-6.79	0.00	4.79	-2.00	-1.00
5	11ax HE80	NSS1-MCS0	6545	-10.23	-9.39	-6.78	0.00	4.79	-1.99	-1.00
7.5	11ax HE160	NSS1-MCS0	6505	-11.21	-12.59	-8.83	0.00	4.79	-4.04	-1.00



For MIMO

Maximum EIRP PSD (Within 6525-6875MHz band)

Modulation Type	Data Rate	Frequency (MHz)	W/O Duty Factor Measured value of each antenna port (dBm/MHz)		W/O duty factor Total PSD (dBm/MHz)	Duty Factor (dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
			ANT A	ANT B					
11ax HE20	NSS1-MCS0	6875	-9.91	-9.86	-6.87	0.00	5.41	-1.46	-1.00
11ax HE40	NSS1-MCS0	6885	-12.86	-12.18	-9.50	0.00	5.41	-4.09	-1.00
11ax HE80	NSS1-MCS0	6865	-9.49	-9.55	-6.51	0.00	5.41	-1.10	-1.00
11ax HE160	NSS1-MCS0	6825	-10.45	-8.66	-6.45	0.00	5.41	-1.04	-1.00

Maximum EIRP PSD (Extends across 6875MHz band)


Modulation Type	Data Rate	Frequency (MHz)	W/O Duty Factor Measured value of each antenna port (dBm/MHz)		W/O duty factor Total PSD (dBm/MHz)	Duty Factor (dB)	Antenna Gain (dBi)	Total Corr'd EIRP PSD (dBm/MHz)	E.I.R.P PSD Limit (dBm/MHz)
			ANT A	ANT B					
11ax HE20	NSS1-MCS0	6875	-9.11	-9.84	-6.45	0.00	5.23	-1.22	-1.00
11ax HE40	NSS1-MCS0	6885	-9.23	-9.27	-6.24	0.00	5.23	-1.01	-1.00
11ax HE80	NSS1-MCS0	6865	-11.39	-11.85	-8.60	0.00	5.23	-3.37	-1.00
11ax HE160	NSS1-MCS0	6825	-14.59	-13.75	-11.14	0.00	5.23	-5.91	-1.00



U-NII-5

SISO  
ANT B


Modulation Type: 802.11a (6Mbps)  
CH01




U-NII-6

ANT B


Modulation Type: 802.11a (6Mbps)  
CH97




CH45




CH105



CH93



CH113





U-NII-7



SISO  
ANT B

Modulation Type: 802.11a (6Mbps)  
CH117


U-NII-8

ANT B


Modulation Type: 802.11a (6Mbps)  
CH189




CH153




CH213



CH181



CH229








U-NII-8

SISO

ANT B

Modulation Type: 802.11a (6Mbps)

CH233






### Straddle Channel

Within 6525-6875MHz band

ANT B

Modulation Type: 802.11a (6Mbps)

CH185




### Straddle Channel

Extends across 6875MHz band

ANT B

Modulation Type: 802.11a (6Mbps)

CH185





U-NII-5

MIMO



ANT A

Modulation Type: 802.11ax HE20 (7.3Mbps)


CH01

Modulation Type: 802.11ax HE40 (14.6Mbps)


CH03




CH45




CH43



CH93



CH91







U-NII-5

MIMO


ANT A

Modulation Type: 802.11ax HE80 (30.6Mbps)  
CH07


Modulation Type: 802.11ax HE160 (61.3Mbps)  
CH15




CH39




CH47



CH87





CH79







U-NII-5  
MIMO  
ANT B  
Modulation Type: 802.11ax HE20 (7.3Mbps)  
CH01

Modulation Type: 802.11ax HE40 (14.6Mbps)  
CH03





CH45

CH43



CH93

CH91







U-NII-5

MIMO


ANT B

Modulation Type: 802.11ax HE80 (30.6Mbps)  
CH07


Modulation Type: 802.11ax HE160 (61.3Mbps)  
CH15




CH39




CH47



CH87



CH79







U-NII-6

MIMO


ANT A

Modulation Type: 802.11ax HE20 (7.3Mbps)  
CH97


Modulation Type: 802.11ax HE40 (14.6Mbps)  
CH99




CH105



CH107



CH113






U-NII-6

MIMO

ANT A

Modulation Type: 802.11ax HE80 (30.6Mbps)

CH103









U-NII-6


MIMO  
ANT B

Modulation Type: 802.11ax HE20 (7.3Mbps)  
CH97


Modulation Type: 802.11ax HE40 (14.6Mbps)  
CH99




CH105



CH107



CH113






U-NII-6

MIMO

ANT B

Modulation Type: 802.11ax HE80 (30.6Mbps)

CH103





Within 6425-6525MHz band



MIMO

ANT A

Modulation Type: 802.11ax HE40 (14.6Mbps)  
CH115



ANT B

Modulation Type: 802.11ax HE40 (14.6Mbps)  
CH115





Modulation Type: 802.11ax HE80 (30.6Mbps)  
CH119

Modulation Type: 802.11ax HE80 (30.6Mbps)  
CH119



Modulation Type: 802.11ax HE160 (61.3Mbps)  
CH111

Modulation Type: 802.11ax HE160 (61.3Mbps)  
CH111





Extends across 6525MHz band

MIMO

ANT A



Modulation Type: 802.11ax HE40 (14.6Mbps)

CH115

ANT B

Modulation Type: 802.11ax HE40 (14.6Mbps)

CH115





Modulation Type: 802.11ax HE80 (30.6Mbps)

CH119

Modulation Type: 802.11ax HE80 (30.6Mbps)

CH119





Modulation Type: 802.11ax HE160 (61.3Mbps)

CH111

Modulation Type: 802.11ax HE160 (61.3Mbps)

CH111







U-NII-7

MIMO

ANT A



Modulation Type: 802.11ax HE20 (7.3Mbps)  
CH117

Modulation Type: 802.11ax HE40 (14.6Mbps)  
CH123





CH153

CH155



CH181

CH179







U-NII-7

MIMO


ANT A

Modulation Type: 802.11ax HE80 (30.6Mbps)  
CH135


Modulation Type: 802.11ax HE160 (61.3Mbps)  
CH143



CH151



CH167





U-NII-7

MIMO



ANT B

Modulation Type: 802.11ax HE20 (7.3Mbps)


CH117

Modulation Type: 802.11ax HE40 (14.6Mbps)


CH123




CH153




CH155



CH181



CH179







U-NII-7

MIMO


ANT B

Modulation Type: 802.11ax HE80 (30.6Mbps)  
CH135


Modulation Type: 802.11ax HE160 (61.3Mbps)  
CH143



CH151



CH167









Within 6525-6875MHz band

MIMO


ANT A

Modulation Type: 802.11ax HE20 (7.3Mbps)  
CH185


Modulation Type: 802.11ax HE160 (61.3Mbps)  
CH175



Modulation Type: 802.11ax HE40 (14.6Mbps)  
CH187



Modulation Type: 802.11ax HE80 (30.6Mbps)  
CH183







Within 6525-6875MHz band

MIMO


ANT B

Modulation Type: 802.11ax HE20 (7.3Mbps)  
CH185


Modulation Type: 802.11ax HE160 (61.3Mbps)  
CH175



Modulation Type: 802.11ax HE40 (14.6Mbps)  
CH187



Modulation Type: 802.11ax HE80 (30.6Mbps)  
CH183







Extends across 6875MHz band


MIMO  
ANT A

Modulation Type: 802.11ax HE20 (7.3Mbps)  
CH185


Modulation Type: 802.11ax HE160 (61.3Mbps)  
CH175



Modulation Type: 802.11ax HE40 (14.6Mbps)  
CH187



Modulation Type: 802.11ax HE80 (30.6Mbps)  
CH183





Extends across 6875MHz band




MIMO  
ANT B  
Modulation Type: 802.11ax HE20 (7.3Mbps)  
CH185


Modulation Type: 802.11ax HE160 (61.3Mbps)  
CH175



Modulation Type: 802.11ax HE40 (14.6Mbps)  
CH187



Modulation Type: 802.11ax HE80 (30.6Mbps)  
CH183







U-NII-8

MIMO


ANT A

Modulation Type: 802.11ax HE20 (7.3Mbps)  
CH189


Modulation Type: 802.11ax HE20 (7.3Mbps)  
CH233



CH213



CH229







U-NII-8

MIMO


ANT A

Modulation Type: 802.11ax HE40 (14.6Mbps)  
CH195


Modulation Type: 802.11ax HE80 (30.6Mbps)  
CH199




CH211



CH215



CH227






U-NII-8

MIMO

ANT A

Modulation Type: 802.11ax HE160 (61.3Mbps)

CH207







U-NII-8

MIMO


ANT B

Modulation Type: 802.11ax HE20 (7.3Mbps)  
CH189


Modulation Type: 802.11ax HE20 (7.3Mbps)  
CH233



CH213



CH229









U-NII-8

MIMO


ANT B

Modulation Type: 802.11ax HE40 (14.6Mbps)  
CH195


Modulation Type: 802.11ax HE80 (30.6Mbps)  
CH199




CH211



CH215



CH227





U-NII-8

MIMO

ANT B

Modulation Type: 802.11ax HE160 (61.3Mbps)

CH207

