



Profile: 2250618R	Page No.: 65
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/18 - 02:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	35.212	-3.375	-18.788	54.000	38.588	AV

Profile: 2250618R	Page No.: 66
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/18 - 02:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	47.277	8.690	-26.723	74.000	38.588	PK

Profile: 2250618R	Page No.: 67
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/18 - 02:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	35.355	-3.232	-18.645	54.000	38.588	AV

Profile: 2250618R	Page No.: 68
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/18 - 02:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	46.132	7.545	-27.868	74.000	38.588	PK

Profile: 2250618R	Page No.: 69
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/18 - 02:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	35.464	-3.211	-18.536	54.000	38.675	AV

Profile: 2250618R	Page No.: 70
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/18 - 02:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	46.603	7.928	-27.397	74.000	38.675	PK

Profile: 2250618R	Page No.: 71
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/18 - 02:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	35.303	-3.372	-18.697	54.000	38.675	AV

Profile: 2250618R	Page No.: 72
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/18 - 02:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	46.821	8.146	-27.179	74.000	38.675	PK

Profile: 2250618R	Page No.: 27
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/18 - 03:26
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 11ac80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5680.500	70.538	28.819	-20.270	90.809	41.720	PK
2		5709.250	73.052	30.588	-34.741	107.792	42.463	PK
3		5724.125	73.872	31.906	-46.334	120.206	41.965	PK
4		5852.375	72.315	30.301	-44.469	116.784	42.014	PK
5		5860.750	70.822	28.671	-38.366	109.188	42.150	PK
6		5881.500	63.229	20.952	-37.143	100.372	42.277	PK


Profile: 2250618R	Page No.: 28
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/18 - 03:27
Limit: FCC-15.407	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 11ac80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5680.500	73.470	31.751	-17.338	90.809	41.720	PK
2		5712.125	77.300	34.933	-31.297	108.597	42.367	PK
3		5723.125	73.670	31.671	-44.256	117.926	41.999	PK
4		5852.875	70.572	28.550	-45.071	115.644	42.022	PK
5		5861.000	75.429	33.274	-33.689	109.118	42.155	PK
6		5894.625	61.586	19.203	-29.054	90.640	42.383	PK


CDD:

Profile: 2250816R	Page No.: 1
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/18 - 23:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	52.754	14.694	-1.246	54.000	38.060	AV

Profile: 2250816R	Page No.: 2
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/18 - 23:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	67.046	28.986	-6.954	74.000	38.060	PK

Profile: 2250816R	Page No.: 3
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/18 - 23:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	52.009	13.949	-1.991	54.000	38.060	AV

Profile: 2250816R	Page No.: 4
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/18 - 23:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	71.053	32.993	-2.947	74.000	38.060	PK

Profile: 2250816R	Page No.: 5
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/18 - 23:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	44.460	5.873	-9.540	54.000	38.588	AV

Profile: 2250816R	Page No.: 6
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/18 - 23:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	62.480	23.893	-11.520	74.000	38.588	PK
2	*	5354.100	63.072	24.482	-10.928	74.000	38.589	PK

Profile: 2250816R	Page No.: 7
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/18 - 23:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	42.720	4.133	-11.280	54.000	38.588	AV

Profile: 2250816R	Page No.: 8
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/18 - 23:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	59.924	21.337	-14.076	74.000	38.588	PK

Profile: 2250816R	Page No.: 9
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/18 - 23:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	40.850	2.175	-13.150	54.000	38.675	AV

Profile: 2250816R	Page No.: 10
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/18 - 23:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	56.305	17.630	-17.695	74.000	38.675	PK

Profile: 2250816R	Page No.: 11
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/18 - 23:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	39.791	1.116	-14.209	54.000	38.675	AV

Profile: 2250816R	Page No.: 12
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/18 - 23:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	55.454	16.779	-18.546	74.000	38.675	PK

Profile: 2250816R	Page No.: 1
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 02:47
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5689.950	76.001	37.114	-21.788	97.789	38.886	PK
2		5714.370	84.758	45.845	-24.468	109.226	38.913	PK
3		5722.070	86.102	47.184	-29.419	115.521	38.917	PK

Profile: 2250816R	Page No.: 2
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 02:54
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5691.710	79.453	40.564	-19.634	99.088	38.889	PK
2		5707.000	83.364	44.456	-23.799	107.162	38.908	PK
3		5724.160	91.468	52.549	-28.817	120.285	38.919	PK

Profile: 2250816R	Page No.: 3
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 02:55
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5696.275	68.367	29.472	-34.088	102.455	38.895	PK
2		5707.755	71.197	32.288	-36.177	107.374	38.909	PK
3		5722.925	71.960	33.042	-45.510	117.470	38.918	PK
4		5852.280	69.641	30.592	-47.360	117.000	39.049	PK
5		5865.400	71.223	32.159	-36.663	107.886	39.064	PK
6	*	5879.135	68.465	29.385	-33.663	102.128	39.080	PK

Profile: 2250816R	Page No.: 4
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 02:58
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5691.560	68.324	29.435	-30.653	98.977	38.889	PK
2		5706.730	72.041	33.134	-35.045	107.087	38.907	PK
3		5722.515	71.927	33.009	-44.608	116.535	38.918	PK
4		5852.280	72.094	33.045	-44.907	117.000	39.049	PK
5		5861.300	68.593	29.534	-40.441	109.034	39.059	PK
6	*	5883.645	69.016	29.928	-29.764	98.780	39.088	PK

Profile: 2250816R	Page No.: 5
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 02:59
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.680	85.762	46.714	-32.607	118.369	39.048	PK
2		5862.480	82.423	43.362	-26.281	108.703	39.061	PK
3	*	5884.400	77.867	38.777	-20.353	98.220	39.090	PK

Profile: 2250816R	Page No.: 6
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 03:00
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5853.040	86.757	47.708	-28.510	115.268	39.049	PK
2		5866.160	83.495	44.430	-24.178	107.673	39.065	PK
3	*	5882.160	77.924	38.838	-21.959	99.882	39.086	PK

Profile: 2250816R	Page No.: 13
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/18 - 23:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	50.038	11.978	-3.962	54.000	38.060	AV

Profile: 2250816R	Page No.: 14
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/18 - 23:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	67.294	29.234	-6.706	74.000	38.060	PK

Profile: 2250816R	Page No.: 15
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/18 - 23:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	49.649	11.589	-4.351	54.000	38.060	AV

Profile: 2250816R	Page No.: 16
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 00:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	64.776	26.716	-9.224	74.000	38.060	PK

Profile: 2250816R	Page No.: 17
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 00:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	38.104	-0.483	-15.896	54.000	38.588	AV

Profile: 2250816R	Page No.: 18
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 00:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	55.495	16.908	-18.505	74.000	38.588	PK

Profile: 2250816R	Page No.: 19
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 00:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	38.552	-0.035	-15.448	54.000	38.588	AV

Profile: 2250816R	Page No.: 20
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 00:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	55.395	16.808	-18.605	74.000	38.588	PK
2	*	5352.450	57.907	19.318	-16.093	74.000	38.589	PK

Profile: 2250816R	Page No.: 21
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 00:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	39.046	0.371	-14.954	54.000	38.675	AV

Profile: 2250816R	Page No.: 22
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 00:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5459.120	59.976	21.301	-14.024	74.000	38.675	PK
2		5460.000	55.846	17.171	-18.154	74.000	38.675	PK

Profile: 2250816R	Page No.: 23
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 00:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	38.271	-0.404	-15.729	54.000	38.675	AV

Profile: 2250816R	Page No.: 24
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 00:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	55.935	17.260	-18.065	74.000	38.675	PK

Profile: 2250816R	Page No.: 7
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 03:01
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5695.230	63.111	24.217	-38.573	101.684	38.894	PK
2		5706.780	67.245	28.338	-39.855	107.101	38.907	PK
3	*	5723.720	83.085	44.166	-36.198	119.283	38.919	PK

Profile: 2250816R	Page No.: 8
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 03:01
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5693.140	64.236	25.345	-35.907	100.143	38.891	PK
2		5706.780	68.192	29.285	-38.908	107.101	38.907	PK
3	*	5723.390	85.425	46.506	-33.106	118.530	38.919	PK

Profile: 2250816R	Page No.: 9
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 03:02
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5689.305	51.244	12.358	-46.069	97.313	38.886	PK
2		5711.650	56.056	17.145	-52.408	108.464	38.911	PK
3		5723.540	56.232	17.313	-62.640	118.872	38.919	PK
4		5852.280	50.451	11.402	-66.550	117.000	39.049	PK
5		5867.655	50.748	11.681	-56.507	107.254	39.067	PK
6		5879.750	48.536	9.455	-53.135	101.671	39.081	PK

Profile: 2250816R	Page No.: 10
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 03:04
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.790	52.065	13.174	-47.820	99.885	38.891	PK
2		5711.650	57.854	18.943	-50.610	108.464	38.911	PK
3		5723.130	59.985	21.067	-57.952	117.938	38.919	PK
4		5851.050	53.777	14.730	-66.028	119.805	39.047	PK
5		5862.940	52.026	12.965	-56.548	108.575	39.061	PK
6		5883.645	49.282	10.194	-49.498	98.780	39.088	PK

Profile: 2250816R	Page No.: 11
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 03:05
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.880	76.590	37.541	-39.042	115.632	39.049	PK
2	*	5860.240	73.323	34.265	-36.008	109.331	39.058	PK
3		5880.080	58.645	19.563	-42.782	101.426	39.082	PK

Profile: 2250816R	Page No.: 12
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 03:05
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5853.440	76.558	37.508	-37.798	114.356	39.050	PK
2	*	5862.400	74.557	35.497	-34.168	108.726	39.060	PK
3		5880.880	59.424	20.341	-41.408	100.832	39.083	PK

Profile: 2250816R	Page No.: 25
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 00:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	46.954	8.894	-7.046	54.000	38.060	AV

Profile: 2250816R	Page No.: 26
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 00:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	61.753	23.693	-12.247	74.000	38.060	PK

Profile: 2250816R	Page No.: 27
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	47.258	9.198	-6.742	54.000	38.060	AV

Profile: 2250816R	Page No.: 28
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 00:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	63.796	25.736	-10.204	74.000	38.060	PK

Profile: 2250816R	Page No.: 29
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 00:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.471	12.884	-2.529	54.000	38.588	AV

Profile: 2250816R	Page No.: 30
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	67.101	28.514	-6.899	74.000	38.588	PK
2	*	5350.520	70.960	32.373	-3.040	74.000	38.587	PK

Profile: 2250816R	Page No.: 31
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	50.997	12.410	-3.003	54.000	38.588	AV

Profile: 2250816R	Page No.: 32
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	66.375	27.788	-7.625	74.000	38.588	PK
2	*	5355.280	69.791	31.201	-4.209	74.000	38.591	PK

Profile: 2250816R	Page No.: 33
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	34.793	-3.882	-19.207	54.000	38.675	AV

Profile: 2250816R	Page No.: 34
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	46.544	7.869	-27.456	74.000	38.675	PK

Profile: 2250816R	Page No.: 35
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	35.028	-3.647	-18.972	54.000	38.675	AV

Profile: 2250816R	Page No.: 36
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	46.169	7.494	-27.831	74.000	38.675	PK

Profile: 2250816R	Page No.: 13
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 03:06
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 11n40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5697.090	71.660	32.764	-31.396	103.056	38.896	PK
2	*	5712.040	78.641	39.729	-29.933	108.574	38.912	PK
3		5721.660	78.744	39.826	-35.842	114.586	38.918	PK

Profile: 2250816R	Page No.: 14
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 03:13
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 11n40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5697.350	74.082	35.186	-29.165	103.247	38.896	PK
2	*	5710.480	79.287	40.376	-28.850	108.137	38.911	PK
3		5722.700	84.456	45.538	-32.501	116.957	38.918	PK

Profile: 2250816R	Page No.: 15
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 03:13
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.660	71.486	32.438	-46.928	118.414	39.048	PK
2	*	5860.165	69.681	30.623	-39.671	109.352	39.058	PK
3		5879.335	60.484	21.403	-41.496	101.980	39.081	PK

Profile: 2250816R	Page No.: 16
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 03:14
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.875	73.082	34.033	-42.562	115.644	39.049	PK
2		5867.455	67.569	28.503	-39.741	107.310	39.066	PK
3	*	5883.115	63.912	24.825	-35.261	99.174	39.087	PK

Profile: 2250816R	Page No.: 37
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	49.407	11.347	-4.593	54.000	38.060	AV

Profile: 2250816R	Page No.: 38
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	63.629	25.569	-10.371	74.000	38.060	PK

Profile: 2250816R	Page No.: 39
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	50.003	11.943	-3.997	54.000	38.060	AV

Profile: 2250816R	Page No.: 40
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	63.418	25.358	-10.582	74.000	38.060	PK

Profile: 2250816R	Page No.: 41
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	43.062	4.475	-10.938	54.000	38.588	AV

Profile: 2250816R	Page No.: 42
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	59.618	21.031	-14.382	74.000	38.588	PK

Profile: 2250816R	Page No.: 43
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	43.762	5.175	-10.238	54.000	38.588	AV

Profile: 2250816R	Page No.: 44
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	61.145	22.558	-12.855	74.000	38.588	PK
2	*	5351.250	65.564	26.976	-8.436	74.000	38.588	PK

Profile: 2250816R	Page No.: 45
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	43.322	4.647	-10.678	54.000	38.675	AV

Profile: 2250816R	Page No.: 46
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	57.306	18.631	-16.694	74.000	38.675	PK

Profile: 2250816R	Page No.: 47
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	44.584	5.909	-9.416	54.000	38.675	AV

Profile: 2250816R	Page No.: 48
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	58.673	19.998	-15.327	74.000	38.675	PK

Profile: 2250816R	Page No.: 17
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 03:15
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5694.240	66.638	27.745	-34.317	100.954	38.893	PK
2		5707.770	75.101	36.192	-32.277	107.378	38.909	PK
3	*	5723.830	88.178	49.259	-31.355	119.533	38.918	PK

Profile: 2250816R	Page No.: 18
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 03:19
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5695.450	67.215	28.321	-34.631	101.846	38.894	PK
2		5709.530	76.231	37.321	-31.640	107.871	38.910	PK
3	*	5722.950	86.352	47.434	-31.175	117.527	38.918	PK

Profile: 2250816R	Page No.: 19
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 03:21
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5694.635	56.916	18.023	-44.329	101.245	38.893	PK
2		5705.295	57.349	18.443	-49.336	106.685	38.906	PK
3		5723.540	58.549	19.630	-60.323	118.872	38.919	PK
4		5852.895	59.009	19.960	-56.589	115.598	39.049	PK
5		5864.170	53.150	14.087	-55.080	108.230	39.063	PK
6	*	5885.285	54.038	14.947	-43.525	97.563	39.091	PK

Profile: 2250816R	Page No.: 20
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 03:21
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5695.865	56.517	17.622	-45.636	102.152	38.895	PK
2		5710.420	59.389	20.478	-48.731	108.120	38.911	PK
3		5722.515	57.921	19.003	-58.614	116.535	38.918	PK
4		5853.100	61.549	22.499	-53.582	115.131	39.050	PK
5		5871.345	58.126	19.055	-48.096	106.222	39.071	PK
6		5884.260	50.767	11.678	-47.557	98.324	39.089	PK

Profile: 2250816R	Page No.: 21
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 03:22
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5853.840	82.515	43.465	-30.929	113.444	39.050	PK
2	*	5862.240	79.559	40.499	-29.211	108.771	39.060	PK
3		5880.720	68.513	29.430	-32.438	100.951	39.083	PK

Profile: 2250816R	Page No.: 22
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 03:22
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.080	83.418	44.370	-34.038	117.456	39.048	PK
2	*	5863.360	77.526	38.464	-30.931	108.457	39.062	PK
3		5878.560	70.566	31.487	-31.989	102.555	39.079	PK

Profile: 2250816R	Page No.: 49
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	45.174	7.114	-8.826	54.000	38.060	AV

Profile: 2250816R	Page No.: 50
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	58.485	20.425	-15.515	74.000	38.060	PK

Profile: 2250816R	Page No.: 51
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 11ac40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	44.337	6.277	-9.663	54.000	38.060	AV

Profile: 2250816R	Page No.: 52
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	58.547	20.487	-15.453	74.000	38.060	PK

Profile: 2250816R	Page No.: 53
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	43.186	4.599	-10.814	54.000	38.588	AV

Profile: 2250816R	Page No.: 54
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 11ac40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	56.459	17.872	-17.541	74.000	38.588	PK
2	*	5355.790	57.992	19.401	-16.008	74.000	38.590	PK

Profile: 2250816R	Page No.: 55
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	45.027	6.440	-8.973	54.000	38.588	AV

Profile: 2250816R	Page No.: 56
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	58.125	19.538	-15.875	74.000	38.588	PK

Profile: 2250816R	Page No.: 57
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	39.932	1.257	-14.068	54.000	38.675	AV

Profile: 2250816R	Page No.: 58
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	50.849	12.174	-23.151	74.000	38.675	PK

Profile: 2250816R	Page No.: 59
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	40.227	1.552	-13.773	54.000	38.675	AV

Profile: 2250816R	Page No.: 60
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 11ac40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	53.343	14.668	-20.657	74.000	38.675	PK

Profile: 2250816R	Page No.: 23
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 03:23
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 11ac40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5696.700	57.901	19.005	-44.867	102.768	38.896	PK
2	*	5709.180	66.244	27.334	-41.529	107.773	38.910	PK
3		5723.480	68.494	29.575	-50.242	118.735	38.919	PK

Profile: 2250816R	Page No.: 24
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 03:24
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 11ac40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5688.770	58.346	19.461	-38.572	96.918	38.885	PK
2		5711.650	69.466	30.555	-38.998	108.464	38.911	PK
3		5722.700	72.136	33.218	-44.821	116.957	38.918	PK

Profile: 2250816R	Page No.: 25
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 03:25
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.875	53.493	14.444	-62.151	115.644	39.049	PK
2		5859.760	51.910	12.853	-57.555	109.465	39.057	PK
3	*	5882.440	48.408	9.322	-51.266	99.675	39.086	PK

Profile: 2250816R	Page No.: 26
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 03:26
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.065	55.928	16.880	-61.562	117.491	39.048	PK
2		5859.760	52.915	13.858	-56.550	109.465	39.057	PK
3	*	5880.820	51.483	12.400	-49.394	100.877	39.083	PK

Profile: 2250816R	Page No.: 61
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	46.836	8.776	-7.164	54.000	38.060	AV

Profile: 2250816R	Page No.: 62
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 02:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	60.654	22.594	-13.346	74.000	38.060	PK

Profile: 2250816R	Page No.: 63
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 02:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 11ac80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	47.133	9.073	-6.867	54.000	38.060	AV

Profile: 2250816R	Page No.: 64
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 02:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	61.393	23.333	-12.607	74.000	38.060	PK

Profile: 2250816R	Page No.: 65
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 02:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	35.355	-3.232	-18.645	54.000	38.588	AV

Profile: 2250816R	Page No.: 66
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 02:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	46.585	7.998	-27.415	74.000	38.588	PK

Profile: 2250816R	Page No.: 67
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 02:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	35.209	-3.378	-18.791	54.000	38.588	AV

Profile: 2250816R	Page No.: 68
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 02:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	45.876	7.289	-28.124	74.000	38.588	PK

Profile: 2250816R	Page No.: 69
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 02:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	35.156	-3.519	-18.844	54.000	38.675	AV

Profile: 2250816R	Page No.: 70
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 02:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	46.566	7.891	-27.434	74.000	38.675	PK

Profile: 2250816R	Page No.: 71
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 02:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	35.272	-3.403	-18.728	54.000	38.675	AV

Profile: 2250816R	Page No.: 72
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 02:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	46.644	7.969	-27.356	74.000	38.675	PK

Profile: 2250816R	Page No.: 27
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 03:26
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 11ac80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5687.000	66.922	28.039	-28.689	95.611	38.883	PK
2		5713.000	67.991	29.079	-40.851	108.842	38.913	PK
3		5722.750	65.460	26.542	-51.611	117.071	38.918	PK
4		5852.500	62.531	23.482	-53.968	116.499	39.049	PK
5		5866.250	65.935	26.870	-41.713	107.648	39.065	PK
6		5887.000	51.082	11.988	-45.209	96.291	39.094	PK

Profile: 2250816R	Page No.: 28
Engineer: Yu Liu	
Site: AC5	Time: 2022/06/19 - 03:27
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: Touch All In One Computer	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 11ac80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5687.250	68.251	29.368	-27.544	95.796	38.884	PK
2		5706.500	67.850	28.943	-39.172	107.022	38.907	PK
3		5723.250	67.259	28.340	-50.953	118.211	38.919	PK
4		5852.250	64.175	25.126	-52.894	117.069	39.049	PK
5		5868.000	65.674	26.607	-41.484	107.158	39.067	PK
6		5886.250	53.587	14.494	-43.261	96.848	39.093	PK


10. Frequency Stability

10.1. Test Equipment

Frequency Stability / TR-7					
Instrument	Manufacturer	Type No.	Serial No.	Cal. Date	Cal. Due Date
Spectrum Analyzer	Agilent	N9010A	MY48030494	2021.12.15	2022.12.14
EXA Spectrum Analyzer	Keysight	N9010A	MY55370495	2021.08.12	2022.08.11
MXA Signal Analyzer	Keysight	N9020A	MY56060147	2022.07.14	2023.07.13
AC Power Supply	IDRC	CF-500TP	979422	N/A	N/A
DC Power Supply	IDRC	CD-035-020PR	977272	N/A	N/A
Programmable Temperature & Humidity Chamber	Gaoyu	TH-1P-B	WIT-05121302	2022.01.03	2023.01.02
Temperature/Humidity Meter	RTS	RTS-8S	RF07	2022.07.07	2023.07.06

Note: All equipment are calibrated with traceable calibrations. Each calibration is traceable to the national or international standards.

10.2. Test Setup










10.3. Limit

Frequency Stability Limit	
UNII Devices	
<input checked="" type="checkbox"/>	In-band emission is maintained within the band of operation under all conditions of normal operation as specified in the user’s manual.
IEEE Std. 802.11n-2009	
<input checked="" type="checkbox"/>	The transmitter center frequency tolerance shall be ± 20 ppm maximum for the 5 GHz band and ± 25 ppm maximum for the 2.4 GHz band.

10.4. Test Procedure

Frequency Stability Test Method			
	References Rule	Chapter	Description
<input checked="" type="checkbox"/>	ANSI C63.10	6.8	Frequency stability tests
	<input checked="" type="checkbox"/> ANSI C63.10	6.8.1	Frequency stability with respect to ambient temperature
	<input checked="" type="checkbox"/> ANSI C63.10	6.8.2	Frequency stability when varying supply voltage

10.5. EUT test Axis definition

Item	Frequency Stability			
Device Category	<input type="checkbox"/>	Indoor use		
	<input type="checkbox"/>	Outdoor use		
	<input type="checkbox"/>	Fix position use		
	<input checked="" type="checkbox"/>	Client use		
Test mode	Mode 1-6			
Test method	<input type="checkbox"/>	Radiated		
		X Axis	Y Axis	Z Axis
				
		Worst Axis <input type="checkbox"/>	Worst Axis <input type="checkbox"/>	Worst Axis <input type="checkbox"/>
	<input checked="" type="checkbox"/>	Conducted		
	<input checked="" type="checkbox"/>	Chain 1		
				
	<input checked="" type="checkbox"/>	Chain 1	Chain 2	
				
	<input type="checkbox"/>	Chain 1	Chain 2	Chain 3
				
<input type="checkbox"/>	Chain 1	Chain 2	Chain 3	Chain 4
				

10.6. Test Result

Product Name	:	Touch All In One Computer
Test Mode	:	Carrier Wave

Frequency Stability under Temperature at 0min

Temperature Interval (°C)	Test Frequency (MHz)	Deviation (Hz)	ppm	Limit
-30	5220	121	0.023	±20
-20	5220	-85	-0.016	±20
-10	5220	68	0.013	±20
0	5220	88	0.017	±20
10	5220	114	0.022	±20
20	5220	-123	-0.024	±20
30	5220	-87	-0.017	±20
40	5220	-86	-0.016	±20
50	5220	109	0.021	±20

Frequency Stability under Temperature at 2min

Temperature Interval (°C)	Test Frequency (MHz)	Deviation (Hz)	ppm	Limit
-30	5220	124	0.024	±20
-20	5220	-89	-0.017	±20
-10	5220	-96	-0.018	±20
0	5220	108	0.021	±20
10	5220	112	0.021	±20
20	5220	67	0.013	±20
30	5220	86	0.016	±20
40	5220	-77	-0.015	±20
50	5220	-69	-0.013	±20

Frequency Stability under Temperature at 5min

Temperature Interval (°C)	Test Frequency (MHz)	Deviation (Hz)	ppm	Limit
-30	5220	84	0.016	±20
-20	5220	96	0.018	±20
-10	5220	-102	-0.020	±20
0	5220	-87	-0.017	±20
10	5220	-59	-0.011	±20
20	5220	121	0.023	±20
30	5220	-109	-0.021	±20
40	5220	86	0.016	±20
50	5220	94	0.018	±20

Frequency Stability under Temperature at 10min

Temperature Interval (°C)	Test Frequency (MHz)	Deviation (Hz)	ppm	Limit
-30	5220	88	0.017	±20
-20	5220	75	0.014	±20
-10	5220	-68	-0.013	±20
0	5220	-95	-0.018	±20
10	5220	102	0.020	±20
20	5220	-105	-0.020	±20
30	5220	111	0.021	±20
40	5220	73	0.014	±20
50	5220	-92	-0.018	±20

Frequency Stability under Voltage

AC Voltage (V)	Test Frequency (MHz)	Deviation (Hz)	ppm	Limit
102	5220	72	0.014	±20
120	5220	-84	-0.016	±20
138	5220	83	0.016	±20

11. Antenna Requirement

11.1. Limit

Antenna Requirement Limit
<p>An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited. This requirement does not apply to carrier current devices or to devices operated under the provisions of §15.211, §15.213, §15.217, §15.219, or §15.221. Further, this requirement does not apply to intentional radiators that must be professionally installed, such as perimeter protection systems and some field disturbance sensors, or to other intentional radiators which, in accordance with §15.31(d), must be measured at the installation site. However, the installer shall be responsible for ensuring that the proper antenna is employed so that the limits in this part are not exceeded.</p>

11.2. Antenna Connector Construction

Antenna Connector Construction	
<input checked="" type="checkbox"/>	The use of a permanently attached antenna
<input type="checkbox"/>	The antenna use of a unique coupling to the intentional radiator
<input type="checkbox"/>	The use of a nonstandard antenna jack or electrical connector
Please refer to the attached document "Internal Photograph" to show the antenna connector.	

_____ The End _____

FCC 5GHz Power Table



Standard:	FCC 15.407	Test Date:	2021.05.06	Temperature:	25°C	Humidity:	55%RH		
Project No. :	2250816R			Product Name:	Touch All one Computer	Model Name:	ESY2214		
Antenna Gain(dBi)		Ant 1	Ant 2						
CDD-Directional Gain-Power(dBi)		2.73		2.91					
Antenna Technology:	CDD								
Mode:	802.11a	Data Rate:	6Mbps	Conducted power SISO mode					
Test Conditions	Channel	Frequency (MHz)	Reading Level		Total Power		Limit		
			Avg. (dBm)	Avg. (dBm)	Ant1	Ant 2	Avg. (dBm)	Pass/Fail	
Tnom (25 °C)	Vnom (120V)	36	5180	14.15	13.26	14.15	13.26	24	Pass
		44	5220	14.19	13.31	14.19	13.31	24	Pass
		48	5240	14.18	13.28	14.18	13.28	24	Pass
		52	5260	14.21	13.34	14.21	13.34	24	Pass
		60	5300	14.22	13.29	14.22	13.29	24	Pass
		64	5320	14.24	13.32	14.24	13.32	24	Pass
		100	5500	12.21	11.32	12.21	11.32	24	Pass
		116	5580	12.23	11.39	12.23	11.39	24	Pass
		140	5700	12.24	11.41	12.24	11.41	24	Pass
		149	5745	11.69	10.88	11.69	10.88	30	Pass
		157	5785	11.75	10.90	11.75	10.90	30	Pass
		165	5825	11.72	10.92	11.72	10.92	30	Pass
Mode:	802.11a	Data Rate:	MCS0	Conducted power MIMO Mode(2TX+2RX)					
Test Conditions	Channel	Frequency (MHz)	Reading Level		Total Power		Limit		
			Ant1	Ant2	Avg. (dBm)	Avg. (dBm)	Pass/Fail		
Tnom (25 °C)	Vnom (120V)	36	5180	14.20	13.28	16.77		24	Pass
		44	5220	14.18	13.27	16.76		24	Pass
		48	5240	14.25	13.32	16.82		24	Pass
		52	5260	14.26	13.31	16.82		24	Pass
		60	5300	14.29	13.28	16.82		24	Pass
		64	5320	14.28	13.25	16.81		24	Pass
		100	5500	11.19	11.29	14.25		24	Pass
		116	5580	12.22	11.32	14.80		24	Pass
		140	5700	12.26	11.35	14.84		24	Pass
		149	5745	11.68	10.82	14.28		30	Pass
		157	5785	11.71	10.85	14.31		30	Pass
		165	5825	11.74	10.79	14.30		30	Pass
Mode:	802.11n(20MHz)	Data Rate:	MCS0	Conducted power SISO mode					
Test Conditions	Channel	Frequency (MHz)	Reading Level		Total Power		Limit		
			Avg. (dBm)	Avg. (dBm)	Ant1	Ant 2	Avg. (dBm)	Pass/Fail	
Tnom (25 °C)	Vnom (120V)	36	5180	14.49	13.56	14.49	13.56	24	Pass
		44	5220	14.51	13.58	14.51	13.58	24	Pass
		48	5240	14.54	13.54	14.54	13.54	24	Pass
		52	5260	14.47	13.60	14.47	13.60	24	Pass
		60	5300	14.45	13.55	14.45	13.55	24	Pass
		64	5320	14.44	13.52	14.44	13.52	24	Pass
		100	5500	12.58	11.48	12.58	11.48	24	Pass
		116	5580	12.62	11.45	12.62	11.45	24	Pass
		140	5700	12.65	11.47	12.65	11.47	24	Pass
		149	5745	12.15	10.98	12.15	10.98	30	Pass
		157	5785	12.16	10.95	12.16	10.95	30	Pass
		165	5825	12.19	10.92	12.19	10.92	30	Pass
Mode:	802.11n(20MHz)	Data Rate:	MCS0	Conducted power MIMO Mode(2TX+2RX)					
Test Conditions	Channel	Frequency (MHz)	Reading Level		Total Power		Limit		
			Ant1	Ant2	Avg. (dBm)	Avg. (dBm)	Pass/Fail		
Tnom (25 °C)	Vnom (120V)	36	5180	14.51	13.65	17.11		24	Pass
		44	5220	14.55	13.67	17.14		24	Pass
		48	5240	14.53	13.58	17.09		24	Pass
		52	5260	14.48	13.59	17.07		24	Pass
		60	5300	14.49	13.56	17.06		24	Pass
		64	5320	14.43	13.57	17.03		24	Pass
		100	5500	12.48	11.45	15.01		24	Pass
		116	5580	12.55	11.52	15.08		24	Pass
		140	5700	12.59	11.56	15.12		24	Pass
		149	5745	12.11	11.08	14.64		30	Pass
		157	5785	12.15	11.20	14.71		30	Pass
		165	5825	12.09	11.16	14.66		30	Pass
Mode:	802.11n(40MHz)	Data Rate:	MCS0	Conducted power SISO mode					
Test Conditions	Channel	Frequency (MHz)	Reading Level		Total Power		Limit		
			Avg. (dBm)	Avg. (dBm)	Ant1	Ant 2	Avg. (dBm)	Pass/Fail	
Tnom (25 °C)	Vnom (120V)	38	5190	14.28	13.36	14.28	13.36	24	Pass
		46	5230	14.31	13.34	14.31	13.34	24	Pass
		54	5270	14.35	13.39	14.35	13.39	24	Pass
		62	5310	14.32	13.41	14.32	13.41	24	Pass
		102	5510	12.28	11.41	12.28	11.41	24	Pass
		118	5590	12.31	11.39	12.31	11.39	24	Pass
		134	5670	12.35	11.45	12.35	11.45	24	Pass
		151	5755	11.83	10.88	11.83	10.88	30	Pass

		159	5795	11.87	10.91	11.87	10.91	30	Pass	
Mode:	802.11n(40MHz)	Data Rate:	MCS0	Conducted power						
				MIMO Mode(2TX+2RX)						
Test Conditions	Channel	Frequency	Ant 1+2		Total Power		Limit			
			Reading Level							
			Avg. (dBm)							
		(MHz)	Ant1	Ant2	Avg. (dBm)		Avg. (dBm)	Pass/Fail		
Tnom (25 °C)	Vnom (120V)	38	5190	14.36	13.42	16.93		24	Pass	
		46	5230	14.35	13.39	16.91		24	Pass	
		54	5270	14.32	13.36	16.88		24	Pass	
		62	5310	14.29	13.38	16.87		24	Pass	
		102	5510	12.35	11.42	14.92		24	Pass	
		118	5590	12.32	11.45	14.92		24	Pass	
		134	5670	12.29	11.46	14.91		24	Pass	
		151	5755	11.79	10.92	14.39		30	Pass	
159	5795	11.82	10.95	14.42		30	Pass			
Mode:	802.11ac(20MHz)	Data Rate:	MCS0	Conducted power						
				SISO mode						
Test Conditions	Channel	Frequency	Ant1		Ant2		Total Power		Limit	
			Reading Level		Reading Level					
			Avg. (dBm)		Avg. (dBm)		Avg. (dBm)		Avg. (dBm)	
		(MHz)								
Tnom (25 °C)	Vnom (120V)	36	5180	14.18	13.26	14.18	13.26	24	Pass	
		44	5220	14.21	13.28	14.21	13.28	24	Pass	
		48	5240	14.23	13.29	14.23	13.29	24	Pass	
		52	5260	14.19	13.32	14.19	13.32	24	Pass	
		60	5300	14.16	13.33	14.16	13.33	24	Pass	
		64	5320	14.12	13.35	14.12	13.35	24	Pass	
		100	5500	12.25	11.31	12.25	11.31	24	Pass	
		116	5580	12.21	11.35	12.21	11.35	24	Pass	
		140	5700	12.25	11.34	12.25	11.34	24	Pass	
		149	5745	11.72	10.82	11.72	10.82	30	Pass	
		157	5785	11.69	10.84	11.69	10.84	30	Pass	
		165	5825	11.75	10.80	11.75	10.80	30	Pass	
		Mode:	802.11ac(20MHz)	Data Rate:	MCS0	Conducted power				
				MIMO Mode(2TX+2RX)						
Test Conditions	Channel	Frequency	Ant 1+2		Total Power		Limit			
			Reading Level							
			Avg. (dBm)							
		(MHz)	Ant1	Ant2	Avg. (dBm)		Avg. (dBm)	Pass/Fail		
Tnom (25 °C)	Vnom (120V)	36	5180	14.25	13.35	16.83		24	Pass	
		44	5220	14.29	13.29	16.83		24	Pass	
		48	5240	14.28	13.36	16.85		24	Pass	
		52	5260	14.31	13.31	16.85		24	Pass	
		60	5300	14.32	13.25	16.83		24	Pass	
		64	5320	14.29	13.24	16.81		24	Pass	
		100	5500	12.28	11.35	14.85		24	Pass	
		116	5580	12.32	11.32	14.86		24	Pass	
		140	5700	12.29	11.29	14.83		24	Pass	
		149	5745	11.77	10.72	14.29		30	Pass	
		157	5785	11.79	10.68	14.28		30	Pass	
		165	5825	11.82	10.76	14.33		30	Pass	
		Mode:	802.11ac(40MHz)	Data Rate:	NSSMCS0	Conducted power				
				SISO mode						
Test Conditions	Channel	Frequency	Ant1		Ant2		Total Power		Limit	
			Reading Level		Reading Level					
			Avg. (dBm)		Avg. (dBm)		Avg. (dBm)		Avg. (dBm)	
		(MHz)								
Tnom (25 °C)	Vnom (120V)	38	5190	14.05	13.11	14.05	13.11	24	Pass	
		46	5230	14.12	13.14	14.12	13.14	24	Pass	
		54	5270	14.02	13.09	14.02	13.09	24	Pass	
		62	5310	14.12	13.15	14.12	13.15	24	Pass	
		102	5510	12.15	11.04	12.15	11.04	24	Pass	
		118	5590	12.09	11.02	12.09	11.02	24	Pass	
		134	5670	12.12	11.08	12.12	11.08	24	Pass	
		151	5755	11.55	10.64	11.55	10.64	30	Pass	
		159	5795	11.57	10.66	11.57	10.66	30	Pass	
Mode:	802.11ac(40MHz)	Data Rate:	NSSMCS0	Conducted power						
				MIMO Mode(2TX+2RX)						
Test Conditions	Channel	Frequency	Ant 1+2		Total Power		Limit			
			Reading Level							
			Avg. (dBm)							
		(MHz)	Ant1	Ant2	Avg. (dBm)		Avg. (dBm)	Pass/Fail		
Tnom (25 °C)	Vnom (120V)	38	5190	14.05	13.12	16.62		24	Pass	
		46	5230	14.07	13.16	16.65		24	Pass	
		54	5270	14.02	13.08	16.59		24	Pass	
		62	5310	14.11	13.11	16.65		24	Pass	
		102	5510	12.13	11.02	14.62		24	Pass	
		118	5590	12.09	10.99	14.59		24	Pass	
		134	5670	12.15	11.05	14.65		24	Pass	
		151	5755	11.62	10.50	14.11		30	Pass	
		159	5795	11.64	10.49	14.11		30	Pass	
Mode:	802.11ac(80MHz)	Data Rate:	NSSMCS0	Conducted power						
				SISO mode						
Test Conditions	Channel	Frequency	Ant1		Ant2		Total Power		Limit	
			Reading Level		Reading Level					
			Avg. (dBm)		Avg. (dBm)		Avg. (dBm)		Avg. (dBm)	
		(MHz)								
Tnom (25 °C)	Vnom (120V)	42	5210	13.81	12.87	13.81	12.87	24	Pass	
		58	5290	13.83	12.91	13.83	12.91	24	Pass	
		106	5530	11.78	10.81	11.78	10.81	24	Pass	
		155	5775	11.32	10.29	11.32	10.29	30	Pass	
Mode:	802.11ac(80MHz)	Data Rate:	NSSMCS0	Conducted power						
				MIMO Mode(2TX+2RX)						
Test Conditions	Channel	Frequency	Ant 1+2		Total Power		Limit			
			Reading Level							
			Avg. (dBm)							
		(MHz)	Ant1	Ant2	Avg. (dBm)		Avg. (dBm)	Pass/Fail		
Tnom (25 °C)	Vnom (120V)	42	5210	13.81	12.86	16.37		24	Pass	
		58	5290	13.92	12.84	16.42		24	Pass	
		106	5530	12.01	11.06	14.57		24	Pass	
		155	5775	11.48	10.52	14.04		30	Pass	