






NOTES: UNLESS OTHERWISE SPECIFIED)


1. MUST CONFORM TO UL969 MARKING & LABELING SYSTEM PGDQ2; VAL-THERM-D OR EQUIVALENT.
2. ALL TEXT AND GRAPHICS ARE BLACK.
3. CE, HAS A MINIMUM HEIGHT REQUIREMENT OF 5mm.
4. USE ELECTRONIC FILE # 845-00442.AI

REV	DATE	DESCRIPTION
1	06/28/10	Initial Release

RECT 120 x 25mm Rad 1.5mm

 Multi Radio 802.11a/b/g/n Wireless LAN Access Point Model No. PSM3x Power Over Ethernet: -48 VDC/300 mA, AC/DC Adapter: +5 VDC/3 A ASSEMBLED IN U.S.A.	 <small>UL US LISTED LTE ACCESSORY E239453 M</small>	 <small>RoHS</small>	 CE0560
 <small>FCC ID: RE7-PSM3X IC: 6749A-PSM3X</small>	<small>This Class B digital apparatus meets all the requirements of the Canadian Interference Causing Equipment Regulations. Cet appareil numérique de la classe B respecte toutes les exigences du Règlement sur le matériel brouilleur du Canada.</small>		

SCALE 1:1

UNLESS OTHERWISE NOTED DIMENSIONS ARE IN INCHES			TITLE				
ANG	2 PLCS	3 PLCS	Label, Regulatory, PSM3x				
±1.5°	±.05	±.010	(P)				
DO NOT SCALE THIS DRAWING			THIRD ANGLE PROJECTION	MERU NETWORKS PROPRIETARY USE PURSUANT TO COMPANY INSTRUCTIONS			
1:1				DRAWING NUMBER	SHEET	REV/REL	DWG SIZE
PROFILENAME			ENG DATE	845-00442	1	1	C2/A1R
			HS 06/28/10				