


Label Material = 3M 3650-10 OR 3M 7026 OR 3M 7033 Label color = PMS Process Black All text and logo = PMS Cool Gray 3C or equivalent

### Camera Artwork

Material/Finish As Noted Above  Units/Tolerances  Scale 1:1			Date 13 Aug 2013 Regulatory label			egulatory label
			firetide 2105 South Bascom Avenue Suite 220 ,Campbell CA 95008		for 5020-M	
Unless otherwise stated, dimensions in inchesToleran xx.xx +/- 0.01	***		_	Drawn By Suresh Kumar		Drawing No. 130-0113-001






Label Material = 3M 3650-10 OR 3M 7026 OR 3M 7033 Label color = PMS Process Black All text and logo = PMS Cool Gray 3C or equivalent

## Camera Artwork

Material/Finish As Noted Above			Date	13 Aug 2013	Regulatory label for 5020-ER		
Units/Tolerances Scale 1:1		2105	Dfiretide South Bascom Avenue 220 ,Campbell CA 95008				
Unless otherwise stated, dimensions in inchesToleran xx.xx +/- 0.01	ce: xx.x +/- 0.1;		Drawn E	Drawn By Suresh Kumar		Drawing No. 130-0111-001	






Label Material = 3M 3650-10 OR 3M 7026 OR 3M 7033 Label color = PMS Process Black All text and logo = PMS Cool Gray 3C or equivalent

### Camera Artwork

Material/Finish			Date 13 Aug 2013	Regulatory label for 5020-LNK		
As Noted Above  Units/Tolerances Scale 1:1		6 firetide 2105 South Bascom Avenue Suite 220 ,Campbell CA 95008				
Unless otherwise stated, dimensions in inchesToleran xx.xx +/- 0.01	ce: xx.x	+/- 0.1;	Drawn By Suresh Kumar	Rev.	Drawing No. 130-0112-001	





Label Material = 3M 3650-10 OR 3M 7026 OR 3M 7033 Label color = PMS Process Black All text and logo = PMS Cool Gray 3C or equivalent

## Camera Artwork

Material/Finish As Noted Above  Units/Tolerances  Scale 1:1			Date 13 Aug 2013 Regulatory la			Regulatory label
			6 firetide 2105 South Bascom Avenue		for 5020-E	
Unless otherwise stated, dimensions in inchesToleran xx.xx +/- 0.01			Suite 220 ,Campbell CA 95008  Drawn By  Suresh Kumar		Rev.	Drawing No. 130-0110-001