

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231200401905

Page: 492 of 519

					10	3.60	5240.000	5150 to 5250	Pass
					30	3.60	5240.040	5150 to 5250	Pass
					40	3.60	5239.980	5150 to 5250	Pass
					50	3.60	5239.940	5150 to 5250	Pass
	5260	/	/	20	3.40	5260.000	5250 to 5350	Pass	
					3.60	5260.000	5250 to 5350	Pass	
					4.20	5260.000	5250 to 5350	Pass	
				-30	3.60	5260.020	5250 to 5350	Pass	
					3.60	5259.960	5250 to 5350	Pass	
					3.60	5260.000	5250 to 5350	Pass	
				0	3.60	5260.000	5250 to 5350	Pass	
					3.60	5259.980	5250 to 5350	Pass	
					3.60	5260.020	5250 to 5350	Pass	
				40	3.60	5259.980	5250 to 5350	Pass	
					3.60	5260.020	5250 to 5350	Pass	
					3.60	5260.020	5250 to 5350	Pass	
				50	3.60	5260.020	5250 to 5350	Pass	
					3.40	5300.020	5250 to 5350	Pass	
	5300	/	/	20	3.60	5300.060	5250 to 5350	Pass	
					4.20	5300.040	5250 to 5350	Pass	
					3.60	5300.020	5250 to 5350	Pass	
				-30	3.60	5300.020	5250 to 5350	Pass	
					3.60	5300.020	5250 to 5350	Pass	
					3.60	5300.020	5250 to 5350	Pass	
				0	3.60	5300.020	5250 to 5350	Pass	
					3.60	5300.040	5250 to 5350	Pass	
					3.60	5300.020	5250 to 5350	Pass	
				40	3.60	5300.020	5250 to 5350	Pass	
					3.60	5300.020	5250 to 5350	Pass	
					3.60	5300.000	5250 to 5350	Pass	
				50	3.40	5320.020	5250 to 5350	Pass	
					3.60	5320.000	5250 to 5350	Pass	
					4.20	5320.000	5250 to 5350	Pass	
	5320	/	/	20	3.60	5319.980	5250 to 5350	Pass	
					3.60	5320.020	5250 to 5350	Pass	
					3.60	5320.060	5250 to 5350	Pass	
				-30	3.60	5320.020	5250 to 5350	Pass	
					3.60	5320.040	5250 to 5350	Pass	
					3.60	5320.020	5250 to 5350	Pass	
				0	3.60	5320.040	5250 to 5350	Pass	
					3.60	5320.020	5250 to 5350	Pass	
					3.60	5320.040	5250 to 5350	Pass	
				40	3.60	5320.000	5250 to 5350	Pass	
					3.60	5320.020	5250 to 5350	Pass	
					3.60	5320.020	5250 to 5350	Pass	
				50	3.40	5500.020	5470 to 5725	Pass	
					3.60	5500.000	5470 to 5725	Pass	
					4.20	5500.000	5470 to 5725	Pass	
	5500	/	/	20	3.40	5500.020	5470 to 5725	Pass	
					3.60	5500.000	5470 to 5725	Pass	
					4.20	5500.000	5470 to 5725	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231200401905

Page: 493 of 519

					-30	3.60	5499.960	5470 to 5725	Pass
					-20	3.60	5500.040	5470 to 5725	Pass
					-10	3.60	5500.000	5470 to 5725	Pass
					0	3.60	5500.020	5470 to 5725	Pass
					10	3.60	5500.060	5470 to 5725	Pass
					30	3.60	5499.980	5470 to 5725	Pass
					40	3.60	5499.980	5470 to 5725	Pass
					50	3.60	5500.000	5470 to 5725	Pass
		5580	/	/	20	3.40	5579.960	5470 to 5725	Pass
						3.60	5579.960	5470 to 5725	Pass
						4.20	5579.960	5470 to 5725	Pass
					-30	3.60	5579.980	5470 to 5725	Pass
					-20	3.60	5579.960	5470 to 5725	Pass
					-10	3.60	5580.000	5470 to 5725	Pass
					0	3.60	5579.960	5470 to 5725	Pass
					10	3.60	5580.000	5470 to 5725	Pass
					30	3.60	5579.960	5470 to 5725	Pass
					40	3.60	5579.940	5470 to 5725	Pass
					50	3.60	5579.980	5470 to 5725	Pass
		5700	/	/	20	3.40	5699.960	5470 to 5725	Pass
						3.60	5699.960	5470 to 5725	Pass
						4.20	5699.920	5470 to 5725	Pass
					-30	3.60	5699.940	5470 to 5725	Pass
					-20	3.60	5700.020	5470 to 5725	Pass
					-10	3.60	5699.980	5470 to 5725	Pass
					0	3.60	5699.940	5470 to 5725	Pass
					10	3.60	5699.960	5470 to 5725	Pass
					30	3.60	5699.980	5470 to 5725	Pass
					40	3.60	5699.960	5470 to 5725	Pass
					50	3.60	5699.960	5470 to 5725	Pass
		5745	/	/	20	3.40	5744.960	5725 to 5850	Pass
						3.60	5744.960	5725 to 5850	Pass
						4.20	5744.960	5725 to 5850	Pass
					-30	3.60	5745.000	5725 to 5850	Pass
					-20	3.60	5744.980	5725 to 5850	Pass
					-10	3.60	5745.000	5725 to 5850	Pass
					0	3.60	5745.000	5725 to 5850	Pass
					10	3.60	5745.000	5725 to 5850	Pass
					30	3.60	5745.000	5725 to 5850	Pass
					40	3.60	5745.000	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231200401905

Page: 494 of 519

		5785	/	/	50	3.60	5745.000	5725 to 5850	Pass
					20	3.40	5784.940	5725 to 5850	Pass
						3.60	5784.960	5725 to 5850	Pass
						4.20	5784.960	5725 to 5850	Pass
					-30	3.60	5785.000	5725 to 5850	Pass
					-20	3.60	5784.940	5725 to 5850	Pass
					-10	3.60	5784.980	5725 to 5850	Pass
					0	3.60	5784.940	5725 to 5850	Pass
					10	3.60	5785.000	5725 to 5850	Pass
					30	3.60	5784.980	5725 to 5850	Pass
					40	3.60	5785.020	5725 to 5850	Pass
					50	3.60	5784.940	5725 to 5850	Pass
		5825	/	/	20	3.40	5824.920	5725 to 5850	Pass
						3.60	5824.960	5725 to 5850	Pass
						4.20	5824.940	5725 to 5850	Pass
					-30	3.60	5825.000	5725 to 5850	Pass
					-20	3.60	5824.980	5725 to 5850	Pass
					-10	3.60	5824.920	5725 to 5850	Pass
					0	3.60	5824.960	5725 to 5850	Pass
					10	3.60	5824.940	5725 to 5850	Pass
					30	3.60	5824.940	5725 to 5850	Pass
					40	3.60	5824.960	5725 to 5850	Pass
					50	3.60	5825.000	5725 to 5850	Pass
802.11n (HT20)	MIMO	5180	/	/	20	3.40	5179.960	5150 to 5250	Pass
						3.60	5179.960	5150 to 5250	Pass
						4.20	5180.020	5150 to 5250	Pass
					-30	3.60	5180.000	5150 to 5250	Pass
					-20	3.60	5180.020	5150 to 5250	Pass
					-10	3.60	5180.000	5150 to 5250	Pass
					0	3.60	5179.980	5150 to 5250	Pass
					10	3.60	5179.980	5150 to 5250	Pass
					30	3.60	5180.020	5150 to 5250	Pass
					40	3.60	5179.980	5150 to 5250	Pass
					50	3.60	5180.000	5150 to 5250	Pass
		5200	/	/	20	3.40	5199.980	5150 to 5250	Pass
						3.60	5199.980	5150 to 5250	Pass
						4.20	5200.080	5150 to 5250	Pass
					-30	3.60	5200.040	5150 to 5250	Pass
					-20	3.60	5199.980	5150 to 5250	Pass
					-10	3.60	5199.980	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231200401905

Page: 495 of 519

					0	3.60	5200.020	5150 to 5250	Pass
					10	3.60	5199.960	5150 to 5250	Pass
					30	3.60	5200.040	5150 to 5250	Pass
					40	3.60	5200.040	5150 to 5250	Pass
					50	3.60	5200.060	5150 to 5250	Pass
		5240	/	/	20	3.40	5239.980	5150 to 5250	Pass
						3.60	5239.980	5150 to 5250	Pass
						4.20	5239.980	5150 to 5250	Pass
					-30	3.60	5240.000	5150 to 5250	Pass
					-20	3.60	5240.020	5150 to 5250	Pass
					-10	3.60	5240.000	5150 to 5250	Pass
					0	3.60	5240.040	5150 to 5250	Pass
					10	3.60	5240.020	5150 to 5250	Pass
					30	3.60	5240.040	5150 to 5250	Pass
					40	3.60	5240.020	5150 to 5250	Pass
					50	3.60	5240.020	5150 to 5250	Pass
		5260	/	/	20	3.40	5259.960	5250 to 5350	Pass
						3.60	5260.020	5250 to 5350	Pass
						4.20	5260.000	5250 to 5350	Pass
					-30	3.60	5259.980	5250 to 5350	Pass
					-20	3.60	5260.020	5250 to 5350	Pass
					-10	3.60	5259.940	5250 to 5350	Pass
					0	3.60	5259.980	5250 to 5350	Pass
					10	3.60	5260.020	5250 to 5350	Pass
					30	3.60	5259.980	5250 to 5350	Pass
					40	3.60	5259.960	5250 to 5350	Pass
					50	3.60	5260.000	5250 to 5350	Pass
		5300	/	/	20	3.40	5300.020	5250 to 5350	Pass
						3.60	5300.040	5250 to 5350	Pass
						4.20	5300.000	5250 to 5350	Pass
					-30	3.60	5299.980	5250 to 5350	Pass
					-20	3.60	5300.020	5250 to 5350	Pass
					-10	3.60	5300.020	5250 to 5350	Pass
					0	3.60	5300.000	5250 to 5350	Pass
					10	3.60	5300.040	5250 to 5350	Pass
					30	3.60	5300.020	5250 to 5350	Pass
					40	3.60	5300.040	5250 to 5350	Pass
					50	3.60	5300.000	5250 to 5350	Pass
		5320	/	/	20	3.40	5320.040	5250 to 5350	Pass
						3.60	5320.020	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231200401905

Page: 496 of 519

						4.20	5319.980	5250 to 5350	Pass
					-30	3.60	5319.980	5250 to 5350	Pass
					-20	3.60	5319.980	5250 to 5350	Pass
					-10	3.60	5320.020	5250 to 5350	Pass
					0	3.60	5320.000	5250 to 5350	Pass
					10	3.60	5319.980	5250 to 5350	Pass
					30	3.60	5319.940	5250 to 5350	Pass
					40	3.60	5320.020	5250 to 5350	Pass
					50	3.60	5319.980	5250 to 5350	Pass
		5500	/	/	20	3.40	5499.980	5470 to 5725	Pass
						3.60	5499.920	5470 to 5725	Pass
						4.20	5499.980	5470 to 5725	Pass
					-30	3.60	5499.940	5470 to 5725	Pass
					-20	3.60	5500.020	5470 to 5725	Pass
					-10	3.60	5499.980	5470 to 5725	Pass
					0	3.60	5499.980	5470 to 5725	Pass
					10	3.60	5499.980	5470 to 5725	Pass
					30	3.60	5499.980	5470 to 5725	Pass
					40	3.60	5499.940	5470 to 5725	Pass
					50	3.60	5499.980	5470 to 5725	Pass
		5580	/	/	20	3.40	5579.960	5470 to 5725	Pass
						3.60	5579.980	5470 to 5725	Pass
						4.20	5579.980	5470 to 5725	Pass
					-30	3.60	5580.020	5470 to 5725	Pass
					-20	3.60	5580.020	5470 to 5725	Pass
					-10	3.60	5579.960	5470 to 5725	Pass
					0	3.60	5580.020	5470 to 5725	Pass
					10	3.60	5579.960	5470 to 5725	Pass
					30	3.60	5580.000	5470 to 5725	Pass
					40	3.60	5579.980	5470 to 5725	Pass
					50	3.60	5579.980	5470 to 5725	Pass
		5700	/	/	20	3.40	5699.980	5470 to 5725	Pass
						3.60	5700.000	5470 to 5725	Pass
						4.20	5699.980	5470 to 5725	Pass
					-30	3.60	5700.020	5470 to 5725	Pass
					-20	3.60	5700.000	5470 to 5725	Pass
					-10	3.60	5700.000	5470 to 5725	Pass
					0	3.60	5699.980	5470 to 5725	Pass
					10	3.60	5700.000	5470 to 5725	Pass
					30	3.60	5700.000	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231200401905

Page: 497 of 519

					40	3.60	5699.980	5470 to 5725	Pass
					50	3.60	5699.960	5470 to 5725	Pass
					20	3.40	5745.000	5725 to 5850	Pass
						3.60	5744.960	5725 to 5850	Pass
						4.20	5744.940	5725 to 5850	Pass
					-30	3.60	5744.980	5725 to 5850	Pass
					-20	3.60	5744.980	5725 to 5850	Pass
					-10	3.60	5744.980	5725 to 5850	Pass
					0	3.60	5745.000	5725 to 5850	Pass
					10	3.60	5745.000	5725 to 5850	Pass
					30	3.60	5745.000	5725 to 5850	Pass
					40	3.60	5744.940	5725 to 5850	Pass
					50	3.60	5745.000	5725 to 5850	Pass
					20	3.40	5785.020	5725 to 5850	Pass
						3.60	5784.980	5725 to 5850	Pass
						4.20	5784.980	5725 to 5850	Pass
					-30	3.60	5785.000	5725 to 5850	Pass
					-20	3.60	5785.000	5725 to 5850	Pass
					-10	3.60	5785.000	5725 to 5850	Pass
					0	3.60	5785.000	5725 to 5850	Pass
					10	3.60	5784.940	5725 to 5850	Pass
					30	3.60	5784.960	5725 to 5850	Pass
					40	3.60	5784.980	5725 to 5850	Pass
					50	3.60	5785.000	5725 to 5850	Pass
					20	3.40	5824.960	5725 to 5850	Pass
						3.60	5824.940	5725 to 5850	Pass
						4.20	5825.020	5725 to 5850	Pass
					-30	3.60	5824.980	5725 to 5850	Pass
					-20	3.60	5824.980	5725 to 5850	Pass
					-10	3.60	5824.960	5725 to 5850	Pass
					0	3.60	5825.020	5725 to 5850	Pass
					10	3.60	5824.980	5725 to 5850	Pass
					30	3.60	5825.000	5725 to 5850	Pass
					40	3.60	5825.000	5725 to 5850	Pass
					50	3.60	5824.960	5725 to 5850	Pass
802.11n (HT40)	MIMO	5190	/	/	20	3.40	5190.000	5150 to 5250	Pass
						3.60	5190.040	5150 to 5250	Pass
						4.20	5190.040	5150 to 5250	Pass
					-30	3.60	5190.040	5150 to 5250	Pass
					-20	3.60	5190.040	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231200401905

Page: 498 of 519

					-10	3.60	5190.080	5150 to 5250	Pass
					0	3.60	5190.040	5150 to 5250	Pass
					10	3.60	5190.040	5150 to 5250	Pass
					30	3.60	5190.040	5150 to 5250	Pass
					40	3.60	5190.000	5150 to 5250	Pass
					50	3.60	5190.040	5150 to 5250	Pass
		5230	/	/	20	3.40	5230.040	5150 to 5250	Pass
						3.60	5230.000	5150 to 5250	Pass
						4.20	5230.080	5150 to 5250	Pass
					-30	3.60	5230.040	5150 to 5250	Pass
					-20	3.60	5230.040	5150 to 5250	Pass
					-10	3.60	5230.080	5150 to 5250	Pass
					0	3.60	5230.040	5150 to 5250	Pass
					10	3.60	5230.040	5150 to 5250	Pass
					30	3.60	5230.040	5150 to 5250	Pass
					40	3.60	5230.040	5150 to 5250	Pass
					50	3.60	5230.040	5150 to 5250	Pass
		5270	/	/	20	3.40	5270.080	5250 to 5350	Pass
						3.60	5270.040	5250 to 5350	Pass
						4.20	5270.000	5250 to 5350	Pass
					-30	3.60	5270.000	5250 to 5350	Pass
					-20	3.60	5270.000	5250 to 5350	Pass
					-10	3.60	5270.000	5250 to 5350	Pass
					0	3.60	5270.000	5250 to 5350	Pass
					10	3.60	5270.000	5250 to 5350	Pass
					30	3.60	5270.040	5250 to 5350	Pass
					40	3.60	5270.000	5250 to 5350	Pass
					50	3.60	5270.040	5250 to 5350	Pass
		5310	/	/	20	3.40	5310.040	5250 to 5350	Pass
						3.60	5310.040	5250 to 5350	Pass
						4.20	5310.040	5250 to 5350	Pass
					-30	3.60	5310.000	5250 to 5350	Pass
					-20	3.60	5310.000	5250 to 5350	Pass
					-10	3.60	5310.040	5250 to 5350	Pass
					0	3.60	5310.040	5250 to 5350	Pass
					10	3.60	5310.000	5250 to 5350	Pass
					30	3.60	5310.000	5250 to 5350	Pass
					40	3.60	5309.960	5250 to 5350	Pass
					50	3.60	5310.000	5250 to 5350	Pass
		5510	/	/	20	3.40	5510.000	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231200401905

Page: 499 of 519

						3.60	5510.040	5470 to 5725	Pass
						4.20	5510.000	5470 to 5725	Pass
					-30	3.60	5510.040	5470 to 5725	Pass
					-20	3.60	5510.040	5470 to 5725	Pass
					-10	3.60	5509.960	5470 to 5725	Pass
					0	3.60	5510.040	5470 to 5725	Pass
					10	3.60	5510.040	5470 to 5725	Pass
					30	3.60	5510.040	5470 to 5725	Pass
					40	3.60	5510.000	5470 to 5725	Pass
					50	3.60	5510.000	5470 to 5725	Pass
		5550	/	/	20	3.40	5550.000	5470 to 5725	Pass
						3.60	5550.040	5470 to 5725	Pass
						4.20	5550.040	5470 to 5725	Pass
					-30	3.60	5550.000	5470 to 5725	Pass
					-20	3.60	5550.000	5470 to 5725	Pass
					-10	3.60	5550.040	5470 to 5725	Pass
					0	3.60	5550.000	5470 to 5725	Pass
					10	3.60	5550.000	5470 to 5725	Pass
					30	3.60	5550.040	5470 to 5725	Pass
					40	3.60	5550.000	5470 to 5725	Pass
					50	3.60	5550.040	5470 to 5725	Pass
		5670	/	/	20	3.40	5670.040	5470 to 5725	Pass
						3.60	5669.960	5470 to 5725	Pass
						4.20	5670.040	5470 to 5725	Pass
					-30	3.60	5670.040	5470 to 5725	Pass
					-20	3.60	5670.000	5470 to 5725	Pass
					-10	3.60	5670.040	5470 to 5725	Pass
					0	3.60	5670.000	5470 to 5725	Pass
					10	3.60	5669.960	5470 to 5725	Pass
					30	3.60	5670.040	5470 to 5725	Pass
					40	3.60	5669.960	5470 to 5725	Pass
					50	3.60	5670.040	5470 to 5725	Pass
		5755	/	/	20	3.40	5755.000	5725 to 5850	Pass
						3.60	5754.960	5725 to 5850	Pass
						4.20	5755.000	5725 to 5850	Pass
					-30	3.60	5755.000	5725 to 5850	Pass
					-20	3.60	5754.960	5725 to 5850	Pass
					-10	3.60	5755.040	5725 to 5850	Pass
					0	3.60	5755.000	5725 to 5850	Pass
					10	3.60	5755.000	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231200401905

Page: 500 of 519

		5795	/	/	30	3.60	5755.000	5725 to 5850	Pass
					40	3.60	5755.000	5725 to 5850	Pass
					50	3.60	5755.000	5725 to 5850	Pass
					20	3.40	5795.000	5725 to 5850	Pass
						3.60	5795.000	5725 to 5850	Pass
						4.20	5795.000	5725 to 5850	Pass
					-30	3.60	5795.040	5725 to 5850	Pass
					-20	3.60	5795.000	5725 to 5850	Pass
					-10	3.60	5795.000	5725 to 5850	Pass
					0	3.60	5795.000	5725 to 5850	Pass
					10	3.60	5795.000	5725 to 5850	Pass
					30	3.60	5795.000	5725 to 5850	Pass
					40	3.60	5795.000	5725 to 5850	Pass
					50	3.60	5795.040	5725 to 5850	Pass
802.11ac (VHT20)	MIMO	5180	/	/	20	3.40	5179.960	5150 to 5250	Pass
						3.60	5179.940	5150 to 5250	Pass
						4.20	5179.980	5150 to 5250	Pass
					-30	3.60	5179.980	5150 to 5250	Pass
					-20	3.60	5179.980	5150 to 5250	Pass
					-10	3.60	5180.020	5150 to 5250	Pass
					0	3.60	5180.000	5150 to 5250	Pass
					10	3.60	5180.040	5150 to 5250	Pass
					30	3.60	5179.960	5150 to 5250	Pass
					40	3.60	5179.980	5150 to 5250	Pass
		5200	/	/	50	3.60	5179.980	5150 to 5250	Pass
					20	3.40	5200.040	5150 to 5250	Pass
						3.60	5199.980	5150 to 5250	Pass
						4.20	5199.980	5150 to 5250	Pass
					-30	3.60	5200.000	5150 to 5250	Pass
					-20	3.60	5199.980	5150 to 5250	Pass
					-10	3.60	5200.020	5150 to 5250	Pass
					0	3.60	5200.020	5150 to 5250	Pass
					10	3.60	5199.960	5150 to 5250	Pass
					30	3.60	5199.980	5150 to 5250	Pass
					40	3.60	5200.020	5150 to 5250	Pass
					50	3.60	5200.000	5150 to 5250	Pass
		5240	/	/	20	3.40	5239.980	5150 to 5250	Pass
						3.60	5240.020	5150 to 5250	Pass
						4.20	5240.000	5150 to 5250	Pass
					-30	3.60	5240.040	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231200401905

Page: 501 of 519

					-20	3.60	5240.000	5150 to 5250	Pass
					-10	3.60	5240.000	5150 to 5250	Pass
					0	3.60	5239.980	5150 to 5250	Pass
					10	3.60	5239.960	5150 to 5250	Pass
					30	3.60	5239.980	5150 to 5250	Pass
					40	3.60	5240.000	5150 to 5250	Pass
					50	3.60	5239.960	5150 to 5250	Pass
		5260	/	/	20	3.40	5259.980	5250 to 5350	Pass
						3.60	5260.000	5250 to 5350	Pass
						4.20	5259.960	5250 to 5350	Pass
					-30	3.60	5259.980	5250 to 5350	Pass
					-20	3.60	5259.980	5250 to 5350	Pass
					-10	3.60	5259.940	5250 to 5350	Pass
					0	3.60	5259.960	5250 to 5350	Pass
					10	3.60	5259.960	5250 to 5350	Pass
					30	3.60	5259.960	5250 to 5350	Pass
					40	3.60	5259.960	5250 to 5350	Pass
					50	3.60	5259.980	5250 to 5350	Pass
		5300	/	/	20	3.40	5300.000	5250 to 5350	Pass
						3.60	5299.960	5250 to 5350	Pass
						4.20	5299.960	5250 to 5350	Pass
					-30	3.60	5299.980	5250 to 5350	Pass
					-20	3.60	5299.960	5250 to 5350	Pass
					-10	3.60	5299.980	5250 to 5350	Pass
					0	3.60	5299.980	5250 to 5350	Pass
					10	3.60	5300.000	5250 to 5350	Pass
					30	3.60	5300.000	5250 to 5350	Pass
					40	3.60	5299.960	5250 to 5350	Pass
					50	3.60	5299.920	5250 to 5350	Pass
		5320	/	/	20	3.40	5319.980	5250 to 5350	Pass
						3.60	5320.000	5250 to 5350	Pass
						4.20	5319.980	5250 to 5350	Pass
					-30	3.60	5320.000	5250 to 5350	Pass
					-20	3.60	5319.960	5250 to 5350	Pass
					-10	3.60	5319.960	5250 to 5350	Pass
					0	3.60	5320.000	5250 to 5350	Pass
					10	3.60	5319.940	5250 to 5350	Pass
					30	3.60	5319.960	5250 to 5350	Pass
					40	3.60	5319.940	5250 to 5350	Pass
					50	3.60	5319.920	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231200401905

Page: 502 of 519

		5500	/	/	20	3.40	5499.940	5470 to 5725	Pass
						3.60	5499.980	5470 to 5725	Pass
						4.20	5499.980	5470 to 5725	Pass
					-30	3.60	5499.980	5470 to 5725	Pass
					-20	3.60	5499.960	5470 to 5725	Pass
					-10	3.60	5499.960	5470 to 5725	Pass
					0	3.60	5500.000	5470 to 5725	Pass
					10	3.60	5500.000	5470 to 5725	Pass
					30	3.60	5499.960	5470 to 5725	Pass
					40	3.60	5499.980	5470 to 5725	Pass
					50	3.60	5499.960	5470 to 5725	Pass
		5580	/	/	20	3.40	5579.980	5470 to 5725	Pass
						3.60	5579.940	5470 to 5725	Pass
						4.20	5579.920	5470 to 5725	Pass
					-30	3.60	5580.000	5470 to 5725	Pass
					-20	3.60	5579.900	5470 to 5725	Pass
					-10	3.60	5579.980	5470 to 5725	Pass
					0	3.60	5579.980	5470 to 5725	Pass
					10	3.60	5579.980	5470 to 5725	Pass
					30	3.60	5579.960	5470 to 5725	Pass
					40	3.60	5579.960	5470 to 5725	Pass
					50	3.60	5579.920	5470 to 5725	Pass
		5700	/	/	20	3.40	5699.960	5470 to 5725	Pass
						3.60	5699.920	5470 to 5725	Pass
						4.20	5700.000	5470 to 5725	Pass
					-30	3.60	5699.980	5470 to 5725	Pass
					-20	3.60	5700.000	5470 to 5725	Pass
					-10	3.60	5700.000	5470 to 5725	Pass
					0	3.60	5699.980	5470 to 5725	Pass
					10	3.60	5699.980	5470 to 5725	Pass
					30	3.60	5699.980	5470 to 5725	Pass
					40	3.60	5699.960	5470 to 5725	Pass
					50	3.60	5700.000	5470 to 5725	Pass
		5745	/	/	20	3.40	5744.960	5725 to 5850	Pass
						3.60	5744.920	5725 to 5850	Pass
						4.20	5744.980	5725 to 5850	Pass
					-30	3.60	5744.920	5725 to 5850	Pass
					-20	3.60	5744.940	5725 to 5850	Pass
					-10	3.60	5744.920	5725 to 5850	Pass
					0	3.60	5744.960	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231200401905

Page: 503 of 519

					10	3.60	5744.980	5725 to 5850	Pass
					30	3.60	5745.000	5725 to 5850	Pass
					40	3.60	5744.960	5725 to 5850	Pass
					50	3.60	5744.920	5725 to 5850	Pass
		5785	/	/	20	3.40	5784.940	5725 to 5850	Pass
						3.60	5784.960	5725 to 5850	Pass
						4.20	5784.960	5725 to 5850	Pass
					-30	3.60	5784.960	5725 to 5850	Pass
					-20	3.60	5784.980	5725 to 5850	Pass
					-10	3.60	5785.000	5725 to 5850	Pass
					0	3.60	5784.920	5725 to 5850	Pass
					10	3.60	5784.920	5725 to 5850	Pass
					30	3.60	5784.920	5725 to 5850	Pass
					40	3.60	5785.000	5725 to 5850	Pass
					50	3.60	5784.940	5725 to 5850	Pass
		5825	/	/	20	3.40	5825.000	5725 to 5850	Pass
						3.60	5824.940	5725 to 5850	Pass
						4.20	5824.980	5725 to 5850	Pass
					-30	3.60	5824.980	5725 to 5850	Pass
					-20	3.60	5824.960	5725 to 5850	Pass
					-10	3.60	5825.000	5725 to 5850	Pass
					0	3.60	5824.980	5725 to 5850	Pass
					10	3.60	5824.980	5725 to 5850	Pass
					30	3.60	5824.940	5725 to 5850	Pass
					40	3.60	5824.960	5725 to 5850	Pass
					50	3.60	5824.940	5725 to 5850	Pass
802.11ac (VHT40)	MIMO	5190	/	/	20	3.40	5190.040	5150 to 5250	Pass
						3.60	5190.040	5150 to 5250	Pass
						4.20	5190.080	5150 to 5250	Pass
					-30	3.60	5190.040	5150 to 5250	Pass
					-20	3.60	5190.040	5150 to 5250	Pass
					-10	3.60	5190.040	5150 to 5250	Pass
					0	3.60	5190.040	5150 to 5250	Pass
					10	3.60	5190.000	5150 to 5250	Pass
					30	3.60	5190.000	5150 to 5250	Pass
					40	3.60	5190.040	5150 to 5250	Pass
					50	3.60	5190.040	5150 to 5250	Pass
		5230	/	/	20	3.40	5230.040	5150 to 5250	Pass
						3.60	5230.040	5150 to 5250	Pass
						4.20	5230.040	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231200401905

Page: 504 of 519

					-30	3.60	5230.040	5150 to 5250	Pass
					-20	3.60	5230.040	5150 to 5250	Pass
					-10	3.60	5230.040	5150 to 5250	Pass
					0	3.60	5230.040	5150 to 5250	Pass
					10	3.60	5230.040	5150 to 5250	Pass
					30	3.60	5230.040	5150 to 5250	Pass
					40	3.60	5230.040	5150 to 5250	Pass
					50	3.60	5230.080	5150 to 5250	Pass
		5270	/	/	20	3.40	5270.040	5250 to 5350	Pass
						3.60	5270.040	5250 to 5350	Pass
						4.20	5270.040	5250 to 5350	Pass
					-30	3.60	5270.040	5250 to 5350	Pass
					-20	3.60	5270.080	5250 to 5350	Pass
					-10	3.60	5270.000	5250 to 5350	Pass
					0	3.60	5270.000	5250 to 5350	Pass
					10	3.60	5270.040	5250 to 5350	Pass
					30	3.60	5270.040	5250 to 5350	Pass
					40	3.60	5270.000	5250 to 5350	Pass
					50	3.60	5270.040	5250 to 5350	Pass
		5310	/	/	20	3.40	5310.040	5250 to 5350	Pass
						3.60	5310.040	5250 to 5350	Pass
						4.20	5310.000	5250 to 5350	Pass
					-30	3.60	5310.040	5250 to 5350	Pass
					-20	3.60	5310.000	5250 to 5350	Pass
					-10	3.60	5310.040	5250 to 5350	Pass
					0	3.60	5310.000	5250 to 5350	Pass
					10	3.60	5310.000	5250 to 5350	Pass
					30	3.60	5310.080	5250 to 5350	Pass
					40	3.60	5310.000	5250 to 5350	Pass
					50	3.60	5310.040	5250 to 5350	Pass
		5510	/	/	20	3.40	5510.040	5470 to 5725	Pass
						3.60	5510.000	5470 to 5725	Pass
						4.20	5510.000	5470 to 5725	Pass
					-30	3.60	5510.000	5470 to 5725	Pass
					-20	3.60	5510.000	5470 to 5725	Pass
					-10	3.60	5510.000	5470 to 5725	Pass
					0	3.60	5510.000	5470 to 5725	Pass
					10	3.60	5510.040	5470 to 5725	Pass
					30	3.60	5510.000	5470 to 5725	Pass
					40	3.60	5510.040	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231200401905

Page: 505 of 519

				50	3.60	5510.040	5470 to 5725	Pass
				20	3.40	5550.040	5470 to 5725	Pass
					3.60	5550.000	5470 to 5725	Pass
					4.20	5550.040	5470 to 5725	Pass
				-30	3.60	5550.040	5470 to 5725	Pass
				-20	3.60	5550.040	5470 to 5725	Pass
		5550	/	-10	3.60	5550.040	5470 to 5725	Pass
				0	3.60	5550.040	5470 to 5725	Pass
				10	3.60	5550.040	5470 to 5725	Pass
				30	3.60	5550.000	5470 to 5725	Pass
				40	3.60	5550.040	5470 to 5725	Pass
				50	3.60	5550.040	5470 to 5725	Pass
				20	3.40	5670.000	5470 to 5725	Pass
					3.60	5670.000	5470 to 5725	Pass
					4.20	5670.000	5470 to 5725	Pass
				-30	3.60	5670.040	5470 to 5725	Pass
				-20	3.60	5670.040	5470 to 5725	Pass
		5670	/	-10	3.60	5670.000	5470 to 5725	Pass
				0	3.60	5670.040	5470 to 5725	Pass
				10	3.60	5670.040	5470 to 5725	Pass
				30	3.60	5670.000	5470 to 5725	Pass
				40	3.60	5669.960	5470 to 5725	Pass
				50	3.60	5670.040	5470 to 5725	Pass
				20	3.40	5755.000	5725 to 5850	Pass
					3.60	5755.000	5725 to 5850	Pass
					4.20	5755.000	5725 to 5850	Pass
				-30	3.60	5754.960	5725 to 5850	Pass
				-20	3.60	5754.960	5725 to 5850	Pass
		5755	/	-10	3.60	5754.960	5725 to 5850	Pass
				0	3.60	5755.040	5725 to 5850	Pass
				10	3.60	5754.960	5725 to 5850	Pass
				30	3.60	5755.000	5725 to 5850	Pass
				40	3.60	5754.960	5725 to 5850	Pass
				50	3.60	5755.000	5725 to 5850	Pass
				20	3.40	5795.040	5725 to 5850	Pass
					3.60	5795.040	5725 to 5850	Pass
					4.20	5795.040	5725 to 5850	Pass
				-30	3.60	5795.000	5725 to 5850	Pass
				-20	3.60	5795.040	5725 to 5850	Pass
		5795	/	-10	3.60	5795.040	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231200401905

Page: 506 of 519

					0	3.60	5795.040	5725 to 5850	Pass
					10	3.60	5795.000	5725 to 5850	Pass
					30	3.60	5795.040	5725 to 5850	Pass
					40	3.60	5795.040	5725 to 5850	Pass
					50	3.60	5795.040	5725 to 5850	Pass
802.11ac (VHT80)	MIMO	5210	/	/	20	3.40	5210.150	5150 to 5250	Pass
						3.60	5210.075	5150 to 5250	Pass
						4.20	5210.075	5150 to 5250	Pass
					-30	3.60	5210.075	5150 to 5250	Pass
					-20	3.60	5210.150	5150 to 5250	Pass
					-10	3.60	5210.150	5150 to 5250	Pass
					0	3.60	5210.075	5150 to 5250	Pass
					10	3.60	5210.075	5150 to 5250	Pass
					30	3.60	5210.075	5150 to 5250	Pass
					40	3.60	5210.075	5150 to 5250	Pass
					50	3.60	5210.075	5150 to 5250	Pass
		5290	/	/	20	3.40	5290.000	5250 to 5350	Pass
						3.60	5290.000	5250 to 5350	Pass
						4.20	5290.075	5250 to 5350	Pass
					-30	3.60	5290.000	5250 to 5350	Pass
					-20	3.60	5290.000	5250 to 5350	Pass
					-10	3.60	5290.075	5250 to 5350	Pass
					0	3.60	5290.000	5250 to 5350	Pass
					10	3.60	5290.000	5250 to 5350	Pass
					30	3.60	5290.000	5250 to 5350	Pass
					40	3.60	5290.000	5250 to 5350	Pass
					50	3.60	5290.000	5250 to 5350	Pass
		5530	/	/	20	3.40	5530.075	5470 to 5725	Pass
						3.60	5530.075	5470 to 5725	Pass
						4.20	5530.150	5470 to 5725	Pass
					-30	3.60	5530.000	5470 to 5725	Pass
					-20	3.60	5530.075	5470 to 5725	Pass
					-10	3.60	5530.075	5470 to 5725	Pass
					0	3.60	5530.075	5470 to 5725	Pass
					10	3.60	5530.075	5470 to 5725	Pass
					30	3.60	5530.000	5470 to 5725	Pass
					40	3.60	5530.000	5470 to 5725	Pass
					50	3.60	5530.075	5470 to 5725	Pass
		5610	/	/	20	3.40	5610.000	5470 to 5725	Pass
						3.60	5610.000	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231200401905

Page: 507 of 519

802.11ac (VHT160)	MIMO					4.20	5610.000	5470 to 5725	Pass
					-30	3.60	5610.075	5470 to 5725	Pass
					-20	3.60	5610.000	5470 to 5725	Pass
					-10	3.60	5610.000	5470 to 5725	Pass
					0	3.60	5610.000	5470 to 5725	Pass
					10	3.60	5609.925	5470 to 5725	Pass
					30	3.60	5610.000	5470 to 5725	Pass
					40	3.60	5610.075	5470 to 5725	Pass
					50	3.60	5610.075	5470 to 5725	Pass
		5775	/	/	20	3.40	5774.925	5725 to 5850	Pass
						3.60	5775.000	5725 to 5850	Pass
						4.20	5775.000	5725 to 5850	Pass
					-30	3.60	5775.000	5725 to 5850	Pass
					-20	3.60	5775.075	5725 to 5850	Pass
					-10	3.60	5775.000	5725 to 5850	Pass
					0	3.60	5775.000	5725 to 5850	Pass
					10	3.60	5774.925	5725 to 5850	Pass
					30	3.60	5775.000	5725 to 5850	Pass
					40	3.60	5775.000	5725 to 5850	Pass
					50	3.60	5775.000	5725 to 5850	Pass
		5570	/	/	20	3.40	5570.000	5470 to 5725	Pass
						3.60	5570.000	5470 to 5725	Pass
						4.20	5570.000	5470 to 5725	Pass
					-30	3.60	5570.000	5470 to 5725	Pass
					-20	3.60	5570.000	5470 to 5725	Pass
					-10	3.60	5570.000	5470 to 5725	Pass
					0	3.60	5570.075	5470 to 5725	Pass
					10	3.60	5570.000	5470 to 5725	Pass
					30	3.60	5570.075	5470 to 5725	Pass
					40	3.60	5570.075	5470 to 5725	Pass
					50	3.60	5569.925	5470 to 5725	Pass
		5250	/	/	20	3.40	5250.000	5150 to 5350	Pass
						3.60	5250.075	5150 to 5350	Pass
						4.20	5250.075	5150 to 5350	Pass
					-30	3.60	5250.075	5150 to 5350	Pass
					-20	3.60	5250.075	5150 to 5350	Pass
					-10	3.60	5250.075	5150 to 5350	Pass
					0	3.60	5250.000	5150 to 5350	Pass
					10	3.60	5250.075	5150 to 5350	Pass
					30	3.60	5250.000	5150 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231200401905

Page: 508 of 519

					40	3.60	5250.075	5150 to 5350	Pass
					50	3.60	5250.000	5150 to 5350	Pass
802.11ax (HEW20)	MIMO	5180	RU242	Left	20	3.40	5180.020	5150 to 5250	Pass
						3.60	5180.020	5150 to 5250	Pass
						4.20	5180.000	5150 to 5250	Pass
					-30	3.60	5180.040	5150 to 5250	Pass
					-20	3.60	5180.020	5150 to 5250	Pass
					-10	3.60	5180.040	5150 to 5250	Pass
					0	3.60	5180.040	5150 to 5250	Pass
					10	3.60	5180.020	5150 to 5250	Pass
					30	3.60	5180.000	5150 to 5250	Pass
					40	3.60	5180.020	5150 to 5250	Pass
					50	3.60	5180.060	5150 to 5250	Pass
		5200	RU242	Left	20	3.40	5200.020	5150 to 5250	Pass
						3.60	5199.940	5150 to 5250	Pass
						4.20	5200.000	5150 to 5250	Pass
					-30	3.60	5200.000	5150 to 5250	Pass
					-20	3.60	5199.980	5150 to 5250	Pass
					-10	3.60	5199.960	5150 to 5250	Pass
					0	3.60	5200.100	5150 to 5250	Pass
					10	3.60	5200.000	5150 to 5250	Pass
					30	3.60	5200.000	5150 to 5250	Pass
					40	3.60	5200.000	5150 to 5250	Pass
					50	3.60	5200.000	5150 to 5250	Pass
		5240	RU242	Left	20	3.40	5240.040	5150 to 5250	Pass
						3.60	5240.000	5150 to 5250	Pass
						4.20	5240.000	5150 to 5250	Pass
					-30	3.60	5240.040	5150 to 5250	Pass
					-20	3.60	5240.000	5150 to 5250	Pass
					-10	3.60	5239.960	5150 to 5250	Pass
					0	3.60	5240.020	5150 to 5250	Pass
					10	3.60	5240.020	5150 to 5250	Pass
					30	3.60	5240.000	5150 to 5250	Pass
					40	3.60	5240.000	5150 to 5250	Pass
					50	3.60	5240.000	5150 to 5250	Pass
		5260	RU242	Left	20	3.40	5260.020	5250 to 5350	Pass
						3.60	5260.020	5250 to 5350	Pass
						4.20	5260.040	5250 to 5350	Pass
					-30	3.60	5260.000	5250 to 5350	Pass
					-20	3.60	5260.020	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231200401905

Page: 509 of 519

					-10	3.60	5260.000	5250 to 5350	Pass
					0	3.60	5260.020	5250 to 5350	Pass
					10	3.60	5260.000	5250 to 5350	Pass
					30	3.60	5260.020	5250 to 5350	Pass
					40	3.60	5260.000	5250 to 5350	Pass
					50	3.60	5260.000	5250 to 5350	Pass
		5300	RU242	Left	20	3.40	5299.980	5250 to 5350	Pass
						3.60	5300.020	5250 to 5350	Pass
						4.20	5300.040	5250 to 5350	Pass
					-30	3.60	5300.020	5250 to 5350	Pass
					-20	3.60	5300.020	5250 to 5350	Pass
					-10	3.60	5300.000	5250 to 5350	Pass
					0	3.60	5300.000	5250 to 5350	Pass
					10	3.60	5300.040	5250 to 5350	Pass
					30	3.60	5299.980	5250 to 5350	Pass
					40	3.60	5300.020	5250 to 5350	Pass
					50	3.60	5300.020	5250 to 5350	Pass
		5320	RU242	Left	20	3.40	5320.020	5250 to 5350	Pass
						3.60	5320.040	5250 to 5350	Pass
						4.20	5320.000	5250 to 5350	Pass
					-30	3.60	5319.980	5250 to 5350	Pass
					-20	3.60	5319.960	5250 to 5350	Pass
					-10	3.60	5319.980	5250 to 5350	Pass
					0	3.60	5320.000	5250 to 5350	Pass
					10	3.60	5319.980	5250 to 5350	Pass
					30	3.60	5319.980	5250 to 5350	Pass
					40	3.60	5319.980	5250 to 5350	Pass
					50	3.60	5319.960	5250 to 5350	Pass
		5500	RU242	Left	20	3.40	5499.980	5470 to 5725	Pass
						3.60	5499.940	5470 to 5725	Pass
						4.20	5500.000	5470 to 5725	Pass
					-30	3.60	5500.000	5470 to 5725	Pass
					-20	3.60	5499.960	5470 to 5725	Pass
					-10	3.60	5500.000	5470 to 5725	Pass
					0	3.60	5500.000	5470 to 5725	Pass
					10	3.60	5500.000	5470 to 5725	Pass
					30	3.60	5499.980	5470 to 5725	Pass
					40	3.60	5500.020	5470 to 5725	Pass
					50	3.60	5499.940	5470 to 5725	Pass
		5580	RU242	Left	20	3.40	5580.000	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231200401905

Page: 510 of 519

						3.60	5579.960	5470 to 5725	Pass
						4.20	5580.000	5470 to 5725	Pass
					-30	3.60	5579.960	5470 to 5725	Pass
					-20	3.60	5580.020	5470 to 5725	Pass
					-10	3.60	5580.000	5470 to 5725	Pass
					0	3.60	5580.000	5470 to 5725	Pass
					10	3.60	5580.020	5470 to 5725	Pass
					30	3.60	5579.960	5470 to 5725	Pass
					40	3.60	5579.960	5470 to 5725	Pass
					50	3.60	5580.080	5470 to 5725	Pass
		5700	RU242	Left	20	3.40	5700.000	5470 to 5725	Pass
						3.60	5699.960	5470 to 5725	Pass
						4.20	5700.020	5470 to 5725	Pass
					-30	3.60	5700.040	5470 to 5725	Pass
					-20	3.60	5699.980	5470 to 5725	Pass
					-10	3.60	5699.980	5470 to 5725	Pass
					0	3.60	5699.960	5470 to 5725	Pass
					10	3.60	5700.000	5470 to 5725	Pass
					30	3.60	5699.980	5470 to 5725	Pass
					40	3.60	5700.000	5470 to 5725	Pass
					50	3.60	5700.000	5470 to 5725	Pass
		5745	RU242	Left	20	3.40	5745.020	5725 to 5850	Pass
						3.60	5745.000	5725 to 5850	Pass
						4.20	5745.020	5725 to 5850	Pass
					-30	3.60	5744.980	5725 to 5850	Pass
					-20	3.60	5745.000	5725 to 5850	Pass
					-10	3.60	5745.000	5725 to 5850	Pass
					0	3.60	5745.000	5725 to 5850	Pass
					10	3.60	5744.980	5725 to 5850	Pass
					30	3.60	5744.980	5725 to 5850	Pass
					40	3.60	5745.020	5725 to 5850	Pass
					50	3.60	5745.000	5725 to 5850	Pass
		5785	RU242	Left	20	3.40	5785.000	5725 to 5850	Pass
						3.60	5785.000	5725 to 5850	Pass
						4.20	5785.040	5725 to 5850	Pass
					-30	3.60	5785.000	5725 to 5850	Pass
					-20	3.60	5784.980	5725 to 5850	Pass
					-10	3.60	5785.000	5725 to 5850	Pass
					0	3.60	5785.000	5725 to 5850	Pass
					10	3.60	5785.000	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231200401905

Page: 511 of 519

		5825	RU242	Left	30	3.60	5785.040	5725 to 5850	Pass
					40	3.60	5785.000	5725 to 5850	Pass
					50	3.60	5785.000	5725 to 5850	Pass
					20	3.40	5825.000	5725 to 5850	Pass
						3.60	5825.000	5725 to 5850	Pass
						4.20	5824.980	5725 to 5850	Pass
					-30	3.60	5825.000	5725 to 5850	Pass
					-20	3.60	5824.960	5725 to 5850	Pass
					-10	3.60	5824.940	5725 to 5850	Pass
					0	3.60	5825.000	5725 to 5850	Pass
					10	3.60	5824.960	5725 to 5850	Pass
					30	3.60	5824.960	5725 to 5850	Pass
					40	3.60	5825.000	5725 to 5850	Pass
					50	3.60	5824.980	5725 to 5850	Pass
802.11ax (HEW40)	MIMO	5190	RU484	Left	20	3.40	5190.040	5150 to 5250	Pass
						3.60	5190.040	5150 to 5250	Pass
						4.20	5190.3.60	5150 to 5250	Pass
					-30	3.60	5190.080	5150 to 5250	Pass
					-20	3.60	5190.000	5150 to 5250	Pass
					-10	3.60	5190.040	5150 to 5250	Pass
					0	3.60	5190.080	5150 to 5250	Pass
					10	3.60	5190.040	5150 to 5250	Pass
					30	3.60	5190.000	5150 to 5250	Pass
					40	3.60	5190.000	5150 to 5250	Pass
		5230	RU484	Left	50	3.60	5190.040	5150 to 5250	Pass
					20	3.40	5230.080	5150 to 5250	Pass
						3.60	5230.080	5150 to 5250	Pass
						4.20	5230.080	5150 to 5250	Pass
					-30	3.60	5230.080	5150 to 5250	Pass
					-20	3.60	5230.080	5150 to 5250	Pass
					-10	3.60	5230.080	5150 to 5250	Pass
					0	3.60	5230.080	5150 to 5250	Pass
					10	3.60	5230.080	5150 to 5250	Pass
					30	3.60	5230.040	5150 to 5250	Pass
					40	3.60	5230.040	5150 to 5250	Pass
					50	3.60	5230.040	5150 to 5250	Pass
		5270	RU484	Left	20	3.40	5270.000	5250 to 5350	Pass
						3.60	5270.3.60	5250 to 5350	Pass
						4.20	5270.000	5250 to 5350	Pass
					-30	3.60	5270.040	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231200401905

Page: 512 of 519

					-20	3.60	5270.080	5250 to 5350	Pass
					-10	3.60	5270.040	5250 to 5350	Pass
					0	3.60	5270.040	5250 to 5350	Pass
					10	3.60	5270.040	5250 to 5350	Pass
					30	3.60	5270.000	5250 to 5350	Pass
					40	3.60	5270.000	5250 to 5350	Pass
					50	3.60	5270.040	5250 to 5350	Pass
		5310	RU484	Left	20	3.40	5310.040	5250 to 5350	Pass
						3.60	5310.080	5250 to 5350	Pass
						4.20	5310.040	5250 to 5350	Pass
					-30	3.60	5309.960	5250 to 5350	Pass
					-20	3.60	5310.000	5250 to 5350	Pass
					-10	3.60	5310.040	5250 to 5350	Pass
					0	3.60	5310.000	5250 to 5350	Pass
					10	3.60	5309.960	5250 to 5350	Pass
					30	3.60	5310.040	5250 to 5350	Pass
					40	3.60	5310.040	5250 to 5350	Pass
					50	3.60	5310.040	5250 to 5350	Pass
		5510	RU484	Left	20	3.40	5510.000	5470 to 5725	Pass
						3.60	5510.040	5470 to 5725	Pass
						4.20	5509.960	5470 to 5725	Pass
					-30	3.60	5510.040	5470 to 5725	Pass
					-20	3.60	5510.040	5470 to 5725	Pass
					-10	3.60	5510.080	5470 to 5725	Pass
					0	3.60	5510.080	5470 to 5725	Pass
					10	3.60	5510.080	5470 to 5725	Pass
					30	3.60	5510.040	5470 to 5725	Pass
					40	3.60	5510.000	5470 to 5725	Pass
					50	3.60	5510.040	5470 to 5725	Pass
		5550	RU484	Left	20	3.40	5550.040	5470 to 5725	Pass
						3.60	5550.040	5470 to 5725	Pass
						4.20	5550.040	5470 to 5725	Pass
					-30	3.60	5550.040	5470 to 5725	Pass
					-20	3.60	5550.000	5470 to 5725	Pass
					-10	3.60	5550.040	5470 to 5725	Pass
					0	3.60	5550.040	5470 to 5725	Pass
					10	3.60	5550.080	5470 to 5725	Pass
					30	3.60	5550.040	5470 to 5725	Pass
					40	3.60	5550.000	5470 to 5725	Pass
					50	3.60	5550.040	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231200401905

Page: 513 of 519

		5670	RU484	Left	20	3.40	5670.080	5470 to 5725	Pass
						3.60	5670.040	5470 to 5725	Pass
						4.20	5670.040	5470 to 5725	Pass
					-30	3.60	5670.040	5470 to 5725	Pass
					-20	3.60	5670.080	5470 to 5725	Pass
					-10	3.60	5670.040	5470 to 5725	Pass
					0	3.60	5670.040	5470 to 5725	Pass
					10	3.60	5670.040	5470 to 5725	Pass
					30	3.60	5670.080	5470 to 5725	Pass
					40	3.60	5670.080	5470 to 5725	Pass
					50	3.60	5670.000	5470 to 5725	Pass
		5755	RU484	Left	20	3.40	5755.040	5725 to 5850	Pass
						3.60	5755.040	5725 to 5850	Pass
						4.20	5755.000	5725 to 5850	Pass
					-30	3.60	5755.000	5725 to 5850	Pass
					-20	3.60	5755.000	5725 to 5850	Pass
					-10	3.60	5755.040	5725 to 5850	Pass
					0	3.60	5755.040	5725 to 5850	Pass
					10	3.60	5755.040	5725 to 5850	Pass
					30	3.60	5755.040	5725 to 5850	Pass
					40	3.60	5755.040	5725 to 5850	Pass
					50	3.60	5755.040	5725 to 5850	Pass
		5795	RU484	Left	20	3.40	5795.040	5725 to 5850	Pass
						3.60	5795.000	5725 to 5850	Pass
						4.20	5795.000	5725 to 5850	Pass
					-30	3.60	5795.000	5725 to 5850	Pass
					-20	3.60	5795.040	5725 to 5850	Pass
					-10	3.60	5794.960	5725 to 5850	Pass
					0	3.60	5795.040	5725 to 5850	Pass
					10	3.60	5795.040	5725 to 5850	Pass
					30	3.60	5794.960	5725 to 5850	Pass
					40	3.60	5795.000	5725 to 5850	Pass
					50	3.60	5795.040	5725 to 5850	Pass
802.11ax (HEW80)	MIMO	5210	RU996	Left	20	3.40	5210.075	5150 to 5250	Pass
						3.60	5210.075	5150 to 5250	Pass
						4.20	5210.150	5150 to 5250	Pass
					-30	3.60	5210.075	5150 to 5250	Pass
					-20	3.60	5210.150	5150 to 5250	Pass
					-10	3.60	5210.075	5150 to 5250	Pass
					0	3.60	5210.075	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231200401905

Page: 514 of 519

					10	3.60	5210.075	5150 to 5250	Pass
					30	3.60	5210.075	5150 to 5250	Pass
					40	3.60	5210.075	5150 to 5250	Pass
					50	3.60	5210.075	5150 to 5250	Pass
		5290	RU996	Left	20	3.40	5290.075	5250 to 5350	Pass
						3.60	5290.075	5250 to 5350	Pass
						4.20	5290.000	5250 to 5350	Pass
					-30	3.60	5290.075	5250 to 5350	Pass
					-20	3.60	5290.000	5250 to 5350	Pass
					-10	3.60	5290.075	5250 to 5350	Pass
					0	3.60	5290.000	5250 to 5350	Pass
					10	3.60	5290.075	5250 to 5350	Pass
					30	3.60	5290.075	5250 to 5350	Pass
					40	3.60	5290.075	5250 to 5350	Pass
					50	3.60	5289.925	5250 to 5350	Pass
		5530	RU996	Left	20	3.40	5530.075	5470 to 5725	Pass
						3.60	5530.000	5470 to 5725	Pass
						4.20	5530.075	5470 to 5725	Pass
					-30	3.60	5530.075	5470 to 5725	Pass
					-20	3.60	5530.075	5470 to 5725	Pass
					-10	3.60	5530.075	5470 to 5725	Pass
					0	3.60	5530.075	5470 to 5725	Pass
					10	3.60	5530.075	5470 to 5725	Pass
					30	3.60	5530.075	5470 to 5725	Pass
					40	3.60	5530.075	5470 to 5725	Pass
					50	3.60	5530.075	5470 to 5725	Pass
		5610	RU996	Left	20	3.40	5610.000	5470 to 5725	Pass
						3.60	5610.000	5470 to 5725	Pass
						4.20	5610.075	5470 to 5725	Pass
					-30	3.60	5610.000	5470 to 5725	Pass
					-20	3.60	5610.075	5470 to 5725	Pass
					-10	3.60	5610.075	5470 to 5725	Pass
					0	3.60	5610.075	5470 to 5725	Pass
					10	3.60	5610.075	5470 to 5725	Pass
					30	3.60	5610.150	5470 to 5725	Pass
					40	3.60	5610.000	5470 to 5725	Pass
					50	3.60	5610.000	5470 to 5725	Pass
		5775	RU996	Left	20	3.40	5775.075	5725 to 5850	Pass
						3.60	5775.075	5725 to 5850	Pass
						4.20	5775.075	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231200401905

Page: 515 of 519

					-30	3.60	5775.075	5725 to 5850	Pass
					-20	3.60	5774.925	5725 to 5850	Pass
					-10	3.60	5775.000	5725 to 5850	Pass
					0	3.60	5775.075	5725 to 5850	Pass
					10	3.60	5775.000	5725 to 5850	Pass
					30	3.60	5775.075	5725 to 5850	Pass
					40	3.60	5775.000	5725 to 5850	Pass
					50	3.60	5775.075	5725 to 5850	Pass
802.11ax (HEW160)	MIMO	5570	2xRU996	Left	20	3.40	5570.075	5470 to 5725	Pass
						3.60	5570.000	5470 to 5725	Pass
						4.20	5570.000	5470 to 5725	Pass
					-30	3.60	5570.000	5470 to 5725	Pass
					-20	3.60	5570.075	5470 to 5725	Pass
					-10	3.60	5570.075	5470 to 5725	Pass
					0	3.60	5570.000	5470 to 5725	Pass
					10	3.60	5570.075	5470 to 5725	Pass
					30	3.60	5570.000	5470 to 5725	Pass
					40	3.60	5570.075	5470 to 5725	Pass
					50	3.60	5570.075	5470 to 5725	Pass
		5250	2xRU996	Left	20	3.40	5250.000	5150 to 5350	Pass
						3.60	5250.075	5150 to 5350	Pass
						4.20	5250.075	5150 to 5350	Pass
					-30	3.60	5250.075	5150 to 5350	Pass
					-20	3.60	5250.000	5150 to 5350	Pass
					-10	3.60	5250.075	5150 to 5350	Pass
					0	3.60	5250.075	5150 to 5350	Pass
					10	3.60	5250.000	5150 to 5350	Pass
					30	3.60	5250.000	5150 to 5350	Pass
					40	3.60	5250.000	5150 to 5350	Pass
					50	3.60	5250.075	5150 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231200401905

Page: 516 of 519

DFS test:

Radar:



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231200401905

Page: 517 of 519

Channel move time & close transmission time:

5250MHz:





SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231200401905

Page: 518 of 519

5570MHz:



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231200401905


Page: 519 of 519

Non-occupancy period:

5250MHz:



5570MHz:



- End of the Report -