

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 115 of 139

Body worn:

Test position		SARmax (W/kg)									
		MAX. WWAN SAR(W/kg)	WLAN2.4G Ant1 SAR(W/kg)	WLAN2.4G Ant5 SAR(W/kg)	WLAN2.4G MIMO SAR(W/kg)	WLAN5G Ant1(W/kg)	WLAN5G Ant5(W/kg)	WLAN 5GMIMO(W/kg)	BT Ant1 SAR(W/kg)	BT Ant5 SAR(W/kg)	WLAN 6GMIMO SAR(W/kg)
		1	2	3	4	5	6	7	8	9	10
GSM1900	Front side	0.349	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.126	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
GSM1900	Front side	0.460	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.111	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
WCDMA B2	Front side	0.792	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.282	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
WCDMA B4	Front side	0.694	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.160	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
WCDMA B5	Front side	0.351	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.135	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
LTE B5	Front side	0.379	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.133	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
LTE B7	Front side	0.477	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.222	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
LTE B12	Front side	0.282	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.072	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
LTE B13	Front side	0.239	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.052	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
LTE B14	Front side	0.238	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.083	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
LTE B25	Front side	0.301	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.111	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
LTE B41	Front side	0.213	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.106	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
LTE B42	Front side	0.166	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.095	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
LTE B43	Front side	0.184	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.125	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
LTE B48	Front side	0.164	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.107	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
LTE B66	Front side	0.391	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.106	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
LTE B71	Front side	0.028	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.024	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
N12	Front side	0.322	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.000	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
N25	Front side	0.466	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.120	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
N41	Front side	0.389	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.331	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
N48	Front side	0.256	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.162	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
N66	Front side	0.814	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.225	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
N71	Front side	0.035	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.017	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
N77 Part 27Q	Front side	0.285	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.191	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
N77 Part 27O	Front side	0.186	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.166	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052

Test position		Summed SAR									
		1+2+9	1+3+8	1+2+6	1+3+5	1+4+7	1+4+10	1+5+9	1+6+8	1+7+8+9	1+8+9+10
GSM1900	Front side	0.455	0.421	0.499	0.547	0.582	0.475	0.492	0.410	0.495	0.388
	Back side	0.433	0.406	0.463	0.501	0.533	0.449	0.299	0.234	0.340	0.256
GSM1900	Front side	0.566	0.532	0.610	0.658	0.693	0.586	0.603	0.521	0.606	0.499
	Back side	0.418	0.391	0.448	0.486	0.518	0.434	0.284	0.219	0.325	0.241



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 116 of 139

WCDMA B2	Front side	0.898	0.864	0.942	0.990	1.025	0.918	0.935	0.853	0.938	0.831
	Back side	0.589	0.562	0.619	0.657	0.689	0.605	0.455	0.390	0.496	0.412
WCDMA B4	Front side	0.800	0.766	0.844	0.892	0.927	0.820	0.837	0.755	0.840	0.733
	Back side	0.467	0.440	0.497	0.535	0.567	0.483	0.333	0.268	0.374	0.290
WCDMA B5	Front side	0.457	0.423	0.501	0.549	0.584	0.477	0.494	0.412	0.497	0.390
	Back side	0.442	0.415	0.472	0.510	0.542	0.458	0.308	0.243	0.349	0.265
LTE B5	Front side	0.485	0.451	0.529	0.577	0.612	0.505	0.522	0.440	0.525	0.418
	Back side	0.440	0.413	0.470	0.508	0.540	0.456	0.306	0.241	0.347	0.263
LTE B7	Front side	0.583	0.549	0.627	0.675	0.710	0.603	0.620	0.538	0.623	0.516
	Back side	0.529	0.502	0.559	0.597	0.629	0.545	0.395	0.330	0.436	0.352
LTE B12	Front side	0.388	0.354	0.432	0.480	0.515	0.408	0.425	0.343	0.428	0.321
	Back side	0.379	0.352	0.409	0.447	0.479	0.395	0.245	0.180	0.286	0.202
LTE B13	Front side	0.345	0.311	0.389	0.437	0.472	0.365	0.382	0.300	0.385	0.278
	Back side	0.359	0.332	0.389	0.427	0.459	0.375	0.225	0.160	0.266	0.182
LTE B14	Front side	0.344	0.310	0.388	0.436	0.471	0.364	0.381	0.299	0.384	0.277
	Back side	0.390	0.363	0.420	0.458	0.490	0.406	0.256	0.191	0.297	0.213
LTE B25	Front side	0.407	0.373	0.451	0.499	0.534	0.427	0.444	0.362	0.447	0.340
	Back side	0.418	0.391	0.448	0.486	0.518	0.434	0.284	0.219	0.325	0.241
LTE B41	Front side	0.319	0.285	0.363	0.411	0.446	0.339	0.356	0.274	0.359	0.252
	Back side	0.413	0.386	0.443	0.481	0.513	0.429	0.279	0.214	0.320	0.236
LTE B42	Front side	0.272	0.238	0.316	0.364	0.399	0.292	0.309	0.227	0.312	0.205
	Back side	0.402	0.375	0.432	0.470	0.502	0.418	0.268	0.203	0.309	0.225
LTE B43	Front side	0.290	0.256	0.334	0.382	0.417	0.310	0.327	0.245	0.330	0.223
	Back side	0.432	0.405	0.462	0.500	0.532	0.448	0.298	0.233	0.339	0.255
LTE B48	Front side	0.270	0.236	0.314	0.362	0.397	0.290	0.307	0.225	0.310	0.203
	Back side	0.414	0.387	0.444	0.482	0.514	0.430	0.280	0.215	0.321	0.237
LTE B66	Front side	0.497	0.463	0.541	0.589	0.624	0.517	0.534	0.452	0.537	0.430
	Back side	0.413	0.386	0.443	0.481	0.513	0.429	0.279	0.214	0.320	0.236
LTE B71	Front side	0.134	0.100	0.178	0.226	0.261	0.154	0.171	0.089	0.174	0.067
	Back side	0.331	0.304	0.361	0.399	0.431	0.347	0.197	0.132	0.238	0.154
N12	Front side	0.428	0.394	0.472	0.520	0.555	0.448	0.465	0.383	0.468	0.361
	Back side	0.307	0.280	0.337	0.375	0.407	0.323	0.173	0.108	0.214	0.130
N25	Front side	0.572	0.538	0.616	0.664	0.699	0.592	0.609	0.527	0.612	0.505
	Back side	0.427	0.400	0.457	0.495	0.527	0.443	0.293	0.228	0.334	0.250
N41	Front side	0.495	0.461	0.539	0.587	0.622	0.515	0.532	0.450	0.535	0.428
	Back side	0.638	0.611	0.668	0.706	0.738	0.654	0.504	0.439	0.545	0.461
N48	Front side	0.362	0.328	0.406	0.454	0.489	0.382	0.399	0.317	0.402	0.295
	Back side	0.469	0.442	0.499	0.537	0.569	0.485	0.335	0.270	0.376	0.292
N66	Front side	0.920	0.886	0.964	1.012	1.047	0.940	0.957	0.875	0.960	0.853
	Back side	0.532	0.505	0.562	0.600	0.632	0.548	0.398	0.333	0.439	0.355
N71	Front side	0.141	0.107	0.185	0.233	0.268	0.161	0.178	0.096	0.181	0.074
	Back side	0.324	0.297	0.354	0.392	0.424	0.340	0.190	0.125	0.231	0.147
N77 Part 27Q	Front side	0.391	0.357	0.435	0.483	0.518	0.411	0.428	0.346	0.431	0.324
	Back side	0.498	0.471	0.528	0.566	0.598	0.514	0.364	0.299	0.405	0.321
N77 Part 27O	Front side	0.292	0.258	0.336	0.384	0.419	0.312	0.329	0.247	0.332	0.225
	Back side	0.473	0.446	0.503	0.541	0.573	0.489	0.339	0.274	0.380	0.296

Test position		SARmax (W/kg)									
		MAX. WWAN SAR(W/kg)	WLAN2.4G Ant1 SAR(W/kg)	WLAN2.4G Ant5 SAR(W/kg)	WLAN2.4G MIMO SAR(W/kg)	WLAN5G Ant1(W/kg)	WLAN5G Ant5(W/kg)	WLAN 5GMIMO(W/kg)	BT Ant1 SAR(W/kg)	BT Ant5 SAR(W/kg)	WLAN 6GMIMO SAR(W/kg)
		1	2	3	4	5	6	7	8	9	10
DC_12A_n25A (DC_12A_n2A)	Front side	0.480	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.323	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
DC_12A_n66A	Front side	0.453	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.259	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
DC_12A_n77A (Part27Q)	Front side	0.567	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.263	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
DC_12A_n77A (Part27O)	Front side	0.468	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.238	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
DC_13A_n2A	Front side	0.437	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.303	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
DC_13A_n66A	Front side	0.410	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.239	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
DC_13A_n77A (Part27Q)	Front side	0.524	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.243	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
DC_13A_n77A	Front side	0.425	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 117 of 139

(Part270)	Back side	0.218	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
DC_14A_n2A	Front side	0.436	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.334	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
DC_14A_n66A	Front side	0.409	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.270	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
DC_14A_n77A (Part27Q)	Front side	0.523	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.274	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
DC_14A_n77A (Part27O)	Front side	0.424	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.249	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
DC_2A_n41A	Front side	0.690	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.442	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
DC_2A_n48A	Front side	0.557	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.273	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
DC_2A_n5A	Front side	0.589	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.111	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
DC_2A_n66A	Front side	0.472	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.298	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
DC_2A_n71A	Front side	0.336	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.128	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
DC_48A_n25A	Front side	0.630	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.227	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
DC_48A_n5A	Front side	0.452	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.107	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
DC_48A_n66A	Front side	0.978	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.332	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
DC_5A_n2A	Front side	0.577	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.384	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
DC_5A_n66A	Front side	0.550	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.320	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
DC_5A_n77A (Part27Q)	Front side	0.664	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.324	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
DC_5A_n77A (Part27O)	Front side	0.565	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.299	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
DC_66A_n25A	Front side	0.857	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.460	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
DC_66A_n48A	Front side	0.560	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.214	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
DC_66A_n5A	Front side	0.679	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.209	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
DC_66A_n71A	Front side	0.426	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.226	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
DC_66A_n77A (Part27Q)	Front side	0.676	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.400	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052
DC_66A_n77A (Part27O)	Front side	0.577	0.104	0.057	0.104	0.141	0.046	0.129	0.015	0.002	0.022
	Back side	0.375	0.271	0.238	0.271	0.137	0.066	0.136	0.042	0.036	0.052

Test position		Summed SAR									
		1+2+9	1+3+8	1+2+6	1+3+5	1+4+7	1+4+10	1+5+9	1+6+8	1+7+8+9	1+8+9+10
DC_12A_n25A (DC_12A_n2A)	Front side	0.586	0.552	0.630	0.678	0.713	0.606	0.623	0.541	0.626	0.519
	Back side	0.630	0.603	0.660	0.698	0.730	0.646	0.496	0.431	0.537	0.453
DC_12A_n66A	Front side	0.559	0.525	0.603	0.651	0.686	0.579	0.596	0.514	0.599	0.492
	Back side	0.566	0.539	0.596	0.634	0.666	0.582	0.432	0.367	0.473	0.389
DC_12A_n77A (Part27Q)	Front side	0.673	0.639	0.717	0.765	0.800	0.693	0.710	0.628	0.713	0.606
	Back side	0.570	0.543	0.600	0.638	0.670	0.586	0.436	0.371	0.477	0.393
DC_12A_n77A (Part27O)	Front side	0.574	0.540	0.618	0.666	0.701	0.594	0.611	0.529	0.614	0.507
	Back side	0.545	0.518	0.575	0.613	0.645	0.561	0.411	0.346	0.452	0.368
DC_13A_n2A	Front side	0.543	0.509	0.587	0.635	0.670	0.563	0.580	0.498	0.583	0.476
	Back side	0.610	0.583	0.640	0.678	0.710	0.626	0.476	0.411	0.517	0.433
DC_13A_n66A	Front side	0.516	0.482	0.560	0.608	0.643	0.536	0.553	0.471	0.556	0.449
	Back side	0.546	0.519	0.576	0.614	0.646	0.562	0.412	0.347	0.453	0.369
DC_13A_n77A (Part27Q)	Front side	0.630	0.596	0.674	0.722	0.757	0.650	0.667	0.585	0.670	0.563
	Back side	0.550	0.523	0.580	0.618	0.650	0.566	0.416	0.351	0.457	0.373
DC_13A_n77A (Part27O)	Front side	0.531	0.497	0.575	0.623	0.658	0.551	0.568	0.486	0.571	0.464
	Back side	0.525	0.498	0.555	0.593	0.625	0.541	0.391	0.326	0.432	0.348



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 118 of 139

DC_14A_n2A	Front side	0.542	0.508	0.586	0.634	0.669	0.562	0.579	0.497	0.582	0.475
	Back side	0.641	0.614	0.671	0.709	0.741	0.657	0.507	0.442	0.548	0.464
DC_14A_n66A	Front side	0.515	0.481	0.559	0.607	0.642	0.535	0.552	0.470	0.555	0.448
	Back side	0.577	0.550	0.607	0.645	0.677	0.593	0.443	0.378	0.484	0.400
DC_14A_n77A (Part27Q)	Front side	0.629	0.595	0.673	0.721	0.756	0.649	0.666	0.584	0.669	0.562
	Back side	0.581	0.554	0.611	0.649	0.681	0.597	0.447	0.382	0.488	0.404
DC_14A_n77A (Part27O)	Front side	0.530	0.496	0.574	0.622	0.657	0.550	0.567	0.485	0.570	0.463
	Back side	0.556	0.529	0.586	0.624	0.656	0.572	0.422	0.357	0.463	0.379
DC_2A_n41A	Front side	0.796	0.762	0.840	0.888	0.923	0.816	0.833	0.751	0.836	0.729
	Back side	0.749	0.722	0.779	0.817	0.849	0.765	0.615	0.550	0.656	0.572
DC_2A_n48A	Front side	0.663	0.629	0.707	0.755	0.790	0.683	0.700	0.618	0.703	0.596
	Back side	0.580	0.553	0.610	0.648	0.680	0.596	0.446	0.381	0.487	0.403
DC_2A_n5A	Front side	0.695	0.661	0.739	0.787	0.822	0.715	0.732	0.650	0.735	0.628
	Back side	0.418	0.391	0.448	0.486	0.518	0.434	0.284	0.219	0.325	0.241
DC_2A_n66A	Front side	0.578	0.544	0.622	0.670	0.705	0.598	0.615	0.533	0.618	0.511
	Back side	0.605	0.578	0.635	0.673	0.705	0.621	0.471	0.406	0.512	0.428
DC_2A_n71A	Front side	0.442	0.408	0.486	0.534	0.569	0.462	0.479	0.397	0.482	0.375
	Back side	0.435	0.408	0.465	0.503	0.535	0.451	0.301	0.236	0.342	0.258
DC_48A_n25A	Front side	0.736	0.702	0.780	0.828	0.863	0.756	0.773	0.691	0.776	0.669
	Back side	0.534	0.507	0.564	0.602	0.634	0.550	0.400	0.335	0.441	0.357
DC_48A_n5A	Front side	0.558	0.524	0.602	0.650	0.685	0.578	0.595	0.513	0.598	0.491
	Back side	0.414	0.387	0.444	0.482	0.514	0.430	0.280	0.215	0.321	0.237
DC_48A_n66A	Front side	1.084	1.050	1.128	1.176	1.211	1.104	1.121	1.039	1.124	1.017
	Back side	0.639	0.612	0.669	0.707	0.739	0.655	0.505	0.440	0.546	0.462
DC_5A_n2A	Front side	0.683	0.649	0.727	0.775	0.810	0.703	0.720	0.638	0.723	0.616
	Back side	0.691	0.664	0.721	0.759	0.791	0.707	0.557	0.492	0.598	0.514
DC_5A_n66A	Front side	0.656	0.622	0.700	0.748	0.783	0.676	0.693	0.611	0.696	0.589
	Back side	0.627	0.600	0.657	0.695	0.727	0.643	0.493	0.428	0.534	0.450
DC_5A_n77A (Part27Q)	Front side	0.770	0.736	0.814	0.862	0.897	0.790	0.807	0.725	0.810	0.703
	Back side	0.631	0.604	0.661	0.699	0.731	0.647	0.497	0.432	0.538	0.454
DC_5A_n77A (Part27O)	Front side	0.671	0.637	0.715	0.763	0.798	0.691	0.708	0.626	0.711	0.604
	Back side	0.606	0.579	0.636	0.674	0.706	0.622	0.472	0.407	0.513	0.429
DC_66A_n25A	Front side	0.963	0.929	1.007	1.055	1.090	0.983	1.000	0.918	1.003	0.896
	Back side	0.767	0.740	0.797	0.835	0.867	0.783	0.633	0.568	0.674	0.590
DC_66A_n48A	Front side	0.666	0.632	0.710	0.758	0.793	0.686	0.703	0.621	0.706	0.599
	Back side	0.521	0.494	0.551	0.589	0.621	0.537	0.387	0.322	0.428	0.344
DC_66A_n5A	Front side	0.785	0.751	0.829	0.877	0.912	0.805	0.822	0.740	0.825	0.718
	Back side	0.516	0.489	0.546	0.584	0.616	0.532	0.382	0.317	0.423	0.339
DC_66A_n71A	Front side	0.532	0.498	0.576	0.624	0.659	0.552	0.569	0.487	0.572	0.465
	Back side	0.533	0.506	0.563	0.601	0.633	0.549	0.399	0.334	0.440	0.356
DC_66A_n77A (Part27Q)	Front side	0.782	0.748	0.826	0.874	0.909	0.802	0.819	0.737	0.822	0.715
	Back side	0.707	0.680	0.737	0.775	0.807	0.723	0.573	0.508	0.614	0.530
DC_66A_n77A (Part27O)	Front side	0.683	0.649	0.727	0.775	0.810	0.703	0.720	0.638	0.723	0.616
	Back side	0.682	0.655	0.712	0.750	0.782	0.698	0.548	0.483	0.589	0.505



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 119 of 139

Hotspot:

Test position		SARmax (W/kg)								
		MAX. WWAN SAR(W/kg)	WLAN2.4G Ant1 SAR(W/kg)	WLAN2.4G Ant5 SAR(W/kg)	WLAN2.4G MIMO SAR(W/kg)	WLAN5G Ant1(W/kg)	WLAN5G Ant5(W/kg)	WLAN 5GMIMO(W/kg)	BT Ant1 SAR(W/kg)	BT Ant5 SAR(W/kg)
		1	2	3	4	5	6	7	8	9
GSM1900	Front side	0.349	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
	Back side	0.126	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.376	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.175	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
GSM1900	Front side	0.460	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
	Back side	0.111	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.217	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	1.164	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
WCDMA B2	Front side	0.488	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
	Back side	0.120	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.244	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	1.346	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
WCDMA B4	Front side	0.519	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
	Back side	0.116	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.273	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	1.140	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
WCDMA B5	Front side	0.351	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
	Back side	0.135	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.375	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.191	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
LTE B5	Front side	0.379	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
	Back side	0.133	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.428	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.211	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
LTE B7	Front side	0.477	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
	Back side	0.222	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.323	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	1.152	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
LTE B12	Front side	0.282	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
	Back side	0.072	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.198	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.238	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
LTE B13	Front side	0.239	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
	Back side	0.052	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.165	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.163	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
LTE B14	Front side	0.238	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
	Back side	0.083	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.167	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.145	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
LTE B25	Front side	0.166	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
	Back side	0.042	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.076	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.499	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
LTE B41	Front side	0.213	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
	Back side	0.106	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.189	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.662	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
LTE B42	Front side	0.104	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 120 of 139

	Back side	0.059	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.000	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.514	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.000	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
	Front side	0.130	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
LTE B43	Back side	0.068	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.000	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.552	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.000	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
	Front side	0.119	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
LTE B48	Back side	0.077	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.000	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.476	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.000	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
	Front side	0.240	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
LTE B66	Back side	0.051	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.105	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.602	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
	Front side	0.028	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
LTE B71	Back side	0.024	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.021	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.045	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
	Front side	0.322	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
N12	Back side	0.000	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.148	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.208	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
	Front side	0.466	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
N25	Back side	0.120	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.114	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.749	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
	Front side	0.183	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
N41	Back side	0.091	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.164	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.572	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
	Front side	0.169	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
N48	Back side	0.108	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.000	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.667	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.000	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
	Front side	0.151	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
N66	Back side	0.032	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.066	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.378	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
	Front side	0.035	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
N71	Back side	0.017	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.003	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.049	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
	Front side	0.112	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
N77 Part 27Q	Back side	0.106	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.000	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.401	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.000	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
	Front side	0.106	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
N77 Part 27O	Back side	0.094	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.000	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.436	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.000	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
	Front side	0.106	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 121 of 139

Test position		Summed SAR							
		1+2+9	1+3+8	1+2+6	1+3+5	1+4+7	1+5+9	1+6+8	1+7+8+9
GSM1900	Front side	0.437	0.421	0.468	0.498	0.425	0.443	0.397	0.426
	Back side	0.386	0.406	0.391	0.462	0.228	0.260	0.209	0.298
	Left side	0.488	0.645	0.576	0.645	0.670	0.488	0.576	0.762
	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
	Top side	0.254	0.204	0.254	0.405	0.295	0.401	0.200	0.316
GSM1900	Front side	0.548	0.532	0.579	0.609	0.536	0.554	0.508	0.537
	Back side	0.371	0.391	0.376	0.447	0.213	0.245	0.194	0.283
	Left side	0.329	0.486	0.417	0.486	0.511	0.329	0.417	0.603
	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
	Top side	1.243	1.193	1.243	1.394	1.284	1.390	1.189	1.305
WCDMA B2	Front side	0.576	0.560	0.607	0.637	0.564	0.582	0.536	0.565
	Back side	0.380	0.400	0.385	0.456	0.222	0.254	0.203	0.292
	Left side	0.356	0.513	0.444	0.513	0.538	0.356	0.444	0.630
	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
	Top side	1.425	1.375	1.425	1.576	1.466	1.572	1.371	1.487
WCDMA B4	Front side	0.607	0.591	0.638	0.668	0.595	0.613	0.567	0.596
	Back side	0.376	0.396	0.381	0.452	0.218	0.250	0.199	0.288
	Left side	0.385	0.542	0.473	0.542	0.567	0.385	0.473	0.659
	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
	Top side	1.219	1.169	1.219	1.370	1.260	1.366	1.165	1.281
WCDMA B5	Front side	0.439	0.423	0.470	0.500	0.427	0.445	0.399	0.428
	Back side	0.395	0.415	0.400	0.471	0.237	0.269	0.218	0.307
	Left side	0.487	0.644	0.575	0.644	0.669	0.487	0.575	0.761
	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
	Top side	0.270	0.220	0.270	0.421	0.311	0.417	0.216	0.332
LTE B5	Front side	0.467	0.451	0.498	0.528	0.455	0.473	0.427	0.456
	Back side	0.393	0.413	0.398	0.469	0.235	0.267	0.216	0.305
	Left side	0.540	0.697	0.628	0.697	0.722	0.540	0.628	0.814
	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
	Top side	0.290	0.240	0.290	0.441	0.331	0.437	0.236	0.352
LTE B7	Front side	0.565	0.549	0.596	0.626	0.553	0.571	0.525	0.554
	Back side	0.482	0.502	0.487	0.558	0.324	0.356	0.305	0.394
	Left side	0.435	0.592	0.523	0.592	0.617	0.435	0.523	0.709
	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
	Top side	1.231	1.181	1.231	1.382	1.272	1.378	1.177	1.293
LTE B12	Front side	0.370	0.354	0.401	0.431	0.358	0.376	0.330	0.359
	Back side	0.332	0.352	0.337	0.408	0.174	0.206	0.155	0.244
	Left side	0.310	0.467	0.398	0.467	0.492	0.310	0.398	0.584
	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
	Top side	0.317	0.267	0.317	0.468	0.358	0.464	0.263	0.379
LTE B13	Front side	0.327	0.311	0.358	0.388	0.315	0.333	0.287	0.316
	Back side	0.312	0.332	0.317	0.388	0.154	0.186	0.135	0.224
	Left side	0.277	0.434	0.365	0.434	0.459	0.277	0.365	0.551
	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
	Top side	0.242	0.192	0.242	0.393	0.283	0.389	0.188	0.304
LTE B14	Front side	0.326	0.310	0.357	0.387	0.314	0.332	0.286	0.315
	Back side	0.343	0.363	0.348	0.419	0.185	0.217	0.166	0.255
	Left side	0.279	0.436	0.367	0.436	0.461	0.279	0.367	0.553
	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
	Top side	0.224	0.174	0.224	0.375	0.265	0.371	0.170	0.286
LTE B25	Front side	0.254	0.238	0.285	0.315	0.242	0.260	0.214	0.243
	Back side	0.302	0.322	0.307	0.378	0.144	0.176	0.125	0.214
	Left side	0.188	0.345	0.276	0.345	0.370	0.188	0.276	0.462
	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
	Top side	0.578	0.528	0.578	0.729	0.619	0.725	0.524	0.640
LTE B41	Front side	0.301	0.285	0.332	0.362	0.289	0.307	0.261	0.290
	Back side	0.366	0.386	0.371	0.442	0.208	0.240	0.189	0.278
	Left side	0.301	0.458	0.389	0.458	0.483	0.301	0.389	0.575
	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
	Top side	0.741	0.691	0.741	0.892	0.782	0.888	0.687	0.803
LTE B42	Front side	0.192	0.176	0.223	0.253	0.180	0.198	0.152	0.181
	Back side	0.319	0.339	0.324	0.395	0.161	0.193	0.142	0.231
	Left side	0.112	0.269	0.200	0.269	0.294	0.112	0.200	0.386



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 122 of 139

LTE B43	Right side	1.091	0.694	1.091	0.682	0.673	0.681	0.693	0.851
	Top side	0.079	0.029	0.079	0.230	0.120	0.226	0.025	0.141
	Front side	0.218	0.202	0.249	0.279	0.206	0.224	0.178	0.207
	Back side	0.328	0.348	0.333	0.404	0.170	0.202	0.151	0.240
	Left side	0.112	0.269	0.200	0.269	0.294	0.112	0.200	0.386
LTE B48	Right side	1.129	0.732	1.129	0.720	0.711	0.719	0.731	0.889
	Top side	0.079	0.029	0.079	0.230	0.120	0.226	0.025	0.141
	Front side	0.207	0.191	0.238	0.268	0.195	0.213	0.167	0.196
	Back side	0.337	0.357	0.342	0.413	0.179	0.211	0.160	0.249
	Left side	0.112	0.269	0.200	0.269	0.294	0.112	0.200	0.386
LTE B66	Right side	1.053	0.656	1.053	0.644	0.635	0.643	0.655	0.813
	Top side	0.079	0.029	0.079	0.230	0.120	0.226	0.025	0.141
	Front side	0.328	0.312	0.359	0.389	0.316	0.334	0.288	0.317
	Back side	0.311	0.331	0.316	0.387	0.153	0.185	0.134	0.223
	Left side	0.217	0.374	0.305	0.374	0.399	0.217	0.305	0.491
LTE B71	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
	Top side	0.681	0.631	0.681	0.832	0.722	0.828	0.627	0.743
	Front side	0.116	0.100	0.147	0.177	0.104	0.122	0.076	0.105
	Back side	0.284	0.304	0.289	0.360	0.126	0.158	0.107	0.196
	Left side	0.133	0.290	0.221	0.290	0.315	0.133	0.221	0.407
N12	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
	Top side	0.124	0.074	0.124	0.275	0.165	0.271	0.070	0.186
	Front side	0.410	0.394	0.441	0.471	0.398	0.416	0.370	0.399
	Back side	0.260	0.280	0.265	0.336	0.102	0.134	0.083	0.172
	Left side	0.260	0.417	0.348	0.417	0.442	0.260	0.348	0.534
N25	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
	Top side	0.287	0.237	0.287	0.438	0.328	0.434	0.233	0.349
	Front side	0.554	0.538	0.585	0.615	0.542	0.560	0.514	0.543
	Back side	0.380	0.400	0.385	0.456	0.222	0.254	0.203	0.292
	Left side	0.226	0.383	0.314	0.383	0.408	0.226	0.314	0.500
N41	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
	Top side	0.828	0.778	0.828	0.979	0.869	0.975	0.774	0.890
	Front side	0.271	0.255	0.302	0.332	0.259	0.277	0.231	0.260
	Back side	0.351	0.371	0.356	0.427	0.193	0.225	0.174	0.263
	Left side	0.276	0.433	0.364	0.433	0.458	0.276	0.364	0.550
N48	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
	Top side	0.651	0.601	0.651	0.802	0.692	0.798	0.597	0.713
	Front side	0.257	0.241	0.288	0.318	0.245	0.263	0.217	0.246
	Back side	0.368	0.388	0.373	0.444	0.210	0.242	0.191	0.280
	Left side	0.112	0.269	0.200	0.269	0.294	0.112	0.200	0.386
N66	Right side	1.244	0.847	1.244	0.835	0.826	0.834	0.846	1.004
	Top side	0.079	0.029	0.079	0.230	0.120	0.226	0.025	0.141
	Front side	0.239	0.223	0.270	0.300	0.227	0.245	0.199	0.228
	Back side	0.292	0.312	0.297	0.368	0.134	0.166	0.115	0.204
	Left side	0.178	0.335	0.266	0.335	0.360	0.178	0.266	0.452
N71	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
	Top side	0.457	0.407	0.457	0.608	0.498	0.604	0.403	0.519
	Front side	0.123	0.107	0.154	0.184	0.111	0.129	0.083	0.112
	Back side	0.277	0.297	0.282	0.353	0.119	0.151	0.100	0.189
	Left side	0.115	0.272	0.203	0.272	0.297	0.115	0.203	0.389
N77 Part 27Q	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
	Top side	0.128	0.078	0.128	0.279	0.169	0.275	0.074	0.190
	Front side	0.200	0.184	0.231	0.261	0.188	0.206	0.160	0.189
	Back side	0.366	0.386	0.371	0.442	0.208	0.240	0.189	0.278
	Left side	0.112	0.269	0.200	0.269	0.294	0.112	0.200	0.386
N77 Part 27O	Right side	0.978	0.581	0.978	0.569	0.560	0.568	0.580	0.738
	Top side	0.079	0.029	0.079	0.230	0.120	0.226	0.025	0.141
	Front side	0.194	0.178	0.225	0.255	0.182	0.200	0.154	0.183
	Back side	0.354	0.374	0.359	0.430	0.196	0.228	0.177	0.266
	Left side	0.112	0.269	0.200	0.269	0.294	0.112	0.200	0.386
	Right side	1.013	0.616	1.013	0.604	0.595	0.603	0.615	0.773
	Top side	0.079	0.029	0.079	0.230	0.120	0.226	0.025	0.141



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 123 of 139

Test position		SARmax (W/kg)								
		MAX. WWAN SAR(W/kg)	WLAN2.4G Ant1 SAR(W/kg)	WLAN2.4G Ant5 SAR(W/kg)	WLAN2.4G MIMO SAR(W/kg)	WLAN5G Ant1(W/kg)	WLAN5G Ant5(W/kg)	WLAN 5GMIMO(W/kg)	BT Ant1 SAR(W/kg)	BT Ant5 SAR(W/kg)
		1	2	3	4	5	6	7	8	9
DC_12A_n25A (DC_12A_n2A)	Front side	0.480	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
	Back side	0.323	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.713	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.238	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
DC_12A_n66A	Front side	0.453	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
	Back side	0.259	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.532	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.238	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
DC_12A_n77A (Part27Q)	Front side	0.394	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
	Back side	0.178	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.198	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.401	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.238	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
DC_12A_n77A (Part27O)	Front side	0.388	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
	Back side	0.166	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.198	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.436	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.238	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
DC_13A_n2A	Front side	0.437	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
	Back side	0.303	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.680	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.163	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
DC_13A_n66A	Front side	0.410	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
	Back side	0.239	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.499	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.163	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
DC_13A_n77A (Part27Q)	Front side	0.351	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
	Back side	0.158	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.165	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.401	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.163	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
DC_13A_n77A (Part27O)	Front side	0.345	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
	Back side	0.146	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.165	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.436	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.163	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
DC_14A_n2A	Front side	0.436	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
	Back side	0.334	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.682	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.145	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
DC_14A_n66A	Front side	0.409	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
	Back side	0.270	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.501	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.145	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
DC_14A_n77A (Part27Q)	Front side	0.350	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
	Back side	0.189	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.167	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.401	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.145	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
DC_14A_n77A (Part27O)	Front side	0.344	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
	Back side	0.177	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.167	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.436	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.145	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
DC_2A_n41A	Front side	0.349	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 124 of 139

	Back side	0.340	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.314	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	1.071	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
	Front side	0.335	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
DC_2A_n48A	Back side	0.150	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.076	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.667	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.499	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
	Front side	0.454	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
DC_2A_n5A	Back side	0.046	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.517	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.744	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
	Front side	0.337	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
DC_2A_n66A	Back side	0.229	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.410	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.499	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
	Front side	0.201	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
DC_2A_n71A	Back side	0.063	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.153	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.548	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
	Front side	0.585	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
DC_48A_n25A	Back side	0.197	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.114	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.476	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.749	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
	Front side	0.407	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
DC_48A_n5A	Back side	0.077	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.367	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.476	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.245	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
	Front side	0.270	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
DC_48A_n66A	Back side	0.109	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.066	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.476	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.378	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
	Front side	0.577	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
DC_5A_n2A	Back side	0.384	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.943	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.211	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
	Front side	0.550	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
DC_5A_n66A	Back side	0.320	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.762	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.000	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.211	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
	Front side	0.491	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
DC_5A_n77A (Part27Q)	Back side	0.239	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.428	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.401	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.211	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
	Front side	0.485	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
DC_5A_n77A (Part27O)	Back side	0.227	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.428	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.436	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.211	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
	Front side	0.706	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
DC_66A_n25A	Back side	0.460	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	1.044	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.062	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	1.351	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
	Front side	0.409	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
DC_66A_n48A	Back side	0.159	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.105	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.667	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 125 of 139

	Top side	0.602	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
DC_66A_n5A	Front side	0.528	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
	Back side	0.209	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.896	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
	Right side	0.062	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
DC_66A_n71A	Top side	0.847	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
	Front side	0.275	0.086	0.057	0.016	0.092	0.033	0.060	0.015	0.002
	Back side	0.226	0.224	0.238	0.008	0.098	0.041	0.094	0.042	0.036
	Left side	0.532	0.000	0.269	0.020	0.000	0.200	0.274	0.000	0.112
DC_66A_n77A (Part27Q)	Right side	0.062	0.577	0.001	0.001	0.167	0.000	0.158	0.179	0.000
	Top side	0.651	0.079	0.004	0.004	0.226	0.000	0.116	0.025	0.000
	Front side	0.352	0.224	0.238	0.016	0.098	0.041	0.094	0.042	0.036
	Back side	0.315	0.000	0.269	0.008	0.000	0.200	0.274	0.000	0.112
DC_66A_n77A (Part27O)	Left side	0.529	0.577	0.001	0.020	0.167	0.000	0.158	0.179	0.000
	Right side	0.463	0.079	0.004	0.001	0.226	0.000	0.116	0.025	0.000
	Top side	0.602	0.086	0.057	0.004	0.092	0.033	0.060	0.015	0.002
	Front side	0.346	0.224	0.238	0.016	0.098	0.041	0.094	0.042	0.036
DC_66A_n77A (Part27O)	Back side	0.303	0.000	0.269	0.008	0.000	0.200	0.274	0.000	0.112
	Left side	0.529	0.577	0.001	0.020	0.167	0.000	0.158	0.179	0.000
	Right side	0.498	0.079	0.004	0.001	0.226	0.000	0.116	0.025	0.000
	Top side	0.602	0.086	0.057	0.004	0.092	0.033	0.060	0.015	0.002

Test position		Summed SAR							
		1+2+9	1+3+8	1+2+6	1+3+5	1+4+7	1+5+9	1+6+8	1+7+8+9
DC_12A_n25A (DC_12A_n2A)	Front side	0.568	0.552	0.599	0.629	0.556	0.574	0.528	0.557
	Back side	0.583	0.603	0.588	0.659	0.425	0.457	0.406	0.495
	Left side	0.825	0.982	0.913	0.982	1.007	0.825	0.913	1.099
	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
DC_12A_n66A	Top side	0.317	0.267	0.317	0.468	0.358	0.464	0.263	0.379
	Front side	0.541	0.525	0.572	0.602	0.529	0.547	0.501	0.530
	Back side	0.519	0.539	0.524	0.595	0.361	0.393	0.342	0.431
	Left side	0.644	0.801	0.732	0.801	0.826	0.644	0.732	0.918
DC_12A_n77A (Part27Q)	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
	Top side	0.317	0.267	0.317	0.468	0.358	0.464	0.263	0.379
	Front side	0.482	0.466	0.513	0.543	0.470	0.488	0.442	0.471
	Back side	0.438	0.458	0.443	0.514	0.280	0.312	0.261	0.350
DC_12A_n77A (Part27O)	Left side	0.310	0.467	0.398	0.467	0.492	0.310	0.398	0.584
	Right side	0.978	0.581	0.978	0.569	0.560	0.568	0.580	0.738
	Top side	0.317	0.267	0.317	0.468	0.358	0.464	0.263	0.379
	Front side	0.476	0.460	0.507	0.537	0.464	0.482	0.436	0.465
DC_13A_n2A	Back side	0.426	0.446	0.431	0.502	0.268	0.300	0.249	0.338
	Left side	0.310	0.467	0.398	0.467	0.492	0.310	0.398	0.584
	Right side	1.013	0.616	1.013	0.604	0.595	0.603	0.615	0.773
	Top side	0.317	0.267	0.317	0.468	0.358	0.464	0.263	0.379
DC_13A_n66A	Front side	0.525	0.509	0.556	0.586	0.513	0.531	0.485	0.514
	Back side	0.563	0.583	0.568	0.639	0.405	0.437	0.386	0.475
	Left side	0.792	0.949	0.880	0.949	0.974	0.792	0.880	1.066
	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
DC_13A_n77A (Part27Q)	Top side	0.242	0.192	0.242	0.393	0.283	0.389	0.188	0.304
	Front side	0.498	0.482	0.529	0.559	0.486	0.504	0.458	0.487
	Back side	0.499	0.519	0.504	0.575	0.341	0.373	0.322	0.411
	Left side	0.611	0.768	0.699	0.768	0.793	0.611	0.699	0.885
DC_13A_n77A (Part27O)	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
	Top side	0.242	0.192	0.242	0.393	0.283	0.389	0.188	0.304
	Front side	0.439	0.423	0.470	0.500	0.427	0.445	0.399	0.428
	Back side	0.418	0.438	0.423	0.494	0.260	0.292	0.241	0.330
DC_13A_n77A (Part27O)	Left side	0.277	0.434	0.365	0.434	0.459	0.277	0.365	0.551
	Right side	0.978	0.581	0.978	0.569	0.560	0.568	0.580	0.738
	Top side	0.242	0.192	0.242	0.393	0.283	0.389	0.188	0.304
	Front side	0.433	0.417	0.464	0.494	0.421	0.439	0.393	0.422
DC_13A_n77A (Part27O)	Back side	0.406	0.426	0.411	0.482	0.248	0.280	0.229	0.318
	Left side	0.277	0.434	0.365	0.434	0.459	0.277	0.365	0.551
	Right side	1.013	0.616	1.013	0.604	0.595	0.603	0.615	0.773
	Top side	0.242	0.192	0.242	0.393	0.283	0.389	0.188	0.304



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 126 of 139

DC_14A_n2A	Front side	0.524	0.508	0.555	0.585	0.512	0.530	0.484	0.513
	Back side	0.594	0.614	0.599	0.670	0.436	0.468	0.417	0.506
	Left side	0.794	0.951	0.882	0.951	0.976	0.794	0.882	1.068
	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
	Top side	0.224	0.174	0.224	0.375	0.265	0.371	0.170	0.286
DC_14A_n66A	Front side	0.497	0.481	0.528	0.558	0.485	0.503	0.457	0.486
	Back side	0.530	0.550	0.535	0.606	0.372	0.404	0.353	0.442
	Left side	0.613	0.770	0.701	0.770	0.795	0.613	0.701	0.887
	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
	Top side	0.224	0.174	0.224	0.375	0.265	0.371	0.170	0.286
DC_14A_n77A (Part27Q)	Front side	0.438	0.422	0.469	0.499	0.426	0.444	0.398	0.427
	Back side	0.449	0.469	0.454	0.525	0.291	0.323	0.272	0.361
	Left side	0.279	0.436	0.367	0.436	0.461	0.279	0.367	0.553
	Right side	0.978	0.581	0.978	0.569	0.560	0.568	0.580	0.738
	Top side	0.224	0.174	0.224	0.375	0.265	0.371	0.170	0.286
DC_14A_n77A (Part27O)	Front side	0.432	0.416	0.463	0.493	0.420	0.438	0.392	0.421
	Back side	0.437	0.457	0.442	0.513	0.279	0.311	0.260	0.349
	Left side	0.279	0.436	0.367	0.436	0.461	0.279	0.367	0.553
	Right side	1.013	0.616	1.013	0.604	0.595	0.603	0.615	0.773
	Top side	0.224	0.174	0.224	0.375	0.265	0.371	0.170	0.286
DC_2A_n41A	Front side	0.437	0.421	0.468	0.498	0.425	0.443	0.397	0.426
	Back side	0.600	0.620	0.605	0.676	0.442	0.474	0.423	0.512
	Left side	0.426	0.583	0.514	0.583	0.608	0.426	0.514	0.700
	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
	Top side	1.150	1.100	1.150	1.301	1.191	1.297	1.096	1.212
DC_2A_n48A	Front side	0.423	0.407	0.454	0.484	0.411	0.429	0.383	0.412
	Back side	0.410	0.430	0.415	0.486	0.252	0.284	0.233	0.322
	Left side	0.188	0.345	0.276	0.345	0.370	0.188	0.276	0.462
	Right side	1.244	0.847	1.244	0.835	0.826	0.834	0.846	1.004
	Top side	0.578	0.528	0.578	0.729	0.619	0.725	0.524	0.640
DC_2A_n5A	Front side	0.542	0.526	0.573	0.603	0.530	0.548	0.502	0.531
	Back side	0.306	0.326	0.311	0.382	0.148	0.180	0.129	0.218
	Left side	0.629	0.786	0.717	0.786	0.811	0.629	0.717	0.903
	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
	Top side	0.823	0.773	0.823	0.974	0.864	0.970	0.769	0.885
DC_2A_n66A	Front side	0.425	0.409	0.456	0.486	0.413	0.431	0.385	0.414
	Back side	0.489	0.509	0.494	0.565	0.331	0.363	0.312	0.401
	Left side	0.522	0.679	0.610	0.679	0.704	0.522	0.610	0.796
	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
	Top side	0.578	0.528	0.578	0.729	0.619	0.725	0.524	0.640
DC_2A_n71A	Front side	0.289	0.273	0.320	0.350	0.277	0.295	0.249	0.278
	Back side	0.323	0.343	0.328	0.399	0.165	0.197	0.146	0.235
	Left side	0.265	0.422	0.353	0.422	0.447	0.265	0.353	0.539
	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
	Top side	0.627	0.577	0.627	0.778	0.668	0.774	0.573	0.689
DC_48A_n25A	Front side	0.673	0.657	0.704	0.734	0.661	0.679	0.633	0.662
	Back side	0.457	0.477	0.462	0.533	0.299	0.331	0.280	0.369
	Left side	0.226	0.383	0.314	0.383	0.408	0.226	0.314	0.500
	Right side	1.053	0.656	1.053	0.644	0.635	0.643	0.655	0.813
	Top side	0.828	0.778	0.828	0.979	0.869	0.975	0.774	0.890
DC_48A_n5A	Front side	0.495	0.479	0.526	0.556	0.483	0.501	0.455	0.484
	Back side	0.337	0.357	0.342	0.413	0.179	0.211	0.160	0.249
	Left side	0.479	0.636	0.567	0.636	0.661	0.479	0.567	0.753
	Right side	1.053	0.656	1.053	0.644	0.635	0.643	0.655	0.813
	Top side	0.324	0.274	0.324	0.475	0.365	0.471	0.270	0.386
DC_48A_n66A	Front side	0.358	0.342	0.389	0.419	0.346	0.364	0.318	0.347
	Back side	0.369	0.389	0.374	0.445	0.211	0.243	0.192	0.281
	Left side	0.178	0.335	0.266	0.335	0.360	0.178	0.266	0.452
	Right side	1.053	0.656	1.053	0.644	0.635	0.643	0.655	0.813
	Top side	0.457	0.407	0.457	0.608	0.498	0.604	0.403	0.519
DC_5A_n2A	Front side	0.665	0.649	0.696	0.726	0.653	0.671	0.625	0.654
	Back side	0.644	0.664	0.649	0.720	0.486	0.518	0.467	0.556
	Left side	1.055	1.212	1.143	1.212	1.237	1.055	1.143	1.329
	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
	Top side	0.290	0.240	0.290	0.441	0.331	0.437	0.236	0.352
DC_5A_n66A	Front side	0.638	0.622	0.669	0.699	0.626	0.644	0.598	0.627
	Back side	0.580	0.600	0.585	0.656	0.422	0.454	0.403	0.492
	Left side	0.874	1.031	0.962	1.031	1.056	0.874	0.962	1.148



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Services Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 127 of 139

	Right side	0.577	0.180	0.577	0.168	0.159	0.167	0.179	0.337
	Top side	0.290	0.240	0.290	0.441	0.331	0.437	0.236	0.352
DC_5A_n77A (Part27Q)	Front side	0.579	0.563	0.610	0.640	0.567	0.585	0.539	0.568
	Back side	0.499	0.519	0.504	0.575	0.341	0.373	0.322	0.411
	Left side	0.540	0.697	0.628	0.697	0.722	0.540	0.628	0.814
	Right side	0.978	0.581	0.978	0.569	0.560	0.568	0.580	0.738
	Top side	0.290	0.240	0.290	0.441	0.331	0.437	0.236	0.352
DC_5A_n77A (Part27O)	Front side	0.573	0.557	0.604	0.634	0.561	0.579	0.533	0.562
	Back side	0.487	0.507	0.492	0.563	0.329	0.361	0.310	0.399
	Left side	0.540	0.697	0.628	0.697	0.722	0.540	0.628	0.814
	Right side	1.013	0.616	1.013	0.604	0.595	0.603	0.615	0.773
	Top side	0.290	0.240	0.290	0.441	0.331	0.437	0.236	0.352
DC_66A_n25A	Front side	0.794	0.778	0.825	0.855	0.782	0.800	0.754	0.783
	Back side	0.720	0.740	0.725	0.796	0.562	0.594	0.543	0.632
	Left side	1.156	1.313	1.244	1.313	1.338	1.156	1.244	1.430
	Right side	0.639	0.242	0.639	0.230	0.221	0.229	0.241	0.399
	Top side	1.430	1.380	1.430	1.581	1.471	1.577	1.376	1.492
DC_66A_n48A	Front side	0.497	0.481	0.528	0.558	0.485	0.503	0.457	0.486
	Back side	0.419	0.439	0.424	0.495	0.261	0.293	0.242	0.331
	Left side	0.217	0.374	0.305	0.374	0.399	0.217	0.305	0.491
	Right side	1.244	0.847	1.244	0.835	0.826	0.834	0.846	1.004
	Top side	0.681	0.631	0.681	0.832	0.722	0.828	0.627	0.743
DC_66A_n5A	Front side	0.616	0.600	0.647	0.677	0.604	0.622	0.576	0.605
	Back side	0.469	0.489	0.474	0.545	0.311	0.343	0.292	0.381
	Left side	1.008	1.165	1.096	1.165	1.190	1.008	1.096	1.282
	Right side	0.639	0.242	0.639	0.230	0.221	0.229	0.241	0.399
	Top side	0.926	0.876	0.926	1.077	0.967	1.073	0.872	0.988
DC_66A_n71A	Front side	0.363	0.347	0.394	0.424	0.351	0.369	0.323	0.352
	Back side	0.486	0.506	0.491	0.562	0.328	0.360	0.309	0.398
	Left side	0.644	0.801	0.732	0.801	0.826	0.644	0.732	0.918
	Right side	0.639	0.242	0.639	0.230	0.221	0.229	0.241	0.399
	Top side	0.730	0.680	0.730	0.881	0.771	0.877	0.676	0.792
DC_66A_n77A (Part27Q)	Front side	0.612	0.632	0.617	0.688	0.462	0.486	0.435	0.524
	Back side	0.427	0.584	0.515	0.584	0.597	0.427	0.515	0.701
	Left side	1.106	0.709	1.106	0.697	0.707	0.696	0.708	0.866
	Right side	0.542	0.492	0.542	0.693	0.580	0.689	0.488	0.604
	Top side	0.690	0.674	0.721	0.751	0.666	0.696	0.650	0.679
DC_66A_n77A (Part27O)	Front side	0.606	0.626	0.611	0.682	0.456	0.480	0.429	0.518
	Back side	0.415	0.572	0.503	0.572	0.585	0.415	0.503	0.689
	Left side	1.106	0.709	1.106	0.697	0.707	0.696	0.708	0.866
	Right side	0.577	0.527	0.577	0.728	0.615	0.724	0.523	0.639
	Top side	0.690	0.674	0.721	0.751	0.666	0.696	0.650	0.679



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 128 of 139

Product specific 10g SAR:

Test position		SARmax (W/kg)									
		MAX. WWAN SAR(W/kg)	WLAN2.4G Ant1 SAR(W/kg)	WLAN2.4G Ant5 SAR(W/kg)	WLAN2.4G MIMO SAR(W/kg)	WLAN5G Ant1(W/kg)	WLAN5G Ant5(W/kg)	WLAN 5G MIMO(W/kg)	BT Ant1 SAR(W/kg)	BT Ant5 SAR(W/kg)	WLAN 6G MIMO SAR(W/kg)
		1	2	3	4	5	6	7	8	9	10
GSM1900	Front side	0.653	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.201	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.678	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.587	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
GSM1900	Front side	0.857	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.120	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.378	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	2.060	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
WCDMA B2	Front side	1.170	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.170	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.579	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	2.816	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
WCDMA B4	Front side	1.404	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.120	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.748	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	3.249	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
WCDMA B5	Front side	0.559	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.194	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.657	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.625	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
LTE B5	Front side	0.630	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.192	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.789	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.712	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
LTE B7	Front side	0.516	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.071	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.626	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	1.731	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
LTE B12	Front side	0.460	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.101	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.475	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.492	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
LTE B13	Front side	0.274	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.083	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.263	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.363	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
LTE B14	Front side	0.262	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.080	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.259	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.371	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
LTE B25	Front side	0.927	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.273	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.819	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	1.284	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
LTE B41	Front side	0.169	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.028	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.227	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.711	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
LTE B42	Front side	0.273	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 129 of 139

	Back side	0.155	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.000	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.921	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.000	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
	Front side	0.261	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
LTE B43	Back side	0.222	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.000	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.978	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.000	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
	Front side	0.224	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
LTE B48	Back side	0.178	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.000	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.798	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.000	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
	Front side	0.591	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
LTE B66	Back side	0.080	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.281	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	1.430	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
	Front side	0.073	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
LTE B71	Back side	0.010	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.063	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.157	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
	Front side	0.396	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
N12	Back side	0.102	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.452	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.486	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
	Front side	0.573	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
N25	Back side	0.084	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.250	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	1.470	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
	Front side	0.374	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
N41	Back side	0.063	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.505	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	1.577	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
	Front side	0.420	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
N48	Back side	0.335	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.000	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	1.501	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.000	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
	Front side	0.000	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
N66	Back side	0.175	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.616	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	3.138	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
	Front side	0.088	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
N71	Back side	0.012	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.076	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.189	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
	Front side	0.587	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
N77 Part 27Q	Back side	0.362	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.000	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	1.987	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.000	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
	Front side	0.458	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
N77 Part 27O	Back side	0.433	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.000	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	1.798	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.000	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 130 of 139

Test position		Summed SAR									
		1+2+9	1+3+8	1+2+6	1+3+5	1+4+7	1+4+10	1+5+9	1+6+8	1+7+8+9	1+8+9+10
GSM1900	Front side	0.945	0.986	1.013	0.877	0.850	0.738	0.843	0.812	0.907	0.795
	Back side	0.772	0.721	0.643	0.631	0.272	0.232	0.425	0.329	0.513	0.473
	Left side	0.885	0.678	0.921	1.163	1.079	1.032	0.885	0.921	1.244	1.197
	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
	Top side	0.863	0.931	0.863	1.095	0.964	0.616	1.088	0.655	1.025	0.677
GSM1900	Front side	1.149	1.190	1.217	1.081	1.054	0.942	1.047	1.016	1.111	0.999
	Back side	0.691	0.640	0.562	0.550	0.191	0.151	0.344	0.248	0.432	0.392
	Left side	0.585	0.378	0.621	0.863	0.779	0.732	0.585	0.621	0.944	0.897
	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
	Top side	2.336	2.404	2.336	2.568	2.437	2.089	2.561	2.128	2.498	2.150
WCDMA B2	Front side	1.462	1.503	1.530	1.394	1.367	1.255	1.360	1.329	1.424	1.312
	Back side	0.741	0.690	0.612	0.600	0.241	0.201	0.394	0.298	0.482	0.442
	Left side	0.786	0.579	0.822	1.064	0.980	0.933	0.786	0.822	1.145	1.098
	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
	Top side	3.092	3.160	3.092	3.324	3.193	2.845	3.317	2.884	3.254	2.906
WCDMA B4	Front side	1.696	1.737	1.764	1.628	1.601	1.489	1.594	1.563	1.658	1.546
	Back side	0.691	0.640	0.562	0.550	0.191	0.151	0.344	0.248	0.432	0.392
	Left side	0.955	0.748	0.991	1.233	1.149	1.102	0.955	0.991	1.314	1.267
	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
	Top side	3.525	3.593	3.525	3.757	3.626	3.278	3.750	3.317	3.687	3.339
WCDMA B5	Front side	0.851	0.892	0.919	0.783	0.756	0.644	0.749	0.718	0.813	0.701
	Back side	0.765	0.714	0.636	0.624	0.265	0.225	0.418	0.322	0.506	0.466
	Left side	0.864	0.657	0.900	1.142	1.058	1.011	0.864	0.900	1.223	1.176
	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
	Top side	0.901	0.969	0.901	1.133	1.002	0.654	1.126	0.693	1.063	0.715
LTE B5	Front side	0.922	0.963	0.990	0.854	0.827	0.715	0.820	0.789	0.884	0.772
	Back side	0.763	0.712	0.634	0.622	0.263	0.223	0.416	0.320	0.504	0.464
	Left side	0.996	0.789	1.032	1.274	1.190	1.143	0.996	1.032	1.355	1.308
	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
	Top side	0.988	1.056	0.988	1.220	1.089	0.741	1.213	0.780	1.150	0.802
LTE B7	Front side	0.808	0.849	0.876	0.740	0.713	0.601	0.706	0.675	0.770	0.658
	Back side	0.642	0.591	0.513	0.501	0.142	0.102	0.295	0.199	0.383	0.343
	Left side	0.833	0.626	0.869	1.111	1.027	0.980	0.833	0.869	1.192	1.145
	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
	Top side	2.007	2.075	2.007	2.239	2.108	1.760	2.232	1.799	2.169	1.821
LTE B12	Front side	0.752	0.793	0.820	0.684	0.657	0.545	0.650	0.619	0.714	0.602
	Back side	0.672	0.621	0.543	0.531	0.172	0.132	0.325	0.229	0.413	0.373
	Left side	0.682	0.475	0.718	0.960	0.876	0.829	0.682	0.718	1.041	0.994
	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
	Top side	0.768	0.836	0.768	1.000	0.869	0.521	0.993	0.560	0.930	0.582
LTE B13	Front side	0.566	0.607	0.634	0.498	0.471	0.359	0.464	0.433	0.528	0.416
	Back side	0.654	0.603	0.525	0.513	0.154	0.114	0.307	0.211	0.395	0.355
	Left side	0.470	0.263	0.506	0.748	0.664	0.617	0.470	0.506	0.829	0.782
	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
	Top side	0.639	0.707	0.639	0.871	0.740	0.392	0.864	0.431	0.801	0.453
LTE B14	Front side	0.554	0.595	0.622	0.486	0.459	0.347	0.452	0.421	0.516	0.404
	Back side	0.651	0.600	0.522	0.510	0.151	0.111	0.304	0.208	0.392	0.352
	Left side	0.466	0.259	0.502	0.744	0.660	0.613	0.466	0.502	0.825	0.778
	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
	Top side	0.647	0.715	0.647	0.879	0.748	0.400	0.872	0.439	0.809	0.461
LTE B25	Front side	1.219	1.260	1.287	1.151	1.124	1.012	1.117	1.086	1.181	1.069
	Back side	0.844	0.793	0.715	0.703	0.344	0.304	0.497	0.401	0.585	0.545
	Left side	1.026	0.819	1.062	1.304	1.220	1.173	1.026	1.062	1.385	1.338
	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
	Top side	1.560	1.628	1.560	1.792	1.661	1.313	1.785	1.352	1.722	1.374
LTE B41	Front side	0.461	0.502	0.529	0.393	0.366	0.254	0.359	0.328	0.423	0.311
	Back side	0.599	0.548	0.470	0.458	0.099	0.059	0.252	0.156	0.340	0.300
	Left side	0.434	0.227	0.470	0.712	0.628	0.581	0.434	0.470	0.793	0.746
	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
	Top side	0.987	1.055	0.987	1.219	1.088	0.740	1.212	0.779	1.149	0.801
LTE B42	Front side	0.565	0.606	0.633	0.497	0.470	0.358	0.463	0.432	0.527	0.415
	Back side	0.726	0.675	0.597	0.585	0.226	0.186	0.379	0.283	0.467	0.427
	Left side	0.207	0.000	0.243	0.485	0.401	0.354	0.207	0.243	0.566	0.519



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SGS-CSTC) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 131 of 139

LTE B43	Right side	1.986	2.249	1.986	1.306	1.440	0.965	1.305	1.184	1.702	1.227
	Top side	0.276	0.344	0.276	0.508	0.377	0.029	0.501	0.068	0.438	0.090
	Front side	0.553	0.594	0.621	0.485	0.458	0.346	0.451	0.420	0.515	0.403
	Back side	0.793	0.742	0.664	0.652	0.293	0.253	0.446	0.350	0.534	0.494
	Left side	0.207	0.000	0.243	0.485	0.401	0.354	0.207	0.243	0.566	0.519
LTE B48	Right side	2.043	2.306	2.043	1.363	1.497	1.022	1.362	1.241	1.759	1.284
	Top side	0.276	0.344	0.276	0.508	0.377	0.029	0.501	0.068	0.438	0.090
	Front side	0.516	0.557	0.584	0.448	0.421	0.309	0.414	0.383	0.478	0.366
	Back side	0.749	0.698	0.620	0.608	0.249	0.209	0.402	0.306	0.490	0.450
	Left side	0.207	0.000	0.243	0.485	0.401	0.354	0.207	0.243	0.566	0.519
LTE B66	Right side	1.863	2.126	1.863	1.183	1.317	0.842	1.182	1.061	1.579	1.104
	Top side	0.276	0.344	0.276	0.508	0.377	0.029	0.501	0.068	0.438	0.090
	Front side	0.883	0.924	0.951	0.815	0.788	0.676	0.781	0.750	0.845	0.733
	Back side	0.651	0.600	0.522	0.510	0.151	0.111	0.304	0.208	0.392	0.352
	Left side	0.488	0.281	0.524	0.766	0.682	0.635	0.488	0.524	0.847	0.800
LTE B71	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
	Top side	1.706	1.774	1.706	1.938	1.807	1.459	1.931	1.498	1.868	1.520
	Front side	0.365	0.406	0.433	0.297	0.270	0.158	0.263	0.232	0.327	0.215
	Back side	0.581	0.530	0.452	0.440	0.081	0.041	0.234	0.138	0.322	0.282
	Left side	0.270	0.063	0.306	0.548	0.464	0.417	0.270	0.306	0.629	0.582
N12	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
	Top side	0.433	0.501	0.433	0.665	0.534	0.186	0.658	0.225	0.595	0.247
	Front side	0.688	0.729	0.756	0.620	0.593	0.481	0.586	0.555	0.650	0.538
	Back side	0.673	0.622	0.544	0.532	0.173	0.133	0.326	0.230	0.414	0.374
	Left side	0.659	0.452	0.695	0.937	0.853	0.806	0.659	0.695	1.018	0.971
N25	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
	Top side	0.762	0.830	0.762	0.994	0.863	0.515	0.987	0.554	0.924	0.576
	Front side	0.865	0.906	0.933	0.797	0.770	0.658	0.763	0.732	0.827	0.715
	Back side	0.655	0.604	0.526	0.514	0.155	0.115	0.308	0.212	0.396	0.356
	Left side	0.457	0.250	0.493	0.735	0.651	0.604	0.457	0.493	0.816	0.769
N41	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
	Top side	1.746	1.814	1.746	1.978	1.847	1.499	1.971	1.538	1.908	1.560
	Front side	0.666	0.707	0.734	0.598	0.571	0.459	0.564	0.533	0.628	0.516
	Back side	0.634	0.583	0.505	0.493	0.134	0.094	0.287	0.191	0.375	0.335
	Left side	0.712	0.505	0.748	0.990	0.906	0.859	0.712	0.748	1.071	1.024
N48	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
	Top side	1.853	1.921	1.853	2.085	1.954	1.606	2.078	1.645	2.015	1.667
	Front side	0.712	0.753	0.780	0.644	0.617	0.505	0.610	0.579	0.674	0.562
	Back side	0.906	0.855	0.777	0.765	0.406	0.366	0.559	0.463	0.647	0.607
	Left side	0.207	0.000	0.243	0.485	0.401	0.354	0.207	0.243	0.566	0.519
N66	Right side	2.566	2.829	2.566	1.886	2.020	1.545	1.885	1.764	2.282	1.807
	Top side	0.276	0.344	0.276	0.508	0.377	0.029	0.501	0.068	0.438	0.090
	Front side	0.292	0.333	0.360	0.224	0.197	0.085	0.190	0.159	0.254	0.142
	Back side	0.746	0.695	0.617	0.605	0.246	0.206	0.399	0.303	0.487	0.447
	Left side	0.823	0.616	0.859	1.101	1.017	0.970	0.823	0.859	1.182	1.135
N71	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
	Top side	3.414	3.482	3.414	3.646	3.515	3.167	3.639	3.206	3.576	3.228
	Front side	0.380	0.421	0.448	0.312	0.285	0.173	0.278	0.247	0.342	0.230
	Back side	0.583	0.532	0.454	0.442	0.083	0.043	0.236	0.140	0.324	0.284
	Left side	0.283	0.076	0.319	0.561	0.477	0.430	0.283	0.319	0.642	0.595
N77 Part 27Q	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
	Top side	0.465	0.533	0.465	0.697	0.566	0.218	0.690	0.257	0.627	0.279
	Front side	0.879	0.920	0.947	0.811	0.784	0.672	0.777	0.746	0.841	0.729
	Back side	0.933	0.882	0.804	0.792	0.433	0.393	0.586	0.490	0.674	0.634
	Left side	0.207	0.000	0.243	0.485	0.401	0.354	0.207	0.243	0.566	0.519
N77 Part 27O	Right side	3.052	3.315	3.052	2.372	2.506	2.031	2.371	2.250	2.768	2.293
	Top side	0.276	0.344	0.276	0.508	0.377	0.029	0.501	0.068	0.438	0.090
	Front side	0.750	0.791	0.818	0.682	0.655	0.543	0.648	0.617	0.712	0.600
	Back side	1.004	0.953	0.875	0.863	0.504	0.464	0.657	0.561	0.745	0.705
	Left side	0.207	0.000	0.243	0.485	0.401	0.354	0.207	0.243	0.566	0.519
	Right side	2.863	3.126	2.863	2.183	2.317	1.842	2.182	2.061	2.579	2.104
	Top side	0.276	0.344	0.276	0.508	0.377	0.029	0.501	0.068	0.438	0.090

Test position	SARmax (W/kg)									
	MAX. WWAN SAR(W/kg)	WLAN2.4G Ant1 SAR(W/kg)	WLAN2.4G Ant5 SAR(W/kg)	WLAN2.4G MIMO SAR(W/kg)	WLAN5G Ant1(W/kg)	WLAN5G Ant5(W/kg)	WLAN 5GMIMO(W/kg)	BT Ant1 SAR(W/kg)	BT Ant5 SAR(W/kg)	WLAN 6GMIMO SAR(W/kg)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 132 of 139

		1	2	3	4	5	6	7	8	9	10
DC_12A_n25A (DC_12A_n2A)	Front side	0.838	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.455	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	1.795	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.492	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
DC_12A_n66A	Front side	0.475	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.124	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.591	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.492	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
DC_12A_n77A (Part27Q)	Front side	1.047	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.463	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.475	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	1.987	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.492	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
DC_12A_n77A (Part27O)	Front side	0.918	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.534	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.475	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	1.798	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.492	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
DC_13A_n2A	Front side	0.652	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.437	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	1.583	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.363	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
DC_13A_n66A	Front side	0.289	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.106	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.379	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.363	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
DC_13A_n77A (Part27Q)	Front side	0.861	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.445	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.263	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	1.987	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.363	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
DC_13A_n77A (Part27O)	Front side	0.732	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.516	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.263	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	1.798	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.363	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
DC_14A_n2A	Front side	0.640	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.434	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	1.579	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.371	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
DC_14A_n66A	Front side	0.277	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.103	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.375	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.371	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
DC_14A_n77A (Part27Q)	Front side	0.849	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.442	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.259	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	1.987	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.371	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
DC_14A_n77A (Part27O)	Front side	0.720	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.513	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.259	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	1.798	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.371	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
DC_2A_n41A	Front side	1.110	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.364	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.983	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 133 of 139

	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	1.856	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
DC_2A_n48A	Front side	1.347	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.608	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.819	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	1.501	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	1.284	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
DC_2A_n5A	Front side	1.401	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.273	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	1.594	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	1.917	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
DC_2A_n66A	Front side	0.942	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.296	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.935	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	1.284	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
DC_2A_n71A	Front side	1.015	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.285	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.895	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	1.473	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
DC_48A_n25A	Front side	0.797	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.262	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.250	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.798	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	1.470	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
DC_48A_n5A	Front side	0.698	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.178	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.775	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.798	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.633	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
DC_48A_n66A	Front side	0.224	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.353	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.616	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.798	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	3.138	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
DC_5A_n2A	Front side	0.757	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.487	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	1.748	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.211	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
DC_5A_n66A	Front side	0.394	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.156	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.544	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.000	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.211	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
DC_5A_n77A (Part27Q)	Front side	0.966	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.495	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.428	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	1.987	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.211	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
DC_5A_n77A (Part27O)	Front side	0.837	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.566	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	0.428	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	1.798	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	0.211	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
DC_66A_n25A	Front side	1.164	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.563	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
	Left side	1.849	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.062	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	2.900	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
DC_66A_n48A	Front side	1.011	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.415	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Services Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 134 of 139

DC_66A_n5A	Left side	0.281	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	1.501	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	1.430	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
	Front side	1.065	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.231	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
DC_66A_n71A	Left side	1.648	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.123	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	2.063	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
	Front side	0.679	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.243	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
DC_66A_n77A (Part27Q)	Left side	0.949	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	0.123	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	1.619	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
	Front side	1.178	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.593	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
DC_66A_n77A (Part27Q)	Left side	0.873	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	2.110	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	1.430	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
	Front side	1.049	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.664	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015
DC_66A_n77A (Part27Q)	Left side	0.873	0.000	0.485	0.042	0.000	0.243	0.359	0.000	0.207	0.312
	Right side	1.921	1.065	0.001	0.001	0.384	0.000	0.518	0.263	0.000	0.043
	Top side	1.430	0.276	0.007	0.007	0.501	0.000	0.370	0.068	0.000	0.022
	Front side	1.049	0.267	0.059	0.034	0.165	0.093	0.163	0.066	0.025	0.051
	Back side	0.664	0.417	0.360	0.016	0.070	0.025	0.055	0.103	0.154	0.015

Test position		Summed SAR									
		1+2+9	1+3+8	1+2+6	1+3+5	1+4+7	1+4+10	1+5+9	1+6+8	1+7+8+9	1+8+9+10
DC_12A_n25A (DC_12A_n2A)	Front side	1.130	1.171	1.198	1.062	1.035	0.923	1.028	0.997	1.092	0.980
	Back side	1.026	0.975	0.897	0.885	0.526	0.486	0.679	0.583	0.767	0.727
	Left side	2.002	1.795	2.038	2.280	2.196	2.149	2.002	2.038	2.361	2.314
	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
	Top side	0.768	0.836	0.768	1.000	0.869	0.521	0.993	0.560	0.930	0.582
DC_12A_n66A	Front side	0.767	0.808	0.835	0.699	0.672	0.560	0.665	0.634	0.729	0.617
	Back side	0.695	0.644	0.566	0.554	0.195	0.155	0.348	0.252	0.436	0.396
	Left side	0.798	0.591	0.834	1.076	0.992	0.945	0.798	0.834	1.157	1.110
	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
	Top side	0.768	0.836	0.768	1.000	0.869	0.521	0.993	0.560	0.930	0.582
DC_12A_n77A (Part27Q)	Front side	1.339	1.380	1.407	1.271	1.244	1.132	1.237	1.206	1.301	1.189
	Back side	1.034	0.983	0.905	0.893	0.534	0.494	0.687	0.591	0.775	0.735
	Left side	0.682	0.475	0.718	0.960	0.876	0.829	0.682	0.718	1.041	0.994
	Right side	3.052	3.315	3.052	2.372	2.506	2.031	2.371	2.250	2.768	2.293
	Top side	0.768	0.836	0.768	1.000	0.869	0.521	0.993	0.560	0.930	0.582
DC_12A_n77A (Part27Q)	Front side	1.210	1.251	1.278	1.142	1.115	1.003	1.108	1.077	1.172	1.060
	Back side	1.105	1.054	0.976	0.964	0.605	0.565	0.758	0.662	0.846	0.806
	Left side	0.682	0.475	0.718	0.960	0.876	0.829	0.682	0.718	1.041	0.994
	Right side	2.863	3.126	2.863	2.183	2.317	1.842	2.182	2.061	2.579	2.104
	Top side	0.768	0.836	0.768	1.000	0.869	0.521	0.993	0.560	0.930	0.582
DC_13A_n2A	Front side	0.944	0.985	1.012	0.876	0.849	0.737	0.842	0.811	0.906	0.794
	Back side	1.008	0.957	0.879	0.867	0.508	0.468	0.661	0.565	0.749	0.709
	Left side	1.790	1.583	1.826	2.068	1.984	1.937	1.790	1.826	2.149	2.102
	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
	Top side	0.639	0.707	0.639	0.871	0.740	0.392	0.864	0.431	0.801	0.453
DC_13A_n66A	Front side	0.581	0.622	0.649	0.513	0.486	0.374	0.479	0.448	0.543	0.431
	Back side	0.677	0.626	0.548	0.536	0.177	0.137	0.330	0.234	0.418	0.378
	Left side	0.586	0.379	0.622	0.864	0.780	0.733	0.586	0.622	0.945	0.898
	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
	Top side	0.639	0.707	0.639	0.871	0.740	0.392	0.864	0.431	0.801	0.453
DC_13A_n77A (Part27Q)	Front side	1.153	1.194	1.221	1.085	1.058	0.946	1.051	1.020	1.115	1.003
	Back side	1.016	0.965	0.887	0.875	0.516	0.476	0.669	0.573	0.757	0.717
	Left side	0.470	0.263	0.506	0.748	0.664	0.617	0.470	0.506	0.829	0.782
	Right side	3.052	3.315	3.052	2.372	2.506	2.031	2.371	2.250	2.768	2.293
	Top side	0.639	0.707	0.639	0.871	0.740	0.392	0.864	0.431	0.801	0.453
DC_13A_n77A	Front side	1.024	1.065	1.092	0.956	0.929	0.817	0.922	0.891	0.986	0.874



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 135 of 139

(Part27O)	Back side	1.087	1.036	0.958	0.946	0.587	0.547	0.740	0.644	0.828	0.788
	Left side	0.470	0.263	0.506	0.748	0.664	0.617	0.470	0.506	0.829	0.782
	Right side	2.863	3.126	2.863	2.183	2.317	1.842	2.182	2.061	2.579	2.104
	Top side	0.639	0.707	0.639	0.871	0.740	0.392	0.864	0.431	0.801	0.453
DC_14A_n2A	Front side	0.932	0.973	1.000	0.864	0.837	0.725	0.830	0.799	0.894	0.782
	Back side	1.005	0.954	0.876	0.864	0.505	0.465	0.658	0.562	0.746	0.706
	Left side	1.786	1.579	1.822	2.064	1.980	1.933	1.786	1.822	2.145	2.098
	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
DC_14A_n66A	Top side	0.647	0.715	0.647	0.879	0.748	0.400	0.872	0.439	0.809	0.461
	Front side	0.569	0.610	0.637	0.501	0.474	0.362	0.467	0.436	0.531	0.419
	Back side	0.674	0.623	0.545	0.533	0.174	0.134	0.327	0.231	0.415	0.375
	Left side	0.582	0.375	0.618	0.860	0.776	0.729	0.582	0.618	0.941	0.894
DC_14A_n77A (Part27Q)	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
	Top side	0.647	0.715	0.647	0.879	0.748	0.400	0.872	0.439	0.809	0.461
	Front side	1.141	1.182	1.209	1.073	1.046	0.934	1.039	1.008	1.103	0.991
	Back side	1.013	0.962	0.884	0.872	0.513	0.473	0.666	0.570	0.754	0.714
DC_14A_n77A (Part27O)	Left side	0.466	0.259	0.502	0.744	0.660	0.613	0.466	0.502	0.825	0.778
	Right side	3.052	3.315	3.052	2.372	2.506	2.031	2.371	2.250	2.768	2.293
	Top side	0.647	0.715	0.647	0.879	0.748	0.400	0.872	0.439	0.809	0.461
	Front side	1.012	1.053	1.080	0.944	0.917	0.805	0.910	0.879	0.974	0.862
DC_2A_n41A	Back side	1.084	1.033	0.955	0.943	0.584	0.544	0.737	0.641	0.825	0.785
	Left side	0.466	0.259	0.502	0.744	0.660	0.613	0.466	0.502	0.825	0.778
	Right side	2.863	3.126	2.863	2.183	2.317	1.842	2.182	2.061	2.579	2.104
	Top side	0.647	0.715	0.647	0.879	0.748	0.400	0.872	0.439	0.809	0.461
DC_2A_n48A	Front side	1.402	1.443	1.470	1.334	1.307	1.195	1.300	1.269	1.364	1.252
	Back side	0.935	0.884	0.806	0.794	0.435	0.395	0.588	0.492	0.676	0.636
	Left side	1.190	0.983	1.226	1.468	1.384	1.337	1.190	1.226	1.549	1.502
	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
DC_2A_n5A	Top side	2.132	2.200	2.132	2.364	2.233	1.885	2.357	1.924	2.294	1.946
	Front side	1.639	1.680	1.707	1.571	1.544	1.432	1.537	1.506	1.601	1.489
	Back side	1.179	1.128	1.050	1.038	0.679	0.639	0.832	0.736	0.920	0.880
	Left side	1.026	0.819	1.062	1.304	1.220	1.173	1.026	1.062	1.385	1.338
DC_2A_n66A	Right side	2.566	2.829	2.566	1.886	2.020	1.545	1.885	1.764	2.282	1.807
	Top side	1.560	1.628	1.560	1.792	1.661	1.313	1.785	1.352	1.722	1.374
	Front side	1.693	1.734	1.761	1.625	1.598	1.486	1.591	1.560	1.655	1.543
	Back side	0.844	0.793	0.715	0.703	0.344	0.304	0.497	0.401	0.585	0.545
DC_2A_n71A	Left side	1.801	1.594	1.837	2.079	1.995	1.948	1.801	1.837	2.160	2.113
	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
	Top side	2.193	2.261	2.193	2.425	2.294	1.946	2.418	1.985	2.355	2.007
	Front side	1.234	1.275	1.302	1.166	1.139	1.027	1.132	1.101	1.196	1.084
DC_48A_n25A	Back side	0.867	0.816	0.738	0.726	0.367	0.327	0.520	0.424	0.608	0.568
	Left side	1.142	0.935	1.178	1.420	1.336	1.289	1.142	1.178	1.501	1.454
	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
	Top side	1.560	1.628	1.560	1.792	1.661	1.313	1.785	1.352	1.722	1.374
DC_48A_n5A	Front side	1.307	1.348	1.375	1.239	1.212	1.100	1.205	1.174	1.269	1.157
	Back side	0.856	0.805	0.727	0.715	0.356	0.316	0.509	0.413	0.597	0.557
	Left side	1.102	0.895	1.138	1.380	1.296	1.249	1.102	1.138	1.461	1.414
	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
DC_48A_n66A	Top side	1.749	1.817	1.749	1.981	1.850	1.502	1.974	1.541	1.911	1.563
	Front side	1.089	1.130	1.157	1.021	0.994	0.882	0.987	0.956	1.051	0.939
	Back side	0.833	0.782	0.704	0.692	0.333	0.293	0.486	0.390	0.574	0.534
	Left side	0.457	0.250	0.493	0.735	0.651	0.604	0.457	0.493	0.816	0.769
DC_5A_n2A	Right side	1.863	2.126	1.863	1.183	1.317	0.842	1.182	1.061	1.579	1.104
	Top side	1.746	1.814	1.746	1.978	1.847	1.499	1.971	1.538	1.908	1.560
	Front side	0.990	1.031	1.058	0.922	0.895	0.783	0.888	0.857	0.952	0.840
	Back side	0.749	0.698	0.620	0.608	0.249	0.209	0.402	0.306	0.490	0.450
DC_48A_n71A	Left side	0.982	0.775	1.018	1.260	1.176	1.129	0.982	1.018	1.341	1.294
	Right side	1.863	2.126	1.863	1.183	1.317	0.842	1.182	1.061	1.579	1.104
	Top side	0.909	0.977	0.909	1.141	1.010	0.662	1.134	0.701	1.071	0.723
	Front side	0.516	0.557	0.584	0.448	0.421	0.309	0.414	0.383	0.478	0.366
DC_48A_n86A	Back side	0.924	0.873	0.795	0.783	0.424	0.384	0.577	0.481	0.665	0.625
	Left side	0.823	0.616	0.859	1.101	1.017	0.970	0.823	0.859	1.182	1.135
	Right side	1.863	2.126	1.863	1.183	1.317	0.842	1.182	1.061	1.579	1.104
	Top side	3.414	3.482	3.414	3.646	3.515	3.167	3.639	3.206	3.576	3.228
DC_5A_n2A	Front side	1.049	1.090	1.117	0.981	0.954	0.842	0.947	0.916	1.011	0.899
	Back side	1.058	1.007	0.929	0.917	0.558	0.518	0.711	0.615	0.799	0.759
	Left side	1.955	1.748	1.991	2.233	2.149	2.102	1.955	1.991	2.314	2.267
	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SGS-CSTC Laboratory)

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 136 of 139

	Top side	0.487	0.555	0.487	0.719	0.588	0.240	0.712	0.279	0.649	0.301
DC_5A_n66A	Front side	0.686	0.727	0.754	0.618	0.591	0.479	0.584	0.553	0.648	0.536
	Back side	0.727	0.676	0.598	0.586	0.227	0.187	0.380	0.284	0.468	0.428
	Left side	0.751	0.544	0.787	1.029	0.945	0.898	0.751	0.787	1.110	1.063
	Right side	1.065	1.328	1.065	0.385	0.519	0.044	0.384	0.263	0.781	0.306
	Top side	0.487	0.555	0.487	0.719	0.588	0.240	0.712	0.279	0.649	0.301
DC_5A_n77A (Part27Q)	Front side	1.258	1.299	1.326	1.190	1.163	1.051	1.156	1.125	1.220	1.108
	Back side	1.066	1.015	0.937	0.925	0.566	0.526	0.719	0.623	0.807	0.767
	Left side	0.635	0.428	0.671	0.913	0.829	0.782	0.635	0.671	0.994	0.947
	Right side	3.052	3.315	3.052	2.372	2.506	2.031	2.371	2.250	2.768	2.293
	Top side	0.487	0.555	0.487	0.719	0.588	0.240	0.712	0.279	0.649	0.301
DC_5A_n77A (Part27O)	Front side	1.129	1.170	1.197	1.061	1.034	0.922	1.027	0.996	1.091	0.979
	Back side	1.137	1.086	1.008	0.996	0.637	0.597	0.790	0.694	0.878	0.838
	Left side	0.635	0.428	0.671	0.913	0.829	0.782	0.635	0.671	0.994	0.947
	Right side	2.863	3.126	2.863	2.183	2.317	1.842	2.182	2.061	2.579	2.104
	Top side	0.487	0.555	0.487	0.719	0.588	0.240	0.712	0.279	0.649	0.301
DC_66A_n25A	Front side	1.456	1.497	1.524	1.388	1.361	1.249	1.354	1.323	1.418	1.306
	Back side	1.134	1.083	1.005	0.993	0.634	0.594	0.787	0.691	0.875	0.835
	Left side	2.056	1.849	2.092	2.334	2.250	2.203	2.056	2.092	2.415	2.368
	Right side	1.127	1.390	1.127	0.447	0.581	0.106	0.446	0.325	0.843	0.368
	Top side	3.176	3.244	3.176	3.408	3.277	2.929	3.401	2.968	3.338	2.990
DC_66A_n48A	Front side	1.303	1.344	1.371	1.235	1.208	1.096	1.201	1.170	1.265	1.153
	Back side	0.986	0.935	0.857	0.845	0.486	0.446	0.639	0.543	0.727	0.687
	Left side	0.488	0.281	0.524	0.766	0.682	0.635	0.488	0.524	0.847	0.800
	Right side	2.566	2.829	2.566	1.886	2.020	1.545	1.885	1.764	2.282	1.807
	Top side	1.706	1.774	1.706	1.938	1.807	1.459	1.931	1.498	1.868	1.520
DC_66A_n5A	Front side	1.357	1.398	1.425	1.289	1.262	1.150	1.255	1.224	1.319	1.207
	Back side	0.802	0.751	0.673	0.661	0.302	0.262	0.455	0.359	0.543	0.503
	Left side	1.855	1.648	1.891	2.133	2.049	2.002	1.855	1.891	2.214	2.167
	Right side	1.188	1.451	1.188	0.508	0.642	0.167	0.507	0.386	0.904	0.429
	Top side	2.339	2.407	2.339	2.571	2.440	2.092	2.564	2.131	2.501	2.153
DC_66A_n71A	Front side	0.971	1.012	1.039	0.903	0.876	0.764	0.869	0.838	0.933	0.821
	Back side	0.814	0.763	0.685	0.673	0.314	0.274	0.467	0.371	0.555	0.515
	Left side	1.156	0.949	1.192	1.434	1.350	1.303	1.156	1.192	1.515	1.468
	Right side	1.188	1.451	1.188	0.508	0.642	0.167	0.507	0.386	0.904	0.429
	Top side	1.895	1.963	1.895	2.127	1.996	1.648	2.120	1.687	2.057	1.709
DC_66A_n77A (Part27Q)	Front side	1.470	1.511	1.538	1.402	1.375	1.263	1.368	1.337	1.432	1.320
	Back side	1.164	1.113	1.035	1.023	0.664	0.624	0.817	0.721	0.905	0.865
	Left side	1.080	0.873	1.116	1.358	1.274	1.227	1.080	1.116	1.439	1.392
	Right side	3.175	3.438	3.175	2.495	2.629	2.154	2.494	2.373	2.891	2.416
	Top side	1.706	1.774	1.706	1.938	1.807	1.459	1.931	1.498	1.868	1.520
DC_66A_n77A (Part27O)	Front side	1.341	1.382	1.409	1.273	1.246	1.134	1.239	1.208	1.303	1.191
	Back side	1.235	1.184	1.106	1.094	0.735	0.695	0.888	0.792	0.976	0.936
	Left side	1.080	0.873	1.116	1.358	1.274	1.227	1.080	1.116	1.439	1.392
	Right side	2.986	3.249	2.986	2.306	2.440	1.965	2.305	2.184	2.702	2.227
	Top side	1.706	1.774	1.706	1.938	1.807	1.459	1.931	1.498	1.868	1.520



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

9. Equipment list

Test Platform		SPEAG DASY8 Professional & SPEAG DASY5 Professional				
Description		Dasy8:SAR Test System (Frequency range 10MHz-10GHz) Dasy5:SAR Test System (Frequency range 300MHz-6GHz)				
Software Reference		Measurement Software: cDASY8 V16.2.4.2524; DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)				
Hardware Reference						
Equipment		Manufacturer	Model	Serial Number	Calibration Date	Due date of calibration
☒	DAE	SPEAG	DAE4ip	1826	2023-12-27	2024-12-26
☒	DAE	SPEAG	DAE4	1327	2023-11-17	2024-11-16
☒	E-Field Probe	SPEAG	EX3DV4	7735	2023-10-17	2024-10-16
☒	E-Field Probe	SPEAG	EX3DV4	7767	2023-10-26	2024-10-25
☒	Twin Phantom	SPEAG	Twin-SAM V8.0	2155	NCR	NCR
☒	Twin Phantom	SPEAG	QD000P40CD	1769	NCR	NCR
☒	Validation Kits	SPEAG	D750V3	1214	2022-02-07	2024-02-06
☒	Validation Kits	SPEAG	D835V2	4d161	2023-08-25	2026-08-24
☒	Validation Kits	SPEAG	D1750V2	1038	2021-12-16	2024-12-15
☒	Validation Kits	SPEAG	D1950V3	1218	2023-05-04	2026-05-03
☒	Validation Kits	SPEAG	D2450V2	922	2023-08-28	2026-08-27
☒	Validation Kits	SPEAG	D2600V2	1187	2022-02-03	2025-02-02
☒	Validation Kits	SPEAG	D3500V2	1133	2022-02-08	2025-02-07
☒	Validation Kits	SPEAG	D3700V2	1108	2022-02-07	2025-02-06
☒	Validation Kits	SPEAG	D3900V2	1083	2023-02-08	2025-02-07
☒	Validation Kits	SPEAG	D5GHzV2	1174	2023-08-23	2026-08-22
☒	Validation Kits	SPEAG	D6.5GHzV2	1102	2023-09-11	2026-09-10
☒	DAK-3.5 probe	SPEAG	DAK-3.5	1102	N/A	N/A
☒	Universal Radio Communication Tester	R&S	CMW500	111637	2023-09-13	2024-09-12
☒	RF Bi-Directional Coupler	Agilent	86205-60001	MY31400031	NCR	NCR
☒	Signal Generator	R&S	SMB100A	182393	2024-02-04	2025-02-03
☒	Preamplifier	Qiji	YX28980933	202104001	NCR	NCR
☒	Power Sensor	Keysight	U2002H	121251	2023-09-13	2024-09-12
☒	Attenuator	SHX	TS2-3dB	30704	NCR	NCR
☒	Coaxial low pass filter	Mini-Circuits	VLF-2500(+)	NA	NCR	NCR
☒	Coaxial low pass filter	Microlab Fxr	LA-F13	NA	NCR	NCR
☒	DC POWER SUPPLY	SAKO	SK1730SL5A	NA	NCR	NCR
☒	Speed reading thermometer	LKM	DTM3000	NA	2023-09-15	2024-09-14



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/0 May15,2023

Report No.: SZCR231200401913

Page: 138 of 139

☒	Humidity and Temperature Indicator	MingGao	MingGao	NA	2023-09-15	2024-09-14
-------------------------------------	------------------------------------	---------	---------	----	------------	------------

Note: All the equipment are within the valid period when the tests are performed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

10. Calibration certificate

Please see the Appendix C

11. Photographs

Please see the Appendix D

Appendix A: Detailed System Check Results

Appendix B: Detailed Test Results

Appendix C: Calibration certificate

Appendix D: Photographs

Appendix E: Measurement of RF Conducted Power

--- End of report ---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SGS-CSTC) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com