




USB OTG 2.0 Device




USB OTG

USB HOST







2A

RK3066-F



Note:
Adjusted the load
capacitance according
to the crystal
specification.


RK3066-E



Rockchip 瑞芯微电子		
福州瑞芯微电子有限公司		
Title: HS8086A		
File: USB_OTG2.0		REV: 1.0
Create Date: Wednesday, October 13, 2010	Page Num: 5	
Modify Date: Wednesday, August 15, 2012	Page Total: 13	

RK3066-H

SD CARD






RK3066-K

Note:
Select the power type
follow FLASH IO need.


NAND FLASH(OPTION1)

Note:
Reserve a PAD.




Note:
Reserve a PAD.


INAND




RK3066-G





RK3066-P



RK3066-Q








RK3066-M





RK3066 CORE POWER FILTER

 瑞芯微电子		福州瑞芯微电子有限公司	
Title: HS8086A			
File: GPIO&POWER-1N		REV: 1.0	
Create Date: Monday, October 18, 2010		Page Num: 8	
Modify Date: Tuesday, August 07, 2012		Page Total: 13	
		1	









RK3066-L





MIC IN



R/L OUT



Rockchip 福州瑞芯微电子有限公司	
Title: HS8086A	
File: YPbPr/CVBS OUT&MIC IN	
Create Date: Monday, December 19, 2011	Page Num: 11
Modify Date: Monday, December 03, 2012	Page Total: 13



Rockchip 福州瑞芯微电子有限公司	
Title: HS8086A	
File: Internal Camera	REV: 1.0
Create Date: Monday, December 19, 2011	Page Num: 13
Modify Date: Wednesday, August 15, 2012	Page Total: 13

RF module SCH

