

# EXHIBIT A- RADIATED SPURIOUS EMISSION DATA

Note : Transmit frequency is ignore ,mark →

30M-1G

BLE-Horizontal-TX

## Test result

Project Number: Certification

Test Time: 2020-10-21\_10.48.08

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	47.941	26.21	-23.67	40.0	-13.79	Peak	360.00	200	Horizontal	Pass
2	80.912	21.14	-29.67	40.0	-18.86	Peak	257.40	200	Horizontal	Pass
3	146.371	31.08	-29.24	43.5	-12.42	Peak	268.80	200	Horizontal	Pass
4	198.253	30.00	-27.26	43.5	-13.50	Peak	208.30	200	Horizontal	Pass
5	240.437	30.94	-24.51	46.0	-15.06	Peak	112.60	100	Horizontal	Pass
6	800.038	22.16	-12.42	46.0	-23.84	Peak	17.30	258	Horizontal	Pass
6*	800.038	15.65	-12.42	46.0	-30.35	QP	17.30	258	Horizontal	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-21\_10.56.08

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

R Emission Test case\_FCC\_Part 15C\_FCC 15.247(2.4G)\_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	42.364	26.55	-26.25	40.0	-13.45	Peak	201.20	100	Vertical	Pass
2	73.115	17.54	-28.99	40.0	-22.46	Peak	360.00	100	Vertical	Pass
2*	73.115	12.46	-28.99	40.0	-27.54	QP	360.00	100	Vertical	Pass
3	138.855	27.44	-28.89	43.5	-16.06	Peak	360.00	200	Vertical	Pass
4	235.831	26.30	-25.61	46.0	-19.70	Peak	346.80	200	Vertical	Pass
5	436.813	31.36	-19.85	46.0	-14.64	Peak	359.90	200	Vertical	Pass
6	798.290	38.70	-11.56	46.0	-7.30	Peak	94.40	200	Vertical	Pass

1-18G

BLE-Low channel-Horizontal-TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_11.02.09

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1229.471	49.24	-4.51	74.0	-24.76	Peak	299.80	100	Horizontal	Pass
1**	1229.471	38.45	-4.51	54.0	-15.55	AV	299.80	100	Horizontal	Pass
2	1774.903	48.85	-4.44	74.0	-25.15	Peak	55.60	100	Horizontal	Pass
2**	1774.903	37.96	-4.44	54.0	-16.04	AV	55.60	100	Horizontal	Pass
3	2091.864	53.10	-1.76	74.0	-20.90	Peak	241.20	100	Horizontal	Pass
3**	2091.864	42.06	-1.76	54.0	-11.94	AV	241.20	100	Horizontal	Pass
4	2420.072	58.95	4.59	74.0	-15.05	Peak	40.00	100	Horizontal	Pass
4**	2420.072	48.63	4.59	54.0	-5.37	AV	40.00	100	Horizontal	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-21\_11.04.22

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case\_FCC\_Part 15C\_FCC 15.247\_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7981.505	35.81	5.34	74.0	-38.19	Peak	106.80	100	Horizontal	Pass
1**	7981.505	25.01	5.34	54.0	-28.99	AV	106.80	100	Horizontal	Pass
2	9361.660	39.68	9.85	74.0	-34.32	Peak	64.00	100	Horizontal	Pass
2**	9361.660	29.27	9.85	54.0	-24.73	AV	64.00	100	Horizontal	Pass
3	10321.170	41.21	10.87	74.0	-32.79	Peak	360.00	100	Horizontal	Pass
3**	10321.170	30.66	10.87	54.0	-23.34	AV	360.00	100	Horizontal	Pass
4	11635.341	43.44	11.02	74.0	-30.56	Peak	355.50	100	Horizontal	Pass
4**	11635.341	32.05	11.02	54.0	-21.95	AV	355.50	100	Horizontal	Pass

BLE-Low channel-Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_10.59.14

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1229.471	48.17	-4.51	74.0	-25.83	Peak	262.80	100	Vertical	Pass
1**	1229.471	38.37	-4.51	54.0	-15.63	AV	262.80	100	Vertical	Pass
2	1681.165	48.15	-5.25	74.0	-25.85	Peak	182.50	100	Vertical	Pass
2**	1681.165	37.80	-5.25	54.0	-16.20	AV	182.50	100	Vertical	Pass
3	2136.858	53.50	-1.12	74.0	-20.50	Peak	21.80	100	Vertical	Pass
3**	2136.858	43.35	-1.12	54.0	-10.65	AV	21.80	100	Vertical	Pass
4	2425.322	57.89	4.38	74.0	-16.11	Peak	318.20	100	Vertical	Pass
4**	2425.322	47.89	4.38	54.0	-6.11	AV	318.20	100	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-21\_11.05.55

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case\_FCC\_Part 15C\_FCC 15.247\_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7756.061	34.98	4.85	74.0	-39.02	Peak	328.10	100	Vertical	Pass
1**	7756.061	24.75	4.85	54.0	-29.25	AV	328.10	100	Vertical	Pass
2	8853.037	38.79	7.50	74.0	-35.21	Peak	357.60	100	Vertical	Pass
2**	8853.037	27.87	7.50	54.0	-26.13	AV	357.60	100	Vertical	Pass
3	10442.139	41.07	10.65	74.0	-32.93	Peak	100.80	100	Vertical	Pass
3**	10442.139	30.41	10.65	54.0	-23.59	AV	100.80	100	Vertical	Pass
4	11613.347	42.01	11.38	74.0	-31.99	Peak	357.60	100	Vertical	Pass
4**	11613.347	31.91	11.38	54.0	-22.09	AV	357.60	100	Vertical	Pass

BLE-Middle channel-Horizontal-TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_11.20.12

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1232.221	48.32	-4.34	74.0	-25.68	Peak	60.30	100	Horizontal	Pass
1**	1232.221	38.26	-4.34	54.0	-15.74	AV	60.30	100	Horizontal	Pass
2	1718.660	49.83	-4.65	74.0	-24.17	Peak	193.00	100	Horizontal	Pass
2**	1718.660	38.04	-4.65	54.0	-15.96	AV	193.00	100	Horizontal	Pass
3	2415.823	57.75	4.75	74.0	-16.25	Peak	88.70	100	Horizontal	Pass
3**	2415.823	47.81	4.75	54.0	-6.19	AV	88.70	100	Horizontal	Pass
4	2867.767	55.09	2.63	74.0	-18.91	Peak	251.10	100	Horizontal	Pass
4**	2867.767	45.18	2.63	54.0	-8.82	AV	251.10	100	Horizontal	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-21\_11.13.40

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7767.058	35.49	4.83	74.0	-38.51	Peak	213.50	100	Horizontal	Pass
1**	7767.058	24.77	4.83	54.0	-29.23	AV	213.50	100	Horizontal	Pass
2	9408.398	39.09	9.79	74.0	-34.91	Peak	72.10	100	Horizontal	Pass
2**	9408.398	28.94	9.79	54.0	-25.06	AV	72.10	100	Horizontal	Pass
3	11148.713	41.85	10.82	74.0	-32.15	Peak	65.90	100	Horizontal	Pass
3**	11148.713	31.36	10.82	54.0	-22.64	AV	65.90	100	Horizontal	Pass
4	13081.480	43.81	12.23	74.0	-30.19	Peak	13.80	100	Horizontal	Pass
4**	13081.480	33.33	12.23	54.0	-20.67	AV	13.80	100	Horizontal	Pass



BLE-Middle channel-Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_11.28.36

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1277.465	47.84	-4.61	74.0	-26.16	Peak	77.50	100	Vertical	Pass
1**	1277.465	37.84	-4.61	54.0	-16.16	AV	77.50	100	Vertical	Pass
2	1718.160	48.71	-4.57	74.0	-25.29	Peak	292.50	100	Vertical	Pass
2**	1718.160	38.43	-4.57	54.0	-15.57	AV	292.50	100	Vertical	Pass
3	2418.323	57.94	4.66	74.0	-16.06	Peak	357.10	100	Vertical	Pass
3**	2418.323	47.86	4.66	54.0	-6.14	AV	357.10	100	Vertical	Pass
4	2993.001	55.36	3.02	74.0	-18.64	Peak	351.10	100	Vertical	Pass
4**	2993.001	45.70	3.02	54.0	-8.30	AV	351.10	100	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-21\_11.07.32

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case\_FCC\_Part 15C\_FCC 15.247\_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7962.259	35.64	4.93	74.0	-38.36	Peak	354.90	100	Vertical	Pass
1**	7962.259	24.89	4.93	54.0	-29.11	AV	354.90	100	Vertical	Pass
2	8847.538	38.29	7.52	74.0	-35.71	Peak	214.80	100	Vertical	Pass
2**	8847.538	27.83	7.52	54.0	-26.17	AV	214.80	100	Vertical	Pass
3	10244.189	41.16	10.66	74.0	-32.84	Peak	291.40	100	Vertical	Pass
3**	10244.189	30.58	10.66	54.0	-23.42	AV	291.40	100	Vertical	Pass
4	11646.338	42.54	10.85	74.0	-31.46	Peak	359.40	100	Vertical	Pass
4**	11646.338	31.94	10.85	54.0	-22.06	AV	359.40	100	Vertical	Pass

BLE-High channel-Horizontal-TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_11.41.43

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1273.466	48.19	-4.49	74.0	-25.81	Peak	107.80	100	Horizontal	Pass
1**	1273.466	37.68	-4.49	54.0	-16.32	AV	107.80	100	Horizontal	Pass
2	1766.404	49.52	-4.98	74.0	-24.48	Peak	262.00	100	Horizontal	Pass
2**	1766.404	38.88	-4.98	54.0	-15.12	AV	262.00	100	Horizontal	Pass
3	2421.822	57.86	4.52	74.0	-16.14	Peak	360.00	100	Horizontal	Pass
3**	2421.822	48.56	4.52	54.0	-5.44	AV	360.00	100	Horizontal	Pass
4	2871.016	55.39	2.27	74.0	-18.61	Peak	252.80	100	Horizontal	Pass
4**	2871.016	45.68	2.27	54.0	-8.32	AV	252.80	100	Horizontal	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-21\_11.56.51

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7805.549	34.82	4.77	74.0	-39.18	Peak	317.00	100	Horizontal	Pass
1**	7805.549	24.17	4.77	54.0	-29.83	AV	317.00	100	Horizontal	Pass
2	8864.034	37.34	7.26	74.0	-36.66	Peak	110.30	100	Horizontal	Pass
2**	8864.034	26.90	7.26	54.0	-27.10	AV	110.30	100	Horizontal	Pass
3	10224.944	40.94	10.60	74.0	-33.06	Peak	189.10	100	Horizontal	Pass
3**	10224.944	29.98	10.60	54.0	-24.02	AV	189.10	100	Horizontal	Pass
4	11814.046	41.94	10.50	74.0	-32.06	Peak	75.90	100	Horizontal	Pass
4**	11814.046	30.47	10.50	54.0	-23.53	AV	75.90	100	Horizontal	Pass

BLE-High channel-Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_11.44.20

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.980	47.73	-4.50	74.0	-26.27	Peak	63.80	100	Vertical	Pass
1**	1161.980	36.93	-4.50	54.0	-17.07	AV	63.80	100	Vertical	Pass
2	1677.165	48.00	-4.72	74.0	-26.00	Peak	111.00	100	Vertical	Pass
2**	1677.165	38.31	-4.72	54.0	-15.69	AV	111.00	100	Vertical	Pass
3	2419.073	57.62	4.63	74.0	-16.38	Peak	231.60	100	Vertical	Pass
3**	2419.073	48.89	4.63	54.0	-5.11	AV	231.60	100	Vertical	Pass
4	2906.762	55.15	2.51	74.0	-18.85	Peak	69.70	100	Vertical	Pass
4**	2906.762	44.89	2.51	54.0	-9.11	AV	69.70	100	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-21\_11.46.10

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case\_FCC\_Part 15C\_FCC 15.247\_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7852.287	35.51	4.71	74.0	-38.49	Peak	185.30	100	Vertical	Pass
1**	7852.287	24.02	4.71	54.0	-29.98	AV	185.30	100	Vertical	Pass
2	9438.640	39.65	9.20	74.0	-34.35	Peak	23.40	100	Vertical	Pass
2**	9438.640	28.32	9.20	54.0	-25.68	AV	23.40	100	Vertical	Pass
3	11176.206	42.25	10.77	74.0	-31.75	Peak	23.40	100	Vertical	Pass
3**	11176.206	31.19	10.77	54.0	-22.81	AV	23.40	100	Vertical	Pass
4	13119.970	43.92	12.45	74.0	-30.08	Peak	206.60	100	Vertical	Pass
4**	13119.970	33.20	12.45	54.0	-20.80	AV	206.60	100	Vertical	Pass


BLE-Bandedge -Low channel- Horizontal -TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_10.39.20

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090001-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2400.000	32.60	-4.18	74.0	-41.40	Peak	0.07	100	H	Pass
1**	2400.000	27.55	-4.18	54.0	-26.45	AV	0.07	100	H	Pass
2	2483.500	35.10	-3.87	74.0	-38.90	Peak	0.40	100	H	Pass
2**	2483.500	28.49	-3.87	54.0	-25.51	AV	0.40	100	H	Pass

BLE-Bandedge -Low channel- Vertical -TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_10.36.26

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2400.000	33.85	-4.18	74.0	-40.15	Peak	0.57	100	V	Pass
1**	2400.000	28.40	-4.18	54.0	-25.60	AV	0.57	100	V	Pass
2	2483.500	34.93	-3.87	74.0	-39.07	Peak	2.00	100	V	Pass
2**	2483.500	29.24	-3.87	54.0	-24.76	AV	2.00	100	V	Pass




BLE-Bandedge -High channel- Horizontal -TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_11.37.35

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090001-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2400.000	34.99	-4.18	74.0	-39.01	Peak	359.82	100	H	Pass
1**	2400.000	29.39	-4.18	54.0	-24.61	AV	359.82	100	H	Pass
2	2483.500	34.57	-3.87	74.0	-39.43	Peak	357.99	100	H	Pass
2**	2483.500	29.32	-3.87	54.0	-24.68	AV	357.99	100	H	Pass


BLE-Bandedge -High channel- Vertical –TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_11.36.27

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090001-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2400.000	33.87	-4.18	74.0	-40.13	Peak	1.00	100	V	Pass
1**	2400.000	29.13	-4.18	54.0	-24.87	AV	1.00	100	V	Pass
2	2483.500	34.59	-3.87	74.0	-39.41	Peak	1.00	100	V	Pass
2**	2483.500	26.99	-3.87	54.0	-27.01	AV	1.00	100	V	Pass