

# EXHIBIT A- RADIATED SPURIOUS EMISSION DATA

Note : Transmit frequency is ignore ,mark →

30M-1G

WIFI5GB1 -Horizontal-TX

## Test result

Project Number: Certification

Test Time: 2020-10-22\_15.37.12

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	51.092	24.73	-24.50	40.0	-15.27	Peak	155.30	200	Horizontal	Pass
2	90.367	22.24	-27.93	43.5	-21.26	Peak	269.00	200	Horizontal	Pass
3	112.187	23.25	-27.16	43.5	-20.25	Peak	257.40	200	Horizontal	Pass
4	227.588	25.28	-25.61	46.0	-20.72	Peak	0.00	200	Horizontal	Pass
5	376.688	29.41	-21.49	46.0	-16.59	Peak	0.00	200	Horizontal	Pass
6	799.180	21.62	-11.99	46.0	-24.38	Peak	31.20	323	Horizontal	Pass
6*	799.180	15.29	-11.99	46.0	-30.71	QP	31.20	323	Horizontal	Pass


WIFI5GB1 - Vertical -TX

# Test result

Project Number: Certification

Test Time: 2020-10-22\_15.31.29

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090001-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	48.618	9.51	-23.83	40.0	-30.49	Peak	332.70	345	Vertical	Pass
1*	48.618	2.70	-23.83	40.0	-37.30	QP	332.70	345	Vertical	Pass
2	94.731	22.38	-27.05	43.5	-21.12	Peak	63.70	200	Vertical	Pass
3	216.436	24.64	-26.39	46.0	-21.36	Peak	0.40	100	Vertical	Pass
4	296.441	26.48	-23.78	46.0	-19.52	Peak	178.60	200	Vertical	Pass
5	436.571	31.28	-19.82	46.0	-14.72	Peak	0.00	200	Vertical	Pass
6	798.241	23.57	-11.56	46.0	-22.43	Peak	258.80	100	Vertical	Pass
6*	798.241	15.99	-11.56	46.0	-30.01	QP	258.80	100	Vertical	Pass

1G-18G

WiFi5GB1-A-Low channel-Horizontal-TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_16.07.47

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1116.485	46.76	-6.91	74.0	-27.24	Peak	130.70	100	Horizontal	Pass
1**	1116.485	35.52	-6.91	54.0	-18.48	AV	130.70	100	Horizontal	Pass
2	1486.189	45.86	-8.50	74.0	-28.14	Peak	204.90	100	Horizontal	Pass
2**	1486.189	34.68	-8.50	54.0	-19.32	AV	204.90	100	Horizontal	Pass
3	1846.894	47.46	-7.49	68.2	-20.74	Peak	4.70	100	Horizontal	Pass
3**	1846.894	35.53	-7.49	--	35.53	AV	4.70	100	Horizontal	N/A
4	2340.332	50.17	-4.18	74.0	-23.83	Peak	40.30	100	Horizontal	Pass
4**	2340.332	38.84	-4.18	54.0	-15.16	AV	40.30	100	Horizontal	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-21\_18.32.07

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7657.086	33.98	4.68	74.0	-40.02	Peak	208.80	100	Horizontal	Pass
1**	7657.086	24.87	4.68	54.0	-29.13	AV	208.80	100	Horizontal	Pass
2	9358.910	39.40	9.84	74.0	-34.60	Peak	268.60	100	Horizontal	Pass
2**	9358.910	30.27	9.84	54.0	-23.73	AV	268.60	100	Horizontal	Pass
3	10851.787	40.78	11.23	74.0	-33.22	Peak	280.20	100	Horizontal	Pass
3**	10851.787	32.07	11.23	54.0	-21.93	AV	280.20	100	Horizontal	Pass
4	11610.597	41.54	11.42	74.0	-32.46	Peak	292.30	100	Horizontal	Pass
4**	11610.597	32.85	11.42	54.0	-21.15	AV	292.30	100	Horizontal	Pass

WIFI5GB1-A-Low channel-Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_17.04.16

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.725	46.83	-7.10	74.0	-27.17	Peak	13.30	100	Vertical	Pass
1**	1197.725	35.38	-7.10	54.0	-18.62	AV	13.30	100	Vertical	Pass
2	1583.177	45.83	-8.70	74.0	-28.17	Peak	271.30	100	Vertical	Pass
2**	1583.177	34.48	-8.70	54.0	-19.52	AV	271.30	100	Vertical	Pass
3	2151.606	48.74	-4.99	68.2	-19.46	Peak	116.10	100	Vertical	Pass
3**	2151.606	37.73	-4.99	--	37.73	AV	116.10	100	Vertical	N/A
4	2661.792	49.79	-3.16	68.2	-18.41	Peak	61.20	100	Vertical	Pass
4**	2661.792	38.69	-3.16	--	38.69	AV	61.20	100	Vertical	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-21\_18.30.30

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7805.549	33.81	4.77	68.2	-34.39	Peak	142.10	100	Vertical	Pass
1**	7805.549	26.21	4.77	--	26.21	AV	142.10	100	Vertical	N/A
2	8836.541	36.67	7.35	68.2	-31.53	Peak	268.60	100	Vertical	Pass
2**	8836.541	28.77	7.35	--	28.77	AV	268.60	100	Vertical	N/A
3	10337.666	41.08	10.65	68.2	-27.12	Peak	193.30	100	Vertical	Pass
3**	10337.666	32.05	10.65	--	32.05	AV	193.30	100	Vertical	N/A
4	11181.705	42.09	10.75	74.0	-31.91	Peak	190.30	100	Vertical	Pass
4**	11181.705	33.46	10.75	54.0	-20.54	AV	190.30	100	Vertical	Pass

WiFi5GB1-A-Middle channel- Horizontal-TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_18.36.42

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1097.988	46.63	-6.91	74.0	-27.37	Peak	46.70	100	Horizontal	Pass
1**	1097.988	35.76	-6.91	54.0	-18.24	AV	46.70	100	Horizontal	Pass
2	1484.439	45.59	-8.50	74.0	-28.41	Peak	64.50	100	Horizontal	Pass
2**	1484.439	34.91	-8.50	54.0	-19.09	AV	64.50	100	Horizontal	Pass
3	2166.854	49.69	-4.92	68.2	-18.51	Peak	308.90	100	Horizontal	Pass
3**	2166.854	38.12	-4.92	--	38.12	AV	308.90	100	Horizontal	N/A
4	3280.465	57.06	3.58	68.2	-11.14	Peak	255.30	100	Horizontal	Pass
4**	3280.465	46.66	3.58	--	46.66	AV	255.30	100	Horizontal	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-21\_18.34.06

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7643.339	33.93	4.58	74.0	-40.07	Peak	65.30	100	Horizontal	Pass
1**	7643.339	25.14	4.58	54.0	-28.86	AV	65.30	100	Horizontal	Pass
2	8833.792	37.74	7.30	68.2	-30.46	Peak	172.90	100	Horizontal	Pass
2**	8833.792	28.52	7.30	--	28.52	AV	172.90	100	Horizontal	N/A
3	9422.144	39.46	9.52	74.0	-34.54	Peak	44.30	100	Horizontal	Pass
3**	9422.144	30.48	9.52	54.0	-23.52	AV	44.30	100	Horizontal	Pass
4	10252.437	40.16	10.71	68.2	-28.04	Peak	208.50	100	Horizontal	Pass
4**	10252.437	31.41	10.71	--	31.41	AV	208.50	100	Horizontal	N/A



# Test result

Project Number: Certification

Test Time: 2020-10-21\_18.40.43

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1183.477	47.03	-7.13	74.0	-26.97	Peak	142.00	100	Vertical	Pass
1**	1183.477	35.82	-7.13	54.0	-18.18	AV	142.00	100	Vertical	Pass
2	1476.940	46.61	-8.50	74.0	-27.39	Peak	34.30	100	Vertical	Pass
2**	1476.940	34.48	-8.50	54.0	-19.52	AV	34.30	100	Vertical	Pass
3	2010.874	48.64	-6.02	68.2	-19.56	Peak	228.80	100	Vertical	Pass
3**	2010.874	37.45	-6.02	--	37.45	AV	228.80	100	Vertical	N/A
4	3035.621	57.30	3.22	68.2	-10.90	Peak	152.40	100	Vertical	Pass
4**	3035.621	46.73	3.22	--	46.73	AV	152.40	100	Vertical	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-21\_18.28.41

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7981.505	34.62	5.34	68.2	-33.58	Peak	176.70	100	Vertical	Pass
1**	7981.505	25.46	5.34	--	25.46	AV	176.70	100	Vertical	N/A
2	9177.456	36.98	8.22	74.0	-37.02	Peak	23.50	100	Vertical	Pass
2**	9177.456	28.71	8.22	54.0	-25.29	AV	23.50	100	Vertical	Pass
3	11049.738	42.26	10.96	74.0	-31.74	Peak	56.40	100	Vertical	Pass
3**	11049.738	31.84	10.96	54.0	-22.16	AV	56.40	100	Vertical	Pass
4	11803.049	41.70	10.59	74.0	-32.30	Peak	20.50	100	Vertical	Pass
4**	11803.049	31.51	10.59	54.0	-22.49	AV	20.50	100	Vertical	Pass

WiFi5GB1-A-High channel-Horizontal-TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_18.50.22

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1265.717	47.16	-7.50	68.2	-21.04	Peak	333.00	100	Horizontal	Pass
1**	1265.717	34.97	-7.50	--	34.97	AV	333.00	100	Horizontal	N/A
2	1520.935	45.90	-8.63	74.0	-28.10	Peak	359.40	100	Horizontal	Pass
2**	1520.935	34.11	-8.63	54.0	-19.89	AV	359.40	100	Horizontal	Pass
3	1933.383	48.10	-6.89	68.2	-20.10	Peak	225.10	100	Horizontal	Pass
3**	1933.383	36.18	-6.89	--	36.18	AV	225.10	100	Horizontal	N/A
4	3035.621	57.81	3.22	68.2	-10.39	Peak	45.40	100	Horizontal	Pass
4**	3035.621	46.61	3.22	--	46.61	AV	45.40	100	Horizontal	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-21\_18.53.29

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7747.813	35.34	4.84	74.0	-38.66	Peak	185.10	100	Horizontal	Pass
1**	7747.813	25.46	4.84	54.0	-28.54	AV	185.10	100	Horizontal	Pass
2	8850.287	36.94	7.55	68.2	-31.26	Peak	220.90	100	Horizontal	Pass
2**	8850.287	28.67	7.55	--	28.67	AV	220.90	100	Horizontal	N/A
3	11602.349	42.92	11.55	74.0	-31.08	Peak	317.30	100	Horizontal	Pass
3**	11602.349	33.20	11.55	54.0	-20.80	AV	317.30	100	Horizontal	Pass
4	12160.460	43.16	10.97	74.0	-30.84	Peak	101.10	100	Horizontal	Pass
4**	12160.460	33.50	10.97	54.0	-20.50	AV	101.10	100	Horizontal	Pass

WIFI5GB1-A-High channel-Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_18.46.44

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1175.978	47.14	-7.14	74.0	-26.86	Peak	206.80	100	Vertical	Pass
1**	1175.978	35.66	-7.14	54.0	-18.34	AV	206.80	100	Vertical	Pass
2	1587.677	45.94	-8.69	74.0	-28.06	Peak	44.40	100	Vertical	Pass
2**	1587.677	34.73	-8.69	54.0	-19.27	AV	44.40	100	Vertical	Pass
3	2112.611	48.67	-5.35	68.2	-19.53	Peak	357.20	100	Vertical	Pass
3**	2112.611	37.79	-5.35	--	37.79	AV	357.20	100	Vertical	N/A
4	2651.794	49.91	-3.47	68.2	-18.29	Peak	291.00	100	Vertical	Pass
4**	2651.794	38.77	-3.47	--	38.77	AV	291.00	100	Vertical	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-21\_18.55.12

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7805.549	34.11	4.77	68.2	-34.09	Peak	205.00	100	Vertical	Pass
1**	7805.549	25.02	4.77	--	25.02	AV	205.00	100	Vertical	N/A
2	8858.535	37.63	7.38	68.2	-30.57	Peak	17.00	100	Vertical	Pass
2**	8858.535	28.12	7.38	--	28.12	AV	17.00	100	Vertical	N/A
3	10200.200	40.23	10.51	68.2	-27.97	Peak	330.90	100	Vertical	Pass
3**	10200.200	30.79	10.51	--	30.79	AV	330.90	100	Vertical	N/A
4	11635.341	42.23	11.02	74.0	-31.77	Peak	20.00	100	Vertical	Pass
4**	11635.341	32.71	11.02	54.0	-21.29	AV	20.00	100	Vertical	Pass

WIFI5GB1-N20-Low channel-Horizontal-TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_19.23.43

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1296.963	46.57	-7.51	68.2	-21.63	Peak	327.40	100	Horizontal	Pass
1**	1296.963	35.53	-7.51	--	35.53	AV	327.40	100	Horizontal	N/A
2	1973.378	47.73	-6.39	68.2	-20.47	Peak	264.40	100	Horizontal	Pass
2**	1973.378	36.44	-6.39	--	36.44	AV	264.40	100	Horizontal	N/A
3	2628.296	50.04	-3.56	68.2	-18.16	Peak	6.70	100	Horizontal	Pass
3**	2628.296	38.06	-3.56	--	38.06	AV	6.70	100	Horizontal	N/A
4	3196.100	56.56	3.49	68.2	-11.64	Peak	18.60	100	Horizontal	Pass
4**	3196.100	46.10	3.49	--	46.10	AV	18.60	100	Horizontal	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-21\_19.29.57

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7769.808	33.63	4.83	68.2	-34.57	Peak	101.30	100	Horizontal	Pass
1**	7769.808	25.73	4.83	--	25.73	AV	101.30	100	Horizontal	N/A
2	9334.166	39.16	9.60	74.0	-34.84	Peak	5.60	100	Horizontal	Pass
2**	9334.166	29.76	9.60	54.0	-24.24	AV	5.60	100	Horizontal	Pass
3	11165.209	41.72	10.79	74.0	-32.28	Peak	273.80	100	Horizontal	Pass
3**	11165.209	32.54	10.79	54.0	-21.46	AV	273.80	100	Horizontal	Pass
4	13526.868	43.48	13.87	68.2	-24.72	Peak	222.60	100	Horizontal	Pass
4**	13526.868	35.35	13.87	--	35.35	AV	222.60	100	Horizontal	N/A



WIFI5GB1-N20-Low channel-Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_19.26.22

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1297.713	46.84	-7.50	68.2	-21.36	Peak	309.60	100	Vertical	Pass
1**	1297.713	35.32	-7.50	--	35.32	AV	309.60	100	Vertical	N/A
2	2007.124	48.26	-6.08	68.2	-19.94	Peak	270.60	100	Vertical	Pass
2**	2007.124	37.01	-6.08	--	37.01	AV	270.60	100	Vertical	N/A
3	2467.317	49.09	-3.58	68.2	-19.11	Peak	240.20	100	Vertical	Pass
3**	2467.317	38.64	-3.58	--	38.64	AV	240.20	100	Vertical	N/A
4	3157.480	57.16	3.26	68.2	-11.04	Peak	155.00	100	Vertical	Pass
4**	3157.480	45.89	3.26	--	45.89	AV	155.00	100	Vertical	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-21\_19.28.13

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7596.601	33.77	3.65	74.0	-40.23	Peak	20.80	100	Vertical	Pass
1**	7596.601	24.20	3.65	54.0	-29.80	AV	20.80	100	Vertical	Pass
2	8869.533	36.84	7.14	68.2	-31.36	Peak	35.90	100	Vertical	Pass
2**	8869.533	29.48	7.14	--	29.48	AV	35.90	100	Vertical	N/A
3	10194.701	40.91	10.45	68.2	-27.29	Peak	134.70	100	Vertical	Pass
3**	10194.701	31.02	10.45	--	31.02	AV	134.70	100	Vertical	N/A
4	11624.344	41.73	11.20	74.0	-32.27	Peak	0.00	100	Vertical	Pass
4**	11624.344	33.78	11.20	54.0	-20.22	AV	0.00	100	Vertical	Pass

WIFI5GB1-N20-Middle channel- Horizontal-TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_19.19.08

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1168.729	46.63	-7.13	74.0	-27.37	Peak	57.30	100	Horizontal	Pass
1**	1168.729	34.86	-7.13	54.0	-19.14	AV	57.30	100	Horizontal	Pass
2	1818.398	46.80	-7.75	68.2	-21.40	Peak	153.40	100	Horizontal	Pass
2**	1818.398	35.11	-7.75	--	35.11	AV	153.40	100	Horizontal	N/A
3	2213.098	49.85	-4.42	74.0	-24.15	Peak	138.60	100	Horizontal	Pass
3**	2213.098	38.01	-4.42	54.0	-15.99	AV	138.60	100	Horizontal	Pass
4	2864.517	51.04	-2.22	74.0	-22.96	Peak	246.80	100	Horizontal	Pass
4**	2864.517	39.00	-2.22	54.0	-15.00	AV	246.80	100	Horizontal	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-21\_19.11.31

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7816.546	33.59	4.75	68.2	-34.61	Peak	132.20	100	Horizontal	Pass
1**	7816.546	26.18	4.75	--	26.18	AV	132.20	100	Horizontal	N/A
2	9345.164	39.30	9.75	74.0	-34.70	Peak	357.80	100	Horizontal	Pass
2**	9345.164	30.24	9.75	54.0	-23.76	AV	357.80	100	Horizontal	Pass
3	11198.200	41.80	10.71	74.0	-32.20	Peak	310.40	100	Horizontal	Pass
3**	11198.200	32.28	10.71	54.0	-21.72	AV	310.40	100	Horizontal	Pass
4	13081.480	42.88	12.23	68.2	-25.32	Peak	80.30	100	Horizontal	Pass
4**	13081.480	33.60	12.23	--	33.60	AV	80.30	100	Horizontal	N/A

WIFI5GB1-N20-Middle channel-Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_19.16.28

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1116.235	46.77	-6.91	74.0	-27.23	Peak	72.10	100	Vertical	Pass
1**	1116.235	35.76	-6.91	54.0	-18.24	AV	72.10	100	Vertical	Pass
2	1923.385	47.53	-7.04	68.2	-20.67	Peak	135.40	100	Vertical	Pass
2**	1923.385	35.87	-7.04	--	35.87	AV	135.40	100	Vertical	N/A
3	2455.318	49.66	-3.81	68.2	-18.54	Peak	102.30	100	Vertical	Pass
3**	2455.318	38.54	-3.81	--	38.54	AV	102.30	100	Vertical	N/A
4	3034.496	56.93	3.25	68.2	-11.27	Peak	353.80	100	Vertical	Pass
4**	3034.496	46.79	3.25	--	46.79	AV	353.80	100	Vertical	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-21\_19.13.48

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8030.992	34.80	5.41	74.0	-39.20	Peak	267.60	100	Vertical	Pass
1**	8030.992	25.47	5.41	54.0	-28.53	AV	267.60	100	Vertical	Pass
2	8847.538	37.31	7.52	68.2	-30.89	Peak	19.20	100	Vertical	Pass
2**	8847.538	29.27	7.52	--	29.27	AV	19.20	100	Vertical	N/A
3	11049.738	40.66	10.96	74.0	-33.34	Peak	356.70	100	Vertical	Pass
3**	11049.738	32.68	10.96	54.0	-21.32	AV	356.70	100	Vertical	Pass
4	13172.207	43.45	12.23	68.2	-24.75	Peak	261.40	100	Vertical	Pass
4**	13172.207	34.46	12.23	--	34.46	AV	261.40	100	Vertical	N/A

WIFI5GB1-N20-High channel-Horizontal-TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_19.02.31

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1280.965	46.86	-7.46	68.2	-21.34	Peak	270.60	100	Horizontal	Pass
1**	1280.965	35.31	-7.46	--	35.31	AV	270.60	100	Horizontal	N/A
2	1474.941	45.98	-8.49	74.0	-28.02	Peak	360.00	100	Horizontal	Pass
2**	1474.941	34.41	-8.49	54.0	-19.59	AV	360.00	100	Horizontal	Pass
3	1969.379	48.69	-6.41	68.2	-19.51	Peak	285.70	100	Horizontal	Pass
3**	1969.379	36.63	-6.41	--	36.63	AV	285.70	100	Horizontal	N/A
4	3074.991	57.33	3.34	68.2	-10.87	Peak	77.00	100	Horizontal	Pass
4**	3074.991	46.35	3.34	--	46.35	AV	77.00	100	Horizontal	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-21\_19.09.22

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7197.951	32.29	2.84	68.2	-35.91	Peak	162.60	100	Horizontal	Pass
1**	7197.951	23.30	2.84	--	23.30	AV	162.60	100	Horizontal	N/A
2	8866.783	37.70	7.20	68.2	-30.50	Peak	266.90	100	Horizontal	Pass
2**	8866.783	29.04	7.20	--	29.04	AV	266.90	100	Horizontal	N/A
3	11225.694	41.50	10.67	74.0	-32.50	Peak	57.60	100	Horizontal	Pass
3**	11225.694	32.09	10.67	54.0	-21.91	AV	57.60	100	Horizontal	Pass
4	13287.678	43.13	12.58	74.0	-30.87	Peak	307.70	100	Horizontal	Pass
4**	13287.678	35.06	12.58	54.0	-18.94	AV	307.70	100	Horizontal	Pass



WIFI5GB1-N20-High channel-Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_19.05.43

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1108.236	47.12	-6.85	74.0	-26.88	Peak	87.20	100	Vertical	Pass
1**	1108.236	36.22	-6.85	54.0	-17.78	AV	87.20	100	Vertical	Pass
2	1795.651	47.04	-8.07	68.2	-21.16	Peak	17.80	100	Vertical	Pass
2**	1795.651	35.37	-8.07	--	35.37	AV	17.80	100	Vertical	N/A
3	2353.831	49.78	-4.18	74.0	-24.22	Peak	32.90	100	Vertical	Pass
3**	2353.831	38.61	-4.18	54.0	-15.39	AV	32.90	100	Vertical	Pass
4	2875.766	50.83	-2.34	74.0	-23.17	Peak	0.00	100	Vertical	Pass
4**	2875.766	38.99	-2.34	54.0	-15.01	AV	0.00	100	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-21\_19.07.34

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7811.047	35.29	4.76	68.2	-32.91	Peak	304.90	100	Vertical	Pass
1**	7811.047	25.54	4.76	--	25.54	AV	304.90	100	Vertical	N/A
2	9444.139	38.44	9.09	74.0	-35.56	Peak	228.30	100	Vertical	Pass
2**	9444.139	29.52	9.09	54.0	-24.48	AV	228.30	100	Vertical	Pass
3	10505.374	41.02	9.94	68.2	-27.18	Peak	225.30	100	Vertical	Pass
3**	10505.374	31.18	9.94	--	31.18	AV	225.30	100	Vertical	N/A
4	12286.928	41.89	10.50	74.0	-32.11	Peak	228.30	100	Vertical	Pass
4**	12286.928	32.86	10.50	54.0	-21.14	AV	228.30	100	Vertical	Pass

WIFI5GB1-N40-Low channel-Horizontal-TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_20.51.43

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1240.970	46.28	-7.42	68.2	-21.92	Peak	13.30	100	Horizontal	Pass
1**	1240.970	35.43	-7.42	--	35.43	AV	13.30	100	Horizontal	N/A
2	1992.376	48.22	-6.13	68.2	-19.98	Peak	193.70	100	Horizontal	Pass
2**	1992.376	36.97	-6.13	--	36.97	AV	193.70	100	Horizontal	N/A
3	2338.583	50.23	-4.18	74.0	-23.77	Peak	277.50	100	Horizontal	Pass
3**	2338.583	38.72	-4.18	54.0	-15.28	AV	277.50	100	Horizontal	Pass
4	3282.715	56.69	3.55	68.2	-11.51	Peak	125.40	100	Horizontal	Pass
4**	3282.715	46.38	3.55	--	46.38	AV	125.40	100	Horizontal	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-21\_20.49.10

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7932.017	34.14	4.79	68.2	-34.06	Peak	309.10	100	Horizontal	Pass
1**	7932.017	25.66	4.79	--	25.66	AV	309.10	100	Horizontal	N/A
2	9303.924	39.59	9.17	74.0	-34.41	Peak	96.30	100	Horizontal	Pass
2**	9303.924	29.65	9.17	54.0	-24.35	AV	96.30	100	Horizontal	Pass
3	11145.964	41.49	10.81	74.0	-32.51	Peak	186.50	100	Horizontal	Pass
3**	11145.964	32.35	10.81	54.0	-21.65	AV	186.50	100	Horizontal	Pass
4	13763.309	44.49	13.59	68.2	-23.71	Peak	27.40	100	Horizontal	Pass
4**	13763.309	35.48	13.59	--	35.48	AV	27.40	100	Horizontal	N/A

WIFI5GB1-N40-Low channel-Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_20.54.22

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1175.228	46.41	-7.14	74.0	-27.59	Peak	318.00	100	Vertical	Pass
1**	1175.228	35.38	-7.14	54.0	-18.62	AV	318.00	100	Vertical	Pass
2	1476.190	46.16	-8.49	74.0	-27.84	Peak	111.40	100	Vertical	Pass
2**	1476.190	34.47	-8.49	54.0	-19.53	AV	111.40	100	Vertical	Pass
3	1948.881	47.98	-6.85	68.2	-20.22	Peak	14.30	100	Vertical	Pass
3**	1948.881	36.13	-6.85	--	36.13	AV	14.30	100	Vertical	N/A
4	2814.023	50.69	-2.37	74.0	-23.31	Peak	79.30	100	Vertical	Pass
4**	2814.023	39.32	-2.37	54.0	-14.68	AV	79.30	100	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-21\_20.46.22

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7602.099	33.80	3.74	74.0	-40.20	Peak	102.10	100	Vertical	Pass
1**	7602.099	24.32	3.74	54.0	-29.68	AV	102.10	100	Vertical	Pass
2	8872.282	37.37	7.08	68.2	-30.83	Peak	299.70	100	Vertical	Pass
2**	8872.282	27.70	7.08	--	27.70	AV	299.70	100	Vertical	N/A
3	10411.897	41.40	10.80	68.2	-26.80	Peak	227.80	100	Vertical	Pass
3**	10411.897	31.37	10.80	--	31.37	AV	227.80	100	Vertical	N/A
4	11129.468	41.58	10.73	74.0	-32.42	Peak	357.90	100	Vertical	Pass
4**	11129.468	32.77	10.73	54.0	-21.23	AV	357.90	100	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-21\_20.39.53

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1237.970	46.60	-7.40	74.0	-27.40	Peak	269.10	100	Horizontal	Pass
1**	1237.970	35.54	-7.40	54.0	-18.46	AV	269.10	100	Horizontal	Pass
2	1668.916	45.94	-8.47	74.0	-28.06	Peak	111.00	100	Horizontal	Pass
2**	1668.916	34.63	-8.47	54.0	-19.37	AV	111.00	100	Horizontal	Pass
3	2213.598	49.13	-4.44	74.0	-24.87	Peak	65.50	100	Horizontal	Pass
3**	2213.598	38.47	-4.44	54.0	-15.53	AV	65.50	100	Horizontal	Pass
4	3114.736	57.42	3.52	68.2	-10.78	Peak	345.80	100	Horizontal	Pass
4**	3114.736	46.46	3.52	--	46.46	AV	345.80	100	Horizontal	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-21\_20.41.48

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7805.549	33.64	4.77	68.2	-34.56	Peak	202.90	100	Horizontal	Pass
1**	7805.549	25.52	4.77	--	25.52	AV	202.90	100	Horizontal	N/A
2	8847.538	37.52	7.52	68.2	-30.68	Peak	107.30	100	Horizontal	Pass
2**	8847.538	29.88	7.52	--	29.88	AV	107.30	100	Horizontal	N/A
3	10304.674	40.98	11.10	68.2	-27.22	Peak	140.40	100	Horizontal	Pass
3**	10304.674	31.52	11.10	--	31.52	AV	140.40	100	Horizontal	N/A
4	12127.468	41.44	10.83	74.0	-32.56	Peak	9.10	100	Horizontal	Pass
4**	12127.468	32.03	10.83	54.0	-21.97	AV	9.10	100	Horizontal	Pass



WIFI5GB1-N40-High channel-Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_20.36.59

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.729	46.92	-7.13	74.0	-27.08	Peak	80.60	100	Vertical	Pass
1**	1165.729	35.63	-7.13	54.0	-18.37	AV	80.60	100	Vertical	Pass
2	1422.947	46.21	-8.35	74.0	-27.79	Peak	164.40	100	Vertical	Pass
2**	1422.947	34.95	-8.35	54.0	-19.05	AV	164.40	100	Vertical	Pass
3	1852.143	46.65	-7.50	68.2	-21.55	Peak	284.90	100	Vertical	Pass
3**	1852.143	35.52	-7.50	--	35.52	AV	284.90	100	Vertical	N/A
4	2344.832	50.20	-4.15	74.0	-23.80	Peak	251.80	100	Vertical	Pass
4**	2344.832	38.83	-4.15	54.0	-15.17	AV	251.80	100	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-21\_20.43.34

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7987.003	34.34	5.45	68.2	-33.86	Peak	319.00	100	Vertical	Pass
1**	7987.003	26.45	5.45	--	26.45	AV	319.00	100	Vertical	N/A
2	9122.469	37.69	7.29	74.0	-36.31	Peak	136.40	100	Vertical	Pass
2**	9122.469	28.47	7.29	54.0	-25.53	AV	136.40	100	Vertical	Pass
3	11156.961	41.56	10.81	74.0	-32.44	Peak	205.10	100	Vertical	Pass
3**	11156.961	32.75	10.81	54.0	-21.25	AV	205.10	100	Vertical	Pass
4	12757.061	41.68	11.16	68.2	-26.52	Peak	0.00	100	Vertical	Pass
4**	12757.061	32.21	11.16	--	32.21	AV	0.00	100	Vertical	N/A

WIFI5GB1-AC20-Low channel-Horizontal-TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_19.51.46

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1170.479	46.61	-7.13	74.0	-27.39	Peak	359.20	100	Horizontal	Pass
1**	1170.479	35.29	-7.13	54.0	-18.71	AV	359.20	100	Horizontal	Pass
2	1474.441	45.49	-8.49	74.0	-28.51	Peak	92.20	100	Horizontal	Pass
2**	1474.441	34.23	-8.49	54.0	-19.77	AV	92.20	100	Horizontal	Pass
3	2353.581	50.58	-4.18	74.0	-23.42	Peak	327.40	100	Horizontal	Pass
3**	2353.581	38.87	-4.18	54.0	-15.13	AV	327.40	100	Horizontal	Pass
4	3115.486	57.17	3.53	68.2	-11.03	Peak	303.50	100	Horizontal	Pass
4**	3115.486	46.44	3.53	--	46.44	AV	303.50	100	Horizontal	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-21\_19.44.06

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7728.568	34.28	4.69	74.0	-39.72	Peak	173.70	100	Horizontal	Pass
1**	7728.568	25.25	4.69	54.0	-28.75	AV	173.70	100	Horizontal	Pass
2	8833.792	37.13	7.30	68.2	-31.07	Peak	324.20	100	Horizontal	Pass
2**	8833.792	28.30	7.30	--	28.30	AV	324.20	100	Horizontal	N/A
3	10461.385	41.00	10.46	68.2	-27.20	Peak	188.50	100	Horizontal	Pass
3**	10461.385	31.50	10.46	--	31.50	AV	188.50	100	Horizontal	N/A
4	11665.584	42.15	10.69	74.0	-31.85	Peak	26.40	100	Horizontal	Pass
4**	11665.584	31.74	10.69	54.0	-22.26	AV	26.40	100	Horizontal	Pass

WIFI5GB1-AC20-Low channel-Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_19.49.02

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1138.733	46.12	-7.09	74.0	-27.88	Peak	70.40	100	Vertical	Pass
1**	1138.733	35.40	-7.09	54.0	-18.60	AV	70.40	100	Vertical	Pass
2	1641.170	45.96	-8.69	68.2	-22.24	Peak	321.00	100	Vertical	Pass
2**	1641.170	34.15	-8.69	--	34.15	AV	321.00	100	Vertical	N/A
3	1823.147	47.17	-7.70	68.2	-21.03	Peak	348.40	100	Vertical	Pass
3**	1823.147	35.11	-7.70	--	35.11	AV	348.40	100	Vertical	N/A
4	2348.581	49.71	-4.13	74.0	-24.29	Peak	230.80	100	Vertical	Pass
4**	2348.581	38.97	-4.13	54.0	-15.03	AV	230.80	100	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-21\_19.46.11

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7973.257	34.40	5.16	68.2	-33.80	Peak	95.60	100	Vertical	Pass
1**	7973.257	26.32	5.16	--	26.32	AV	95.60	100	Vertical	N/A
2	9422.144	38.89	9.52	74.0	-35.11	Peak	310.80	100	Vertical	Pass
2**	9422.144	29.50	9.52	54.0	-24.50	AV	310.80	100	Vertical	Pass
3	11148.713	41.17	10.82	74.0	-32.83	Peak	331.80	100	Vertical	Pass
3**	11148.713	32.90	10.82	54.0	-21.10	AV	331.80	100	Vertical	Pass
4	13757.811	45.29	13.61	68.2	-22.91	Peak	125.20	100	Vertical	Pass
4**	13757.811	36.40	13.61	--	36.40	AV	125.20	100	Vertical	N/A

WIFI5GB1-AC20-Middle channel- Horizontal-TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_19.54.34

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1296.463	46.25	-7.51	68.2	-21.95	Peak	356.90	100	Horizontal	Pass
1**	1296.463	35.17	-7.51	--	35.17	AV	356.90	100	Horizontal	N/A
2	2019.123	49.17	-5.92	68.2	-19.03	Peak	192.70	100	Horizontal	Pass
2**	2019.123	37.47	-5.92	--	37.47	AV	192.70	100	Horizontal	N/A
3	2367.579	50.10	-4.05	74.0	-23.90	Peak	153.60	100	Horizontal	Pass
3**	2367.579	38.92	-4.05	54.0	-15.08	AV	153.60	100	Horizontal	Pass
4	3034.871	57.71	3.24	68.2	-10.49	Peak	334.60	100	Horizontal	Pass
4**	3034.871	46.80	3.24	--	46.80	AV	334.60	100	Horizontal	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-21\_20.02.46

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7769.808	34.46	4.83	68.2	-33.74	Peak	109.90	100	Horizontal	Pass
1**	7769.808	25.39	4.83	--	25.39	AV	109.90	100	Horizontal	N/A
2	8869.533	36.70	7.14	68.2	-31.50	Peak	130.90	100	Horizontal	Pass
2**	8869.533	27.88	7.14	--	27.88	AV	130.90	100	Horizontal	N/A
3	10310.172	40.38	11.02	68.2	-27.82	Peak	20.70	100	Horizontal	Pass
3**	10310.172	31.34	11.02	--	31.34	AV	20.70	100	Horizontal	N/A
4	11860.785	41.15	10.09	74.0	-32.85	Peak	283.80	100	Horizontal	Pass
4**	11860.785	31.79	10.09	54.0	-22.21	AV	283.80	100	Horizontal	Pass



WIFI5GB1-AC20- Middle channel-Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_19.58.01

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1128.984	46.41	-7.00	74.0	-27.59	Peak	344.70	100	Vertical	Pass
1**	1128.984	36.04	-7.00	54.0	-17.96	AV	344.70	100	Vertical	Pass
2	1468.691	45.89	-8.48	74.0	-28.11	Peak	2.90	100	Vertical	Pass
2**	1468.691	34.43	-8.48	54.0	-19.57	AV	2.90	100	Vertical	Pass
3	1980.627	47.91	-6.39	68.2	-20.29	Peak	269.30	100	Vertical	Pass
3**	1980.627	36.85	-6.39	--	36.85	AV	269.30	100	Vertical	N/A
4	3278.215	57.07	3.56	68.2	-11.13	Peak	195.50	100	Vertical	Pass
4**	3278.215	46.19	3.56	--	46.19	AV	195.50	100	Vertical	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-21\_20.00.48

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7769.808	34.83	4.83	68.2	-33.37	Peak	329.20	100	Vertical	Pass
1**	7769.808	26.30	4.83	--	26.30	AV	329.20	100	Vertical	N/A
2	8864.034	36.96	7.26	68.2	-31.24	Peak	358.20	100	Vertical	Pass
2**	8864.034	28.45	7.26	--	28.45	AV	358.20	100	Vertical	N/A
3	11154.211	41.53	10.82	74.0	-32.47	Peak	227.10	100	Vertical	Pass
3**	11154.211	33.02	10.82	54.0	-20.98	AV	227.10	100	Vertical	Pass
4	13084.229	42.71	12.29	68.2	-25.49	Peak	296.30	100	Vertical	Pass
4**	13084.229	34.49	12.29	--	34.49	AV	296.30	100	Vertical	N/A


# WIFI5GB1-AC20-High channel-Horizontal-TX

## Test result

Project Number: Certification

Test Time: 2020-10-21\_20.05.33

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090001-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1383.952	46.78	-8.17	74.0	-27.22	Peak	187.50	100	Horizontal	Pass
1**	1383.952	35.00	-8.17	54.0	-19.00	AV	187.50	100	Horizontal	Pass
2	1557.180	45.98	-8.69	74.0	-28.02	Peak	98.10	100	Horizontal	Pass
2**	1557.180	34.77	-8.69	54.0	-19.23	AV	98.10	100	Horizontal	Pass
3	2010.624	47.77	-6.02	68.2	-20.43	Peak	302.20	100	Horizontal	Pass
3**	2010.624	36.96	-6.02	--	36.96	AV	302.20	100	Horizontal	N/A
4	3119.235	56.93	3.60	68.2	-11.27	Peak	207.20	100	Horizontal	Pass
4**	3119.235	46.17	3.60	--	46.17	AV	207.20	100	Horizontal	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-21\_18.59.52

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7706.573	34.75	4.51	74.0	-39.25	Peak	360.00	100	Horizontal	Pass
1**	7706.573	24.33	4.51	54.0	-29.67	AV	360.00	100	Horizontal	Pass
2	9402.899	39.65	9.89	74.0	-34.35	Peak	58.10	100	Horizontal	Pass
2**	9402.899	30.56	9.89	54.0	-23.44	AV	58.10	100	Horizontal	Pass
3	10439.390	40.69	10.67	68.2	-27.51	Peak	117.60	100	Horizontal	Pass
3**	10439.390	31.02	10.67	--	31.02	AV	117.60	100	Horizontal	N/A
4	11508.873	42.13	11.33	74.0	-31.87	Peak	150.80	100	Horizontal	Pass
4**	11508.873	32.57	11.33	54.0	-21.43	AV	150.80	100	Horizontal	Pass

WIFI5GB1-AC20-High channel-Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_20.10.39

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1091.739	47.14	-6.91	74.0	-26.86	Peak	35.60	100	Vertical	Pass
1**	1091.739	35.35	-6.91	54.0	-18.65	AV	35.60	100	Vertical	Pass
2	1552.681	45.31	-8.68	74.0	-28.69	Peak	218.40	100	Vertical	Pass
2**	1552.681	34.75	-8.68	54.0	-19.25	AV	218.40	100	Vertical	Pass
3	2205.099	49.71	-4.37	74.0	-24.29	Peak	107.50	100	Vertical	Pass
3**	2205.099	38.60	-4.37	54.0	-15.40	AV	107.50	100	Vertical	Pass
4	2657.043	49.74	-3.16	68.2	-18.46	Peak	245.80	100	Vertical	Pass
4**	2657.043	38.90	-3.16	--	38.90	AV	245.80	100	Vertical	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-21\_18.57.34

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7923.769	34.33	4.84	68.2	-33.87	Peak	14.30	100	Vertical	Pass
1**	7923.769	25.23	4.84	--	25.23	AV	14.30	100	Vertical	N/A
2	8850.287	37.16	7.55	68.2	-31.04	Peak	8.20	100	Vertical	Pass
2**	8850.287	28.59	7.55	--	28.59	AV	8.20	100	Vertical	N/A
3	9727.318	39.13	9.52	68.2	-29.07	Peak	14.30	100	Vertical	Pass
3**	9727.318	30.08	9.52	--	30.08	AV	14.30	100	Vertical	N/A
4	11250.437	41.91	10.63	74.0	-32.09	Peak	167.80	100	Vertical	Pass
4**	11250.437	31.95	10.63	54.0	-22.05	AV	167.80	100	Vertical	Pass

WIFI5GB1-AC40-Low channel-Horizontal-TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_20.19.29

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1142.732	46.79	-7.11	74.0	-27.21	Peak	128.50	100	Horizontal	Pass
1**	1142.732	35.69	-7.11	54.0	-18.31	AV	128.50	100	Horizontal	Pass
2	1408.449	45.98	-8.27	74.0	-28.02	Peak	254.00	100	Horizontal	Pass
2**	1408.449	34.83	-8.27	54.0	-19.17	AV	254.00	100	Horizontal	Pass
3	1989.626	48.16	-6.12	68.2	-20.04	Peak	98.40	100	Horizontal	Pass
3**	1989.626	37.11	-6.12	--	37.11	AV	98.40	100	Horizontal	N/A
4	2473.566	50.37	-3.62	68.2	-17.83	Peak	71.40	100	Horizontal	Pass
4**	2473.566	38.56	-3.62	--	38.56	AV	71.40	100	Horizontal	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-21\_20.21.05

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7849.538	33.81	4.70	68.2	-34.39	Peak	279.10	100	Horizontal	Pass
1**	7849.538	24.93	4.70	--	24.93	AV	279.10	100	Horizontal	N/A
2	8833.792	37.13	7.30	68.2	-31.07	Peak	252.60	100	Horizontal	Pass
2**	8833.792	28.49	7.30	--	28.49	AV	252.60	100	Horizontal	N/A
3	11167.958	42.11	10.79	74.0	-31.89	Peak	96.70	100	Horizontal	Pass
3**	11167.958	32.70	10.79	54.0	-21.30	AV	96.70	100	Horizontal	Pass
4	13598.350	44.39	14.62	68.2	-23.81	Peak	58.10	100	Horizontal	Pass
4**	13598.350	36.10	14.62	--	36.10	AV	58.10	100	Horizontal	N/A




# Test result

Project Number: Certification

Test Time: 2020-10-21\_20.16.26

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090001-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1178.978	46.84	-7.14	74.0	-27.16	Peak	34.40	100	Vertical	Pass
1**	1178.978	35.33	-7.14	54.0	-18.67	AV	34.40	100	Vertical	Pass
2	1375.453	46.90	-8.14	74.0	-27.10	Peak	58.10	100	Vertical	Pass
2**	1375.453	34.89	-8.14	54.0	-19.11	AV	58.10	100	Vertical	Pass
3	2036.120	48.44	-5.83	68.2	-19.76	Peak	359.00	100	Vertical	Pass
3**	2036.120	37.13	-5.83	--	37.13	AV	359.00	100	Vertical	N/A
4	3032.996	57.31	3.28	68.2	-10.89	Peak	308.40	100	Vertical	Pass
4**	3032.996	46.79	3.28	--	46.79	AV	308.40	100	Vertical	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-21\_20.23.29

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7621.345	33.09	4.13	74.0	-40.91	Peak	359.30	100	Vertical	Pass
1**	7621.345	25.19	4.13	54.0	-28.81	AV	359.30	100	Vertical	Pass
2	8839.290	36.93	7.39	68.2	-31.27	Peak	136.10	100	Vertical	Pass
2**	8839.290	29.15	7.39	--	29.15	AV	136.10	100	Vertical	N/A
3	10370.657	40.23	10.64	68.2	-27.97	Peak	288.30	100	Vertical	Pass
3**	10370.657	31.56	10.64	--	31.56	AV	288.30	100	Vertical	N/A
4	13628.593	45.13	14.24	68.2	-23.07	Peak	305.90	100	Vertical	Pass
4**	13628.593	35.59	14.24	--	35.59	AV	305.90	100	Vertical	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-21\_20.30.18

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1212.473	46.49	-7.24	74.0	-27.51	Peak	281.70	100	Horizontal	Pass
1**	1212.473	35.76	-7.24	54.0	-18.24	AV	281.70	100	Horizontal	Pass
2	1519.935	46.02	-8.62	74.0	-27.98	Peak	356.30	100	Horizontal	Pass
2**	1519.935	33.87	-8.62	54.0	-20.13	AV	356.30	100	Horizontal	Pass
3	2010.124	48.19	-6.03	68.2	-20.01	Peak	227.90	100	Horizontal	Pass
3**	2010.124	36.88	-6.03	--	36.88	AV	227.90	100	Horizontal	N/A
4	3032.246	57.25	3.30	68.2	-10.95	Peak	221.50	100	Horizontal	Pass
4**	3032.246	46.97	3.30	--	46.97	AV	221.50	100	Horizontal	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-21\_20.27.22

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7948.513	35.14	4.68	68.2	-33.06	Peak	8.90	100	Horizontal	Pass
1**	7948.513	25.60	4.68	--	25.60	AV	8.90	100	Horizontal	N/A
2	8836.541	36.62	7.35	68.2	-31.58	Peak	265.80	100	Horizontal	Pass
2**	8836.541	29.11	7.35	--	29.11	AV	265.80	100	Horizontal	N/A
3	10439.390	40.76	10.67	68.2	-27.44	Peak	0.00	100	Horizontal	Pass
3**	10439.390	31.57	10.67	--	31.57	AV	0.00	100	Horizontal	N/A
4	12187.953	40.95	10.87	74.0	-33.05	Peak	292.50	100	Horizontal	Pass
4**	12187.953	32.60	10.87	54.0	-21.40	AV	292.50	100	Horizontal	Pass

WIFI5GB1-AC40-High channel-Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_20.33.27

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1173.728	46.66	-7.13	74.0	-27.34	Peak	2.00	100	Vertical	Pass
1**	1173.728	35.18	-7.13	54.0	-18.82	AV	2.00	100	Vertical	Pass
2	2020.122	48.88	-5.91	68.2	-19.32	Peak	353.60	100	Vertical	Pass
2**	2020.122	37.12	-5.91	--	37.12	AV	353.60	100	Vertical	N/A
3	2564.554	49.31	-4.08	68.2	-18.89	Peak	195.20	100	Vertical	Pass
3**	2564.554	38.02	-4.08	--	38.02	AV	195.20	100	Vertical	N/A
4	3000.750	57.56	3.33	68.2	-10.64	Peak	3.10	100	Vertical	Pass
4**	3000.750	46.34	3.33	--	46.34	AV	3.10	100	Vertical	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-21\_20.25.34

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7613.097	34.42	3.97	74.0	-39.58	Peak	13.10	100	Vertical	Pass
1**	7613.097	24.35	3.97	54.0	-29.65	AV	13.10	100	Vertical	Pass
2	8842.039	38.61	7.43	68.2	-29.59	Peak	156.90	100	Vertical	Pass
2**	8842.039	29.21	7.43	--	29.21	AV	156.90	100	Vertical	N/A
3	10282.679	40.54	11.00	68.2	-27.66	Peak	0.40	100	Vertical	Pass
3**	10282.679	31.11	11.00	--	31.11	AV	0.40	100	Vertical	N/A
4	12193.452	40.93	10.84	74.0	-33.07	Peak	332.40	100	Vertical	Pass
4**	12193.452	31.74	10.84	54.0	-22.26	AV	332.40	100	Vertical	Pass

WIFI5GB1-AC80-Low channel-Horizontal-TX

# Test result

Project Number: Certification

Test Time: 2020-10-22\_09.19.34

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1229.471	46.66	-7.32	74.0	-27.34	Peak	266.60	100	Horizontal	Pass
1**	1229.471	35.67	-7.32	54.0	-18.33	AV	266.60	100	Horizontal	Pass
2	1561.930	45.70	-8.69	74.0	-28.30	Peak	149.00	100	Horizontal	Pass
2**	1561.930	34.83	-8.69	54.0	-19.17	AV	149.00	100	Horizontal	Pass
3	1961.130	48.53	-6.75	68.2	-19.67	Peak	158.40	100	Horizontal	Pass
3**	1961.130	36.78	-6.75	--	36.78	AV	158.40	100	Horizontal	N/A
4	2328.084	50.14	-4.19	74.0	-23.86	Peak	281.50	100	Horizontal	Pass
4**	2328.084	38.60	-4.19	54.0	-15.40	AV	281.50	100	Horizontal	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_09.25.39

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7830.292	34.22	4.73	68.2	-33.98	Peak	256.50	100	Horizontal	Pass
1**	7830.292	25.23	4.73	--	25.23	AV	256.50	100	Horizontal	N/A
2	8833.792	37.24	7.30	68.2	-30.96	Peak	307.10	100	Horizontal	Pass
2**	8833.792	28.30	7.30	--	28.30	AV	307.10	100	Horizontal	N/A
3	10334.916	40.58	10.69	68.2	-27.62	Peak	327.90	100	Horizontal	Pass
3**	10334.916	31.39	10.69	--	31.39	AV	327.90	100	Horizontal	N/A
4	11618.845	41.15	11.29	74.0	-32.85	Peak	106.70	100	Horizontal	Pass
4**	11618.845	33.73	11.29	54.0	-20.27	AV	106.70	100	Horizontal	Pass



WIFI5GB1-AC80-Low channel-Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-22\_09.22.20

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.980	47.21	-7.13	74.0	-26.79	Peak	88.40	100	Vertical	Pass
1**	1157.980	35.26	-7.13	54.0	-18.74	AV	88.40	100	Vertical	Pass
2	1982.877	48.66	-6.32	68.2	-19.54	Peak	150.60	100	Vertical	Pass
2**	1982.877	36.84	-6.32	--	36.84	AV	150.60	100	Vertical	N/A
3	2249.094	50.50	-4.17	74.0	-23.50	Peak	91.30	100	Vertical	Pass
3**	2249.094	38.32	-4.17	54.0	-15.68	AV	91.30	100	Vertical	Pass
4	2835.771	50.52	-2.17	74.0	-23.48	Peak	94.10	100	Vertical	Pass
4**	2835.771	39.44	-2.17	54.0	-14.56	AV	94.10	100	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_09.24.00

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7981.505	34.27	5.34	68.2	-33.93	Peak	182.10	100	Vertical	Pass
1**	7981.505	25.96	5.34	--	25.96	AV	182.10	100	Vertical	N/A
2	8850.287	37.14	7.55	68.2	-31.06	Peak	311.50	100	Vertical	Pass
2**	8850.287	29.24	7.55	--	29.24	AV	311.50	100	Vertical	N/A
3	9886.778	39.56	9.80	68.2	-28.64	Peak	209.50	100	Vertical	Pass
3**	9886.778	31.25	9.80	--	31.25	AV	209.50	100	Vertical	N/A
4	11618.845	41.42	11.29	74.0	-32.58	Peak	311.50	100	Vertical	Pass
4**	11618.845	33.09	11.29	54.0	-20.91	AV	311.50	100	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_09.40.29

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1212.473	46.47	-7.24	74.0	-27.53	Peak	164.30	100	Horizontal	Pass
1**	1212.473	35.31	-7.24	54.0	-18.69	AV	164.30	100	Horizontal	Pass
2	1855.643	46.93	-7.51	68.2	-21.27	Peak	311.60	100	Horizontal	Pass
2**	1855.643	35.62	-7.51	--	35.62	AV	311.60	100	Horizontal	N/A
3	2558.055	48.83	-4.12	68.2	-19.37	Peak	135.40	100	Horizontal	Pass
3**	2558.055	38.09	-4.12	--	38.09	AV	135.40	100	Horizontal	N/A
4	3011.999	52.64	-1.06	68.2	-15.56	Peak	91.70	100	Horizontal	Pass
4**	3011.999	41.30	-1.06	--	41.30	AV	91.70	100	Horizontal	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-22\_09.42.06

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7992.502	34.91	5.57	68.2	-33.29	Peak	245.60	100	Horizontal	Pass
1**	7992.502	25.98	5.57	--	25.98	AV	245.60	100	Horizontal	N/A
2	9380.905	39.36	9.90	74.0	-34.64	Peak	177.70	100	Horizontal	Pass
2**	9380.905	30.12	9.90	54.0	-23.88	AV	177.70	100	Horizontal	Pass
3	11187.203	42.53	10.74	74.0	-31.47	Peak	0.00	100	Horizontal	Pass
3**	11187.203	33.64	10.74	54.0	-20.36	AV	0.00	100	Horizontal	Pass
4	13909.023	44.56	13.27	68.2	-23.64	Peak	201.70	100	Horizontal	Pass
4**	13909.023	35.40	13.27	--	35.40	AV	201.70	100	Horizontal	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-22\_09.37.31

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1267.717	45.91	-7.50	68.2	-22.29	Peak	0.30	100	Vertical	Pass
1**	1267.717	35.55	-7.50	--	35.55	AV	0.30	100	Vertical	N/A
2	1601.175	45.34	-8.75	74.0	-28.66	Peak	319.50	100	Vertical	Pass
2**	1601.175	34.53	-8.75	54.0	-19.47	AV	319.50	100	Vertical	Pass
3	2033.621	49.26	-5.82	68.2	-18.94	Peak	225.60	100	Vertical	Pass
3**	2033.621	37.64	-5.82	--	37.64	AV	225.60	100	Vertical	N/A
4	2813.773	49.92	-2.37	74.0	-24.08	Peak	358.60	100	Vertical	Pass
4**	2813.773	39.21	-2.37	54.0	-14.79	AV	358.60	100	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_09.43.43

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7992.502	34.27	5.57	68.2	-33.93	Peak	9.60	100	Vertical	Pass
1**	7992.502	25.48	5.57	--	25.48	AV	9.60	100	Vertical	N/A
2	8853.037	36.86	7.50	68.2	-31.34	Peak	355.30	100	Vertical	Pass
2**	8853.037	28.91	7.50	--	28.91	AV	355.30	100	Vertical	N/A
3	10450.387	40.61	10.61	68.2	-27.59	Peak	201.60	100	Vertical	Pass
3**	10450.387	32.26	10.61	--	32.26	AV	201.60	100	Vertical	N/A
4	11629.843	41.37	11.11	74.0	-32.63	Peak	38.30	100	Vertical	Pass
4**	11629.843	34.17	11.11	54.0	-19.83	AV	38.30	100	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_09.51.41

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1295.713	45.90	-7.51	68.2	-22.30	Peak	176.50	100	Horizontal	Pass
1**	1295.713	36.12	-7.51	--	36.12	AV	176.50	100	Horizontal	N/A
2	1594.426	45.24	-8.72	74.0	-28.76	Peak	114.70	100	Horizontal	Pass
2**	1594.426	34.30	-8.72	54.0	-19.70	AV	114.70	100	Horizontal	Pass
3	2076.365	48.20	-5.73	68.2	-20.00	Peak	129.30	100	Horizontal	Pass
3**	2076.365	36.97	-5.73	--	36.97	AV	129.30	100	Horizontal	N/A
4	2817.273	50.03	-2.39	74.0	-23.97	Peak	73.70	100	Horizontal	Pass
4**	2817.273	39.12	-2.39	54.0	-14.88	AV	73.70	100	Horizontal	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_09.49.10

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8176.706	34.34	5.16	74.0	-39.66	Peak	112.90	100	Horizontal	Pass
1**	8176.706	25.05	5.16	54.0	-28.95	AV	112.90	100	Horizontal	Pass
2	9402.899	39.21	9.89	74.0	-34.79	Peak	168.80	100	Horizontal	Pass
2**	9402.899	30.28	9.89	54.0	-23.72	AV	168.80	100	Horizontal	Pass
3	10494.376	40.83	10.02	68.2	-27.37	Peak	10.60	100	Horizontal	Pass
3**	10494.376	31.37	10.02	--	31.37	AV	10.60	100	Horizontal	N/A
4	12185.204	41.60	10.88	74.0	-32.40	Peak	303.00	100	Horizontal	Pass
4**	12185.204	33.48	10.88	54.0	-20.52	AV	303.00	100	Horizontal	Pass



# Test result

Project Number: Certification

Test Time: 2020-10-22\_09.54.24

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1316.710	46.49	-7.74	74.0	-27.51	Peak	138.60	100	Vertical	Pass
1**	1316.710	34.95	-7.74	54.0	-19.05	AV	138.60	100	Vertical	Pass
2	1862.392	46.58	-7.54	68.2	-21.62	Peak	301.20	100	Vertical	Pass
2**	1862.392	35.37	-7.54	--	35.37	AV	301.20	100	Vertical	N/A
3	2647.794	49.17	-3.57	68.2	-19.03	Peak	356.30	100	Vertical	Pass
3**	2647.794	38.48	-3.57	--	38.48	AV	356.30	100	Vertical	N/A
4	3034.121	52.47	-1.11	68.2	-15.73	Peak	68.00	100	Vertical	Pass
4**	3034.121	41.71	-1.11	--	41.71	AV	68.00	100	Vertical	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-22\_09.47.15

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8121.720	34.18	5.44	74.0	-39.82	Peak	267.60	100	Vertical	Pass
1**	8121.720	25.67	5.44	54.0	-28.33	AV	267.60	100	Vertical	Pass
2	8847.538	36.79	7.52	68.2	-31.41	Peak	118.00	100	Vertical	Pass
2**	8847.538	28.37	7.52	--	28.37	AV	118.00	100	Vertical	N/A
3	10411.897	40.84	10.80	68.2	-27.36	Peak	297.20	100	Vertical	Pass
3**	10411.897	31.89	10.80	--	31.89	AV	297.20	100	Vertical	N/A
4	11613.347	41.18	11.38	74.0	-32.82	Peak	323.20	100	Vertical	Pass
4**	11613.347	33.21	11.38	54.0	-20.79	AV	323.20	100	Vertical	Pass

WIFI5GB4-A-High channel-Horizontal-TX

# Test result

Project Number: Certification

Test Time: 2020-10-22\_10.00.28

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1361.705	46.09	-8.07	74.0	-27.91	Peak	81.00	100	Horizontal	Pass
1**	1361.705	34.95	-8.07	54.0	-19.05	AV	81.00	100	Horizontal	Pass
2	1853.393	46.27	-7.51	68.2	-21.93	Peak	360.00	100	Horizontal	Pass
2**	1853.393	35.51	-7.51	--	35.51	AV	360.00	100	Horizontal	N/A
3	2651.794	49.37	-3.47	68.2	-18.83	Peak	268.10	100	Horizontal	Pass
3**	2651.794	38.97	-3.47	--	38.97	AV	268.10	100	Horizontal	N/A
4	3682.790	51.77	-0.77	74.0	-22.23	Peak	180.50	100	Horizontal	Pass
4**	3682.790	41.05	-0.77	54.0	-12.95	AV	180.50	100	Horizontal	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_10.02.24

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8063.984	34.68	5.32	74.0	-39.32	Peak	134.10	100	Horizontal	Pass
1**	8063.984	26.14	5.32	54.0	-27.86	AV	134.10	100	Horizontal	Pass
2	9400.150	39.38	9.95	74.0	-34.62	Peak	324.40	100	Horizontal	Pass
2**	9400.150	30.29	9.95	54.0	-23.71	AV	324.40	100	Horizontal	Pass
3	11156.961	41.17	10.81	74.0	-32.83	Peak	158.10	100	Horizontal	Pass
3**	11156.961	33.28	10.81	54.0	-20.72	AV	158.10	100	Horizontal	Pass
4	13317.921	43.06	12.72	74.0	-30.94	Peak	97.30	100	Horizontal	Pass
4**	13317.921	33.81	12.72	54.0	-20.19	AV	97.30	100	Horizontal	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_09.57.38

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1269.716	46.01	-7.50	68.2	-22.19	Peak	144.80	100	Vertical	Pass
1**	1269.716	35.16	-7.50	--	35.16	AV	144.80	100	Vertical	N/A
2	1534.933	45.47	-8.72	74.0	-28.53	Peak	292.80	100	Vertical	Pass
2**	1534.933	34.02	-8.72	54.0	-19.98	AV	292.80	100	Vertical	Pass
3	2111.111	47.82	-5.37	68.2	-20.38	Peak	123.80	100	Vertical	Pass
3**	2111.111	37.51	-5.37	--	37.51	AV	123.80	100	Vertical	N/A
4	2653.293	50.24	-3.38	68.2	-17.96	Peak	56.60	100	Vertical	Pass
4**	2653.293	38.92	-3.38	--	38.92	AV	56.60	100	Vertical	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-22\_10.04.05

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7852.287	34.92	4.71	68.2	-33.28	Peak	131.90	100	Vertical	Pass
1**	7852.287	25.60	4.71	--	25.60	AV	131.90	100	Vertical	N/A
2	8941.015	36.55	6.40	68.2	-31.65	Peak	260.40	100	Vertical	Pass
2**	8941.015	27.24	6.40	--	27.24	AV	260.40	100	Vertical	N/A
3	9798.800	38.74	9.62	68.2	-29.46	Peak	314.80	100	Vertical	Pass
3**	9798.800	30.11	9.62	--	30.11	AV	314.80	100	Vertical	N/A
4	11635.341	42.37	11.02	74.0	-31.63	Peak	181.90	100	Vertical	Pass
4**	11635.341	33.43	11.02	54.0	-20.57	AV	181.90	100	Vertical	Pass

WiFi5GB4-N20-Low channel-Horizontal-TX

# Test result

Project Number: Certification

Test Time: 2020-10-22\_10.18.52

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1291.214	45.73	-7.53	68.2	-22.47	Peak	360.00	100	Horizontal	Pass
1**	1291.214	35.58	-7.53	--	35.58	AV	360.00	100	Horizontal	N/A
2	1897.888	46.64	-7.28	68.2	-21.56	Peak	80.10	100	Horizontal	Pass
2**	1897.888	36.10	-7.28	--	36.10	AV	80.10	100	Horizontal	N/A
3	2135.108	49.79	-5.06	68.2	-18.41	Peak	41.50	100	Horizontal	Pass
3**	2135.108	37.92	-5.06	--	37.92	AV	41.50	100	Horizontal	N/A
4	3025.497	53.25	-1.09	68.2	-14.95	Peak	225.00	100	Horizontal	Pass
4**	3025.497	42.03	-1.09	--	42.03	AV	225.00	100	Horizontal	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-22\_10.20.25

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7989.753	34.76	5.51	68.2	-33.44	Peak	182.10	100	Horizontal	Pass
1**	7989.753	25.63	5.51	--	25.63	AV	182.10	100	Horizontal	N/A
2	8847.538	37.90	7.52	68.2	-30.30	Peak	291.10	100	Horizontal	Pass
2**	8847.538	28.90	7.52	--	28.90	AV	291.10	100	Horizontal	N/A
3	10530.117	40.40	9.91	68.2	-27.80	Peak	21.80	100	Horizontal	Pass
3**	10530.117	32.22	9.91	--	32.22	AV	21.80	100	Horizontal	N/A
4	12743.314	41.70	11.22	68.2	-26.50	Peak	360.00	100	Horizontal	Pass
4**	12743.314	32.36	11.22	--	32.36	AV	360.00	100	Horizontal	N/A



WIFI5GB4-N20-Low channel-Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-22\_10.15.54

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1232.721	46.29	-7.35	74.0	-27.71	Peak	0.00	100	Vertical	Pass
1**	1232.721	35.29	-7.35	54.0	-18.71	AV	0.00	100	Vertical	Pass
2	1538.183	45.41	-8.72	74.0	-28.59	Peak	49.60	100	Vertical	Pass
2**	1538.183	34.51	-8.72	54.0	-19.49	AV	49.60	100	Vertical	Pass
3	1991.376	47.88	-6.12	68.2	-20.32	Peak	271.30	100	Vertical	Pass
3**	1991.376	37.13	-6.12	--	37.13	AV	271.30	100	Vertical	N/A
4	2659.293	49.09	-3.02	68.2	-19.11	Peak	81.80	100	Vertical	Pass
4**	2659.293	39.07	-3.02	--	39.07	AV	81.80	100	Vertical	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-22\_10.22.32

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9103.224	36.64	6.85	74.0	-37.36	Peak	129.20	100	Vertical	Pass
1**	9103.224	27.24	6.85	54.0	-26.76	AV	129.20	100	Vertical	Pass
2	10425.644	40.32	10.73	68.2	-27.88	Peak	255.70	100	Vertical	Pass
2**	10425.644	31.39	10.73	--	31.39	AV	255.70	100	Vertical	N/A
3	11814.046	41.04	10.50	74.0	-32.96	Peak	25.40	100	Vertical	Pass
3**	11814.046	33.30	10.50	54.0	-20.70	AV	25.40	100	Vertical	Pass
4	13796.301	45.38	13.46	68.2	-22.82	Peak	341.90	100	Vertical	Pass
4**	13796.301	36.23	13.46	--	36.23	AV	341.90	100	Vertical	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-22\_10.29.40

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1251.469	46.84	-7.42	68.2	-21.36	Peak	143.30	100	Horizontal	Pass
1**	1251.469	35.36	-7.42	--	35.36	AV	143.30	100	Horizontal	N/A
2	1662.667	46.01	-8.56	74.0	-27.99	Peak	51.60	100	Horizontal	Pass
2**	1662.667	35.27	-8.56	54.0	-18.73	AV	51.60	100	Horizontal	Pass
3	2168.354	48.94	-4.92	68.2	-19.26	Peak	42.90	100	Horizontal	Pass
3**	2168.354	38.20	-4.92	--	38.20	AV	42.90	100	Horizontal	N/A
4	2656.543	49.36	-3.19	68.2	-18.84	Peak	306.70	100	Horizontal	Pass
4**	2656.543	39.26	-3.19	--	39.26	AV	306.70	100	Horizontal	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-22\_10.26.55

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8198.700	34.76	5.07	74.0	-39.24	Peak	62.20	100	Horizontal	Pass
1**	8198.700	25.72	5.07	54.0	-28.28	AV	62.20	100	Horizontal	Pass
2	8842.039	37.46	7.43	68.2	-30.74	Peak	5.60	100	Horizontal	Pass
2**	8842.039	28.85	7.43	--	28.85	AV	5.60	100	Horizontal	N/A
3	10469.633	40.85	10.35	68.2	-27.35	Peak	56.30	100	Horizontal	Pass
3**	10469.633	31.74	10.35	--	31.74	AV	56.30	100	Horizontal	N/A
4	12454.636	41.96	10.46	74.0	-32.04	Peak	360.00	100	Horizontal	Pass
4**	12454.636	33.46	10.46	54.0	-20.54	AV	360.00	100	Horizontal	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_10.32.31

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1291.714	46.16	-7.53	68.2	-22.04	Peak	239.50	100	Vertical	Pass
1**	1291.714	35.00	-7.53	--	35.00	AV	239.50	100	Vertical	N/A
2	1659.168	45.69	-8.59	68.2	-22.51	Peak	137.20	100	Vertical	Pass
2**	1659.168	34.60	-8.59	--	34.60	AV	137.20	100	Vertical	N/A
3	2025.872	48.76	-5.85	68.2	-19.44	Peak	94.90	100	Vertical	Pass
3**	2025.872	37.20	-5.85	--	37.20	AV	94.90	100	Vertical	N/A
4	2661.042	49.85	-3.08	68.2	-18.35	Peak	284.90	100	Vertical	Pass
4**	2661.042	38.73	-3.08	--	38.73	AV	284.90	100	Vertical	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-22\_10.25.01

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8099.725	34.75	5.57	74.0	-39.25	Peak	151.70	100	Vertical	Pass
1**	8099.725	25.36	5.57	54.0	-28.64	AV	151.70	100	Vertical	Pass
2	8872.282	36.74	7.08	68.2	-31.46	Peak	55.10	100	Vertical	Pass
2**	8872.282	28.90	7.08	--	28.90	AV	55.10	100	Vertical	N/A
3	11236.691	42.35	10.65	74.0	-31.65	Peak	85.50	100	Vertical	Pass
3**	11236.691	32.38	10.65	54.0	-21.62	AV	85.50	100	Vertical	Pass
4	13614.846	44.71	14.43	68.2	-23.49	Peak	360.00	100	Vertical	Pass
4**	13614.846	35.18	14.43	--	35.18	AV	360.00	100	Vertical	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-22\_10.39.39

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1264.467	45.76	-7.49	68.2	-22.44	Peak	308.60	100	Horizontal	Pass
1**	1264.467	35.15	-7.49	--	35.15	AV	308.60	100	Horizontal	N/A
2	1853.643	46.20	-7.51	68.2	-22.00	Peak	109.90	100	Horizontal	Pass
2**	1853.643	35.69	-7.51	--	35.69	AV	109.90	100	Horizontal	N/A
3	2607.799	49.03	-3.96	68.2	-19.17	Peak	22.40	100	Horizontal	Pass
3**	2607.799	37.97	-3.96	--	37.97	AV	22.40	100	Horizontal	N/A
4	3089.614	51.36	-1.22	68.2	-16.84	Peak	228.60	100	Horizontal	Pass
4**	3089.614	40.91	-1.22	--	40.91	AV	228.60	100	Horizontal	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-22\_10.41.13

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7970.507	35.37	5.10	68.2	-32.83	Peak	204.10	100	Horizontal	Pass
1**	7970.507	25.76	5.10	--	25.76	AV	204.10	100	Horizontal	N/A
2	9350.662	38.52	9.82	74.0	-35.48	Peak	337.10	100	Horizontal	Pass
2**	9350.662	29.98	9.82	54.0	-24.02	AV	337.10	100	Horizontal	Pass
3	11129.468	41.44	10.73	74.0	-32.56	Peak	346.20	100	Horizontal	Pass
3**	11129.468	33.00	10.73	54.0	-21.00	AV	346.20	100	Horizontal	Pass
4	13246.438	44.07	12.33	68.2	-24.13	Peak	294.80	100	Horizontal	Pass
4**	13246.438	34.31	12.33	--	34.31	AV	294.80	100	Horizontal	N/A



WIFI5GB4-N20-High channel-Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-22\_10.36.36

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1250.969	46.36	-7.42	68.2	-21.84	Peak	1.80	100	Vertical	Pass
1**	1250.969	35.45	-7.42	--	35.45	AV	1.80	100	Vertical	N/A
2	1912.386	47.00	-7.08	68.2	-21.20	Peak	130.00	100	Vertical	Pass
2**	1912.386	35.93	-7.08	--	35.93	AV	130.00	100	Vertical	N/A
3	2631.296	48.54	-3.55	68.2	-19.66	Peak	121.10	100	Vertical	Pass
3**	2631.296	37.88	-3.55	--	37.88	AV	121.10	100	Vertical	N/A
4	3137.233	51.74	-1.39	68.2	-16.46	Peak	272.40	100	Vertical	Pass
4**	3137.233	40.92	-1.39	--	40.92	AV	272.40	100	Vertical	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-22\_10.43.11

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8050.237	34.41	5.22	74.0	-39.59	Peak	324.90	100	Vertical	Pass
1**	8050.237	25.26	5.22	54.0	-28.74	AV	324.90	100	Vertical	Pass
2	9380.905	39.84	9.90	74.0	-34.16	Peak	177.40	100	Vertical	Pass
2**	9380.905	30.02	9.90	54.0	-23.98	AV	177.40	100	Vertical	Pass
3	10296.426	40.91	11.13	68.2	-27.29	Peak	286.60	100	Vertical	Pass
3**	10296.426	31.30	11.13	--	31.30	AV	286.60	100	Vertical	N/A
4	11629.843	42.34	11.11	74.0	-31.66	Peak	66.90	100	Vertical	Pass
4**	11629.843	33.53	11.11	54.0	-20.47	AV	66.90	100	Vertical	Pass

WIFI5GB4-N40-Low channel-Horizontal-TX

# Test result

Project Number: Certification

Test Time: 2020-10-22\_11.38.56

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1201.225	46.22	-7.11	74.0	-27.78	Peak	153.70	100	Horizontal	Pass
1**	1201.225	35.25	-7.11	54.0	-18.75	AV	153.70	100	Horizontal	Pass
2	1513.436	45.64	-8.60	74.0	-28.36	Peak	174.90	100	Horizontal	Pass
2**	1513.436	34.25	-8.60	54.0	-19.75	AV	174.90	100	Horizontal	Pass
3	1970.629	48.08	-6.38	68.2	-20.12	Peak	138.60	100	Horizontal	Pass
3**	1970.629	36.52	-6.38	--	36.52	AV	138.60	100	Horizontal	N/A
4	3030.371	52.94	-1.10	68.2	-15.26	Peak	47.30	100	Horizontal	Pass
4**	3030.371	41.53	-1.10	--	41.53	AV	47.30	100	Horizontal	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-22\_11.45.26

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7805.549	33.71	4.77	68.2	-34.49	Peak	52.20	100	Horizontal	Pass
1**	7805.549	25.01	4.77	--	25.01	AV	52.20	100	Horizontal	N/A
2	8853.037	37.06	7.50	68.2	-31.14	Peak	334.20	100	Horizontal	Pass
2**	8853.037	29.01	7.50	--	29.01	AV	334.20	100	Horizontal	N/A
3	10450.387	40.55	10.61	68.2	-27.65	Peak	325.10	100	Horizontal	Pass
3**	10450.387	31.62	10.61	--	31.62	AV	325.10	100	Horizontal	N/A
4	11621.595	41.96	11.24	74.0	-32.04	Peak	190.40	100	Horizontal	Pass
4**	11621.595	32.88	11.24	54.0	-21.12	AV	190.40	100	Horizontal	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_11.42.01

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.980	45.95	-7.12	74.0	-28.05	Peak	98.60	100	Vertical	Pass
1**	1162.980	35.50	-7.12	54.0	-18.50	AV	98.60	100	Vertical	Pass
2	1601.175	45.36	-8.75	74.0	-28.64	Peak	71.40	100	Vertical	Pass
2**	1601.175	34.70	-8.75	54.0	-19.30	AV	71.40	100	Vertical	Pass
3	2142.607	48.19	-4.99	68.2	-20.01	Peak	233.00	100	Vertical	Pass
3**	2142.607	37.83	-4.99	--	37.83	AV	233.00	100	Vertical	N/A
4	2754.781	49.86	-3.47	74.0	-24.14	Peak	236.00	100	Vertical	Pass
4**	2754.781	38.51	-3.47	54.0	-15.49	AV	236.00	100	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_11.43.45

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7624.094	32.72	4.19	74.0	-41.28	Peak	64.20	100	Vertical	Pass
1**	7624.094	23.95	4.19	54.0	-30.05	AV	64.20	100	Vertical	Pass
2	8839.290	36.99	7.39	68.2	-31.21	Peak	34.10	100	Vertical	Pass
2**	8839.290	28.84	7.39	--	28.84	AV	34.10	100	Vertical	N/A
3	10244.189	40.46	10.66	68.2	-27.74	Peak	143.80	100	Vertical	Pass
3**	10244.189	32.25	10.66	--	32.25	AV	143.80	100	Vertical	N/A
4	11679.330	41.21	10.60	74.0	-32.79	Peak	268.60	100	Vertical	Pass
4**	11679.330	32.02	10.60	54.0	-21.98	AV	268.60	100	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_11.57.08

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1117.735	46.68	-6.93	74.0	-27.32	Peak	50.60	100	Horizontal	Pass
1**	1117.735	35.86	-6.93	54.0	-18.14	AV	50.60	100	Horizontal	Pass
2	1571.679	45.88	-8.68	74.0	-28.12	Peak	251.30	100	Horizontal	Pass
2**	1571.679	34.41	-8.68	54.0	-19.59	AV	251.30	100	Horizontal	Pass
3	2266.342	49.37	-4.00	74.0	-24.63	Peak	221.40	100	Horizontal	Pass
3**	2266.342	38.23	-4.00	54.0	-15.77	AV	221.40	100	Horizontal	Pass
4	3070.491	51.54	-1.18	68.2	-16.66	Peak	131.30	100	Horizontal	Pass
4**	3070.491	40.80	-1.18	--	40.80	AV	131.30	100	Horizontal	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-22\_11.48.29

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8124.469	34.99	5.42	74.0	-39.01	Peak	35.30	100	Horizontal	Pass
1**	8124.469	25.85	5.42	54.0	-28.15	AV	35.30	100	Horizontal	Pass
2	8850.287	36.97	7.55	68.2	-31.23	Peak	203.30	100	Horizontal	Pass
2**	8850.287	29.48	7.55	--	29.48	AV	203.30	100	Horizontal	N/A
3	10420.145	40.74	10.76	68.2	-27.46	Peak	179.60	100	Horizontal	Pass
3**	10420.145	31.46	10.76	--	31.46	AV	179.60	100	Horizontal	N/A
4	13251.937	43.14	12.34	74.0	-30.86	Peak	20.20	100	Horizontal	Pass
4**	13251.937	34.72	12.34	54.0	-19.28	AV	20.20	100	Horizontal	Pass



WiFi5GB4-N40-High channel-Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-22\_11.53.58

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.730	46.43	-7.12	74.0	-27.57	Peak	20.50	100	Vertical	Pass
1**	1162.730	35.63	-7.12	54.0	-18.37	AV	20.50	100	Vertical	Pass
2	1599.925	45.96	-8.75	74.0	-28.04	Peak	122.30	100	Vertical	Pass
2**	1599.925	34.31	-8.75	54.0	-19.69	AV	122.30	100	Vertical	Pass
3	2005.374	47.63	-6.11	68.2	-20.57	Peak	182.10	100	Vertical	Pass
3**	2005.374	36.92	-6.11	--	36.92	AV	182.10	100	Vertical	N/A
4	2659.793	49.59	-2.99	68.2	-18.61	Peak	0.00	100	Vertical	Pass
4**	2659.793	39.12	-2.99	--	39.12	AV	0.00	100	Vertical	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-22\_11.50.59

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7602.099	34.33	3.74	74.0	-39.67	Peak	232.30	100	Vertical	Pass
1**	7602.099	24.08	3.74	54.0	-29.92	AV	232.30	100	Vertical	Pass
2	8833.792	37.52	7.30	68.2	-30.68	Peak	63.70	100	Vertical	Pass
2**	8833.792	27.76	7.30	--	27.76	AV	63.70	100	Vertical	N/A
3	10326.668	41.01	10.80	68.2	-27.19	Peak	214.30	100	Vertical	Pass
3**	10326.668	30.87	10.80	--	30.87	AV	214.30	100	Vertical	N/A
4	11632.592	41.15	11.07	74.0	-32.85	Peak	277.30	100	Vertical	Pass
4**	11632.592	33.22	11.07	54.0	-20.78	AV	277.30	100	Vertical	Pass

WIFI5GB4-AC20-Low channel-Horizontal-TX

# Test result

Project Number: Certification

Test Time: 2020-10-22\_11.24.52

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1278.215	46.14	-7.46	68.2	-22.06	Peak	2.00	100	Horizontal	Pass
1**	1278.215	35.01	-7.46	--	35.01	AV	2.00	100	Horizontal	N/A
2	1832.146	46.83	-7.64	68.2	-21.37	Peak	341.50	100	Horizontal	Pass
2**	1832.146	35.81	-7.64	--	35.81	AV	341.50	100	Horizontal	N/A
3	2455.318	49.32	-3.81	68.2	-18.88	Peak	45.50	100	Horizontal	Pass
3**	2455.318	38.20	-3.81	--	38.20	AV	45.50	100	Horizontal	N/A
4	3050.244	52.79	-1.14	68.2	-15.41	Peak	358.10	100	Horizontal	Pass
4**	3050.244	42.19	-1.14	--	42.19	AV	358.10	100	Horizontal	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-22\_11.17.33

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7929.268	35.62	4.81	68.2	-32.58	Peak	147.00	100	Horizontal	Pass
1**	7929.268	26.19	4.81	--	26.19	AV	147.00	100	Horizontal	N/A
2	8883.279	38.17	6.85	68.2	-30.03	Peak	0.00	100	Horizontal	Pass
2**	8883.279	28.66	6.85	--	28.66	AV	0.00	100	Horizontal	N/A
3	10326.668	40.46	10.80	68.2	-27.74	Peak	320.50	100	Horizontal	Pass
3**	10326.668	31.25	10.80	--	31.25	AV	320.50	100	Horizontal	N/A
4	11574.856	41.45	11.19	74.0	-32.55	Peak	243.40	100	Horizontal	Pass
4**	11574.856	31.88	11.19	54.0	-22.12	AV	243.40	100	Horizontal	Pass

WIFI5GB4-AC20-Low channel-Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-22\_11.22.03

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1125.984	46.16	-6.99	74.0	-27.84	Peak	67.70	100	Vertical	Pass
1**	1125.984	35.67	-6.99	54.0	-18.33	AV	67.70	100	Vertical	Pass
2	1512.936	45.13	-8.60	74.0	-28.87	Peak	170.00	100	Vertical	Pass
2**	1512.936	33.96	-8.60	54.0	-20.04	AV	170.00	100	Vertical	Pass
3	1978.878	47.81	-6.41	68.2	-20.39	Peak	326.20	100	Vertical	Pass
3**	1978.878	36.88	-6.41	--	36.88	AV	326.20	100	Vertical	N/A
4	2440.320	49.24	-4.09	68.2	-18.96	Peak	34.60	100	Vertical	Pass
4**	2440.320	38.08	-4.09	--	38.08	AV	34.60	100	Vertical	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-22\_11.19.15

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8132.717	34.10	5.37	74.0	-39.90	Peak	63.20	100	Vertical	Pass
1**	8132.717	24.90	5.37	54.0	-29.10	AV	63.20	100	Vertical	Pass
2	9422.144	38.40	9.52	74.0	-35.60	Peak	159.10	100	Vertical	Pass
2**	9422.144	29.27	9.52	54.0	-24.73	AV	159.10	100	Vertical	Pass
3	10332.167	40.64	10.72	68.2	-27.56	Peak	219.70	100	Vertical	Pass
3**	10332.167	31.75	10.72	--	31.75	AV	219.70	100	Vertical	N/A
4	12138.465	41.53	10.92	74.0	-32.47	Peak	308.90	100	Vertical	Pass
4**	12138.465	32.05	10.92	54.0	-21.95	AV	308.90	100	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_11.13.29

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1123.485	46.99	-6.97	74.0	-27.01	Peak	85.20	100	Horizontal	Pass
1**	1123.485	35.79	-6.97	54.0	-18.21	AV	85.20	100	Horizontal	Pass
2	1589.176	45.56	-8.69	74.0	-28.44	Peak	199.10	100	Horizontal	Pass
2**	1589.176	34.48	-8.69	54.0	-19.52	AV	199.10	100	Horizontal	Pass
3	1990.376	48.29	-6.11	68.2	-19.91	Peak	310.00	100	Horizontal	Pass
3**	1990.376	37.57	-6.11	--	37.57	AV	310.00	100	Horizontal	N/A
4	2647.794	49.03	-3.57	68.2	-19.17	Peak	261.60	100	Horizontal	Pass
4**	2647.794	38.63	-3.57	--	38.63	AV	261.60	100	Horizontal	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-22\_11.15.08

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7635.091	34.07	4.41	74.0	-39.93	Peak	330.30	100	Horizontal	Pass
1**	7635.091	24.60	4.41	54.0	-29.40	AV	330.30	100	Horizontal	Pass
2	8828.293	37.76	7.22	68.2	-30.44	Peak	71.40	100	Horizontal	Pass
2**	8828.293	28.54	7.22	--	28.54	AV	71.40	100	Horizontal	N/A
3	10417.396	40.41	10.77	68.2	-27.79	Peak	44.40	100	Horizontal	Pass
3**	10417.396	31.08	10.77	--	31.08	AV	44.40	100	Horizontal	N/A
4	12207.198	41.79	10.86	74.0	-32.21	Peak	137.60	100	Horizontal	Pass
4**	12207.198	32.33	10.86	54.0	-21.67	AV	137.60	100	Horizontal	Pass



# Test result

Project Number: Certification

Test Time: 2020-10-22\_11.10.37

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1298.963	46.31	-7.50	68.2	-21.89	Peak	272.80	100	Vertical	Pass
1**	1298.963	35.28	-7.50	--	35.28	AV	272.80	100	Vertical	N/A
2	1608.424	45.43	-8.73	74.0	-28.57	Peak	320.70	100	Vertical	Pass
2**	1608.424	34.17	-8.73	54.0	-19.83	AV	320.70	100	Vertical	Pass
3	2344.082	49.28	-4.16	74.0	-24.72	Peak	360.00	100	Vertical	Pass
3**	2344.082	38.66	-4.16	54.0	-15.34	AV	360.00	100	Vertical	Pass
4	3028.871	52.72	-1.10	68.2	-15.48	Peak	35.50	100	Vertical	Pass
4**	3028.871	41.57	-1.10	--	41.57	AV	35.50	100	Vertical	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-22\_11.05.17

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7970.507	34.42	5.10	68.2	-33.78	Peak	303.50	100	Vertical	Pass
1**	7970.507	25.56	5.10	--	25.56	AV	303.50	100	Vertical	N/A
2	8853.037	37.34	7.50	68.2	-30.86	Peak	108.30	100	Vertical	Pass
2**	8853.037	29.12	7.50	--	29.12	AV	108.30	100	Vertical	N/A
3	10530.117	40.14	9.91	68.2	-28.06	Peak	229.10	100	Vertical	Pass
3**	10530.117	31.39	9.91	--	31.39	AV	229.10	100	Vertical	N/A
4	11599.600	41.16	11.58	74.0	-32.84	Peak	81.60	100	Vertical	Pass
4**	11599.600	32.60	11.58	54.0	-21.40	AV	81.60	100	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_10.58.59

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1233.721	46.72	-7.36	74.0	-27.28	Peak	245.90	100	Horizontal	Pass
1**	1233.721	35.75	-7.36	54.0	-18.25	AV	245.90	100	Horizontal	Pass
2	1586.927	45.55	-8.70	74.0	-28.45	Peak	308.60	100	Horizontal	Pass
2**	1586.927	34.63	-8.70	54.0	-19.37	AV	308.60	100	Horizontal	Pass
3	2176.103	50.05	-4.85	68.2	-18.15	Peak	276.00	100	Horizontal	Pass
3**	2176.103	37.98	-4.85	--	37.98	AV	276.00	100	Horizontal	N/A
4	3021.372	52.19	-1.08	68.2	-16.01	Peak	179.00	100	Horizontal	Pass
4**	3021.372	41.98	-1.08	--	41.98	AV	179.00	100	Horizontal	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-22\_11.00.41

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8151.962	34.41	5.26	74.0	-39.59	Peak	170.00	100	Horizontal	Pass
1**	8151.962	24.72	5.26	54.0	-29.28	AV	170.00	100	Horizontal	Pass
2	8864.034	37.63	7.26	68.2	-30.57	Peak	335.30	100	Horizontal	Pass
2**	8864.034	28.79	7.26	--	28.79	AV	335.30	100	Horizontal	N/A
3	10329.418	40.44	10.76	68.2	-27.76	Peak	134.50	100	Horizontal	Pass
3**	10329.418	31.35	10.76	--	31.35	AV	134.50	100	Horizontal	N/A
4	11618.845	41.44	11.29	74.0	-32.56	Peak	104.30	100	Horizontal	Pass
4**	11618.845	32.72	11.29	54.0	-21.28	AV	104.30	100	Horizontal	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_10.56.03

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1252.968	46.14	-7.43	68.2	-22.06	Peak	134.90	100	Vertical	Pass
1**	1252.968	35.35	-7.43	--	35.35	AV	134.90	100	Vertical	N/A
2	1850.894	46.43	-7.50	68.2	-21.77	Peak	122.80	100	Vertical	Pass
2**	1850.894	35.57	-7.50	--	35.57	AV	122.80	100	Vertical	N/A
3	2372.578	49.60	-3.94	74.0	-24.40	Peak	50.90	100	Vertical	Pass
3**	2372.578	38.58	-3.94	54.0	-15.42	AV	50.90	100	Vertical	Pass
4	3047.244	51.90	-1.13	68.2	-16.30	Peak	106.60	100	Vertical	Pass
4**	3047.244	41.66	-1.13	--	41.66	AV	106.60	100	Vertical	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-22\_11.02.29

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7970.507	35.73	5.10	68.2	-32.47	Peak	89.20	100	Vertical	Pass
1**	7970.507	25.72	5.10	--	25.72	AV	89.20	100	Vertical	N/A
2	8853.037	37.12	7.50	68.2	-31.08	Peak	258.00	100	Vertical	Pass
2**	8853.037	28.95	7.50	--	28.95	AV	258.00	100	Vertical	N/A
3	10527.368	40.22	9.91	68.2	-27.98	Peak	98.30	100	Vertical	Pass
3**	10527.368	32.08	9.91	--	32.08	AV	98.30	100	Vertical	N/A
4	13359.160	43.28	12.73	74.0	-30.72	Peak	297.30	100	Vertical	Pass
4**	13359.160	35.10	12.73	54.0	-18.90	AV	297.30	100	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_13.33.03

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1198.475	47.02	-7.10	74.0	-26.98	Peak	50.40	100	Horizontal	Pass
1**	1198.475	35.37	-7.10	54.0	-18.63	AV	50.40	100	Horizontal	Pass
2	1820.397	46.13	-7.70	68.2	-22.07	Peak	215.40	100	Horizontal	Pass
2**	1820.397	35.29	-7.70	--	35.29	AV	215.40	100	Horizontal	N/A
3	2557.805	48.82	-4.12	68.2	-19.38	Peak	101.30	100	Horizontal	Pass
3**	2557.805	38.02	-4.12	--	38.02	AV	101.30	100	Horizontal	N/A
4	3050.244	52.02	-1.14	68.2	-16.18	Peak	49.70	100	Horizontal	Pass
4**	3050.244	42.30	-1.14	--	42.30	AV	49.70	100	Horizontal	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-22\_13.49.20

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7849.538	33.75	4.70	68.2	-34.45	Peak	106.40	100	Horizontal	Pass
1**	7849.538	25.16	4.70	--	25.16	AV	106.40	100	Horizontal	N/A
2	9072.982	36.98	6.74	74.0	-37.02	Peak	115.60	100	Horizontal	Pass
2**	9072.982	27.40	6.74	54.0	-26.60	AV	115.60	100	Horizontal	Pass
3	10274.431	40.42	10.92	68.2	-27.78	Peak	271.50	100	Horizontal	Pass
3**	10274.431	32.93	10.92	--	32.93	AV	271.50	100	Horizontal	N/A
4	11635.341	41.81	11.02	74.0	-32.19	Peak	103.50	100	Horizontal	Pass
4**	11635.341	33.05	11.02	54.0	-20.95	AV	103.50	100	Horizontal	Pass



WIFI5GB4-AC40-Low channel-Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-22\_13.36.13

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1305.212	45.97	-7.58	74.0	-28.03	Peak	238.50	100	Vertical	Pass
1**	1305.212	35.14	-7.58	54.0	-18.86	AV	238.50	100	Vertical	Pass
2	1847.894	46.41	-7.49	68.2	-21.79	Peak	268.10	100	Vertical	Pass
2**	1847.894	35.47	-7.49	--	35.47	AV	268.10	100	Vertical	N/A
3	2385.827	50.23	-3.78	74.0	-23.77	Peak	187.80	100	Vertical	Pass
3**	2385.827	38.43	-3.78	54.0	-15.57	AV	187.80	100	Vertical	Pass
4	3011.249	52.14	-1.06	68.2	-16.06	Peak	207.90	100	Vertical	Pass
4**	3011.249	40.81	-1.06	--	40.81	AV	207.90	100	Vertical	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-22\_13.46.31

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7767.058	34.83	4.83	68.2	-33.37	Peak	82.00	100	Vertical	Pass
1**	7767.058	26.06	4.83	--	26.06	AV	82.00	100	Vertical	N/A
2	8847.538	36.91	7.52	68.2	-31.29	Peak	279.40	100	Vertical	Pass
2**	8847.538	28.78	7.52	--	28.78	AV	279.40	100	Vertical	N/A
3	9391.902	39.08	9.93	74.0	-34.92	Peak	220.40	100	Vertical	Pass
3**	9391.902	30.41	9.93	54.0	-23.59	AV	220.40	100	Vertical	Pass
4	11165.209	41.76	10.79	74.0	-32.24	Peak	273.50	100	Vertical	Pass
4**	11165.209	32.59	10.79	54.0	-21.41	AV	273.50	100	Vertical	Pass

WIFI5GB4-AC40-High channel-Horizontal-TX

# Test result

Project Number: Certification

Test Time: 2020-10-22\_13.30.00

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1222.222	46.30	-7.30	74.0	-27.70	Peak	141.90	100	Horizontal	Pass
1**	1222.222	35.54	-7.30	54.0	-18.46	AV	141.90	100	Horizontal	Pass
2	1919.135	47.51	-7.07	68.2	-20.69	Peak	295.00	100	Horizontal	Pass
2**	1919.135	35.92	-7.07	--	35.92	AV	295.00	100	Horizontal	N/A
3	2565.554	48.63	-4.07	68.2	-19.57	Peak	187.30	100	Horizontal	Pass
3**	2565.554	38.19	-4.07	--	38.19	AV	187.30	100	Horizontal	N/A
4	3022.497	52.63	-1.08	68.2	-15.57	Peak	310.20	100	Horizontal	Pass
4**	3022.497	41.72	-1.08	--	41.72	AV	310.20	100	Horizontal	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-22\_12.07.53

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7937.516	34.53	4.75	68.2	-33.67	Peak	15.80	100	Horizontal	Pass
1**	7937.516	25.50	4.75	--	25.50	AV	15.80	100	Horizontal	N/A
2	9416.646	39.23	9.63	74.0	-34.77	Peak	27.60	100	Horizontal	Pass
2**	9416.646	29.65	9.63	54.0	-24.35	AV	27.60	100	Horizontal	Pass
3	10356.911	41.01	10.53	68.2	-27.19	Peak	335.10	100	Horizontal	Pass
3**	10356.911	31.56	10.53	--	31.56	AV	335.10	100	Horizontal	N/A
4	11607.848	41.60	11.46	74.0	-32.40	Peak	207.30	100	Horizontal	Pass
4**	11607.848	33.05	11.46	54.0	-20.95	AV	207.30	100	Horizontal	Pass

WIFI5GB4-AC40-High channel-Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-22\_13.27.00

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1116.485	46.52	-6.91	74.0	-27.48	Peak	208.80	100	Vertical	Pass
1**	1116.485	35.68	-6.91	54.0	-18.32	AV	208.80	100	Vertical	Pass
2	1488.189	46.22	-8.49	74.0	-27.78	Peak	194.00	100	Vertical	Pass
2**	1488.189	34.34	-8.49	54.0	-19.66	AV	194.00	100	Vertical	Pass
3	2026.122	48.54	-5.85	68.2	-19.66	Peak	265.90	100	Vertical	Pass
3**	2026.122	37.28	-5.85	--	37.28	AV	265.90	100	Vertical	N/A
4	3030.371	51.97	-1.10	68.2	-16.23	Peak	329.80	100	Vertical	Pass
4**	3030.371	41.54	-1.10	--	41.54	AV	329.80	100	Vertical	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-22\_12.09.51

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7998.000	35.51	5.69	68.2	-32.69	Peak	190.70	100	Vertical	Pass
1**	7998.000	25.59	5.69	--	25.59	AV	190.70	100	Vertical	N/A
2	9391.902	39.30	9.93	74.0	-34.70	Peak	71.10	100	Vertical	Pass
2**	9391.902	29.72	9.93	54.0	-24.28	AV	71.10	100	Vertical	Pass
3	10508.123	40.78	9.94	68.2	-27.42	Peak	76.80	100	Vertical	Pass
3**	10508.123	31.60	9.94	--	31.60	AV	76.80	100	Vertical	N/A
4	12242.939	41.57	11.06	74.0	-32.43	Peak	356.40	100	Vertical	Pass
4**	12242.939	32.75	11.06	54.0	-21.25	AV	356.40	100	Vertical	Pass

WIFI5GB4-AC80-Low channel-Horizontal-TX

# Test result

Project Number: Certification

Test Time: 2020-10-22\_14.29.52

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1234.471	46.10	-7.36	74.0	-27.90	Peak	251.80	100	Horizontal	Pass
1**	1234.471	35.36	-7.36	54.0	-18.64	AV	251.80	100	Horizontal	Pass
2	1589.926	45.23	-8.69	74.0	-28.77	Peak	228.30	100	Horizontal	Pass
2**	1589.926	34.46	-8.69	54.0	-19.54	AV	228.30	100	Horizontal	Pass
3	2035.371	48.76	-5.83	68.2	-19.44	Peak	116.70	100	Horizontal	Pass
3**	2035.371	37.20	-5.83	--	37.20	AV	116.70	100	Horizontal	N/A
4	2660.292	48.93	-3.01	68.2	-19.27	Peak	58.50	100	Horizontal	Pass
4**	2660.292	38.84	-3.01	--	38.84	AV	58.50	100	Horizontal	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-22\_14.05.47

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7915.521	34.80	4.90	68.2	-33.40	Peak	236.40	100	Horizontal	Pass
1**	7915.521	25.80	4.90	--	25.80	AV	236.40	100	Horizontal	N/A
2	8836.541	37.36	7.35	68.2	-30.84	Peak	327.40	100	Horizontal	Pass
2**	8836.541	27.97	7.35	--	27.97	AV	327.40	100	Horizontal	N/A
3	10403.649	40.43	10.84	68.2	-27.77	Peak	152.20	100	Horizontal	Pass
3**	10403.649	30.82	10.84	--	30.82	AV	152.20	100	Horizontal	N/A
4	12619.595	41.87	11.30	74.0	-32.13	Peak	23.00	100	Horizontal	Pass
4**	12619.595	33.12	11.30	54.0	-20.88	AV	23.00	100	Horizontal	Pass



WIFI5GB4-AC80-Low channel-Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-22\_14.26.52

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1184.477	46.15	-7.13	74.0	-27.85	Peak	19.30	100	Vertical	Pass
1**	1184.477	35.21	-7.13	54.0	-18.79	AV	19.30	100	Vertical	Pass
2	1504.687	46.27	-8.55	74.0	-27.73	Peak	158.40	100	Vertical	Pass
2**	1504.687	34.44	-8.55	54.0	-19.56	AV	158.40	100	Vertical	Pass
3	2024.122	48.75	-5.87	68.2	-19.45	Peak	76.10	100	Vertical	Pass
3**	2024.122	37.32	-5.87	--	37.32	AV	76.10	100	Vertical	N/A
4	2612.298	49.11	-3.80	68.2	-19.09	Peak	179.40	100	Vertical	Pass
4**	2612.298	38.16	-3.80	--	38.16	AV	179.40	100	Vertical	N/A

# Test result

Project Number: Certification

Test Time: 2020-10-22\_14.03.23

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7893.527	34.65	4.96	68.2	-33.55	Peak	314.30	100	Vertical	Pass
1**	7893.527	25.17	4.96	--	25.17	AV	314.30	100	Vertical	N/A
2	8855.786	36.79	7.44	68.2	-31.41	Peak	154.70	100	Vertical	Pass
2**	8855.786	28.45	7.44	--	28.45	AV	154.70	100	Vertical	N/A
3	10436.641	40.60	10.68	68.2	-27.60	Peak	157.70	100	Vertical	Pass
3**	10436.641	31.49	10.68	--	31.49	AV	157.70	100	Vertical	N/A
4	12160.460	41.27	10.97	74.0	-32.73	Peak	19.50	100	Vertical	Pass
4**	12160.460	32.75	10.97	54.0	-21.25	AV	19.50	100	Vertical	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-21\_16.05.11

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	43.01	1.71	74.0	-30.99	Peak	145.13	100	H	Pass
1**	5150.000	36.61	1.71	54.0	-17.39	AV	145.13	100	H	Pass
2	5350.000	42.39	1.46	74.0	-31.61	Peak	237.55	100	H	Pass
2**	5350.000	36.37	1.46	54.0	-17.63	AV	237.55	100	H	Pass


WIFI5GB1-Bandedge -A-Low channel- Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-21\_15.52.21

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090001-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	43.30	1.71	74.0	-30.70	Peak	160.09	100	V	Pass
1**	5150.000	37.31	1.71	54.0	-16.69	AV	160.09	100	V	Pass
2	5350.000	42.41	1.46	74.0	-31.59	Peak	198.88	100	V	Pass
2**	5350.000	36.62	1.46	54.0	-17.38	AV	198.88	100	V	Pass


WiFi5GB1-Bandedge -A-High channel- Horizontal-TX

# Test result

Project Number: Certification

Test Time: 2020-10-22\_14.38.52

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090001-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	42.07	1.71	74.0	-31.93	Peak	267.42	100	H	Pass
1**	5150.000	35.96	1.71	54.0	-18.04	AV	267.42	100	H	Pass
2	5350.000	42.95	1.46	74.0	-31.05	Peak	114.69	100	H	Pass
2**	5350.000	36.86	1.46	54.0	-17.14	AV	114.69	100	H	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_14.40.42

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	42.06	1.71	74.0	-31.94	Peak	141.29	100	V	Pass
1**	5150.000	35.76	1.71	54.0	-18.24	AV	141.29	100	V	Pass
2	5350.000	42.72	1.46	74.0	-31.28	Peak	93.52	100	V	Pass
2**	5350.000	36.79	1.46	54.0	-17.21	AV	93.52	100	V	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_14.50.23

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	42.75	1.71	74.0	-31.25	Peak	101.57	100	H	Pass
1**	5150.000	36.63	1.71	54.0	-17.37	AV	101.57	100	H	Pass
2	5350.000	42.71	1.46	74.0	-31.29	Peak	0.41	100	H	Pass
2**	5350.000	37.16	1.46	54.0	-16.84	AV	0.41	100	H	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_14.52.06

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	42.61	1.71	74.0	-31.39	Peak	197.69	100	V	Pass
1**	5150.000	36.74	1.71	54.0	-17.26	AV	197.69	100	V	Pass
2	5350.000	43.03	1.46	74.0	-30.97	Peak	66.24	100	V	Pass
2**	5350.000	36.52	1.46	54.0	-17.48	AV	66.24	100	V	Pass



# Test result

Project Number: Certification

Test Time: 2020-10-22\_14.47.40

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	41.85	1.71	74.0	-32.15	Peak	144.73	100	H	Pass
1**	5150.000	36.25	1.71	54.0	-17.75	AV	144.73	100	H	Pass
2	5350.000	42.60	1.46	74.0	-31.40	Peak	66.50	100	H	Pass
2**	5350.000	36.88	1.46	54.0	-17.12	AV	66.50	100	H	Pass

WiFi5GB1-Bandedge –N20-High channel-Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-22\_14.43.41

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	42.76	1.71	74.0	-31.24	Peak	156.70	100	V	Pass
1**	5150.000	36.73	1.71	54.0	-17.27	AV	156.70	100	V	Pass
2	5350.000	42.84	1.46	74.0	-31.16	Peak	149.37	100	V	Pass
2**	5350.000	36.56	1.46	54.0	-17.44	AV	149.37	100	V	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_15.21.39

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090001-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	42.97	1.71	74.0	-31.03	Peak	66.20	100	H	Pass
1**	5150.000	37.25	1.71	54.0	-16.75	AV	66.20	100	H	Pass
2	5350.000	42.59	1.46	74.0	-31.41	Peak	48.21	100	H	Pass
2**	5350.000	37.44	1.46	54.0	-16.56	AV	48.21	100	H	Pass

WiFi5GB1-Bandedge –N40-Low channel- Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-22\_15.25.37

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	42.62	1.71	74.0	-31.38	Peak	61.73	100	V	Pass
1**	5150.000	37.06	1.71	54.0	-16.94	AV	61.73	100	V	Pass
2	5350.000	42.98	1.46	74.0	-31.02	Peak	180.75	100	V	Pass
2**	5350.000	37.21	1.46	54.0	-16.79	AV	180.75	100	V	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_15.19.35

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	41.62	1.71	74.0	-32.38	Peak	284.17	100	H	Pass
1**	5150.000	36.12	1.71	54.0	-17.88	AV	284.17	100	H	Pass
2	5350.000	42.70	1.46	74.0	-31.30	Peak	214.71	100	H	Pass
2**	5350.000	36.57	1.46	54.0	-17.43	AV	214.71	100	H	Pass

WiFi5GB1-Bandedge –N40-High channel-Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-22\_15.17.49

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	41.51	1.71	74.0	-32.49	Peak	84.07	100	V	Pass
1**	5150.000	35.95	1.71	54.0	-18.05	AV	84.07	100	V	Pass
2	5350.000	43.58	1.46	74.0	-30.42	Peak	113.45	100	V	Pass
2**	5350.000	37.07	1.46	54.0	-16.93	AV	113.45	100	V	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_14.56.17

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	43.95	1.71	74.0	-30.05	Peak	159.47	100	H	Pass
1**	5150.000	37.16	1.71	54.0	-16.84	AV	159.47	100	H	Pass
2	5350.000	43.29	1.46	74.0	-30.71	Peak	116.16	100	H	Pass
2**	5350.000	36.85	1.46	54.0	-17.15	AV	116.16	100	H	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_14.54.30

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	43.12	1.71	74.0	-30.88	Peak	78.28	100	V	Pass
1**	5150.000	37.72	1.71	54.0	-16.28	AV	78.28	100	V	Pass
2	5350.000	41.96	1.46	74.0	-32.04	Peak	103.30	100	V	Pass
2**	5350.000	36.35	1.46	54.0	-17.65	AV	103.30	100	V	Pass




# Test result

Project Number: Certification

Test Time: 2020-10-22\_14.58.25

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090001-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	41.21	1.71	74.0	-32.79	Peak	157.44	100	H	Pass
1**	5150.000	35.82	1.71	54.0	-18.18	AV	157.44	100	H	Pass
2	5350.000	42.93	1.46	74.0	-31.07	Peak	344.77	100	H	Pass
2**	5350.000	37.14	1.46	54.0	-16.86	AV	344.77	100	H	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_15.00.09

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	41.47	1.71	74.0	-32.53	Peak	104.83	100	V	Pass
1**	5150.000	35.83	1.71	54.0	-18.17	AV	104.83	100	V	Pass
2	5350.000	43.66	1.46	74.0	-30.34	Peak	292.66	100	V	Pass
2**	5350.000	36.90	1.46	54.0	-17.10	AV	292.66	100	V	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_15.09.56

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	43.32	1.71	74.0	-30.68	Peak	112.34	100	H	Pass
1**	5150.000	37.78	1.71	54.0	-16.22	AV	112.34	100	H	Pass
2	5350.000	43.51	1.46	74.0	-30.49	Peak	28.12	100	H	Pass
2**	5350.000	37.35	1.46	54.0	-16.65	AV	28.12	100	H	Pass


# Test result

Project Number: Certification

Test Time: 2020-10-22\_15.07.40

EUT Name: N.A  
 Manufacturer: N.A  
 Model: N.A  
 Temp.(oC): 20.1  
 Hum.: 54  
 Test Engineer: XCJ  
 Test Standard: FCC  
 Work Addition: normal

Load: full load  
 Remark: DR-RSE01-E20090001-01#01  
 Name:  
 Project Template:  
 Manufacture:  
 Model Name:  
 Templ.(oC):  
 Hum:  
 Work Additon:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	43.37	1.71	74.0	-30.63	Peak	73.31	100	V	Pass
1**	5150.000	37.96	1.71	54.0	-16.04	AV	73.31	100	V	Pass
2	5350.000	42.19	1.46	74.0	-31.81	Peak	253.49	100	V	Pass
2**	5350.000	36.54	1.46	54.0	-17.46	AV	253.49	100	V	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_15.12.06

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090001-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	42.11	1.71	74.0	-31.89	Peak	177.61	100	H	Pass
1**	5150.000	36.11	1.71	54.0	-17.89	AV	177.61	100	H	Pass
2	5350.000	43.26	1.46	74.0	-30.74	Peak	149.23	100	H	Pass
2**	5350.000	37.74	1.46	54.0	-16.26	AV	149.23	100	H	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_15.14.54

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	41.92	1.71	74.0	-32.08	Peak	115.19	100	V	Pass
1**	5150.000	35.81	1.71	54.0	-18.19	AV	115.19	100	V	Pass
2	5350.000	43.59	1.46	74.0	-30.41	Peak	141.30	100	V	Pass
2**	5350.000	36.89	1.46	54.0	-17.11	AV	141.30	100	V	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_09.16.39

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	43.67	1.71	74.0	-30.33	Peak	72.54	100	H	Pass
1**	5150.000	37.42	1.71	54.0	-16.58	AV	72.54	100	H	Pass
2	5350.000	43.35	1.46	74.0	-30.65	Peak	130.61	100	H	Pass
2**	5350.000	37.42	1.46	54.0	-16.58	AV	130.61	100	H	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_09.14.00

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	44.18	1.71	74.0	-29.82	Peak	109.84	100	V	Pass
1**	5150.000	37.80	1.71	54.0	-16.20	AV	109.84	100	V	Pass
2	5350.000	43.58	1.46	74.0	-30.42	Peak	176.55	100	V	Pass
2**	5350.000	37.85	1.46	54.0	-16.15	AV	176.55	100	V	Pass




# Test result

Project Number: Certification

Test Time: 2020-10-22\_09.32.11

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090001-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.55	2.16	122.2	-65.65	Peak	54.23	100	H	Pass
2	5850.000	54.70	2.16	122.2	-67.50	Peak	142.83	100	H	Pass


WiFi5GB4-Bandedge -A-Low channel- Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-22\_09.34.01

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090001-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.50	2.16	122.2	-65.70	Peak	118.57	100	V	Pass
2	5850.000	53.91	2.16	122.2	-68.29	Peak	248.14	100	V	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_10.07.50

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090001-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.23	2.16	122.2	-67.97	Peak	124.27	100	H	Pass
2	5850.000	54.20	2.16	122.2	-68.00	Peak	146.68	100	H	Pass


WiFi5GB4-Bandedge -A-High channel-Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-22\_10.05.47

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090001-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.37	2.16	122.2	-67.83	Peak	133.87	100	V	Pass
2	5850.000	54.27	2.16	122.2	-67.93	Peak	54.72	100	V	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_10.11.11

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090001-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.05	2.16	122.2	-65.15	Peak	71.20	100	H	Pass
2	5850.000	53.55	2.16	122.2	-68.65	Peak	117.34	100	H	Pass


WiFi5GB4-Bandedge –N20-Low channel- Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-22\_10.12.55

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090001-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.33	2.16	122.2	-65.87	Peak	116.96	100	V	Pass
2	5850.000	53.41	2.16	122.2	-68.79	Peak	64.60	100	V	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_10.48.15

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090001-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.99	2.16	122.2	-66.21	Peak	62.27	100	H	Pass
2	5850.000	53.69	2.16	122.2	-68.51	Peak	215.04	100	H	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_10.45.37

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090001-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.92	2.16	122.2	-68.28	Peak	70.60	100	V	Pass
2	5850.000	53.66	2.16	122.2	-68.54	Peak	112.98	100	V	Pass



# Test result

Project Number: Certification

Test Time: 2020-10-22\_11.35.54

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.05	2.16	122.2	-67.15	Peak	145.39	100	H	Pass
2	5850.000	54.55	2.16	122.2	-67.65	Peak	151.59	100	H	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_11.33.48

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.22	2.16	122.2	-66.98	Peak	75.90	100	V	Pass
2	5850.000	54.18	2.16	122.2	-68.02	Peak	311.02	100	V	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_11.59.01

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090001-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.57	2.16	122.2	-67.63	Peak	88.72	100	H	Pass
2	5850.000	53.50	2.16	122.2	-68.70	Peak	69.36	100	H	Pass

WiFi5GB4-Bandedge –N40-High channel-Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-22\_12.00.53

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.62	2.16	122.2	-67.58	Peak	32.10	100	V	Pass
2	5850.000	53.22	2.16	122.2	-68.98	Peak	146.14	100	V	Pass

WIFI5GB4-Bandedge –AC20-Low channel-Horizontal-TX

# Test result

Project Number: Certification

Test Time: 2020-10-22\_11.26.31

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.53	2.16	122.2	-65.67	Peak	101.15	100	H	Pass
2	5850.000	54.52	2.16	122.2	-67.68	Peak	134.97	100	H	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_11.28.42

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090001-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.19	2.16	122.2	-64.01	Peak	128.34	100	V	Pass
2	5850.000	53.88	2.16	122.2	-68.32	Peak	224.78	100	V	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_10.50.49

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.22	2.16	122.2	-67.98	Peak	72.17	100	H	Pass
2	5850.000	54.62	2.16	122.2	-67.58	Peak	153.03	100	H	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_10.52.49

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090001-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.73	2.16	122.2	-67.47	Peak	20.78	100	V	Pass
2	5850.000	53.91	2.16	122.2	-68.29	Peak	68.08	100	V	Pass




WiFi5GB4-Bandedge –AC40-Low channel-Horizontal-TX

# Test result

Project Number: Certification

Test Time: 2020-10-22\_13.55.53

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090001-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.53	2.16	122.2	-67.67	Peak	64.01	100	H	Pass
2	5850.000	54.05	2.16	122.2	-68.15	Peak	201.05	100	H	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_13.57.42

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090001-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.79	2.16	122.2	-66.41	Peak	22.95	100	V	Pass
2	5850.000	54.20	2.16	122.2	-68.00	Peak	151.98	100	V	Pass


WiFi5GB4-Bandedge –AC40-High channel- Horizontal-TX

# Test result

Project Number: Certification

Test Time: 2020-10-22\_12.06.11

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090001-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.54	2.16	122.2	-68.66	Peak	73.33	100	H	Pass
2	5850.000	53.62	2.16	122.2	-68.58	Peak	39.67	100	H	Pass

WiFi5GB4-Bandedge –AC40-High channel-Vertical-TX

# Test result

Project Number: Certification

Test Time: 2020-10-22\_12.03.28

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.94	2.16	122.2	-68.26	Peak	152.22	100	V	Pass
2	5850.000	53.92	2.16	122.2	-68.28	Peak	264.36	100	V	Pass

WiFi5GB4-Bandedge –AC80-Low channel-Horizontal-TX

# Test result

Project Number: Certification

Test Time: 2020-10-22\_14.11.53

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.67	2.16	122.2	-66.53	Peak	60.26	100	H	Pass
2	5850.000	54.21	2.16	122.2	-67.99	Peak	231.08	100	H	Pass

# Test result

Project Number: Certification

Test Time: 2020-10-22\_14.13.55

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.75	2.16	122.2	-66.45	Peak	70.06	100	V	Pass
2	5850.000	53.64	2.16	122.2	-68.56	Peak	314.33	100	V	Pass