

Test result

Project Number: Certification

Test Time: 2020-09-13_15.56.22

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.791	-60.49	-18.93	-13.0	-47.49	112.20	Vertical	Vertical	Pass
116.066	-62.60	-10.38	-13.0	-49.60	0.70	Vertical	Vertical	Pass
202.617	-59.55	-9.73	-13.0	-46.55	4.60	Vertical	Vertical	Pass
455.239	-66.95	-1.01	-13.0	-53.95	123.30	Vertical	Vertical	Pass
1693.163	-40.00	-10.32	-13.0	-27.00	33.90	Vertical	Vertical	Pass
2129.359	-46.18	-5.16	-13.0	-33.18	136.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_15.18.22

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7924.000	-64.50	9.26	-13.0	-51.50	48.00	Vertical	Vertical	Pass
9417.250	-59.04	14.96	-13.0	-46.04	76.20	Vertical	Vertical	Pass
10429.250	-56.85	16.06	-13.0	-43.85	126.40	Vertical	Vertical	Pass
12112.250	-58.66	14.87	-13.0	-45.66	245.70	Vertical	Vertical	Pass
14854.000	-46.21	25.56	-13.0	-33.21	339.20	Vertical	Vertical	Pass
16743.250	-42.18	24.99	-13.0	-29.18	41.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-13_16.12.14

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.791	-60.48	-18.93	-13.0	-47.48	134.90	Vertical	Vertical	Pass
201.162	-60.58	-9.10	-13.0	-47.58	0.80	Vertical	Vertical	Pass
453.299	-67.68	-1.28	-13.0	-54.68	348.20	Vertical	Vertical	Pass
850.657	-63.33	4.95	-13.0	-50.33	134.90	Vertical	Vertical	Pass
1702.412	-42.27	-9.82	-13.0	-29.27	9.70	Vertical	Vertical	Pass
2142.607	-45.65	-4.98	-13.0	-32.65	2.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_15.24.17

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7899.250	-64.06	9.76	-13.0	-51.06	124.70	Vertical	Vertical	Pass
9461.250	-58.61	14.24	-13.0	-45.61	124.70	Vertical	Vertical	Pass
10954.500	-56.30	16.95	-13.0	-43.30	173.20	Vertical	Vertical	Pass
13261.750	-56.19	15.79	-13.0	-43.19	182.30	Vertical	Vertical	Pass
14854.000	-46.14	25.56	-13.0	-33.14	64.40	Vertical	Vertical	Pass
16655.250	-41.98	25.08	-13.0	-28.98	265.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-13_16.30.14

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
75.821	-68.84	-19.91	-13.0	-55.84	138.10	Horizontal	Vertical	Pass
200.435	-51.81	-9.07	-13.0	-38.81	228.70	Horizontal	Vertical	Pass
455.481	-70.19	-3.30	-13.0	-57.19	143.30	Horizontal	Vertical	Pass
633.432	-68.31	-0.89	-13.0	-55.31	262.20	Horizontal	Vertical	Pass
824.231	-45.15	2.28	-13.0	-32.15	281.70	Horizontal	Vertical	Pass
869.810	-45.37	4.32	-13.0	-32.37	352.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-13_16.45.58

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.548	-68.85	-19.93	-13.0	-55.85	157.00	Horizontal	Vertical	Pass
199.708	-51.91	-9.11	-13.0	-38.91	199.00	Horizontal	Vertical	Pass
460.330	-69.83	-3.66	-13.0	-56.83	155.30	Horizontal	Vertical	Pass
836.353	-57.41	4.35	-13.0	-44.41	280.90	Horizontal	Vertical	Pass
880.962	-48.61	2.33	-13.0	-35.61	9.00	Horizontal	Vertical	Pass
2287.178	-56.18	-2.68	-13.0	-43.18	207.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-13_16.42.15

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
75.821	-68.80	-19.91	-13.0	-55.80	127.70	Horizontal	Vertical	Pass
199.950	-51.46	-8.89	-13.0	-38.46	291.30	Horizontal	Vertical	Pass
453.542	-69.51	-3.16	-13.0	-56.51	145.50	Horizontal	Vertical	Pass
851.627	-43.09	5.71	-13.0	-30.09	234.00	Horizontal	Vertical	Pass
892.842	-51.06	1.49	-13.0	-38.06	4.50	Horizontal	Vertical	Pass
2287.678	-56.50	-2.66	-13.0	-43.50	89.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-13_16.33.58

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.033	-61.07	-19.94	-13.0	-48.07	105.20	Vertical	Vertical	Pass
199.950	-61.67	-8.89	-13.0	-48.67	2.30	Vertical	Vertical	Pass
457.178	-72.81	-3.42	-13.0	-59.81	128.90	Vertical	Vertical	Pass
824.231	-48.76	2.28	-13.0	-35.76	17.00	Vertical	Vertical	Pass
869.810	-46.69	4.32	-13.0	-33.69	166.50	Vertical	Vertical	Pass
3188.953	-57.30	-1.37	-13.0	-44.30	158.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-13_16.49.28

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.033	-61.76	-19.94	-13.0	-48.76	114.10	Vertical	Vertical	Pass
199.465	-61.83	-9.34	-13.0	-48.83	8.10	Vertical	Vertical	Pass
456.208	-70.66	-3.35	-13.0	-57.66	130.20	Vertical	Vertical	Pass
836.353	-59.32	4.35	-13.0	-46.32	348.80	Vertical	Vertical	Pass
881.690	-47.30	2.25	-13.0	-34.30	107.20	Vertical	Vertical	Pass
2283.679	-56.65	-2.80	-13.0	-43.65	127.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-13_16.38.35

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.548	-61.82	-19.93	-13.0	-48.82	141.10	Vertical	Vertical	Pass
200.677	-60.82	-9.20	-13.0	-47.82	0.10	Vertical	Vertical	Pass
450.632	-72.16	-2.95	-13.0	-59.16	123.30	Vertical	Vertical	Pass
851.627	-42.62	5.71	-13.0	-29.62	346.20	Vertical	Vertical	Pass
893.327	-48.28	1.52	-13.0	-35.28	79.10	Vertical	Vertical	Pass
2286.178	-56.42	-2.71	-13.0	-43.42	272.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_09.31.45

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
35.091	-62.92	-11.28	-13.0	-49.92	0.20	Horizontal	Vertical	Pass
113.399	-62.67	-11.33	-13.0	-49.67	85.50	Horizontal	Vertical	Pass
203.102	-54.45	-10.48	-13.0	-41.45	254.30	Horizontal	Vertical	Pass
457.178	-69.52	-3.42	-13.0	-56.52	158.40	Horizontal	Vertical	Pass
823.989	-49.83	2.25	-13.0	-36.83	284.50	Horizontal	Vertical	Pass
870.295	-44.72	4.25	-13.0	-31.72	28.70	Horizontal	Vertical	Pass
2425.644	-53.99	-4.92	-13.0	-40.99	359.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_09.11.30

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
99.823	-62.73	-12.43	-13.0	-49.73	221.10	Horizontal	Vertical	Pass
202.859	-54.84	-10.36	-13.0	-41.84	261.70	Horizontal	Vertical	Pass
451.117	-69.19	-2.99	-13.0	-56.19	152.50	Horizontal	Vertical	Pass
835.869	-60.15	4.25	-13.0	-47.15	279.70	Horizontal	Vertical	Pass
880.962	-47.40	2.33	-13.0	-34.40	347.90	Horizontal	Vertical	Pass
3001.000	-55.86	-0.66	-13.0	-42.86	275.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_09.52.03

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
35.576	-63.30	-11.20	-13.0	-50.30	2.10	Horizontal	Vertical	Pass
101.520	-62.80	-12.56	-13.0	-49.80	214.70	Horizontal	Vertical	Pass
200.192	-53.31	-8.94	-13.0	-40.31	255.20	Horizontal	Vertical	Pass
451.360	-68.40	-3.01	-13.0	-55.40	151.70	Horizontal	Vertical	Pass
852.354	-35.02	5.66	-13.0	-22.02	270.30	Horizontal	Vertical	Pass
891.387	-49.15	1.39	-13.0	-36.15	18.70	Horizontal	Vertical	Pass
3031.992	-56.46	-1.47	-13.0	-43.46	349.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_09.36.22

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
78.003	-62.33	-19.96	-13.0	-49.33	136.90	Vertical	Vertical	Pass
199.950	-62.39	-8.89	-13.0	-49.39	1.40	Vertical	Vertical	Pass
449.663	-71.82	-2.97	-13.0	-58.82	128.00	Vertical	Vertical	Pass
824.231	-53.12	2.28	-13.0	-40.12	18.50	Vertical	Vertical	Pass
869.325	-44.64	4.36	-13.0	-31.64	55.30	Vertical	Vertical	Pass
3001.000	-56.07	-0.66	-13.0	-43.07	240.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_09.07.35

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
34.364	-57.51	-11.42	-13.0	-44.51	0.00	Vertical	Vertical	Pass
78.730	-62.69	-19.98	-13.0	-49.69	105.20	Vertical	Vertical	Pass
204.071	-63.64	-11.00	-13.0	-50.64	0.00	Vertical	Vertical	Pass
463.967	-71.34	-4.10	-13.0	-58.34	133.20	Vertical	Vertical	Pass
836.353	-61.91	4.35	-13.0	-48.91	28.10	Vertical	Vertical	Pass
881.447	-46.74	2.28	-13.0	-33.74	108.70	Vertical	Vertical	Pass
2279.680	-55.71	-2.95	-13.0	-42.71	359.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_09.42.28

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.276	-62.47	-19.94	-13.0	-49.47	119.90	Vertical	Vertical	Pass
200.920	-62.44	-9.33	-13.0	-49.44	0.00	Vertical	Vertical	Pass
446.996	-72.45	-3.42	-13.0	-59.45	144.60	Vertical	Vertical	Pass
852.354	-37.35	5.66	-13.0	-24.35	359.80	Vertical	Vertical	Pass
892.357	-49.92	1.46	-13.0	-36.92	70.70	Vertical	Vertical	Pass
2285.179	-56.41	-2.75	-13.0	-43.41	12.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_10.11.11

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.548	-70.65	-19.93	-13.0	-57.65	145.50	Horizontal	Vertical	Pass
199.950	-52.98	-8.89	-13.0	-39.98	196.40	Horizontal	Vertical	Pass
451.602	-68.80	-3.02	-13.0	-55.80	143.80	Horizontal	Vertical	Pass
824.231	-51.75	2.28	-13.0	-38.75	278.50	Horizontal	Vertical	Pass
871.507	-44.31	4.02	-13.0	-31.31	341.50	Horizontal	Vertical	Pass
5013.497	-52.74	2.93	-13.0	-39.74	252.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_09:57:09

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
35.091	-63.80	-11.28	-13.0	-50.80	47.10	Horizontal	Vertical	Pass
101.035	-63.12	-12.51	-13.0	-50.12	221.90	Horizontal	Vertical	Pass
199.950	-53.25	-8.89	-13.0	-40.25	179.80	Horizontal	Vertical	Pass
453.057	-69.63	-3.13	-13.0	-56.63	151.60	Horizontal	Vertical	Pass
835.141	-61.93	4.10	-13.0	-48.93	264.60	Horizontal	Vertical	Pass
880.962	-46.83	2.33	-13.0	-33.83	17.20	Horizontal	Vertical	Pass
2290.677	-56.27	-2.59	-13.0	-43.27	222.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_10.14.58

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
35.334	-63.56	-11.24	-13.0	-50.56	29.50	Horizontal	Vertical	Pass
115.096	-62.12	-11.19	-13.0	-49.12	86.80	Horizontal	Vertical	Pass
200.435	-52.87	-9.07	-13.0	-39.87	222.10	Horizontal	Vertical	Pass
450.147	-69.81	-2.92	-13.0	-56.81	160.90	Horizontal	Vertical	Pass
852.597	-37.76	5.65	-13.0	-24.76	266.30	Horizontal	Vertical	Pass
893.084	-50.23	1.51	-13.0	-37.23	25.50	Horizontal	Vertical	Pass
2985.504	-56.22	-1.12	-13.0	-43.22	330.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_10.07.27

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
78.488	-62.37	-19.97	-13.0	-49.37	112.70	Vertical	Vertical	Pass
199.950	-61.95	-8.89	-13.0	-48.95	0.10	Vertical	Vertical	Pass
449.420	-72.71	-3.01	-13.0	-59.71	130.20	Vertical	Vertical	Pass
824.231	-53.62	2.28	-13.0	-40.62	8.40	Vertical	Vertical	Pass
871.265	-46.20	4.06	-13.0	-33.20	59.50	Vertical	Vertical	Pass
2981.005	-55.75	-1.23	-13.0	-42.75	143.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_10.01.09

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.761	-62.26	-19.96	-13.0	-49.26	101.20	Vertical	Vertical	Pass
200.677	-62.23	-9.20	-13.0	-49.23	1.10	Vertical	Vertical	Pass
455.966	-71.20	-3.33	-13.0	-58.20	35.80	Vertical	Vertical	Pass
836.111	-62.99	4.30	-13.0	-49.99	16.30	Vertical	Vertical	Pass
880.235	-47.76	2.41	-13.0	-34.76	26.90	Vertical	Vertical	Pass
2994.001	-55.82	-1.06	-13.0	-42.82	228.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_10.18.45

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
78.245	-62.35	-19.97	-13.0	-49.35	88.20	Vertical	Vertical	Pass
115.824	-65.07	-11.47	-13.0	-52.07	22.00	Vertical	Vertical	Pass
199.950	-61.94	-8.89	-13.0	-48.94	2.60	Vertical	Vertical	Pass
450.390	-72.00	-2.94	-13.0	-59.00	139.80	Vertical	Vertical	Pass
853.324	-36.60	5.60	-13.0	-23.60	357.20	Vertical	Vertical	Pass
893.084	-48.17	1.51	-13.0	-35.17	48.60	Vertical	Vertical	Pass
3000.000	-57.76	-1.13	-13.0	-44.76	104.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_13.21.19

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
75.821	-68.96	-19.91	-13.0	-55.96	126.00	Horizontal	Vertical	Pass
199.950	-51.61	-8.89	-13.0	-38.61	171.50	Horizontal	Vertical	Pass
458.875	-69.94	-3.54	-13.0	-56.94	161.10	Horizontal	Vertical	Pass
809.200	-46.21	0.56	-13.0	-33.21	266.40	Horizontal	Vertical	Pass
872.477	-44.99	3.84	-13.0	-31.99	5.70	Horizontal	Vertical	Pass
2284.679	-56.54	-2.77	-13.0	-43.54	72.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_13.17.34

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.276	-70.49	-19.94	-13.0	-57.49	124.20	Horizontal	Vertical	Pass
200.677	-51.78	-9.20	-13.0	-38.78	267.80	Horizontal	Vertical	Pass
452.087	-69.83	-3.06	-13.0	-56.83	152.40	Horizontal	Vertical	Pass
852.354	-39.16	5.66	-13.0	-26.16	283.80	Horizontal	Vertical	Pass
877.568	-46.38	2.89	-13.0	-33.38	342.40	Horizontal	Vertical	Pass
2290.177	-56.62	-2.58	-13.0	-43.62	73.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_13.32.48

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
34.364	-64.65	-11.42	-13.0	-51.65	1.50	Horizontal	Vertical	Pass
114.611	-60.84	-11.19	-13.0	-47.84	94.70	Horizontal	Vertical	Pass
199.950	-51.94	-8.89	-13.0	-38.94	202.40	Horizontal	Vertical	Pass
457.178	-69.33	-3.42	-13.0	-56.33	148.10	Horizontal	Vertical	Pass
852.112	-32.58	5.68	-13.0	-19.58	285.70	Horizontal	Vertical	Pass
884.841	-48.44	1.89	-13.0	-35.44	3.20	Horizontal	Vertical	Pass
2813.047	-56.76	-1.64	-13.0	-43.76	11.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_13.24.51

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.791	-62.11	-19.93	-13.0	-49.11	112.20	Vertical	Vertical	Pass
200.192	-60.75	-8.94	-13.0	-47.75	3.10	Vertical	Vertical	Pass
443.844	-72.45	-3.96	-13.0	-59.45	213.50	Vertical	Vertical	Pass
808.715	-49.64	0.50	-13.0	-36.64	7.90	Vertical	Vertical	Pass
873.447	-45.55	3.66	-13.0	-32.55	225.60	Vertical	Vertical	Pass
2433.642	-51.98	-4.68	-13.0	-38.98	202.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_13.13.45

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.424	-58.23	-11.83	-13.0	-45.23	360.00	Vertical	Vertical	Pass
76.791	-61.40	-19.93	-13.0	-48.40	118.40	Vertical	Vertical	Pass
203.829	-61.33	-10.87	-13.0	-48.33	2.10	Vertical	Vertical	Pass
465.906	-71.24	-4.33	-13.0	-58.24	19.00	Vertical	Vertical	Pass
852.112	-40.83	5.68	-13.0	-27.83	356.00	Vertical	Vertical	Pass
877.083	-45.29	2.98	-13.0	-32.29	102.60	Vertical	Vertical	Pass
2290.677	-57.21	-2.59	-13.0	-44.21	347.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_13.28.35

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.548	-62.25	-19.93	-13.0	-49.25	148.00	Vertical	Vertical	Pass
200.192	-60.96	-8.94	-13.0	-47.96	9.80	Vertical	Vertical	Pass
455.239	-71.82	-3.28	-13.0	-58.82	226.90	Vertical	Vertical	Pass
852.112	-33.94	5.68	-13.0	-20.94	346.90	Vertical	Vertical	Pass
886.053	-46.54	1.75	-13.0	-33.54	109.20	Vertical	Vertical	Pass
2452.637	-56.76	-4.16	-13.0	-43.76	176.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_15.02.03

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
34.849	-66.86	-10.52	-25.0	-41.86	317.30	Horizontal	Vertical	Pass
115.096	-60.64	-10.36	-25.0	-35.64	169.80	Horizontal	Vertical	Pass
201.647	-58.38	-8.59	-25.0	-33.38	285.20	Horizontal	Vertical	Pass
633.432	-67.53	0.60	-25.0	-42.53	1.40	Horizontal	Vertical	Pass
2489.628	-41.21	3.02	-25.0	-16.21	43.90	Horizontal	Vertical	Pass
5068.483	-53.23	2.71	-25.0	-28.23	352.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_15.32.11

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7921.250	-64.51	9.32	-13.0	-51.51	263.20	Vertical	Vertical	Pass
9431.000	-59.43	14.68	-13.0	-46.43	158.40	Vertical	Vertical	Pass
10872.001	-56.61	16.67	-13.0	-43.61	134.80	Vertical	Vertical	Pass
13611.000	-54.01	18.28	-13.0	-41.01	298.50	Vertical	Vertical	Pass
14818.250	-46.49	25.71	-13.0	-33.49	3.20	Vertical	Vertical	Pass
17683.751	-35.56	34.27	-13.0	-22.56	51.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_17.04.06

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
35.091	-67.63	-10.48	-25.0	-42.63	294.50	Horizontal	Vertical	Pass
94.731	-61.30	-12.44	-25.0	-36.30	0.70	Horizontal	Vertical	Pass
239.953	-57.55	-2.05	-25.0	-32.55	39.50	Horizontal	Vertical	Pass
633.432	-67.23	0.60	-25.0	-42.23	337.30	Horizontal	Vertical	Pass
1196.951	-55.19	-1.90	-25.0	-30.19	40.80	Horizontal	Vertical	Pass
2532.617	-50.03	2.36	-25.0	-25.03	51.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_15.36.47

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8102.750	-64.59	10.19	-13.0	-51.59	151.80	Horizontal	Vertical	Pass
9400.750	-59.29	15.29	-13.0	-46.29	310.40	Horizontal	Vertical	Pass
10289.000	-56.85	15.89	-13.0	-43.85	222.20	Horizontal	Vertical	Pass
11477.000	-55.99	16.25	-13.0	-42.99	273.10	Horizontal	Vertical	Pass
13561.500	-54.24	18.01	-13.0	-41.24	16.30	Horizontal	Vertical	Pass
16498.500	-42.56	24.95	-13.0	-29.56	207.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_15.59.40

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
34.606	-67.60	-10.57	-25.0	-42.60	360.00	Horizontal	Vertical	Pass
113.884	-60.61	-10.51	-25.0	-35.61	160.10	Horizontal	Vertical	Pass
203.587	-57.79	-9.66	-25.0	-32.79	274.30	Horizontal	Vertical	Pass
633.432	-67.90	0.60	-25.0	-42.90	354.40	Horizontal	Vertical	Pass
2458.135	-36.58	-1.33	-25.0	-11.58	251.40	Horizontal	Vertical	Pass
2561.110	-43.98	1.79	-25.0	-18.98	49.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_15.26.24

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8091.750	-64.48	10.06	-13.0	-51.48	32.30	Vertical	Vertical	Pass
9455.750	-58.92	14.26	-13.0	-45.92	69.40	Vertical	Vertical	Pass
10792.250	-56.32	16.33	-13.0	-43.32	146.50	Vertical	Vertical	Pass
12898.750	-56.75	15.16	-13.0	-43.75	258.40	Vertical	Vertical	Pass
14832.000	-45.46	25.71	-13.0	-32.46	260.90	Vertical	Vertical	Pass
16853.250	-42.09	26.20	-13.0	-29.09	111.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_14.41.05

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.910	-63.84	-10.05	-25.0	-38.84	335.80	Vertical	Vertical	Pass
95.216	-57.76	-12.28	-25.0	-32.76	94.70	Vertical	Vertical	Pass
270.500	-65.71	-6.13	-25.0	-40.71	172.10	Vertical	Vertical	Pass
633.432	-70.33	0.60	-25.0	-45.33	71.20	Vertical	Vertical	Pass
2460.135	-27.75	-1.31	-25.0	-2.75	307.70	Vertical	Vertical	Pass
2507.123	-41.64	2.88	-25.0	-16.64	51.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_15.33.49

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8119.250	-64.44	9.96	-13.0	-51.44	131.70	Horizontal	Vertical	Pass
9488.750	-58.93	14.09	-13.0	-45.93	299.00	Horizontal	Vertical	Pass
10938.000	-56.24	16.80	-13.0	-43.24	8.60	Horizontal	Vertical	Pass
12632.001	-56.31	14.37	-13.0	-43.31	69.20	Horizontal	Vertical	Pass
14812.750	-45.13	25.71	-13.0	-32.13	131.70	Horizontal	Vertical	Pass
16696.500	-41.38	25.74	-13.0	-28.38	358.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_17.08.37

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.879	-62.02	-10.70	-25.0	-37.02	359.20	Vertical	Vertical	Pass
94.731	-57.73	-12.44	-25.0	-32.73	49.40	Vertical	Vertical	Pass
206.011	-64.46	-11.00	-25.0	-39.46	1.60	Vertical	Vertical	Pass
1199.450	-55.50	-1.78	-25.0	-30.50	196.30	Vertical	Vertical	Pass
2534.116	-50.91	2.33	-25.0	-25.91	49.80	Vertical	Vertical	Pass
5149.463	-53.09	2.78	-25.0	-28.09	38.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_15.35.22

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8102.750	-64.59	10.19	-13.0	-51.59	151.80	Vertical	Vertical	Pass
9400.750	-59.29	15.29	-13.0	-46.29	310.40	Vertical	Vertical	Pass
10289.000	-56.85	15.89	-13.0	-43.85	222.20	Vertical	Vertical	Pass
12123.250	-58.12	14.82	-13.0	-45.12	77.00	Vertical	Vertical	Pass
14845.750	-45.31	25.70	-13.0	-32.31	93.30	Vertical	Vertical	Pass
16693.750	-42.37	25.70	-13.0	-29.37	124.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_16.10.13

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
34.121	-59.11	-10.65	-25.0	-34.11	358.40	Vertical	Vertical	Pass
95.216	-57.92	-12.28	-25.0	-32.92	7.40	Vertical	Vertical	Pass
239.468	-64.43	-2.23	-25.0	-39.43	97.40	Vertical	Vertical	Pass
850.657	-65.89	6.99	-25.0	-40.89	223.60	Vertical	Vertical	Pass
2459.635	-34.96	-1.32	-25.0	-9.96	358.50	Vertical	Vertical	Pass
2561.110	-43.77	1.79	-25.0	-18.77	61.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_15.30.37

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7921.250	-64.51	9.32	-13.0	-51.51	263.20	Horizontal	Vertical	Pass
9431.000	-59.43	14.68	-13.0	-46.43	158.40	Horizontal	Vertical	Pass
10300.000	-57.04	16.18	-13.0	-44.04	1.30	Horizontal	Vertical	Pass
11474.250	-56.05	16.22	-13.0	-43.05	9.50	Horizontal	Vertical	Pass
13212.250	-56.06	16.01	-13.0	-43.06	55.90	Horizontal	Vertical	Pass
14818.250	-46.49	25.71	-13.0	-33.49	3.20	Horizontal	Vertical	Pass
16927.500	-42.14	26.41	-13.0	-29.14	100.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_16.50.06

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.637	-68.28	-10.74	-25.0	-43.28	360.00	Horizontal	Vertical	Pass
99.823	-61.74	-11.53	-25.0	-36.74	1.50	Horizontal	Vertical	Pass
205.041	-58.22	-10.46	-25.0	-33.22	298.10	Horizontal	Vertical	Pass
633.432	-67.40	0.60	-25.0	-42.40	360.00	Horizontal	Vertical	Pass
2459.135	-33.78	-1.32	-25.0	-8.78	94.30	Horizontal	Vertical	Pass
2992.502	-52.66	2.21	-25.0	-27.66	126.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_15.44.19

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7921.250	-64.80	9.32	-13.0	-51.80	31.10	Horizontal	Vertical	Pass
9213.750	-60.56	13.68	-13.0	-47.56	115.60	Horizontal	Vertical	Pass
10484.250	-57.03	16.46	-13.0	-44.03	115.60	Horizontal	Vertical	Pass
12750.250	-55.79	14.76	-13.0	-42.79	66.40	Horizontal	Vertical	Pass
14801.750	-45.59	25.72	-13.0	-32.59	38.00	Horizontal	Vertical	Pass
17708.501	-35.87	34.71	-13.0	-22.87	313.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_17.03.40

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
35.091	-67.63	-10.48	-25.0	-42.63	294.50	Horizontal	Vertical	Pass
110.975	-60.99	-10.98	-25.0	-35.99	357.60	Horizontal	Vertical	Pass
239.953	-57.55	-2.05	-25.0	-32.55	39.50	Horizontal	Vertical	Pass
633.432	-67.23	0.60	-25.0	-42.23	337.30	Horizontal	Vertical	Pass
2532.617	-50.03	2.36	-25.0	-25.03	51.50	Horizontal	Vertical	Pass
5214.446	-52.93	2.63	-25.0	-27.93	80.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_15.38.13

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8097.250	-64.46	10.17	-13.0	-51.46	94.30	Horizontal	Vertical	Pass
9433.750	-59.23	14.62	-13.0	-46.23	40.50	Horizontal	Vertical	Pass
10910.500	-55.85	16.43	-13.0	-42.85	260.20	Horizontal	Vertical	Pass
13226.000	-55.97	15.92	-13.0	-42.97	236.40	Horizontal	Vertical	Pass
14848.500	-45.64	25.70	-13.0	-32.64	241.10	Horizontal	Vertical	Pass
16702.000	-41.12	25.76	-13.0	-28.12	1.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_16.46.12

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
39.213	-68.58	-9.96	-25.0	-43.58	91.90	Horizontal	Vertical	Pass
96.186	-61.86	-12.12	-25.0	-36.86	2.20	Horizontal	Vertical	Pass
201.405	-58.03	-8.46	-25.0	-33.03	64.90	Horizontal	Vertical	Pass
633.432	-67.82	0.60	-25.0	-42.82	0.00	Horizontal	Vertical	Pass
2430.142	-37.13	-1.95	-25.0	-12.13	234.10	Horizontal	Vertical	Pass
2561.110	-45.07	1.79	-25.0	-20.07	59.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_15.47.34

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8072.500	-64.46	9.66	-13.0	-51.46	160.40	Horizontal	Vertical	Pass
9480.500	-58.64	14.13	-13.0	-45.64	115.20	Horizontal	Vertical	Pass
10954.500	-56.16	16.95	-13.0	-43.16	253.00	Horizontal	Vertical	Pass
12084.750	-57.89	14.73	-13.0	-44.89	343.50	Horizontal	Vertical	Pass
14854.000	-46.13	25.56	-13.0	-33.13	24.20	Horizontal	Vertical	Pass
16916.500	-42.07	26.32	-13.0	-29.07	84.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_16.54.21

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
34.121	-60.77	-10.65	-25.0	-35.77	359.10	Vertical	Vertical	Pass
97.156	-58.19	-11.96	-25.0	-33.19	25.10	Vertical	Vertical	Pass
170.857	-63.30	-15.58	-25.0	-38.30	0.00	Vertical	Vertical	Pass
654.524	-69.69	1.71	-25.0	-44.69	325.30	Vertical	Vertical	Pass
2460.135	-29.50	-1.31	-25.0	-4.50	295.90	Vertical	Vertical	Pass
2994.001	-52.89	2.16	-25.0	-27.89	157.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_15.43.40

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8100.000	-64.55	10.23	-13.0	-51.55	94.60	Vertical	Vertical	Pass
9431.000	-59.07	14.68	-13.0	-46.07	240.90	Vertical	Vertical	Pass
10976.500	-55.74	16.92	-13.0	-42.74	26.40	Vertical	Vertical	Pass
12750.250	-55.79	14.76	-13.0	-42.79	66.40	Vertical	Vertical	Pass
14801.750	-45.59	25.72	-13.0	-32.59	38.00	Vertical	Vertical	Pass
16699.250	-42.43	25.79	-13.0	-29.43	280.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_17.08.55

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.879	-62.02	-10.70	-25.0	-37.02	359.20	Vertical	Vertical	Pass
94.731	-57.73	-12.44	-25.0	-32.73	49.40	Vertical	Vertical	Pass
206.011	-64.46	-11.00	-25.0	-39.46	1.60	Vertical	Vertical	Pass
1199.450	-55.50	-1.78	-25.0	-30.50	196.30	Vertical	Vertical	Pass
2534.116	-50.91	2.33	-25.0	-25.91	49.80	Vertical	Vertical	Pass
5149.463	-53.09	2.78	-25.0	-28.09	38.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_15.39.49

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8113.750	-64.21	10.04	-13.0	-51.21	84.10	Vertical	Vertical	Pass
9480.500	-58.85	14.13	-13.0	-45.85	341.00	Vertical	Vertical	Pass
10984.750	-56.27	16.91	-13.0	-43.27	133.70	Vertical	Vertical	Pass
12973.000	-56.42	15.19	-13.0	-43.42	110.30	Vertical	Vertical	Pass
14848.500	-45.26	25.70	-13.0	-32.26	203.70	Vertical	Vertical	Pass
16713.000	-41.46	25.56	-13.0	-28.46	105.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_16.42.11

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.879	-61.75	-10.70	-25.0	-36.75	360.00	Vertical	Vertical	Pass
94.974	-57.82	-12.33	-25.0	-32.82	25.20	Vertical	Vertical	Pass
271.227	-65.78	-6.25	-25.0	-40.78	2.00	Vertical	Vertical	Pass
648.463	-70.16	1.45	-25.0	-45.16	231.70	Vertical	Vertical	Pass
2433.142	-37.58	-1.97	-25.0	-12.58	236.90	Vertical	Vertical	Pass
2559.110	-44.47	1.83	-25.0	-19.47	54.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_15.45.52

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7924.000	-63.52	9.26	-13.0	-50.52	95.40	Vertical	Vertical	Pass
9472.250	-58.85	14.18	-13.0	-45.85	356.00	Vertical	Vertical	Pass
10580.500	-56.44	16.14	-13.0	-43.44	342.40	Vertical	Vertical	Pass
13190.250	-55.45	15.87	-13.0	-42.45	102.50	Vertical	Vertical	Pass
14804.500	-46.08	25.72	-13.0	-33.08	72.40	Vertical	Vertical	Pass
16891.750	-41.97	26.19	-13.0	-28.97	316.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_17.29.08

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
35.576	-65.86	-10.42	-25.0	-40.86	345.70	Horizontal	Vertical	Pass
112.914	-60.96	-10.67	-25.0	-35.96	177.60	Horizontal	Vertical	Pass
203.587	-57.97	-9.66	-25.0	-32.97	276.30	Horizontal	Vertical	Pass
633.432	-67.53	0.60	-25.0	-42.53	334.80	Horizontal	Vertical	Pass
2489.628	-33.02	3.02	-25.0	-8.02	48.30	Horizontal	Vertical	Pass
2991.502	-53.85	2.24	-25.0	-28.85	2.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_15.53.48

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8122.000	-64.68	9.92	-13.0	-51.68	103.80	Horizontal	Vertical	Pass
9497.000	-58.88	14.05	-13.0	-45.88	152.50	Horizontal	Vertical	Pass
10913.250	-56.52	16.47	-13.0	-43.52	359.50	Horizontal	Vertical	Pass
13025.250	-56.08	14.96	-13.0	-43.08	217.70	Horizontal	Vertical	Pass
14812.750	-46.04	25.71	-13.0	-33.04	10.30	Horizontal	Vertical	Pass
16938.500	-41.26	26.50	-13.0	-28.26	136.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_17.17.57

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
35.334	-68.21	-10.45	-25.0	-43.21	269.60	Horizontal	Vertical	Pass
113.642	-60.72	-10.55	-25.0	-35.72	165.40	Horizontal	Vertical	Pass
201.647	-58.61	-8.59	-25.0	-33.61	77.90	Horizontal	Vertical	Pass
633.432	-67.88	0.60	-25.0	-42.88	17.90	Horizontal	Vertical	Pass
1167.458	-56.02	-3.26	-25.0	-31.02	116.50	Horizontal	Vertical	Pass
2540.115	-51.50	2.21	-25.0	-26.50	46.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_15.50.09

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7734.250	-66.24	8.00	-13.0	-53.24	276.10	Horizontal	Vertical	Pass
9472.250	-59.18	14.18	-13.0	-46.18	44.40	Horizontal	Vertical	Pass
10850.000	-56.63	16.96	-13.0	-43.63	262.00	Horizontal	Vertical	Pass
13193.000	-56.18	15.93	-13.0	-43.18	236.30	Horizontal	Vertical	Pass
14848.500	-45.57	25.70	-13.0	-32.57	97.60	Horizontal	Vertical	Pass
16696.500	-41.64	25.74	-13.0	-28.64	322.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_17.36.00

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
34.849	-66.32	-10.52	-25.0	-41.32	343.10	Horizontal	Vertical	Pass
115.581	-60.59	-10.53	-25.0	-35.59	173.80	Horizontal	Vertical	Pass
204.071	-58.09	-9.93	-25.0	-33.09	284.50	Horizontal	Vertical	Pass
633.432	-67.51	0.60	-25.0	-42.51	312.70	Horizontal	Vertical	Pass
2560.610	-45.35	1.80	-25.0	-20.35	148.90	Horizontal	Vertical	Pass
2995.501	-52.87	2.12	-25.0	-27.87	1.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_15.57.16

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7926.750	-64.49	9.20	-13.0	-51.49	44.50	Horizontal	Vertical	Pass
9497.000	-58.73	14.05	-13.0	-45.73	194.50	Horizontal	Vertical	Pass
11004.000	-55.99	16.83	-13.0	-42.99	0.30	Horizontal	Vertical	Pass
13044.500	-56.34	14.68	-13.0	-43.34	21.00	Horizontal	Vertical	Pass
14744.001	-44.93	25.12	-13.0	-31.93	35.40	Horizontal	Vertical	Pass
16691.000	-42.45	25.66	-13.0	-29.45	32.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_17.25.27

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.879	-60.43	-10.70	-25.0	-35.43	359.20	Vertical	Vertical	Pass
95.216	-56.96	-12.28	-25.0	-31.96	23.30	Vertical	Vertical	Pass
206.253	-64.58	-11.13	-25.0	-39.58	1.80	Vertical	Vertical	Pass
633.432	-69.67	0.60	-25.0	-44.67	54.70	Vertical	Vertical	Pass
2489.128	-33.95	2.82	-25.0	-8.95	45.90	Vertical	Vertical	Pass
2993.502	-53.09	2.18	-25.0	-28.09	44.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_15.51.42

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7896.500	-64.32	9.71	-13.0	-51.32	80.40	Vertical	Vertical	Pass
9488.750	-59.29	14.09	-13.0	-46.29	103.60	Vertical	Vertical	Pass
11009.500	-56.79	16.76	-13.0	-43.79	338.80	Vertical	Vertical	Pass
12651.250	-57.85	14.59	-13.0	-44.85	64.60	Vertical	Vertical	Pass
14491.000	-47.74	23.96	-13.0	-34.74	187.40	Vertical	Vertical	Pass
16682.750	-42.06	25.52	-13.0	-29.06	131.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_17.21.35

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.637	-62.20	-10.74	-25.0	-37.20	358.40	Vertical	Vertical	Pass
95.216	-57.81	-12.28	-25.0	-32.81	36.50	Vertical	Vertical	Pass
170.857	-63.17	-15.58	-25.0	-38.17	0.60	Vertical	Vertical	Pass
441.177	-72.75	-2.88	-25.0	-47.75	116.30	Vertical	Vertical	Pass
2533.117	-50.93	2.35	-25.0	-25.93	48.50	Vertical	Vertical	Pass
4984.504	-52.84	2.77	-25.0	-27.84	220.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_15.49.06

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8075.250	-64.62	9.72	-13.0	-51.62	137.40	Vertical	Vertical	Pass
9472.250	-59.18	14.18	-13.0	-46.18	44.40	Vertical	Vertical	Pass
10773.000	-57.10	16.49	-13.0	-44.10	200.90	Vertical	Vertical	Pass
13193.000	-56.18	15.93	-13.0	-43.18	236.30	Vertical	Vertical	Pass
14848.500	-45.57	25.70	-13.0	-32.57	97.60	Vertical	Vertical	Pass
16696.500	-41.64	25.74	-13.0	-28.64	322.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_17.47.40

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.637	-61.33	-10.74	-25.0	-36.33	360.00	Vertical	Vertical	Pass
95.459	-57.65	-12.24	-25.0	-32.65	60.90	Vertical	Vertical	Pass
204.071	-64.50	-9.93	-25.0	-39.50	0.30	Vertical	Vertical	Pass
456.693	-72.23	-1.97	-25.0	-47.23	125.20	Vertical	Vertical	Pass
2560.610	-44.92	1.80	-25.0	-19.92	54.90	Vertical	Vertical	Pass
2994.501	-53.60	2.15	-25.0	-28.60	34.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_15.55.37

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7899.250	-64.36	9.76	-13.0	-51.36	328.90	Vertical	Vertical	Pass
9455.750	-58.84	14.26	-13.0	-45.84	144.10	Vertical	Vertical	Pass
10753.750	-56.86	16.65	-13.0	-43.86	193.00	Vertical	Vertical	Pass
13201.250	-55.79	16.07	-13.0	-42.79	223.90	Vertical	Vertical	Pass
14843.000	-45.90	25.70	-13.0	-32.90	268.40	Vertical	Vertical	Pass
16679.999	-42.23	25.48	-13.0	-29.23	195.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_17.59.42

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090001-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
34.364	-67.02	-10.61	-25.0	-42.02	360.00	Horizontal	Vertical	Pass
113.884	-60.89	-10.51	-25.0	-35.89	154.20	Horizontal	Vertical	Pass
202.132	-58.28	-8.86	-25.0	-33.28	284.60	Horizontal	Vertical	Pass
633.432	-66.69	0.60	-25.0	-41.69	1.90	Horizontal	Vertical	Pass
2489.628	-33.39	3.02	-25.0	-8.39	46.10	Horizontal	Vertical	Pass
2992.502	-53.67	2.21	-25.0	-28.67	87.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.03.45

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8100.000	-63.70	10.23	-13.0	-50.70	252.00	Horizontal	Vertical	Pass
9378.750	-58.91	15.01	-13.0	-45.91	73.10	Horizontal	Vertical	Pass
10481.500	-56.59	16.44	-13.0	-43.59	358.10	Horizontal	Vertical	Pass
13206.750	-56.18	16.04	-13.0	-43.18	151.50	Horizontal	Vertical	Pass
14807.250	-46.03	25.72	-13.0	-33.03	197.00	Horizontal	Vertical	Pass
16693.750	-41.76	25.70	-13.0	-28.76	310.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_17.56.00

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
34.121	-67.29	-10.65	-25.0	-42.29	360.00	Horizontal	Vertical	Pass
99.338	-62.04	-11.61	-25.0	-37.04	2.60	Horizontal	Vertical	Pass
204.799	-58.39	-10.33	-25.0	-33.39	276.50	Horizontal	Vertical	Pass
633.432	-67.32	0.60	-25.0	-42.32	340.50	Horizontal	Vertical	Pass
2526.118	-48.34	2.49	-25.0	-23.34	65.30	Horizontal	Vertical	Pass
2990.002	-53.58	2.28	-25.0	-28.58	335.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.00.39

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8108.250	-63.89	10.12	-13.0	-50.89	237.70	Horizontal	Vertical	Pass
9398.000	-58.60	15.28	-13.0	-45.60	66.70	Horizontal	Vertical	Pass
10470.500	-57.07	16.40	-13.0	-44.07	134.90	Horizontal	Vertical	Pass
11504.500	-54.93	16.45	-13.0	-41.93	120.80	Horizontal	Vertical	Pass
14821.000	-45.63	25.71	-13.0	-32.63	55.10	Horizontal	Vertical	Pass
16669.000	-41.29	25.30	-13.0	-28.29	2.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_18.11.38

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
34.849	-66.55	-10.52	-25.0	-41.55	329.40	Horizontal	Vertical	Pass
114.126	-60.61	-10.47	-25.0	-35.61	173.50	Horizontal	Vertical	Pass
204.071	-57.62	-9.93	-25.0	-32.62	267.10	Horizontal	Vertical	Pass
633.432	-67.53	0.60	-25.0	-42.53	336.80	Horizontal	Vertical	Pass
2560.610	-46.68	1.80	-25.0	-21.68	0.90	Horizontal	Vertical	Pass
2994.001	-53.40	2.16	-25.0	-28.40	332.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.06.51

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7902.000	-63.72	9.74	-13.0	-50.72	246.80	Horizontal	Vertical	Pass
9414.500	-58.65	15.02	-13.0	-45.65	354.60	Horizontal	Vertical	Pass
10962.750	-55.69	16.94	-13.0	-42.69	81.00	Horizontal	Vertical	Pass
13459.750	-54.63	17.54	-13.0	-41.63	360.00	Horizontal	Vertical	Pass
14845.750	-45.59	25.70	-13.0	-32.59	67.40	Horizontal	Vertical	Pass
16922.000	-42.05	26.37	-13.0	-29.05	152.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_18.03.28

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.879	-61.24	-10.70	-25.0	-36.24	358.20	Vertical	Vertical	Pass
95.459	-57.40	-12.24	-25.0	-32.40	1.90	Vertical	Vertical	Pass
238.983	-63.86	-2.42	-25.0	-38.86	94.70	Vertical	Vertical	Pass
653.554	-70.23	1.67	-25.0	-45.23	15.40	Vertical	Vertical	Pass
2489.628	-33.81	3.02	-25.0	-8.81	49.50	Vertical	Vertical	Pass
2989.503	-53.13	2.25	-25.0	-28.13	38.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.02.14

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7904.750	-64.88	9.68	-13.0	-51.88	122.10	Vertical	Vertical	Pass
9367.750	-58.85	14.86	-13.0	-45.85	73.40	Vertical	Vertical	Pass
10932.500	-55.65	16.73	-13.0	-42.65	197.40	Vertical	Vertical	Pass
13212.250	-55.91	16.01	-13.0	-42.91	183.40	Vertical	Vertical	Pass
14812.750	-45.94	25.71	-13.0	-32.94	160.10	Vertical	Vertical	Pass
16935.750	-42.14	26.48	-13.0	-29.14	75.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_17.52.01

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.974	-57.84	-12.33	-25.0	-32.84	5.20	Vertical	Vertical	Pass
170.857	-63.41	-15.58	-25.0	-38.41	0.00	Vertical	Vertical	Pass
271.712	-65.75	-6.33	-25.0	-40.75	0.00	Vertical	Vertical	Pass
843.627	-66.37	6.16	-25.0	-41.37	339.30	Vertical	Vertical	Pass
2526.618	-47.84	2.48	-25.0	-22.84	61.20	Vertical	Vertical	Pass
2997.001	-53.95	2.08	-25.0	-28.95	275.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_15.58.45

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8091.750	-64.00	10.06	-13.0	-51.00	141.60	Vertical	Vertical	Pass
9486.000	-59.31	14.10	-13.0	-46.31	324.00	Vertical	Vertical	Pass
10767.500	-56.84	16.54	-13.0	-43.84	43.70	Vertical	Vertical	Pass
12076.500	-58.01	14.62	-13.0	-45.01	25.00	Vertical	Vertical	Pass
14804.500	-46.05	25.72	-13.0	-33.05	92.70	Vertical	Vertical	Pass
16490.250	-42.49	24.63	-13.0	-29.49	29.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_18.08.00

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.394	-61.63	-10.79	-25.0	-36.63	359.50	Vertical	Vertical	Pass
95.459	-58.15	-12.24	-25.0	-33.15	65.30	Vertical	Vertical	Pass
170.615	-63.85	-15.56	-25.0	-38.85	3.80	Vertical	Vertical	Pass
633.432	-70.39	0.60	-25.0	-45.39	59.90	Vertical	Vertical	Pass
2560.610	-45.07	1.80	-25.0	-20.07	51.60	Vertical	Vertical	Pass
5202.449	-52.37	2.92	-25.0	-27.37	90.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.05.14

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8089.000	-64.04	10.00	-13.0	-51.04	131.20	Vertical	Vertical	Pass
9392.500	-58.94	15.20	-13.0	-45.94	117.40	Vertical	Vertical	Pass
10998.500	-56.42	16.89	-13.0	-43.42	288.60	Vertical	Vertical	Pass
13204.000	-56.18	16.06	-13.0	-43.18	101.10	Vertical	Vertical	Pass
14821.000	-46.07	25.71	-13.0	-33.07	345.70	Vertical	Vertical	Pass
16679.999	-42.30	25.48	-13.0	-29.30	339.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_18.49.24

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
115.339	-59.18	-11.28	-13.0	-46.18	161.30	Horizontal	Vertical	Pass
700.102	0.05	-2.01	-13.0	13.05	354.00	Horizontal	Vertical	N.A
1399.900	-27.75	-5.81	-13.0	-14.75	125.30	Horizontal	Vertical	Pass
2098.725	-26.54	-5.62	-13.0	-13.54	77.60	Horizontal	Vertical	Pass
2799.050	-37.06	-1.98	-13.0	-24.06	77.60	Horizontal	Vertical	Pass
5188.453	-40.80	15.01	-13.0	-27.80	215.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.12.01

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7959.750	-63.79	8.76	-13.0	-50.79	317.50	Horizontal	Vertical	Pass
9403.500	-59.31	15.24	-13.0	-46.31	271.80	Horizontal	Vertical	Pass
10960.000	-56.44	16.95	-13.0	-43.44	333.50	Horizontal	Vertical	Pass
12684.250	-57.99	14.52	-13.0	-44.99	163.00	Horizontal	Vertical	Pass
14854.000	-46.09	25.56	-13.0	-33.09	211.20	Horizontal	Vertical	Pass
16679.999	-42.10	25.48	-13.0	-29.10	345.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_18.37.05

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
35.576	-68.47	-11.20	-13.0	-55.47	260.70	Horizontal	Vertical	Pass
205.284	-54.69	-11.64	-13.0	-41.69	280.20	Horizontal	Vertical	Pass
707.133	0.67	-1.77	-13.0	13.67	0.90	Horizontal	Vertical	N.A
1413.397	-28.30	-6.43	-13.0	-15.30	65.60	Horizontal	Vertical	Pass
2122.219	-24.67	-5.11	-13.0	-11.67	83.40	Horizontal	Vertical	Pass
2829.543	-34.03	-2.34	-13.0	-21.03	76.20	Horizontal	Vertical	Pass
3536.866	-44.91	2.18	-13.0	-31.91	74.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.09.14

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8135.750	-64.38	9.73	-13.0	-51.38	144.30	Horizontal	Vertical	Pass
9365.000	-59.40	14.82	-13.0	-46.40	197.00	Horizontal	Vertical	Pass
10784.000	-56.67	16.40	-13.0	-43.67	357.10	Horizontal	Vertical	Pass
13173.750	-56.29	15.51	-13.0	-43.29	220.20	Horizontal	Vertical	Pass
14821.000	-45.69	25.71	-13.0	-32.69	300.70	Horizontal	Vertical	Pass
16498.500	-43.12	24.95	-13.0	-30.12	208.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_18.53.23

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
114.854	-59.75	-11.17	-13.0	-46.75	161.30	Horizontal	Vertical	Pass
715.134	1.07	-1.60	-13.0	14.07	219.40	Horizontal	Vertical	N.A
836.111	-19.63	4.30	-13.0	-6.63	352.40	Horizontal	Vertical	Pass
1429.393	-28.98	-7.18	-13.0	-15.98	57.40	Horizontal	Vertical	Pass
2145.714	-23.73	-4.96	-13.0	-10.73	71.70	Horizontal	Vertical	Pass
2861.035	-30.47	-2.61	-13.0	-17.47	71.70	Horizontal	Vertical	Pass
5220.445	-40.16	14.93	-13.0	-27.16	38.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.15.01

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8009.250	-64.15	9.04	-13.0	-51.15	59.60	Horizontal	Vertical	Pass
9395.250	-59.16	15.24	-13.0	-46.16	15.90	Horizontal	Vertical	Pass
10443.000	-56.33	16.23	-13.0	-43.33	0.30	Horizontal	Vertical	Pass
13187.500	-55.98	15.81	-13.0	-42.98	121.90	Horizontal	Vertical	Pass
14848.500	-45.21	25.70	-13.0	-32.21	101.10	Horizontal	Vertical	Pass
16952.250	-41.77	26.52	-13.0	-28.77	359.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_18.45.49

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.974	-54.92	-13.27	-13.0	-41.92	15.10	Vertical	Vertical	Pass
699.860	-0.43	-2.02	-13.0	12.57	184.40	Vertical	Vertical	N.A
1399.900	-27.75	-5.81	-13.0	-14.75	49.50	Vertical	Vertical	Pass
2098.725	-26.89	-5.62	-13.0	-13.89	79.90	Vertical	Vertical	Pass
2798.550	-36.86	-2.02	-13.0	-23.86	74.70	Vertical	Vertical	Pass
5160.460	-40.76	14.57	-13.0	-27.76	196.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.10.40

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7959.750	-63.79	8.76	-13.0	-50.79	317.50	Vertical	Vertical	Pass
9403.500	-59.31	15.24	-13.0	-46.31	271.80	Vertical	Vertical	Pass
10960.000	-56.44	16.95	-13.0	-43.44	333.50	Vertical	Vertical	Pass
12684.250	-57.99	14.52	-13.0	-44.99	163.00	Vertical	Vertical	Pass
14854.000	-46.09	25.56	-13.0	-33.09	211.20	Vertical	Vertical	Pass
16679.999	-42.10	25.48	-13.0	-29.10	345.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_18.41.37

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.216	-54.91	-13.22	-13.0	-41.91	24.00	Vertical	Vertical	Pass
707.376	-0.13	-1.77	-13.0	12.87	221.30	Vertical	Vertical	N.A
737.438	-44.01	-1.14	-13.0	-31.01	348.30	Vertical	Vertical	Pass
1413.897	-28.33	-6.45	-13.0	-15.33	130.90	Vertical	Vertical	Pass
2122.219	-24.80	-5.11	-13.0	-11.80	77.80	Vertical	Vertical	Pass
2830.042	-33.90	-2.35	-13.0	-20.90	81.20	Vertical	Vertical	Pass
3537.866	-46.55	2.20	-13.0	-33.55	80.40	Vertical	Vertical	Pass
5226.443	-41.41	14.85	-13.0	-28.41	157.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.08.26

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8171.500	-64.27	9.28	-13.0	-51.27	206.40	Vertical	Vertical	Pass
9365.000	-59.40	14.82	-13.0	-46.40	197.00	Vertical	Vertical	Pass
10784.000	-56.67	16.40	-13.0	-43.67	357.10	Vertical	Vertical	Pass
12291.000	-58.35	13.58	-13.0	-45.35	296.00	Vertical	Vertical	Pass
14821.000	-45.69	25.71	-13.0	-32.69	300.70	Vertical	Vertical	Pass
16864.250	-41.91	26.20	-13.0	-28.91	194.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_18.57.27

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.216	-54.81	-13.22	-13.0	-41.81	24.00	Vertical	Vertical	Pass
715.376	0.37	-1.59	-13.0	13.37	186.40	Vertical	Vertical	N.A
1428.893	-28.96	-7.16	-13.0	-15.96	63.60	Vertical	Vertical	Pass
2145.714	-23.74	-4.96	-13.0	-10.74	76.00	Vertical	Vertical	Pass
2861.035	-31.02	-2.61	-13.0	-18.02	79.50	Vertical	Vertical	Pass
3575.856	-42.92	1.97	-13.0	-29.92	78.20	Vertical	Vertical	Pass
5749.313	-37.21	10.79	-13.0	-24.21	301.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.13.54

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8009.250	-64.15	9.04	-13.0	-51.15	59.60	Vertical	Vertical	Pass
9183.500	-59.57	13.39	-13.0	-46.57	75.90	Vertical	Vertical	Pass
10443.000	-56.33	16.23	-13.0	-43.33	0.30	Vertical	Vertical	Pass
11609.000	-56.03	16.31	-13.0	-43.03	323.80	Vertical	Vertical	Pass
14848.500	-45.21	25.70	-13.0	-32.21	101.10	Vertical	Vertical	Pass
16952.250	-41.77	26.52	-13.0	-28.77	359.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_19.29.01

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
113.642	-59.32	-11.30	-13.0	-46.32	175.50	Horizontal	Vertical	Pass
701.557	-3.02	-1.96	-13.0	9.98	293.70	Horizontal	Vertical	N.A
1399.900	-27.75	-5.81	-13.0	-14.75	77.20	Horizontal	Vertical	Pass
2103.724	-32.46	-5.50	-13.0	-19.46	75.40	Horizontal	Vertical	Pass
2801.550	-42.67	-1.84	-13.0	-29.67	75.40	Horizontal	Vertical	Pass
5188.453	-41.00	15.01	-13.0	-28.00	31.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.21.06

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7874.500	-64.55	9.27	-13.0	-51.55	39.50	Horizontal	Vertical	Pass
9425.500	-59.24	14.79	-13.0	-46.24	32.40	Horizontal	Vertical	Pass
10300.000	-56.27	16.18	-13.0	-43.27	34.80	Horizontal	Vertical	Pass
12648.500	-57.45	14.58	-13.0	-44.45	267.30	Horizontal	Vertical	Pass
14823.750	-45.64	25.71	-13.0	-32.64	41.80	Horizontal	Vertical	Pass
16713.000	-42.15	25.56	-13.0	-29.15	329.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_19.24.33

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
115.339	-59.77	-11.28	-13.0	-46.77	156.70	Horizontal	Vertical	Pass
707.618	-1.47	-1.76	-13.0	11.53	237.80	Horizontal	Vertical	N.A
1412.897	-28.28	-6.40	-13.0	-15.28	82.70	Horizontal	Vertical	Pass
2124.719	-28.40	-5.08	-13.0	-15.40	75.50	Horizontal	Vertical	Pass
2831.542	-39.35	-2.37	-13.0	-26.35	77.20	Horizontal	Vertical	Pass
5216.446	-41.08	14.98	-13.0	-28.08	35.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.18.03

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8094.500	-64.29	10.12	-13.0	-51.29	40.50	Horizontal	Vertical	Pass
9409.000	-58.97	15.13	-13.0	-45.97	0.00	Horizontal	Vertical	Pass
10962.750	-56.45	16.94	-13.0	-43.45	179.10	Horizontal	Vertical	Pass
13517.500	-54.10	17.52	-13.0	-41.10	44.90	Horizontal	Vertical	Pass
14832.000	-45.95	25.71	-13.0	-32.95	20.00	Horizontal	Vertical	Pass
16501.250	-42.98	24.97	-13.0	-29.98	113.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_19.43.09

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.974	-55.14	-13.27	-13.0	-42.14	0.80	Horizontal	Vertical	Pass
714.406	-2.59	-1.61	-13.0	10.41	70.50	Horizontal	Vertical	N.A
1426.893	-28.88	-7.07	-13.0	-15.88	87.20	Horizontal	Vertical	Pass
2145.714	-27.44	-4.96	-13.0	-14.44	80.00	Horizontal	Vertical	Pass
2861.035	-38.75	-2.61	-13.0	-25.75	76.50	Horizontal	Vertical	Pass
5218.445	-41.11	14.95	-13.0	-28.11	193.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.26.19

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8072.500	-63.76	9.66	-13.0	-50.76	217.80	Horizontal	Vertical	Pass
9444.750	-58.87	14.40	-13.0	-45.87	354.90	Horizontal	Vertical	Pass
10489.750	-56.75	16.48	-13.0	-43.75	199.50	Horizontal	Vertical	Pass
11512.750	-55.42	16.33	-13.0	-42.42	65.10	Horizontal	Vertical	Pass
14807.250	-46.22	25.72	-13.0	-33.22	247.70	Horizontal	Vertical	Pass
17048.500	-42.31	25.61	-13.0	-29.31	275.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_19.32.58

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.731	-54.90	-13.39	-13.0	-41.90	17.00	Vertical	Vertical	Pass
701.315	-2.32	-1.97	-13.0	10.68	52.30	Vertical	Vertical	N.A
1399.900	-27.77	-5.81	-13.0	-14.77	79.20	Vertical	Vertical	Pass
2103.724	-31.48	-5.50	-13.0	-18.48	77.50	Vertical	Vertical	Pass
2802.049	-42.43	-1.81	-13.0	-29.43	72.00	Vertical	Vertical	Pass
5215.446	-40.98	14.99	-13.0	-27.98	319.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.19.32

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7896.500	-64.56	9.71	-13.0	-51.56	208.80	Vertical	Vertical	Pass
9389.750	-59.23	15.17	-13.0	-46.23	206.60	Vertical	Vertical	Pass
10498.000	-57.29	16.51	-13.0	-44.29	347.20	Vertical	Vertical	Pass
13330.500	-55.58	16.47	-13.0	-42.58	146.30	Vertical	Vertical	Pass
14823.750	-44.49	25.71	-13.0	-31.49	280.00	Vertical	Vertical	Pass
16891.750	-42.37	26.19	-13.0	-29.37	40.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_19.03.18

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.974	-54.59	-13.27	-13.0	-41.59	1.90	Vertical	Vertical	Pass
706.648	-2.70	-1.79	-13.0	10.30	180.90	Vertical	Vertical	N.A
1412.897	-28.28	-6.40	-13.0	-15.28	75.40	Vertical	Vertical	Pass
2124.719	-28.79	-5.08	-13.0	-15.79	78.90	Vertical	Vertical	Pass
2829.543	-40.06	-2.34	-13.0	-27.06	77.20	Vertical	Vertical	Pass
5248.438	-41.05	14.57	-13.0	-28.05	344.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.16.29

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8069.750	-64.45	9.60	-13.0	-51.45	0.00	Vertical	Vertical	Pass
9425.500	-59.43	14.79	-13.0	-46.43	347.20	Vertical	Vertical	Pass
10553.000	-55.58	16.14	-13.0	-42.58	324.20	Vertical	Vertical	Pass
12986.750	-56.40	15.27	-13.0	-43.40	43.40	Vertical	Vertical	Pass
14840.250	-46.06	25.70	-13.0	-33.06	230.30	Vertical	Vertical	Pass
16836.750	-41.34	25.91	-13.0	-28.34	335.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_19.46.58

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.974	-54.54	-13.27	-13.0	-41.54	14.80	Vertical	Vertical	Pass
714.406	-1.79	-1.61	-13.0	11.21	73.20	Vertical	Vertical	N.A
1426.893	-28.88	-7.07	-13.0	-15.88	81.10	Vertical	Vertical	Pass
2145.714	-27.55	-4.96	-13.0	-14.55	77.70	Vertical	Vertical	Pass
2859.035	-39.64	-2.52	-13.0	-26.64	74.20	Vertical	Vertical	Pass
3572.857	-47.15	1.99	-13.0	-34.15	74.80	Vertical	Vertical	Pass
5220.445	-41.03	14.93	-13.0	-28.03	2.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.22.54

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8091.750	-63.68	10.06	-13.0	-50.68	219.10	Vertical	Vertical	Pass
9433.750	-59.11	14.62	-13.0	-46.11	244.30	Vertical	Vertical	Pass
10951.750	-55.88	16.96	-13.0	-42.88	203.30	Vertical	Vertical	Pass
13187.500	-54.51	15.81	-13.0	-41.51	221.30	Vertical	Vertical	Pass
14856.750	-45.88	25.47	-13.0	-32.88	160.10	Vertical	Vertical	Pass
16713.000	-42.15	25.56	-13.0	-29.15	359.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_20.31.05

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.731	-60.45	-13.39	-13.0	-47.45	3.80	Horizontal	Vertical	Pass
700.830	-2.84	-1.98	-13.0	10.16	288.40	Horizontal	Vertical	Fail
1400.400	-27.77	-5.83	-13.0	-14.77	242.20	Horizontal	Vertical	Pass
2101.225	-36.82	-5.56	-13.0	-23.82	244.00	Horizontal	Vertical	Pass
2802.049	-47.54	-1.81	-13.0	-34.54	247.70	Horizontal	Vertical	Pass
5193.452	-40.65	15.09	-13.0	-27.65	229.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.36.01

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8100.000	-64.16	10.23	-13.0	-51.16	307.10	Horizontal	Vertical	Pass
9400.750	-59.28	15.29	-13.0	-46.28	275.30	Horizontal	Vertical	Pass
10465.000	-56.78	16.38	-13.0	-43.78	1.70	Horizontal	Vertical	Pass
12101.250	-58.39	14.92	-13.0	-45.39	0.00	Horizontal	Vertical	Pass
14733.000	-45.73	25.15	-13.0	-32.73	226.80	Horizontal	Vertical	Pass
16669.000	-42.06	25.30	-13.0	-29.06	115.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_20.03.56

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.974	-54.87	-13.27	-13.0	-41.87	44.30	Horizontal	Vertical	Pass
707.133	-0.20	-1.77	-13.0	12.80	1.90	Horizontal	Vertical	N.A
1413.897	-28.33	-6.45	-13.0	-15.33	54.70	Horizontal	Vertical	Pass
2122.219	-25.32	-5.11	-13.0	-12.32	20.40	Horizontal	Vertical	Pass
2829.543	-36.11	-2.34	-13.0	-23.11	25.80	Horizontal	Vertical	Pass
3536.866	-50.95	2.18	-13.0	-37.95	27.50	Horizontal	Vertical	Pass
5217.446	-41.45	14.97	-13.0	-28.45	110.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.32.17

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7913.000	-63.83	9.50	-13.0	-50.83	75.90	Horizontal	Vertical	Pass
9409.000	-58.74	15.13	-13.0	-45.74	324.00	Horizontal	Vertical	Pass
11537.500	-56.16	15.98	-13.0	-43.16	121.10	Horizontal	Vertical	Pass
13558.750	-54.17	17.98	-13.0	-41.17	172.70	Horizontal	Vertical	Pass
14807.250	-45.50	25.72	-13.0	-32.50	113.90	Horizontal	Vertical	Pass
16853.250	-41.92	26.20	-13.0	-28.92	257.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_20.42.53

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
115.824	-57.19	-11.47	-13.0	-44.19	148.00	Horizontal	Vertical	Pass
715.376	-2.07	-1.59	-13.0	10.93	26.20	Horizontal	Vertical	N.A
835.141	-22.79	4.10	-13.0	-9.79	80.80	Horizontal	Vertical	Pass
1427.393	-28.90	-7.09	-13.0	-15.90	309.50	Horizontal	Vertical	Pass
2145.714	-31.07	-4.96	-13.0	-18.07	307.80	Horizontal	Vertical	Pass
2858.535	-42.63	-2.50	-13.0	-29.63	309.50	Horizontal	Vertical	Pass
5187.453	-41.47	14.99	-13.0	-28.47	137.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.39.22

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8100.000	-63.97	10.23	-13.0	-50.97	165.80	Horizontal	Vertical	Pass
9409.000	-58.53	15.13	-13.0	-45.53	360.00	Horizontal	Vertical	Pass
10850.000	-56.16	16.96	-13.0	-43.16	59.50	Horizontal	Vertical	Pass
12128.750	-56.91	14.79	-13.0	-43.91	186.30	Horizontal	Vertical	Pass
14870.500	-46.08	24.99	-13.0	-33.08	291.40	Horizontal	Vertical	Pass
16864.250	-41.07	26.20	-13.0	-28.07	323.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_20.34.53

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
115.581	-59.60	-11.37	-13.0	-46.60	267.40	Vertical	Vertical	Pass
701.315	-2.96	-1.97	-13.0	10.04	327.80	Vertical	Vertical	N.A
1400.400	-27.77	-5.83	-13.0	-14.77	309.30	Vertical	Vertical	Pass
2103.724	-37.06	-5.50	-13.0	-24.06	307.50	Vertical	Vertical	Pass
2802.049	-47.72	-1.81	-13.0	-34.72	309.30	Vertical	Vertical	Pass
5217.446	-41.36	14.97	-13.0	-28.36	184.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.34.21

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7893.750	-64.74	9.65	-13.0	-51.74	280.60	Vertical	Vertical	Pass
9400.750	-58.89	15.29	-13.0	-45.89	20.30	Vertical	Vertical	Pass
10847.250	-56.45	16.93	-13.0	-43.45	99.20	Vertical	Vertical	Pass
12101.250	-57.70	14.92	-13.0	-44.70	315.40	Vertical	Vertical	Pass
14821.000	-45.80	25.71	-13.0	-32.80	227.40	Vertical	Vertical	Pass
16946.750	-41.74	26.56	-13.0	-28.74	360.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_20.00.01

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.974	-55.70	-13.27	-13.0	-42.70	56.80	Vertical	Vertical	Pass
707.376	-0.12	-1.77	-13.0	12.88	41.00	Vertical	Vertical	N.A
1413.897	-28.33	-6.45	-13.0	-15.33	8.20	Vertical	Vertical	Pass
2122.719	-25.71	-5.10	-13.0	-12.71	24.00	Vertical	Vertical	Pass
2829.543	-35.55	-2.34	-13.0	-22.55	26.00	Vertical	Vertical	Pass
5194.451	-41.58	15.10	-13.0	-28.58	231.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.27.55

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8042.250	-64.73	9.16	-13.0	-51.73	57.50	Vertical	Vertical	Pass
9420.000	-58.79	14.90	-13.0	-45.79	126.20	Vertical	Vertical	Pass
10877.500	-56.00	16.59	-13.0	-43.00	1.30	Vertical	Vertical	Pass
13173.750	-55.96	15.51	-13.0	-42.96	261.90	Vertical	Vertical	Pass
14804.500	-45.92	25.72	-13.0	-32.92	188.00	Vertical	Vertical	Pass
16850.500	-42.36	26.20	-13.0	-29.36	85.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_20.38.59

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
116.308	-60.02	-11.66	-13.0	-47.02	277.50	Vertical	Vertical	Pass
713.922	-2.86	-1.62	-13.0	10.14	161.20	Vertical	Vertical	N.A
1426.893	-28.88	-7.07	-13.0	-15.88	304.50	Vertical	Vertical	Pass
2145.714	-27.65	-4.96	-13.0	-14.65	311.40	Vertical	Vertical	Pass
2857.036	-39.42	-2.44	-13.0	-26.42	309.70	Vertical	Vertical	Pass
3569.858	-46.09	1.99	-13.0	-33.09	308.00	Vertical	Vertical	Pass
5187.453	-41.53	14.99	-13.0	-28.53	308.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.37.36

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8111.000	-64.09	10.08	-13.0	-51.09	202.20	Vertical	Vertical	Pass
9387.000	-58.94	15.13	-13.0	-45.94	89.50	Vertical	Vertical	Pass
10525.500	-57.18	16.33	-13.0	-44.18	347.00	Vertical	Vertical	Pass
12103.999	-58.42	14.91	-13.0	-45.42	238.80	Vertical	Vertical	Pass
14697.250	-46.24	25.25	-13.0	-33.24	330.90	Vertical	Vertical	Pass
16691.000	-42.03	25.66	-13.0	-29.03	234.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_09.17.34

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
112.914	-57.69	-11.38	-13.0	-44.69	162.60	Horizontal	Vertical	Pass
202.617	-59.16	-10.23	-13.0	-46.16	253.50	Horizontal	Vertical	Pass
706.406	-6.13	-1.80	-13.0	6.87	151.40	Horizontal	Vertical	N.A
818.413	-33.01	1.53	-13.0	-20.01	119.30	Horizontal	Vertical	Pass
1412.397	-29.19	-6.38	-13.0	-16.19	310.40	Horizontal	Vertical	Pass
2113.222	-39.94	-5.27	-13.0	-26.94	310.40	Horizontal	Vertical	Pass
2827.543	-50.89	-2.29	-13.0	-37.89	312.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.45.46

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7904.750	-64.34	9.68	-13.0	-51.34	193.30	Horizontal	Vertical	Pass
9431.000	-58.76	14.68	-13.0	-45.76	175.00	Horizontal	Vertical	Pass
10841.750	-56.30	16.85	-13.0	-43.30	274.60	Horizontal	Vertical	Pass
12791.500	-56.07	14.85	-13.0	-43.07	89.50	Horizontal	Vertical	Pass
14845.750	-45.75	25.70	-13.0	-32.75	119.40	Horizontal	Vertical	Pass
16704.750	-42.51	25.71	-13.0	-29.51	64.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_20.49.46

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
99.580	-58.57	-12.47	-13.0	-45.57	252.40	Horizontal	Vertical	Pass
706.648	-6.09	-1.79	-13.0	6.91	309.00	Horizontal	Vertical	N.A
828.353	-30.08	2.85	-13.0	-17.08	107.60	Horizontal	Vertical	Pass
1414.896	-29.21	-6.50	-13.0	-16.21	313.40	Horizontal	Vertical	Pass
2122.719	-38.18	-5.10	-13.0	-25.18	311.70	Horizontal	Vertical	Pass
2829.543	-50.41	-2.34	-13.0	-37.41	309.90	Horizontal	Vertical	Pass
5158.460	-41.81	14.54	-13.0	-28.81	323.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.42.39

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7869.000	-64.35	9.16	-13.0	-51.35	199.20	Horizontal	Vertical	Pass
9365.000	-58.67	14.82	-13.0	-45.67	359.60	Horizontal	Vertical	Pass
10454.000	-56.51	16.33	-13.0	-43.51	267.90	Horizontal	Vertical	Pass
11515.500	-54.71	16.29	-13.0	-41.71	105.80	Horizontal	Vertical	Pass
14837.500	-45.93	25.71	-13.0	-32.93	126.30	Horizontal	Vertical	Pass
16955.000	-42.08	26.44	-13.0	-29.08	171.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_09.21.46

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
113.399	-57.98	-11.33	-13.0	-44.98	157.10	Horizontal	Vertical	Pass
201.890	-58.94	-9.84	-13.0	-45.94	255.50	Horizontal	Vertical	Pass
714.164	-5.75	-1.61	-13.0	7.25	218.60	Horizontal	Vertical	N.A
830.777	-28.86	3.23	-13.0	-15.86	118.30	Horizontal	Vertical	Pass
1417.396	-29.37	-6.62	-13.0	-16.37	312.50	Horizontal	Vertical	Pass
2133.717	-36.04	-4.99	-13.0	-23.04	307.00	Horizontal	Vertical	Pass
2843.539	-48.15	-2.37	-13.0	-35.15	308.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.48.54

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7893.750	-64.12	9.65	-13.0	-51.12	204.30	Horizontal	Vertical	Pass
9406.250	-58.79	15.18	-13.0	-45.79	153.60	Horizontal	Vertical	Pass
10951.750	-56.27	16.96	-13.0	-43.27	231.70	Horizontal	Vertical	Pass
13248.000	-56.04	15.79	-13.0	-43.04	77.50	Horizontal	Vertical	Pass
14854.000	-45.97	25.56	-13.0	-32.97	170.20	Horizontal	Vertical	Pass
16718.500	-42.11	25.45	-13.0	-29.11	272.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_09.12.28

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
80.912	-59.62	-19.68	-13.0	-46.62	287.10	Vertical	Vertical	Pass
241.165	-65.30	-3.62	-13.0	-52.30	330.80	Vertical	Vertical	Pass
707.376	-6.38	-1.77	-13.0	6.62	162.60	Vertical	Vertical	N.A
1415.396	-28.78	-6.52	-13.0	-15.78	248.20	Vertical	Vertical	Pass
2122.719	-35.07	-5.10	-13.0	-22.07	250.00	Vertical	Vertical	Pass
2815.546	-48.70	-1.81	-13.0	-35.70	248.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.44.04

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8182.500	-63.89	9.15	-13.0	-50.89	0.80	Vertical	Vertical	Pass
9530.000	-58.31	13.48	-13.0	-45.31	208.50	Vertical	Vertical	Pass
11039.750	-56.32	16.34	-13.0	-43.32	142.10	Vertical	Vertical	Pass
13239.750	-55.71	15.84	-13.0	-42.71	222.40	Vertical	Vertical	Pass
14834.750	-45.99	25.71	-13.0	-32.99	135.40	Vertical	Vertical	Pass
16922.000	-42.17	26.37	-13.0	-29.17	317.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_20.53.41

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
116.308	-57.71	-11.66	-13.0	-44.71	274.50	Vertical	Vertical	Pass
705.436	-7.24	-1.83	-13.0	5.76	199.10	Vertical	Vertical	N.A
1414.896	-28.78	-6.50	-13.0	-15.78	308.50	Vertical	Vertical	Pass
2120.720	-38.26	-5.12	-13.0	-25.26	306.80	Vertical	Vertical	Pass
2830.042	-49.19	-2.35	-13.0	-36.19	308.50	Vertical	Vertical	Pass
5216.446	-41.74	14.98	-13.0	-28.74	335.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.40.54

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7855.250	-64.85	8.88	-13.0	-51.85	286.40	Vertical	Vertical	Pass
9425.500	-58.69	14.79	-13.0	-45.69	99.30	Vertical	Vertical	Pass
10286.250	-57.05	15.82	-13.0	-44.05	243.20	Vertical	Vertical	Pass
11515.500	-56.26	16.29	-13.0	-43.26	260.90	Vertical	Vertical	Pass
13627.500	-53.41	18.12	-13.0	-40.41	330.10	Vertical	Vertical	Pass
16688.250	-41.79	25.61	-13.0	-28.79	18.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_09.25.35

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
79.943	-59.58	-20.01	-13.0	-46.58	229.20	Vertical	Vertical	Pass
239.225	-65.87	-3.60	-13.0	-52.87	338.00	Vertical	Vertical	Pass
714.649	-5.04	-1.61	-13.0	7.96	334.50	Vertical	Vertical	N.A
1417.396	-28.70	-6.62	-13.0	-15.70	308.20	Vertical	Vertical	Pass
2134.216	-34.82	-4.99	-13.0	-21.82	311.70	Vertical	Vertical	Pass
2843.539	-47.12	-2.37	-13.0	-34.12	309.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.47.23

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8086.250	-64.41	9.94	-13.0	-51.41	7.90	Vertical	Vertical	Pass
9425.500	-59.13	14.79	-13.0	-46.13	341.30	Vertical	Vertical	Pass
10940.750	-56.45	16.84	-13.0	-43.45	63.10	Vertical	Vertical	Pass
12577.000	-56.94	13.80	-13.0	-43.94	285.90	Vertical	Vertical	Pass
14832.000	-45.74	25.71	-13.0	-32.74	94.90	Vertical	Vertical	Pass
16952.250	-41.06	26.52	-13.0	-28.06	157.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_09.41.57

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
98.368	-58.77	-12.68	-13.0	-45.77	242.30	Horizontal	Vertical	Pass
202.132	-58.21	-9.97	-13.0	-45.21	268.50	Horizontal	Vertical	Pass
781.562	-6.40	-0.96	-13.0	6.60	316.00	Horizontal	Vertical	N.A
843.384	-29.21	5.32	-13.0	-16.21	128.20	Horizontal	Vertical	Pass
1568.358	-30.07	-8.95	-13.0	-17.07	171.40	Horizontal	Vertical	Pass
2175.206	-45.87	-4.69	-13.0	-32.87	208.70	Horizontal	Vertical	Pass
2345.664	-22.52	-3.85	-13.0	-9.52	228.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.55.57

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8075.250	-64.31	9.72	-13.0	-51.31	11.90	Horizontal	Vertical	Pass
9384.250	-58.14	15.09	-13.0	-45.14	153.00	Horizontal	Vertical	Pass
10850.000	-56.39	16.96	-13.0	-43.39	322.20	Horizontal	Vertical	Pass
12959.250	-56.26	15.12	-13.0	-43.26	183.90	Horizontal	Vertical	Pass
14829.250	-45.89	25.71	-13.0	-32.89	136.40	Horizontal	Vertical	Pass
16693.750	-42.76	25.70	-13.0	-29.76	3.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_09:38.10

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
112.672	-57.91	-11.41	-13.0	-44.91	172.90	Horizontal	Vertical	Pass
200.920	-58.41	-9.33	-13.0	-45.41	227.50	Horizontal	Vertical	Pass
781.805	-5.42	-0.95	-13.0	7.58	197.60	Horizontal	Vertical	N.A
842.657	-28.83	5.27	-13.0	-15.83	118.00	Horizontal	Vertical	Pass
1568.358	-30.04	-8.95	-13.0	-17.04	172.50	Horizontal	Vertical	Pass
2170.707	-43.02	-4.74	-13.0	-30.02	215.00	Horizontal	Vertical	Pass
2346.163	-22.04	-3.88	-13.0	-9.04	216.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.54.13

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7899.250	-64.52	9.76	-13.0	-51.52	196.20	Horizontal	Vertical	Pass
9417.250	-59.12	14.96	-13.0	-46.12	256.00	Horizontal	Vertical	Pass
10594.250	-57.22	16.13	-13.0	-44.22	106.00	Horizontal	Vertical	Pass
12742.000	-56.52	14.71	-13.0	-43.52	23.20	Horizontal	Vertical	Pass
14826.500	-45.72	25.71	-13.0	-32.72	67.20	Horizontal	Vertical	Pass
16880.750	-41.97	26.20	-13.0	-28.97	274.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_09.47.16

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.156	-59.25	-12.89	-13.0	-46.25	265.10	Horizontal	Vertical	Pass
202.132	-58.21	-9.97	-13.0	-45.21	268.50	Horizontal	Vertical	Pass
781.562	-6.40	-0.96	-13.0	6.60	316.00	Horizontal	Vertical	N.A
860.840	-30.31	5.10	-13.0	-17.31	110.40	Horizontal	Vertical	Pass
1568.358	-30.07	-8.95	-13.0	-17.07	171.40	Horizontal	Vertical	Pass
2175.206	-45.87	-4.69	-13.0	-32.87	208.70	Horizontal	Vertical	Pass
2345.664	-22.52	-3.85	-13.0	-9.52	228.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.59.03

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8053.250	-64.16	9.26	-13.0	-51.16	303.50	Horizontal	Vertical	Pass
9480.500	-58.49	14.13	-13.0	-45.49	86.50	Horizontal	Vertical	Pass
10962.750	-55.65	16.94	-13.0	-42.65	320.00	Horizontal	Vertical	Pass
12871.250	-57.08	14.90	-13.0	-44.08	75.10	Horizontal	Vertical	Pass
14843.000	-45.91	25.70	-13.0	-32.91	358.20	Horizontal	Vertical	Pass
16941.250	-41.95	26.52	-13.0	-28.95	116.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_09.51.08

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
79.700	-59.34	-20.00	-13.0	-46.34	245.60	Vertical	Vertical	Pass
238.498	-66.33	-3.87	-13.0	-53.33	329.40	Vertical	Vertical	Pass
783.017	-6.52	-0.88	-13.0	6.48	233.20	Vertical	Vertical	N.A
1568.358	-30.02	-8.95	-13.0	-17.02	191.00	Vertical	Vertical	Pass
2166.708	-45.71	-4.79	-13.0	-32.71	212.50	Vertical	Vertical	Pass
2345.664	-21.44	-3.85	-13.0	-8.44	230.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.52.34

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8111.000	-64.35	10.08	-13.0	-51.35	102.50	Vertical	Vertical	Pass
9367.750	-58.71	14.86	-13.0	-45.71	100.30	Vertical	Vertical	Pass
10847.250	-55.49	16.93	-13.0	-42.49	84.20	Vertical	Vertical	Pass
12700.750	-57.11	14.48	-13.0	-44.11	90.90	Vertical	Vertical	Pass
14821.000	-45.93	25.71	-13.0	-32.93	311.60	Vertical	Vertical	Pass
16713.000	-42.16	25.56	-13.0	-29.16	352.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_09.32.18

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
78.973	-59.56	-19.99	-13.0	-46.56	238.40	Vertical	Vertical	Pass
239.225	-65.80	-3.60	-13.0	-52.80	333.80	Vertical	Vertical	Pass
785.926	-6.67	-0.73	-13.0	6.33	318.20	Vertical	Vertical	N.A
1568.358	-30.01	-8.95	-13.0	-17.01	306.30	Vertical	Vertical	Pass
2338.665	-22.31	-3.58	-13.0	-9.31	223.00	Vertical	Vertical	Pass
5035.491	-53.13	2.84	-13.0	-40.13	159.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.50.52

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8097.250	-63.83	10.17	-13.0	-50.83	335.80	Vertical	Vertical	Pass
9436.500	-59.28	14.57	-13.0	-46.28	71.70	Vertical	Vertical	Pass
10533.750	-56.61	16.27	-13.0	-43.61	4.10	Vertical	Vertical	Pass
12742.000	-57.43	14.71	-13.0	-44.43	23.50	Vertical	Vertical	Pass
14807.250	-45.88	25.72	-13.0	-32.88	82.80	Vertical	Vertical	Pass
16856.001	-41.42	26.20	-13.0	-28.42	94.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_09.55.35

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090001-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
78.973	-59.83	-19.99	-13.0	-46.83	238.70	Vertical	Vertical	Pass
199.950	-66.53	-8.89	-13.0	-53.53	215.70	Vertical	Vertical	Pass
782.532	-6.43	-0.91	-13.0	6.57	231.50	Vertical	Vertical	N.A
1568.358	-30.05	-8.95	-13.0	-17.05	299.10	Vertical	Vertical	Pass
2176.206	-46.20	-4.68	-13.0	-33.20	214.40	Vertical	Vertical	Pass
2345.664	-21.44	-3.85	-13.0	-8.44	200.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_16.57.29

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7998.250	-64.43	9.00	-13.0	-51.43	301.20	Vertical	Vertical	Pass
9409.000	-58.63	15.13	-13.0	-45.63	360.00	Vertical	Vertical	Pass
10872.001	-56.72	16.67	-13.0	-43.72	330.80	Vertical	Vertical	Pass
12918.000	-55.89	15.13	-13.0	-42.89	241.40	Vertical	Vertical	Pass
14821.000	-45.98	25.71	-13.0	-32.98	112.90	Vertical	Vertical	Pass
16707.500	-42.17	25.66	-13.0	-29.17	284.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_09.37.37

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
112.672	-57.91	-11.41	-13.0	-44.91	172.90	Horizontal	Vertical	Pass
200.920	-58.41	-9.33	-13.0	-45.41	227.50	Horizontal	Vertical	Pass
781.805	-5.42	-0.95	-13.0	7.58	197.60	Horizontal	Vertical	N.A
842.657	-28.83	5.27	-13.0	-15.83	118.00	Horizontal	Vertical	Pass
1568.358	-30.04	-8.95	-13.0	-17.04	172.50	Horizontal	Vertical	Pass
2346.163	-22.04	-3.88	-13.0	-9.04	216.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.02.18

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20090001-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8009.250	-63.97	9.04	-13.0	-50.97	271.80	Horizontal	Vertical	Pass
9469.500	-58.68	14.19	-13.0	-45.68	193.80	Horizontal	Vertical	Pass
10949.000	-55.61	16.95	-13.0	-42.61	136.20	Horizontal	Vertical	Pass
13206.750	-55.87	16.04	-13.0	-42.87	349.90	Horizontal	Vertical	Pass
14837.500	-46.15	25.71	-13.0	-33.15	221.20	Horizontal	Vertical	Pass
16649.750	-43.38	24.99	-13.0	-30.38	138.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_09.32.59

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
78.973	-59.56	-19.99	-13.0	-46.56	238.40	Vertical	Vertical	Pass
199.950	-66.52	-8.89	-13.0	-53.52	203.10	Vertical	Vertical	Pass
747.621	-44.51	-0.92	-13.0	-31.51	286.40	Vertical	Vertical	Pass
785.926	-6.67	-0.73	-13.0	6.33	318.20	Vertical	Vertical	N.A
1568.358	-30.01	-8.95	-13.0	-17.01	306.30	Vertical	Vertical	Pass
2339.165	-22.18	-3.58	-13.0	-9.18	201.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.00.32

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7910.250	-63.41	9.56	-13.0	-50.41	26.40	Vertical	Vertical	Pass
9406.250	-58.86	15.18	-13.0	-45.86	173.80	Vertical	Vertical	Pass
10971.000	-56.13	16.93	-13.0	-43.13	327.40	Vertical	Vertical	Pass
12978.500	-56.05	15.22	-13.0	-43.05	180.40	Vertical	Vertical	Pass
14851.250	-45.86	25.66	-13.0	-32.86	304.20	Vertical	Vertical	Pass
16864.250	-41.80	26.20	-13.0	-28.80	264.90	Vertical	Vertical	Pass