

EXHIBIT E- RADIATED SPURIOUS EMISSION DATA

Note : Transmit frequency is ignore ,mark →

LTE-B17-5-LCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-09-14_10.11.11

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC_FCC PART22&24&27 FCC PART 22_850_GSM 850&CDMA BC0&WCDMA B5<E B5&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.548	-70.65	-19.93	-13.0	-57.65	145.50	Horizontal	Vertical	Pass
199.950	-52.98	-8.89	-13.0	-39.98	196.40	Horizontal	Vertical	Pass
451.602	-68.80	-3.02	-13.0	-55.80	143.80	Horizontal	Vertical	Pass
824.231	-51.75	2.28	-13.0	-38.75	278.50	Horizontal	Vertical	Pass
871.507	-44.31	4.02	-13.0	-31.31	341.50	Horizontal	Vertical	Pass
5013.497	-52.74	2.93	-13.0	-39.74	252.90	Horizontal	Vertical	Pass

Document number : SHE20090001-02AE

Test result

Project Number: Certification

Test Time: 2020-09-14_09.57.09

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27 FCC PART 22_850_GSM 850&CDMA BC0&WCDMA B5<E B5&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
35.091	-63.80	-11.28	-13.0	-50.80	47.10	Horizontal	Vertical	Pass
101.035	-63.12	-12.51	-13.0	-50.12	221.90	Horizontal	Vertical	Pass
199.950	-53.25	-8.89	-13.0	-40.25	179.80	Horizontal	Vertical	Pass
453.057	-69.63	-3.13	-13.0	-56.63	151.60	Horizontal	Vertical	Pass
835.141	-61.93	4.10	-13.0	-48.93	264.60	Horizontal	Vertical	Pass
880.962	-46.83	2.33	-13.0	-33.83	17.20	Horizontal	Vertical	Pass
2290.677	-56.27	-2.59	-13.0	-43.27	222.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_10.14.58

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27 FCC PART 22_850_GSM 850&CDMA BC08&WCDMA B5<E B5&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
35.334	-63.56	-11.24	-13.0	-50.56	29.50	Horizontal	Vertical	Pass
115.096	-62.12	-11.19	-13.0	-49.12	86.80	Horizontal	Vertical	Pass
200.435	-52.87	-9.07	-13.0	-39.87	222.10	Horizontal	Vertical	Pass
450.147	-69.81	-2.92	-13.0	-56.81	160.90	Horizontal	Vertical	Pass
852.597	-37.76	5.65	-13.0	-24.76	266.30	Horizontal	Vertical	Pass
893.084	-50.23	1.51	-13.0	-37.23	25.50	Horizontal	Vertical	Pass
2985.504	-56.22	-1.12	-13.0	-43.22	330.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_10.07.27

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27 FCC PART 22_850_GSM 850&CDMA BC0&WCDMA B5<E B5&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
78.488	-62.37	-19.97	-13.0	-49.37	112.70	Vertical	Vertical	Pass
199.950	-61.95	-8.89	-13.0	-48.95	0.10	Vertical	Vertical	Pass
449.420	-72.71	-3.01	-13.0	-59.71	130.20	Vertical	Vertical	Pass
824.231	-53.62	2.28	-13.0	-40.62	8.40	Vertical	Vertical	Pass
871.265	-46.20	4.06	-13.0	-33.20	59.50	Vertical	Vertical	Pass
2981.005	-55.75	-1.23	-13.0	-42.75	143.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_10.01.09

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC_FCC PART22&24&27_FCC PART 22_850_GSM 850&CDMA BC0&WCDMA B5<E B5&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.761	-62.26	-19.96	-13.0	-49.26	101.20	Vertical	Vertical	Pass
200.677	-62.23	-9.20	-13.0	-49.23	1.10	Vertical	Vertical	Pass
455.966	-71.20	-3.33	-13.0	-58.20	35.80	Vertical	Vertical	Pass
836.111	-62.99	4.30	-13.0	-49.99	16.30	Vertical	Vertical	Pass
880.235	-47.76	2.41	-13.0	-34.76	26.90	Vertical	Vertical	Pass
2994.001	-55.82	-1.06	-13.0	-42.82	228.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-14_10.18.45

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC_FCC PART22&24&27 FCC PART 22_850_GSM 850&CDMA BC0&WCDMA B5<E B5&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
78.245	-62.35	-19.97	-13.0	-49.35	88.20	Vertical	Vertical	Pass
115.824	-65.07	-11.47	-13.0	-52.07	22.00	Vertical	Vertical	Pass
199.950	-61.94	-8.89	-13.0	-48.94	2.60	Vertical	Vertical	Pass
450.390	-72.00	-2.94	-13.0	-59.00	139.80	Vertical	Vertical	Pass
853.324	-36.60	5.60	-13.0	-23.60	357.20	Vertical	Vertical	Pass
893.084	-48.17	1.51	-13.0	-35.17	48.60	Vertical	Vertical	Pass
3000.000	-57.76	-1.13	-13.0	-44.76	104.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-28_17.03.24

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal


Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC FCC PART22&24&27 FCC LTE B17



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
243.832	-54.00	-4.30	-13.0	-41.00	328.30	Horizontal	Vertical	Pass
629.310	-40.24	-1.05	-13.0	-27.24	274.40	Horizontal	Vertical	Pass
706.648	-6.28	-1.79	-13.0	6.72	0.50	Horizontal	Vertical	N.A
815.019	-32.18	1.18	-13.0	-19.18	231.40	Horizontal	Vertical	Pass
1414.896	-32.80	-6.50	-13.0	-19.80	331.30	Horizontal	Vertical	Pass
2128.218	-46.97	-5.04	-13.0	-33.97	333.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-28_16.40.34

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27_FCC LTE B17



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.880	-78.47	-10.94	-13.0	-65.47	23.90	Horizontal	Vertical	Pass
124.794	-81.73	-15.38	-13.0	-68.73	360.00	Horizontal	Vertical	Pass
249.893	-73.92	-5.84	-13.0	-60.92	358.30	Horizontal	Vertical	Pass
707.618	-32.53	-1.76	-13.0	-19.53	217.40	Horizontal	Vertical	Pass
742.529	-40.58	-1.06	-13.0	-27.58	121.50	Horizontal	Vertical	Pass
2416.146	-48.77	-4.97	-13.0	-35.77	280.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-28_17.07.36

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal


Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC FCC PART22&24&27 FCC LTE B17



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
240.680	-53.66	-3.49	-13.0	-40.66	334.40	Horizontal	Vertical	Pass
628.098	-41.52	-1.16	-13.0	-28.52	275.60	Horizontal	Vertical	Pass
707.618	-6.14	-1.76	-13.0	6.86	338.10	Horizontal	Vertical	N.A
826.656	-35.16	2.62	-13.0	-22.16	273.60	Horizontal	Vertical	Pass
1416.896	-33.45	-6.60	-13.0	-20.45	328.80	Horizontal	Vertical	Pass
2131.217	-47.83	-5.01	-13.0	-34.83	328.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-28_16.28.55

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-79.35	-15.38	-13.0	-66.35	20.30	Vertical	Vertical	Pass
249.893	-72.99	-5.84	-13.0	-59.99	352.10	Vertical	Vertical	Pass
707.618	-40.04	-1.76	-13.0	-27.04	55.20	Vertical	Vertical	Pass
742.772	-37.34	-1.05	-13.0	-24.34	193.80	Vertical	Vertical	Pass
2407.648	-44.36	-4.88	-13.0	-31.36	345.90	Vertical	Vertical	Pass
2468.633	-40.32	-4.25	-13.0	-27.32	324.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-28_16.37.15

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.637	-80.31	-10.88	-13.0	-67.31	206.80	Vertical	Vertical	Pass
124.794	-79.90	-15.38	-13.0	-66.90	287.80	Vertical	Vertical	Pass
249.893	-72.73	-5.84	-13.0	-59.73	16.50	Vertical	Vertical	Pass
708.103	-42.49	-1.74	-13.0	-29.49	54.80	Vertical	Vertical	Pass
736.226	-37.53	-1.15	-13.0	-24.53	310.60	Vertical	Vertical	Pass
3023.994	-54.87	-1.26	-13.0	-41.87	62.90	Vertical	Vertical	Pass

Test result

Project Number: 1744444

Test Time: 2020-10-28_16.58.24

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal


Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC FCC PART22&24&27 FCC LTE B17



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
240.437	-60.52	-3.43	-13.0	-47.52	34.00	Horizontal	Vertical	Pass
715.376	-8.15	-1.59	-13.0	4.85	322.30	Horizontal	Vertical	N.A
745.196	-36.70	-0.98	-13.0	-23.70	192.90	Horizontal	Vertical	Pass
1417.396	-30.58	-6.62	-13.0	-17.58	356.60	Horizontal	Vertical	Pass
2134.716	-43.08	-4.98	-13.0	-30.08	350.00	Horizontal	Vertical	Pass
2853.037	-54.68	-2.28	-13.0	-41.68	344.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_10.15.59

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC_FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.883	-58.52	-12.92	-13.0	-45.52	265.20	Horizontal	Vertical	Pass
200.435	-57.79	-9.30	-13.0	-44.79	249.40	Horizontal	Vertical	Pass
633.432	-67.64	-1.44	-13.0	-54.64	256.50	Horizontal	Vertical	Pass
1841.790	-47.84	-7.90	-13.0	-34.84	193.40	Horizontal	Vertical	Pass
1930.267	-52.71	-8.28	-13.0	-39.71	306.80	Horizontal	Vertical	Pass
4496.626	-53.01	1.48	-13.0	-40.01	325.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.10.26

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8124.750	-64.68	9.89	-13.0	-51.68	72.80	Horizontal	Vertical	Pass
9409.000	-58.97	15.13	-13.0	-45.97	289.20	Horizontal	Vertical	Pass
10998.500	-56.26	16.89	-13.0	-43.26	293.90	Horizontal	Vertical	Pass
12698.000	-56.72	14.48	-13.0	-43.72	52.00	Horizontal	Vertical	Pass
14843.000	-45.92	25.70	-13.0	-32.92	259.30	Horizontal	Vertical	Pass
16688.250	-41.74	25.61	-13.0	-28.74	33.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_10.12.09

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27 FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
98.853	-58.90	-12.74	-13.0	-45.90	247.90	Horizontal	Vertical	Pass
199.950	-57.43	-9.11	-13.0	-44.43	247.90	Horizontal	Vertical	Pass
633.432	-67.36	-1.44	-13.0	-54.36	79.80	Horizontal	Vertical	Pass
1881.780	-48.14	-8.20	-13.0	-35.14	196.50	Horizontal	Vertical	Pass
1962.259	-50.87	-8.24	-13.0	-37.87	326.70	Horizontal	Vertical	Pass
4916.521	-52.44	1.78	-13.0	-39.44	160.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.05.39

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8113.750	-64.30	10.04	-13.0	-51.30	138.90	Horizontal	Vertical	Pass
9472.250	-58.30	14.18	-13.0	-45.30	178.40	Horizontal	Vertical	Pass
10962.750	-56.21	16.94	-13.0	-43.21	325.20	Horizontal	Vertical	Pass
13168.250	-56.13	15.39	-13.0	-43.13	85.80	Horizontal	Vertical	Pass
14829.250	-46.22	25.71	-13.0	-33.22	14.40	Horizontal	Vertical	Pass
16696.500	-42.10	25.74	-13.0	-29.10	120.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_10.27.59

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
98.125	-60.02	-12.88	-13.0	-47.02	258.70	Horizontal	Vertical	Pass
199.950	-59.35	-9.11	-13.0	-46.35	241.20	Horizontal	Vertical	Pass
633.432	-67.00	-1.44	-13.0	-54.00	271.60	Horizontal	Vertical	Pass
1913.772	-44.67	-8.31	-13.0	-31.67	1.00	Horizontal	Vertical	Pass
1994.251	-52.55	-7.73	-13.0	-39.55	45.00	Horizontal	Vertical	Pass
4762.559	-53.33	1.81	-13.0	-40.33	29.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.12.05

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8080.750	-63.76	9.83	-13.0	-50.76	284.70	Horizontal	Vertical	Pass
9480.500	-58.86	14.13	-13.0	-45.86	84.50	Horizontal	Vertical	Pass
10957.250	-56.26	16.95	-13.0	-43.26	227.40	Horizontal	Vertical	Pass
13602.750	-53.59	18.35	-13.0	-40.59	52.40	Horizontal	Vertical	Pass
14845.750	-45.88	25.70	-13.0	-32.88	199.70	Horizontal	Vertical	Pass
16946.750	-41.00	26.56	-13.0	-28.00	344.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_10.19.40

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC_FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
78.730	-59.99	-20.24	-13.0	-46.99	261.20	Vertical	Vertical	Pass
182.252	-65.70	-17.09	-13.0	-52.70	94.60	Vertical	Vertical	Pass
450.875	-71.50	-3.37	-13.0	-58.50	227.80	Vertical	Vertical	Pass
1843.789	-49.70	-7.91	-13.0	-36.70	193.00	Vertical	Vertical	Pass
1930.267	-52.53	-8.28	-13.0	-39.53	302.30	Vertical	Vertical	Pass
4997.501	-52.47	2.95	-13.0	-39.47	127.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.07.14

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8001.000	-64.63	9.01	-13.0	-51.63	245.10	Vertical	Vertical	Pass
9516.250	-59.05	13.73	-13.0	-46.05	178.70	Vertical	Vertical	Pass
10982.000	-56.24	16.92	-13.0	-43.24	319.50	Vertical	Vertical	Pass
12912.500	-56.55	15.14	-13.0	-43.55	55.80	Vertical	Vertical	Pass
14815.500	-45.86	25.71	-13.0	-32.86	203.90	Vertical	Vertical	Pass
16933.000	-41.77	26.45	-13.0	-28.77	49.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_10.08.35

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC_FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
79.458	-60.03	-20.25	-13.0	-47.03	239.20	Vertical	Vertical	Pass
199.950	-65.62	-9.11	-13.0	-52.62	186.50	Vertical	Vertical	Pass
452.814	-70.03	-3.49	-13.0	-57.03	226.80	Vertical	Vertical	Pass
1882.279	-48.38	-8.20	-13.0	-35.38	195.10	Vertical	Vertical	Pass
1961.760	-52.19	-8.25	-13.0	-39.19	322.40	Vertical	Vertical	Pass
4987.503	-52.63	2.81	-13.0	-39.63	152.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.03.47

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8072.500	-64.67	9.66	-13.0	-51.67	185.80	Vertical	Vertical	Pass
9373.250	-58.72	14.93	-13.0	-45.72	341.20	Vertical	Vertical	Pass
11001.250	-55.54	16.87	-13.0	-42.54	130.40	Vertical	Vertical	Pass
12103.999	-57.79	14.91	-13.0	-44.79	109.70	Vertical	Vertical	Pass
14856.750	-45.55	25.47	-13.0	-32.55	220.60	Vertical	Vertical	Pass
16922.000	-42.00	26.37	-13.0	-29.00	100.80	Vertical	Vertical	Pass

Document number : SHE20090001-02AE

Test result

Project Number: Certification

Test Time: 2020-09-15_10.23.59

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.156	-54.51	-13.06	-13.0	-41.51	359.50	Vertical	Vertical	Pass
199.950	-66.81	-9.11	-13.0	-53.81	228.90	Vertical	Vertical	Pass
451.360	-71.03	-3.40	-13.0	-58.03	40.60	Vertical	Vertical	Pass
1913.772	-44.59	-8.31	-13.0	-31.59	204.00	Vertical	Vertical	Pass
1994.251	-52.45	-7.73	-13.0	-39.45	14.00	Vertical	Vertical	Pass
5003.499	-51.97	2.98	-13.0	-38.97	238.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.08.47

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7921.250	-64.68	9.32	-13.0	-51.68	43.50	Vertical	Vertical	Pass
9406.250	-58.56	15.18	-13.0	-45.56	197.40	Vertical	Vertical	Pass
10440.250	-56.33	16.19	-13.0	-43.33	78.10	Vertical	Vertical	Pass
12076.500	-58.31	14.62	-13.0	-45.31	287.30	Vertical	Vertical	Pass
14834.750	-45.45	25.71	-13.0	-32.45	165.00	Vertical	Vertical	Pass
16847.750	-42.45	26.16	-13.0	-29.45	158.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_10.43.14

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
98.368	-59.24	-12.83	-13.0	-46.24	267.10	Horizontal	Vertical	Pass
199.950	-58.92	-9.11	-13.0	-45.92	231.60	Horizontal	Vertical	Pass
633.432	-67.71	-1.44	-13.0	-54.71	64.80	Horizontal	Vertical	Pass
1840.290	-35.40	-7.89	-13.0	-22.40	191.30	Horizontal	Vertical	Pass
1931.767	-47.03	-8.29	-13.0	-34.03	28.70	Horizontal	Vertical	Pass
4988.503	-52.24	2.82	-13.0	-39.24	25.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.16.43

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8056.000	-64.38	9.31	-13.0	-51.38	203.20	Horizontal	Vertical	Pass
9403.500	-59.87	15.24	-13.0	-46.87	94.70	Horizontal	Vertical	Pass
10300.000	-57.31	16.18	-13.0	-44.31	66.70	Horizontal	Vertical	Pass
12076.500	-58.21	14.62	-13.0	-45.21	262.70	Horizontal	Vertical	Pass
14807.250	-45.67	25.72	-13.0	-32.67	214.50	Horizontal	Vertical	Pass
16647.000	-42.36	24.94	-13.0	-29.36	289.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.16.43

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Addition:

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8056.000	-64.38	9.31	-13.0	-51.38	203.20	Horizontal	Vertical	Pass
9403.500	-59.87	15.24	-13.0	-46.87	94.70	Horizontal	Vertical	Pass
10300.000	-57.31	16.18	-13.0	-44.31	66.70	Horizontal	Vertical	Pass
12076.500	-58.21	14.62	-13.0	-45.21	262.70	Horizontal	Vertical	Pass
14807.250	-45.67	25.72	-13.0	-32.67	214.50	Horizontal	Vertical	Pass
16647.000	-42.36	24.94	-13.0	-29.36	289.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.16.43

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Addition:

RSE Test case_CE FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8056.000	-64.38	9.31	-13.0	-51.38	203.20	Horizontal	Vertical	Pass
9403.500	-59.87	15.24	-13.0	-46.87	94.70	Horizontal	Vertical	Pass
10300.000	-57.31	16.18	-13.0	-44.31	66.70	Horizontal	Vertical	Pass
12076.500	-58.21	14.62	-13.0	-45.21	262.70	Horizontal	Vertical	Pass
14807.250	-45.67	25.72	-13.0	-32.67	214.50	Horizontal	Vertical	Pass
16647.000	-42.36	24.94	-13.0	-29.36	289.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.16.43

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8056.000	-64.38	9.31	-13.0	-51.38	203.20	Horizontal	Vertical	Pass
9403.500	-59.87	15.24	-13.0	-46.87	94.70	Horizontal	Vertical	Pass
10300.000	-57.31	16.18	-13.0	-44.31	66.70	Horizontal	Vertical	Pass
12076.500	-58.21	14.62	-13.0	-45.21	262.70	Horizontal	Vertical	Pass
14807.250	-45.67	25.72	-13.0	-32.67	214.50	Horizontal	Vertical	Pass
16647.000	-42.36	24.94	-13.0	-29.36	289.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_10.31.45

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.883	-59.16	-12.92	-13.0	-46.16	110.90	Horizontal	Vertical	Pass
200.435	-59.31	-9.30	-13.0	-46.31	249.20	Horizontal	Vertical	Pass
451.117	-69.85	-3.39	-13.0	-56.85	229.70	Horizontal	Vertical	Pass
1881.280	-46.53	-8.19	-13.0	-33.53	193.10	Horizontal	Vertical	Pass
1961.760	-48.22	-8.25	-13.0	-35.22	25.60	Horizontal	Vertical	Pass
5194.451	-52.62	2.96	-13.0	-39.62	20.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.18.13

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8075.250	-64.45	9.72	-13.0	-51.45	81.80	Horizontal	Vertical	Pass
9406.250	-57.78	15.18	-13.0	-44.78	31.40	Horizontal	Vertical	Pass
10828.000	-56.43	16.65	-13.0	-43.43	272.10	Horizontal	Vertical	Pass
13451.500	-54.41	17.58	-13.0	-41.41	63.20	Horizontal	Vertical	Pass
14840.250	-45.39	25.70	-13.0	-32.39	0.20	Horizontal	Vertical	Pass
16801.000	-42.04	25.13	-13.0	-29.04	102.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.18.13

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CCE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8075.250	-64.45	9.72	-13.0	-51.45	81.80	Horizontal	Vertical	Pass
9406.250	-57.78	15.18	-13.0	-44.78	31.40	Horizontal	Vertical	Pass
10828.000	-56.43	16.65	-13.0	-43.43	272.10	Horizontal	Vertical	Pass
13451.500	-54.41	17.58	-13.0	-41.41	63.20	Horizontal	Vertical	Pass
14840.250	-45.39	25.70	-13.0	-32.39	0.20	Horizontal	Vertical	Pass
16801.000	-42.04	25.13	-13.0	-29.04	102.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_10.46.58

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Addition:

RSE Test case_CE FCC FCC PART22&24&27 FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
99.823	-59.69	-12.55	-13.0	-46.69	281.20	Horizontal	Vertical	Pass
199.950	-59.86	-9.11	-13.0	-46.86	258.40	Horizontal	Vertical	Pass
633.432	-67.83	-1.44	-13.0	-54.83	260.20	Horizontal	Vertical	Pass
1918.770	-44.26	-8.30	-13.0	-31.26	200.80	Horizontal	Vertical	Pass
1992.752	-53.04	-7.77	-13.0	-40.04	39.90	Horizontal	Vertical	Pass
4509.623	-54.41	1.42	-13.0	-41.41	16.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.21.21

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7899.250	-64.59	9.76	-13.0	-51.59	89.70	Horizontal	Vertical	Pass
9461.250	-58.93	14.24	-13.0	-45.93	237.50	Horizontal	Vertical	Pass
10858.250	-56.29	16.85	-13.0	-43.29	142.40	Horizontal	Vertical	Pass
12898.750	-56.31	15.16	-13.0	-43.31	147.10	Horizontal	Vertical	Pass
14851.250	-46.09	25.66	-13.0	-33.09	253.50	Horizontal	Vertical	Pass
16878.000	-41.94	26.20	-13.0	-28.94	18.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.21.21

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7899.250	-64.59	9.76	-13.0	-51.59	89.70	Horizontal	Vertical	Pass
9461.250	-58.93	14.24	-13.0	-45.93	237.50	Horizontal	Vertical	Pass
10858.250	-56.29	16.85	-13.0	-43.29	142.40	Horizontal	Vertical	Pass
12898.750	-56.31	15.16	-13.0	-43.31	147.10	Horizontal	Vertical	Pass
14851.250	-46.09	25.66	-13.0	-33.09	253.50	Horizontal	Vertical	Pass
16878.000	-41.94	26.20	-13.0	-28.94	18.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_10.39.21

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Addition:

RSE Test case_CE FCC FCC PART22&24&27 FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
78.730	-57.07	-20.24	-13.0	-44.07	313.60	Vertical	Vertical	Pass
199.950	-66.74	-9.11	-13.0	-53.74	201.00	Vertical	Vertical	Pass
450.147	-70.61	-3.33	-13.0	-57.61	35.50	Vertical	Vertical	Pass
1840.290	-36.27	-7.89	-13.0	-23.27	191.20	Vertical	Vertical	Pass
1931.767	-48.31	-8.29	-13.0	-35.31	30.00	Vertical	Vertical	Pass
5004.499	-52.33	2.97	-13.0	-39.33	358.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.15.07

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 20.1
 Hum.: 54
 Test Engineer: XCJ
 Test Standard: FCC
 Work Addition: normal

Load: full load
 Remark: DR-RSE01-E20090001-01#01
 Name:
 Project Template:
 Manufacture:
 Model Name:
 Templ.(oC):
 Hum:
 Work Addition:

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8113.750	-63.76	10.04	-13.0	-50.76	205.10	Vertical	Vertical	Pass
9420.000	-59.01	14.90	-13.0	-46.01	12.40	Vertical	Vertical	Pass
10561.250	-56.92	16.14	-13.0	-43.92	249.10	Vertical	Vertical	Pass
11537.500	-55.08	15.98	-13.0	-42.08	85.80	Vertical	Vertical	Pass
14843.000	-46.07	25.70	-13.0	-33.07	133.90	Vertical	Vertical	Pass
16710.250	-42.14	25.61	-13.0	-29.14	170.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.15.07

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8113.750	-63.76	10.04	-13.0	-50.76	205.10	Vertical	Vertical	Pass
9420.000	-59.01	14.90	-13.0	-46.01	12.40	Vertical	Vertical	Pass
10561.250	-56.92	16.14	-13.0	-43.92	249.10	Vertical	Vertical	Pass
11537.500	-55.08	15.98	-13.0	-42.08	85.80	Vertical	Vertical	Pass
14843.000	-46.07	25.70	-13.0	-33.07	133.90	Vertical	Vertical	Pass
16710.250	-42.14	25.61	-13.0	-29.14	170.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_10.35.35

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27 FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
79.458	-57.20	-20.25	-13.0	-44.20	342.70	Vertical	Vertical	Pass
199.950	-67.09	-9.11	-13.0	-54.09	221.90	Vertical	Vertical	Pass
464.694	-69.71	-4.51	-13.0	-56.71	262.20	Vertical	Vertical	Pass
1881.280	-47.64	-8.19	-13.0	-34.64	191.60	Vertical	Vertical	Pass
1962.259	-50.46	-8.24	-13.0	-37.46	35.20	Vertical	Vertical	Pass
5138.465	-52.16	2.73	-13.0	-39.16	22.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.13.35

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:

RSE Test case_CE FCC FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8067.000	-64.05	9.54	-13.0	-51.05	277.40	Vertical	Vertical	Pass
9406.250	-58.88	15.18	-13.0	-45.88	335.20	Vertical	Vertical	Pass
10968.250	-56.44	16.93	-13.0	-43.44	330.50	Vertical	Vertical	Pass
13567.000	-54.08	18.06	-13.0	-41.08	43.80	Vertical	Vertical	Pass
14812.750	-45.02	25.71	-13.0	-32.02	305.30	Vertical	Vertical	Pass
16952.250	-41.15	26.52	-13.0	-28.15	55.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_10.53.09

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
79.458	-57.07	-20.25	-13.0	-44.07	332.00	Vertical	Vertical	Pass
199.950	-67.12	-9.11	-13.0	-54.12	216.60	Vertical	Vertical	Pass
449.905	-69.38	-3.34	-13.0	-56.38	254.90	Vertical	Vertical	Pass
1919.270	-45.67	-8.30	-13.0	-32.67	245.20	Vertical	Vertical	Pass
1993.752	-51.57	-7.74	-13.0	-38.57	33.20	Vertical	Vertical	Pass
2801.050	-55.82	-2.12	-13.0	-42.82	334.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.19.45

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8108.250	-64.41	10.12	-13.0	-51.41	261.20	Vertical	Vertical	Pass
9486.000	-58.91	14.10	-13.0	-45.91	53.60	Vertical	Vertical	Pass
10960.000	-56.28	16.95	-13.0	-43.28	172.90	Vertical	Vertical	Pass
12926.250	-56.63	15.11	-13.0	-43.63	172.90	Vertical	Vertical	Pass
14848.500	-45.53	25.70	-13.0	-32.53	297.70	Vertical	Vertical	Pass
16913.750	-41.65	26.30	-13.0	-28.65	233.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_11.19.44

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
99.823	-58.91	-12.55	-13.0	-45.91	95.10	Horizontal	Vertical	Pass
200.677	-59.61	-9.44	-13.0	-46.61	268.10	Horizontal	Vertical	Pass
447.966	-70.30	-3.66	-13.0	-57.30	70.40	Horizontal	Vertical	Pass
1840.790	-36.80	-7.89	-13.0	-23.80	193.60	Horizontal	Vertical	Pass
1931.767	-48.70	-8.29	-13.0	-35.70	29.80	Horizontal	Vertical	Pass
5006.498	-52.36	2.96	-13.0	-39.36	46.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.27.57

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8097.250	-64.15	10.17	-13.0	-51.15	47.20	Horizontal	Vertical	Pass
9370.500	-59.11	14.89	-13.0	-46.11	21.50	Horizontal	Vertical	Pass
10267.000	-57.08	15.31	-13.0	-44.08	188.60	Horizontal	Vertical	Pass
11515.500	-55.87	16.29	-13.0	-42.87	3.00	Horizontal	Vertical	Pass
14840.250	-46.34	25.70	-13.0	-33.34	218.70	Horizontal	Vertical	Pass
16957.750	-41.87	26.35	-13.0	-28.87	165.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_11.04.50

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.883	-58.95	-12.92	-13.0	-45.95	102.20	Horizontal	Vertical	Pass
200.192	-59.87	-9.17	-13.0	-46.87	255.40	Horizontal	Vertical	Pass
447.238	-70.33	-3.78	-13.0	-57.33	231.00	Horizontal	Vertical	Pass
1881.280	-46.54	-8.19	-13.0	-33.54	192.90	Horizontal	Vertical	Pass
1962.259	-48.77	-8.24	-13.0	-35.77	27.90	Horizontal	Vertical	Pass
5201.450	-52.30	2.94	-13.0	-39.30	336.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.24.49

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7918.500	-64.35	9.38	-13.0	-51.35	87.00	Horizontal	Vertical	Pass
9447.500	-58.90	14.35	-13.0	-45.90	95.90	Horizontal	Vertical	Pass
10973.750	-55.56	16.93	-13.0	-42.56	267.90	Horizontal	Vertical	Pass
13534.000	-54.26	17.71	-13.0	-41.26	345.20	Horizontal	Vertical	Pass
14845.750	-45.23	25.70	-13.0	-32.23	174.00	Horizontal	Vertical	Pass
16658.000	-42.37	25.12	-13.0	-29.37	281.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_11.00.22

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27 FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
99.823	-59.73	-12.55	-13.0	-46.73	255.10	Horizontal	Vertical	Pass
200.920	-59.74	-9.57	-13.0	-46.74	244.50	Horizontal	Vertical	Pass
464.209	-70.36	-4.45	-13.0	-57.36	117.70	Horizontal	Vertical	Pass
1917.771	-45.89	-8.30	-13.0	-32.89	6.70	Horizontal	Vertical	Pass
1992.252	-51.32	-7.78	-13.0	-38.32	38.40	Horizontal	Vertical	Pass
3192.952	-56.75	-1.28	-13.0	-43.75	219.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.30.39

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7885.500	-65.47	9.49	-13.0	-52.47	282.20	Horizontal	Vertical	Pass
9007.500	-61.21	12.04	-13.0	-48.21	213.20	Horizontal	Vertical	Pass
10462.250	-57.11	16.37	-13.0	-44.11	190.70	Horizontal	Vertical	Pass
12568.750	-57.28	13.74	-13.0	-44.28	202.10	Horizontal	Vertical	Pass
14782.500	-46.98	25.50	-13.0	-33.98	31.90	Horizontal	Vertical	Pass
16704.750	-41.66	25.71	-13.0	-28.66	266.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_11.12.45

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.761	-56.87	-20.22	-13.0	-43.87	331.70	Vertical	Vertical	Pass
199.950	-67.15	-9.11	-13.0	-54.15	229.30	Vertical	Vertical	Pass
452.814	-71.47	-3.49	-13.0	-58.47	24.20	Vertical	Vertical	Pass
1840.290	-36.89	-7.89	-13.0	-23.89	195.60	Vertical	Vertical	Pass
1931.267	-49.20	-8.29	-13.0	-36.20	30.10	Vertical	Vertical	Pass
5014.496	-52.71	2.93	-13.0	-39.71	111.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.26.19

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8078.000	-63.87	9.77	-13.0	-50.87	358.70	Vertical	Vertical	Pass
9425.500	-58.16	14.79	-13.0	-45.16	344.50	Vertical	Vertical	Pass
10987.500	-56.38	16.91	-13.0	-43.38	0.00	Vertical	Vertical	Pass
13630.250	-54.26	18.09	-13.0	-41.26	0.90	Vertical	Vertical	Pass
14845.750	-45.87	25.70	-13.0	-32.87	0.50	Vertical	Vertical	Pass
16880.750	-41.44	26.20	-13.0	-28.44	142.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_11.08.47

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
79.215	-56.59	-20.25	-13.0	-43.59	288.30	Vertical	Vertical	Pass
167.948	-68.64	-16.61	-13.0	-55.64	274.20	Vertical	Vertical	Pass
463.482	-69.54	-4.36	-13.0	-56.54	263.60	Vertical	Vertical	Pass
1881.280	-47.52	-8.19	-13.0	-34.52	192.10	Vertical	Vertical	Pass
1961.760	-48.47	-8.25	-13.0	-35.47	30.00	Vertical	Vertical	Pass
5000.500	-52.49	2.99	-13.0	-39.49	71.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.22.47

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8102.750	-64.46	10.19	-13.0	-51.46	258.50	Vertical	Vertical	Pass
9428.250	-59.26	14.74	-13.0	-46.26	136.40	Vertical	Vertical	Pass
10998.500	-55.85	16.89	-13.0	-42.85	168.50	Vertical	Vertical	Pass
13591.750	-54.43	18.30	-13.0	-41.43	288.40	Vertical	Vertical	Pass
14840.250	-45.87	25.70	-13.0	-32.87	350.90	Vertical	Vertical	Pass
16902.750	-42.44	26.21	-13.0	-29.44	189.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_10.56.46

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC_FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
78.003	-56.79	-20.23	-13.0	-43.79	309.70	Vertical	Vertical	Pass
199.950	-66.93	-9.11	-13.0	-53.93	196.80	Vertical	Vertical	Pass
447.966	-70.52	-3.66	-13.0	-57.52	42.00	Vertical	Vertical	Pass
1913.772	-45.51	-8.31	-13.0	-32.51	4.20	Vertical	Vertical	Pass
1994.251	-53.41	-7.73	-13.0	-40.41	39.50	Vertical	Vertical	Pass
4504.624	-53.95	1.49	-13.0	-40.95	87.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.29.26

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7929.500	-64.28	9.14	-13.0	-51.28	0.70	Vertical	Vertical	Pass
9486.000	-58.87	14.10	-13.0	-45.87	183.60	Vertical	Vertical	Pass
10962.750	-56.39	16.94	-13.0	-43.39	20.00	Vertical	Vertical	Pass
12568.750	-57.28	13.74	-13.0	-44.28	202.10	Vertical	Vertical	Pass
14834.750	-46.30	25.71	-13.0	-33.30	311.80	Vertical	Vertical	Pass
16704.750	-41.66	25.71	-13.0	-28.66	266.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_11.39.03

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC_FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
99.823	-58.67	-12.55	-13.0	-45.67	275.00	Horizontal	Vertical	Pass
200.192	-59.74	-9.17	-13.0	-46.74	248.80	Horizontal	Vertical	Pass
464.936	-70.38	-4.54	-13.0	-57.38	123.70	Horizontal	Vertical	Pass
1840.790	-34.37	-7.89	-13.0	-21.37	191.60	Horizontal	Vertical	Pass
1931.767	-46.89	-8.29	-13.0	-33.89	34.20	Horizontal	Vertical	Pass
4995.501	-52.51	2.92	-13.0	-39.51	242.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.37.23

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8108.250	-64.69	10.12	-13.0	-51.69	106.20	Horizontal	Vertical	Pass
9433.750	-58.93	14.62	-13.0	-45.93	233.20	Horizontal	Vertical	Pass
10858.250	-56.45	16.85	-13.0	-43.45	329.60	Horizontal	Vertical	Pass
12645.750	-57.04	14.54	-13.0	-44.04	279.40	Horizontal	Vertical	Pass
14810.000	-45.47	25.72	-13.0	-32.47	175.40	Horizontal	Vertical	Pass
16853.250	-41.29	26.20	-13.0	-28.29	292.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_11.27.28

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
100.065	-58.77	-12.53	-13.0	-45.77	260.40	Horizontal	Vertical	Pass
199.950	-59.80	-9.11	-13.0	-46.80	262.40	Horizontal	Vertical	Pass
453.542	-70.33	-3.53	-13.0	-57.33	61.70	Horizontal	Vertical	Pass
1879.780	-48.22	-8.18	-13.0	-35.22	193.90	Horizontal	Vertical	Pass
1962.759	-48.91	-8.22	-13.0	-35.91	29.80	Horizontal	Vertical	Pass
2994.001	-54.73	-1.08	-13.0	-41.73	118.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.34.22

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8102.750	-64.20	10.19	-13.0	-51.20	70.90	Horizontal	Vertical	Pass
9431.000	-59.11	14.68	-13.0	-46.11	273.10	Horizontal	Vertical	Pass
10894.000	-56.23	16.37	-13.0	-43.23	156.00	Horizontal	Vertical	Pass
13608.250	-53.90	18.30	-13.0	-40.90	153.50	Horizontal	Vertical	Pass
14815.500	-45.89	25.71	-13.0	-32.89	38.30	Horizontal	Vertical	Pass
16688.250	-41.53	25.61	-13.0	-28.53	227.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_11.43.39

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC_FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
100.065	-59.26	-12.53	-13.0	-46.26	106.80	Horizontal	Vertical	Pass
199.950	-59.57	-9.11	-13.0	-46.57	247.70	Horizontal	Vertical	Pass
449.420	-70.37	-3.42	-13.0	-57.37	235.60	Horizontal	Vertical	Pass
1922.269	-35.03	-8.29	-13.0	-22.03	0.80	Horizontal	Vertical	Pass
1986.253	-50.93	-7.93	-13.0	-37.93	31.00	Horizontal	Vertical	Pass
5029.493	-52.62	2.87	-13.0	-39.62	92.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.39.27

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7891.000	-64.12	9.60	-13.0	-51.12	29.90	Horizontal	Vertical	Pass
9403.500	-59.16	15.24	-13.0	-46.16	176.90	Horizontal	Vertical	Pass
10998.500	-56.42	16.89	-13.0	-43.42	29.90	Horizontal	Vertical	Pass
12948.250	-55.84	15.07	-13.0	-42.84	271.30	Horizontal	Vertical	Pass
14829.250	-45.94	25.71	-13.0	-32.94	216.20	Horizontal	Vertical	Pass
16707.500	-41.81	25.66	-13.0	-28.81	42.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_11.35.28

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
78.730	-56.80	-20.24	-13.0	-43.80	321.90	Vertical	Vertical	Pass
234.619	-67.76	-5.68	-13.0	-54.76	306.10	Vertical	Vertical	Pass
462.997	-70.88	-4.29	-13.0	-57.88	262.10	Vertical	Vertical	Pass
1841.790	-32.86	-7.90	-13.0	-19.86	192.90	Vertical	Vertical	Pass
1938.265	-48.50	-8.33	-13.0	-35.50	29.30	Vertical	Vertical	Pass
5135.466	-51.92	2.72	-13.0	-38.92	48.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.35.51

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7893.750	-63.35	9.65	-13.0	-50.35	280.00	Vertical	Vertical	Pass
9414.500	-58.21	15.02	-13.0	-45.21	17.30	Vertical	Vertical	Pass
10830.750	-56.96	16.69	-13.0	-43.96	86.00	Vertical	Vertical	Pass
12233.250	-58.29	14.08	-13.0	-45.29	270.80	Vertical	Vertical	Pass
14829.250	-45.78	25.71	-13.0	-32.78	151.50	Vertical	Vertical	Pass
16691.000	-41.99	25.66	-13.0	-28.99	137.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_11.31.31

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC_FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
78.730	-56.43	-20.24	-13.0	-43.43	280.10	Vertical	Vertical	Pass
236.073	-67.57	-5.10	-13.0	-54.57	292.50	Vertical	Vertical	Pass
466.148	-70.03	-4.69	-13.0	-57.03	255.40	Vertical	Vertical	Pass
1880.280	-48.31	-8.19	-13.0	-35.31	193.80	Vertical	Vertical	Pass
1960.760	-48.47	-8.28	-13.0	-35.47	33.20	Vertical	Vertical	Pass
5205.449	-52.57	2.85	-13.0	-39.57	206.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.32.46

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8105.500	-63.60	10.15	-13.0	-50.60	151.50	Vertical	Vertical	Pass
9433.750	-59.13	14.62	-13.0	-46.13	93.90	Vertical	Vertical	Pass
10984.750	-56.17	16.91	-13.0	-43.17	222.90	Vertical	Vertical	Pass
12909.750	-56.31	15.15	-13.0	-43.31	348.70	Vertical	Vertical	Pass
14837.500	-45.97	25.71	-13.0	-32.97	207.10	Vertical	Vertical	Pass
16704.750	-42.13	25.71	-13.0	-29.13	68.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_11.47.26

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.033	-56.95	-20.21	-13.0	-43.95	302.90	Vertical	Vertical	Pass
199.950	-67.34	-9.11	-13.0	-54.34	215.10	Vertical	Vertical	Pass
465.906	-69.85	-4.66	-13.0	-56.85	257.20	Vertical	Vertical	Pass
1921.770	-34.13	-8.29	-13.0	-21.13	0.60	Vertical	Vertical	Pass
1989.253	-49.70	-7.86	-13.0	-36.70	30.50	Vertical	Vertical	Pass
5208.448	-52.47	2.77	-13.0	-39.47	335.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.41.18

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Addition:

RSE Test case_CE FCC FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7946.000	-63.97	8.79	-13.0	-50.97	30.40	Vertical	Vertical	Pass
9395.250	-59.20	15.24	-13.0	-46.20	4.10	Vertical	Vertical	Pass
10940.750	-56.25	16.84	-13.0	-43.25	82.80	Vertical	Vertical	Pass
13589.000	-54.37	18.27	-13.0	-41.37	103.30	Vertical	Vertical	Pass
14821.000	-46.07	25.71	-13.0	-33.07	149.50	Vertical	Vertical	Pass
16707.500	-41.64	25.66	-13.0	-28.64	295.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_12.00.52

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.641	-59.09	-12.97	-13.0	-46.09	92.20	Horizontal	Vertical	Pass
200.192	-59.08	-9.17	-13.0	-46.08	268.20	Horizontal	Vertical	Pass
451.360	-70.40	-3.40	-13.0	-57.40	64.10	Horizontal	Vertical	Pass
1840.790	-29.23	-7.89	-13.0	-16.23	189.40	Horizontal	Vertical	Pass
1935.266	-47.52	-8.31	-13.0	-34.52	34.30	Horizontal	Vertical	Pass
5029.493	-52.53	2.87	-13.0	-39.53	0.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.47.56

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7915.750	-64.17	9.44	-13.0	-51.17	108.20	Horizontal	Vertical	Pass
9431.000	-59.18	14.68	-13.0	-46.18	321.90	Horizontal	Vertical	Pass
10542.000	-57.15	16.20	-13.0	-44.15	55.60	Horizontal	Vertical	Pass
11496.250	-55.88	16.47	-13.0	-42.88	182.30	Horizontal	Vertical	Pass
13688.001	-53.02	17.68	-13.0	-40.02	310.10	Horizontal	Vertical	Pass
16702.000	-41.80	25.76	-13.0	-28.80	254.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_13.29.55

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27 FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
99.095	-57.65	-12.69	-13.0	-44.65	264.90	Horizontal	Vertical	Pass
170.857	-57.02	-16.91	-13.0	-44.02	222.70	Horizontal	Vertical	Pass
456.693	-71.28	-3.72	-13.0	-58.28	58.60	Horizontal	Vertical	Pass
1840.290	-39.14	-7.89	-13.0	-26.14	193.60	Horizontal	Vertical	Pass
1956.261	-47.60	-8.31	-13.0	-34.60	32.20	Horizontal	Vertical	Pass
5200.450	-52.64	2.97	-13.0	-39.64	210.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.44.32

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7893.750	-64.66	9.65	-13.0	-51.66	335.00	Horizontal	Vertical	Pass
9524.500	-58.98	13.58	-13.0	-45.98	153.40	Horizontal	Vertical	Pass
10506.250	-56.50	16.47	-13.0	-43.50	134.90	Horizontal	Vertical	Pass
11504.500	-55.98	16.45	-13.0	-42.98	48.10	Horizontal	Vertical	Pass
14821.000	-45.50	25.71	-13.0	-32.50	121.30	Horizontal	Vertical	Pass
16713.000	-41.45	25.56	-13.0	-28.45	318.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_13.25.19

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
99.338	-57.51	-12.65	-13.0	-44.51	104.30	Horizontal	Vertical	Pass
171.100	-56.41	-16.94	-13.0	-43.41	215.20	Horizontal	Vertical	Pass
455.481	-70.12	-3.65	-13.0	-57.12	67.20	Horizontal	Vertical	Pass
1922.269	-36.35	-8.29	-13.0	-23.35	199.80	Horizontal	Vertical	Pass
1985.754	-48.59	-7.95	-13.0	-35.59	26.10	Horizontal	Vertical	Pass
5021.495	-52.44	2.90	-13.0	-39.44	108.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17:51.16

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8155.000	-64.27	9.48	-13.0	-51.27	158.10	Horizontal	Vertical	Pass
9433.750	-58.89	14.62	-13.0	-45.89	160.40	Horizontal	Vertical	Pass
10844.500	-55.52	16.89	-13.0	-42.52	360.00	Horizontal	Vertical	Pass
12098.500	-57.42	14.91	-13.0	-44.42	88.70	Horizontal	Vertical	Pass
14845.750	-45.53	25.70	-13.0	-32.53	181.10	Horizontal	Vertical	Pass
16867.000	-41.74	26.20	-13.0	-28.74	265.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_13.13.50

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC_FCC PART2&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.518	-56.25	-20.22	-13.0	-43.25	254.80	Vertical	Vertical	Pass
115.581	-55.52	-11.77	-13.0	-42.52	144.10	Vertical	Vertical	Pass
236.316	-65.75	-5.01	-13.0	-52.75	305.90	Vertical	Vertical	Pass
457.906	-70.46	-3.79	-13.0	-57.46	253.10	Vertical	Vertical	Pass
1838.790	-29.47	-7.99	-13.0	-16.47	195.00	Vertical	Vertical	Pass
1936.266	-47.48	-8.32	-13.0	-34.48	34.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.46.21

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7902.000	-64.24	9.74	-13.0	-51.24	69.80	Vertical	Vertical	Pass
9395.250	-58.65	15.24	-13.0	-45.65	292.70	Vertical	Vertical	Pass
10872.001	-56.05	16.67	-13.0	-43.05	97.50	Vertical	Vertical	Pass
13349.750	-55.15	16.86	-13.0	-42.15	180.70	Vertical	Vertical	Pass
14837.500	-45.83	25.71	-13.0	-32.83	290.40	Vertical	Vertical	Pass
16682.750	-41.91	25.52	-13.0	-28.91	120.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_11.52.47

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART2&24827_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
79.215	-56.83	-20.25	-13.0	-43.83	351.60	Vertical	Vertical	Pass
199.950	-67.09	-9.11	-13.0	-54.09	196.20	Vertical	Vertical	Pass
450.875	-70.30	-3.37	-13.0	-57.30	263.40	Vertical	Vertical	Pass
1839.790	-43.69	-7.90	-13.0	-30.69	189.20	Vertical	Vertical	Pass
1961.260	-47.46	-8.27	-13.0	-34.46	33.50	Vertical	Vertical	Pass
5146.463	-52.71	2.77	-13.0	-39.71	321.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.42.54

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7888.250	-64.47	9.54	-13.0	-51.47	142.10	Vertical	Vertical	Pass
9505.250	-58.91	13.93	-13.0	-45.91	291.10	Vertical	Vertical	Pass
10927.000	-56.23	16.65	-13.0	-43.23	316.30	Vertical	Vertical	Pass
12769.500	-56.86	14.80	-13.0	-43.86	165.10	Vertical	Vertical	Pass
14840.250	-46.22	25.70	-13.0	-33.22	162.60	Vertical	Vertical	Pass
16691.000	-41.91	25.66	-13.0	-28.91	228.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_13.17.57

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.761	-56.55	-20.22	-13.0	-43.55	360.00	Vertical	Vertical	Pass
169.888	-61.11	-16.82	-13.0	-48.11	252.30	Vertical	Vertical	Pass
238.983	-65.11	-3.95	-13.0	-52.11	314.50	Vertical	Vertical	Pass
454.754	-70.70	-3.61	-13.0	-57.70	33.10	Vertical	Vertical	Pass
1922.269	-35.38	-8.29	-13.0	-22.38	0.70	Vertical	Vertical	Pass
1982.254	-48.77	-8.04	-13.0	-35.77	30.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.49.26

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8094.500	-64.14	10.12	-13.0	-51.14	292.10	Vertical	Vertical	Pass
9403.500	-58.63	15.24	-13.0	-45.63	209.50	Vertical	Vertical	Pass
10525.500	-56.81	16.33	-13.0	-43.81	89.90	Vertical	Vertical	Pass
11501.750	-55.45	16.49	-13.0	-42.45	87.70	Vertical	Vertical	Pass
13561.500	-53.67	18.01	-13.0	-40.67	197.90	Vertical	Vertical	Pass
14812.750	-46.06	25.71	-13.0	-33.06	3.70	Vertical	Vertical	Pass
16702.000	-42.19	25.76	-13.0	-29.19	172.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_13.41.59

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
99.338	-57.78	-12.65	-13.0	-44.78	85.00	Horizontal	Vertical	Pass
171.827	-56.96	-17.01	-13.0	-43.96	215.30	Horizontal	Vertical	Pass
458.148	-71.17	-3.81	-13.0	-58.17	58.60	Horizontal	Vertical	Pass
1839.790	-25.73	-7.90	-13.0	-12.73	193.40	Horizontal	Vertical	Pass
1938.265	-47.62	-8.33	-13.0	-34.62	27.10	Horizontal	Vertical	Pass
5635.341	-51.29	2.67	-13.0	-38.29	249.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.56.43

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8149.500	-63.97	9.54	-13.0	-50.97	279.00	Horizontal	Vertical	Pass
9480.500	-59.05	14.13	-13.0	-46.05	202.10	Horizontal	Vertical	Pass
10971.000	-56.57	16.93	-13.0	-43.57	105.30	Horizontal	Vertical	Pass
13396.500	-53.93	17.22	-13.0	-40.93	98.30	Horizontal	Vertical	Pass
14854.000	-46.07	25.56	-13.0	-33.07	89.20	Horizontal	Vertical	Pass
16872.500	-41.80	26.20	-13.0	-28.80	241.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_13.38.10

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
99.580	-58.18	-12.60	-13.0	-45.18	278.30	Horizontal	Vertical	Pass
170.857	-56.44	-16.91	-13.0	-43.44	225.10	Horizontal	Vertical	Pass
446.026	-70.86	-3.98	-13.0	-57.86	81.30	Horizontal	Vertical	Pass
1841.290	-40.50	-7.89	-13.0	-27.50	194.80	Horizontal	Vertical	Pass
1968.258	-48.06	-8.05	-13.0	-35.06	34.20	Horizontal	Vertical	Pass
4499.625	-53.36	1.54	-13.0	-40.36	359.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-17_10.12.56

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090001-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7885.500	-63.59	9.49	-13.0	-50.59	5.40	Horizontal	Vertical	Pass
9508.000	-58.79	13.88	-13.0	-45.79	60.10	Horizontal	Vertical	Pass
10850.000	-56.73	16.96	-13.0	-43.73	85.50	Horizontal	Vertical	Pass
13605.500	-53.98	18.33	-13.0	-40.98	127.30	Horizontal	Vertical	Pass
14790.750	-45.98	25.61	-13.0	-32.98	284.90	Horizontal	Vertical	Pass
16699.250	-41.79	25.79	-13.0	-28.79	39.30	Horizontal	Vertical	Pass

LTE-B25-20-HCH-H-TX

Document number : SHE20090001-02AE

Test result

Project Number: Certification

Test Time: 2020-09-15_13.54.06

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
99.338	-58.35	-12.65	-13.0	-45.35	290.10	Horizontal	Vertical	Pass
171.585	-56.42	-16.99	-13.0	-43.42	234.20	Horizontal	Vertical	Pass
460.572	-70.32	-3.99	-13.0	-57.32	128.50	Horizontal	Vertical	Pass
1921.770	-35.72	-8.29	-13.0	-22.72	196.00	Horizontal	Vertical	Pass
1983.254	-48.50	-8.01	-13.0	-35.50	40.10	Horizontal	Vertical	Pass
2435.141	-54.51	-4.74	-13.0	-41.51	272.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-17_10.14.18

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal


Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC_PART22&24&27_FCC_GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7940.500	-63.88	8.91	-13.0	-50.88	131.50	Horizontal	Vertical	Pass
8982.750	-62.97	11.77	-13.0	-49.97	143.10	Horizontal	Vertical	Pass
10506.250	-56.46	16.47	-13.0	-43.46	290.40	Horizontal	Vertical	Pass
13459.750	-55.05	17.54	-13.0	-42.05	244.20	Horizontal	Vertical	Pass
14843.000	-46.03	25.70	-13.0	-33.03	5.40	Horizontal	Vertical	Pass
16693.750	-42.08	25.70	-13.0	-29.08	274.30	Horizontal	Vertical	Pass

LTE-B25-20-LCH-V-TX

Document number : SHE20090001-02AE

Test result

Project Number: Certification

Test Time: 2020-09-15_13.45.30

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC_FCC PART22824827_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.548	-56.01	-20.20	-13.0	-43.01	236.00	Vertical	Vertical	Pass
171.827	-62.28	-17.01	-13.0	-49.28	274.80	Vertical	Vertical	Pass
443.844	-70.02	-4.34	-13.0	-57.02	44.50	Vertical	Vertical	Pass
1840.290	-26.17	-7.89	-13.0	-13.17	194.80	Vertical	Vertical	Pass
1947.263	-47.16	-8.32	-13.0	-34.16	32.50	Vertical	Vertical	Pass
5164.459	-51.92	2.84	-13.0	-38.92	45.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.54.44

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8086.250	-64.29	9.94	-13.0	-51.29	320.00	Vertical	Vertical	Pass
9433.750	-58.97	14.62	-13.0	-45.97	324.70	Vertical	Vertical	Pass
10498.000	-57.19	16.51	-13.0	-44.19	76.40	Vertical	Vertical	Pass
11567.750	-55.73	16.07	-13.0	-42.73	303.70	Vertical	Vertical	Pass
14799.000	-46.17	25.71	-13.0	-33.17	315.30	Vertical	Vertical	Pass
16828.500	-42.04	25.73	-13.0	-29.04	0.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_13.33.29

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.276	-56.68	-20.21	-13.0	-43.68	329.40	Vertical	Vertical	Pass
170.130	-60.70	-16.84	-13.0	-47.70	252.10	Vertical	Vertical	Pass
457.663	-70.70	-3.78	-13.0	-57.70	250.30	Vertical	Vertical	Pass
1840.290	-41.13	-7.89	-13.0	-28.13	191.40	Vertical	Vertical	Pass
1958.760	-47.34	-8.31	-13.0	-34.34	31.00	Vertical	Vertical	Pass
4999.500	-52.62	2.98	-13.0	-39.62	8.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-16_17.52.49

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8083.500	-64.31	9.89	-13.0	-51.31	343.00	Vertical	Vertical	Pass
9409.000	-59.44	15.13	-13.0	-46.44	226.30	Vertical	Vertical	Pass
10470.500	-56.70	16.40	-13.0	-43.70	42.40	Vertical	Vertical	Pass
11510.000	-55.67	16.37	-13.0	-42.67	163.80	Vertical	Vertical	Pass
14521.250	-47.39	24.24	-13.0	-34.39	224.00	Vertical	Vertical	Pass
16883.500	-41.18	26.19	-13.0	-28.18	208.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_13.50.34

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27 FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.548	-56.55	-20.20	-13.0	-43.55	231.80	Vertical	Vertical	Pass
171.100	-60.42	-16.94	-13.0	-47.42	262.00	Vertical	Vertical	Pass
447.238	-71.19	-3.78	-13.0	-58.19	29.40	Vertical	Vertical	Pass
856.476	-65.69	4.39	-13.0	-52.69	155.70	Vertical	Vertical	Pass
1921.270	-35.33	-8.29	-13.0	-22.33	0.30	Vertical	Vertical	Pass
1979.255	-48.84	-8.09	-13.0	-35.84	29.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-17_10.10.28

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090001-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8091.750	-63.85	10.06	-13.0	-50.85	334.10	Vertical	Vertical	Pass
9414.500	-58.71	15.02	-13.0	-45.71	334.10	Vertical	Vertical	Pass
10896.750	-56.58	16.33	-13.0	-43.58	271.60	Vertical	Vertical	Pass
12918.000	-56.12	15.13	-13.0	-43.12	351.90	Vertical	Vertical	Pass
14807.250	-45.35	25.72	-13.0	-32.35	211.50	Vertical	Vertical	Pass
16688.250	-41.60	25.61	-13.0	-28.60	234.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_15.00.34

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A


Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.761	-75.44	-19.83	-13.0	-62.44	133.90	Horizontal	Vertical	Pass
144.674	-71.23	-15.85	-13.0	-58.23	42.50	Horizontal	Vertical	Pass
238.255	-57.12	-3.47	-13.0	-44.12	78.10	Horizontal	Vertical	Pass
627.613	-68.27	-0.53	-13.0	-55.27	252.10	Horizontal	Vertical	Pass
2293.177	-46.50	1.13	-13.0	-33.50	253.50	Horizontal	Vertical	Pass
3003.999	-54.88	-0.74	-13.0	-41.88	21.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_14.52.00

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8083.229	-65.56	9.88	-13.0	-52.56	229.10	Horizontal	Vertical	Pass
9144.464	-61.97	12.39	-13.0	-48.97	182.80	Horizontal	Vertical	Pass
10549.363	-57.85	16.15	-13.0	-44.85	89.40	Horizontal	Vertical	Pass
11599.600	-57.28	16.53	-13.0	-44.28	351.60	Horizontal	Vertical	Pass
14832.792	-48.00	25.71	-13.0	-35.00	142.00	Horizontal	Vertical	Pass
16845.289	-46.24	26.10	-13.0	-33.24	345.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_14.44.29

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC FCC PART22&24&27 FCC LTE B30



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.306	-74.91	-19.79	-13.0	-61.91	108.10	Horizontal	Vertical	Pass
237.286	-57.59	-3.84	-13.0	-44.59	70.80	Horizontal	Vertical	Pass
631.977	-67.65	-0.17	-13.0	-54.65	246.00	Horizontal	Vertical	Pass
1189.953	-56.74	-2.44	-13.0	-43.74	136.20	Horizontal	Vertical	Pass
2290.677	-47.46	1.10	-13.0	-34.46	244.90	Horizontal	Vertical	Pass
4792.552	-52.57	1.94	-13.0	-39.57	226.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_14.50.17

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7852.287	-65.86	8.82	-13.0	-52.86	153.40	Horizontal	Vertical	Pass
9402.899	-59.66	15.25	-13.0	-46.66	256.20	Horizontal	Vertical	Pass
10840.790	-57.34	16.84	-13.0	-44.34	41.30	Horizontal	Vertical	Pass
12168.708	-58.85	14.38	-13.0	-45.85	177.60	Horizontal	Vertical	Pass
14835.541	-47.86	25.71	-13.0	-34.86	359.70	Horizontal	Vertical	Pass
16875.531	-46.22	26.20	-13.0	-33.22	19.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_15.04.20

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC FCC PART22&24&27 FCC LTE B30



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.276	-75.02	-19.82	-13.0	-62.02	150.80	Horizontal	Vertical	Pass
239.710	-57.26	-2.92	-13.0	-44.26	93.10	Horizontal	Vertical	Pass
441.662	-71.67	-3.60	-13.0	-58.67	113.20	Horizontal	Vertical	Pass
1188.453	-56.76	-2.51	-13.0	-43.76	254.70	Horizontal	Vertical	Pass
2291.677	-47.38	1.11	-13.0	-34.38	243.80	Horizontal	Vertical	Pass
2982.004	-54.19	0.88	-13.0	-41.19	1.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_15.10.54

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8162.959	-65.61	9.38	-13.0	-52.61	246.90	Horizontal	Vertical	Pass
9405.649	-59.52	15.20	-13.0	-46.52	113.90	Horizontal	Vertical	Pass
10491.627	-57.82	16.49	-13.0	-44.82	210.10	Horizontal	Vertical	Pass
11827.793	-59.46	13.97	-13.0	-46.46	161.10	Horizontal	Vertical	Pass
14805.299	-47.86	25.72	-13.0	-34.86	214.00	Horizontal	Vertical	Pass
16498.875	-46.06	24.97	-13.0	-33.06	136.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_14.56.59

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC LTE B30



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.849	-69.68	-11.25	-13.0	-56.68	355.30	Vertical	Vertical	Pass
76.791	-68.98	-19.80	-13.0	-55.98	72.70	Vertical	Vertical	Pass
238.983	-62.22	-3.20	-13.0	-49.22	7.90	Vertical	Vertical	Pass
633.432	-69.46	-0.08	-13.0	-56.46	331.60	Vertical	Vertical	Pass
1207.948	-57.24	-2.43	-13.0	-44.24	209.90	Vertical	Vertical	Pass
2292.177	-44.87	1.12	-13.0	-31.87	243.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_14.53.33

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7907.273	-65.34	9.62	-13.0	-52.34	122.80	Vertical	Vertical	Pass
9378.155	-59.61	15.00	-13.0	-46.61	317.30	Vertical	Vertical	Pass
10494.376	-57.92	16.50	-13.0	-44.92	183.80	Vertical	Vertical	Pass
12127.468	-59.28	14.80	-13.0	-46.28	141.10	Vertical	Vertical	Pass
14854.786	-47.50	25.53	-13.0	-34.50	25.20	Vertical	Vertical	Pass
16727.068	-47.04	25.29	-13.0	-34.04	163.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_14.48.16

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A


Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
79.700	-70.68	-19.88	-13.0	-57.68	202.80	Vertical	Vertical	Pass
238.255	-61.62	-3.47	-13.0	-48.62	0.60	Vertical	Vertical	Pass
633.432	-68.98	-0.08	-13.0	-55.98	332.00	Vertical	Vertical	Pass
1208.948	-56.89	-2.49	-13.0	-43.89	177.80	Vertical	Vertical	Pass
2290.677	-47.97	1.10	-13.0	-34.97	237.40	Vertical	Vertical	Pass
4480.630	-52.99	1.14	-13.0	-39.99	172.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_14.49.49

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7852.287	-65.86	8.82	-13.0	-52.86	153.40	Vertical	Vertical	Pass
9402.899	-59.66	15.25	-13.0	-46.66	256.20	Vertical	Vertical	Pass
10491.627	-58.29	16.49	-13.0	-45.29	272.50	Vertical	Vertical	Pass
12168.708	-58.85	14.38	-13.0	-45.85	177.60	Vertical	Vertical	Pass
14835.541	-47.86	25.71	-13.0	-34.86	359.70	Vertical	Vertical	Pass
16922.269	-45.85	26.37	-13.0	-32.85	118.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_15.07.49

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC FCC PART22&24&27 FCC LTE B30



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
35.819	-68.71	-11.18	-13.0	-55.71	60.80	Vertical	Vertical	Pass
77.761	-69.19	-19.83	-13.0	-56.19	151.30	Vertical	Vertical	Pass
238.740	-62.17	-3.29	-13.0	-49.17	7.20	Vertical	Vertical	Pass
633.432	-68.86	-0.08	-13.0	-55.86	334.10	Vertical	Vertical	Pass
2290.677	-49.04	1.10	-13.0	-36.04	238.80	Vertical	Vertical	Pass
2998.500	-53.93	1.74	-13.0	-40.93	27.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_15.09.17

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC_PART22&24&27_FCC_GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7951.262	-65.70	8.71	-13.0	-52.70	225.60	Vertical	Vertical	Pass
9389.153	-60.14	15.16	-13.0	-47.14	99.40	Vertical	Vertical	Pass
10876.531	-57.68	16.61	-13.0	-44.68	0.70	Vertical	Vertical	Pass
12850.537	-58.56	14.71	-13.0	-45.56	288.40	Vertical	Vertical	Pass
14791.552	-47.19	25.62	-13.0	-34.19	3.00	Vertical	Vertical	Pass
16485.129	-45.69	24.43	-13.0	-32.69	223.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-29_11.30.53

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
47.213	-88.81	-11.76	-13.0	-75.81	360.00	Horizontal	Vertical	Pass
237.043	-79.74	-3.93	-13.0	-66.74	132.20	Horizontal	Vertical	Pass
448.693	-76.62	-2.52	-13.0	-63.62	267.10	Horizontal	Vertical	Pass
840.717	-69.43	4.97	-13.0	-56.43	306.20	Horizontal	Vertical	Pass
2299.175	-52.87	1.22	-13.0	-39.87	205.50	Horizontal	Vertical	Pass
5044.489	-51.30	2.81	-13.0	-38.30	7.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-29_11.41.39

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8110.722	-65.40	10.08	-13.0	-52.40	0.00	Horizontal	Vertical	Pass
9394.651	-59.83	15.23	-13.0	-46.83	237.90	Horizontal	Vertical	Pass
10829.793	-57.47	16.68	-13.0	-44.47	228.50	Horizontal	Vertical	Pass
11492.377	-57.83	16.43	-13.0	-44.83	332.10	Horizontal	Vertical	Pass
14733.817	-47.84	25.15	-13.0	-34.84	196.40	Horizontal	Vertical	Pass
16853.537	-45.56	26.20	-13.0	-32.56	234.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-29_11.25.08

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27_FCC LTE B30



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
338.140	-72.59	-7.58	-13.0	-59.59	229.20	Vertical	Vertical	Pass
1194.451	-57.68	-2.24	-13.0	-44.68	150.50	Vertical	Vertical	Pass
2343.164	-53.40	0.61	-13.0	-40.40	296.50	Vertical	Vertical	Pass
2716.571	-52.11	-1.86	-13.0	-39.11	80.60	Vertical	Vertical	Pass
2856.536	-50.60	-0.59	-13.0	-37.60	194.70	Vertical	Vertical	Pass
6745.064	-43.97	8.19	-13.0	-30.97	115.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-29_11.43.46

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC_FCC PART2&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7890.777	-65.41	9.59	-13.0	-52.41	332.30	Vertical	Vertical	Pass
8855.786	-61.96	11.45	-13.0	-48.96	158.70	Vertical	Vertical	Pass
9391.902	-60.18	15.20	-13.0	-47.18	13.40	Vertical	Vertical	Pass
10332.167	-58.04	15.68	-13.0	-45.04	158.70	Vertical	Vertical	Pass
11187.203	-57.05	15.92	-13.0	-44.05	279.70	Vertical	Vertical	Pass
14802.549	-47.90	25.72	-13.0	-34.90	175.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_14.18.47

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27 FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
99.580	-56.96	-11.57	-25.0	-31.96	104.00	Horizontal	Vertical	Pass
171.827	-55.78	-15.67	-25.0	-30.78	220.40	Horizontal	Vertical	Pass
460.330	-69.69	-2.28	-25.0	-44.69	232.50	Horizontal	Vertical	Pass
850.900	-64.20	6.97	-25.0	-39.20	89.90	Horizontal	Vertical	Pass
2489.628	-32.00	3.02	-25.0	-7.00	353.00	Horizontal	Vertical	Pass
5072.482	-52.73	2.69	-25.0	-27.73	305.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-17_10.18.00

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090001-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7448.250	-65.84	7.08	-13.0	-52.84	325.20	Horizontal	Vertical	Pass
9211.000	-61.14	13.70	-13.0	-48.14	334.50	Horizontal	Vertical	Pass
10280.750	-57.12	15.67	-13.0	-44.12	322.90	Horizontal	Vertical	Pass
11479.750	-55.67	16.29	-13.0	-42.67	302.70	Horizontal	Vertical	Pass
14807.250	-46.28	25.72	-13.0	-33.28	127.20	Horizontal	Vertical	Pass
16715.750	-40.43	25.51	-13.0	-27.43	347.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_14.04.08

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
98.853	-57.92	-11.69	-25.0	-32.92	274.60	Horizontal	Vertical	Pass
171.585	-55.76	-15.65	-25.0	-30.76	199.00	Horizontal	Vertical	Pass
461.785	-70.38	-2.44	-25.0	-45.38	112.70	Horizontal	Vertical	Pass
1191.452	-56.33	-2.15	-25.0	-31.33	153.70	Horizontal	Vertical	Pass
2525.619	-51.36	2.50	-25.0	-26.36	344.20	Horizontal	Vertical	Pass
2995.501	-53.08	2.12	-25.0	-28.08	335.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-17_10.19.33

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090001-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8105.500	-64.15	10.15	-13.0	-51.15	346.40	Horizontal	Vertical	Pass
9422.750	-59.25	14.85	-13.0	-46.25	123.00	Horizontal	Vertical	Pass
11573.250	-56.03	16.15	-13.0	-43.03	128.00	Horizontal	Vertical	Pass
13677.000	-53.88	17.75	-13.0	-40.88	323.40	Horizontal	Vertical	Pass
14845.750	-45.77	25.70	-13.0	-32.77	16.00	Horizontal	Vertical	Pass
16891.750	-41.99	26.19	-13.0	-28.99	43.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_14.24.11

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC PART22&24&27_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
99.338	-57.44	-11.61	-25.0	-32.44	90.10	Horizontal	Vertical	Pass
171.585	-55.69	-15.65	-25.0	-30.69	200.80	Horizontal	Vertical	Pass
460.330	-69.88	-2.28	-25.0	-44.88	114.50	Horizontal	Vertical	Pass
1202.449	-55.14	-1.90	-25.0	-30.14	348.50	Horizontal	Vertical	Pass
2697.076	-41.96	-0.74	-25.0	-16.96	93.00	Horizontal	Vertical	Pass
2997.501	-52.88	2.06	-25.0	-27.88	341.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-17_10.16.00

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090001-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7382.250	-66.24	7.31	-13.0	-53.24	189.00	Horizontal	Vertical	Pass
9183.500	-61.46	13.39	-13.0	-48.46	195.70	Horizontal	Vertical	Pass
10272.500	-56.89	15.46	-13.0	-43.89	0.00	Horizontal	Vertical	Pass
11501.750	-56.32	16.49	-13.0	-43.32	70.60	Horizontal	Vertical	Pass
13759.500	-53.43	17.82	-13.0	-40.43	20.50	Horizontal	Vertical	Pass
16875.250	-41.98	26.20	-13.0	-28.98	228.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_14.14.27

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC PART22&24&27_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.518	-56.12	-19.05	-25.0	-31.12	267.10	Vertical	Vertical	Pass
172.312	-62.12	-15.72	-25.0	-37.12	251.20	Vertical	Vertical	Pass
458.148	-69.56	-2.09	-25.0	-44.56	249.50	Vertical	Vertical	Pass
2489.128	-33.29	2.82	-25.0	-8.29	356.70	Vertical	Vertical	Pass
2994.001	-52.82	2.16	-25.0	-27.82	148.60	Vertical	Vertical	Pass
5051.487	-52.73	2.78	-25.0	-27.73	90.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-17_10.23.28

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC FCC PART2&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7915.750	-64.14	9.44	-13.0	-51.14	207.30	Vertical	Vertical	Pass
9409.000	-58.38	15.13	-13.0	-45.38	176.90	Vertical	Vertical	Pass
10748.250	-56.28	16.66	-13.0	-43.28	16.30	Vertical	Vertical	Pass
13195.750	-55.20	15.99	-13.0	-42.20	343.70	Vertical	Vertical	Pass
14818.250	-45.87	25.71	-13.0	-32.87	256.20	Vertical	Vertical	Pass
16858.750	-41.64	26.20	-13.0	-28.64	214.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_14.07.58

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
78.245	-56.54	-19.06	-25.0	-31.54	355.70	Vertical	Vertical	Pass
171.827	-59.78	-15.67	-25.0	-34.78	258.40	Vertical	Vertical	Pass
443.602	-69.91	-2.48	-25.0	-44.91	19.50	Vertical	Vertical	Pass
1186.953	-55.86	-2.38	-25.0	-30.86	182.50	Vertical	Vertical	Pass
2505.124	-50.58	2.92	-25.0	-25.58	272.90	Vertical	Vertical	Pass
4983.504	-52.96	2.75	-25.0	-27.96	2.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-17_10.25.10

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090001-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8133.000	-64.38	9.77	-13.0	-51.38	359.20	Vertical	Vertical	Pass
9409.000	-58.98	15.13	-13.0	-45.98	224.00	Vertical	Vertical	Pass
10979.250	-56.41	16.92	-13.0	-43.41	280.80	Vertical	Vertical	Pass
13756.750	-54.37	17.83	-13.0	-41.37	23.00	Vertical	Vertical	Pass
14837.500	-45.39	25.71	-13.0	-32.39	198.80	Vertical	Vertical	Pass
16924.750	-42.39	26.39	-13.0	-29.39	176.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_14.28.00

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27 FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.276	-56.02	-19.04	-25.0	-31.02	245.30	Vertical	Vertical	Pass
172.312	-60.18	-15.72	-25.0	-35.18	245.30	Vertical	Vertical	Pass
447.481	-69.76	-1.84	-25.0	-44.76	50.90	Vertical	Vertical	Pass
852.597	-64.14	6.87	-25.0	-39.14	262.90	Vertical	Vertical	Pass
2694.576	-40.44	-0.69	-25.0	-15.44	258.90	Vertical	Vertical	Pass
2990.002	-53.72	2.28	-25.0	-28.72	340.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-17_10.21.28

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7896.500	-64.53	9.71	-13.0	-51.53	110.60	Vertical	Vertical	Pass
9406.250	-58.60	15.18	-13.0	-45.60	89.50	Vertical	Vertical	Pass
10294.500	-56.71	16.04	-13.0	-43.71	59.90	Vertical	Vertical	Pass
13613.750	-54.14	18.25	-13.0	-41.14	231.40	Vertical	Vertical	Pass
14834.750	-45.19	25.71	-13.0	-32.19	294.00	Vertical	Vertical	Pass
16691.000	-42.06	25.66	-13.0	-29.06	356.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_14.39.20

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC PART22&24&27 FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
99.580	-57.35	-11.57	-25.0	-32.35	241.90	Horizontal	Vertical	Pass
171.342	-55.33	-15.63	-25.0	-30.33	220.90	Horizontal	Vertical	Pass
462.512	-69.82	-2.52	-25.0	-44.82	123.10	Horizontal	Vertical	Pass
843.142	-64.63	6.10	-25.0	-39.63	131.70	Horizontal	Vertical	Pass
2488.128	-33.22	2.43	-25.0	-8.22	0.10	Horizontal	Vertical	Pass
2997.001	-52.49	2.08	-25.0	-27.49	135.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-17_10.34.16

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal


Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8100.000	-64.35	10.23	-13.0	-51.35	174.80	Horizontal	Vertical	Pass
9381.500	-59.38	15.05	-13.0	-46.38	200.50	Horizontal	Vertical	Pass
10638.250	-56.24	16.00	-13.0	-43.24	228.30	Horizontal	Vertical	Pass
13638.500	-53.71	18.01	-13.0	-40.71	140.40	Horizontal	Vertical	Pass
14826.500	-46.22	25.71	-13.0	-33.22	308.40	Horizontal	Vertical	Pass
16699.250	-41.96	25.79	-13.0	-28.96	66.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_14.35.20

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC_FCC PART2&24&27_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
99.823	-57.40	-11.53	-25.0	-32.40	261.20	Horizontal	Vertical	Pass
171.342	-55.30	-15.63	-25.0	-30.30	220.50	Horizontal	Vertical	Pass
454.269	-69.21	-1.78	-25.0	-44.21	234.50	Horizontal	Vertical	Pass
1199.450	-55.23	-1.78	-25.0	-30.23	288.80	Horizontal	Vertical	Pass
2505.124	-51.25	2.92	-25.0	-26.25	0.00	Horizontal	Vertical	Pass
2990.002	-53.61	2.28	-25.0	-28.61	285.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-17_10.37.20

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7393.250	-65.21	7.43	-13.0	-52.21	77.50	Horizontal	Vertical	Pass
9494.250	-59.04	14.06	-13.0	-46.04	35.20	Horizontal	Vertical	Pass
10759.250	-55.84	16.61	-13.0	-42.84	325.80	Horizontal	Vertical	Pass
13591.750	-53.86	18.30	-13.0	-40.86	7.50	Horizontal	Vertical	Pass
14826.500	-45.74	25.71	-13.0	-32.74	275.20	Horizontal	Vertical	Pass
16913.750	-41.86	26.30	-13.0	-28.86	256.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_15.03.45

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE_FCC_FCC PART22&24&27_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
99.823	-57.22	-11.53	-25.0	-32.22	276.80	Horizontal	Vertical	Pass
171.585	-55.45	-15.65	-25.0	-30.45	202.60	Horizontal	Vertical	Pass
447.723	-69.68	-1.80	-25.0	-44.68	54.80	Horizontal	Vertical	Pass
1194.451	-55.85	-2.01	-25.0	-30.85	297.70	Horizontal	Vertical	Pass
2693.577	-41.24	-0.67	-25.0	-16.24	359.50	Horizontal	Vertical	Pass
4980.505	-52.64	2.71	-25.0	-27.64	38.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-17_10.32.46

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090001-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8091.750	-63.81	10.06	-13.0	-50.81	216.70	Horizontal	Vertical	Pass
9436.500	-59.25	14.57	-13.0	-46.25	209.80	Horizontal	Vertical	Pass
10778.500	-56.43	16.44	-13.0	-43.43	330.10	Horizontal	Vertical	Pass
13583.500	-53.94	18.22	-13.0	-40.94	251.10	Horizontal	Vertical	Pass
14804.500	-45.83	25.72	-13.0	-32.83	352.40	Horizontal	Vertical	Pass
16693.750	-42.39	25.70	-13.0	-29.39	311.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_14.56.09

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.518	-56.02	-19.05	-25.0	-31.02	216.90	Vertical	Vertical	Pass
171.100	-60.18	-15.60	-25.0	-35.18	262.80	Vertical	Vertical	Pass
445.541	-69.91	-2.16	-25.0	-44.91	42.00	Vertical	Vertical	Pass
1195.451	-55.79	-1.97	-25.0	-30.79	312.00	Vertical	Vertical	Pass
2489.128	-33.39	2.82	-25.0	-8.39	0.40	Vertical	Vertical	Pass
2991.002	-53.13	2.25	-25.0	-28.13	327.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-17_10.29.35

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090001-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8097.250	-64.10	10.17	-13.0	-51.10	110.90	Vertical	Vertical	Pass
9403.500	-59.31	15.24	-13.0	-46.31	190.50	Vertical	Vertical	Pass
10907.750	-56.64	16.39	-13.0	-43.64	262.70	Vertical	Vertical	Pass
12940.000	-56.61	15.09	-13.0	-43.61	53.10	Vertical	Vertical	Pass
14848.500	-45.74	25.70	-13.0	-32.74	55.60	Vertical	Vertical	Pass
16713.000	-41.77	25.56	-13.0	-28.77	32.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_14.31.46

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART2&24827_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.033	-55.39	-19.03	-25.0	-30.39	278.40	Vertical	Vertical	Pass
171.342	-61.96	-15.63	-25.0	-36.96	290.70	Vertical	Vertical	Pass
449.178	-69.48	-1.56	-25.0	-44.48	42.40	Vertical	Vertical	Pass
839.505	-64.95	5.58	-25.0	-39.95	63.70	Vertical	Vertical	Pass
2506.123	-51.21	2.90	-25.0	-26.21	216.50	Vertical	Vertical	Pass
2993.502	-53.53	2.18	-25.0	-28.53	326.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-17_10.31.15

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal


Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8089.000	-63.74	10.00	-13.0	-50.74	293.50	Vertical	Vertical	Pass
9497.000	-59.22	14.05	-13.0	-46.22	3.50	Vertical	Vertical	Pass
11512.750	-55.08	16.33	-13.0	-42.08	100.80	Vertical	Vertical	Pass
13644.000	-54.13	17.96	-13.0	-41.13	174.70	Vertical	Vertical	Pass
14854.000	-45.74	25.56	-13.0	-32.74	330.60	Vertical	Vertical	Pass
16861.500	-41.57	26.20	-13.0	-28.57	179.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_15.00.08

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CCC_FCC PART22&24&27_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.276	-55.99	-19.04	-25.0	-30.99	349.20	Vertical	Vertical	Pass
117.036	-55.43	-11.01	-25.0	-30.43	147.50	Vertical	Vertical	Pass
241.165	-65.26	-2.31	-25.0	-40.26	296.50	Vertical	Vertical	Pass
447.238	-68.87	-1.88	-25.0	-43.87	35.20	Vertical	Vertical	Pass
1193.452	-55.29	-2.06	-25.0	-30.29	49.90	Vertical	Vertical	Pass
2694.076	-41.64	-0.68	-25.0	-16.64	261.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-17_10.26.59

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090001-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7877.250	-64.76	9.32	-13.0	-51.76	76.60	Vertical	Vertical	Pass
9398.000	-58.87	15.28	-13.0	-45.87	262.90	Vertical	Vertical	Pass
10993.000	-55.52	16.90	-13.0	-42.52	18.20	Vertical	Vertical	Pass
13575.250	-54.86	18.14	-13.0	-41.86	60.00	Vertical	Vertical	Pass
14796.250	-45.08	25.67	-13.0	-32.08	148.00	Vertical	Vertical	Pass
16941.250	-41.87	26.52	-13.0	-28.87	212.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_15.21.00

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27 FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
100.065	-57.28	-11.51	-25.0	-32.28	250.80	Horizontal	Vertical	Pass
167.706	-58.37	-15.26	-25.0	-33.37	222.70	Horizontal	Vertical	Pass
446.026	-69.04	-2.08	-25.0	-44.04	37.80	Horizontal	Vertical	Pass
849.688	-64.29	6.99	-25.0	-39.29	150.50	Horizontal	Vertical	Pass
2488.628	-34.87	2.63	-25.0	-9.87	349.50	Horizontal	Vertical	Pass
2994.501	-53.55	2.15	-25.0	-28.55	93.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-17_10.40.46

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090001-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7407.000	-65.73	7.44	-13.0	-52.73	253.30	Horizontal	Vertical	Pass
9516.250	-59.06	13.73	-13.0	-46.06	49.00	Horizontal	Vertical	Pass
10960.000	-56.54	16.95	-13.0	-43.54	118.70	Horizontal	Vertical	Pass
12211.250	-57.62	13.93	-13.0	-44.62	350.60	Horizontal	Vertical	Pass
14845.750	-45.86	25.70	-13.0	-32.86	344.00	Horizontal	Vertical	Pass
16699.250	-42.34	25.79	-13.0	-29.34	339.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_15.07.57

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART2&24&27 FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
100.065	-57.74	-11.51	-25.0	-32.74	264.30	Horizontal	Vertical	Pass
172.069	-55.43	-15.69	-25.0	-30.43	225.80	Horizontal	Vertical	Pass
460.815	-69.35	-2.33	-25.0	-44.35	285.30	Horizontal	Vertical	Pass
847.506	-65.30	6.69	-25.0	-40.30	248.50	Horizontal	Vertical	Pass
2587.103	-49.44	1.26	-25.0	-24.44	34.70	Horizontal	Vertical	Pass
4503.624	-54.88	1.50	-25.0	-29.88	94.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-17_10.42.34

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090001-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7987.250	-64.61	8.93	-13.0	-51.61	320.90	Horizontal	Vertical	Pass
9502.500	-59.09	13.98	-13.0	-46.09	156.40	Horizontal	Vertical	Pass
10506.250	-55.81	16.47	-13.0	-42.81	311.80	Horizontal	Vertical	Pass
13006.000	-55.96	15.25	-13.0	-42.96	339.20	Horizontal	Vertical	Pass
14826.500	-46.26	25.71	-13.0	-33.26	13.50	Horizontal	Vertical	Pass
16858.750	-41.28	26.20	-13.0	-28.28	45.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_15.27.17

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
100.065	-57.43	-11.51	-25.0	-32.43	279.70	Horizontal	Vertical	Pass
172.069	-55.25	-15.69	-25.0	-30.25	223.40	Horizontal	Vertical	Pass
460.572	-70.14	-2.30	-25.0	-45.14	86.00	Horizontal	Vertical	Pass
849.930	-64.40	7.02	-25.0	-39.40	248.10	Horizontal	Vertical	Pass
2695.076	-39.67	-0.70	-25.0	-14.67	186.10	Horizontal	Vertical	Pass
5026.493	-53.05	2.88	-25.0	-28.05	264.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-17_10.38.48

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090001-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7910.250	-64.72	9.56	-13.0	-51.72	359.80	Horizontal	Vertical	Pass
9384.250	-58.79	15.09	-13.0	-45.79	360.00	Horizontal	Vertical	Pass
10850.000	-56.64	16.96	-13.0	-43.64	231.50	Horizontal	Vertical	Pass
13594.500	-53.91	18.33	-13.0	-40.91	215.50	Horizontal	Vertical	Pass
14834.750	-45.97	25.71	-13.0	-32.97	85.00	Horizontal	Vertical	Pass
16845.000	-41.83	26.10	-13.0	-28.83	36.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_15.17.19

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC PART22&24&27_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.791	-55.89	-19.03	-25.0	-30.89	267.60	Vertical	Vertical	Pass
172.069	-61.98	-15.69	-25.0	-36.98	283.40	Vertical	Vertical	Pass
447.481	-69.65	-1.84	-25.0	-44.65	38.50	Vertical	Vertical	Pass
1199.450	-55.87	-1.78	-25.0	-30.87	175.50	Vertical	Vertical	Pass
2487.628	-35.41	2.24	-25.0	-10.41	358.90	Vertical	Vertical	Pass
5133.467	-52.83	2.71	-25.0	-27.83	233.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-17_10.45.52

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090001-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7899.250	-64.32	9.76	-13.0	-51.32	139.90	Vertical	Vertical	Pass
9403.500	-58.78	15.24	-13.0	-45.78	92.20	Vertical	Vertical	Pass
10855.500	-56.34	16.89	-13.0	-43.34	311.90	Vertical	Vertical	Pass
11507.250	-54.99	16.41	-13.0	-41.99	221.50	Vertical	Vertical	Pass
14834.750	-46.00	25.71	-13.0	-33.00	190.60	Vertical	Vertical	Pass
16674.500	-42.57	25.39	-13.0	-29.57	254.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_15.13.29

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
78.245	-56.39	-19.06	-25.0	-31.39	323.80	Vertical	Vertical	Pass
171.585	-59.89	-15.65	-25.0	-34.89	259.60	Vertical	Vertical	Pass
444.329	-69.45	-2.36	-25.0	-44.45	40.10	Vertical	Vertical	Pass
1197.951	-55.03	-1.85	-25.0	-30.03	127.70	Vertical	Vertical	Pass
2473.632	-37.28	-1.03	-25.0	-12.28	331.50	Vertical	Vertical	Pass
2992.502	-52.55	2.21	-25.0	-27.55	35.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-17_10.47.45

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090001-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8102.750	-64.02	10.19	-13.0	-51.02	313.80	Vertical	Vertical	Pass
9447.500	-59.02	14.35	-13.0	-46.02	290.90	Vertical	Vertical	Pass
10847.250	-55.97	16.93	-13.0	-42.97	281.50	Vertical	Vertical	Pass
13440.500	-54.63	17.53	-13.0	-41.63	79.10	Vertical	Vertical	Pass
14818.250	-45.31	25.71	-13.0	-32.31	341.30	Vertical	Vertical	Pass
16710.250	-42.06	25.61	-13.0	-29.06	339.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_15.30.47

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27 FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.548	-55.88	-19.02	-25.0	-30.88	212.20	Vertical	Vertical	Pass
171.827	-60.47	-15.67	-25.0	-35.47	252.50	Vertical	Vertical	Pass
446.753	-69.37	-1.96	-25.0	-44.37	45.20	Vertical	Vertical	Pass
848.960	-65.51	6.89	-25.0	-40.51	52.30	Vertical	Vertical	Pass
2694.076	-37.87	-0.68	-25.0	-12.87	246.00	Vertical	Vertical	Pass
2954.011	-53.64	0.69	-25.0	-28.64	11.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-17_10.44.13

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090001-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8108.250	-63.22	10.12	-13.0	-50.22	327.90	Vertical	Vertical	Pass
9692.250	-59.04	13.93	-13.0	-46.04	133.50	Vertical	Vertical	Pass
11026.000	-55.57	16.53	-13.0	-42.57	149.80	Vertical	Vertical	Pass
13671.500	-53.24	17.78	-13.0	-40.24	345.70	Vertical	Vertical	Pass
14799.000	-45.75	25.71	-13.0	-32.75	359.30	Vertical	Vertical	Pass
16495.750	-42.54	24.85	-13.0	-29.54	0.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_15.42.39

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27 FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
99.338	-58.18	-11.61	-25.0	-33.18	252.00	Horizontal	Vertical	Pass
172.069	-55.59	-15.69	-25.0	-30.59	208.20	Horizontal	Vertical	Pass
446.996	-70.47	-1.92	-25.0	-45.47	234.40	Horizontal	Vertical	Pass
850.172	-65.57	7.02	-25.0	-40.57	337.20	Horizontal	Vertical	Pass
2487.628	-36.96	2.24	-25.0	-11.96	353.60	Horizontal	Vertical	Pass
5095.476	-53.35	2.60	-25.0	-28.35	61.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-18_09.44.14

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090001-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7910.250	-64.55	9.56	-13.0	-51.55	149.80	Horizontal	Vertical	Pass
9343.000	-59.54	14.43	-13.0	-46.54	7.90	Horizontal	Vertical	Pass
10302.750	-57.48	16.14	-13.0	-44.48	47.20	Horizontal	Vertical	Pass
10935.250	-55.99	16.76	-13.0	-42.99	66.00	Horizontal	Vertical	Pass
12907.000	-56.12	15.16	-13.0	-43.12	103.10	Horizontal	Vertical	Pass
14194.000	-52.22	20.64	-13.0	-39.22	360.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_15.39.01

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
100.307	-57.44	-11.54	-25.0	-32.44	261.20	Horizontal	Vertical	Pass
172.312	-56.05	-15.72	-25.0	-31.05	222.40	Horizontal	Vertical	Pass
449.905	-70.38	-1.45	-25.0	-45.38	46.20	Horizontal	Vertical	Pass
1199.450	-56.21	-1.78	-25.0	-31.21	105.90	Horizontal	Vertical	Pass
2586.603	-49.33	1.27	-25.0	-24.33	349.00	Horizontal	Vertical	Pass
5165.459	-52.81	2.84	-25.0	-27.81	134.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-18_09.42.38

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22824827_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7968.000	-64.59	8.81	-13.0	-51.59	350.40	Horizontal	Vertical	Pass
8859.000	-64.01	11.37	-13.0	-51.01	200.60	Horizontal	Vertical	Pass
9428.250	-59.05	14.74	-13.0	-46.05	320.50	Horizontal	Vertical	Pass
10256.000	-57.03	15.02	-13.0	-44.03	292.60	Horizontal	Vertical	Pass
12882.250	-57.18	15.00	-13.0	-44.18	137.40	Horizontal	Vertical	Pass
13734.750	-54.06	17.78	-13.0	-41.06	14.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_15.54.05

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27 FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
99.580	-57.28	-11.57	-25.0	-32.28	85.20	Horizontal	Vertical	Pass
171.585	-55.49	-15.65	-25.0	-30.49	210.30	Horizontal	Vertical	Pass
448.935	-68.98	-1.60	-25.0	-43.98	59.00	Horizontal	Vertical	Pass
850.900	-65.05	6.97	-25.0	-40.05	185.80	Horizontal	Vertical	Pass
2693.577	-37.59	-0.67	-25.0	-12.59	245.00	Horizontal	Vertical	Pass
2991.502	-53.76	2.24	-25.0	-28.76	2.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-18_09.45.51

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7484.000	-65.98	7.14	-13.0	-52.98	0.20	Horizontal	Vertical	Pass
8683.000	-65.13	9.70	-13.0	-52.13	54.10	Horizontal	Vertical	Pass
9411.750	-59.36	15.07	-13.0	-46.36	119.30	Horizontal	Vertical	Pass
10291.750	-57.32	15.96	-13.0	-44.32	185.50	Horizontal	Vertical	Pass
11534.750	-55.55	16.02	-13.0	-42.55	194.90	Horizontal	Vertical	Pass
14562.500	-47.68	24.32	-13.0	-34.68	11.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_15.46.12

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.761	-55.34	-19.05	-25.0	-30.34	261.40	Vertical	Vertical	Pass
172.312	-60.51	-15.72	-25.0	-35.51	287.80	Vertical	Vertical	Pass
451.360	-70.16	-1.54	-25.0	-45.16	36.00	Vertical	Vertical	Pass
862.052	-65.30	6.20	-25.0	-40.30	194.90	Vertical	Vertical	Pass
2488.128	-36.70	2.43	-25.0	-11.70	348.80	Vertical	Vertical	Pass
2992.002	-53.60	2.22	-25.0	-28.60	327.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-18_09.14.23

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7434.500	-65.55	7.20	-13.0	-52.55	109.00	Vertical	Vertical	Pass
9417.250	-59.18	14.96	-13.0	-46.18	254.70	Vertical	Vertical	Pass
10316.500	-57.08	15.92	-13.0	-44.08	23.30	Vertical	Vertical	Pass
11515.500	-56.31	16.29	-13.0	-43.31	137.90	Vertical	Vertical	Pass
13597.250	-54.30	18.35	-13.0	-41.30	128.30	Vertical	Vertical	Pass
14521.250	-48.97	24.24	-13.0	-35.97	329.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_15.35.03

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART2&24&27_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.791	-55.27	-19.03	-25.0	-30.27	242.80	Vertical	Vertical	Pass
172.069	-62.26	-15.69	-25.0	-37.26	293.70	Vertical	Vertical	Pass
444.814	-69.55	-2.28	-25.0	-44.55	48.10	Vertical	Vertical	Pass
848.233	-64.95	6.79	-25.0	-39.95	14.80	Vertical	Vertical	Pass
2586.103	-50.08	1.28	-25.0	-25.08	359.20	Vertical	Vertical	Pass
2996.501	-52.92	2.09	-25.0	-27.92	50.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-18_09.39.52

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 20.1
 Hum.: 54

Test Engineer: XCJ
 Test Standard: FCC
 Work Addition: normal
 Load: full load
 Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC_PCC PART22824827_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7673.750	-65.58	7.82	-13.0	-52.58	186.30	Vertical	Vertical	Pass
9378.750	-59.82	15.01	-13.0	-46.82	343.20	Vertical	Vertical	Pass
10509.000	-56.84	16.45	-13.0	-43.84	174.70	Vertical	Vertical	Pass
11512.750	-56.16	16.33	-13.0	-43.16	333.80	Vertical	Vertical	Pass
13616.500	-53.80	18.22	-13.0	-40.80	186.30	Vertical	Vertical	Pass
14565.250	-47.95	24.34	-13.0	-34.95	8.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-15_15.50.09

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27 FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.761	-55.41	-19.05	-25.0	-30.41	316.80	Vertical	Vertical	Pass
173.039	-63.30	-15.79	-25.0	-38.30	279.70	Vertical	Vertical	Pass
447.966	-68.87	-1.76	-25.0	-43.87	41.20	Vertical	Vertical	Pass
838.778	-64.92	5.45	-25.0	-39.92	307.90	Vertical	Vertical	Pass
2698.575	-38.28	-0.76	-25.0	-13.28	252.60	Vertical	Vertical	Pass
2991.502	-53.86	2.24	-25.0	-28.86	312.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-09-17_10.49.23

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8083.500	-64.59	9.89	-13.0	-51.59	212.50	Vertical	Vertical	Pass
9450.250	-59.15	14.29	-13.0	-46.15	0.90	Vertical	Vertical	Pass
10869.250	-55.92	16.71	-13.0	-42.92	120.30	Vertical	Vertical	Pass
13107.750	-55.98	14.76	-13.0	-42.98	113.10	Vertical	Vertical	Pass
14840.250	-46.19	25.70	-13.0	-33.19	255.00	Vertical	Vertical	Pass
16878.000	-42.37	26.20	-13.0	-29.37	127.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_15.26.54

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.910	-75.93	-11.39	-13.0	-62.93	49.10	Horizontal	Vertical	Pass
78.003	-73.70	-19.25	-13.0	-60.70	130.70	Horizontal	Vertical	Pass
239.953	-53.49	-1.47	-13.0	-40.49	92.80	Horizontal	Vertical	Pass
623.734	-67.07	-0.64	-13.0	-54.07	246.80	Horizontal	Vertical	Pass
1703.412	-49.31	-9.80	-13.0	-36.31	271.20	Horizontal	Vertical	Pass
2110.361	-39.42	-5.55	-13.0	-26.42	360.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_15.35.02

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7956.761	-65.76	8.74	-13.0	-52.76	336.50	Horizontal	Vertical	Pass
9507.373	-60.25	13.90	-13.0	-47.25	113.60	Horizontal	Vertical	Pass
10461.385	-57.63	16.36	-13.0	-44.63	302.00	Horizontal	Vertical	Pass
12102.724	-59.22	14.92	-13.0	-46.22	302.00	Horizontal	Vertical	Pass
14637.591	-47.21	25.02	-13.0	-34.21	293.60	Horizontal	Vertical	Pass
16716.071	-46.94	25.50	-13.0	-33.94	342.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_15.15.17

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC FCC PART22&24&27 FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.518	-73.93	-19.12	-13.0	-60.93	131.40	Horizontal	Vertical	Pass
239.225	-52.87	-1.94	-13.0	-39.87	89.70	Horizontal	Vertical	Pass
452.572	-69.84	-1.38	-13.0	-56.84	113.70	Horizontal	Vertical	Pass
1194.226	-57.99	-3.95	-13.0	-44.99	165.10	Horizontal	Vertical	Pass
2144.607	-38.40	-4.96	-13.0	-25.40	306.80	Horizontal	Vertical	Pass
5095.738	-40.77	2.60	-13.0	-27.77	235.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_15.22.41

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7877.031	-64.65	9.32	-13.0	-51.65	219.20	Horizontal	Vertical	Pass
9482.629	-59.72	14.12	-13.0	-46.72	184.40	Horizontal	Vertical	Pass
10477.881	-57.41	16.43	-13.0	-44.41	219.20	Horizontal	Vertical	Pass
11607.848	-57.78	16.34	-13.0	-44.78	89.30	Horizontal	Vertical	Pass
13174.956	-57.28	15.53	-13.0	-44.28	93.50	Horizontal	Vertical	Pass
14742.064	-47.87	25.12	-13.0	-34.87	267.60	Horizontal	Vertical	Pass
16892.027	-45.79	26.19	-13.0	-32.79	109.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_15.41.43

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A


Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.607	-75.03	-11.74	-13.0	-62.03	0.00	Horizontal	Vertical	Pass
76.306	-71.73	-18.80	-13.0	-58.73	0.00	Horizontal	Vertical	Pass
239.953	-53.77	-1.47	-13.0	-40.77	94.10	Horizontal	Vertical	Pass
643.129	-66.83	1.13	-13.0	-53.83	260.20	Horizontal	Vertical	Pass
2179.353	-39.02	-4.66	-13.0	-26.02	314.50	Horizontal	Vertical	Pass
4106.362	-43.16	0.93	-13.0	-30.16	67.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_15.36.33

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8118.970	-65.84	9.97	-13.0	-52.84	115.60	Horizontal	Vertical	Pass
9380.905	-60.22	15.04	-13.0	-47.22	115.60	Horizontal	Vertical	Pass
10508.123	-57.76	16.46	-13.0	-44.76	30.80	Horizontal	Vertical	Pass
11616.096	-57.72	16.12	-13.0	-44.72	85.40	Horizontal	Vertical	Pass
14832.792	-47.47	25.71	-13.0	-34.47	10.30	Horizontal	Vertical	Pass
16870.032	-44.99	26.20	-13.0	-31.99	204.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_15.31.04

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.849	-66.09	-11.68	-13.0	-53.09	278.00	Vertical	Vertical	Pass
77.033	-66.65	-18.99	-13.0	-53.65	98.10	Vertical	Vertical	Pass
240.195	-60.06	-1.55	-13.0	-47.06	7.70	Vertical	Vertical	Pass
453.299	-71.03	-1.28	-13.0	-58.03	120.10	Vertical	Vertical	Pass
1702.662	-54.77	-9.81	-13.0	-41.77	271.00	Vertical	Vertical	Pass
2110.361	-40.10	-5.55	-13.0	-27.10	0.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_15.32.39

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7901.775	-65.51	9.74	-13.0	-52.51	114.20	Vertical	Vertical	Pass
9444.139	-60.35	14.41	-13.0	-47.35	197.20	Vertical	Vertical	Pass
10444.889	-57.32	16.25	-13.0	-44.32	108.10	Vertical	Vertical	Pass
11657.336	-58.74	15.13	-13.0	-45.74	85.80	Vertical	Vertical	Pass
14654.086	-47.91	25.18	-13.0	-34.91	203.40	Vertical	Vertical	Pass
16496.126	-47.80	24.86	-13.0	-34.80	230.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_15.19.01

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.548	-66.74	-18.86	-13.0	-53.74	60.70	Vertical	Vertical	Pass
239.953	-58.85	-1.47	-13.0	-45.85	19.00	Vertical	Vertical	Pass
452.329	-70.79	-1.42	-13.0	-57.79	114.10	Vertical	Vertical	Pass
1200.975	-58.39	-3.73	-13.0	-45.39	288.60	Vertical	Vertical	Pass
2144.607	-39.64	-4.96	-13.0	-26.64	299.00	Vertical	Vertical	Pass
4502.812	-42.75	1.51	-13.0	-29.75	360.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_15.20.50

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7954.011	-65.71	8.72	-13.0	-52.71	122.50	Vertical	Vertical	Pass
8864.034	-62.57	11.24	-13.0	-49.57	100.50	Vertical	Vertical	Pass
9391.902	-59.39	15.20	-13.0	-46.39	241.10	Vertical	Vertical	Pass
10854.536	-57.70	16.90	-13.0	-44.70	232.90	Vertical	Vertical	Pass
12993.502	-58.79	15.30	-13.0	-45.79	81.50	Vertical	Vertical	Pass
14813.547	-47.83	25.71	-13.0	-34.83	349.00	Vertical	Vertical	Pass
16861.785	-44.73	26.20	-13.0	-31.73	92.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_15.45.18

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A


Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
75.821	-66.33	-18.67	-13.0	-53.33	56.60	Vertical	Vertical	Pass
239.953	-60.16	-1.47	-13.0	-47.16	0.20	Vertical	Vertical	Pass
456.208	-71.28	-1.00	-13.0	-58.28	113.70	Vertical	Vertical	Pass
1199.975	-58.66	-3.68	-13.0	-45.66	225.10	Vertical	Vertical	Pass
2179.103	-39.10	-4.66	-13.0	-26.10	317.50	Vertical	Vertical	Pass
5199.725	-40.44	2.98	-13.0	-27.44	201.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_15.37.58

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7901.775	-65.50	9.74	-13.0	-52.50	204.80	Horizontal	Vertical	Pass
9400.150	-60.16	15.31	-13.0	-47.16	51.30	Horizontal	Vertical	Pass
10843.539	-57.62	16.87	-13.0	-44.62	43.40	Horizontal	Vertical	Pass
13180.455	-57.90	15.65	-13.0	-44.90	267.30	Horizontal	Vertical	Pass
14802.549	-47.83	25.72	-13.0	-34.83	294.00	Horizontal	Vertical	Pass
16859.035	-46.17	26.20	-13.0	-33.17	259.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_16.22.08

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC FCC PART22&24&27 FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.033	-73.33	-18.99	-13.0	-60.33	101.30	Horizontal	Vertical	Pass
148.795	-71.65	-14.35	-13.0	-58.65	69.70	Horizontal	Vertical	Pass
240.195	-53.80	-1.55	-13.0	-40.80	87.20	Horizontal	Vertical	Pass
455.724	-69.70	-0.94	-13.0	-56.70	63.80	Horizontal	Vertical	Pass
1702.662	-42.67	-9.81	-13.0	-29.67	274.30	Horizontal	Vertical	Pass
2111.361	-37.67	-5.53	-13.0	-24.67	357.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_16.24.16

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC_PART22&24&27_FCC_GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7907.273	-65.77	9.62	-13.0	-52.77	181.10	Horizontal	Vertical	Pass
9446.888	-59.25	14.36	-13.0	-46.25	310.70	Horizontal	Vertical	Pass
10835.291	-57.31	16.76	-13.0	-44.31	61.40	Horizontal	Vertical	Pass
11497.876	-57.47	16.49	-13.0	-44.47	336.90	Horizontal	Vertical	Pass
14634.841	-47.56	24.99	-13.0	-34.56	354.90	Horizontal	Vertical	Pass
16787.553	-47.21	25.05	-13.0	-34.21	334.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_16.09.02

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.791	-73.46	-18.93	-13.0	-60.46	134.40	Horizontal	Vertical	Pass
239.710	-54.30	-1.63	-13.0	-41.30	83.20	Horizontal	Vertical	Pass
618.885	-67.16	-0.68	-13.0	-54.16	259.30	Horizontal	Vertical	Pass
1196.975	-58.13	-3.82	-13.0	-45.13	26.60	Horizontal	Vertical	Pass
2144.357	-36.87	-4.96	-13.0	-23.87	341.60	Horizontal	Vertical	Pass
3943.882	-45.19	-0.83	-13.0	-32.19	35.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_16.04.59

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7857.786	-65.58	8.93	-13.0	-52.58	1.50	Horizontal	Vertical	Pass
9400.150	-59.95	15.31	-13.0	-46.95	67.60	Horizontal	Vertical	Pass
10827.043	-57.49	16.64	-13.0	-44.49	55.00	Horizontal	Vertical	Pass
12798.300	-59.20	14.87	-13.0	-46.20	311.20	Horizontal	Vertical	Pass
14706.323	-48.12	25.23	-13.0	-35.12	73.80	Horizontal	Vertical	Pass
16501.625	-46.29	24.96	-13.0	-33.29	298.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_15.56.52

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.791	-72.39	-18.93	-13.0	-59.39	111.90	Horizontal	Vertical	Pass
240.195	-53.60	-1.55	-13.0	-40.60	88.20	Horizontal	Vertical	Pass
455.239	-69.99	-1.01	-13.0	-56.99	122.00	Horizontal	Vertical	Pass
552.214	-71.56	-3.53	-13.0	-58.56	76.10	Horizontal	Vertical	Pass
1792.151	-48.86	-8.56	-13.0	-35.86	63.60	Horizontal	Vertical	Pass
2177.603	-37.81	-4.70	-13.0	-24.81	357.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_15.58.18

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7907.273	-65.13	9.62	-13.0	-52.13	0.00	Horizontal	Vertical	Pass
8844.789	-62.34	11.53	-13.0	-49.34	27.60	Horizontal	Vertical	Pass
10887.528	-57.61	16.46	-13.0	-44.61	272.20	Horizontal	Vertical	Pass
12823.044	-58.61	14.79	-13.0	-45.61	308.30	Horizontal	Vertical	Pass
14541.365	-47.33	24.24	-13.0	-34.33	48.40	Horizontal	Vertical	Pass
16861.785	-46.14	26.20	-13.0	-33.14	170.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_16.17.19

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.122	-69.75	-11.86	-13.0	-56.75	273.90	Vertical	Vertical	Pass
76.306	-66.17	-18.80	-13.0	-53.17	89.90	Vertical	Vertical	Pass
240.195	-60.44	-1.55	-13.0	-47.44	3.50	Vertical	Vertical	Pass
448.935	-70.91	-1.98	-13.0	-57.91	129.20	Vertical	Vertical	Pass
1702.412	-44.19	-9.82	-13.0	-31.19	270.70	Vertical	Vertical	Pass
2112.111	-38.01	-5.52	-13.0	-25.01	0.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_16.25.00

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7646.088	-66.18	7.87	-13.0	-53.18	75.50	Vertical	Vertical	Pass
8831.042	-62.75	11.37	-13.0	-49.75	310.70	Vertical	Vertical	Pass
9446.888	-59.25	14.36	-13.0	-46.25	310.70	Vertical	Vertical	Pass
10835.291	-57.31	16.76	-13.0	-44.31	61.40	Vertical	Vertical	Pass
13216.196	-56.85	15.98	-13.0	-43.85	2.70	Vertical	Vertical	Pass
14634.841	-47.56	24.99	-13.0	-34.56	354.90	Vertical	Vertical	Pass
16834.291	-45.90	25.86	-13.0	-32.90	85.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_16.13.09

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.306	-66.40	-18.80	-13.0	-53.40	87.90	Vertical	Vertical	Pass
240.680	-60.43	-1.82	-13.0	-47.43	4.90	Vertical	Vertical	Pass
454.269	-69.86	-1.14	-13.0	-56.86	123.50	Vertical	Vertical	Pass
646.523	-68.57	1.25	-13.0	-55.57	78.30	Vertical	Vertical	Pass
2144.357	-36.91	-4.96	-13.0	-23.91	310.20	Vertical	Vertical	Pass
4757.280	-40.93	1.78	-13.0	-27.93	272.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_16.01.44

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7943.014	-66.09	8.85	-13.0	-53.09	171.40	Vertical	Vertical	Pass
9413.897	-59.91	15.03	-13.0	-46.91	79.80	Vertical	Vertical	Pass
10777.556	-57.15	16.45	-13.0	-44.15	50.90	Vertical	Vertical	Pass
13152.962	-57.39	15.05	-13.0	-44.39	55.10	Vertical	Vertical	Pass
14491.877	-47.58	23.98	-13.0	-34.58	208.00	Vertical	Vertical	Pass
16501.625	-47.33	24.96	-13.0	-34.33	22.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_15.52.21

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.849	-68.05	-11.68	-13.0	-55.05	263.40	Vertical	Vertical	Pass
75.579	-66.85	-18.61	-13.0	-53.85	77.90	Vertical	Vertical	Pass
239.953	-59.94	-1.47	-13.0	-46.94	0.30	Vertical	Vertical	Pass
854.294	-66.36	4.97	-13.0	-53.36	356.50	Vertical	Vertical	Pass
1793.651	-48.49	-8.54	-13.0	-35.49	51.10	Vertical	Vertical	Pass
2178.103	-37.86	-4.69	-13.0	-24.86	306.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_15.59.55

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7750.562	-65.52	8.16	-13.0	-52.52	291.60	Vertical	Vertical	Pass
9389.153	-60.36	15.16	-13.0	-47.36	295.50	Vertical	Vertical	Pass
10477.881	-57.51	16.43	-13.0	-44.51	40.50	Vertical	Vertical	Pass
12792.802	-58.63	14.85	-13.0	-45.63	293.60	Vertical	Vertical	Pass
14700.825	-48.34	25.25	-13.0	-35.34	165.00	Vertical	Vertical	Pass
16702.324	-46.44	25.76	-13.0	-33.44	112.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_16.39.29

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
78.245	-74.04	-19.17	-13.0	-61.04	134.00	Horizontal	Vertical	Pass
236.801	-54.47	-3.49	-13.0	-41.47	96.80	Horizontal	Vertical	Pass
455.481	-70.84	-0.97	-13.0	-57.84	86.50	Horizontal	Vertical	Pass
641.675	-65.92	0.99	-13.0	-52.92	62.50	Horizontal	Vertical	Pass
1702.662	-41.00	-9.81	-13.0	-28.00	221.00	Horizontal	Vertical	Pass
2112.111	-36.19	-5.52	-13.0	-23.19	0.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_16.51.46

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7899.025	-65.25	9.76	-13.0	-52.25	241.60	Horizontal	Vertical	Pass
9402.899	-60.02	15.25	-13.0	-47.02	186.00	Horizontal	Vertical	Pass
10838.040	-56.73	16.80	-13.0	-43.73	41.70	Horizontal	Vertical	Pass
12792.802	-58.87	14.85	-13.0	-45.87	302.80	Horizontal	Vertical	Pass
14629.343	-47.69	24.92	-13.0	-34.69	68.90	Horizontal	Vertical	Pass
16699.575	-46.37	25.79	-13.0	-33.37	101.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_16.35.54

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.667	-77.23	-11.28	-13.0	-64.23	0.10	Horizontal	Vertical	Pass
77.518	-73.83	-19.12	-13.0	-60.83	121.40	Horizontal	Vertical	Pass
239.468	-53.65	-1.78	-13.0	-40.65	80.60	Horizontal	Vertical	Pass
454.996	-70.45	-1.04	-13.0	-57.45	80.60	Horizontal	Vertical	Pass
2145.107	-36.79	-4.96	-13.0	-23.79	308.60	Horizontal	Vertical	Pass
4291.839	-43.88	0.47	-13.0	-30.88	0.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_16.28.13

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7830.292	-66.15	8.53	-13.0	-53.15	185.70	Horizontal	Vertical	Pass
9166.458	-61.28	12.98	-13.0	-48.28	84.10	Horizontal	Vertical	Pass
10321.170	-58.14	15.85	-13.0	-45.14	202.20	Horizontal	Vertical	Pass
11055.236	-58.06	16.05	-13.0	-45.06	93.70	Horizontal	Vertical	Pass
12792.802	-58.78	14.85	-13.0	-45.78	102.40	Horizontal	Vertical	Pass
14788.803	-47.98	25.58	-13.0	-34.98	142.90	Horizontal	Vertical	Pass
16947.013	-45.88	26.57	-13.0	-32.88	230.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_16.50.11

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC FCC PART22&24&27 FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.667	-75.61	-11.28	-13.0	-62.61	338.50	Horizontal	Vertical	Pass
79.943	-74.87	-18.60	-13.0	-61.87	147.70	Horizontal	Vertical	Pass
145.159	-70.16	-14.94	-13.0	-57.16	43.50	Horizontal	Vertical	Pass
238.983	-55.88	-2.09	-13.0	-42.88	84.70	Horizontal	Vertical	Pass
1792.151	-44.91	-8.56	-13.0	-31.91	52.70	Horizontal	Vertical	Pass
2177.103	-36.78	-4.71	-13.0	-23.78	355.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_16.55.10

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8102.474	-64.90	10.20	-13.0	-51.90	274.20	Horizontal	Vertical	Pass
9380.905	-59.21	15.04	-13.0	-46.21	233.70	Horizontal	Vertical	Pass
10442.139	-58.33	16.22	-13.0	-45.33	282.60	Horizontal	Vertical	Pass
12138.465	-59.07	14.75	-13.0	-46.07	144.50	Horizontal	Vertical	Pass
14585.354	-48.65	24.47	-13.0	-35.65	71.10	Horizontal	Vertical	Pass
16936.016	-46.00	26.48	-13.0	-33.00	75.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_16.43.04

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.092	-69.04	-11.63	-13.0	-56.04	359.00	Vertical	Vertical	Pass
77.518	-69.82	-19.12	-13.0	-56.82	49.20	Vertical	Vertical	Pass
240.195	-62.43	-1.55	-13.0	-49.43	20.00	Vertical	Vertical	Pass
451.602	-70.51	-1.52	-13.0	-57.51	131.50	Vertical	Vertical	Pass
633.432	-68.63	-0.80	-13.0	-55.63	337.10	Vertical	Vertical	Pass
1702.912	-42.23	-9.81	-13.0	-29.23	273.60	Vertical	Vertical	Pass
2112.861	-36.51	-5.50	-13.0	-23.51	0.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_16.54.41

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE_FCC_PART22&24&27_FCC_GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8102.474	-64.90	10.20	-13.0	-51.90	274.20	Vertical	Vertical	Pass
9380.905	-59.21	15.04	-13.0	-46.21	233.70	Vertical	Vertical	Pass
11189.953	-57.43	15.94	-13.0	-44.43	109.90	Vertical	Vertical	Pass
13221.695	-57.48	15.95	-13.0	-44.48	0.50	Vertical	Vertical	Pass
14843.789	-47.50	25.70	-13.0	-34.50	172.90	Vertical	Vertical	Pass
16705.074	-47.26	25.71	-13.0	-34.26	197.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_16.32.21

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.791	-66.27	-18.93	-13.0	-53.27	94.80	Vertical	Vertical	Pass
239.468	-60.08	-1.78	-13.0	-47.08	6.60	Vertical	Vertical	Pass
452.814	-70.18	-1.35	-13.0	-57.18	131.90	Vertical	Vertical	Pass
633.432	-68.23	-0.80	-13.0	-55.23	359.50	Vertical	Vertical	Pass
2146.357	-37.83	-4.94	-13.0	-24.83	308.00	Vertical	Vertical	Pass
4994.751	-40.65	2.91	-13.0	-27.65	105.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_16.27.22

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7910.022	-65.44	9.56	-13.0	-52.44	340.60	Vertical	Vertical	Pass
9400.150	-58.00	15.31	-13.0	-45.00	340.60	Vertical	Vertical	Pass
10321.170	-58.14	15.85	-13.0	-45.14	202.20	Vertical	Vertical	Pass
11173.457	-58.20	15.80	-13.0	-45.20	294.20	Vertical	Vertical	Pass
14788.803	-47.98	25.58	-13.0	-34.98	142.90	Vertical	Vertical	Pass
16501.625	-46.78	24.96	-13.0	-33.78	23.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_16.46.45

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.849	-68.51	-11.68	-13.0	-55.51	143.70	Vertical	Vertical	Pass
78.488	-70.18	-19.09	-13.0	-57.18	98.30	Vertical	Vertical	Pass
239.953	-62.69	-1.47	-13.0	-49.69	360.00	Vertical	Vertical	Pass
450.390	-69.74	-1.69	-13.0	-56.74	135.80	Vertical	Vertical	Pass
1795.651	-46.26	-8.51	-13.0	-33.26	63.90	Vertical	Vertical	Pass
2176.853	-35.92	-4.72	-13.0	-22.92	315.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_16.56.53

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8110.722	-65.64	10.08	-13.0	-52.64	347.80	Vertical	Vertical	Pass
9402.899	-60.20	15.25	-13.0	-47.20	0.70	Vertical	Vertical	Pass
10527.368	-58.17	16.31	-13.0	-45.17	12.30	Vertical	Vertical	Pass
11525.369	-58.07	16.15	-13.0	-45.07	101.00	Vertical	Vertical	Pass
14794.301	-48.12	25.65	-13.0	-35.12	252.20	Vertical	Vertical	Pass
17417.146	-42.75	29.73	-13.0	-29.75	0.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_17.16.50

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC FCC PART22&24&27 FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.640	-73.29	-17.36	-13.0	-60.29	160.90	Horizontal	Vertical	Pass
148.068	-70.26	-14.47	-13.0	-57.26	45.70	Horizontal	Vertical	Pass
240.195	-57.34	-1.55	-13.0	-44.34	71.70	Horizontal	Vertical	Pass
452.329	-69.98	-1.42	-13.0	-56.98	103.30	Horizontal	Vertical	Pass
1701.912	-36.99	-9.82	-13.0	-23.99	274.50	Horizontal	Vertical	Pass
2118.610	-35.65	-5.40	-13.0	-22.65	0.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_17.27.10

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7915.521	-65.50	9.44	-13.0	-52.50	114.60	Horizontal	Vertical	Pass
9386.403	-59.87	15.12	-13.0	-46.87	114.60	Horizontal	Vertical	Pass
10453.137	-58.27	16.33	-13.0	-45.27	53.80	Horizontal	Vertical	Pass
12116.471	-59.17	14.85	-13.0	-46.17	140.80	Horizontal	Vertical	Pass
14610.097	-47.86	24.69	-13.0	-34.86	336.10	Horizontal	Vertical	Pass
16485.129	-48.29	24.43	-13.0	-35.29	331.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_17.01.56

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.155	-73.54	-17.72	-13.0	-60.54	131.50	Horizontal	Vertical	Pass
147.826	-71.74	-14.51	-13.0	-58.74	32.90	Horizontal	Vertical	Pass
239.468	-56.66	-1.78	-13.0	-43.66	64.30	Horizontal	Vertical	Pass
649.190	-65.06	1.14	-13.0	-52.06	258.20	Horizontal	Vertical	Pass
1699.163	-52.03	-9.91	-13.0	-39.03	203.70	Horizontal	Vertical	Pass
2143.857	-36.46	-4.97	-13.0	-23.46	360.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_17.25.05

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8033.742	-65.39	9.13	-13.0	-52.39	79.30	Horizontal	Vertical	Pass
9367.158	-59.59	14.85	-13.0	-46.59	0.60	Horizontal	Vertical	Pass
10838.040	-58.18	16.80	-13.0	-45.18	7.90	Horizontal	Vertical	Pass
12127.468	-59.38	14.80	-13.0	-46.38	287.90	Horizontal	Vertical	Pass
14764.059	-47.96	25.27	-13.0	-34.96	287.90	Horizontal	Vertical	Pass
17309.923	-45.17	28.10	-13.0	-32.17	66.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_17.12.44

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.640	-73.63	-17.36	-13.0	-60.63	124.50	Horizontal	Vertical	Pass
144.916	-72.67	-14.97	-13.0	-59.67	41.70	Horizontal	Vertical	Pass
239.225	-56.84	-1.94	-13.0	-43.84	83.20	Horizontal	Vertical	Pass
647.736	-65.75	1.29	-13.0	-52.75	55.80	Horizontal	Vertical	Pass
1793.401	-45.14	-8.54	-13.0	-32.14	129.60	Horizontal	Vertical	Pass
2172.353	-36.34	-4.83	-13.0	-23.34	341.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_17.29.40

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7915.521	-65.50	9.44	-13.0	-52.50	114.60	Horizontal	Vertical	Pass
9386.403	-59.87	15.12	-13.0	-46.87	114.60	Horizontal	Vertical	Pass
10453.137	-58.27	16.33	-13.0	-45.27	53.80	Horizontal	Vertical	Pass
12116.471	-59.17	14.85	-13.0	-46.17	140.80	Horizontal	Vertical	Pass
14610.097	-47.86	24.69	-13.0	-34.86	336.10	Horizontal	Vertical	Pass
17191.702	-45.70	26.44	-13.0	-32.70	131.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_17.20.23

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.607	-70.27	-11.74	-13.0	-57.27	223.10	Vertical	Vertical	Pass
81.640	-71.38	-17.36	-13.0	-58.38	112.10	Vertical	Vertical	Pass
241.165	-64.51	-2.10	-13.0	-51.51	205.60	Vertical	Vertical	Pass
456.208	-71.08	-1.00	-13.0	-58.08	143.80	Vertical	Vertical	Pass
1702.412	-37.92	-9.82	-13.0	-24.92	278.90	Vertical	Vertical	Pass
2117.360	-36.17	-5.42	-13.0	-23.17	318.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_17.23.30

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8116.221	-65.39	10.00	-13.0	-52.39	36.20	Vertical	Vertical	Pass
9394.651	-59.75	15.23	-13.0	-46.75	226.00	Vertical	Vertical	Pass
10450.387	-57.92	16.32	-13.0	-44.92	240.30	Vertical	Vertical	Pass
11583.104	-56.93	16.29	-13.0	-43.93	89.30	Vertical	Vertical	Pass
13194.201	-56.55	15.95	-13.0	-43.55	258.90	Vertical	Vertical	Pass
14755.811	-48.04	25.17	-13.0	-35.04	219.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_17.05.31

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.334	-69.47	-11.57	-13.0	-56.47	88.90	Vertical	Vertical	Pass
81.155	-68.70	-17.72	-13.0	-55.70	134.70	Vertical	Vertical	Pass
239.225	-64.81	-1.94	-13.0	-51.81	67.40	Vertical	Vertical	Pass
452.572	-71.25	-1.38	-13.0	-58.25	359.70	Vertical	Vertical	Pass
1698.163	-51.85	-9.98	-13.0	-38.85	269.20	Vertical	Vertical	Pass
2146.107	-35.75	-4.95	-13.0	-22.75	360.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_16.57.17

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8110.722	-65.64	10.08	-13.0	-52.64	347.80	Vertical	Vertical	Pass
9402.899	-60.20	15.25	-13.0	-47.20	0.70	Vertical	Vertical	Pass
10527.368	-58.17	16.31	-13.0	-45.17	12.30	Vertical	Vertical	Pass
13048.488	-57.99	14.62	-13.0	-44.99	0.70	Vertical	Vertical	Pass
14632.092	-47.62	24.96	-13.0	-34.62	221.80	Vertical	Vertical	Pass
16487.878	-47.64	24.54	-13.0	-34.64	88.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_17.09.15

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal


Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.880	-69.90	-11.83	-13.0	-56.90	112.70	Vertical	Vertical	Pass
81.155	-71.65	-17.72	-13.0	-58.65	128.20	Vertical	Vertical	Pass
241.165	-64.28	-2.10	-13.0	-51.28	295.00	Vertical	Vertical	Pass
455.724	-71.38	-0.94	-13.0	-58.38	146.30	Vertical	Vertical	Pass
1793.401	-43.22	-8.54	-13.0	-30.22	68.50	Vertical	Vertical	Pass
2171.604	-35.97	-4.85	-13.0	-22.97	317.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_17.31.58

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8105.224	-65.76	10.16	-13.0	-52.76	359.30	Vertical	Vertical	Pass
9394.651	-58.78	15.23	-13.0	-45.78	173.00	Vertical	Vertical	Pass
10398.150	-57.30	15.68	-13.0	-44.30	38.10	Vertical	Vertical	Pass
12278.680	-59.51	13.77	-13.0	-46.51	146.30	Vertical	Vertical	Pass
14670.582	-47.47	25.20	-13.0	-34.47	265.90	Vertical	Vertical	Pass
16916.771	-46.03	26.32	-13.0	-33.03	87.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-29_10.52.29

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.334	-57.27	-11.26	-13.0	-44.27	4.70	Horizontal	Vertical	Pass
66.366	-56.12	-16.51	-13.0	-43.12	360.00	Horizontal	Vertical	Pass
238.983	-56.33	-3.69	-13.0	-43.33	60.90	Horizontal	Vertical	Pass
810.412	-45.73	0.69	-13.0	-32.73	131.10	Horizontal	Vertical	Pass
867.871	-33.47	4.49	-13.0	-20.47	20.70	Horizontal	Vertical	Pass
1038.990	-48.44	-5.79	-13.0	-35.44	248.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_17.36.48

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC_PART22&24&27_FCC_GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7874.281	-65.22	9.26	-13.0	-52.22	160.40	Horizontal	Vertical	Pass
9435.891	-59.01	14.58	-13.0	-46.01	173.00	Horizontal	Vertical	Pass
10849.038	-57.61	16.95	-13.0	-44.61	18.00	Horizontal	Vertical	Pass
13191.452	-56.88	15.89	-13.0	-43.88	160.40	Horizontal	Vertical	Pass
14555.111	-48.40	24.27	-13.0	-35.40	285.90	Horizontal	Vertical	Pass
16853.537	-46.44	26.20	-13.0	-33.44	2.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-29_10.35.46

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_FCC_FCC PART22&24&27_FCC LTE B26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.182	-55.26	-11.88	-13.0	-42.26	165.50	Horizontal	Vertical	Pass
43.819	-55.02	-11.36	-13.0	-42.02	239.80	Horizontal	Vertical	Pass
238.983	-55.69	-3.69	-13.0	-42.69	40.70	Horizontal	Vertical	Pass
872.234	-35.13	3.88	-13.0	-22.13	358.50	Horizontal	Vertical	Pass
2770.057	-52.56	-2.99	-13.0	-39.56	288.40	Horizontal	Vertical	Pass
5181.455	-50.19	2.91	-13.0	-37.19	296.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_17.35.21

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7901.775	-65.62	9.74	-13.0	-52.62	269.20	Horizontal	Vertical	Pass
9400.150	-59.13	15.31	-13.0	-46.13	329.00	Horizontal	Vertical	Pass
10439.390	-57.75	16.18	-13.0	-44.75	318.60	Horizontal	Vertical	Pass
12776.306	-58.74	14.82	-13.0	-45.74	69.60	Horizontal	Vertical	Pass
14777.806	-48.15	25.44	-13.0	-35.15	67.40	Horizontal	Vertical	Pass
16853.537	-46.20	26.20	-13.0	-33.20	76.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-29_10.56.57

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
31.940	-67.00	-11.93	-13.0	-54.00	180.10	Horizontal	Vertical	Pass
240.437	-56.42	-3.43	-13.0	-43.42	29.40	Horizontal	Vertical	Pass
353.172	-60.06	-8.23	-13.0	-47.06	331.60	Horizontal	Vertical	Pass
851.870	-44.86	5.69	-13.0	-31.86	1.30	Horizontal	Vertical	Pass
880.720	-37.49	2.36	-13.0	-24.49	50.60	Horizontal	Vertical	Pass
2202.199	-55.10	-4.24	-13.0	-42.10	141.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_17.41.25

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8083.229	-64.74	9.88	-13.0	-51.74	179.70	Horizontal	Vertical	Pass
9408.398	-60.03	15.14	-13.0	-47.03	200.40	Horizontal	Vertical	Pass
10752.812	-57.89	16.66	-13.0	-44.89	303.70	Horizontal	Vertical	Pass
12141.215	-59.55	14.73	-13.0	-46.55	281.70	Horizontal	Vertical	Pass
14692.577	-48.39	25.24	-13.0	-35.39	26.20	Horizontal	Vertical	Pass
16872.782	-46.07	26.20	-13.0	-33.07	16.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-29_10.47.08

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27_FCC LTE B26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
30.242	-48.43	-12.28	-13.0	-35.43	345.10	Vertical	Vertical	Pass
72.669	-57.68	-18.98	-13.0	-44.68	121.20	Vertical	Vertical	Pass
116.793	-58.04	-11.84	-13.0	-45.04	292.70	Vertical	Vertical	Pass
810.170	-49.17	0.67	-13.0	-36.17	28.10	Vertical	Vertical	Pass
865.446	-34.67	4.70	-13.0	-21.67	119.50	Vertical	Vertical	Pass
2680.580	-52.47	-4.71	-13.0	-39.47	180.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_17.38.19

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7918.270	-65.82	9.39	-13.0	-52.82	246.20	Vertical	Vertical	Pass
9402.899	-59.64	15.25	-13.0	-46.64	256.30	Vertical	Vertical	Pass
10777.556	-57.76	16.45	-13.0	-44.76	254.10	Vertical	Vertical	Pass
12806.548	-58.63	14.85	-13.0	-45.63	359.90	Vertical	Vertical	Pass
14775.056	-48.14	25.41	-13.0	-35.14	24.40	Vertical	Vertical	Pass
16839.790	-46.44	25.98	-13.0	-33.44	46.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-29_10.40.07

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27_FCC LTE B26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.276	-60.00	-19.94	-13.0	-47.00	348.80	Vertical	Vertical	Pass
118.005	-58.64	-12.31	-13.0	-45.64	128.70	Vertical	Vertical	Pass
238.983	-60.24	-3.69	-13.0	-47.24	340.10	Vertical	Vertical	Pass
870.295	-36.05	4.25	-13.0	-23.05	123.50	Vertical	Vertical	Pass
1038.490	-53.65	-5.77	-13.0	-40.65	305.30	Vertical	Vertical	Pass
2755.061	-52.60	-2.78	-13.0	-39.60	357.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_17.33.30

EUT Name: N.A

Test Engineer: XCJ

Manufacture: N.A

Test Standard: FCC

Model Name: N.A

Work Additon: normal

Templ.(oC): 20.1

Load: full load

Hum: 54

Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC_PART22&24&27_FCC_GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7923.769	-65.47	9.27	-13.0	-52.47	278.30	Vertical	Vertical	Pass
9408.398	-60.10	15.14	-13.0	-47.10	260.00	Vertical	Vertical	Pass
10488.878	-57.94	16.47	-13.0	-44.94	243.70	Vertical	Vertical	Pass
12080.730	-59.69	14.68	-13.0	-46.69	109.50	Vertical	Vertical	Pass
14775.056	-47.26	25.41	-13.0	-34.26	192.50	Vertical	Vertical	Pass
17307.173	-44.14	28.02	-13.0	-31.14	2.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-29_11.01.30

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC FCC PART22&24&27_FCC LTE B26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
52.547	-57.49	-12.47	-13.0	-44.49	244.20	Vertical	Vertical	Pass
82.124	-56.26	-19.23	-13.0	-43.26	179.30	Vertical	Vertical	Pass
240.437	-60.21	-3.43	-13.0	-47.21	338.80	Vertical	Vertical	Pass
852.354	-52.12	5.66	-13.0	-39.12	283.00	Vertical	Vertical	Pass
881.447	-38.52	2.28	-13.0	-25.52	202.00	Vertical	Vertical	Pass
2760.060	-52.29	-2.80	-13.0	-39.29	323.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-16_17.39.50

EUT Name: N.A
 Manufacture: N.A
 Model Name: N.A
 Templ.(oC): 20.1
 Hum: 54

Test Engineer: XCJ
 Test Standard: FCC
 Work Additon: normal
 Load: full load
 Remark: DR-RSE01-E20090001-01#01

RSE Test case_CE FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7926.518	-64.49	9.21	-13.0	-51.49	140.90	Vertical	Vertical	Pass
9400.150	-59.53	15.31	-13.0	-46.53	155.50	Vertical	Vertical	Pass
10521.870	-58.06	16.36	-13.0	-45.06	91.50	Vertical	Vertical	Pass
12110.972	-59.51	14.88	-13.0	-46.51	214.00	Vertical	Vertical	Pass
14808.048	-47.77	25.72	-13.0	-34.77	95.70	Vertical	Vertical	Pass
16793.052	-47.01	25.08	-13.0	-34.01	21.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-29_13.19.12

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
141.037	-66.46	-14.30	-13.0	-53.46	280.60	Horizontal	Vertical	Pass
185.889	-66.78	-15.73	-13.0	-53.78	252.20	Horizontal	Vertical	Pass
240.195	-62.22	-1.55	-13.0	-49.22	280.60	Horizontal	Vertical	Pass
1694.913	-27.67	-10.20	-13.0	-14.67	264.00	Horizontal	Vertical	Pass
1792.901	-43.40	-8.55	-13.0	-30.40	254.70	Horizontal	Vertical	Pass
2118.610	-31.38	-5.40	-13.0	-18.38	13.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-29_13.34.42

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8025.494	-65.39	9.10	-13.0	-52.39	324.70	Horizontal	Vertical	Pass
9466.133	-59.75	14.21	-13.0	-46.75	276.00	Horizontal	Vertical	Pass
10497.126	-57.73	16.51	-13.0	-44.73	117.60	Horizontal	Vertical	Pass
10964.509	-56.94	16.94	-13.0	-43.94	217.20	Horizontal	Vertical	Pass
14841.040	-47.54	25.70	-13.0	-34.54	125.00	Horizontal	Vertical	Pass
16515.371	-47.20	24.50	-13.0	-34.20	266.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-29_12.12.01

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
140.795	-67.41	-14.25	-13.0	-54.41	48.90	Horizontal	Vertical	Pass
187.101	-66.14	-15.81	-13.0	-53.14	253.30	Horizontal	Vertical	Pass
240.922	-62.77	-1.96	-13.0	-49.77	188.50	Horizontal	Vertical	Pass
1702.412	-43.37	-9.82	-13.0	-30.37	176.10	Horizontal	Vertical	Pass
1794.151	-45.58	-8.53	-13.0	-32.58	194.70	Horizontal	Vertical	Pass
2150.106	-31.12	-4.91	-13.0	-18.12	0.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-29_13.36.57

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC_FCC PART2&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7896.276	-65.25	9.71	-13.0	-52.25	37.00	Horizontal	Vertical	Pass
9369.908	-59.96	14.89	-13.0	-46.96	7.10	Horizontal	Vertical	Pass
10450.387	-57.21	16.32	-13.0	-44.21	0.30	Horizontal	Vertical	Pass
14684.329	-47.73	25.22	-13.0	-34.73	249.70	Horizontal	Vertical	Pass
16504.374	-47.17	24.86	-13.0	-34.17	101.40	Horizontal	Vertical	Pass
17725.069	-38.38	34.63	-13.0	-25.38	287.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-29_13.27.24

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
122.854	-69.12	-13.09	-13.0	-56.12	42.80	Horizontal	Vertical	Pass
241.165	-64.70	-2.10	-13.0	-51.70	338.40	Horizontal	Vertical	Pass
1697.413	-43.32	-10.03	-13.0	-30.32	263.30	Horizontal	Vertical	Pass
1793.401	-23.76	-8.54	-13.0	-10.76	259.60	Horizontal	Vertical	Pass
2170.104	-32.74	-4.89	-13.0	-19.74	12.70	Horizontal	Vertical	Pass
5396.200	-39.88	2.44	-13.0	-26.88	128.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-29_13.32.48

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8022.744	-65.44	9.09	-13.0	-52.44	18.20	Horizontal	Vertical	Pass
8844.789	-63.47	11.53	-13.0	-50.47	229.20	Horizontal	Vertical	Pass
9358.910	-59.37	14.73	-13.0	-46.37	3.50	Horizontal	Vertical	Pass
10420.145	-57.91	15.94	-13.0	-44.91	245.70	Horizontal	Vertical	Pass
14689.828	-47.71	25.23	-13.0	-34.71	212.20	Horizontal	Vertical	Pass
16944.264	-46.48	26.54	-13.0	-33.48	25.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-29_13.22.32

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
132.067	-71.05	-13.89	-13.0	-58.05	1.80	Horizontal	Vertical	Pass
239.468	-68.45	-1.78	-13.0	-55.45	351.90	Horizontal	Vertical	Pass
1694.663	-26.67	-10.22	-13.0	-13.67	262.90	Horizontal	Vertical	Pass
1793.901	-42.77	-8.54	-13.0	-29.77	262.90	Horizontal	Vertical	Pass
2128.109	-32.97	-5.19	-13.0	-19.97	359.20	Horizontal	Vertical	Pass
5860.642	-38.71	2.94	-13.0	-25.71	101.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-29_13.38.34

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7907.273	-66.07	9.62	-13.0	-53.07	48.70	Vertical	Vertical	Pass
9427.643	-59.87	14.75	-13.0	-46.87	190.00	Vertical	Vertical	Pass
10450.387	-57.54	16.32	-13.0	-44.54	13.10	Vertical	Vertical	Pass
11610.597	-57.12	16.27	-13.0	-44.12	2.50	Vertical	Vertical	Pass
14596.351	-48.06	24.55	-13.0	-35.06	332.10	Vertical	Vertical	Pass
16842.539	-45.72	26.04	-13.0	-32.72	48.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-29_12.05.24

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
69.518	-74.76	-15.73	-13.0	-61.76	216.20	Vertical	Vertical	Pass
123.097	-70.70	-13.27	-13.0	-57.70	248.00	Vertical	Vertical	Pass
243.589	-68.09	-3.47	-13.0	-55.09	323.40	Vertical	Vertical	Pass
1702.662	-43.66	-9.81	-13.0	-30.66	187.00	Vertical	Vertical	Pass
1794.151	-44.82	-8.53	-13.0	-31.82	198.30	Vertical	Vertical	Pass
2152.106	-31.68	-4.91	-13.0	-18.68	359.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-29_13.43.46

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC_FCC PART2&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7899.025	-65.49	9.76	-13.0	-52.49	139.90	Vertical	Vertical	Pass
8839.290	-62.84	11.47	-13.0	-49.84	280.60	Vertical	Vertical	Pass
9435.891	-59.72	14.58	-13.0	-46.72	20.50	Vertical	Vertical	Pass
10846.288	-56.94	16.91	-13.0	-43.94	75.40	Vertical	Vertical	Pass
14497.376	-47.35	24.16	-13.0	-34.35	210.10	Vertical	Vertical	Pass
15179.205	-50.29	21.29	-13.0	-37.29	246.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-29_13.30.54

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
140.795	-66.92	-14.25	-13.0	-53.92	88.40	Horizontal	Vertical	Pass
185.646	-64.86	-15.79	-13.0	-51.86	258.00	Horizontal	Vertical	Pass
242.377	-62.49	-2.78	-13.0	-49.49	9.60	Horizontal	Vertical	Pass
1694.413	-44.92	-10.23	-13.0	-31.92	258.20	Horizontal	Vertical	Pass
1795.401	-24.97	-8.51	-13.0	-11.97	258.20	Horizontal	Vertical	Pass
2169.854	-32.85	-4.90	-13.0	-19.85	18.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-10-29_13.41.03

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20090001-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case_CE FCC_FCC PART2&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9433.142	-59.53	14.64	-13.0	-46.53	22.70	Vertical	Vertical	Pass
10535.616	-58.18	16.25	-13.0	-45.18	287.70	Vertical	Vertical	Pass
11605.099	-57.75	16.41	-13.0	-44.75	300.60	Vertical	Vertical	Pass
13218.945	-57.29	15.96	-13.0	-44.29	315.60	Vertical	Vertical	Pass
14808.048	-47.40	25.72	-13.0	-34.40	0.00	Vertical	Vertical	Pass
16850.787	-46.20	26.20	-13.0	-33.20	344.00	Vertical	Vertical	Pass