

EXHIBIT A- RADIATED SPURIOUS EMISSION DATA

Note : Transmit frequency is ignore ,mark →

30M-1G

WIFI5GB1 -Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-03_22.09.12

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal


Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	56.183	16.78	-20.21	40.0	-23.22	Peak	132.60	100	Horizontal	Pass
2	96.186	16.66	-21.07	43.5	-26.84	Peak	123.30	100	Horizontal	Pass
3	138.128	19.49	-24.17	43.5	-24.01	Peak	147.50	100	Horizontal	Pass
4	432.934	22.95	-14.33	46.0	-23.05	Peak	123.30	100	Horizontal	Pass
5	777.926	29.54	-6.69	46.0	-16.46	Peak	2.10	100	Horizontal	Pass
5*	777.926	28.58	-6.69	46.0	-17.42	QP	2.10	100	Horizontal	Pass
6	977.211	32.40	-3.12	54.0	-21.60	Peak	44.80	100	Horizontal	Pass

WiFi5GB1 - Vertical -TX

Test result

Project Number: Certification

Test Time: 2021-06-03_22.07.11

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	38.970	17.52	-21.10	40.0	-22.48	Peak	7.80	100	Vertical	Pass
2	98.368	20.28	-20.72	43.5	-23.22	Peak	222.90	100	Vertical	Pass
3	137.643	22.00	-24.14	43.5	-21.50	Peak	63.30	100	Vertical	Pass
4	418.388	23.54	-14.37	46.0	-22.46	Peak	16.80	100	Vertical	Pass
5	877.083	32.31	-4.61	46.0	-13.69	Peak	260.50	100	Vertical	Pass
5*	877.083	31.21	-4.61	46.0	-14.79	QP	260.50	100	Vertical	Pass
6	974.301	32.61	-3.08	54.0	-21.39	Peak	289.10	100	Vertical	Pass

1G-18G

WIFI5GB1-A-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-05-31_15.59.29

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1168.729	34.03	-14.62	74.0	-39.97	Peak	54.30	100	Horizontal	Pass
1**	1168.729	22.69	-14.62	54.0	-31.31	AV	54.30	100	Horizontal	Pass
2	1578.428	34.88	-14.97	74.0	-39.12	Peak	340.20	100	Horizontal	Pass
2**	1578.428	23.53	-14.97	54.0	-30.47	AV	340.20	100	Horizontal	Pass
3	1969.629	36.60	-12.92	68.2	-31.60	Peak	0.00	100	Horizontal	Pass
3**	1969.629	25.16	-12.92	--	25.16	AV	0.00	100	Horizontal	N/A
4	3025.122	44.90	-3.22	68.2	-23.30	Peak	141.10	100	Horizontal	Pass
4**	3025.122	33.07	-3.22	--	33.07	AV	141.10	100	Horizontal	N/A
5	3671.916	46.88	0.14	74.0	-27.12	Peak	304.80	100	Horizontal	Pass
5**	3671.916	35.89	0.14	54.0	-18.11	AV	304.80	100	Horizontal	Pass
6	5276.715	54.88	8.45	--	54.88	Peak	314.40	100	Horizontal	N/A
6**	5276.715	44.70	8.45	--	44.70	AV	314.40	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_15.14.21

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7593.852	31.90	6.30	74.0	-42.10	Peak	241.60	100	Horizontal	Pass
1**	7593.852	22.69	6.30	54.0	-31.31	AV	241.60	100	Horizontal	Pass
2	7967.758	34.21	7.30	68.2	-33.99	Peak	105.00	100	Horizontal	Pass
2**	7967.758	24.09	7.30	--	24.09	AV	105.00	100	Horizontal	N/A
3	9411.147	37.92	11.51	74.0	-36.08	Peak	250.50	100	Horizontal	Pass
3**	9411.147	29.03	11.51	54.0	-24.97	AV	250.50	100	Horizontal	Pass
4	10101.225	39.52	13.25	68.2	-28.68	Peak	173.50	100	Horizontal	Pass
4**	10101.225	30.33	13.25	--	30.33	AV	173.50	100	Horizontal	N/A
5	12438.140	44.42	17.09	74.0	-29.58	Peak	332.40	100	Horizontal	Pass
5**	12438.140	35.45	17.09	54.0	-18.55	AV	332.40	100	Horizontal	Pass
6	17485.879	52.61	25.15	68.2	-15.59	Peak	105.00	100	Horizontal	Pass
6**	17485.879	44.52	25.15	--	44.52	AV	105.00	100	Horizontal	N/A

WiFi5GB1-A-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-05-31_15.55.36

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1184.227	34.20	-14.63	74.0	-39.80	Peak	175.30	100	Vertical	Pass
1**	1184.227	22.89	-14.63	54.0	-31.11	AV	175.30	100	Vertical	Pass
2	1652.668	34.49	-14.94	68.2	-33.71	Peak	48.40	100	Vertical	Pass
2**	1652.668	23.00	-14.94	--	23.00	AV	48.40	100	Vertical	N/A
3	2104.362	38.17	-11.46	68.2	-30.03	Peak	359.10	100	Vertical	Pass
3**	2104.362	26.40	-11.46	--	26.40	AV	359.10	100	Vertical	N/A
4	3153.731	43.79	-2.61	68.2	-24.41	Peak	336.70	100	Vertical	Pass
4**	3153.731	32.88	-2.61	--	32.88	AV	336.70	100	Vertical	N/A
5	3881.515	46.78	-0.10	74.0	-27.22	Peak	183.80	100	Vertical	Pass
5**	3881.515	33.83	-0.10	54.0	-20.17	AV	183.80	100	Vertical	Pass
6	5248.969	55.38	8.35	--	55.38	Peak	351.20	100	Vertical	N/A
6**	5248.969	44.47	8.35	--	44.47	AV	351.20	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_15.07.01

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8050.237	34.26	8.28	74.0	-39.74	Peak	148.70	100	Vertical	Pass
1**	8050.237	24.33	8.28	54.0	-29.67	AV	148.70	100	Vertical	Pass
2	8943.764	37.34	10.55	68.2	-30.86	Peak	359.30	100	Vertical	Pass
2**	8943.764	27.79	10.55	--	27.79	AV	359.30	100	Vertical	N/A
3	10145.214	39.34	13.11	68.2	-28.86	Peak	21.40	100	Vertical	Pass
3**	10145.214	30.96	13.11	--	30.96	AV	21.40	100	Vertical	N/A
4	11302.674	42.70	15.58	74.0	-31.30	Peak	323.80	100	Vertical	Pass
4**	11302.674	33.70	15.58	54.0	-20.30	AV	323.80	100	Vertical	Pass
5	14194.951	49.39	22.20	68.2	-18.81	Peak	291.80	100	Vertical	Pass
5**	14194.951	39.38	22.20	--	39.38	AV	291.80	100	Vertical	N/A
6	15877.531	49.58	19.63	74.0	-24.42	Peak	190.10	100	Vertical	Pass
6**	15877.531	39.98	19.63	54.0	-14.02	AV	190.10	100	Vertical	Pass

WiFi5GB1-A-Middle channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-05-31_16.08.15

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1995.126	36.91	-12.69	68.2	-31.29	Peak	348.70	100	Horizontal	Pass
1**	1995.126	25.25	-12.69	--	25.25	AV	348.70	100	Horizontal	N/A
2	2288.089	38.53	-10.30	74.0	-35.47	Peak	150.00	100	Horizontal	Pass
2**	2288.089	27.24	-10.30	54.0	-26.76	AV	150.00	100	Horizontal	Pass
3	3021.747	44.03	-3.25	68.2	-24.17	Peak	231.70	100	Horizontal	Pass
3**	3021.747	33.11	-3.25	--	33.11	AV	231.70	100	Horizontal	N/A
4	4061.492	47.26	1.87	74.0	-26.74	Peak	25.60	100	Horizontal	Pass
4**	4061.492	36.57	1.87	54.0	-17.43	AV	25.60	100	Horizontal	Pass
5	4714.661	48.75	1.77	74.0	-25.25	Peak	45.70	100	Horizontal	Pass
5**	4714.661	37.47	1.77	54.0	-16.53	AV	45.70	100	Horizontal	Pass
6	5223.472	55.27	8.22	--	55.27	Peak	222.00	100	Horizontal	N/A
6**	5223.472	44.43	8.22	--	44.43	AV	222.00	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_15.12.50

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7563.609	32.28	6.20	74.0	-41.72	Peak	300.70	100	Horizontal	Pass
1**	7563.609	22.95	6.20	54.0	-31.05	AV	300.70	100	Horizontal	Pass
2	8932.767	36.31	10.20	68.2	-31.89	Peak	5.20	100	Horizontal	Pass
2**	8932.767	27.29	10.20	--	27.29	AV	5.20	100	Horizontal	N/A
3	10827.043	41.30	14.40	74.0	-32.70	Peak	305.10	100	Horizontal	Pass
3**	10827.043	32.61	14.40	54.0	-21.39	AV	305.10	100	Horizontal	Pass
4	11231.192	43.64	14.97	74.0	-30.36	Peak	114.10	100	Horizontal	Pass
4**	11231.192	33.86	14.97	54.0	-20.14	AV	114.10	100	Horizontal	Pass
5	13163.959	45.81	18.52	68.2	-22.39	Peak	209.40	100	Horizontal	Pass
5**	13163.959	37.23	18.52	--	37.23	AV	209.40	100	Horizontal	N/A
6	17433.642	52.21	24.67	68.2	-15.99	Peak	155.00	100	Horizontal	Pass
6**	17433.642	43.27	24.67	--	43.27	AV	155.00	100	Horizontal	N/A

WiFi5GB1-A-Middle channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-05-31_16.14.42

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1380.952	34.26	-14.65	74.0	-39.74	Peak	226.30	100	Vertical	Pass
1**	1380.952	23.47	-14.65	54.0	-30.53	AV	226.30	100	Vertical	Pass
2	2134.108	38.17	-11.43	68.2	-30.03	Peak	70.00	100	Vertical	Pass
2**	2134.108	26.77	-11.43	--	26.77	AV	70.00	100	Vertical	N/A
3	3054.743	43.37	-3.11	68.2	-24.83	Peak	272.50	100	Vertical	Pass
3**	3054.743	33.07	-3.11	--	33.07	AV	272.50	100	Vertical	N/A
4	4169.479	48.67	1.29	74.0	-25.33	Peak	253.10	100	Vertical	Pass
4**	4169.479	37.04	1.29	54.0	-16.96	AV	253.10	100	Vertical	Pass
5	5257.218	55.21	8.39	--	55.21	Peak	162.40	100	Vertical	N/A
5**	5257.218	44.31	8.39	--	44.31	AV	162.40	100	Vertical	N/A
6	5720.660	52.33	4.63	68.2	-15.87	Peak	35.10	100	Vertical	Pass
6**	5720.660	41.18	4.63	--	41.18	AV	35.10	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_15.11.10

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7560.860	31.74	6.19	74.0	-42.26	Peak	342.70	100	Vertical	Pass
1**	7560.860	22.72	6.19	54.0	-31.28	AV	342.70	100	Vertical	Pass
2	9163.709	36.59	10.85	74.0	-37.41	Peak	54.00	100	Vertical	Pass
2**	9163.709	28.74	10.85	54.0	-25.26	AV	54.00	100	Vertical	Pass
3	10076.481	39.58	13.15	68.2	-28.62	Peak	4.90	100	Vertical	Pass
3**	10076.481	30.03	13.15	--	30.03	AV	4.90	100	Vertical	N/A
4	11178.955	42.02	14.38	74.0	-31.98	Peak	72.60	100	Vertical	Pass
4**	11178.955	33.20	14.38	54.0	-20.80	AV	72.60	100	Vertical	Pass
5	12831.292	44.21	16.64	68.2	-23.99	Peak	360.00	100	Vertical	Pass
5**	12831.292	34.53	16.64	--	34.53	AV	360.00	100	Vertical	N/A
6	16091.977	50.25	20.45	74.0	-23.75	Peak	31.30	100	Vertical	Pass
6**	16091.977	41.28	20.45	54.0	-12.72	AV	31.30	100	Vertical	Pass

WiFi5GB1-A-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-05-31_16.11.50

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2123.610	38.22	-11.48	68.2	-29.98	Peak	183.50	100	Horizontal	Pass
1**	2123.610	26.76	-11.48	--	26.76	AV	183.50	100	Horizontal	N/A
2	3031.496	44.72	-3.16	68.2	-23.48	Peak	213.50	100	Horizontal	Pass
2**	3031.496	32.82	-3.16	--	32.82	AV	213.50	100	Horizontal	N/A
3	3716.160	46.72	0.85	74.0	-27.28	Peak	15.20	100	Horizontal	Pass
3**	3716.160	36.07	0.85	54.0	-17.93	AV	15.20	100	Horizontal	Pass
4	4234.346	48.19	1.27	74.0	-25.81	Peak	123.50	100	Horizontal	Pass
4**	4234.346	36.54	1.27	54.0	-17.46	AV	123.50	100	Horizontal	Pass
5	5274.841	55.45	8.45	--	55.45	Peak	360.00	100	Horizontal	N/A
5**	5274.841	45.12	8.45	--	45.12	AV	360.00	100	Horizontal	N/A
6	5710.911	52.38	4.73	68.2	-15.82	Peak	247.70	100	Horizontal	Pass
6**	5710.911	41.35	4.73	--	41.35	AV	247.70	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_15.16.30

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7811.047	32.24	6.69	68.2	-35.96	Peak	0.20	100	Horizontal	Pass
1**	7811.047	23.14	6.69	--	23.14	AV	0.20	100	Horizontal	N/A
2	8360.910	33.03	7.54	74.0	-40.97	Peak	166.40	100	Horizontal	Pass
2**	8360.910	25.41	7.54	54.0	-28.59	AV	166.40	100	Horizontal	Pass
3	10208.448	39.43	12.90	68.2	-28.77	Peak	257.90	100	Horizontal	Pass
3**	10208.448	29.92	12.90	--	29.92	AV	257.90	100	Horizontal	N/A
4	12476.631	43.43	16.95	74.0	-30.57	Peak	22.00	100	Horizontal	Pass
4**	12476.631	35.27	16.95	54.0	-18.73	AV	22.00	100	Horizontal	Pass
5	14159.210	48.51	21.50	68.2	-19.69	Peak	152.60	100	Horizontal	Pass
5**	14159.210	39.87	21.50	--	39.87	AV	152.60	100	Horizontal	N/A
6	17403.399	52.55	24.38	68.2	-15.65	Peak	200.20	100	Horizontal	Pass
6**	17403.399	42.94	24.38	--	42.94	AV	200.20	100	Horizontal	N/A

WiFi5GB1-A-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-05-31_16.16.46

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1379.703	34.62	-14.66	74.0	-39.38	Peak	92.30	100	Vertical	Pass
1**	1379.703	23.06	-14.66	54.0	-30.94	AV	92.30	100	Vertical	Pass
2	2128.859	37.73	-11.48	68.2	-30.47	Peak	324.60	100	Vertical	Pass
2**	2128.859	27.12	-11.48	--	27.12	AV	324.60	100	Vertical	N/A
3	3417.323	46.86	-2.11	68.2	-21.34	Peak	212.00	100	Vertical	Pass
3**	3417.323	38.07	-2.11	--	38.07	AV	212.00	100	Vertical	N/A
4	4060.742	47.68	1.86	74.0	-26.32	Peak	173.70	100	Vertical	Pass
4**	4060.742	36.57	1.86	54.0	-17.43	AV	173.70	100	Vertical	Pass
5	5248.219	54.90	8.35	--	54.90	Peak	252.60	100	Vertical	N/A
5**	5248.219	44.80	8.35	--	44.80	AV	252.60	100	Vertical	N/A
6	5906.262	52.59	4.66	68.2	-15.61	Peak	1.00	100	Vertical	Pass
6**	5906.262	41.01	4.66	--	41.01	AV	1.00	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_15.19.01

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8028.243	33.64	8.08	74.0	-40.36	Peak	155.20	100	Vertical	Pass
1**	8028.243	24.80	8.08	54.0	-29.20	AV	155.20	100	Vertical	Pass
2	9347.913	36.92	11.23	74.0	-37.08	Peak	295.80	100	Vertical	Pass
2**	9347.913	28.82	11.23	54.0	-25.18	AV	295.80	100	Vertical	Pass
3	10851.787	41.15	14.67	74.0	-32.85	Peak	96.80	100	Vertical	Pass
3**	10851.787	33.32	14.67	54.0	-20.68	AV	96.80	100	Vertical	Pass
4	12363.909	44.16	16.65	74.0	-29.84	Peak	346.80	100	Vertical	Pass
4**	12363.909	34.72	16.65	54.0	-19.28	AV	346.80	100	Vertical	Pass
5	14208.698	48.46	21.88	68.2	-19.74	Peak	223.30	100	Vertical	Pass
5**	14208.698	39.71	21.88	--	39.71	AV	223.30	100	Vertical	N/A
6	16020.495	49.12	20.61	74.0	-24.88	Peak	209.50	100	Vertical	Pass
6**	16020.495	39.90	20.61	54.0	-14.10	AV	209.50	100	Vertical	Pass

WiFi5GB1-N20-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-03_21.17.40

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1259.968	34.94	-14.69	68.2	-33.26	Peak	92.20	100	Horizontal	Pass
1**	1259.968	23.22	-14.69	--	23.22	AV	92.20	100	Horizontal	N/A
2	2122.610	37.47	-11.47	68.2	-30.73	Peak	222.70	100	Horizontal	Pass
2**	2122.610	26.82	-11.47	--	26.82	AV	222.70	100	Horizontal	N/A
3	3053.993	42.65	-3.10	68.2	-25.55	Peak	198.90	100	Horizontal	Pass
3**	3053.993	32.60	-3.10	--	32.60	AV	198.90	100	Horizontal	N/A
4	4167.979	47.89	1.32	74.0	-26.11	Peak	148.70	100	Horizontal	Pass
4**	4167.979	36.69	1.32	54.0	-17.31	AV	148.70	100	Horizontal	Pass
5	5218.973	55.81	8.20	--	55.81	Peak	307.20	100	Horizontal	N/A
5**	5218.973	44.20	8.20	--	44.20	AV	307.20	100	Horizontal	N/A
6	5961.005	52.51	4.77	68.2	-15.69	Peak	209.30	100	Horizontal	Pass
6**	5961.005	40.70	4.77	--	40.70	AV	209.30	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_15.29.14

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7508.623	31.85	6.01	74.0	-42.15	Peak	0.00	100	Horizontal	Pass
1**	7508.623	23.17	6.01	54.0	-30.83	AV	0.00	100	Horizontal	Pass
2	9405.649	37.40	11.52	74.0	-36.60	Peak	308.80	100	Horizontal	Pass
2**	9405.649	28.02	11.52	54.0	-25.98	AV	308.80	100	Horizontal	Pass
3	9906.023	40.80	13.40	68.2	-27.40	Peak	259.30	100	Horizontal	Pass
3**	9906.023	30.43	13.40	--	30.43	AV	259.30	100	Horizontal	N/A
4	12457.386	44.33	17.17	74.0	-29.67	Peak	208.30	100	Horizontal	Pass
4**	12457.386	35.41	17.17	54.0	-18.59	AV	208.30	100	Horizontal	Pass
5	14192.202	48.58	22.26	68.2	-19.62	Peak	358.30	100	Horizontal	Pass
5**	14192.202	40.54	22.26	--	40.54	AV	358.30	100	Horizontal	N/A
6	17782.804	53.05	25.11	74.0	-20.95	Peak	212.80	100	Horizontal	Pass
6**	17782.804	44.97	25.11	54.0	-9.03	AV	212.80	100	Horizontal	Pass

WiFi5GB1-N20-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-06-03_21.06.57

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1221.222	33.80	-14.62	74.0	-40.20	Peak	184.90	100	Vertical	Pass
1**	1221.222	22.85	-14.62	54.0	-31.15	AV	184.90	100	Vertical	Pass
2	2229.096	38.69	-10.74	74.0	-35.31	Peak	218.10	100	Vertical	Pass
2**	2229.096	27.09	-10.74	54.0	-26.91	AV	218.10	100	Vertical	Pass
3	3137.608	42.82	-2.81	68.2	-25.38	Peak	129.30	100	Vertical	Pass
3**	3137.608	32.14	-2.81	--	32.14	AV	129.30	100	Vertical	N/A
4	4145.107	47.30	1.63	74.0	-26.70	Peak	310.20	100	Vertical	Pass
4**	4145.107	36.08	1.63	54.0	-17.92	AV	310.20	100	Vertical	Pass
5	4577.053	48.30	1.96	74.0	-25.70	Peak	3.60	100	Vertical	Pass
5**	4577.053	37.17	1.96	54.0	-16.83	AV	3.60	100	Vertical	Pass
6	5274.466	54.65	8.45	--	54.65	Peak	114.80	100	Vertical	N/A
6**	5274.466	44.29	8.45	--	44.29	AV	114.80	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_15.31.00

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8058.485	34.16	8.12	74.0	-39.84	Peak	0.90	100	Vertical	Pass
1**	8058.485	24.85	8.12	54.0	-29.15	AV	0.90	100	Vertical	Pass
2	9149.963	37.05	10.81	74.0	-36.95	Peak	9.30	100	Vertical	Pass
2**	9149.963	28.05	10.81	54.0	-25.95	AV	9.30	100	Vertical	Pass
3	10433.892	39.42	12.62	68.2	-28.78	Peak	0.00	100	Vertical	Pass
3**	10433.892	29.91	12.62	--	29.91	AV	0.00	100	Vertical	N/A
4	11869.033	42.63	15.95	74.0	-31.37	Peak	298.40	100	Vertical	Pass
4**	11869.033	33.29	15.95	54.0	-20.71	AV	298.40	100	Vertical	Pass
5	14192.202	48.53	22.26	68.2	-19.67	Peak	36.90	100	Vertical	Pass
5**	14192.202	40.41	22.26	--	40.41	AV	36.90	100	Vertical	N/A
6	16911.272	50.28	21.48	68.2	-17.92	Peak	96.40	100	Vertical	Pass
6**	16911.272	40.75	21.48	--	40.75	AV	96.40	100	Vertical	N/A

WiFi5GB1-N20-Middle channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-03_21.19.21

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2158.855	38.03	-11.18	68.2	-30.17	Peak	360.00	100	Horizontal	Pass
1**	2158.855	27.07	-11.18	--	27.07	AV	360.00	100	Horizontal	N/A
2	3050.244	42.53	-3.05	68.2	-25.67	Peak	324.00	100	Horizontal	Pass
2**	3050.244	32.88	-3.05	--	32.88	AV	324.00	100	Horizontal	N/A
3	3718.410	46.45	0.91	74.0	-27.55	Peak	339.20	100	Horizontal	Pass
3**	3718.410	35.63	0.91	54.0	-18.37	AV	339.20	100	Horizontal	Pass
4	4037.120	47.58	1.63	74.0	-26.42	Peak	222.00	100	Horizontal	Pass
4**	4037.120	36.32	1.63	54.0	-17.68	AV	222.00	100	Horizontal	Pass
5	5191.976	55.65	8.09	--	55.65	Peak	353.60	100	Horizontal	N/A
5**	5191.976	43.66	8.09	--	43.66	AV	353.60	100	Horizontal	N/A
6	5859.768	51.81	4.86	68.2	-16.39	Peak	48.20	100	Horizontal	Pass
6**	5859.768	41.18	4.86	--	41.18	AV	48.20	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_15.33.28

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7588.353	32.55	6.29	74.0	-41.45	Peak	5.40	100	Horizontal	Pass
1**	7588.353	23.33	6.29	54.0	-30.67	AV	5.40	100	Horizontal	Pass
2	8190.452	33.65	7.35	74.0	-40.35	Peak	270.10	100	Horizontal	Pass
2**	8190.452	24.08	7.35	54.0	-29.92	AV	270.10	100	Horizontal	Pass
3	10505.374	39.45	13.10	68.2	-28.75	Peak	243.00	100	Horizontal	Pass
3**	10505.374	31.49	13.10	--	31.49	AV	243.00	100	Horizontal	N/A
4	13183.204	46.53	18.51	68.2	-21.67	Peak	270.10	100	Horizontal	Pass
4**	13183.204	36.94	18.51	--	36.94	AV	270.10	100	Horizontal	N/A
5	14200.450	48.19	22.07	68.2	-20.01	Peak	92.70	100	Horizontal	Pass
5**	14200.450	40.77	22.07	--	40.77	AV	92.70	100	Horizontal	N/A
6	17799.300	53.83	25.06	74.0	-20.17	Peak	161.10	100	Horizontal	Pass
6**	17799.300	45.32	25.06	54.0	-8.68	AV	161.10	100	Horizontal	Pass

WiFi5GB1-N20-Middle channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-06-03_21.09.39

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1175.978	34.67	-14.57	74.0	-39.33	Peak	147.00	100	Vertical	Pass
1**	1175.978	23.13	-14.57	54.0	-30.87	AV	147.00	100	Vertical	Pass
2	1831.396	35.57	-14.36	68.2	-32.63	Peak	11.60	100	Vertical	Pass
2**	1831.396	23.69	-14.36	--	23.69	AV	11.60	100	Vertical	N/A
3	3016.873	43.18	-3.28	68.2	-25.02	Peak	0.20	100	Vertical	Pass
3**	3016.873	32.28	-3.28	--	32.28	AV	0.20	100	Vertical	N/A
4	4041.995	47.56	1.68	74.0	-26.44	Peak	121.60	100	Vertical	Pass
4**	4041.995	36.62	1.68	54.0	-17.38	AV	121.60	100	Vertical	Pass
5	5253.843	54.94	8.37	--	54.94	Peak	297.90	100	Vertical	N/A
5**	5253.843	44.14	8.37	--	44.14	AV	297.90	100	Vertical	N/A
6	5712.036	51.88	4.72	68.2	-16.32	Peak	53.10	100	Vertical	Pass
6**	5712.036	41.15	4.72	--	41.15	AV	53.10	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_15.32.05

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7266.683	30.87	5.73	74.0	-43.13	Peak	187.60	100	Vertical	Pass
1**	7266.683	22.30	5.73	54.0	-31.70	AV	187.60	100	Vertical	Pass
2	8393.902	33.36	7.39	74.0	-40.64	Peak	250.80	100	Vertical	Pass
2**	8393.902	23.68	7.39	54.0	-30.32	AV	250.80	100	Vertical	Pass
3	9834.541	38.95	12.16	68.2	-29.25	Peak	300.30	100	Vertical	Pass
3**	9834.541	29.47	12.16	--	29.47	AV	300.30	100	Vertical	N/A
4	11310.922	42.37	15.55	74.0	-31.63	Peak	349.90	100	Vertical	Pass
4**	11310.922	33.21	15.55	54.0	-20.79	AV	349.90	100	Vertical	Pass
5	14486.378	48.36	20.15	74.0	-25.64	Peak	151.10	100	Vertical	Pass
5**	14486.378	39.30	20.15	54.0	-14.70	AV	151.10	100	Vertical	Pass
6	17425.394	53.29	24.59	68.2	-14.91	Peak	132.50	100	Vertical	Pass
6**	17425.394	44.31	24.59	--	44.31	AV	132.50	100	Vertical	N/A

WiFi5GB1-N20-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-03_21.14.14

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1464.942	34.10	-14.97	74.0	-39.90	Peak	270.20	100	Horizontal	Pass
1**	1464.942	22.73	-14.97	54.0	-31.27	AV	270.20	100	Horizontal	Pass
2	2270.591	38.26	-10.19	74.0	-35.74	Peak	87.50	100	Horizontal	Pass
2**	2270.591	26.75	-10.19	54.0	-27.25	AV	87.50	100	Horizontal	Pass
3	3395.201	44.91	-1.90	68.2	-23.29	Peak	359.80	100	Horizontal	Pass
3**	3395.201	33.77	-1.90	--	33.77	AV	359.80	100	Horizontal	N/A
4	4166.854	47.75	1.34	74.0	-26.25	Peak	360.00	100	Horizontal	Pass
4**	4166.854	36.83	1.34	54.0	-17.17	AV	360.00	100	Horizontal	Pass
5	5276.340	55.24	8.45	--	55.24	Peak	201.50	100	Horizontal	N/A
5**	5276.340	44.53	8.45	--	44.53	AV	201.50	100	Horizontal	N/A
6	5665.167	51.85	4.85	68.2	-16.35	Peak	342.20	100	Horizontal	Pass
6**	5665.167	40.85	4.85	--	40.85	AV	342.20	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_15.34.45

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7547.113	32.08	6.13	74.0	-41.92	Peak	300.00	100	Horizontal	Pass
1**	7547.113	23.97	6.13	54.0	-30.03	AV	300.00	100	Horizontal	Pass
2	9130.717	36.17	10.48	74.0	-37.83	Peak	336.10	100	Horizontal	Pass
2**	9130.717	27.86	10.48	54.0	-26.14	AV	336.10	100	Horizontal	Pass
3	10048.988	39.22	13.04	68.2	-28.98	Peak	21.90	100	Horizontal	Pass
3**	10048.988	29.79	13.04	--	29.79	AV	21.90	100	Horizontal	N/A
4	12443.639	43.70	17.11	74.0	-30.30	Peak	359.20	100	Horizontal	Pass
4**	12443.639	35.41	17.11	54.0	-18.59	AV	359.20	100	Horizontal	Pass
5	14186.703	50.24	22.33	68.2	-17.96	Peak	58.30	100	Horizontal	Pass
5**	14186.703	40.77	22.33	--	40.77	AV	58.30	100	Horizontal	N/A
6	17447.388	52.52	24.81	68.2	-15.68	Peak	317.90	100	Horizontal	Pass
6**	17447.388	44.37	24.81	--	44.37	AV	317.90	100	Horizontal	N/A

WiFi5GB1-N20-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-06-03_21.12.36

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.184	34.06	-14.97	74.0	-39.94	Peak	157.10	100	Vertical	Pass
1**	1528.184	23.33	-14.97	54.0	-30.67	AV	157.10	100	Vertical	Pass
2	2805.274	40.64	-7.49	74.0	-33.36	Peak	360.00	100	Vertical	Pass
2**	2805.274	28.46	-7.49	54.0	-25.54	AV	360.00	100	Vertical	Pass
3	4060.367	47.91	1.86	74.0	-26.09	Peak	140.40	100	Vertical	Pass
3**	4060.367	36.53	1.86	54.0	-17.47	AV	140.40	100	Vertical	Pass
4	4785.152	48.55	2.38	74.0	-25.45	Peak	293.80	100	Vertical	Pass
4**	4785.152	37.90	2.38	54.0	-16.10	AV	293.80	100	Vertical	Pass
5	5271.091	54.34	8.45	--	54.34	Peak	289.00	100	Vertical	N/A
5**	5271.091	43.92	8.45	--	43.92	AV	289.00	100	Vertical	N/A
6	5663.667	51.97	4.86	68.2	-16.23	Peak	303.10	100	Vertical	Pass
6**	5663.667	41.12	4.86	--	41.12	AV	303.10	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_15.36.14

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8050.237	34.27	8.28	74.0	-39.73	Peak	355.40	100	Vertical	Pass
1**	8050.237	25.06	8.28	54.0	-28.94	AV	355.40	100	Vertical	Pass
2	9149.963	36.90	10.81	74.0	-37.10	Peak	214.40	100	Vertical	Pass
2**	9149.963	28.16	10.81	54.0	-25.84	AV	214.40	100	Vertical	Pass
3	10799.550	40.57	14.02	74.0	-33.43	Peak	23.50	100	Vertical	Pass
3**	10799.550	32.68	14.02	54.0	-21.32	AV	23.50	100	Vertical	Pass
4	12429.893	43.38	17.05	74.0	-30.62	Peak	154.80	100	Vertical	Pass
4**	12429.893	35.10	17.05	54.0	-18.90	AV	154.80	100	Vertical	Pass
5	14189.453	48.61	22.33	68.2	-19.59	Peak	255.30	100	Vertical	Pass
5**	14189.453	40.48	22.33	--	40.48	AV	255.30	100	Vertical	N/A
6	17483.129	54.03	25.16	68.2	-14.17	Peak	109.40	100	Vertical	Pass
6**	17483.129	44.19	25.16	--	44.19	AV	109.40	100	Vertical	N/A

WiFi5GB1-N40-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-03_21.38.49

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1286.714	34.16	-14.47	68.2	-34.04	Peak	304.90	100	Horizontal	Pass
1**	1286.714	23.30	-14.47	--	23.30	AV	304.90	100	Horizontal	N/A
2	2122.360	37.54	-11.47	68.2	-30.66	Peak	79.00	100	Horizontal	Pass
2**	2122.360	26.55	-11.47	--	26.55	AV	79.00	100	Horizontal	N/A
3	3180.727	43.77	-2.46	68.2	-24.43	Peak	280.10	100	Horizontal	Pass
3**	3180.727	32.61	-2.46	--	32.61	AV	280.10	100	Horizontal	N/A
4	4052.118	47.26	1.78	74.0	-26.74	Peak	58.30	100	Horizontal	Pass
4**	4052.118	36.60	1.78	54.0	-17.40	AV	58.30	100	Horizontal	Pass
5	5255.343	55.17	8.38	--	55.17	Peak	275.20	100	Horizontal	N/A
5**	5255.343	44.08	8.38	--	44.08	AV	275.20	100	Horizontal	N/A
6	5711.286	51.51	4.73	68.2	-16.69	Peak	162.10	100	Horizontal	Pass
6**	5711.286	41.26	4.73	--	41.26	AV	162.10	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-06-03_21.53.57

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8044.739	34.02	8.34	74.0	-39.98	Peak	0.00	100	Horizontal	Pass
1**	8044.739	24.53	8.34	54.0	-29.47	AV	0.00	100	Horizontal	Pass
2	11225.694	41.76	14.90	74.0	-32.24	Peak	293.70	100	Horizontal	Pass
2**	11225.694	33.72	14.90	54.0	-20.28	AV	293.70	100	Horizontal	Pass
3	13207.948	46.25	18.52	68.2	-21.95	Peak	190.20	100	Horizontal	Pass
3**	13207.948	36.62	18.52	--	36.62	AV	190.20	100	Horizontal	N/A
4	14192.202	49.46	22.26	68.2	-18.74	Peak	343.60	100	Horizontal	Pass
4**	14192.202	40.91	22.26	--	40.91	AV	343.60	100	Horizontal	N/A
5	17485.879	52.88	25.15	68.2	-15.32	Peak	154.50	100	Horizontal	Pass
5**	17485.879	44.37	25.15	--	44.37	AV	154.50	100	Horizontal	N/A
6	17785.554	54.38	25.10	74.0	-19.62	Peak	76.70	100	Horizontal	Pass
6**	17785.554	45.30	25.10	54.0	-8.70	AV	76.70	100	Horizontal	Pass

WiFi5GB1-N40-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-06-03_21.31.33

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1686.414	34.79	-15.08	74.0	-39.21	Peak	218.40	100	Vertical	Pass
1**	1686.414	22.74	-15.08	54.0	-31.26	AV	218.40	100	Vertical	Pass
2	2157.855	37.77	-11.18	68.2	-30.43	Peak	227.70	100	Vertical	Pass
2**	2157.855	26.68	-11.18	--	26.68	AV	227.70	100	Vertical	N/A
3	4050.244	47.46	1.76	74.0	-26.54	Peak	113.70	100	Vertical	Pass
3**	4050.244	36.80	1.76	54.0	-17.20	AV	113.70	100	Vertical	Pass
4	4592.801	48.98	1.93	74.0	-25.02	Peak	23.60	100	Vertical	Pass
4**	4592.801	37.61	1.93	54.0	-16.39	AV	23.60	100	Vertical	Pass
5	5254.968	55.09	8.38	--	55.09	Peak	223.90	100	Vertical	N/A
5**	5254.968	43.71	8.38	--	43.71	AV	223.90	100	Vertical	N/A
6	5920.885	52.61	4.58	68.2	-15.59	Peak	283.00	100	Vertical	Pass
6**	5920.885	40.85	4.58	--	40.85	AV	283.00	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-06-03_21.57.30

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8041.990	34.78	8.30	74.0	-39.22	Peak	237.80	100	Vertical	Pass
1**	8041.990	24.68	8.30	54.0	-29.32	AV	237.80	100	Vertical	Pass
2	10098.475	39.87	13.24	68.2	-28.33	Peak	183.40	100	Vertical	Pass
2**	10098.475	29.78	13.24	--	29.78	AV	183.40	100	Vertical	N/A
3	11192.702	42.75	14.52	74.0	-31.25	Peak	288.00	100	Vertical	Pass
3**	11192.702	33.09	14.52	54.0	-20.91	AV	288.00	100	Vertical	Pass
4	14200.450	49.32	22.07	68.2	-18.88	Peak	147.30	100	Vertical	Pass
4**	14200.450	40.52	22.07	--	40.52	AV	147.30	100	Vertical	N/A
5	16075.481	48.95	20.48	74.0	-25.05	Peak	160.70	100	Vertical	Pass
5**	16075.481	40.94	20.48	54.0	-13.06	AV	160.70	100	Vertical	Pass
6	17455.636	52.63	24.89	68.2	-15.57	Peak	196.80	100	Vertical	Pass
6**	17455.636	44.24	24.89	--	44.24	AV	196.80	100	Vertical	N/A

WIFI5GB1-N40-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-03_21.35.48

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1314.961	34.74	-14.68	74.0	-39.26	Peak	73.10	100	Horizontal	Pass
1**	1314.961	23.20	-14.68	54.0	-30.80	AV	73.10	100	Horizontal	Pass
2	2072.616	36.91	-11.62	68.2	-31.29	Peak	92.10	100	Horizontal	Pass
2**	2072.616	26.11	-11.62	--	26.11	AV	92.10	100	Horizontal	N/A
3	3017.998	43.56	-3.29	68.2	-24.64	Peak	358.30	100	Horizontal	Pass
3**	3017.998	32.11	-3.29	--	32.11	AV	358.30	100	Horizontal	N/A
4	4061.117	46.98	1.87	74.0	-27.02	Peak	310.20	100	Horizontal	Pass
4**	4061.117	36.78	1.87	54.0	-17.22	AV	310.20	100	Horizontal	Pass
5	5221.972	54.65	8.21	--	54.65	Peak	31.80	100	Horizontal	N/A
5**	5221.972	44.52	8.21	--	44.52	AV	31.80	100	Horizontal	N/A
6	5712.786	51.83	4.71	68.2	-16.37	Peak	360.00	100	Horizontal	Pass
6**	5712.786	41.08	4.71	--	41.08	AV	360.00	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-06-03_21.55.28

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7967.758	33.60	7.30	68.2	-34.60	Peak	97.50	100	Horizontal	Pass
1**	7967.758	24.01	7.30	--	24.01	AV	97.50	100	Horizontal	N/A
2	9919.770	39.23	13.53	68.2	-28.97	Peak	205.40	100	Horizontal	Pass
2**	9919.770	30.03	13.53	--	30.03	AV	205.40	100	Horizontal	N/A
3	12413.397	44.43	16.99	74.0	-29.57	Peak	0.60	100	Horizontal	Pass
3**	12413.397	35.67	16.99	54.0	-18.33	AV	0.60	100	Horizontal	Pass
4	14178.455	48.48	22.08	68.2	-19.72	Peak	119.50	100	Horizontal	Pass
4**	14178.455	40.15	22.08	--	40.15	AV	119.50	100	Horizontal	N/A
5	17505.124	52.65	24.62	68.2	-15.55	Peak	351.30	100	Horizontal	Pass
5**	17505.124	44.73	24.62	--	44.73	AV	351.30	100	Horizontal	N/A
6	17807.548	53.91	24.83	74.0	-20.09	Peak	78.90	100	Horizontal	Pass
6**	17807.548	45.27	24.83	54.0	-8.73	AV	78.90	100	Horizontal	Pass

WiFi5GB1-N40-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-06-03_21.33.31

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2054.118	37.04	-11.95	68.2	-31.16	Peak	134.90	100	Vertical	Pass
1**	2054.118	25.61	-11.95	--	25.61	AV	134.90	100	Vertical	N/A
2	3026.997	42.60	-3.21	68.2	-25.60	Peak	353.60	100	Vertical	Pass
2**	3026.997	32.52	-3.21	--	32.52	AV	353.60	100	Vertical	N/A
3	3716.910	46.90	0.87	74.0	-27.10	Peak	34.10	100	Vertical	Pass
3**	3716.910	35.76	0.87	54.0	-18.24	AV	34.10	100	Vertical	Pass
4	4707.912	48.41	1.79	74.0	-25.59	Peak	93.30	100	Vertical	Pass
4**	4707.912	37.62	1.79	54.0	-16.38	AV	93.30	100	Vertical	Pass
5	5250.844	54.56	8.36	--	54.56	Peak	359.80	100	Vertical	N/A
5**	5250.844	44.20	8.36	--	44.20	AV	359.80	100	Vertical	N/A
6	5714.286	51.40	4.70	68.2	-16.80	Peak	353.60	100	Vertical	Pass
6**	5714.286	41.15	4.70	--	41.15	AV	353.60	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-06-03_21.58.36

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7560.860	31.94	6.19	74.0	-42.06	Peak	163.80	100	Vertical	Pass
1**	7560.860	23.27	6.19	54.0	-30.73	AV	163.80	100	Vertical	Pass
2	9941.765	39.63	13.40	68.2	-28.57	Peak	39.90	100	Vertical	Pass
2**	9941.765	30.07	13.40	--	30.07	AV	39.90	100	Vertical	N/A
3	12454.636	43.81	17.15	74.0	-30.19	Peak	49.90	100	Vertical	Pass
3**	12454.636	35.30	17.15	54.0	-18.70	AV	49.90	100	Vertical	Pass
4	14183.954	48.40	22.24	68.2	-19.80	Peak	154.90	100	Vertical	Pass
4**	14183.954	40.47	22.24	--	40.47	AV	154.90	100	Vertical	N/A
5	14821.795	48.72	20.73	68.2	-19.48	Peak	163.80	100	Vertical	Pass
5**	14821.795	39.37	20.73	--	39.37	AV	163.80	100	Vertical	N/A
6	17466.633	52.97	25.00	68.2	-15.23	Peak	163.80	100	Vertical	Pass
6**	17466.633	44.07	25.00	--	44.07	AV	163.80	100	Vertical	N/A

WIFI5GB1-AC20-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-05-31_16.21.12

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1083.240	33.83	-15.24	74.0	-40.17	Peak	161.20	100	Horizontal	Pass
1**	1083.240	22.39	-15.24	54.0	-31.61	AV	161.20	100	Horizontal	Pass
2	1828.396	35.17	-14.37	68.2	-33.03	Peak	152.30	100	Horizontal	Pass
2**	1828.396	24.36	-14.37	--	24.36	AV	152.30	100	Horizontal	N/A
3	2473.066	39.49	-10.06	68.2	-28.71	Peak	71.20	100	Horizontal	Pass
3**	2473.066	27.59	-10.06	--	27.59	AV	71.20	100	Horizontal	N/A
4	3005.624	44.66	-3.17	68.2	-23.54	Peak	0.50	100	Horizontal	Pass
4**	3005.624	33.23	-3.17	--	33.23	AV	0.50	100	Horizontal	N/A
5	3620.547	45.81	0.14	74.0	-28.19	Peak	319.90	100	Horizontal	Pass
5**	3620.547	35.37	0.14	54.0	-18.63	AV	319.90	100	Horizontal	Pass
6	5221.222	55.66	8.21	--	55.66	Peak	359.90	100	Horizontal	N/A
6**	5221.222	44.49	8.21	--	44.49	AV	359.90	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_15.21.35

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7558.110	31.82	6.18	74.0	-42.18	Peak	343.20	100	Horizontal	Pass
1**	7558.110	22.79	6.18	54.0	-31.21	AV	343.20	100	Horizontal	Pass
2	9125.219	36.50	10.39	74.0	-37.50	Peak	74.60	100	Horizontal	Pass
2**	9125.219	27.86	10.39	54.0	-26.14	AV	74.60	100	Horizontal	Pass
3	10062.734	39.16	13.10	68.2	-29.04	Peak	223.40	100	Horizontal	Pass
3**	10062.734	30.53	13.10	--	30.53	AV	223.40	100	Horizontal	N/A
4	11178.955	42.38	14.38	74.0	-31.62	Peak	160.50	100	Horizontal	Pass
4**	11178.955	33.44	14.38	54.0	-20.56	AV	160.50	100	Horizontal	Pass
5	14164.709	48.68	21.66	68.2	-19.52	Peak	355.90	100	Horizontal	Pass
5**	14164.709	39.87	21.66	--	39.87	AV	355.90	100	Horizontal	N/A
6	17483.129	53.52	25.16	68.2	-14.68	Peak	0.00	100	Horizontal	Pass
6**	17483.129	44.24	25.16	--	44.24	AV	0.00	100	Horizontal	N/A

WiFi5GB1-AC20-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-05-31_16.23.35

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1220.722	34.84	-14.62	74.0	-39.16	Peak	311.80	100	Vertical	Pass
1**	1220.722	23.42	-14.62	54.0	-30.58	AV	311.80	100	Vertical	Pass
2	2198.100	39.38	-10.63	68.2	-28.82	Peak	156.70	100	Vertical	Pass
2**	2198.100	28.14	-10.63	--	28.14	AV	156.70	100	Vertical	N/A
3	2812.273	40.60	-7.42	74.0	-33.40	Peak	15.30	100	Vertical	Pass
3**	2812.273	29.58	-7.42	54.0	-24.42	AV	15.30	100	Vertical	Pass
4	3864.267	45.19	-0.24	74.0	-28.81	Peak	29.60	100	Vertical	Pass
4**	3864.267	34.62	-0.24	54.0	-19.38	AV	29.60	100	Vertical	Pass
5	4769.779	48.48	2.52	74.0	-25.52	Peak	222.40	100	Vertical	Pass
5**	4769.779	38.06	2.52	54.0	-15.94	AV	222.40	100	Vertical	Pass
6	5222.722	55.18	8.22	--	55.18	Peak	315.40	100	Vertical	N/A
6**	5222.722	43.98	8.22	--	43.98	AV	315.40	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_15.20.19

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8204.199	34.61	7.58	74.0	-39.39	Peak	149.60	100	Vertical	Pass
1**	8204.199	24.77	7.58	54.0	-29.23	AV	149.60	100	Vertical	Pass
2	9292.927	37.80	10.39	68.2	-30.40	Peak	0.30	100	Vertical	Pass
2**	9292.927	27.99	10.39	--	27.99	AV	0.30	100	Vertical	N/A
3	11299.925	42.33	15.59	74.0	-31.67	Peak	360.00	100	Vertical	Pass
3**	11299.925	32.77	15.59	54.0	-21.23	AV	360.00	100	Vertical	Pass
4	12449.138	43.81	17.13	74.0	-30.19	Peak	135.50	100	Vertical	Pass
4**	12449.138	35.35	17.13	54.0	-18.65	AV	135.50	100	Vertical	Pass
5	14183.954	49.03	22.24	68.2	-19.17	Peak	67.00	100	Vertical	Pass
5**	14183.954	39.84	22.24	--	39.84	AV	67.00	100	Vertical	N/A
6	17447.388	52.09	24.81	68.2	-16.11	Peak	249.70	100	Vertical	Pass
6**	17447.388	43.61	24.81	--	43.61	AV	249.70	100	Vertical	N/A

WiFi5GB1-AC20-Middle channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-03_20.57.43

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: CE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Limit (dBuV/m) 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)		Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1260.217	34.05	-14.68	68.2	-34.15	Peak	174.60	100	Horizontal	Pass
1**	1260.217	23.29	-14.68	--	23.29	AV	174.60	100	Horizontal	N/A
2	1932.133	35.57	-13.33	68.2	-32.63	Peak	76.30	100	Horizontal	Pass
2**	1932.133	25.23	-13.33	--	25.23	AV	76.30	100	Horizontal	N/A
3	2753.531	40.94	-8.30	74.0	-33.06	Peak	53.30	100	Horizontal	Pass
3**	2753.531	29.02	-8.30	54.0	-24.98	AV	53.30	100	Horizontal	Pass
4	3693.288	45.66	0.29	74.0	-28.34	Peak	294.60	100	Horizontal	Pass
4**	3693.288	34.78	0.29	54.0	-19.22	AV	294.60	100	Horizontal	Pass
5	4235.096	47.54	1.25	74.0	-26.46	Peak	324.70	100	Horizontal	Pass
5**	4235.096	36.77	1.25	54.0	-17.23	AV	324.70	100	Horizontal	Pass
6	5218.598	54.54	8.20	--	54.54	Peak	359.80	100	Horizontal	N/A
6**	5218.598	44.00	8.20	--	44.00	AV	359.80	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_15.23.25

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7560.860	31.84	6.19	74.0	-42.16	Peak	28.70	100	Horizontal	Pass
1**	7560.860	22.47	6.19	54.0	-31.53	AV	28.70	100	Horizontal	Pass
2	9171.957	36.22	10.75	74.0	-37.78	Peak	24.20	100	Horizontal	Pass
2**	9171.957	27.64	10.75	54.0	-26.36	AV	24.20	100	Horizontal	Pass
3	10178.205	39.52	12.96	68.2	-28.68	Peak	106.50	100	Horizontal	Pass
3**	10178.205	30.49	12.96	--	30.49	AV	106.50	100	Horizontal	N/A
4	13103.474	44.80	18.54	68.2	-23.40	Peak	278.40	100	Horizontal	Pass
4**	13103.474	36.43	18.54	--	36.43	AV	278.40	100	Horizontal	N/A
5	14192.202	48.43	22.26	68.2	-19.77	Peak	202.10	100	Horizontal	Pass
5**	14192.202	41.53	22.26	--	41.53	AV	202.10	100	Horizontal	N/A
6	17452.887	53.81	24.86	68.2	-14.39	Peak	1.40	100	Horizontal	Pass
6**	17452.887	44.13	24.86	--	44.13	AV	1.40	100	Horizontal	N/A

WiFi5GB1-AC20- Middle channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-05-31_16.26.38

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1103.237	33.10	-15.11	74.0	-40.90	Peak	247.10	100	Vertical	Pass
1**	1103.237	22.50	-15.11	54.0	-31.50	AV	247.10	100	Vertical	Pass
2	1324.459	34.55	-14.74	74.0	-39.45	Peak	289.90	100	Vertical	Pass
2**	1324.459	23.27	-14.74	54.0	-30.73	AV	289.90	100	Vertical	Pass
3	2141.857	38.75	-11.32	68.2	-29.45	Peak	34.20	100	Vertical	Pass
3**	2141.857	27.09	-11.32	--	27.09	AV	34.20	100	Vertical	N/A
4	3026.247	44.25	-3.21	68.2	-23.95	Peak	53.80	100	Vertical	Pass
4**	3026.247	33.08	-3.21	--	33.08	AV	53.80	100	Vertical	N/A
5	3684.289	46.74	0.05	74.0	-27.26	Peak	298.30	100	Vertical	Pass
5**	3684.289	35.52	0.05	54.0	-18.48	AV	298.30	100	Vertical	Pass
6	5268.841	55.22	8.45	--	55.22	Peak	313.20	100	Vertical	N/A
6**	5268.841	44.02	8.45	--	44.02	AV	313.20	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_15.24.55

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7395.901	31.50	5.23	74.0	-42.50	Peak	358.30	100	Vertical	Pass
1**	7395.901	21.57	5.23	54.0	-32.43	AV	358.30	100	Vertical	Pass
2	8831.042	35.85	9.06	68.2	-32.35	Peak	188.40	100	Vertical	Pass
2**	8831.042	27.44	9.06	--	27.44	AV	188.40	100	Vertical	N/A
3	10136.966	39.10	13.17	68.2	-29.10	Peak	316.40	100	Vertical	Pass
3**	10136.966	30.12	13.17	--	30.12	AV	316.40	100	Vertical	N/A
4	11489.628	42.37	15.53	74.0	-31.63	Peak	41.90	100	Vertical	Pass
4**	11489.628	32.90	15.53	54.0	-21.10	AV	41.90	100	Vertical	Pass
5	13150.212	45.52	18.53	68.2	-22.68	Peak	193.30	100	Vertical	Pass
5**	13150.212	36.11	18.53	--	36.11	AV	193.30	100	Vertical	N/A
6	17804.799	54.07	24.91	74.0	-19.93	Peak	165.70	100	Vertical	Pass
6**	17804.799	45.13	24.91	54.0	-8.87	AV	165.70	100	Vertical	Pass

WIFI5GB1-AC20-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-03_21.00.42

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: CE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1553.931	34.00	-14.99	74.0	-40.00	Peak	255.00	100	Horizontal	Pass
1**	1553.931	22.91	-14.99	54.0	-31.09	AV	255.00	100	Horizontal	Pass
2	2128.359	37.34	-11.48	68.2	-30.86	Peak	123.60	100	Horizontal	Pass
2**	2128.359	27.08	-11.48	--	27.08	AV	123.60	100	Horizontal	N/A
3	3031.871	42.75	-3.16	68.2	-25.45	Peak	139.80	100	Horizontal	Pass
3**	3031.871	32.28	-3.16	--	32.28	AV	139.80	100	Horizontal	N/A
4	3719.910	46.35	0.91	74.0	-27.65	Peak	35.90	100	Horizontal	Pass
4**	3719.910	35.66	0.91	54.0	-18.34	AV	35.90	100	Horizontal	Pass
5	5214.848	54.29	8.18	--	51.69	Peak	2.60	100	Horizontal	N/A
5**	5214.848	43.62	8.18	--	43.62	AV	2.60	100	Horizontal	N/A
6	5868.391	53.09	4.89	68.2	-15.11	Peak	139.80	100	Horizontal	Pass
6**	5868.391	40.29	4.89	--	40.29	AV	139.80	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_15.27.56

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8044.739	34.09	8.34	74.0	-39.91	Peak	0.80	100	Horizontal	Pass
1**	8044.739	24.75	8.34	54.0	-29.25	AV	0.80	100	Horizontal	Pass
2	9402.899	37.47	11.52	74.0	-36.53	Peak	329.60	100	Horizontal	Pass
2**	9402.899	29.08	11.52	54.0	-24.92	AV	329.60	100	Horizontal	Pass
3	11291.677	42.53	15.65	74.0	-31.47	Peak	324.40	100	Horizontal	Pass
3**	11291.677	33.73	15.65	54.0	-20.27	AV	324.40	100	Horizontal	Pass
4	12468.383	44.73	17.15	74.0	-29.27	Peak	334.40	100	Horizontal	Pass
4**	12468.383	35.63	17.15	54.0	-18.37	AV	334.40	100	Horizontal	Pass
5	14183.954	48.86	22.24	68.2	-19.34	Peak	265.60	100	Horizontal	Pass
5**	14183.954	41.24	22.24	--	41.24	AV	265.60	100	Horizontal	N/A
6	17796.551	54.05	25.07	74.0	-19.95	Peak	96.80	100	Horizontal	Pass
6**	17796.551	45.66	25.07	54.0	-8.34	AV	96.80	100	Horizontal	Pass

WIFI5GB1-AC20-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-06-03_21.04.00

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: CE

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1149.731	33.87	-15.09	74.0	-40.13	Peak	212.50	100	Vertical	Pass
1**	1149.731	21.91	-15.09	54.0	-32.09	AV	212.50	100	Vertical	Pass
2	1986.377	35.83	-12.80	68.2	-32.37	Peak	73.00	100	Vertical	Pass
2**	1986.377	25.14	-12.80	--	25.14	AV	73.00	100	Vertical	N/A
3	3054.368	43.61	-3.11	68.2	-24.59	Peak	126.70	100	Vertical	Pass
3**	3054.368	31.95	-3.11	--	31.95	AV	126.70	100	Vertical	N/A
4	3719.910	47.02	0.91	74.0	-26.98	Peak	290.50	100	Vertical	Pass
4**	3719.910	35.96	0.91	54.0	-18.04	AV	290.50	100	Vertical	Pass
5	4462.692	48.53	1.72	68.2	-19.67	Peak	96.60	100	Vertical	Pass
5**	4462.692	37.10	1.72	--	37.10	AV	96.60	100	Vertical	N/A
6	5278.590	54.52	8.46	--	11.52	Peak	43.00	100	Vertical	N/A
6**	5278.590	44.84	8.46	--	44.84	AV	43.00	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_15.26.12

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7261.185	32.93	5.72	74.0	-41.07	Peak	241.20	100	Vertical	Pass
1**	7261.185	22.15	5.72	54.0	-31.85	AV	241.20	100	Vertical	Pass
2	8017.246	33.41	7.90	68.2	-34.79	Peak	52.50	100	Vertical	Pass
2**	8017.246	24.67	7.90	--	24.67	AV	52.50	100	Vertical	N/A
3	10150.712	38.73	13.07	68.2	-29.47	Peak	66.30	100	Vertical	Pass
3**	10150.712	30.49	13.07	--	30.49	AV	66.30	100	Vertical	N/A
4	11308.173	42.76	15.56	74.0	-31.24	Peak	79.70	100	Vertical	Pass
4**	11308.173	33.42	15.56	54.0	-20.58	AV	79.70	100	Vertical	Pass
5	14197.701	48.88	22.13	68.2	-19.32	Peak	259.10	100	Vertical	Pass
5**	14197.701	40.32	22.13	--	40.32	AV	259.10	100	Vertical	N/A
6	17463.884	52.50	24.97	68.2	-15.70	Peak	286.60	100	Vertical	Pass
6**	17463.884	44.26	24.97	--	44.26	AV	286.60	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-06-03_21.21.51

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1400.450	34.27	-14.77	74.0	-39.73	Peak	194.30	100	Horizontal	Pass
1**	1400.450	23.02	-14.77	54.0	-30.98	AV	194.30	100	Horizontal	Pass
2	2150.356	37.86	-11.21	68.2	-30.34	Peak	1.10	100	Horizontal	Pass
2**	2150.356	27.13	-11.21	--	27.13	AV	1.10	100	Horizontal	N/A
3	3182.227	43.14	-2.47	68.2	-25.06	Peak	334.50	100	Horizontal	Pass
3**	3182.227	32.79	-2.47	--	32.79	AV	334.50	100	Horizontal	N/A
4	4058.493	47.26	1.84	74.0	-26.74	Peak	334.50	100	Horizontal	Pass
4**	4058.493	36.38	1.84	54.0	-17.62	AV	334.50	100	Horizontal	Pass
5	5250.844	54.36	8.36	--	54.36	Peak	177.90	100	Horizontal	N/A
5**	5250.844	44.19	8.36	--	44.19	AV	177.90	100	Horizontal	N/A
6	5713.536	52.07	4.70	68.2	-16.13	Peak	353.70	100	Horizontal	Pass
6**	5713.536	40.86	4.70	--	40.86	AV	353.70	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-06-03_21.50.16

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9144.464	36.87	10.72	74.0	-37.13	Peak	146.90	100	Horizontal	Pass
1**	9144.464	27.43	10.72	54.0	-26.57	AV	146.90	100	Horizontal	Pass
2	10021.495	39.57	12.93	68.2	-28.63	Peak	310.60	100	Horizontal	Pass
2**	10021.495	29.84	12.93	--	29.84	AV	310.60	100	Horizontal	N/A
3	12487.628	44.10	16.69	74.0	-29.90	Peak	319.90	100	Horizontal	Pass
3**	12487.628	34.68	16.69	54.0	-19.32	AV	319.90	100	Horizontal	Pass
4	14208.698	48.49	21.88	68.2	-19.71	Peak	91.80	100	Horizontal	Pass
4**	14208.698	38.89	21.88	--	38.89	AV	91.80	100	Horizontal	N/A
5	16039.740	48.96	20.56	74.0	-25.04	Peak	110.40	100	Horizontal	Pass
5**	16039.740	40.65	20.56	54.0	-13.35	AV	110.40	100	Horizontal	Pass
6	17436.391	53.15	24.70	68.2	-15.05	Peak	2.80	100	Horizontal	Pass
6**	17436.391	43.59	24.70	--	43.59	AV	2.80	100	Horizontal	N/A

WIFI5GB1-AC40-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-06-03_21.26.35

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.480	34.39	-14.72	74.0	-39.61	Peak	259.70	100	Vertical	Pass
1**	1162.480	22.77	-14.72	54.0	-31.23	AV	259.70	100	Vertical	Pass
2	2123.860	37.90	-11.48	68.2	-30.30	Peak	360.00	100	Vertical	Pass
2**	2123.860	26.41	-11.48	--	26.41	AV	360.00	100	Vertical	N/A
3	3192.726	43.06	-2.57	68.2	-25.14	Peak	216.00	100	Vertical	Pass
3**	3192.726	32.53	-2.57	--	32.53	AV	216.00	100	Vertical	N/A
4	3734.158	46.55	0.71	74.0	-27.45	Peak	225.30	100	Vertical	Pass
4**	3734.158	35.70	0.71	54.0	-18.30	AV	225.30	100	Vertical	Pass
5	4801.650	48.49	2.23	74.0	-25.51	Peak	162.10	100	Vertical	Pass
5**	4801.650	37.63	2.23	54.0	-16.37	AV	162.10	100	Vertical	Pass
6	5224.597	54.90	8.23	--	54.90	Peak	59.00	100	Vertical	N/A
6**	5224.597	44.10	8.23	--	44.10	AV	59.00	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-06-03_21.47.12

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7984.254	33.47	7.47	68.2	-34.73	Peak	151.50	100	Vertical	Pass
1**	7984.254	24.59	7.47	--	24.59	AV	151.50	100	Vertical	N/A
2	10076.481	40.06	13.15	68.2	-28.14	Peak	357.60	100	Vertical	Pass
2**	10076.481	31.30	13.15	--	31.30	AV	357.60	100	Vertical	N/A
3	12435.391	43.73	17.08	74.0	-30.27	Peak	316.00	100	Vertical	Pass
3**	12435.391	34.72	17.08	54.0	-19.28	AV	316.00	100	Vertical	Pass
4	14200.450	48.65	22.07	68.2	-19.55	Peak	119.50	100	Vertical	Pass
4**	14200.450	40.06	22.07	--	40.06	AV	119.50	100	Vertical	N/A
5	16061.735	49.29	20.51	74.0	-24.71	Peak	100.90	100	Vertical	Pass
5**	16061.735	41.33	20.51	54.0	-12.67	AV	100.90	100	Vertical	Pass
6	17466.633	53.32	25.00	68.2	-14.88	Peak	82.70	100	Vertical	Pass
6**	17466.633	45.05	25.00	--	45.05	AV	82.70	100	Vertical	N/A

WIFI5GB1-AC40-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-03_21.23.54

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.934	34.61	-14.97	74.0	-39.39	Peak	64.00	100	Horizontal	Pass
1**	1524.934	22.98	-14.97	54.0	-31.02	AV	64.00	100	Horizontal	Pass
2	2138.608	37.75	-11.37	68.2	-30.45	Peak	335.60	100	Horizontal	Pass
2**	2138.608	26.76	-11.37	--	26.76	AV	335.60	100	Horizontal	N/A
3	3709.411	46.54	0.69	74.0	-27.46	Peak	60.50	100	Horizontal	Pass
3**	3709.411	35.30	0.69	54.0	-18.70	AV	60.50	100	Horizontal	Pass
4	4761.530	48.16	2.41	74.0	-25.84	Peak	41.20	100	Horizontal	Pass
4**	4761.530	37.55	2.41	54.0	-16.45	AV	41.20	100	Horizontal	Pass
5	5163.105	55.29	7.96	--	55.29	Peak	228.70	100	Horizontal	N/A
5**	5163.105	43.54	7.96	--	43.54	AV	228.70	100	Horizontal	N/A
6	5666.667	52.02	4.85	68.2	-16.18	Peak	268.50	100	Horizontal	Pass
6**	5666.667	41.02	4.85	--	41.02	AV	268.50	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-06-03_21.52.13

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8212.447	34.18	7.59	74.0	-39.82	Peak	229.80	100	Horizontal	Pass
1**	8212.447	24.61	7.59	54.0	-29.39	AV	229.80	100	Horizontal	Pass
2	10070.982	39.64	13.13	68.2	-28.56	Peak	306.80	100	Horizontal	Pass
2**	10070.982	30.27	13.13	--	30.27	AV	306.80	100	Horizontal	N/A
3	11231.192	42.36	14.97	74.0	-31.64	Peak	44.80	100	Horizontal	Pass
3**	11231.192	33.80	14.97	54.0	-20.20	AV	44.80	100	Horizontal	Pass
4	12446.388	44.39	17.12	74.0	-29.61	Peak	0.00	100	Horizontal	Pass
4**	12446.388	35.50	17.12	54.0	-18.50	AV	0.00	100	Horizontal	Pass
5	14538.615	48.61	19.77	68.2	-19.59	Peak	0.00	100	Horizontal	Pass
5**	14538.615	39.54	19.77	--	39.54	AV	0.00	100	Horizontal	N/A
6	17796.551	53.77	25.07	74.0	-20.23	Peak	0.00	100	Horizontal	Pass
6**	17796.551	45.45	25.07	54.0	-8.55	AV	0.00	100	Horizontal	Pass

WIFI5GB1-AC40-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-06-03_21.28.09

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.936	34.26	-15.02	74.0	-39.74	Peak	360.00	100	Vertical	Pass
1**	1512.936	22.89	-15.02	54.0	-31.11	AV	360.00	100	Vertical	Pass
2	2255.593	37.64	-10.28	74.0	-36.36	Peak	239.50	100	Vertical	Pass
2**	2255.593	27.60	-10.28	54.0	-26.40	AV	239.50	100	Vertical	Pass
3	2748.281	39.79	-8.35	74.0	-34.21	Peak	350.90	100	Vertical	Pass
3**	2748.281	28.68	-8.35	54.0	-25.32	AV	350.90	100	Vertical	Pass
4	3128.234	43.47	-2.89	68.2	-24.73	Peak	346.70	100	Vertical	Pass
4**	3128.234	32.04	-2.89	--	32.04	AV	346.70	100	Vertical	N/A
5	4532.808	49.70	2.33	74.0	-24.30	Peak	243.50	100	Vertical	Pass
5**	4532.808	37.87	2.33	54.0	-16.13	AV	243.50	100	Vertical	Pass
6	5271.841	54.64	8.45	--	54.64	Peak	357.90	100	Vertical	N/A
6**	5271.841	45.10	8.45	--	45.10	AV	357.90	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-06-03_21.48.54

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8173.957	33.35	7.07	74.0	-40.65	Peak	285.40	100	Vertical	Pass
1**	8173.957	24.15	7.07	54.0	-29.85	AV	285.40	100	Vertical	Pass
2	10004.999	39.00	12.97	68.2	-29.20	Peak	267.20	100	Vertical	Pass
2**	10004.999	30.13	12.97	--	30.13	AV	267.20	100	Vertical	N/A
3	11198.200	43.07	14.58	74.0	-30.93	Peak	0.00	100	Vertical	Pass
3**	11198.200	33.74	14.58	54.0	-20.26	AV	0.00	100	Vertical	Pass
4	14203.199	48.35	22.00	68.2	-19.85	Peak	162.60	100	Vertical	Pass
4**	14203.199	40.05	22.00	--	40.05	AV	162.60	100	Vertical	N/A
5	16028.743	49.40	20.59	74.0	-24.60	Peak	131.00	100	Vertical	Pass
5**	16028.743	41.03	20.59	54.0	-12.97	AV	131.00	100	Vertical	Pass
6	17802.049	54.11	25.00	74.0	-19.89	Peak	49.50	100	Vertical	Pass
6**	17802.049	45.86	25.00	54.0	-8.14	AV	49.50	100	Vertical	Pass

WIFI5GB1-AC80-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-03_21.40.51

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1343.207	34.31	-14.62	74.0	-39.69	Peak	65.00	100	Horizontal	Pass
1**	1343.207	23.11	-14.62	54.0	-30.89	AV	65.00	100	Horizontal	Pass
2	2439.070	38.42	-10.06	68.2	-29.78	Peak	55.70	100	Horizontal	Pass
2**	2439.070	27.00	-10.06	--	27.00	AV	55.70	100	Horizontal	N/A
3	3683.165	46.25	0.02	74.0	-27.75	Peak	73.10	100	Horizontal	Pass
3**	3683.165	35.08	0.02	54.0	-18.92	AV	73.10	100	Horizontal	Pass
4	4612.673	48.66	2.00	74.0	-25.34	Peak	28.90	100	Horizontal	Pass
4**	4612.673	37.30	2.00	54.0	-16.70	AV	28.90	100	Horizontal	Pass
5	5277.465	55.54	8.46	--	55.54	Peak	137.50	100	Horizontal	N/A
5**	5277.465	44.66	8.46	--	44.66	AV	137.50	100	Horizontal	N/A
6	5656.168	51.89	4.87	68.2	-16.31	Peak	311.70	100	Horizontal	Pass
6**	5656.168	40.86	4.87	--	40.86	AV	311.70	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-06-03_22.00.18

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9158.210	36.25	10.92	74.0	-37.75	Peak	3.90	100	Horizontal	Pass
1**	9158.210	27.46	10.92	54.0	-26.54	AV	3.90	100	Horizontal	Pass
2	10200.200	39.80	12.91	68.2	-28.40	Peak	35.30	100	Horizontal	Pass
2**	10200.200	30.47	12.91	--	30.47	AV	35.30	100	Horizontal	N/A
3	11192.702	42.09	14.52	74.0	-31.91	Peak	72.20	100	Horizontal	Pass
3**	11192.702	33.61	14.52	54.0	-20.39	AV	72.20	100	Horizontal	Pass
4	14203.199	47.97	22.00	68.2	-20.23	Peak	245.40	100	Horizontal	Pass
4**	14203.199	39.88	22.00	--	39.88	AV	245.40	100	Horizontal	N/A
5	16064.484	49.58	20.50	74.0	-24.42	Peak	1.90	100	Horizontal	Pass
5**	16064.484	40.53	20.50	54.0	-13.47	AV	1.90	100	Horizontal	Pass
6	17477.631	53.31	25.10	68.2	-14.89	Peak	72.20	100	Horizontal	Pass
6**	17477.631	44.15	25.10	--	44.15	AV	72.20	100	Horizontal	N/A

WIFI5GB1-AC80-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-06-03_21.43.26

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1345.207	34.39	-14.62	74.0	-39.61	Peak	4.30	100	Vertical	Pass
1**	1345.207	23.29	-14.62	54.0	-30.71	AV	4.30	100	Vertical	Pass
2	2101.862	37.36	-11.45	68.2	-30.84	Peak	246.60	100	Vertical	Pass
2**	2101.862	26.31	-11.45	--	26.31	AV	246.60	100	Vertical	N/A
3	3013.123	43.25	-3.24	68.2	-24.95	Peak	53.40	100	Vertical	Pass
3**	3013.123	32.53	-3.24	--	32.53	AV	53.40	100	Vertical	N/A
4	4040.870	47.41	1.67	74.0	-26.59	Peak	327.70	100	Vertical	Pass
4**	4040.870	36.59	1.67	54.0	-17.41	AV	327.70	100	Vertical	Pass
5	5252.343	54.75	8.37	--	54.75	Peak	337.40	100	Vertical	N/A
5**	5252.343	44.59	8.37	--	44.59	AV	337.40	100	Vertical	N/A
6	5672.666	52.20	4.84	68.2	-16.00	Peak	48.20	100	Vertical	Pass
6**	5672.666	40.89	4.84	--	40.89	AV	48.20	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-06-03_21.45.39

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8226.193	33.45	7.44	74.0	-40.55	Peak	322.60	100	Vertical	Pass
1**	8226.193	24.15	7.44	54.0	-29.85	AV	322.60	100	Vertical	Pass
2	9928.018	38.92	13.48	68.2	-29.28	Peak	118.40	100	Vertical	Pass
2**	9928.018	29.94	13.48	--	29.94	AV	118.40	100	Vertical	N/A
3	11228.443	42.65	14.93	74.0	-31.35	Peak	95.70	100	Vertical	Pass
3**	11228.443	33.33	14.93	54.0	-20.67	AV	95.70	100	Vertical	Pass
4	13139.215	45.70	18.53	68.2	-22.50	Peak	68.10	100	Vertical	Pass
4**	13139.215	36.58	18.53	--	36.58	AV	68.10	100	Vertical	N/A
5	14148.213	48.34	21.17	68.2	-19.86	Peak	258.60	100	Vertical	Pass
5**	14148.213	39.19	21.17	--	39.19	AV	258.60	100	Vertical	N/A
6	17397.901	52.70	24.31	68.2	-15.50	Peak	318.20	100	Vertical	Pass
6**	17397.901	43.70	24.31	--	43.70	AV	318.20	100	Vertical	N/A

WiFi5GB4-A-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_17.17.15

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1108.986	33.63	-15.09	74.0	-40.37	Peak	346.90	100	Horizontal	Pass
1**	1108.986	22.24	-15.09	54.0	-31.76	AV	346.90	100	Horizontal	Pass
2	1366.204	34.12	-14.67	74.0	-39.88	Peak	134.40	100	Horizontal	Pass
2**	1366.204	22.97	-14.67	54.0	-31.03	AV	134.40	100	Horizontal	Pass
3	1988.876	36.86	-12.77	68.2	-31.34	Peak	0.10	100	Horizontal	Pass
3**	1988.876	25.50	-12.77	--	25.50	AV	0.10	100	Horizontal	N/A
4	3050.244	42.11	-5.23	68.2	-26.09	Peak	1.80	100	Horizontal	Pass
4**	3050.244	32.10	-5.23	--	32.10	AV	1.80	100	Horizontal	N/A
5	4683.165	46.04	-0.99	74.0	-27.96	Peak	71.90	100	Horizontal	Pass
5**	4683.165	35.06	-0.99	54.0	-18.94	AV	71.90	100	Horizontal	Pass
6	5749.156	84.84	1.18	--	84.84	Peak	109.10	100	Horizontal	N/A
6**	5749.156	76.20	1.18	--	76.20	AV	109.10	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_20.34.09

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7602.099	31.95	6.30	74.0	-42.05	Peak	151.70	100	Horizontal	Pass
1**	7602.099	22.97	6.30	54.0	-31.03	AV	151.70	100	Horizontal	Pass
2	9375.406	38.11	11.43	74.0	-35.89	Peak	167.40	100	Horizontal	Pass
2**	9375.406	28.38	11.43	54.0	-25.62	AV	167.40	100	Horizontal	Pass
3	10824.294	40.44	14.36	74.0	-33.56	Peak	176.90	100	Horizontal	Pass
3**	10824.294	31.29	14.36	54.0	-22.71	AV	176.90	100	Horizontal	Pass
4	12446.388	44.12	17.12	74.0	-29.88	Peak	181.50	100	Horizontal	Pass
4**	12446.388	35.27	17.12	54.0	-18.73	AV	181.50	100	Horizontal	Pass
5	14164.709	48.10	21.66	68.2	-20.10	Peak	138.10	100	Horizontal	Pass
5**	14164.709	40.13	21.66	--	40.13	AV	138.10	100	Horizontal	N/A
6	17480.380	52.61	25.13	68.2	-15.59	Peak	138.10	100	Horizontal	Pass
6**	17480.380	44.19	25.13	--	44.19	AV	138.10	100	Horizontal	N/A

WiFi5GB4-A-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_17.19.09

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1153.481	33.57	-14.98	74.0	-40.43	Peak	273.20	100	Vertical	Pass
1**	1153.481	22.86	-14.98	54.0	-31.14	AV	273.20	100	Vertical	Pass
2	1636.670	34.15	-14.88	68.2	-34.05	Peak	0.00	100	Vertical	Pass
2**	1636.670	23.11	-14.88	--	23.11	AV	0.00	100	Vertical	N/A
3	2116.860	38.39	-11.47	68.2	-29.81	Peak	129.90	100	Vertical	Pass
3**	2116.860	26.28	-11.47	--	26.28	AV	129.90	100	Vertical	N/A
4	3030.371	41.65	-4.59	68.2	-26.55	Peak	6.40	100	Vertical	Pass
4**	3030.371	31.47	-4.59	--	31.47	AV	6.40	100	Vertical	N/A
5	4176.978	45.08	-2.23	74.0	-28.92	Peak	82.20	100	Vertical	Pass
5**	4176.978	33.57	-2.23	54.0	-20.43	AV	82.20	100	Vertical	Pass
6	5744.282	84.24	1.11	--	84.24	Peak	107.10	100	Vertical	N/A
6**	5744.282	75.94	1.11	--	75.94	AV	107.10	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_20.35.35

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7585.604	31.89	6.29	74.0	-42.11	Peak	358.90	100	Vertical	Pass
1**	7585.604	22.26	6.29	54.0	-31.74	AV	358.90	100	Vertical	Pass
2	9400.150	37.83	11.53	74.0	-36.17	Peak	348.90	100	Vertical	Pass
2**	9400.150	28.48	11.53	54.0	-25.52	AV	348.90	100	Vertical	Pass
3	9974.756	39.58	13.19	68.2	-28.62	Peak	284.70	100	Vertical	Pass
3**	9974.756	29.59	13.19	--	29.59	AV	284.70	100	Vertical	N/A
4	12449.138	44.03	17.13	74.0	-29.97	Peak	279.70	100	Vertical	Pass
4**	12449.138	35.99	17.13	54.0	-18.01	AV	279.70	100	Vertical	Pass
5	14189.453	48.85	22.33	68.2	-19.35	Peak	264.70	100	Vertical	Pass
5**	14189.453	39.83	22.33	--	39.83	AV	264.70	100	Vertical	N/A
6	17815.796	53.24	24.58	74.0	-20.76	Peak	335.60	100	Vertical	Pass
6**	17815.796	45.40	24.58	54.0	-8.60	AV	335.60	100	Vertical	Pass

WiFi5GB4-A-Middle channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_17.10.53

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1206.724	33.64	-14.63	74.0	-40.36	Peak	339.50	100	Horizontal	Pass
1**	1206.724	22.89	-14.63	54.0	-31.11	AV	339.50	100	Horizontal	Pass
2	1632.171	33.62	-14.91	68.2	-34.58	Peak	99.10	100	Horizontal	Pass
2**	1632.171	22.66	-14.91	--	22.66	AV	99.10	100	Horizontal	N/A
3	2275.841	38.10	-10.21	74.0	-35.90	Peak	80.80	100	Horizontal	Pass
3**	2275.841	26.85	-10.21	54.0	-27.15	AV	80.80	100	Horizontal	Pass
4	3025.497	42.51	-4.67	68.2	-25.69	Peak	0.80	100	Horizontal	Pass
4**	3025.497	31.89	-4.67	--	31.89	AV	0.80	100	Horizontal	N/A
5	4858.643	46.93	-0.96	74.0	-27.07	Peak	161.00	100	Horizontal	Pass
5**	4858.643	34.74	-0.96	54.0	-19.26	AV	161.00	100	Horizontal	Pass
6	5780.652	85.02	1.54	--	85.02	Peak	119.70	100	Horizontal	N/A
6**	5780.652	77.31	1.54	--	77.31	AV	119.70	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_20.38.35

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7211.697	30.80	5.35	68.2	-37.40	Peak	358.90	100	Horizontal	Pass
1**	7211.697	21.87	5.35	--	21.87	AV	358.90	100	Horizontal	N/A
2	8083.229	32.84	7.60	74.0	-41.16	Peak	229.60	100	Horizontal	Pass
2**	8083.229	24.22	7.60	54.0	-29.78	AV	229.60	100	Horizontal	Pass
3	9908.773	38.59	13.44	68.2	-29.61	Peak	292.70	100	Horizontal	Pass
3**	9908.773	30.33	13.44	--	30.33	AV	292.70	100	Horizontal	N/A
4	12435.391	43.91	17.08	74.0	-30.09	Peak	349.30	100	Horizontal	Pass
4**	12435.391	35.97	17.08	54.0	-18.03	AV	349.30	100	Horizontal	Pass
5	14178.455	48.53	22.08	68.2	-19.67	Peak	225.40	100	Horizontal	Pass
5**	14178.455	41.50	22.08	--	41.50	AV	225.40	100	Horizontal	N/A
6	17474.881	53.11	25.08	68.2	-15.09	Peak	335.70	100	Horizontal	Pass
6**	17474.881	44.47	25.08	--	44.47	AV	335.70	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-06-01_17.08.11

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1135.983	33.05	-15.10	74.0	-40.95	Peak	0.00	100	Vertical	Pass
1**	1135.983	22.19	-15.10	54.0	-31.81	AV	0.00	100	Vertical	Pass
2	1370.454	34.54	-14.67	74.0	-39.46	Peak	127.70	100	Vertical	Pass
2**	1370.454	23.00	-14.67	54.0	-31.00	AV	127.70	100	Vertical	Pass
3	1815.398	35.02	-14.44	68.2	-33.18	Peak	255.40	100	Vertical	Pass
3**	1815.398	23.75	-14.44	--	23.75	AV	255.40	100	Vertical	N/A
4	2129.359	38.21	-11.48	68.2	-29.99	Peak	182.80	100	Vertical	Pass
4**	2129.359	26.46	-11.48	--	26.46	AV	182.80	100	Vertical	N/A
5	3027.747	42.08	-4.62	68.2	-26.12	Peak	196.30	100	Vertical	Pass
5**	3027.747	31.53	-4.62	--	31.53	AV	196.30	100	Vertical	N/A
6	5780.652	84.68	1.54	--	84.68	Peak	120.50	100	Vertical	N/A
6**	5780.652	77.02	1.54	--	77.02	AV	120.50	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_20.37.07

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7571.857	32.07	6.24	74.0	-41.93	Peak	130.30	100	Vertical	Pass
1**	7571.857	22.92	6.24	54.0	-31.08	AV	130.30	100	Vertical	Pass
2	9100.475	36.49	9.98	74.0	-37.51	Peak	62.30	100	Vertical	Pass
2**	9100.475	27.67	9.98	54.0	-26.33	AV	62.30	100	Vertical	Pass
3	10838.040	40.22	14.55	74.0	-33.78	Peak	134.80	100	Vertical	Pass
3**	10838.040	31.71	14.55	54.0	-22.29	AV	134.80	100	Vertical	Pass
4	12490.377	43.49	16.63	74.0	-30.51	Peak	37.40	100	Vertical	Pass
4**	12490.377	34.76	16.63	54.0	-19.24	AV	37.40	100	Vertical	Pass
5	14189.453	48.89	22.33	68.2	-19.31	Peak	103.00	100	Vertical	Pass
5**	14189.453	41.12	22.33	--	41.12	AV	103.00	100	Vertical	N/A
6	17430.892	52.38	24.65	68.2	-15.82	Peak	2.00	100	Vertical	Pass
6**	17430.892	43.47	24.65	--	43.47	AV	2.00	100	Vertical	N/A

WiFi5GB4-A-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_16.21.49

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.230	33.18	-14.89	74.0	-40.82	Peak	151.90	100	Horizontal	Pass
1**	1156.230	22.69	-14.89	54.0	-31.31	AV	151.90	100	Horizontal	Pass
2	1391.951	34.62	-14.65	74.0	-39.38	Peak	21.70	100	Horizontal	Pass
2**	1391.951	23.22	-14.65	54.0	-30.78	AV	21.70	100	Horizontal	Pass
3	1944.132	35.55	-13.26	68.2	-32.65	Peak	355.80	100	Horizontal	Pass
3**	1944.132	24.78	-13.26	--	24.78	AV	355.80	100	Horizontal	N/A
4	2787.027	39.48	-7.68	74.0	-34.52	Peak	315.30	100	Horizontal	Pass
4**	2787.027	28.86	-7.68	54.0	-25.14	AV	315.30	100	Horizontal	Pass
5	3965.504	44.25	-1.99	74.0	-29.75	Peak	204.50	100	Horizontal	Pass
5**	3965.504	33.34	-1.99	54.0	-20.66	AV	204.50	100	Horizontal	Pass
6	5828.646	85.16	1.28	--	85.16	Peak	114.50	100	Horizontal	N/A
6**	5828.646	76.48	1.28	--	76.48	AV	114.50	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_20.40.00

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7516.871	32.19	6.03	74.0	-41.81	Peak	0.00	100	Horizontal	Pass
1**	7516.871	21.86	6.03	54.0	-32.14	AV	0.00	100	Horizontal	Pass
2	9397.401	37.20	11.52	74.0	-36.80	Peak	17.10	100	Horizontal	Pass
2**	9397.401	28.67	11.52	54.0	-25.33	AV	17.10	100	Horizontal	Pass
3	9930.767	39.95	13.47	68.2	-28.25	Peak	14.80	100	Horizontal	Pass
3**	9930.767	29.73	13.47	--	29.73	AV	14.80	100	Horizontal	N/A
4	11231.192	42.68	14.97	74.0	-31.32	Peak	8.20	100	Horizontal	Pass
4**	11231.192	32.93	14.97	54.0	-21.07	AV	8.20	100	Horizontal	Pass
5	14178.455	47.79	22.08	68.2	-20.41	Peak	80.70	100	Horizontal	Pass
5**	14178.455	39.78	22.08	--	39.78	AV	80.70	100	Horizontal	N/A
6	17444.639	52.32	24.78	68.2	-15.88	Peak	83.30	100	Horizontal	Pass
6**	17444.639	44.29	24.78	--	44.29	AV	83.30	100	Horizontal	N/A

WiFi5GB4-A-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_16.26.42

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.230	34.10	-14.71	74.0	-39.90	Peak	282.90	100	Vertical	Pass
1**	1163.230	23.16	-14.71	54.0	-30.84	AV	282.90	100	Vertical	Pass
2	1826.397	34.51	-14.38	68.2	-33.69	Peak	1.70	100	Vertical	Pass
2**	1826.397	23.61	-14.38	--	23.61	AV	1.70	100	Vertical	N/A
3	2350.081	37.69	-10.72	74.0	-36.31	Peak	63.30	100	Vertical	Pass
3**	2350.081	27.24	-10.72	54.0	-26.76	AV	63.30	100	Vertical	Pass
4	3028.121	42.48	-4.61	68.2	-25.72	Peak	76.40	100	Vertical	Pass
4**	3028.121	31.66	-4.61	--	31.66	AV	76.40	100	Vertical	N/A
5	4517.810	45.68	-0.83	74.0	-28.32	Peak	161.20	100	Vertical	Pass
5**	4517.810	34.95	-0.83	54.0	-19.05	AV	161.20	100	Vertical	Pass
6	5826.022	84.58	1.29	--	84.58	Peak	114.00	100	Vertical	N/A
6**	5826.022	76.68	1.29	--	76.68	AV	114.00	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_20.41.22

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7566.358	31.65	6.22	74.0	-42.35	Peak	340.40	100	Vertical	Pass
1**	7566.358	23.21	6.22	54.0	-30.79	AV	340.40	100	Vertical	Pass
2	9160.960	35.57	10.89	74.0	-38.43	Peak	292.10	100	Vertical	Pass
2**	9160.960	27.59	10.89	54.0	-26.41	AV	292.10	100	Vertical	Pass
3	10882.029	39.89	14.74	74.0	-34.11	Peak	342.60	100	Vertical	Pass
3**	10882.029	31.27	14.74	54.0	-22.73	AV	342.60	100	Vertical	Pass
4	12418.895	43.33	17.01	74.0	-30.67	Peak	269.90	100	Vertical	Pass
4**	12418.895	35.15	17.01	54.0	-18.85	AV	269.90	100	Vertical	Pass
5	14192.202	48.57	22.26	68.2	-19.63	Peak	280.10	100	Vertical	Pass
5**	14192.202	40.14	22.26	--	40.14	AV	280.10	100	Vertical	N/A
6	17444.639	52.06	24.78	68.2	-16.14	Peak	269.90	100	Vertical	Pass
6**	17444.639	43.55	24.78	--	43.55	AV	269.90	100	Vertical	N/A

WIFI5GB4-N20-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_17.24.46

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.236	32.89	-15.07	74.0	-41.11	Peak	0.60	100	Horizontal	Pass
1**	1114.236	22.58	-15.07	54.0	-31.42	AV	0.60	100	Horizontal	Pass
2	1370.454	33.72	-14.67	74.0	-40.28	Peak	339.00	100	Horizontal	Pass
2**	1370.454	23.15	-14.67	54.0	-30.85	AV	339.00	100	Horizontal	Pass
3	1978.378	36.51	-12.86	68.2	-31.69	Peak	265.00	100	Horizontal	Pass
3**	1978.378	25.07	-12.86	--	25.07	AV	265.00	100	Horizontal	N/A
4	2702.037	39.44	-9.15	74.0	-34.56	Peak	147.30	100	Horizontal	Pass
4**	2702.037	28.29	-9.15	54.0	-25.71	AV	147.30	100	Horizontal	Pass
5	4046.494	44.83	-1.47	74.0	-29.17	Peak	93.00	100	Horizontal	Pass
5**	4046.494	34.09	-1.47	54.0	-19.91	AV	93.00	100	Horizontal	Pass
6	5740.907	84.50	1.06	--	84.50	Peak	107.10	100	Horizontal	N/A
6**	5740.907	76.62	1.06	--	76.62	AV	107.10	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-06-01_19.03.46

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7274.931	31.45	5.75	74.0	-42.55	Peak	198.40	100	Horizontal	Pass
1**	7274.931	21.86	5.75	54.0	-32.14	AV	198.40	100	Horizontal	Pass
2	8976.756	36.02	11.61	68.2	-32.18	Peak	202.90	100	Horizontal	Pass
2**	8976.756	27.34	11.61	--	27.34	AV	202.90	100	Horizontal	N/A
3	11266.933	41.88	15.44	74.0	-32.12	Peak	21.60	100	Horizontal	Pass
3**	11266.933	33.73	15.44	54.0	-20.27	AV	21.60	100	Horizontal	Pass
4	13139.215	45.63	18.53	68.2	-22.57	Peak	162.30	100	Horizontal	Pass
4**	13139.215	36.23	18.53	--	36.23	AV	162.30	100	Horizontal	N/A
5	14183.954	50.97	22.24	68.2	-17.23	Peak	198.40	100	Horizontal	Pass
5**	14183.954	40.75	22.24	--	40.75	AV	198.40	100	Horizontal	N/A
6	17466.633	53.14	25.00	68.2	-15.06	Peak	212.60	100	Horizontal	Pass
6**	17466.633	44.14	25.00	--	44.14	AV	212.60	100	Horizontal	N/A

WiFi5GB4-N20-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_17.27.13

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1104.237	33.26	-15.11	74.0	-40.74	Peak	0.00	100	Vertical	Pass
1**	1104.237	22.05	-15.11	54.0	-31.95	AV	0.00	100	Vertical	Pass
2	1637.920	34.70	-14.87	68.2	-33.50	Peak	277.70	100	Vertical	Pass
2**	1637.920	23.38	-14.87	--	23.38	AV	277.70	100	Vertical	N/A
3	2246.844	37.62	-10.52	74.0	-36.38	Peak	96.50	100	Vertical	Pass
3**	2246.844	27.19	-10.52	54.0	-26.81	AV	96.50	100	Vertical	Pass
4	3020.997	42.04	-4.76	68.2	-26.16	Peak	268.70	100	Vertical	Pass
4**	3020.997	31.72	-4.76	--	31.72	AV	268.70	100	Vertical	N/A
5	4163.105	44.55	-2.12	74.0	-29.45	Peak	124.40	100	Vertical	Pass
5**	4163.105	33.63	-2.12	54.0	-20.37	AV	124.40	100	Vertical	Pass
6	5742.032	84.21	1.08	--	84.21	Peak	110.20	100	Vertical	N/A
6**	5742.032	76.87	1.08	--	76.87	AV	110.20	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-06-01_19.06.10

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7296.926	31.63	5.76	74.0	-42.37	Peak	193.80	100	Vertical	Pass
1**	7296.926	22.31	5.76	54.0	-31.69	AV	193.80	100	Vertical	Pass
2	8828.293	36.10	9.05	68.2	-32.10	Peak	355.60	100	Vertical	Pass
2**	8828.293	27.10	9.05	--	27.10	AV	355.60	100	Vertical	N/A
3	9413.897	37.71	11.51	74.0	-36.29	Peak	162.60	100	Vertical	Pass
3**	9413.897	29.21	11.51	54.0	-24.79	AV	162.60	100	Vertical	Pass
4	9933.517	39.25	13.45	68.2	-28.95	Peak	0.00	100	Vertical	Pass
4**	9933.517	30.55	13.45	--	30.55	AV	0.00	100	Vertical	N/A
5	11283.429	42.16	15.66	74.0	-31.84	Peak	216.50	100	Vertical	Pass
5**	11283.429	34.12	15.66	54.0	-19.88	AV	216.50	100	Vertical	Pass
6	17466.633	53.02	25.00	68.2	-15.18	Peak	288.40	100	Vertical	Pass
6**	17466.633	44.97	25.00	--	44.97	AV	288.40	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-06-01_17.00.41

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1173.228	33.90	-14.55	74.0	-40.10	Peak	134.00	100	Horizontal	Pass
1**	1173.228	23.23	-14.55	54.0	-30.77	AV	134.00	100	Horizontal	Pass
2	1524.934	34.46	-14.97	74.0	-39.54	Peak	185.00	100	Horizontal	Pass
2**	1524.934	23.17	-14.97	54.0	-30.83	AV	185.00	100	Horizontal	Pass
3	1820.647	35.05	-14.41	68.2	-33.15	Peak	61.10	100	Horizontal	Pass
3**	1820.647	23.55	-14.41	--	23.55	AV	61.10	100	Horizontal	N/A
4	2436.570	39.03	-10.03	68.2	-29.17	Peak	70.40	100	Horizontal	Pass
4**	2436.570	27.93	-10.03	--	27.93	AV	70.40	100	Horizontal	N/A
5	3049.869	42.28	-5.22	68.2	-25.92	Peak	167.00	100	Horizontal	Pass
5**	3049.869	30.93	-5.22	--	30.93	AV	167.00	100	Horizontal	N/A
6	5780.652	85.25	1.54	--	85.25	Peak	119.70	100	Horizontal	N/A
6**	5780.652	76.87	1.54	--	76.87	AV	119.70	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-06-01_19.09.50

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7585.604	32.31	6.29	74.0	-41.69	Peak	223.70	100	Horizontal	Pass
1**	7585.604	23.51	6.29	54.0	-30.49	AV	223.70	100	Horizontal	Pass
2	9512.872	38.32	11.87	68.2	-29.88	Peak	42.10	100	Horizontal	Pass
2**	9512.872	29.96	11.87	--	29.96	AV	42.10	100	Horizontal	N/A
3	10483.379	40.41	12.96	68.2	-27.79	Peak	69.20	100	Horizontal	Pass
3**	10483.379	30.28	12.96	--	30.28	AV	69.20	100	Horizontal	N/A
4	11316.421	42.43	15.53	74.0	-31.57	Peak	118.40	100	Horizontal	Pass
4**	11316.421	33.55	15.53	54.0	-20.45	AV	118.40	100	Horizontal	Pass
5	12823.044	44.72	16.52	68.2	-23.48	Peak	223.70	100	Horizontal	Pass
5**	12823.044	35.02	16.52	--	35.02	AV	223.70	100	Horizontal	N/A
6	17510.622	53.19	24.54	68.2	-15.01	Peak	10.50	100	Horizontal	Pass
6**	17510.622	44.13	24.54	--	44.13	AV	10.50	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-06-01_16.58.08

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1115.986	33.27	-15.06	74.0	-40.73	Peak	359.50	100	Vertical	Pass
1**	1115.986	22.43	-15.06	54.0	-31.57	AV	359.50	100	Vertical	Pass
2	1356.705	34.41	-14.65	74.0	-39.59	Peak	3.60	100	Vertical	Pass
2**	1356.705	23.58	-14.65	54.0	-30.42	AV	3.60	100	Vertical	Pass
3	1936.383	35.79	-13.31	68.2	-32.41	Peak	359.50	100	Vertical	Pass
3**	1936.383	24.41	-13.31	--	24.41	AV	359.50	100	Vertical	N/A
4	2521.310	39.19	-10.02	68.2	-29.01	Peak	140.40	100	Vertical	Pass
4**	2521.310	27.37	-10.02	--	27.37	AV	140.40	100	Vertical	N/A
5	3763.780	43.48	-2.63	74.0	-30.52	Peak	247.50	100	Vertical	Pass
5**	3763.780	32.66	-2.63	54.0	-21.34	AV	247.50	100	Vertical	Pass
6	5781.027	85.03	1.55	--	85.03	Peak	117.60	100	Vertical	N/A
6**	5781.027	77.21	1.55	--	77.21	AV	117.60	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-06-01_19.07.31

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7866.033	32.35	6.32	68.2	-35.85	Peak	360.00	100	Vertical	Pass
1**	7866.033	22.41	6.32	--	22.41	AV	360.00	100	Vertical	N/A
2	9328.668	36.87	10.97	74.0	-37.13	Peak	241.60	100	Vertical	Pass
2**	9328.668	28.12	10.97	54.0	-25.88	AV	241.60	100	Vertical	Pass
3	10073.732	41.19	13.14	68.2	-27.01	Peak	106.20	100	Vertical	Pass
3**	10073.732	30.25	13.14	--	30.25	AV	106.20	100	Vertical	N/A
4	11921.270	42.48	15.94	74.0	-31.52	Peak	326.80	100	Vertical	Pass
4**	11921.270	33.70	15.94	54.0	-20.30	AV	326.80	100	Vertical	Pass
5	13243.689	45.28	18.40	68.2	-22.92	Peak	51.80	100	Vertical	Pass
5**	13243.689	37.18	18.40	--	37.18	AV	51.80	100	Vertical	N/A
6	16864.534	49.56	20.99	68.2	-18.64	Peak	196.60	100	Vertical	Pass
6**	16864.534	40.91	20.99	--	40.91	AV	196.60	100	Vertical	N/A

WIFI5GB4-N20-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_16.39.34

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1082.740	33.41	-15.25	74.0	-40.59	Peak	78.50	100	Horizontal	Pass
1**	1082.740	21.93	-15.25	54.0	-32.07	AV	78.50	100	Horizontal	Pass
2	1583.927	34.93	-14.98	74.0	-39.07	Peak	200.60	100	Horizontal	Pass
2**	1583.927	23.08	-14.98	54.0	-30.92	AV	200.60	100	Horizontal	Pass
3	1886.139	35.67	-13.82	68.2	-32.53	Peak	9.70	100	Horizontal	Pass
3**	1886.139	24.04	-13.82	--	24.04	AV	9.70	100	Horizontal	N/A
4	3026.622	42.38	-4.65	68.2	-25.82	Peak	298.40	100	Horizontal	Pass
4**	3026.622	31.88	-4.65	--	31.88	AV	298.40	100	Horizontal	N/A
5	3410.949	46.71	-5.14	68.2	-21.49	Peak	146.90	100	Horizontal	Pass
5**	3410.949	36.69	-5.14	--	36.69	AV	146.90	100	Horizontal	N/A
6	5826.022	85.05	1.29	--	85.05	Peak	114.50	100	Horizontal	N/A
6**	5826.022	76.23	1.29	--	76.23	AV	114.50	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-06-01_19.11.02

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7618.595	32.27	6.21	74.0	-41.73	Peak	154.10	100	Horizontal	Pass
1**	7618.595	22.92	6.21	54.0	-31.08	AV	154.10	100	Horizontal	Pass
2	9171.957	36.09	10.75	74.0	-37.91	Peak	1.30	100	Horizontal	Pass
2**	9171.957	27.18	10.75	54.0	-26.82	AV	1.30	100	Horizontal	Pass
3	11313.672	42.58	15.54	74.0	-31.42	Peak	272.50	100	Horizontal	Pass
3**	11313.672	34.10	15.54	54.0	-19.90	AV	272.50	100	Horizontal	Pass
4	12471.132	43.66	17.08	74.0	-30.34	Peak	281.40	100	Horizontal	Pass
4**	12471.132	36.03	17.08	54.0	-17.97	AV	281.40	100	Horizontal	Pass
5	14183.954	48.01	22.24	68.2	-20.19	Peak	331.30	100	Horizontal	Pass
5**	14183.954	39.70	22.24	--	39.70	AV	331.30	100	Horizontal	N/A
6	17472.132	52.73	25.05	68.2	-15.47	Peak	140.40	100	Horizontal	Pass
6**	17472.132	44.30	25.05	--	44.30	AV	140.40	100	Horizontal	N/A

WIFI5GB4-N20-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_16.42.46

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1126.734	33.03	-15.10	74.0	-40.97	Peak	1.10	100	Vertical	Pass
1**	1126.734	22.37	-15.10	54.0	-31.63	AV	1.10	100	Vertical	Pass
2	1551.181	33.48	-14.98	74.0	-40.52	Peak	127.70	100	Vertical	Pass
2**	1551.181	23.02	-14.98	54.0	-30.98	AV	127.70	100	Vertical	Pass
3	2145.607	37.45	-11.27	68.2	-30.75	Peak	183.90	100	Vertical	Pass
3**	2145.607	27.08	-11.27	--	27.08	AV	183.90	100	Vertical	N/A
4	3030.371	42.33	-4.59	68.2	-25.87	Peak	340.30	100	Vertical	Pass
4**	3030.371	31.59	-4.59	--	31.59	AV	340.30	100	Vertical	N/A
5	4095.613	45.95	-1.37	74.0	-28.05	Peak	194.50	100	Vertical	Pass
5**	4095.613	34.28	-1.37	54.0	-19.72	AV	194.50	100	Vertical	Pass
6	5821.522	83.98	1.31	--	83.98	Peak	110.00	100	Vertical	N/A
6**	5821.522	76.44	1.31	--	76.44	AV	110.00	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-06-01_19.13.11

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7841.290	31.82	6.44	68.2	-36.38	Peak	0.00	100	Vertical	Pass
1**	7841.290	22.64	6.44	--	22.64	AV	0.00	100	Vertical	N/A
2	8976.756	36.15	11.61	68.2	-32.05	Peak	314.00	100	Vertical	Pass
2**	8976.756	27.40	11.61	--	27.40	AV	314.00	100	Vertical	N/A
3	10156.211	39.26	13.03	68.2	-28.94	Peak	291.30	100	Vertical	Pass
3**	10156.211	30.36	13.03	--	30.36	AV	291.30	100	Vertical	N/A
4	11827.793	41.79	15.30	74.0	-32.21	Peak	110.10	100	Vertical	Pass
4**	11827.793	32.91	15.30	54.0	-21.09	AV	110.10	100	Vertical	Pass
5	14194.951	49.36	22.20	68.2	-18.84	Peak	6.50	100	Vertical	Pass
5**	14194.951	39.79	22.20	--	39.79	AV	6.50	100	Vertical	N/A
6	17480.380	52.59	25.13	68.2	-15.61	Peak	24.20	100	Vertical	Pass
6**	17480.380	44.49	25.13	--	44.49	AV	24.20	100	Vertical	N/A

WIFI5GB4-N40-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_18.35.58

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.981	33.36	-14.93	74.0	-40.64	Peak	343.10	100	Horizontal	Pass
1**	1154.981	22.48	-14.93	54.0	-31.52	AV	343.10	100	Horizontal	Pass
2	1711.411	34.29	-14.80	68.2	-33.91	Peak	203.60	100	Horizontal	Pass
2**	1711.411	23.06	-14.80	--	23.06	AV	203.60	100	Horizontal	N/A
3	2549.306	37.41	-9.94	68.2	-30.79	Peak	143.70	100	Horizontal	Pass
3**	2549.306	27.30	-9.94	--	27.30	AV	143.70	100	Horizontal	N/A
4	3721.410	43.52	-2.73	74.0	-30.48	Peak	146.30	100	Horizontal	Pass
4**	3721.410	32.40	-2.73	54.0	-21.60	AV	146.30	100	Horizontal	Pass
5	5107.237	47.52	0.34	74.0	-26.48	Peak	310.80	100	Horizontal	Pass
5**	5107.237	36.51	0.34	54.0	-17.49	AV	310.80	100	Horizontal	Pass
6	5763.780	83.95	1.37	--	83.95	Peak	113.20	100	Horizontal	N/A
6**	5763.780	75.90	1.37	--	75.90	AV	113.20	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-06-01_19.23.46

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7808.298	31.87	6.66	68.2	-36.33	Peak	1.60	100	Horizontal	Pass
1**	7808.298	22.96	6.66	--	22.96	AV	1.60	100	Horizontal	N/A
2	9155.461	36.13	10.91	74.0	-37.87	Peak	360.00	100	Horizontal	Pass
2**	9155.461	27.77	10.91	54.0	-26.23	AV	360.00	100	Horizontal	Pass
3	10125.969	39.49	13.25	68.2	-28.71	Peak	291.10	100	Horizontal	Pass
3**	10125.969	30.37	13.25	--	30.37	AV	291.10	100	Horizontal	N/A
4	11310.922	41.63	15.55	74.0	-32.37	Peak	336.10	100	Horizontal	Pass
4**	11310.922	32.88	15.55	54.0	-21.12	AV	336.10	100	Horizontal	Pass
5	13150.212	45.36	18.53	68.2	-22.84	Peak	210.00	100	Horizontal	Pass
5**	13150.212	36.58	18.53	--	36.58	AV	210.00	100	Horizontal	N/A
6	17483.129	53.61	25.16	68.2	-14.59	Peak	0.70	100	Horizontal	Pass
6**	17483.129	44.86	25.16	--	44.86	AV	0.70	100	Horizontal	N/A

WIFI5GB4-N40-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_18.32.52

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1205.724	33.53	-14.63	74.0	-40.47	Peak	142.20	100	Vertical	Pass
1**	1205.724	22.47	-14.63	54.0	-31.53	AV	142.20	100	Vertical	Pass
2	1644.919	33.14	-14.84	68.2	-35.06	Peak	105.00	100	Vertical	Pass
2**	1644.919	22.98	-14.84	--	22.98	AV	105.00	100	Vertical	N/A
3	2188.601	37.86	-10.78	68.2	-30.34	Peak	151.90	100	Vertical	Pass
3**	2188.601	26.77	-10.78	--	26.77	AV	151.90	100	Vertical	N/A
4	3028.871	41.79	-4.60	68.2	-26.41	Peak	78.00	100	Vertical	Pass
4**	3028.871	31.77	-4.60	--	31.77	AV	78.00	100	Vertical	N/A
5	4706.412	47.13	-0.97	74.0	-26.87	Peak	218.30	100	Vertical	Pass
5**	4706.412	35.21	-0.97	54.0	-18.79	AV	218.30	100	Vertical	Pass
6	5764.154	83.98	1.37	--	83.98	Peak	115.20	100	Vertical	N/A
6**	5764.154	75.85	1.37	--	75.85	AV	115.20	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-06-01_19.29.32

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7948.513	31.80	7.11	68.2	-36.40	Peak	268.30	100	Vertical	Pass
1**	7948.513	23.81	7.11	--	23.81	AV	268.30	100	Vertical	N/A
2	8806.298	34.77	8.95	68.2	-33.43	Peak	0.00	100	Vertical	Pass
2**	8806.298	26.76	8.95	--	26.76	AV	0.00	100	Vertical	N/A
3	10813.297	40.42	14.21	74.0	-33.58	Peak	286.20	100	Vertical	Pass
3**	10813.297	31.55	14.21	54.0	-22.45	AV	286.20	100	Vertical	Pass
4	12471.132	43.76	17.08	74.0	-30.24	Peak	286.20	100	Vertical	Pass
4**	12471.132	35.83	17.08	54.0	-18.17	AV	286.20	100	Vertical	Pass
5	15137.966	47.61	18.71	68.2	-20.59	Peak	186.80	100	Vertical	Pass
5**	15137.966	38.51	18.71	--	38.51	AV	186.80	100	Vertical	N/A
6	17807.548	53.70	24.83	74.0	-20.30	Peak	1.50	100	Vertical	Pass
6**	17807.548	45.28	24.83	54.0	-8.72	AV	1.50	100	Vertical	Pass

WIFI5GB4-N40-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_18.11.00


EUT Name: N.A Test Engineer: Xiang Cheng Jie

Manufacturer: N.A Test Standard: FCC

Model: N.A Work Addition: Normal

Temp.(oC): 23.2 Load: Full Load

Hum.: 52% Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1191.476	33.64	-14.65	74.0	-40.36	Peak	178.70	100	Horizontal	Pass
1**	1191.476	22.72	-14.65	54.0	-31.28	AV	178.70	100	Horizontal	Pass
2	1562.680	34.47	-15.00	74.0	-39.53	Peak	160.10	100	Horizontal	Pass
2**	1562.680	22.74	-15.00	54.0	-31.26	AV	160.10	100	Horizontal	Pass
3	1991.376	36.72	-12.74	68.2	-31.48	Peak	187.60	100	Horizontal	Pass
3**	1991.376	25.31	-12.74	--	25.31	AV	187.60	100	Horizontal	N/A
4	3029.996	41.95	-4.58	68.2	-26.25	Peak	286.40	100	Horizontal	Pass
4**	3029.996	31.90	-4.58	--	31.90	AV	286.40	100	Horizontal	N/A
5	4489.314	45.60	-1.18	68.2	-22.60	Peak	358.90	100	Horizontal	Pass
5**	4489.314	34.26	-1.18	--	34.26	AV	358.90	100	Horizontal	N/A
6	5785.902	81.19	1.58	--	81.19	Peak	323.60	100	Horizontal	N/A
6**	5785.902	72.39	1.58	--	72.39	AV	323.60	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-06-01_19.26.39

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7492.127	31.55	5.80	74.0	-42.45	Peak	219.80	100	Horizontal	Pass
1**	7492.127	22.38	5.80	54.0	-31.62	AV	219.80	100	Horizontal	Pass
2	8776.056	34.44	8.71	68.2	-33.76	Peak	329.50	100	Horizontal	Pass
2**	8776.056	27.01	8.71	--	27.01	AV	329.50	100	Horizontal	N/A
3	10123.219	39.02	13.27	68.2	-29.18	Peak	193.00	100	Horizontal	Pass
3**	10123.219	31.46	13.27	--	31.46	AV	193.00	100	Horizontal	N/A
4	12435.391	44.11	17.08	74.0	-29.89	Peak	315.80	100	Horizontal	Pass
4**	12435.391	35.53	17.08	54.0	-18.47	AV	315.80	100	Horizontal	Pass
5	14456.136	48.39	20.06	68.2	-19.81	Peak	338.50	100	Horizontal	Pass
5**	14456.136	39.50	20.06	--	39.50	AV	338.50	100	Horizontal	N/A
6	17483.129	54.66	25.16	68.2	-13.54	Peak	93.50	100	Horizontal	Pass
6**	17483.129	45.06	25.16	--	45.06	AV	93.50	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-06-01_18.13.43

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1173.728	33.94	-14.55	74.0	-40.06	Peak	269.40	100	Vertical	Pass
1**	1173.728	23.18	-14.55	54.0	-30.82	AV	269.40	100	Vertical	Pass
2	1557.180	34.66	-14.99	74.0	-39.34	Peak	208.40	100	Vertical	Pass
2**	1557.180	22.87	-14.99	54.0	-31.13	AV	208.40	100	Vertical	Pass
3	2416.073	41.83	-9.99	68.2	-26.37	Peak	22.70	100	Vertical	Pass
3**	2416.073	35.20	-9.99	--	35.20	AV	22.70	100	Vertical	N/A
4	3027.372	42.42	-4.63	68.2	-25.78	Peak	27.40	100	Vertical	Pass
4**	3027.372	31.68	-4.63	--	31.68	AV	27.40	100	Vertical	N/A
5	4096.738	45.47	-1.39	74.0	-28.53	Peak	229.80	100	Vertical	Pass
5**	4096.738	34.06	-1.39	54.0	-19.94	AV	229.80	100	Vertical	Pass
6	5792.651	81.41	1.53	--	81.41	Peak	107.00	100	Vertical	N/A
6**	5792.651	72.36	1.53	--	72.36	AV	107.00	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-06-01_19.31.04

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7560.860	32.90	6.19	74.0	-41.10	Peak	1.10	100	Vertical	Pass
1**	7560.860	23.55	6.19	54.0	-30.45	AV	1.10	100	Vertical	Pass
2	9108.723	36.35	10.11	74.0	-37.65	Peak	61.50	100	Vertical	Pass
2**	9108.723	26.69	10.11	54.0	-27.31	AV	61.50	100	Vertical	Pass
3	11280.680	42.27	15.62	74.0	-31.73	Peak	61.50	100	Vertical	Pass
3**	11280.680	33.57	15.62	54.0	-20.43	AV	61.50	100	Vertical	Pass
4	12834.041	44.69	16.68	68.2	-23.51	Peak	139.70	100	Vertical	Pass
4**	12834.041	34.84	16.68	--	34.84	AV	139.70	100	Vertical	N/A
5	14183.954	48.93	22.24	68.2	-19.27	Peak	243.50	100	Vertical	Pass
5**	14183.954	39.78	22.24	--	39.78	AV	243.50	100	Vertical	N/A
6	17480.380	53.06	25.13	68.2	-15.14	Peak	93.90	100	Vertical	Pass
6**	17480.380	44.32	25.13	--	44.32	AV	93.90	100	Vertical	N/A

WIFI5GB4-AC20-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_17.22.53

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1139.983	33.04	-15.10	74.0	-40.96	Peak	45.40	100	Horizontal	Pass
1**	1139.983	22.22	-15.10	54.0	-31.78	AV	45.40	100	Horizontal	Pass
2	1345.707	34.23	-14.62	74.0	-39.77	Peak	202.50	100	Horizontal	Pass
2**	1345.707	23.29	-14.62	54.0	-30.71	AV	202.50	100	Horizontal	Pass
3	2018.373	37.10	-12.57	68.2	-31.10	Peak	296.70	100	Horizontal	Pass
3**	2018.373	25.51	-12.57	--	25.51	AV	296.70	100	Horizontal	N/A
4	3031.121	41.88	-4.61	68.2	-26.32	Peak	304.20	100	Horizontal	Pass
4**	3031.121	31.56	-4.61	--	31.56	AV	304.20	100	Horizontal	N/A
5	3549.306	43.85	-2.81	68.2	-24.35	Peak	0.80	100	Horizontal	Pass
5**	3549.306	32.27	-2.81	--	32.27	AV	0.80	100	Horizontal	N/A
6	5742.032	84.87	1.08	--	84.87	Peak	107.10	100	Horizontal	N/A
6**	5742.032	76.79	1.08	--	76.79	AV	107.10	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_20.45.26

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7959.510	33.27	7.22	68.2	-34.93	Peak	229.80	100	Horizontal	Pass
1**	7959.510	24.23	7.22	--	24.23	AV	229.80	100	Horizontal	N/A
2	9408.398	37.63	11.51	74.0	-36.37	Peak	279.70	100	Horizontal	Pass
2**	9408.398	29.11	11.51	54.0	-24.89	AV	279.70	100	Horizontal	Pass
3	10816.046	40.68	14.25	74.0	-33.32	Peak	148.00	100	Horizontal	Pass
3**	10816.046	31.96	14.25	54.0	-22.04	AV	148.00	100	Horizontal	Pass
4	11764.559	43.27	14.47	74.0	-30.73	Peak	309.00	100	Horizontal	Pass
4**	11764.559	33.62	14.47	54.0	-20.38	AV	309.00	100	Horizontal	Pass
5	14175.706	48.69	21.99	68.2	-19.51	Peak	122.60	100	Horizontal	Pass
5**	14175.706	39.57	21.99	--	39.57	AV	122.60	100	Horizontal	N/A
6	17444.639	53.52	24.78	68.2	-14.68	Peak	159.00	100	Horizontal	Pass
6**	17444.639	44.26	24.78	--	44.26	AV	159.00	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-06-01_17.20.50

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1131.484	32.88	-15.10	74.0	-41.12	Peak	0.70	100	Vertical	Pass
1**	1131.484	22.07	-15.10	54.0	-31.93	AV	0.70	100	Vertical	Pass
2	1532.933	33.99	-14.96	74.0	-40.01	Peak	329.80	100	Vertical	Pass
2**	1532.933	22.98	-14.96	54.0	-31.02	AV	329.80	100	Vertical	Pass
3	1991.626	36.89	-12.74	68.2	-31.31	Peak	297.80	100	Vertical	Pass
3**	1991.626	25.25	-12.74	--	25.25	AV	297.80	100	Vertical	N/A
4	3132.358	42.34	-5.53	68.2	-25.86	Peak	0.00	100	Vertical	Pass
4**	3132.358	30.51	-5.53	--	30.51	AV	0.00	100	Vertical	N/A
5	3754.781	43.92	-2.65	74.0	-30.08	Peak	1.80	100	Vertical	Pass
5**	3754.781	32.61	-2.65	54.0	-21.39	AV	1.80	100	Vertical	Pass
6	5740.157	84.58	1.05	--	84.58	Peak	96.50	100	Vertical	N/A
6**	5740.157	76.14	1.05	--	76.14	AV	96.50	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_20.43.15

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7321.670	31.40	5.65	74.0	-42.60	Peak	87.10	100	Vertical	Pass
1**	7321.670	22.52	5.65	54.0	-31.48	AV	87.10	100	Vertical	Pass
2	9160.960	37.11	10.89	74.0	-36.89	Peak	89.30	100	Vertical	Pass
2**	9160.960	27.96	10.89	54.0	-26.04	AV	89.30	100	Vertical	Pass
3	10865.534	40.37	14.70	74.0	-33.63	Peak	10.50	100	Vertical	Pass
3**	10865.534	31.41	14.70	54.0	-22.59	AV	10.50	100	Vertical	Pass
4	13147.463	45.78	18.53	68.2	-22.42	Peak	51.10	100	Vertical	Pass
4**	13147.463	37.40	18.53	--	37.40	AV	51.10	100	Vertical	N/A
5	14167.458	48.25	21.75	68.2	-19.95	Peak	89.30	100	Vertical	Pass
5**	14167.458	39.68	21.75	--	39.68	AV	89.30	100	Vertical	N/A
6	17507.873	52.44	24.58	68.2	-15.76	Peak	30.90	100	Vertical	Pass
6**	17507.873	43.17	24.58	--	43.17	AV	30.90	100	Vertical	N/A

WiFi5GB4-AC20-Middle channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_17.03.09

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1136.983	33.79	-15.10	74.0	-40.21	Peak	285.40	100	Horizontal	Pass
1**	1136.983	22.57	-15.10	54.0	-31.43	AV	285.40	100	Horizontal	Pass
2	1522.935	33.92	-14.97	74.0	-40.08	Peak	190.50	100	Horizontal	Pass
2**	1522.935	23.41	-14.97	54.0	-30.59	AV	190.50	100	Horizontal	Pass
3	2031.621	36.83	-12.47	68.2	-31.37	Peak	203.90	100	Horizontal	Pass
3**	2031.621	25.84	-12.47	--	25.84	AV	203.90	100	Horizontal	N/A
4	2753.031	39.65	-8.31	74.0	-34.35	Peak	326.00	100	Horizontal	Pass
4**	2753.031	29.13	-8.31	54.0	-24.87	AV	326.00	100	Horizontal	Pass
5	3625.422	44.85	-2.30	74.0	-29.15	Peak	183.70	100	Horizontal	Pass
5**	3625.422	33.09	-2.30	54.0	-20.91	AV	183.70	100	Horizontal	Pass
6	5782.152	85.37	1.56	--	85.37	Peak	120.10	100	Horizontal	N/A
6**	5782.152	76.85	1.56	--	76.85	AV	120.10	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_20.47.52

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7538.865	31.58	6.10	74.0	-42.42	Peak	280.10	100	Horizontal	Pass
1**	7538.865	22.94	6.10	54.0	-31.06	AV	280.10	100	Horizontal	Pass
2	9889.528	39.65	13.11	68.2	-28.55	Peak	316.50	100	Horizontal	Pass
2**	9889.528	30.74	13.11	--	30.74	AV	316.50	100	Horizontal	N/A
3	11902.024	42.63	15.95	74.0	-31.37	Peak	348.90	100	Horizontal	Pass
3**	11902.024	34.17	15.95	54.0	-19.83	AV	348.90	100	Horizontal	Pass
4	13240.940	44.99	18.44	68.2	-23.21	Peak	332.60	100	Horizontal	Pass
4**	13240.940	36.65	18.44	--	36.65	AV	332.60	100	Horizontal	N/A
5	14189.453	48.13	22.33	68.2	-20.07	Peak	337.10	100	Horizontal	Pass
5**	14189.453	40.43	22.33	--	40.43	AV	337.10	100	Horizontal	N/A
6	17436.391	52.47	24.70	68.2	-15.73	Peak	323.30	100	Horizontal	Pass
6**	17436.391	43.63	24.70	--	43.63	AV	323.30	100	Horizontal	N/A

WiFi5GB4-AC20-Middle channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_17.05.19

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1216.473	33.71	-14.63	74.0	-40.29	Peak	0.00	100	Vertical	Pass
1**	1216.473	23.13	-14.63	54.0	-30.87	AV	0.00	100	Vertical	Pass
2	1497.688	34.14	-15.02	74.0	-39.86	Peak	0.10	100	Vertical	Pass
2**	1497.688	23.02	-15.02	54.0	-30.98	AV	0.10	100	Vertical	Pass
3	2089.864	36.94	-11.45	68.2	-31.26	Peak	140.00	100	Vertical	Pass
3**	2089.864	26.16	-11.45	--	26.16	AV	140.00	100	Vertical	N/A
4	3027.747	42.09	-4.62	68.2	-26.11	Peak	98.90	100	Vertical	Pass
4**	3027.747	32.14	-4.62	--	32.14	AV	98.90	100	Vertical	N/A
5	4076.490	45.15	-1.16	74.0	-28.85	Peak	220.20	100	Vertical	Pass
5**	4076.490	33.73	-1.16	54.0	-20.27	AV	220.20	100	Vertical	Pass
6	5782.152	84.49	1.56	--	84.49	Peak	122.70	100	Vertical	N/A
6**	5782.152	76.46	1.56	--	76.46	AV	122.70	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_20.46.53

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7560.860	31.24	6.19	74.0	-42.76	Peak	87.30	100	Vertical	Pass
1**	7560.860	22.36	6.19	54.0	-31.64	AV	87.30	100	Vertical	Pass
2	8014.496	33.88	7.85	68.2	-34.32	Peak	107.50	100	Vertical	Pass
2**	8014.496	24.14	7.85	--	24.14	AV	107.50	100	Vertical	N/A
3	10142.464	40.07	13.13	68.2	-28.13	Peak	87.30	100	Vertical	Pass
3**	10142.464	30.53	13.13	--	30.53	AV	87.30	100	Vertical	N/A
4	11855.286	43.65	15.84	74.0	-30.35	Peak	0.60	100	Vertical	Pass
4**	11855.286	33.81	15.84	54.0	-20.19	AV	0.60	100	Vertical	Pass
5	14189.453	48.67	22.33	68.2	-19.53	Peak	35.80	100	Vertical	Pass
5**	14189.453	40.52	22.33	--	40.52	AV	35.80	100	Vertical	N/A
6	17485.879	52.90	25.15	68.2	-15.30	Peak	245.00	100	Vertical	Pass
6**	17485.879	44.95	25.15	--	44.95	AV	245.00	100	Vertical	N/A

WIFI5GB4-AC20-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_16.31.19

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1152.981	32.89	-14.99	74.0	-41.11	Peak	0.00	100	Horizontal	Pass
1**	1152.981	22.71	-14.99	54.0	-31.29	AV	0.00	100	Horizontal	Pass
2	1623.922	34.08	-14.93	74.0	-39.92	Peak	355.80	100	Horizontal	Pass
2**	1623.922	23.09	-14.93	54.0	-30.91	AV	355.80	100	Horizontal	Pass
3	2121.610	37.56	-11.47	68.2	-30.64	Peak	128.00	100	Horizontal	Pass
3**	2121.610	26.66	-11.47	--	26.66	AV	128.00	100	Horizontal	N/A
4	3016.873	42.69	-4.84	68.2	-25.51	Peak	113.40	100	Horizontal	Pass
4**	3016.873	31.53	-4.84	--	31.53	AV	113.40	100	Horizontal	N/A
5	4427.447	45.49	-1.79	68.2	-22.71	Peak	334.80	100	Horizontal	Pass
5**	4427.447	34.10	-1.79	--	34.10	AV	334.80	100	Horizontal	N/A
6	5826.397	84.56	1.29	--	84.56	Peak	113.40	100	Horizontal	N/A
6**	5826.397	76.64	1.29	--	76.64	AV	113.40	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_20.49.36

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7288.678	32.10	5.77	74.0	-41.90	Peak	1.00	100	Horizontal	Pass
1**	7288.678	22.16	5.77	54.0	-31.84	AV	1.00	100	Horizontal	Pass
2	9375.406	37.14	11.43	74.0	-36.86	Peak	39.10	100	Horizontal	Pass
2**	9375.406	28.50	11.43	54.0	-25.50	AV	39.10	100	Horizontal	Pass
3	10131.467	39.65	13.21	68.2	-28.55	Peak	65.10	100	Horizontal	Pass
3**	10131.467	30.62	13.21	--	30.62	AV	65.10	100	Horizontal	N/A
4	12462.884	44.03	17.19	74.0	-29.97	Peak	4.00	100	Horizontal	Pass
4**	12462.884	36.61	17.19	54.0	-17.39	AV	4.00	100	Horizontal	Pass
5	14203.199	48.83	22.00	68.2	-19.37	Peak	96.90	100	Horizontal	Pass
5**	14203.199	39.96	22.00	--	39.96	AV	96.90	100	Horizontal	N/A
6	17469.383	54.27	25.02	68.2	-13.93	Peak	160.10	100	Horizontal	Pass
6**	17469.383	44.79	25.02	--	44.79	AV	160.10	100	Horizontal	N/A

WiFi5GB4-AC20-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_16.29.10

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1179.478	33.69	-14.60	74.0	-40.31	Peak	352.50	100	Vertical	Pass
1**	1179.478	22.91	-14.60	54.0	-31.09	AV	352.50	100	Vertical	Pass
2	1613.923	33.67	-14.92	74.0	-40.33	Peak	101.20	100	Vertical	Pass
2**	1613.923	22.71	-14.92	54.0	-31.29	AV	101.20	100	Vertical	Pass
3	2220.347	37.76	-10.75	74.0	-36.24	Peak	68.80	100	Vertical	Pass
3**	2220.347	26.75	-10.75	54.0	-27.25	AV	68.80	100	Vertical	Pass
4	3021.372	43.24	-4.75	68.2	-24.96	Peak	48.30	100	Vertical	Pass
4**	3021.372	31.51	-4.75	--	31.51	AV	48.30	100	Vertical	N/A
5	4050.994	44.69	-1.42	74.0	-29.31	Peak	265.60	100	Vertical	Pass
5**	4050.994	33.81	-1.42	54.0	-20.19	AV	265.60	100	Vertical	Pass
6	5823.772	84.35	1.30	--	84.35	Peak	331.80	100	Vertical	N/A
6**	5823.772	76.37	1.30	--	76.37	AV	331.80	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-05-31_20.51.30

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7866.033	32.03	6.32	68.2	-36.17	Peak	324.50	100	Vertical	Pass
1**	7866.033	22.84	6.32	--	22.84	AV	324.50	100	Vertical	N/A
2	9133.467	37.07	10.53	74.0	-36.93	Peak	357.90	100	Vertical	Pass
2**	9133.467	28.00	10.53	54.0	-26.00	AV	357.90	100	Vertical	Pass
3	11143.214	40.26	14.02	74.0	-33.74	Peak	342.50	100	Vertical	Pass
3**	11143.214	32.46	14.02	54.0	-21.54	AV	342.50	100	Vertical	Pass
4	12438.140	43.75	17.09	74.0	-30.25	Peak	295.20	100	Vertical	Pass
4**	12438.140	34.72	17.09	54.0	-19.28	AV	295.20	100	Vertical	Pass
5	14189.453	48.68	22.33	68.2	-19.52	Peak	324.50	100	Vertical	Pass
5**	14189.453	40.34	22.33	--	40.34	AV	324.50	100	Vertical	N/A
6	17483.129	53.35	25.16	68.2	-14.85	Peak	359.00	100	Vertical	Pass
6**	17483.129	43.60	25.16	--	43.60	AV	359.00	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-06-01_18.38.26

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1265.717	33.78	-14.60	68.2	-34.42	Peak	132.50	100	Horizontal	Pass
1**	1265.717	22.89	-14.60	--	22.89	AV	132.50	100	Horizontal	N/A
2	1806.649	34.21	-14.45	68.2	-33.99	Peak	359.20	100	Horizontal	Pass
2**	1806.649	23.24	-14.45	--	23.24	AV	359.20	100	Horizontal	N/A
3	2615.798	38.08	-9.15	68.2	-30.12	Peak	76.00	100	Horizontal	Pass
3**	2615.798	27.38	-9.15	--	27.38	AV	76.00	100	Horizontal	N/A
4	3649.044	44.17	-2.25	74.0	-29.83	Peak	173.60	100	Horizontal	Pass
4**	3649.044	33.70	-2.25	54.0	-20.30	AV	173.60	100	Horizontal	Pass
5	5078.740	48.10	0.14	74.0	-25.90	Peak	70.50	100	Horizontal	Pass
5**	5078.740	35.86	0.14	54.0	-18.14	AV	70.50	100	Horizontal	Pass
6	5760.780	84.08	1.33	--	84.08	Peak	112.60	100	Horizontal	N/A
6**	5760.780	75.40	1.33	--	75.40	AV	112.60	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-06-01_19.22.01

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7816.546	31.70	6.64	68.2	-36.50	Peak	227.80	100	Horizontal	Pass
1**	7816.546	23.20	6.64	--	23.20	AV	227.80	100	Horizontal	N/A
2	9295.676	37.14	10.44	68.2	-31.06	Peak	359.50	100	Horizontal	Pass
2**	9295.676	28.29	10.44	--	28.29	AV	359.50	100	Horizontal	N/A
3	10035.241	39.38	12.99	68.2	-28.82	Peak	268.70	100	Horizontal	Pass
3**	10035.241	31.13	12.99	--	31.13	AV	268.70	100	Horizontal	N/A
4	11838.790	43.55	15.51	74.0	-30.45	Peak	359.50	100	Horizontal	Pass
4**	11838.790	33.50	15.51	54.0	-20.50	AV	359.50	100	Horizontal	Pass
5	14189.453	48.71	22.33	68.2	-19.49	Peak	273.20	100	Horizontal	Pass
5**	14189.453	39.68	22.33	--	39.68	AV	273.20	100	Horizontal	N/A
6	17461.135	53.15	24.94	68.2	-15.05	Peak	128.40	100	Horizontal	Pass
6**	17461.135	43.99	24.94	--	43.99	AV	128.40	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-06-01_18.41.11

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1127.234	33.24	-15.10	74.0	-40.76	Peak	194.20	100	Vertical	Pass
1**	1127.234	22.30	-15.10	54.0	-31.70	AV	194.20	100	Vertical	Pass
2	1590.426	34.24	-14.99	74.0	-39.76	Peak	333.40	100	Vertical	Pass
2**	1590.426	22.83	-14.99	54.0	-31.17	AV	333.40	100	Vertical	Pass
3	2170.854	38.07	-11.16	68.2	-30.13	Peak	116.10	100	Vertical	Pass
3**	2170.854	26.34	-11.16	--	26.34	AV	116.10	100	Vertical	N/A
4	2983.002	40.62	-6.20	68.2	-27.58	Peak	106.80	100	Vertical	Pass
4**	2983.002	29.66	-6.20	--	29.66	AV	106.80	100	Vertical	N/A
5	4032.621	45.10	-1.53	74.0	-28.90	Peak	360.00	100	Vertical	Pass
5**	4032.621	33.73	-1.53	54.0	-20.27	AV	360.00	100	Vertical	Pass
6	5757.780	84.22	1.29	--	84.22	Peak	113.00	100	Vertical	N/A
6**	5757.780	75.79	1.29	--	75.79	AV	113.00	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-06-01_19.16.44

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7753.312	31.31	5.80	68.2	-36.89	Peak	127.00	100	Vertical	Pass
1**	7753.312	22.31	5.80	--	22.31	AV	127.00	100	Vertical	N/A
2	9158.210	36.42	10.92	74.0	-37.58	Peak	359.00	100	Vertical	Pass
2**	9158.210	27.76	10.92	54.0	-26.24	AV	359.00	100	Vertical	Pass
3	10854.536	40.64	14.67	74.0	-33.36	Peak	90.50	100	Vertical	Pass
3**	10854.536	31.80	14.67	54.0	-22.20	AV	90.50	100	Vertical	Pass
4	12432.642	44.71	17.07	74.0	-29.29	Peak	136.30	100	Vertical	Pass
4**	12432.642	35.63	17.07	54.0	-18.37	AV	136.30	100	Vertical	Pass
5	14172.957	48.19	21.91	68.2	-20.01	Peak	35.80	100	Vertical	Pass
5**	14172.957	40.09	21.91	--	40.09	AV	35.80	100	Vertical	N/A
6	17516.121	52.96	24.46	68.2	-15.24	Peak	339.80	100	Vertical	Pass
6**	17516.121	43.25	24.46	--	43.25	AV	339.80	100	Vertical	N/A

WIFI5GB4-AC40-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_18.08.51

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1203.475	34.18	-14.63	74.0	-39.82	Peak	0.00	100	Horizontal	Pass
1**	1203.475	22.95	-14.63	54.0	-31.05	AV	0.00	100	Horizontal	Pass
2	1797.150	34.47	-14.48	68.2	-33.73	Peak	360.00	100	Horizontal	Pass
2**	1797.150	23.14	-14.48	--	23.14	AV	360.00	100	Horizontal	N/A
3	2414.073	38.72	-10.02	68.2	-29.48	Peak	331.20	100	Horizontal	Pass
3**	2414.073	26.80	-10.02	--	26.80	AV	331.20	100	Horizontal	N/A
4	3023.997	42.21	-4.70	68.2	-25.99	Peak	104.40	100	Horizontal	Pass
4**	3023.997	32.01	-4.70	--	32.01	AV	104.40	100	Horizontal	N/A
5	4049.119	44.64	-1.44	74.0	-29.36	Peak	347.80	100	Horizontal	Pass
5**	4049.119	33.62	-1.44	54.0	-20.38	AV	347.80	100	Horizontal	Pass
6	5804.274	81.13	1.44	--	81.13	Peak	109.20	100	Horizontal	N/A
6**	5804.274	73.00	1.44	--	73.00	AV	109.20	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-06-01_19.19.43

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7560.860	32.54	6.19	74.0	-41.46	Peak	176.10	100	Horizontal	Pass
1**	7560.860	23.09	6.19	54.0	-30.91	AV	176.10	100	Horizontal	Pass
2	8831.042	36.82	9.06	68.2	-31.38	Peak	348.80	100	Horizontal	Pass
2**	8831.042	26.75	9.06	--	26.75	AV	348.80	100	Horizontal	N/A
3	10035.241	40.25	12.99	68.2	-27.95	Peak	240.10	100	Horizontal	Pass
3**	10035.241	31.15	12.99	--	31.15	AV	240.10	100	Horizontal	N/A
4	11269.683	42.11	15.48	74.0	-31.89	Peak	359.00	100	Horizontal	Pass
4**	11269.683	32.88	15.48	54.0	-21.12	AV	359.00	100	Horizontal	Pass
5	14194.951	49.66	22.20	68.2	-18.54	Peak	356.20	100	Horizontal	Pass
5**	14194.951	40.35	22.20	--	40.35	AV	356.20	100	Horizontal	N/A
6	17433.642	52.84	24.67	68.2	-15.36	Peak	298.90	100	Horizontal	Pass
6**	17433.642	44.68	24.67	--	44.68	AV	298.90	100	Horizontal	N/A

WIFI5GB4-AC40-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_18.04.10

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1205.474	34.31	-14.63	74.0	-39.69	Peak	0.30	100	Vertical	Pass
1**	1205.474	22.91	-14.63	54.0	-31.09	AV	0.30	100	Vertical	Pass
2	1543.682	33.76	-14.97	74.0	-40.24	Peak	226.00	100	Vertical	Pass
2**	1543.682	22.96	-14.97	54.0	-31.04	AV	226.00	100	Vertical	Pass
3	2123.110	37.79	-11.48	68.2	-30.41	Peak	46.20	100	Vertical	Pass
3**	2123.110	26.72	-11.48	--	26.72	AV	46.20	100	Vertical	N/A
4	3016.123	41.99	-4.85	68.2	-26.21	Peak	197.10	100	Vertical	Pass
4**	3016.123	31.13	-4.85	--	31.13	AV	197.10	100	Vertical	N/A
5	4107.612	45.82	-1.64	74.0	-28.18	Peak	335.10	100	Vertical	Pass
5**	4107.612	34.07	-1.64	54.0	-19.93	AV	335.10	100	Vertical	Pass
6	5782.902	81.48	1.57	--	81.48	Peak	325.80	100	Vertical	N/A
6**	5782.902	73.21	1.57	--	73.21	AV	325.80	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-06-01_19.18.25

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7544.364	33.04	6.12	74.0	-40.96	Peak	328.20	100	Vertical	Pass
1**	7544.364	23.11	6.12	54.0	-30.89	AV	328.20	100	Vertical	Pass
2	9375.406	37.14	11.43	74.0	-36.86	Peak	65.20	100	Vertical	Pass
2**	9375.406	28.25	11.43	54.0	-25.75	AV	65.20	100	Vertical	Pass
3	11228.443	42.74	14.93	74.0	-31.26	Peak	328.20	100	Vertical	Pass
3**	11228.443	34.01	14.93	54.0	-19.99	AV	328.20	100	Vertical	Pass
4	12421.645	45.19	17.02	74.0	-28.81	Peak	259.80	100	Vertical	Pass
4**	12421.645	35.74	17.02	54.0	-18.26	AV	259.80	100	Vertical	Pass
5	14183.954	48.76	22.24	68.2	-19.44	Peak	237.10	100	Vertical	Pass
5**	14183.954	40.79	22.24	--	40.79	AV	237.10	100	Vertical	N/A
6	17455.636	52.41	24.89	68.2	-15.79	Peak	74.10	100	Vertical	Pass
6**	17455.636	44.47	24.89	--	44.47	AV	74.10	100	Vertical	N/A

WIFI5GB4-AC80-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_19.02.15

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1252.218	33.74	-14.71	68.2	-34.46	Peak	356.50	100	Horizontal	Pass
1**	1252.218	22.95	-14.71	--	22.95	AV	356.50	100	Horizontal	N/A
2	1780.652	33.98	-14.60	68.2	-34.22	Peak	225.10	100	Horizontal	Pass
2**	1780.652	23.20	-14.60	--	23.20	AV	225.10	100	Horizontal	N/A
3	2314.336	38.35	-10.54	74.0	-35.65	Peak	187.90	100	Horizontal	Pass
3**	2314.336	26.87	-10.54	54.0	-27.13	AV	187.90	100	Horizontal	Pass
4	3024.747	42.03	-4.68	68.2	-26.17	Peak	202.00	100	Horizontal	Pass
4**	3024.747	31.78	-4.68	--	31.78	AV	202.00	100	Horizontal	N/A
5	4037.495	44.52	-1.52	74.0	-29.48	Peak	316.20	100	Horizontal	Pass
5**	4037.495	34.01	-1.52	54.0	-19.99	AV	316.20	100	Horizontal	Pass
6	5764.154	80.40	1.37	--	80.40	Peak	122.00	100	Horizontal	N/A
6**	5764.154	71.94	1.37	--	71.94	AV	122.00	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2021-06-01_19.35.22

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7549.863	31.70	6.15	74.0	-42.30	Peak	284.50	100	Horizontal	Pass
1**	7549.863	22.81	6.15	54.0	-31.19	AV	284.50	100	Horizontal	Pass
2	8979.505	36.14	11.56	68.2	-32.06	Peak	183.90	100	Horizontal	Pass
2**	8979.505	27.48	11.56	--	27.48	AV	183.90	100	Horizontal	N/A
3	9922.519	39.01	13.52	68.2	-29.19	Peak	360.00	100	Horizontal	Pass
3**	9922.519	30.39	13.52	--	30.39	AV	360.00	100	Horizontal	N/A
4	12421.645	44.07	17.02	74.0	-29.93	Peak	360.00	100	Horizontal	Pass
4**	12421.645	35.71	17.02	54.0	-18.29	AV	360.00	100	Horizontal	Pass
5	13097.976	46.69	18.49	68.2	-21.51	Peak	165.30	100	Horizontal	Pass
5**	13097.976	36.57	18.49	--	36.57	AV	165.30	100	Horizontal	N/A
6	17469.383	52.67	25.02	68.2	-15.53	Peak	61.40	100	Horizontal	Pass
6**	17469.383	44.07	25.02	--	44.07	AV	61.40	100	Horizontal	N/A

WIFI5GB4-AC80-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_18.59.49

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1221.972	34.05	-14.61	74.0	-39.95	Peak	84.20	100	Vertical	Pass
1**	1221.972	22.91	-14.61	54.0	-31.09	AV	84.20	100	Vertical	Pass
2	1775.653	33.88	-14.57	68.2	-34.32	Peak	172.80	100	Vertical	Pass
2**	1775.653	23.36	-14.57	--	23.36	AV	172.80	100	Vertical	N/A
3	2305.337	37.75	-10.51	68.2	-30.45	Peak	247.60	100	Vertical	Pass
3**	2305.337	26.93	-10.51	--	26.93	AV	247.60	100	Vertical	N/A
4	2986.252	41.00	-6.16	68.2	-27.20	Peak	1.00	100	Vertical	Pass
4**	2986.252	30.10	-6.16	--	30.10	AV	1.00	100	Vertical	N/A
5	4107.612	44.62	-1.64	74.0	-29.38	Peak	232.30	100	Vertical	Pass
5**	4107.612	33.54	-1.64	54.0	-20.46	AV	232.30	100	Vertical	Pass
6	5756.655	79.91	1.28	--	79.91	Peak	114.30	100	Vertical	N/A
6**	5756.655	71.69	1.28	--	71.69	AV	114.30	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2021-06-01_19.32.04

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8039.240	33.26	8.26	74.0	-40.74	Peak	248.30	100	Vertical	Pass
1**	8039.240	25.22	8.26	54.0	-28.78	AV	248.30	100	Vertical	Pass
2	10125.969	39.55	13.25	68.2	-28.65	Peak	335.00	100	Vertical	Pass
2**	10125.969	30.46	13.25	--	30.46	AV	335.00	100	Vertical	N/A
3	11195.451	42.35	14.55	74.0	-31.65	Peak	115.40	100	Vertical	Pass
3**	11195.451	33.24	14.55	54.0	-20.76	AV	115.40	100	Vertical	Pass
4	13174.956	45.50	18.52	68.2	-22.70	Peak	358.90	100	Vertical	Pass
4**	13174.956	36.85	18.52	--	36.85	AV	358.90	100	Vertical	N/A
5	16097.476	49.86	20.44	74.0	-24.14	Peak	293.30	100	Vertical	Pass
5**	16097.476	40.39	20.44	54.0	-13.61	AV	293.30	100	Vertical	Pass
6	17807.548	53.60	24.83	74.0	-20.40	Peak	97.60	100	Vertical	Pass
6**	17807.548	44.79	24.83	54.0	-9.21	AV	97.60	100	Vertical	Pass

WiFi5GB1-Bandedge -A-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-05-31_19.25.43

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 23.2

Hum.: 52%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full Load

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	36.91	0.24	74.0	-37.09	Peak	89.21	100	Horizontal	Pass
1**	5150.000	30.79	0.24	54.0	-23.21	AV	89.21	100	Horizontal	Pass

WiFi5GB1-Bandedge -A-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-05-31_19.23.22

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Normal: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	36.20	0.24	74.0	-37.80	Peak	143.06	100	Vertical	Pass
1**	5150.000	30.37	0.24	54.0	-23.63	AV	143.06	100	Vertical	Pass

WiFi5GB1-Bandedge -A-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-05-31_19.32.51

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	34.67	-0.48	74.0	-39.33	Peak	99.51	100	Horizontal	Pass
1**	5350.000	28.96	-0.48	54.0	-25.04	AV	99.51	100	Horizontal	Pass

WiFi5GB1-Bandedge -A-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-05-31_19.35.18

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	36.84	-0.48	74.0	-37.16	Peak	50.36	100	Vertical	Pass
1**	5350.000	29.83	-0.48	54.0	-24.17	AV	50.36	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2021-05-31_19.45.12

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	36.81	0.24	74.0	-37.19	Peak	98.45	100	Horizontal	Pass
1**	5150.000	30.84	0.24	54.0	-23.16	AV	98.45	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2021-05-31_19.46.56

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	36.16	0.24	74.0	-37.84	Peak	84.85	100	Vertical	Pass
1**	5150.000	31.09	0.24	54.0	-22.91	AV	84.85	100	Vertical	Pass

WiFi5GB1-Bandedge –N20-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-05-31_19.43.05

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	35.18	-0.48	74.0	-38.82	Peak	75.59	100	Horizontal	Pass
1**	5350.000	29.09	-0.48	54.0	-24.91	AV	75.59	100	Horizontal	Pass

WiFi5GB1-Bandedge –N20-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-05-31_19.41.32

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: 5350.000

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	34.48	-0.48	74.0	-39.52	Peak	227.95	100	Vertical	Pass
1**	5350.000	28.52	-0.48	54.0	-25.48	AV	227.95	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2021-05-31_20.08.51

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	35.20	0.24	74.0	-38.80	Peak	258.04	100	Horizontal	Pass
1**	5150.000	29.55	0.24	54.0	-24.45	AV	258.04	100	Horizontal	Pass

WiFi5GB1-Bandedge -N40-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-05-31_20.07.17

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	37.20	0.24	74.0	-36.80	Peak	132.54	100	Vertical	Pass
1**	5150.000	31.74	0.24	54.0	-22.26	AV	132.54	100	Vertical	Pass

WiFi5GB1-Bandedge -N40-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-05-31_20.12.19

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	34.92	-0.48	74.0	-39.08	Peak	218.86	100	Horizontal	Pass
1**	5350.000	29.75	-0.48	54.0	-24.25	AV	218.86	100	Horizontal	Pass

WiFi5GB1-Bandedge –N40-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-05-31_20.14.13

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	35.14	-0.48	74.0	-38.86	Peak	315.02	100	Vertical	Pass
1**	5350.000	29.26	-0.48	54.0	-24.74	AV	315.02	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2021-05-31_19.51.26

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 23.2

Hum.: 52%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full Load

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	37.59	0.24	74.0	-36.41	Peak	80.60	100	Horizontal	Pass
1**	5150.000	30.61	0.24	54.0	-23.39	AV	80.60	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2021-05-31_19.49.27

Test Engineer: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 23.2

Hum.: 52%


Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full Load

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	36.49	0.24	74.0	-37.51	Peak	178.73	100	Vertical	Pass
1**	5150.000	31.04	0.24	54.0	-22.96	AV	178.73	100	Vertical	Pass

WiFi5GB1-Bandedge –AC20-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-05-31_19:55:53

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	35.01	-0.48	74.0	-38.99	Peak	259.28	100	Vertical	Pass
1**	5350.000	28.71	-0.48	54.0	-25.29	AV	259.28	100	Vertical	Pass
2	5350.000	35.01	-0.48	74.0	-38.99	Peak	259.28	100	Vertical	Pass
2**	5350.000	28.71	-0.48	54.0	-25.29	AV	259.28	100	Vertical	Pass

WiFi5GB1-Bandedge –AC20-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-05-31_19.43.32

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	34.48	-0.48	74.0	-39.52	Peak	227.95	100	Vertical	Pass
1**	5350.000	28.52	-0.48	54.0	-25.48	AV	227.95	100	Vertical	Pass

WiFi5GB1-Bandedge –AC40-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-05-31_20.25.39

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	35.72	0.24	74.0	-38.28	Peak	64.79	100	Horizontal	Pass
1**	5150.000	28.74	0.24	54.0	-25.26	AV	64.79	100	Horizontal	Pass

WiFi5GB1-Bandedge –AC40-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-05-31_20.27.11

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	34.10	0.24	74.0	-39.90	Peak	302.03	100	Vertical	Pass
1**	5150.000	28.65	0.24	54.0	-25.35	AV	302.03	100	Vertical	Pass

WiFi5GB1-Bandedge –AC40-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-05-31_20.24.18

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 23.2

Hum.: 52%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full Load

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	34.06	-0.48	74.0	-39.94	Peak	334.96	100	Horizontal	Pass
1**	5350.000	28.08	-0.48	54.0	-25.92	AV	334.96	100	Horizontal	Pass

WiFi5GB1-Bandedge –AC40-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-05-31_20.22.58

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	34.56	-0.48	74.0	-39.44	Peak	205.91	100	Vertical	Pass
1**	5350.000	28.64	-0.48	54.0	-25.36	AV	205.91	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2021-05-31_20.30.56

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	34.30	0.24	74.0	-39.70	Peak	286.91	100	Horizontal	Pass
1**	5150.000	28.73	0.24	54.0	-25.27	AV	286.91	100	Horizontal	Pass
2	5350.000	34.81	-0.48	74.0	-39.19	Peak	281.43	100	Horizontal	Pass
2**	5350.000	28.38	-0.48	54.0	-25.62	AV	281.43	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2021-05-31_20.29.33

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	34.73	0.24	74.0	-39.27	Peak	80.32	100	Vertical	Pass
1**	5150.000	29.18	0.24	54.0	-24.82	AV	80.32	100	Vertical	Pass
2	5350.000	34.78	-0.48	74.0	-39.22	Peak	237.56	100	Vertical	Pass
2**	5350.000	28.90	-0.48	54.0	-25.10	AV	237.56	100	Vertical	Pass

WiFi5GB4-Bandedge -A-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_15.38.14

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	47.81	0.87	122.2	-74.39	Peak	38.21	100	Horizontal	Pass

WiFi5GB4-Bandedge -A-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_15.40.18

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	47.04	0.87	122.2	-75.16	Peak	165.03	100	Vertical	Pass

WiFi5GB4-Bandedge -A-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_16.07.17

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	47.02	1.20	122.2	-75.18	Peak	135.55	100	Horizontal	Pass

WiFi5GB4-Bandedge -A-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_16.09.09

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	47.08	1.20	122.2	-75.12	Peak	299.11	100	Vertical	Pass

WiFi5GB4-Bandedge -N20-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_15.46.33

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	46.92	0.87	122.2	-75.28	Peak	92.06	100	Horizontal	Pass

WiFi5GB4-Bandedge -N20-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_15.44.31

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	47.48	0.87	122.2	-74.72	Peak	143.89	100	Vertical	Pass

WiFi5GB4-Bandedge –N20-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_16.15.01

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	47.31	1.20	122.2	-74.89	Peak	66.88	100	Horizontal	Pass

WiFi5GB4-Bandedge –N20-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_16.10.37

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	46.63	1.20	122.2	-75.57	Peak	176.49	100	Vertical	Pass

WiFi5GB4-Bandedge -N40-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_18.52.27

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	46.87	0.87	122.2	-75.33	Peak	214.49	100	Horizontal	Pass

WiFi5GB4-Bandedge -N40-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_18.51.19

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	46.80	0.87	122.2	-75.40	Peak	243.47	100	Vertical	Pass

WiFi5GB4-Bandedge -N40-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_17.59.28

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	47.19	1.20	122.2	-75.01	Peak	52.93	100	Horizontal	Pass

WiFi5GB4-Bandedge -N40-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_18.01.37

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	46.82	1.20	122.2	-75.38	Peak	302.37	100	Vertical	Pass

WiFi5GB4-Bandedge –AC20-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_15.47.53

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	47.02	0.87	122.2	-75.18	Peak	134.87	100	Horizontal	Pass

WiFi5GB4-Bandedge –AC20-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_15.49.56

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01

REmission Test case_FCC_Part 15E_FCC 15.407(5G)5G_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	46.96	0.87	122.2	-75.24	Peak	58.30	100	Vertical	Pass

WiFi5GB4-Bandedge –AC20-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_16.05.13

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	46.76	1.20	122.2	-75.44	Peak	327.53	100	Horizontal	Pass

WiFi5GB4-Bandedge –AC20-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_16.02.32

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	47.09	1.20	122.2	-75.11	Peak	62.69	100	Vertical	Pass

WiFi5GB4-Bandedge –AC40-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_18.46.28

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	47.66	0.87	122.2	-74.54	Peak	238.45	100	Horizontal	Pass

WiFi5GB4-Bandedge –AC40-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_18.49.53

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	47.62	0.87	122.2	-74.58	Peak	65.67	100	Vertical	Pass

WiFi5GB4-Bandedge –AC40-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_17.57.55

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	46.80	1.20	122.2	-75.40	Peak	130.90	100	Horizontal	Pass

WiFi5GB4-Bandedge –AC40-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_17.56.27

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	46.66	1.20	122.2	-75.54	Peak	168.17	100	Vertical	Pass

WiFi5GB4-Bandedge –AC80-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_18.55.37

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	47.59	0.87	122.2	-74.61	Peak	101.30	100	Horizontal	Pass
2	5850.000	48.89	1.20	122.2	-73.31	Peak	160.56	100	Horizontal	Pass

WiFi5GB4-Bandedge –AC80-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2021-06-01_18.57.17

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 23.2

Load: Full Load

Hum.: 52%

Remark: DR-RSE01-E21040013-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	46.77	0.87	122.2	-75.43	Peak	81.01	100	Vertical	Pass
2	5850.000	49.09	1.20	122.2	-73.11	Peak	77.48	100	Vertical	Pass